# TOYOTA 07-11 TUNDRA



# **6" BASIC SYSTEM**

The Basic System features a heavy duty shock spacer system that retains the stock coilover shocks without disassembly which provides

a factory like ride. Rear lift is accomplished with a 3" block and u-bolt system and is available with rear Performance or Dirt Logic Shocks.



241

# **Performance Suspension Parts**

#### 2001 TOYOTA TUNDRA •0-2.5" DIRT LOGIC 2.5 COILOVER SYSTEM •285/75R16 TIRES •16X8 WHEELS W/ 4 5/8" BACK SPACING

# 2007-11 TOYOTA TUNDRA

#### 2" Leveling System

Use 33/12.50R18 tires w/18x9 wheels w/5 1/2" BS w/minor trimming Use 33/12.50R20 tires w/20x9 wheels w/5 1/2" BS w/minor trimming

K7011 - Kit# w/Performance Shocks K7011DB - Kit# w/Black Dirt Logic Shocks

1 F1	TS26025BK	2" Leveling System
Order be	elow rear Performanc	ce or Dirt Logics Shocks
	TS7188 TS810611	Rear Performance Shocks Rear Dirt Logic 2.25 Non Resi
2″ D	irt Logic 2.5	Coilover System
		9 wheels w/5 1/2 "BS w/minor trimming 9 wheels w/5 1/2 "BS w/minor trimming
K702	2B - Kit# w/P	erformance Shocks
K702	2DB - Kit# w/	Black Dirt Logic Shocks
1 F1	TS260241	Front Dirt Logic 2.5 Coilovers
Order be	elow rear Performan	ce or Dirt Logics Shocks
2 F1	TS7188	Rear Performance Shocks
2 F1	TS810611	Rear Dirt Logic 2.25 Non Resi
and a second		and the second
FOO	TNOTES	

69. Double cab & crewmax 5.7L w/auto trans only.

#### **2007 TOYOTA TUNDRA CREWMAX** •6" PERFORMANCE SYSTEM

• 35/12.50R18 TIRES • 18X9 WHEELS W/ 5" BACK SPACING

#### 6" Basic System (69)

2 FTS810601

Use 35/12.50R18 tires w/18x9 wheels w/5 1/2"BS w/minor trimming Use 35/12.50R20 tires w/20x9 wheels w/5 1/2"BS w/minor trimming

#### K7009 - Kit# w/Performance Shocks K7009DB - Kit# w/Black Dirt Logic Shocks

()

	·	0		
1	FTS26020BK	Component Box 1		
1	FTS26021BK	Component Box 2		
1	FTS26022BK	Coilover Spacers		
Orde	r below rear Performan	ce or Dirt Logics Shocks		
2 2	FTS7189 FTS810601	Rear Performance Shocks Rear Dirt Logic 2.25 Non Resi		
6″	Performance	System		
vv/I	Dirt Logic 2.5	Coilovers (69)		
	Use 35/12.50R18 tires w/18x9 wheels w/5 1/2"BS w/minor trimming Use 35/12.50R20 tires w/20x9 wheels w/5 1/2"BS w/minor trimming			
K70	)10B - Kit# w/P	erformance Shocks		
K70	)10DB - Kit# w/	Black Dirt Logic Shocks		
1	FTS26020BK	Component Box 1		
1	FTS26021BK	Component Box 2		
1	FTS260231	Front Dirt Logic 2.5 Coilovers		
Order below rear Performance or Dirt Logics Shocks				
2	FTS7189	Rear Performance Shocks		

Rear Dirt Logic 2.25 Non Resi

# adjustable coil seat for a good highway and offroad ride. **2000-05 TOYOTA TUNDRA** 0-2.5" Basic Adjustable Coilover System (a)

COILOVER

Coilover System (4) Use 285/75R16 tire w/16x8 wheels w/4 5/8" BS w/minor trimming

**BASIC ADJUSTABLE** 

This system features our Performance shock

absorber with a replacement coil spring and

K7012 - Kit# w/Performance Shocks K7012DB - Kit# w/Black Dirt Logic Shocks

1	FTS2400K	Front Basic Coilovers
Ord	er below rear Perforr	nance or Dirt Logics Shocks
2	FTS7236	Rear Performance Shocks
2	FTS810311	Rear Dirt Logic 2 25 Non F



32

TIRES

## DIRT LOGIC 2.5 ADJUSTABLE COILOVER

Built for aggressive offroad driving, this Coilover features a 2.5" OD take-apart shock with height adjustability coming from the threaded body and performance coil spring. Offroad dampening capacity is so superior with this coilover we caution drivers to not drive past the limits of the stock components of the vehicle.

0-2.5" Dirt Logic 2.5 Adjustable Coilover System (4)

Use 285/75R16 tire w/16x8 wheels w/4 5/8" BS w/minor trimming

K7013B - Kit# w/Performance Shocks K7013DB - Kit# w/Black Dirt Logic Shocks

1 FTS26001K Front Dirt Logic 2.5 Coilovers Order below rear Performance or Dirt Logics Shocks

2 FTS7236 2 FTS810311

.

Resi

Rear Performance Shocks Rear Dirt Logic 2.25 Non Resi

の思想では日本であるのであるのである

FOOTNOTES

4. Larger tires cannot be installed on OEM wheels.



### **3" UPPER CONTROL ARM &** 2.5 COILOVER SYSTEM

Obtain increased height and wheel travel for late model 2WD Tacoma's with our Upper Control Arm systems. The tubular Upper Control Arms feature 1.25" OD, .120" wall thick chromoly tube construction with 1" diameter Teflon lined uniballs that attach to the factory spindle without drilling. The replacement UCA's have been designed to work in conjunction with our Dirt Logic 2.5 Coilover shocks providing 10" of wheel



travel for a complete front suspension system upgrade. Vehicle offroad suspension performance will be greatly increased due to the extensive ride tuning of the Dirt Logic 2.5 Coilovers and rear Dirt Logic 2.25's. The stance of the vehicle will become level as compared to stock and will provide additional clearance for oversized tires.

#### **6" BASIC SYSTEM**

Our 6" Basic Systems include steel coilover shock spacers that utilize the stock front coilover shocks for a factory like ride. This system includes our proven IFS technology with extended length ductile iron steering knuckles and arched crossmembers for exceptional suspension ground clearance, impact struts, heavy duty tie rods, rear add-aleafs and more.

#### **6" PERFORMANCE** SYSTEM

Our 6" Performance Systems features our Dirt Logic 2.5 adjustable coilover shocks providing superior offroad dampening capacity with a good highway ride. This system includes our proven IFS technology with extended length ductile iron steering knuckles and arched crossmembers for exceptional add-a-leafs and more.





suspension ground clearance, impact struts, heavy duty tie rods, rear



# 12005-111 TOYOTA TACOMA G LUG 3" Upper Control Arm System

## w/Dirt Logic 2.5 Coilovers

Use 33/12.50R17 tires w/ 17x8 wheels w/ 4 5/8" BS w/ minor trimming

#### K7021DB - Kit# w/Black Dirt Logic Shocks

FTS26028 FTS260311 2 FTS800691

2005 **ΤΟΥΟΤΑ ΤΑCOMA** •6" PERFORMANCE SYSTEM •315/70R17 TIRES

• 17X8 WHEELS W/ 4 5/8" BACK SPACING

Upper Control Arm Kit Front Dirt Logic 2.5 Coilovers Rear Dirt Logic 2.25 w/Resi

#### ACCESSORIES

Black Dirt Logic 2.25 Resi Shocks 2 FTS800371 Rear Dirt Logic 2.25 w/Resi

Black Billet Resi Clamps 2 FTS899001 Shock Body to Resi

FOOTNOTES

65. Must use 17" wheels or larger.



#### **2009 TOYOTA TACOMA**

- 3" UPPER CONTROL ARM SYSTEM W/DIRT LOGIC 2.5 COILOVERS
- 33/12.50R17 TIRES
- 17X8 WHEELS W/ 4 5/8" BACK SPACING

#### 6" Basic System (65)

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming

K7019 - Kit# w/Performance Shocks K7019DB - Kit# w/Black Dirt Logic Shocks

1	FTS26026BK	Co
1	FTS26007BK	Co
1	FTC2C010DV	Ca

mponent Box1 mponent Box 2

1 FTS26010BK Coilover Spacer Kit

#### Order below rear Performance or Dirt Logics Shocks

2 FTS7181 FTS810371

Rear Performance Shocks Rear Dirt Logic 2.25 Non Resi

#### 6" Performance System W/Dirt Logic 2.5 Coilovers (65)

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming

#### **K7020B** - Kit# w/Performance Shocks K7020DB - Kit# w/Black Dirt Logic Shocks

1	FTS26026BK	Component Box1		
1	FTS26007BK	Component Box 2		
1	FTS260081	Front Dirt Logic 2.5 Coilovers		
Order below rear Performance or Dirt Logics Shocks				

2	FTS7181	Rear Performance Shocks
2	FTS810371	Rear Dirt Logic 2.25 Non Resi





## **6" PERFORMANCE SYSTEM**

Our 6" Performance System features specially valved extended length front shocks that utilize the stock coil springs for a factory like ride. Massive extended length ductile iron steering knuckles attach to high arched lower control arm crossmembers for superior strength. Included in this system are preinstalled wheel bearings, seals and ball joints for a quick installation. Please note that this is a "bolt on" system that requires precision hydraulic press work to install.



2002 ТОУОТА ТАСОМА •6" PERFORMANCE SYSTEM • 315/75R16 TIRES •16X8 WHEELS W/ 4" BACK SPACING

# 19955-04 TOYOTA TACOMA 6 LUG

## 0-3.5" Basic Adjustable

#### Coilover System (4)

#### 1995.5-00 Models

11/1/1/

Use 32/11.50R15 tire w/15x8 wheels w/3 1/4" BS w/minor trimming 2001-04 Models

Use 285/75R16 tire w/16x8 wheels w/4" BS w/minor trimming

K7015 - Kit# w/Performance Shocks K7015DB - Kit# w/Black Dirt Logic Shocks

	FTS2300K FTS205	Front Basic Coilovers Add-a-leaf Kit	
Order below rear Performance or Dirt Logics Shocks			
2	FTS7231	Rear Performance Shocks	

		incur i chiorinance brioch.
2	FTS810301	Rear Dirt Logic 2.25 Non

A REAL PROPERTY AND

#### 0-3.5" Dirt Logic 2.5 Adjustable Coilover System (4)

1995.5-00 Models

FHIJICCH

Use 32/11.50R15 tire w/15x8 wheels w/3 1/4" BS w/minor trimming 2001-04 Models Use 285/75R16 tire w/16x8 wheels w/4" BS w/minor trimming

K7016B - Kit# w/Performance Shocks K7016DB - Kit# w/Black Dirt Logic Shocks

	FTS25001K FTS205	Front Dirt Logic 2.5 Coilovers Add-a-leaf Kit
Ord	er below rear Perform	nance or Dirt Logics Shocks
2	FTS7231	Rear Performance Shocks
2	FTS810301	Rear Dirt Logic 2.25 Non Resi

The second s	and the second		A REAL PROPERTY OF A REA
199555-02		<b>TEFE</b>	

#### 3" Spindle System (4)

Use 30/9.50R15 tire w/15x7 wheels w/3 3/4" BS w/minor trimming

#### K7014 - Kit# w/Performance Shocks

1	1	FTS4130-7	3" Spindl
14	1	FTS200	Rear Add
11	2	FTS7078	Front Per
100	2	FTS7129	Rear Perf

-a-leaf Kit formance Shocks

e Kit

ormance Shocks

# 1995.5-04 TOYOTA TACOMA 6 LUG 4 CYL

#### 6" Performance System (67)

1995.5-00 Models

2

Use 35/12.50R15 tire w/15x8 wheels w/3 1/4" BS w/minor trimming 2001-04 Models

Use 315/75R16 tire w/16x8 wheels w/4" BS w/minor trimming

#### K7003 - Kit# w/Performance Shocks

- FTS26000BK Component Box 1
  - FTS26003BK **Component Box 2**
  - Rear Performance Shocks FTS7267

# 19955-04 TOYOTA TACOMA 6 LUG 6 CYL

#### 6" Performance System (67)

1995.5-00 Models

Use 35/12.50R15 tire w/15x8 wheels w/3 1/4" BS w/minor trimming 2001-04 Models

Use 315/75R16 tire w/16x8 wheels w/4" BS w/minor trimming

#### K7002 - Kit# w/Performance Shocks

	1	FTS26000BK	Component Box 1
	1	FTS26001BK	Component Box 2
e.	2	FTS7267	Rear Performance Shock



TOYOTA 84-04

# 1984-95 TOYOTA P/U 5 LUG

3.5" Performance System (4)(71)

Use 30/9.50R15 tire w/15x7 wheels w/3 3/4" BS w/minor trimming

#### K7017 - Kit# w/Performance Shocks

- FTS4130-1 FTS200 2 FTS7078 2 FTS7163
- Upper Control Arm Kit Rear Add-a-leaf Kit Front Performance Shocks **Rear Performance Shocks**

#### FOOTNOTES

- 4. Larger tires cannot be installed on OEM wheels.
- 67. Precision hydraulic press work required.
- 71. Use w/ sway-away 1636 torsion bars. Some models may sit low in rear.