

KIRKEY

RACING FABRICATION INC.


Quality • Service • Innovation

88 Series Intermediate 18° Layback Containment Seat Kit


- Designed for Dirt and Asphalt Late Model, IMCA Modified, Street Stocks.
- Five (5) sizes available (14", 15", 16", 17", 18-1/2").
- Constructed from TIG welded .100" 5052 grade aluminum. Additional MIG welding adds strength.
- Contoured elongated bottom for added thigh and hip support, also has built in leg supports.
- Energy absorbing low rebound pad on bottom, rib and shoulder supports.
- Head restraint is adjustable both vertically and laterally and uses molded high density energy absorbing impact pads that eliminate upholstery. Head restraint also rotates down for additional peripheral vision.
- Lap and sub belt openings have molded rubber grommets to eliminate belt wear.
- KIT comes with black cloth cover.
- KIT design allows maximum adjustment for proper fit and reduces shipping costs.



Optional leg restraints
(02100 / 02200)



Vertical Adjustment



Horizontal Adjustment



Seat Mount 99208

Part #	Hip Width
88140KIT	14"
88150KIT	15"
88160KIT	16"
88170KIT	17"
88185KIT	18.5"

2018 Seat Lineup

91 & 92 Series SFI 39.1 Certified Seat


- 91 Series – Mandatory for NASCAR Canadian Series, NASCAR K&N Pro Series.
- 92 Series – Mandatory for NASCAR Whelen Modified Tour.
- 92 Series – Designed to fit all Asphalt Modifieds.
- Accommodates all head and neck restraints.
- SFI 45.2 certified head surround.
- Billet Aluminum connector brackets allow Head Restraint to be adjusted vertically and horizontally, head can also be rotated down for additional peripheral vision.
- Easy mounting with multiple bottom mounting locations and pre-installed shoulder mounts.
- Contoured extended bottom to support lower back, hips, and thighs. No square corners on bottom.
- Fire retardant upholstery padded with fire retardant impact absorbing comfort padding.
- Contoured bottom padding on cover has built-in leg separator for high G-force cornering support.
- Rear air vent in back.
- Cover reinforced in all high wear areas.



Rear Air Vents



Billet Connector Brackets



Bottom Mount – 92 Series



45.2 Head Surround

Accessories for 73, 91, 92 Series



Optional leg restraints available (02100 / 02200)



Optional rear mount available (99209) (Troyer 99207)



Optional leg separator available (99700)



Optional air box available (99705)

73 Series Deluxe 15° Layback Containment Seat Kit

- Designed for Asphalt Late Models and Asphalt Modifieds.
- Replaces 53 series seat.
- Reinforced vertically adjustable head restraint with SFI 45.2 high-impact padding.
- Accommodates both five and six point belts.
- Pre-punched shoulder mounting locations for easy installation.
- Contoured extended bottom to support lower back, hips, and thighs. No square corners on bottom.
- Molded rubber inserts for lap and sub belt openings.
- Black air knit cover.
- Contoured bottom foam on cover has built-in leg separator for high G-force cornering support.
- Extra high density padding in shoulders allow for width adjustment.
- KIT design allows maximum adjustment for proper fit and reduces shipping costs.

Part #	Hip Width
73140KIT	14"
73150KIT	15"
73160KIT	16"
73170KIT	17"
73180KIT	18"



Connector Brackets



79 Series Deluxe 10° Layback 78 Series Deluxe 18° Layback Containment Seat Kit

- 79 Series – designed for Sprint Cars and North East D.I.R.T. Modifieds.
- 78 Series – designed for Dirt and Asphalt Late Models.
- Constructed from TIG and MIG welded .080" 5052 grade aluminum.
- Designed to accommodate all head and neck restraint systems.
- Rib and reinforced shoulder supports have extra ½" energy absorbing padding directly on seat.
- Unique shoulder support cover design allows extra 1" shoulder width adjustment.
- Vertical and lateral adjustable head restraint uses molded high density energy absorbing impact pads to eliminate upholstery.
- Billet aluminum connector brackets for easy head adjustment.
- Left side head & shoulder restraint shortened to allow easy entry, exit.
- Lap and sub belt openings have molded rubber grommets to eliminate belt wear.
- KIT comes with black cloth cover.
- KIT design allows maximum adjustment for proper fit and reduces shipping costs.
- SFI 39.2 Certification available (call for price).

Part #	Hip Width
79140KIT	14"
79145KIT	14.5"
79150KIT	15"
79155KIT	15.5"
79160KIT	16"
79170KIT	17"



Right Side Head Pad



2-1/2" Total Padding Thickness on Bottom

1/2" low density foam, laminated to cover material, conforms to body.

1/2" low density, impact absorbing pad. Conforms to body to distribute weight and reduce pressure points. Attached to all areas of cover.

3/4" high density, impact absorbing pad. Removable from seat bottom.

3/4" low rebound, high density, impact absorbing pad. Attached to seat bottom.



79 Series Bottom Pad

2 1/2" total padding thickness on bottom

89 Series Intermediate 10° Layback Containment Seat Kit

- Designed for Sprint Cars, North East Dirt Modifieds and Sportsman.
- Constructed from TIG welded .100" 5052 grade aluminum. Additional MIG welding adds strength.
- Right side leg extension built in, left side cut back for easy entry, exit.
- Rib and reinforced shoulder supports have extra ½" energy absorbing padding directly on seat.
- Vertical and lateral adjustable head restraint uses molded high density energy absorbing impact pads to eliminate upholstery.
- Left side head and shoulder restraint shortened to allow easy entry, exit.
- Lap and sub belt openings have molded rubber grommets to eliminate belt wear.
- Designed to accommodate all belt systems.
- Kit comes with black cloth cover.
- KIT design allows maximum adjustment for proper fit and reduces shipping costs.
- Head restraint also rotates down for additional peripheral vision.

Part #	Hip Width
89140KIT	14"
89150KIT	15"
89160KIT	16"
89170KIT	17"
89180KIT	18"





37 Series Adjustable Micro/Mini Sprint Seat Kit

- Designed for Micro/Mini Sprints.
- Unique 3 part design allows maximum customization.
- Seat has 3" of vertical torso and shoulder height adjustment.
- Head restraint has 2-1/2" of vertical adjustment, 2" of lateral adjustment, head can also be rotated down for additional peripheral vision.
- Head also has 1/2" horizontal adjustment to move pad closer to helmet.
- Constructed of .080" 5052 grade aluminum.
- Special cut out bottom for 250/270 (call or see web for details).
- KIT comes with black cloth cover.
- KIT design allows maximum adjustment for proper fit and reduces shipping costs.

Part #	Hip Width
37120KIT	12"
37130KIT	13"
37140KIT	14"
37150KIT	15"
37160KIT	16"



Head & Base Adjustability

NEW!

60 Series Midget Containment Seat Kit

See website for details

NEW!

34 Series Adjustable Child Containment Seat Kit

- Seat can be adjusted vertically to raise or lower rib and shoulder supports 3-1/2".
- Head can be adjusted vertically additional 2-1/2" and horizontally; can also be rotated to increase peripheral vision.
- Vertical and lateral adjustable head restraint uses molded high density energy absorbing impact pad to eliminate upholstery on head restraint.
- Seat cover insert kit is included to reduce width for smaller kids.
- Available in 12" and 14" widths.
- Kit comes with black cloth cover.

Part #	Hip Width
34120KIT	12"
34140KIT	14"




70 Series Standard Containment Seat Kit

- Designed for entry level racing.
- Built in head and shoulder restraint.
- Accommodates all head and neck restraints.
- Seat height can be adjusted over 2-1/2" vertically.
- Kit comes with black cloth cover.
- Molded rubber insert on lap and sub belt openings.
- Available in a Road Race version (71 series) see website for details.

Part #	Hip Width
70140KIT	14"
70150KIT	15"
70160KIT	16"
70170KIT	17"



Can be adjusted over 2-1/2"



Rear Seat Mount #99211



Molded Rubber Inserts



Leg Restraint #02100 RT/02200 LT


NEW!

55 Series Pro Street Drag


- Replaces 41 Series.
- Designed for all Door Slammers.
- Made with .100" 5052 grade aluminum.
- Molded rubber insert on all seat belt openings.
- Contoured high-density foam bottom provides complete leg and inner thigh support.
- Offset aluminum extrusion around perimeter of seat adds strength.
- Seat widths from 15" to 20". See website for part numbers and cover options.
- 18-1/2" and 20" sizes feature longer bottom, sub belt and lap belt openings moved forward, side bolsters and rear belt openings raised to accommodate larger drivers.



Molded Rubber Inserts



99212 Rear



99214 Bottom

41V Series Vintage Class Bucket Seat

- Designed for Vintage Classes and Rat Rods.
- Made with .100 5052 grade aluminum.
- Contoured, high-density bottom foam provides complete leg and inner thigh support.
- Unique vertical stitching design on cover for the true vintage look.
- Seat widths from 15" to 18". See website for part numbers.



65 Series Adjustable Road Race Seat Kit

- Designed for Road Racing, Kit Cars, Club Racing.
- Constructed from TIG and MIG welded .100" 5052 grade aluminum.
- Vertically adjustable 2-1/2" for proper fit.
- Built in shoulder supports, extra rib support, contour bottom ensures support in high G cornering.
- Kit comes with extra padded black Air Knit cover. Cover designed to accommodate leg supports.
- Accommodates 5 and 6 point seat belts.
- Seat widths from 15" to 18-1/2".
- See website for part numbers.
- Layback angle adjustable from 18° to 23°.
- Uses 99212 and 99214 seat brackets.

NEW!

Part #	Hip Width
65150KIT	15"
65160KIT	16"
65170KIT	17"
65185KIT	18.5"

45 Series Road Race Containment

- Designed for Road Racing and Drag Racing.
- Accommodates all head and neck restraints.
- Deluxe Black air knit cover with 1/2" high-density impact padding.
- Bottom and rear seat mounts available (parts # 99201 and 99203).
- Bottom contoured for thigh support and drive shaft tunnel clearance.
- Seat widths from 15" to 18". See website for part numbers.



99201 – Rear



99203 – Bottom



NEW!

38 Series Standard 10-20° Layback

- Designed for street stocks, limited late models, mini modifieds, legends or any entry level division.
- Unique bottom design allows seat to be mounted in multiple layback angles without raising center of gravity in the race car.
- Constructed from TIG and MIG welded .100", 5052 grade aluminum.
- Seat comes with bolt on braces and welded interior head plate for additional strenght.
- Seat widths from 15" to 18-1/2".
- See website for part numbers and cover options.
- Uses 99212 and 99214 seat brackets.



24 Series Child Seat

- Designed for Quarter Midgets.
- Headrest reinforced with offset aluminum extrusion.
- Black vinyl cover only.
- Seat widths from 10" to 14". See website for part numbers.



Seat Insert Kit – Part #99300

Our molded foam seat insert kit is designed to add form-fitting high-density padding to the bottom and lower lumbar of your current seat. Everything you need is included in the kit. Please note that this kit is designed to be used with a seat that fits the driver properly as is. If your seat is too large for you already you will need to purchase a second kit.



High-Density Sheet Padding

Need to add some extra padding or replace worn-out padding? We have a variety of sheet padding available to achieve this, from peel-and-stick neoprene to SFI 45.2-approved sheet padding. Starting at \$40.00, and available in 0.25", 0.50" and 1" thick. See website for sheet sizes and prices.

- 99400 - .25" PEEL AND STICK - 22" X 54"
- 99401 - .5" PEEL AND STICK - 16" X 54"
- 99402 - .5" PEEL AND STICK DENSE - 20" X 54"
- 99403 - IMPACT ABSORBING PADDING -.5" COMFORT - 17.5" X 38"
- 99404 - IMPACT ABSORBING PADDING -1" COMFORT - 17.5" X 38"
- 99405 - IMPACT ABSORBING PADDING -.5" SFI 45.2 - 17.5" X 38"
- 99406 - IMPACT ABSORBING PADDING -1" SFI 45.2 - 17.5" X 38"



High-density Roll Bar Padding

- Available in two diameters 1 1/2" to 1-7/8" and 7/8" to 1-3/8".
- Half circle design protects you, saves weight and costs.
- SFI 45.1 available.

- 99011 - SFI 45.1 RATED 1 1/2" - 1 7/8" BLACK
- 99012 - SFI 45.1 RATED 1 1/2" - 1 7/8" RED
- 99013 - SFI 45.1 RATED 1 1/2" - 1 7/8" BLUE
- 99021 - SFI 45.1 RATED 7/8" - 1 3/8" BLACK
- 99022 - SFI 45.1 RATED 7/8" - 1 3/8" RED
- 99023 - SFI 45.1 RATED 7/8" - 1 3/8" BLUE
- 99031 - 1-1/2" - 1 7/8" HIGH IMPACT BLACK