



SPRINT PANELS 67-2004 SEE PAGE 52





SPRINT PANELS 67-2005 SEE PAGE 52

GPS SPEEDOMETER 63-300 SEE PAGE 49







- ACCESSORY SWITCH PANELS 50-718 SEE PAGE 25



- ACCESSORY SWITCH PANELS 50-719 SEE PAGE 25



- ACCESSORY ROCKER PANELS 52-717 SEE PAGE 26



ACCESSORY ROCKER PANELS 52-716 SEE PAGE 26



I" AND I-1/4" HOSE ADAPTERS SEE PAGE 50



EXTREME GAUGE PANELS WITH 5" TACHOMETER

2-I GAUGE PANEL 61-7731 SEE PAGE 40





---- 3-I GAUGE PANEL 61-7741 SEE PAGE 40

3-I GAUGE PANEL 61-7742 SEE PAGE 40





--- 4-1 GAUGE PANEL 61-7751 SEE PAGE 40



EXTREME GAUGE PANELS WITH 3-3/8" TACHOMETER





--- 3-1 GAUGE PANEL 61-77413 SEE PAGE 41

3-I GAUGE PANEL 61-77423 — SEE PAGE 41





---- 4-1 GAUGE PANEL 61-77513 SEE PAGE 41









8 TERMINAL ———
POWER DISTRIBUTION POST
57-805
SEE PAGE 14





POWER DISTRIBUTION STUD — 57-807 SEE PAGE 14



ALTERNATOR WIRE BOOT 57-605 SEE PAGE 15





WIRING KITS

QuickCar Racing Products has set the performance racing industry standard for battery cables and wiring. Our fine-stranded, rope-lay copper construction wire offers the absolute best in current carrying capabilities, while the 220°F.+ insulation can withstand the high temperatures and fluids common to racing. QuickCar offers a complete line of battery cable kits and wiring accessories that are reliable, durable and affordable.

PREMIUM 4-GAUGE WIRING KIT 50-232 —

Premium 4-gauge wiring kit includes the 50-020 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



PREMIUM 4-GAUGE WIRING KIT 50-832

With Black Switch Panel/Master Disconnect



4-GAUGE WIRING KIT 50-23

QuickCar's 4-gauge wiring kit is sold with the 50-022 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



4-GAUGE WIRING KIT 50-831

With Black Switch Panel/Master Disconnect



2-GAUGE WIRING KIT 50-230

Heavy duty, 2-gauge wiring kit includes the 50-053 ignition control panel, 2 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



2-GAUGE WIRING KIT 50-830

With Black Switch Panel/Master Disconnect

WIRING KITS



4-GAUGE WIRING KIT 50-235

QuickCar's 4-gauge wiring kit is sold with the 50-102 ignition control panel, 4 AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps.



4-GAUGE WIRING KIT 50-835

With Black Switch Panel /Master Disconnect



2-GAUGE WIRING KIT LESS MASTER DISCONNECT 50-234

Heavy duty, 2-gauge wiring kit includes standard 50-102 switch panel, 50-200 wiring harness, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps. Master disconnect sold separately.



2-GAUGE WIRING KIT 50-834

With Black Switch Panel /Less Master Disconnect



Four-gauge wiring kit is sold with standard 50-102 ignition control panel, 4-gauge battery cable, wiring harness, solenoid, top mount battery terminals, ring terminals, heat shrink tubing and wire clamps. Master disconnect sold separately.



4-GAUGE WIRING KIT 50-836

With Black Switch Panel/Less Master Disconnect





BATTERY CABLE KITS

BATTERY CABLE KITS

QuickCar Battery Cable Kits include 15 feet of red power cable, 2 feet of black ground cable, one pair of nickel-plated marine style battery terminals, eight gold plated power ring terminals and heat shrink tubing. All battery cables are made from copper.

Part No.	Description
57-008	4-Gauge, Side Mount
57-009	4-Gauge, Top Post Mount
<i>57-</i> 010	2-Gauge, Top Post Mount
<i>57-</i> 011	2-Gauge, Side Mount
57-014	4-Gauge, Top Post Mount, Includes Master Disconnect Switch



QuickCar Drag Race Kit contains all you need to wire a dual battery system. The kit includes 25 feet of 2 gauge red power cable, 8 feet of 2 gauge black ground cable, 2 pair of nickel plated brass marine type battery terminals, 14 gold-plated power ring terminals and heat shrink tubing.



BATTERY GROUND CABLES

Pre-terminated with gold-plated copper terminals for maximum conductivity, around cables are 18" in lenath, Choose from 2- or 4-aauae.

Part No.	Description
57-1809	4-Gauge
57-1810	2-Gauge



RACE WIRE

Used by many racing teams and chassis builders. Constructed with very fine stranded rope-lay copper wire for high flexibility and superior power flow with insulation capable of withstanding extreme temperatures.

<u> </u>					
DESCRIPTION	1'	5' NEW	10'	15' NEW	125' ROLL
2-GAUGE					
Red, Per Ft.	<i>57</i> -101	57-321	_	57-1521	57-102
Black, Per Ft.	<i>57</i> -103	57-323	_	57-1523	57-104
4-GAUGE					
Red, Per Ft.	<i>57</i> -091	57-341	_	57-1541	57-092
Black, Per Ft.	57-093	57-343	_	57-1543	57-094
8-GAUGE					
Red, Per Ft.	57-240	_	57-2401	_	_
Black, Per Ft.	57-250	_	57-2501	_	_
14-GAUGE					
Red, Per Ft.	57-201	_	57-2011	_	_
Black, Per Ft.	57-203	-	57-2031	-	-
White, Per Ft.	57-236	-	57-2361	-	_

SHIELDED DISTRIBUTOR WIRE

57-200 —

Specially shielded, three wire harness protects the trigger signal from the distributor from EMI (Electro Magnetic Interference). Sold per foot.

GATOR CLAMPS 50-435 —

Heavy duty gator clamps are ideal for repairing or customizing battery charger connectors, remote starters, etc. Sold in pairs, (1) red and (1) black rubber coated.




WIRING ACCESSORIES



RING & SPADE TERMINALS

Ideal for custom wiring tasks, ring and spade terminals are available in a variety of sizes. Terminals are complete with heat shrink. Sold in pairs

Part No.	Description	Wire Range (Gauge)	Stud Size	Tab Width
57-450	Ring Terminal (Pair) with heat shrink	#12-10	#6 (.148")	-
57-470	Ring Terminal (Pair) with heat shrink	#12-10	#10 (.200")	-
57-471	Ring Terminal (Pair) with heat shrink	#16-14	#8 (.174")	-
57-472	Ring Terminal (Pair) with heat shrink	#16-14	#10 (.200")	-
57-473	Ring Terminal (Pair) with heat shrink	#16-14	3/8"	-
57-474	Ring Terminal (Pair) with heat shrink	#10-8	3/8"	-
57-475	Ring Terminal (Pair) with heat shrink	#10-8	#10 (.200")	-
57-476	Ring Terminal (Pair) with heat shrink	#22-16	#6 (.148")	-
57-477	Ring Terminal (Pair) with heat shrink	#22-16	#10 (.200")	-
57-478	Ring Terminal (Pair) with heat shrink	#16-14	1/4"	-
57-479	Ring Terminal (Pair) with heat shrink	#16-14	5/16"	-
57-481	Ring Terminal (Pair) with heat shrink	#8	1/4"	-
57-490	Ring Terminal (Pair) with heat shrink	#8	5/16"	-
57-942	Female Spade (Pair) with heat shrink	#16-14	-	.259"
57-943	Male Spade (Pair) with heat shrink	#12-10	-	.250"
57-944	Female Spade (Pair) with heat shrink	#12-10	_	.259"
57-945	Male Spade (Pair) with heat shrink	#16-14	-	.250"



BATTERY CABLE ENDS

Heavy duty, gold plated copper ring terminals are sold in pairs with heat shrink tubing.

· · · · · · · · · · · · · · · · · · ·	
Part No.	Description
2-GAUGE	
57-540	5/16"
57-550	3/8"
57-560 NEW	1/2"
4-GAUGE	
57-520	5/16"
57-525	1/4"
57-530	3/8"
57-535 NEW	1/2"



IMPACT CRIMPER 64-020 -

Excellent for crimping standard power rings onto battery cables for permanent termination.



HEAT SHRINK TUBING

Sold each.

Join outil.	
Part No.	Description
57-440	Small
57-441	8 AWG
57-443	4 AWG
57-445	2 AWG





WIRING ACCESSORIES

WEATHERPACK TERMINALS

A secure, virtually bulletproof wire termination with a waterproof cable seal for connecting ignition or accessories throughout the race car. One through six male and female connectors are available. Rated up to 20A at 12-volt DC. All connectors include pins and seals. Sold Individually


All collinectors include	pins and sears. Some individually
Part No.	Description
50-300	Female Pin
50-301	Male Pin
50-302	Green Cable Seal, 14, 16, 18 AWG Wire
50-303	Blue Cable Seal, 10 AWG Wire
50-304	Red Cable Seal, 20 AWG Wire
50-310	Female Connector, 1-Pin
50-311	Male Connector, 1-Pin
50-312	1-Pin Connector Kit, Male And Female
50-320	Female Connector, 2-Pin
50-321	Male Connector, 2-Pin
50-322	2-Pin Connector Kit, Male And Female
50-330	Female Connector, 3-Pin
50-331	Male Connector, 3-Pin
50-332	3-Pin Connector Kit, Male And Female
50-340	Female Connector, 4-Pin
50-341	Male Connector, 4-Pin
50-342	4-Pin Connector Kit, Male And Female
50-360	Female Connector, 6-Pin
50-361	Male Connector, 6-Pin
50-362	6-Pin Connector Kit, Male And Female



WEATHERPACK KIT 50-380 -

230-piece Weatherpack kit includes a wide variety of connectors, housing cable seals and contact pins. Sold in plastic carrying case.





PIN TOOL REMOVER 50-399 -

Required to remove contact pins from Weatherpack housing.

WIRING ACCESSORIES



IGNITION/START SWITCH WITH HARNESS

50-507 **—**

Includes a 50-506 ignition switch, along with 50-200 basic wiring harness and 50-501 flip switch cover. Kit is pre-wired, and includes the starter switch and ignition switch, all in one.



HEAVY DUTY AUTOMATIC
WIRE STRIPPER PLIERS 50-393

Heavy duty, 6" pliers allow quickly stripping 8-18 gauge wires for termination. A bolt-on depth adjustment guide provides consistent, reliable strip lenath.



Handy when performing valve lash adjustments. Includes heavy duty leads with gator clamps that connect to the starter solenoid, allowing the engine to be easily turned over.



RATCHETING CRIMPER PLIERS

50-395 —

Perform consistent, professional quality crimps to a wide variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge or spark plug wire. Unique design allows quickly changing jaws without the need for tools. Rigid, heavy duty pliers also allow adjustment for crimping pressure.



DEUTSCH CONNECTORS

Durable, precision connectors include plastic male and female housing ends with indexed locks to securely lock, while sealing out dirt and moisture. Kits are sold complete with terminals, silicone rubber seals and strong crimp tabs for 12-18 gauge wires.

Part	No.	Description
71-	322	Deutsch Connector Kit, 2-Pin
71-	332	Deutsch Connector Kit, 3-Pin
71-	342	Deutsch Connector Kit, 4-Pin
71-	362	Deutsch Connector Kit. 6-Pin





BATTERY ACCESSORIES

TOP MOUNT BATTERY TERMINALS

Made from solid brass and 24k gold or nickel plated for optimum conductivity, terminals allow attaching battery cables to top mount batteries. The 57-620 has two extra ports for accessory wires. Sold in pairs.

Part No.	Description
57-607	Battery Terminal Covers
57-610	Brass/Nickel Plated Terminals
57-620	Brass/Gold Plated Terminals



REMOTE JUMPER POSTS

Provides remote access to the battery. Terminals have insulated covers to prevent accidental contact from parts with opposing polarity.

Part No.	Description
<i>57-7</i> 01	Red
57-702	Black
57-703	Red And Black, Pair



CHARGING POST MOUNTING BRACKETS

Charging post brackets allow 57-703 remote charging posts to be professionally mounted. Machined aluminum brackets are black anodized and offered in flat, for mounting to a flat surface, or bent for mounting on firewall or inside of trunk. Brackets have two holes to accept red and black remote charging posts. Brackets may also be purchased complete with charging posts.

Part No.	Description
57-708	Flat Mounting Bracket
57-709	Bent Mounting Bracket
57-718	Flat Mounting Bracket With Charging Posts
<i>57-7</i> 19	Bent Mounting Bracket With Charging Posts



SIDE MOUNT BATTERY TERMINALS

Battery terminals are 24k gold plated for optimum conductivity. Side mount terminals allow you to attach cables to GM style side mount batteries. Comes with nut and lock washers for 5/16" studs. Long stud allows use of multiple or thick power ring connectors. Sold in pairs.

BATTERY CABLE BOOTS

57-604

May be used for covering battery terminals on small terminal batteries or starter solenoid connections. Boots may be used with up to 2-gauge cable. Sold as a pair, (1) red and (1) black.

TERMINAL BUSS BAR

Glass-filled red nylon Buss Bar with 12 connection terminals, each able to handle up to 15 amps continuously. 1/4" stainless steel terminal post and 12/#8-32 stainless steel attaching screws.

NEW! POWER DISTRIBUTION POST

180 amp maximum with 20 amps per connection max. Glass-filled nylon base with nickel -plated copper connection plate. 5/16" stainless steel connection post and eight #8-32 stainless steel screws. Available in black and red.

Part No.	Description
57-805	Red Eight Point Power Post
57-806	Black Eight Point Power Post

POWER DISTRIBUTION STUD

Connect two or more voltage cables together. Glass-filled nylon base with 3/8" stud. 160 amps maximum.









ELECTRICAL ACCESSORIES



MASTER DISCONNECTS

Most sanctioning bodies require these for an emergency cut-off switch. Our Master Disconnect Switches come complete with a red epoxy-coated handle and mounting plate. Mounting plate is 2-1/2" x 2-1/2".

	· · · · · · · · · · · · · · · · · · ·
Part No.	Description
55-001	Switch Only
55-002	Switch Only, Cars w/Alternator
55-005	Switch Only For Use With High Current Alternators
55-008	Switch With Flag Mounting Plate, Cars With High Current Alternators
55-009	Switch With Flag Mounting Plate
55-010	Switch With Black Mounting Plate
55-013	Switch With Black Mounting Plate, Cars With High Current Alternators
55-021	Switch With Silver Mounting Plate
55-011	Switch With Black Mounting Plate, Cars w/Alternator
55-012	Switch With Flag Mounting Plate, Cars w/Alternator
55-022	Switch With Silver Mounting Plate, Cars w/Alternator
55-023	Switch With Silver Mounting Plate, Cars With High Current Alternators
55-55	Replacement Red Switch Handle With Screw
55-120	Jumper Wire, 3" Long Wire For Use With 55-011, 55-012 or 55-022







55-008/55-009/55-012

55-010/55-011/55-013

55-012/55-022/55-023





BATTERY DISCONNECT BOOTS

Protects battery disconnect terminals from being accidentally shorted.

Part No.	Description
57-601	Red, Pair
57-602	Black, Pair



ALTERNATOR WIRE BOOT

7-605 **NEW**

Designed to work with 8 gauge wire. Sold Each

MASTER DISCONNECT SWITCH W/REMOVABLE KEY

55-003

50-2002

Removable key adds a measure of safety and security, while limiting switch access.

Part No.	Description
55-004	Replacement Key



HEAVY DUTY STARTER SOLENOID 50-430

Durable solenoid is impervious to dirt, heat and vibration. Will still function while others fail.



57-605

STARTER JUMPER WIRES

Starter jumper wire is used when a remote solenoid is also being used. Wire jumps power from the solenoid to the starter when starter is engaged. Choose from wires with spade or ring style terminal ends.

Part No.	Description	
50-2001	Spade Type Jumper Wire, Allstar Performance Or Tilton Starters	
50-2002	Ring Terminal Jumper Wire, Bert Or Brinn Starters	





50-2001



ELECTRICAL ACCESSORIES

BATTERY QUICK DISCONNECTS

The battery cable quick disconnect enables you to change out a battery fast. Also used for battery charging and anywhere a quick disconnect is helpful. Sold individually, complete with required connectors. Three are generally used; (1) for the battery end, (1) for the car end and (1) for a spare battery or battery charger.

Part No.	Description
57-707	Black Cover for 57-704 Connector NEW!
57-705	2 AWG
57-706	4 AWG
57-704	8 AWG
50-513	6 AWG Connector Holster
50-514	6 AWG Connector Pin



REMOTE OUTLET KITS -

Remote outlet, when attached to the chassis or run through a body panel, provides quick, plug-in access for battery chargers or oil preheaters. Kits are sold complete with 5' long wiring harness and necessary terminals. Choose from kits with or without outlet cover.

Part No.	Description	
<i>57-7</i> 11	Remote Outlet For Oil Heater Or Battery Charger	
57-723	Remote Outlet For Oil Heater Or Battery Charger,	
	Includes Female Connector And Outlet Cover	



MALE RECESSED OUTLET 57-710 -

Often used for remote access to battery or oil heater.



STUD FEED-THRU 57-700

Designed for use where a 12-volt power source must pass through a panel (i.e. firewall).



LED UNDER CAR LIGHT KIT 61-795 -

Perfect for dark pit areas when an urgent, under car repair is reguired. Bright white, 18" long LED light strip. Installs easily under car or in any dark area.



Part No.	Description
61-9795	Replacement LED Strip With Connectors

FIREWALL GROMMETS

Mounts securely to the firewall and locks onto the wire that passes through the bushing. Provides a waterproof seal and a vibration proof feed-through.

Part No.	Description
57-810	8-12 AWG
57-820	2-4 AWG
57-830	1/0 AWG



57-820 57-830

IGNITION SYSTEM ACCESSORIES



IGNITION SYSTEM ACCESSORIES

QuickCar ignition wiring systems are used by many chassis builders and comply with specifications set by most sanctioning bodies.

DEUTSCH WEATHERPACK ADAPTER

50-2007 -

Eases the installation of MSD HVC ignitions, adapting the Deutsch square 6-pin connector to a 6-pin flat male Weatherpack connector.

MSD MAGNETIC PICKUP TO WEATHERPACK ADAPTER

50-207 ———

Specialized adapter eliminates the need to cut MSD magnetic pickup wires when converting primary ignition wiring to Weatherpack connectors.

CRANE IGNITION DISTRIBUTOR ADAPTER 50-2008

Special wiring harness adapts Crane Ignition distributors that use a 3-pin Deutsch connector to a 2-pin Weather pack connector.

MSD BOX QUICK RELEASE 50-442

Raised platform mounting plate accepts popular MSD 6000 series ignition and may be mounted to any flat surface. Sold complete with quick fasteners to allow ignition unit changes in the event of a failure.



DIGITAL MSD ADAPTER

50-2006

Pigtail harness adapts an MSD Digital 6 ignition connector to a standard 6-pin flat male Weatherpack connector.

CRANK TRIGGER WIRING HARNESS EXTENSION 50-206

Wiring harness is used to extend the common, MSD purple/green wires 2-1/2 ft. so that it may be hooked up to the crank trigger on the front of the engine.

7AL-2 PLUS ADAPTER 50-7222 -

Adapts the wiring connector of the popular MSD 7AL-2 Plus Ignition to a 6-pin Weatherpack connector.

LED LIGHT STRIPS

LED Light Strips can be placed virtually anywhere where lighting is desired, inside the driver's compartment, under the hood, etc.

Offered in a variety of colors.

Part No.	Description
61-791	Yellow LED Strip
61-792	Blue LED Strip
61-793	Green LED Strip
61-794	Purple LED Strip
61-9790	Red LED Strip
61-9795	White LED Strip











IGNITION CONTROL PANELS

QuickCar has become the industry leader in ignition control panels. Panels include bridged double-pole switches, large gauge wiring with heavy duty connectors for improved conductivity and reliability. Panels are pre-wired to connect directly to our wiring harnesses. Please refere to page 29 for the proper wiring harness.

IGNITION CONTROL PANEL 50-020

Compact ignition panel includes push-to-start button, weatherproof ignition and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-installation using the 50-200 or 50-201 wiring harness.







50-103

· IGNITION CONTROL PANELS

Ignition control panels are 3-3/8" wide x 3-5/8" high size. Panels have push-to-start button and ignition switch. Available with or without flip switch ignition cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

•		
Part No.	Description	
50-102	Ignition Control Panel	
50-103	Ignition Control Panel w/Flip Switch Ignition Cover	

IGNITION CONTROL PANELS

Panels, which are 3-3/8" wide x 4-1/4" high, include ignition switch, push-to-start button and pilot light. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description	
50-052	Ignition Control Panel	
50-053	Ignition Control Panel w/Flip Switch Ignition Cover	





50-052 50-053



IGNITION CONTROL PANELS CONT. (BLACK)

IGNITION CONTROL PANEL 50-820 -

Compact ignition panel includes push-to-start button, weatherproof ignition and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-installation using the 50-200 or 50-201 wiring harness.





50-803

IGNITION CONTROL PANELS

Panels, which are 3-3/8" wide x 4-1/4" high, include ignition switch, push-to-start button and pilot light. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description	
50-852	Ignition Control Panel	
50-853	Ignition Control Panel w/Flip Switch Ignition Cover	



IGNITION CONTROL PANELS

Ignition control panels are 3-3/8" wide x 3-5/8" high size. Panels have push-to-start button and ignition switch. Available with or without flip switch ignition cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-802	Ignition Control Panel
50-803	Ignition Control Panel w/Flip Switch Ignition Cover





50-853



IGNITION CONTROL PANELS WITH SINGLE ACCESSORY SWITCH

Panels include ignition switch, push-to-start button, accessory switch and two pilot lights. Panels are 4.5/8" wide x 4.3/8" high. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-022	Ignition Control Panel
50-023	Ignition Control Panel w/Flip Switch Ignition Cover







50-022

IGNITION CONTROL PANEL WITH TWO ACCESSORY SWITCHES 50-025 Panel includes ignition switch, push-to-start button, two accessory switches and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct, plug-in installation using 50-200 or 50-201 wiring harness.



Ready-to-install, basic wiring harnesses ease the car building process. Each harness is 5' long and includes four individually labeled wires complete with direct, plug-in connector.

Part No.	Description
50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI









IGNITION CONTROL PANELS WITH SINGLE ACCESSORY SWITCH

Panels include ignition switch, push-to-start button, accessory switch and two pilot lights. Panels are 4.5/8" wide x 4.3/8" high. Choice of panels with or without flip switch cover. A direct, plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-822	Ignition Control Panel
50-823	Ignition Control Panel w/Flip Switch Ignition Cover

IGNITION CONTROL PANEL WITH TWO ACCESSORY SWITCHES 50-825

Panel includes ignition switch, push-to-start button, two accessory switches and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct, plug-in installation using 50-200 or 50-201 wiring harness.



TOGGLE SWITCH EXTENSIONS

Push on switch extensions ease toggle switch activation, particularly when wearing driving gloves. Sold in pairs in choice of red or black.

Part No.	Description
50-524	Red, Two Pack
50-526	Black, Two Pack

IGNITION CONTROL PANEL 50-165

Compact ignition panel includes ignition switch, momentary start button and five accessory switches. Panel is 6-7/8" wide x 2" high.





FUSED IGNITION CONTROL PANEL 50-163

Panel features fused ignition switch, momentary start button and five fused accessory switches. Panel is 6.7/8" wide x 3.1/4" high.

IGNITION CONTROL PANEL 50-166 -

Similar to the 50-165 ignition panel, but with the addition of six pilot lights. Panel, which is 6-7/8" wide x 3-1/4" high, includes ignition switch, momentary starter button, five accessory switches and six pilot lights.





FUSED IGNITION CONTROL PANEL 50-164

Similar and a bit larger than the 50-163 ignition panel, but with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high.

SWITCH PANEL STICKER KITS

Customize QuickCar ignition control panel quickly and easily, while keeping a professional appearance. Sticker kit includes labels for 16 various functions that may be activated with accessory switches.

Part No.	Description
50-003	Sticker Kit For QuickCar Panels With Six Or More Switches





IGNITION CONTROL PANEL 50-865

Compact ignition panel includes ignition switch, momentary start button and five accessory switches. Panel is 6-7/8" wide x 2" high.





FUSED IGNITION CONTROL PANEL 50-863

Panel features fused ignition switch, momentary start button and five fused accessory switches. Panel is 6-7/8" wide x 3-1/4" high.

IGNITION CONTROL PANEL 50-866

Similar to the 50-865 ignition panel, but with the addition of six pilot lights. Panel, which is 6-7/8" wide x 3-1/4" high, includes ignition switch, momentary starter button, five accessory switches and six pilot lights.





FUSED IGNITION CONTROL PANEL 50-864

Similar and a bit larger than the 50-863 ignition panel, but with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high.

ROLL BAR TO SWITCH/GAUGE PANEL MOUNTING BRACKETS

Specialized brackets allow quickly mounting gauge or switch panels to roll bar. Mounts virtually any height panel. Simply snip off any extra bracket length, if desired. Available to mount to 1-1/2", 1-5/8" or 1-3/4" dia. roll bar. Sold in pairs.

Part No.	Description
66-939	Switch Panel Mounting Bracket, 1-1/2" Roll Bar
66-940	Switch Panel Mounting Bracket, 1-3/4" Roll Bar
66-945	Switch Panel Mounting Bracket, 1-5/8" Roll Bar







WEATHERPROOF IGNITION CONTROL PANELS

Weatherproof switch panels, which are 3-3/8" wide x 3-1/2" high, are a direct plug-in to the 50-200, 50-201, or 50-2031 wiring harness.

Part No.	Description	
50-750	Ignition Control Panel, Use with 50-200 or 50-201 Harness	
50-7531	Single Ignition Control Panel, Use with 50-2031 Harness	



WEATHERPROOF IGNITION CONTROL PANELS WITH SINGLE ACCESSORY SWITCH

Weatherproof panels include ignition, momentary starter and single accessory switches. Panels are 4-5/8" wide x 2-1/2" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

g		
Part No.	Description	
50-720	Ignition Control Panel, Use 50-200 Or 50-201 Harness	
50-711	Dual Ignition Control Panel, Use 50-2021 Harness	
50-731	Single Ignition Control Panel, Use 50-2031 Harness	



WEATHERPROOF IGNITION CONTROL PANELS WITH TWO ACCESSORY SWITCHES

Weatherproof panels include ignition, momentary starter and two accessory switches. Panels are 4-1/8" wide x 3" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

Part No.	Description
50-740	Ignition Control Panel, Use with 50-200 Or 50-201 Harness
50-7411	Dual Ignition Control Panel, Use 50-2021 Harness
50-7431	Single Ignition Control Panel, Use 50-2031 Harness





50-7711 50-1711

WEATHERPROOF IGNITION CONTROL PANELS WITH THREE ACCESSORY SWITCHES

Weatherproof panels include ignition, momentary starter and three accessory switches. Panels are 4-1/8" wide x 3" high.

Black Part No.	Checkered Part No.	Description
50-7711	50-1711	Dual Ignition Control Panel, Use with 50-2021 Harness
50-7713	50-1713	Single Ignition Control Panel w/3-Wheel Braking, Use with 50-2031 Harness
50-7714	50-1714	Single Ignition Control Panel with Dual Pickup Distributor, Use with 50-2034 Harness
50-7731	50-1731	Single Ignition Control Panel, Use with 50-2031 Harness



WEATHERPROOF FUSED IGNITION CONTROL PANEL 50-7164

Ignition panel combines the benefits of weatherproof, precision micro switches with built-in fuse access and a compact, 6-7/8" wide x 4-1/8" high size. Includes momentary start, ignition and five accessory switches.



-WEATHERPROOF IGNITION CONTROL PANELS WITH FOUR ACCESSORY SWITCHES

Weatherproof switch panels, which are 3-1/4" wide x 4-1/2" high are a direct plug-in to the 50-2031, 50-2021, or 50-2034 wiring harness. Includes ignition, momentary start and 4 accessory switches.

Part No.	Description
50-7611	Ignition Control Panel, Use with 50-2021 Harness
50-7631	Ignition Control Panel, Use with 50-2031 Harness
50-7614	Ignition Control Panel, Use with 50-2034 Harness

WEATHERPROOF IGNITION CONTROL PANELS WITH SINGLE ACCESSORY SWITCH

Weatherproof panels include ignition, momentary start and single accessory switches. Panels are 2-1/2" wide x 4-5/8" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition) or 50-2031 (single ignition) wiring harnesses.

•	0 0 1	5
	Part No.	Description
	50-790	Ignition Control Panel, Use 50-200 Or 50-201 Harness
	50-7911	Dual Ignition Control Panel, Use 50-2021 Harness
	50-7931	Single Ignition Control Panel, Use 50-2031 Harness

50-031





WEATHERPROOF ALUMINUM PANELS WITH FOUR ACCESSORY SWITCHES NEW!





Weatherproof black aluminum switch panel with four accessory switches. Panels measure 4.1/8" wide x 3" high and are available with and without lights.

Part No.	Description
50-718	Four switch panel, non-lighted
50-719	Four switch panel, lighted



IGNITION CONTROL PANELS WITH SINGLE ACCESSORY SWITCH

Pre-wired switch panels include ignition switch, push-to-start button and choice of single accessory or 3-wheel brake switch. Panels are 4.5/8" wide x 2.1/2" high. A direct, plug-in installation using the 50-2031 wiring harness.

Part No.	Description	
50-031	Single Ignition Control w/Accessory Switch	
50-033	Single Ignition Control w/3-Wheel Brake Switch	



SWITCH PANEL STICKER KITS

Customize QuickCar ignition control panels quickly and easily, while keeping a professional appearance. Sticker kits includes labels for 16 various functions that may be activated with accessory switches.

Part No.	Description
50-004	Sticker Kit For QuickCar Panels With Five Or Fewer Switches



IGNITION CONTROL PANELS WITH ACCESSORY ROCKER SWITCHES

Similar in quality and construction to traditional QuickCar ICP's, but with premium rocker switches. Panels feature 25 amp capacity switches that are dust/water resistant and include screw-on terminal connections. Offered in checkered flag or black, panels are completely pre-wired and ready to install. May be plugged in directly to 50-200 or 50-201 wiring harnesses, if desired.

52-165 (CHECKERED FLAG) 52-865 (BLACK)

Includes ignition switch, momentary starter switch and three accessory switches. Measures 7" wide x 3" high.





52-163 (CHECKERED FLAG) 52-863 (BLACK)

Panel features the addition of fused rocker switches for added electrical system protection. Includes fused ignition switch, momentary starter switch and three fused accessory switches. Measures 7" wide x 3-1/2" high.





ACCESSORY ROCKER PANELS

Black aluminum panel with four 25 amp capacity rocker switches. Panels measure 7" wide x 3-1/2" high and are available with and without lights.

	•
Part No.	Description
52-716	Four rocker switch panel, non-lighted
52-717	Four rocker switch panel, lighted

REPLACEMENT/ — **ACCESSORY ROCKER SWITCHES**







52-166 (CHECKERED FLAG) 52-866 (BLACK)

Similar to the above panels, but with rocker switches that illuminate upon activation. Includes illuminated ignition switch, momentary starter switch and three illuminated accessory switches. Measures 7" wide x 3" high.





52-164 (CHECKERED FLAG) 52-864 (BLACK)

Lighted On/Off Rocker Switch, Blue

Lighted On/Off Rocker Switch, Amber

Lighted On/Off Rocker Switch, Green

Top-of-the-line panel incorporates rocker switches that are fused and illuminated. Includes illuminated and fused ianition switch, momentary starter switch, and three illuminated and fused accessory switches. Measures 7" wide x 3-1/2" high.



52-602

52-604

52-609

52-615



Lighted On/Off/On Rocker Switch, Red





CIRCUIT BREAKER PANELS

Attractive, gloss black Ignition Control Panels include premium, 20 amp circuit breakers for the ultimate in electrical system protection. Circuit breakers utilize an easy, resettable design. Panels are completely pre-wired and ready to install

50-868 -

Panel includes push-to-start button, ignition toggle switch and five accessory toggle switches, complete with circuit breakers. Measures 6-7/8" wide x 4" tall.



50-869 —

Similar to the above panel, but 1" taller to accommodate the addition of six pilot lights.

Measures 6-7/8" wide x 5" tall.



REPLACEMENT RESETTABLE CIRCUIT BREAKERS



Circuit breakers may be reset with the touch of a button. Offered in various amp ratings, heavy duty design circuit breakers include screw connectors to ensure positive connections.

Part No.	Description
50-9715	15 Amp
50-9720	20 Amp
50-9725	25 Amp
50-9730	30 Amp

CLEAR BOOT **NEW!** 50-700 ———

Clear protective boot for resettable circuit breakers. Protects circuit breaker from dirt and moisture.





IGNITION CONTROL PANEL ACCESSORIES

WEATHERPROOF SWITCHES

Part No.	Description	
50-400	Momentary Micro Switch	
50-401	Momentary-Off-Momentary Single Pole	
	Micro Switch	
50-402	Momentary-Off-Momentary Double Pole	
	Micro Switch	
50-410	Single Pole Micro Switch	
50-415	On-Off-On Micro Switch	
50-417	On-On Micro Switch	
50-420	On-On Double Pole Crossover Micro	
	Switch	
50-422	20 Amp Circuit Breaker	
50-424	40 Amp Circuit Breaker	
50-502	Weatherproof Magneto Micro Switch	





HD SWITCH WITH FLIP-UP SWITCH COVER 50-520

Heavy duty switch includes an aircraft-type, flip-up switch cover.



BLACK SWITCH COVER 50-522

Heavy duty switch includes a weatherproof black switch cover.

REPLACEMENT COMPONENTS

Designed specifically for QuickCar ignition control panels.

Part No.	Description
50-500	Standard Single Pole Switch
50-501	Aircraft Flip Switch Cover
50-503	Magneto Switch, 6-Post
50-504	3-Wheel Brake Switch W/Rubber Cover
50-505	Bridged Double Pole Switch
50-506	Ignition W/Start Switch
50-510	Push-To-Start Momentary Switch
50-512	Momentary Toggle Switch
50-601	Red Pilot Light
50-602	Red Pilot Light
50-604	Red Pilot Light
50-609	Green Pilot Light
50-610	Replacement Rubber Boot For Switch



ATC FUSES

Designed for use in QuickCar Switch Panels, fuses are offered in a variety of amp ratings. Sold in Packs of 5.

Part No.	Description	Part No.	Description
50-905	5 Amp	50-930	30 Amp
50-910	10 Amp	50-960	Fuse Assortment,
50-915	15 Amp		5 of each fuse
50-920	20 Amp		
50-925	25 Amp		











WIRING HARNESSES









SWITCH PANEL TO WIRING HARNESS CHART

The ignition switch panels listed below are designed as a direct, plug-in installation to a specific wiring harness, significantly easing and speeding-up the car building process. The chart identifies the proper wiring harness for each ignition switch panel.

Ignition Switch Panel	Wiring Harness
50-020 / 50-820	50-200 (Basic) or 50-201 (HEI)
50-022 / 50-822	50-200 (Basic) or 50-201 (HEI)
50-023 / 50-823	50-200 (Basic) or 50-201 (HEI)
50-025 / 50-825	50-200 (Basic) or 50-201 (HEI)
50-031	50-2031 (Single Ignition) or 50-2032 (HEI)
50-033	50-2031 (Single Ignition) or 50-2032 (HEI)
50-052 / 50-852	50-200 (Basic) or 50-201 (HEI)
50-053 / 50-853	50-200 (Basic) or 50-201 (HEI)
50-102 / 50-802	50-200 (Basic) or 50-201 (HEI)
50-103 / 50-803	50-200 (Basic) or 50-201 (HEI)
50-163 / 50-863	No Harness Needed
50-164 / 50-864	No Harness Needed
50-165 / 50-865	No Harness Needed
50-166 / 50-866	No Harness Needed
50-1711 / 50-7711	50-2021 (Dual Ignition)
50-1713 / 50-7713	50-2021 (Dual Ignition)
50-1714 / 50-7714	50-2034 (Dual Pickup Ignition)
50-711	50-2021 (Dual Ignition)
50-7164	No Harness Needed

Ignition Switch Panel	Wiring Harness
50-720	50-200 (Basic) or 50-201 (HEI)
50-731	50-2031 (Single Ignition) or 50-2032 (HEI)
50-740	50-200 (Basic) or 50-201 (HEI)
50-7411	50-2021 (Dual Ignition)
50-7431	50-2031 (Single Ignition) or 50-2032 (HEI)
50-750	50-200 (Basic) or 50-201 (HEI)
50-7531	50-2031 (Single Ignition) or 50-2032 (HEI)
50-7611	50-2021 (Dual Ignition)
50-7631	50-2031 (Single Ignition) or 50-2032 (HEI)
50-7614	50-2034 (Dual Pickup Ignition)
50-7731	50-2031 (Single Ignition) or 50-2032 (HEI)
50-790	50-200 (Basic) or 50-201 (HEI)
50-7911	50-2021 (Dual Ignition)
50-7931	50-2031 (Single Ignition) or 50-2032 (HEI)
50-868	No Harness Needed
50-869	No Harness Needed
52 Series Rocker Switch Panels	50-200 (Basic) or 50-201 (HEI)



WIRING HARNESSES



BASIC IGNITION WIRING HARNESSES

Ready-to-install, basic wiring harnesses ease the car building process. Each harness is 5' long and includes four individually labeled wires complete with plug-in connector.


Part No.	Description
50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI

MOD IGNITION WIRING HARNESS KIT

Universal harness for UMP/IMCA modified will connect all ignition components. Includes switch panel with weatherproof switches.

Part No.	Description
50-2030	Checkered Panel
50-2037	Black Panel





SINGLE IGNITION WIRING HARNESS 50-2031

A universal Weatherpack harness for race cars utilizing a single box ignition system.



DUAL IGNITION WIRING HARNESS 50-2021

A universal Weatherpack harness for race cars using a dual box ignition system.

WIRING HARNESSES





HEI IGNITION WIRING HARNESS 50-2032

Universal wiring harness is designed for applications using an HEI ignition system.

ASPHALT LATE MODEL WIRING HARNESS 50-2051

Specialized wiring harness is designed for asphalt late models using a single Crane 6700-6701 Ignition system. Sold complete with wiring and connectors. For use with any ignition panel that fits the 50-2031.




DUAL PICKUP DISTRIBUTOR IGNITION WIRING HARNESS 50-2034

Universal Weatherpack wiring harness is designed for cars using a single ignition box and dual magnetic pickup distributor, or crank trigger/distributor combination.



Wiring harness with Weatherpack connector is used to supply power from the 3-wheel brake switch to the solenoid.





REDLINE GAUGE PANELS

Competition, lightweight aluminum Redline Gauge Panels are fitted with reliable, electric stepper motor gauges. Precision, 2-5/8" diameter gauges are pre-programmed to change colors in stages, and feature a programmable warning function to quickly alert the driver in the event of a problem. Panels are sold completely pre-wired for easy installation and include all necessary senders.







2-GAUGE PANEL 69-2001

Basic panel includes gauges for oil pressure and water temperature. Panel is 7-1/4" wide x 4-1/2" high.

3-GAUGE PANEL 69-3011

Panel includes gauges for oil pressure, water temperature and oil temperature. Panel is 10-1/2" wide x 4-1/2" high.

3-GAUGE PANEL 69-3012

Panel includes gauges for oil pressure, water temperature and fuel pressure. Panel is 10-1/2" wide \times 4-1/2" high.



Panel includes gauges for oil pressure, water temperature and water pressure. Panel is 10-1/2" wide x 4-1/2" high.

· 3-GAUGE PANEL <mark>69-3017</mark>

Panel includes gauges for oil pressure, water temperature and volt meter. Panel is 10-1/2" wide $\times 4-1/2$ " high.





FIREWALL SENSOR JUNCTIONS

Sensor junction blocks are the professional method when connecting lines to pressure transducers, a requirement of stepper motor gauges. Typically mounted to the firewall, junction blocks include 1/8" NPT threads to accept pressure transducers on the interior side of firewall, while pressure lines are then connected adjacently on the engine side. Manufactured from black anodized, billet aluminum, blocks are offered with or without accessory wiring holes.

Part No.	Description
63-120	Two Terminal Junction
63-121	Two Terminal Junction with Single Accessory Hole
63-120	Three Terminal Junction
63-121	Three Terminal Junction with Two Accessory Holes









63-132



4-GAUGE PANEL 69-4021

Panel includes gauges for oil pressure, water temperature, oil temperature and fuel pressure. Panel is 13-5/8" wide x 4-1/2" high.



4-GAUGE PANEL 69-4026

Panel includes gauges for oil pressure, water temperature, fuel pressure and water pressure. Panel is 13-5/8" wide $\times 4-1/2$ " high.

OWICKCAR.



4-GAUGE PANEL 69-4027

Panel includes gauges for oil pressure, water temperature, oil temperature and volt meter. Panel is 13-5/8" wide x 4-1/2" high.



5-GAUGE PANEL 69-5037

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure and volt meter. Panel is 17" wide $\times 4-1/2"$ high.

- 5-GAUGE PANEL 69-5036

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure and water pressure. Panel is 17" wide x 4-1/2" high.



2-5/8" ———— REDLINE GAUGES

May also be purchased separately. Senders and pressure lines not included.



Fuel Pressure 0-15 PSI



69-003 Oil Pressure 0-100 PSI.



69-006Water Temperature 100°-280° F.



69-007 Volt Meter 8-18 Volts



69-008 Water Pressure 0-60 PSI



69-009 Oil Temperature 140°-320° F.

REPLACEMENT SENDERS





REDLINE GAUGE TACH PANELS WITH MULTI-RECALL TACHOMETER

Panels combine advanced, electric stepper motor 2-5/8" diameter gauges with the benefits of a Redline 3" diameter multi-recall tachometer. Multi-recall, 10,000 RPM tachometer allows recalling the four highest (straightaway) and four lower (corner) RPM readings to help determine proper gearing. Panels are sold completely pre-wired for easy installation and include all necessary senders.



3-I GAUGE PANEL 69-3041

Panel combines oil pressure, water temperature and oil temperature gauges with a Redline multi-recall tachometer. Measures 13-7/8" wide x 4-1/2" high.



2-I GAUGE PANEL 69-2031

Basic panel includes gauges for oil pressure and water temperature along with a Redline multi-recall tachometer. Panel is 10-3/4" wide x 4-1/2" high.



- 3-I GAUGE PANEL 69-3042

Panel includes oil pressure, water temperature and fuel pressure gauges, and a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.

3-I GAUGE PANEL 69-3046

Panel includes oil pressure, water temperature and water pressure gauges combined with a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.







3-I GAUGE PANEL 69-3047

Panel includes oil pressure, water temperature and volt meter gauges, and a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.

4-I GAUGE PANEL 69-4051

Panel includes oil pressure, water temperature, oil temperature and fuel pressure gauges along with a Redline multi-recall tachometer. Panel is 17" wide $\times 4 \cdot 1/2$ " high.



DUICKCAR

- 4-1 GAUGE PANEL 69-4056

Panel combines oil pressure, water temperature, fuel pressure and water pressure gauges with a Redline multi-recall tachometer. Panel is 17" wide x 4-1/2" high.

4-I GAUGE PANEL 69-4057 -

Panel includes oil pressure, water temperature, oil temperature and volt meter gauges, and a Redline multi-recall tachometer. Panel is 17" wide x 4-1/2" high.





DIGITAL GAUGE PANELS NEW

Ultra lightweight gauge panels are fit with precision, 2-1/16" diameter digital electronic gauges. Gauges include a digital, blue LED readout and graduated scale for increased readability. Built-in warning light functions, pre-set with the touch of a finger, cause the lighting to flash in the event of a problem, instantly alerting the driver. Panels are sold completely pre-wired for easy installation, complete with necessary transducers and senders.



2-GAUGE PANEL 67-2001

Basic digital panel includes oil pressure and water temperature gauges. Panel is 6-1/16" wide x 3-5/8" high.

3-GAUGE PANEL 67-3011

Assembled with oil pressure, water temperature and oil temperature gauges, panel is 8-1/2" wide x 3-5/8" high.





- 3-GAUGE PANEL 67-3012

Panel includes gauges for oil pressure, water temperature and fuel pressure. Panel is 8-1/2" wide x 3-5/8" high.



3-GAUGE PANEL 67-3016

Panel is fitted with oil pressure, water temperature and water pressure gauges. Panel is 8-1/2" wide x 3-5/8" high.

- 3-GAUGE PANEL 67-3017

Fitted with gauges for oil pressure, water temperature and volt meter, panel is 8-1/2" wide x 3-5/8" high.





4-GAUGE PANEL 67-4021

Panel includes oil pressure, water temperature, oil temperature and fuel pressure gauges. Panel is 11" wide x 3-5/8" high.



DINCKCAR

4-GAUGE PANEL 67-4026

Panel is complete with oil pressure, water temperature, fuel pressure and water pressure gauges. Panel is 11" wide x 3-5/8" high.

4-GAUGE PANEL 67-4027

Panel includes oil pressure, water temperature, oil temperature and volt meter gauges. Panel is 11" wide x 3-5/8" high.



5-GAUGE PANEL 67-5037

Panel includes oil pressure, water temperature, oil temperature, fuel pressure and volt meter aquaes. Panel is 13-1/2" wide x 3-5/8" high.



- 5-GAUGE PANEL 67-5036

Complete with gauges for oil pressure, water temperature, oil temperature, fuel pressure and water pressure. Panel is 13-1/2" wide x 3-5/8" high.



2-1/16"——— DIGITAL GAUGES

May also be purchased separately. Senders, transducers or pressure lines not included.



67-000 Fuel Pressure 0-15 PSI



67-001 Tachometer 10000 RPM



67-003
Oil Pressure
0-100 PSI.



67-006Water Temperature 100°-280° F.



67-007 Volt Meter 8-18 Volts



67-008 Water Pressure 0-100 PSI



67-009 Oil Temperature 100°-320° F.



63-220 Part No. 63-220

00 220	
Part No.	
63-220	
63-225	
63-230	
63-240	

Description

1 Wire Temp Sender
2 Wire Temp Sender NEW!
Oil Pressure/Water Pressure Sender

Fuel Pressure Sender

63-240



EXTREME GAUGE PANELS

Extreme Gauge Panels feature lightweight, 2-5/8" diameter white face mechanical gauges with bright red pointers mounted in gloss black finished panels. Panels are pre-wired, ready to install and include necessary senders. No external warning lights are needed; gauges use LED lights and switch automatically from white to designated color when a problem arises.



2-GAUGE PANEL 61-7001

Basic, 7-1/4" wide x 4-1/2" high panel includes gauges for oil pressure and water temperature.

3-GAUGE PANEL 61-7011

Panel is 10-1/2" wide x 4-1/2" high and features oil pressure, water temperature and oil temperature gauges.



3-GAUGE PANEL 61-7012

Panel is complete with oil pressure, water temperature and fuel pressure gauges, and is 10-1/2" wide x 4-1/2" high.



3-GAUGE PANEL 61-7017

Panel is complete with oil pressure, water temperature and volt meter gauges. Panel is 10-1/2" wide x 4-1/2" high.



4-GAUGE PANEL 61-7021

Panel, which is 13-5/8" wide x 4-1/2" high, includes oil pressure, water temperature, oil temperature and fuel pressure gauges.



THE PLANT OF THE PARTY OF THE P

4-GAUGE PANEL 61-7026

Panel, which is 13-5/8" wide x 4-1/2" high, includes oil pressure, water temperature, fuel pressure and water pressure gauges.



EXTREME GAUGE PANELS WITH LED DIGITAL TACHOMETER

Panels feature the addition of the Extreme LED Digital Tachometer, designed for use as an RPM indicator or shift light. RPM settings are adjusted by simply touching the lens with a finger. Fully assembled and pre-wired, panels are complete with necessary senders. May be assembled with any combination of gauges; please call with specific requirements.



2-I GAUGE PANEL 61-7031

2-1 gauge panel is complete with gauges for oil pressure and water temperature, and the Extreme LED Digital Tachometer. Panel is 10-1/2" wide x 4-1/2" high.

GAUGE PANEL 61-7041

3-1 gauge panel includes oil pressure, water temperature and oil temperature gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.



DIHCKCAR

3-I GAUGE PANEL 61-7042

3-1 gauge panel includes oil pressure, water temperature and fuel pressure gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.



4-I GAUGE PANEL 61-7051

4-1 gauge panel includes oil pressure, water temperature, oil temperature and fuel pressure aguages, and the Extreme LED Digital Tachometer, Panel is 17" wide x 4-1/2" high.

2-5/8" EXTREME GAUGES May also be purchased separately. Sold complete with 12-volt lighting. Senders and pressure lines not included.



611-7000 ₀₋₁₅ PSI

OIL PRESSURE 611-7003 0-100 PSI.



611-7007 8-18 Volts.

WATER TEMPERATURE 6II-7006 100°-280° F.



611-7009 100°-320° F.

611-7012 100°-320° F.



611-7008 O-100 PSI







EXTREME GAUGE PANELS WITH 5" TACHOMETER

2-I GAUGE PANEL 61-7731 NEW!

Panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil includes pressure and water temperature gauges along with internal warning lights. Panel measures 11-7/8" wide x 4-1/2" high.





- 3-1 GAUGE PANEL 61-7741 NEW!

This panel features a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature and oil temperature gauges along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.

3-I GAUGE PANEL 61-7742 NEW!

This panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature and fuel pressure gauges along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.



40 50 40 50 160 240 20 240 160 260

−4-1 GAUGE PANEL 61-775| NEW!

Panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature, oil temperature and fuel pressure gauges along with internal warning lights. Panel measures 18-5/16" wide x 4-1/2" tall.



EXTREME GAUGE PANELS WITH 3-3/8" TACHOMETER

2-I GAUGE PANEL 61-77313 NEW!

Panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure and water temperature gauges along with internal warning lights. Panel measures 11-7/8" wide x 4-1/2" high.





— 3-I GAUGE PANEL 61-77413 NEW!

This panel features a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature and oil temperature gauges along with internal warning lights. Panel measures 15-1/8" wide \times 4-1/2" tall.

3-I GAUGE PANEL 61-77423 NEW!

This panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature and fuel pressure gauges along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.



— 4-1 GAUGE PANEL 61-77513 NEW!

Panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature, oil temperature and fuel pressure gauges along with internal warning lights. Panel measures 18-5/16" wide x 4-1/2" tall.



STANDARD GAUGE PANELS

Standard gauge panels feature quality QuickCar 2-5/8" diameter mechanical gauges and accompanying warning lights. Panels are sold completely pre-wired for easy installation and include all necessary senders. All aquaes in standard panels now feature LED lighting.

2-GAUGE PANEL 61-6001

Basic panel includes gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.



3-GAUGE PANEL 61-6012

Panel includes gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.





3-GAUGE PANEL 61-6011

Panel includes gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 10-1/2" wide $\times 4-1/2$ " high.



- 4-GAUGE PANEL 61-6021

Panel features gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.



STANDARD GAUGE PANELS CONT. (BLACK)

2-GAUGE PANEL 61-6701 -

Basic panel includes gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.





3-GAUGE PANEL 61-6717

Panel is complete with oil pressure, water temperature and volt meter gauges, and accompanying warning lights. Panel is 10-1/2" wide $\times 4-1/2$ " high.

3-GAUGE PANEL 61-6711

Panel includes gauges for oil pressure, water temperature and oil temperature and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



40 80 20 A SOO A

3-GAUGE PANEL 61-6712

Panel includes gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.

4-GAUGE PANEL 61-6721

Panel features gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.





STANDARD GAUGE PANELS WITH 5" TACHOMETER



3-I GAUGE PANEL 61-6041

Panel incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide $\times 4-1/2$ " high.

2-I GAUGE PANEL 61-6031

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





3-I GAUGE PANEL 61-6042

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

4-I GAUGE PANEL 61-6051

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





STANDARD GAUGE PANELS WITH 5" TACHOMETER CONT. (BLACK)



3-I GAUGE PANEL 61-6741

Panel incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

2-I GAUGE PANEL 61-6731

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





3-I GAUGE PANEL 61-6742

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2.5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

4-I GAUGE PANEL 61-6751

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





STANDARD GAUGE PANELS WITH 3-3/8" TACHOMETERS

2-I GAUGE PANEL 61-60313

Basic panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





3-I GAUGE PANEL 61-60413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

3-I GAUGE PANEL 61-60423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



WATER LETTEMPERATURE WATER LETTEMPERATURE PRESSURE PR

4-I GAUGE PANEL 61-60513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



STANDARD GAUGE PANELS WITH 3-3/8" TACHOMETERS CONT. (BLACK)

2-I GAUGE PANEL 61-67313

Basic panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.





- 3-1 GAUGE PANEL 61-67413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

3-I GAUGE PANEL 61-67423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



40, 60 40, 60 20 10

- 4-1 GAUGE PANEL 61-67513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



GAUGE PANEL ACCESSORIES











STANDARD 2-5/8" GAUGES

May also be purchased separately. Sold complete with 12-volt LED lighting. Senders and pressure line not included.

0-15 PSI.

VOLTS 8-18 Volts. TEMPERATURE 611-6006

100°-280° F.

PRESSURE 611-6003 0-100 PSI.

TEMPĚŘÁTURE

611-6009 100°-340° F.

Example of LED Red Light Strip, Gauge Panel Not Included

LED RED LIGHT STRIP 61-790

Red, 18" long LED strip, which may be trimmed to length, is typically mounted to the dashboard and wired to a warning light, quickly alerting the driver in the event of a problem. Sold complete with necessary wiring.

PRESSURE AND TEMPERATURE SWITCHES

FUEL PRESSURE SWITCH 61-730 -

Activates warning light when fuel pressure drops below 4 PSI. Switch has 1/8" NPT.



OIL PRESSURE SWITCHES

Switches are offered to activate oil pressure warning light at 20 or 30 PSI. Switches have 1/8" NPT.

-	
Part No.	Description
61-733	Oil Pressure Switch, Activates At 30 PSI
61-735	Oil Pressure Switch, Activates At 20 PSI

WATER TEMPERATURE SWITCHES

Activates warning light when water temperature rises to 235° F. Offered with 3/8" or 1/2" NPT

-,,	
Part No.	Description
61-740	Water Temperature Switch, 1/2" NPT
61-748	Water Temperature Switch, 3/8" NPT

OIL TEMPERATURE SWITCH 61-750

Activates warning light when oil temperature rises above 280° F. Has a 1/2" NPT.



-	
Part No.	Description
61-701	Red
61-702	Blue
61-704	Amber
61-709	Green
61-706	4-Pc. Warning Light Kit Includes (1) red, (1) blue,
	(1) amber and (1) green warning light.



New and improved bulbs fit into the back lighting of standard QuickCar gauges, offering bright illumination and easier gauge reading, while using less power and adding reliability. Perfect for 16V applications.

,	
Part No.	Description
61-698	White LED Bulbs, 4-Pack
61-699	White LED Bulb, Each
61-691	Red LED Bulbs, Pair
61-692	Blue LED Bulbs, Pair
61-693	Amber LED Bulbs, Pair
61-694	Green LED Bulbs, Pair



TACHOMETERS-SPEEDOMETER



QuickCar tachometers and speedometers are used in the assembly of our quality built, ready to install panels, and are also offered separately.

EXTREME LED DIGITAL TACHOMETER 611-7010

Digital tachometer's compact, 2-5/8" diameter allows it to be installed into any Extreme gauge panel. Tachometer may be used simply as an RPM indicator, or as a shift light. RPM settings are adjusted by simply touching the lens with a finger. Unit also includes a recall feature, which displays the highest RPM attained at the end of the race.







TACHOMETER WITH MEMORY 611-6001

A true American made, 5" diameter tachometer that is affordable. dependable and accurate. Tachometer, which has a silver dial face with bright red pointer, has a 0-10,000 RPM range and popular memory feature. which allows displaying the highest RPM attained from the last race. Unit features an analog design, thereby lacking a microprocessor and providing legality in all sanctioning bodies. Now features bright white LED lighting.



SMALL DIAMETER DIGITAL TACHOMETER 67-001

This lightweight 2-1/16" diameter tachometer features a bright blue, easy to read digital display. Designed with a 0-10,000 RPM range, high RPM recall and adaptablity to numerous engine/cylinder

TACHOMETER WITH REMOTE RECALL 611-6002 —

Made in the USA, 3-3/8" diameter aluminum-cased tachometer includes a 0-10,000 RPM range. Designed for in-dash mounting, tachometer includes a silver dial face with bright red pointer, and includes a remote recall, which displays the highest RPM attained during the last race. Analog rather than microprocessor design allows legality in all sanctioning bodies. Now features bright white LED lighting.

Part No.	Description
611-096	Replacement Remote Recall Switch



REDLINE MULTI-RECALL TACHOMETERS

Precision, 3" diameter tachometers combine accuracy and reliability with added multi-recall features. The built-in multi-recall function allows recalling the four highest (straightaway) and four lower (corner) RPM readings to help determine proper gearing, while the programmable shift light gids in performing timely shifts, when desired. Bright, LED lit 0-10,000 RPM tachs are offered with black or white dial faces.

Part No.	Description
63-001	Multi-Recall Tachometer (White)
63-002	Multi-Recall Tachometer (Black)

QUICKTACH LCD RECALL TACHOMETERS ———

Compact, yet accurate QuickTach features a 1-3/4" wide x 3/4" high LCD digital display of engine RPM, while also including the ability to recall the highest RPM attained during the last race. RPM recall is automatically displayed for up to 15 minutes once the engine is shut down, and clears when the engine is re-started. A reset button allows for occasions when it is desired to reset the unit during racing. Lightweight, aluminum cased unit is waterproof and is self-powered by a 9-volt battery. Not for use with Magnetos.

Part No.	Description
611-099	QuickTach, White/Red With Checkered Flag
611-100	QuickTach, Black



REDLINE GPS SPEEDOMETER 63-300

ENGINE

611-096

This 3-3/8" diameter GPS speedometer features a black, easy to read 0-120 MPH analog face with digital LCD display odometer







GAUGE PANEL ACCESSORIES

FUEL PRESSURE ISOLATOR 61-300 —

Specialized isolator eliminates the hazards associated with driver's compartment mounted fuel pressure aguaes. Typically mounted to the engine side firewall, isolator is plumbed with the pressure source on the inlet side and an anti-freeze/water mix on the outlet, which connects to the gauge. Compatible with gasoline, alcohol or methanol fuels, isolator is manufactured from black anodized, 6061-T6 billet aluminum for durability. Capable of monitoring pressures up to 80 PSI, unit is sold complete with -4AN adapter fittings, mounting bracket and necessary hardware.



Each kit includes two 1/8" NPT to -4AN adapter fittings and -4AN stainless steel braided line to hook-up pressure gauges.

Part No.	Description
61-71012	12"
61-71024	24"
61-71036	36"
61-71048	48"
61-71060	60"



BRASS 1/8" NPT TEE FITTINGS

Required when wiring in warning lights.

Part No.	Description
61-720	1/8" NPT "T"-Fitting, (2) Female Ports, (1) Male Port
61-721	1/8" NPT "T"-Fitting, (3) Female Ports

TEMPERATURE ADAPTERS -

Used to connect mechanical water or oil temperature gauges to engine.

Part No.	Description
611-900	1/2" NPT Brass Adapter
611-901	1/2" NPT Aluminum Adapter
611-902	3/8" NPT Aluminum Adapter
611-903*	3/8" NPT Extended Aluminum Adapter

^{*}Note: For use on applications where the temperature probe contacts the inside of the cylinder head before tightening. Typically required for most aluminum heads.







I" AND I-1/4" HOSE ADAPTERS

These adapters are designed to splice into radiator hose and allow a temp sender or bleeder valve to be installed where space is an issue.

Part No.	Description
61-756	1" Hose with 1/8" NPT port.
61-757	1-1/4" Hose with 1/2" NPT port.



OIL TEMPERATURE MANIFOLD 61-755

Installed in-line to allow monitoring engine oil temperature, manifold is constructed from rigid billet aluminum and black anodized for corrosion resistance. Manifold includes -10AN O-ring boss inlet and outlet ports, and a 3/8" female NPT port for an oil temperature probe.



1/8" NPT PRESSURE GAUGE LINE KITS

Designed to connect mechanical pressure gauges, kits are offered with copper or nylon tubing. Each kit is complete with required fittings.



Part No.	Description
61-710	Nylon Gauge Line Kit
61-7101	Copper Gauge Line Kit
61-724	1/8" NPT Female To -4AN Male Gauge Adapter (Each)
61-725	1/8" NPT Male To -4AN Male Gauge Adapter (Each)

ALUMINUM TEE FITTING 61-722 ——

Fitting includes a 1/8" NPT port to -4AN with 1/8" NPT side port for oil pressure sensor.



MINI FUEL PRESSURE GAUGES -

Ideally mounted to fuel pressure regulators or fuel logs, mini 1-1/2" diameter fuel pressure gauges are liquid-filled to ease readability.

Part No.	Description
611-9015	0-15 PSI
611-90100	0-100 PSI



611-9015

611-90100



GAUGE PANEL ACCESSORIES



QUICK-LITE WARNING LIGHT KITS

Warning light kits are designed to immediately alert the driver of any engine problems. Each kit is sold complete with warning light, sending switch and wiring.



OIL PRESSURE KIT 61-711

Kit includes a red warning light, pressure sending unit that actuates the warning light if oil pressure drops below 20 PSI, brass in-line tee for oil pressure line, and necessary pre-terminated wiring.

WATER TEMPERATURE KIT 61-712 —

Kit includes a blue warning light, temperature sending unit that actuates the warning light if water temperature exceeds 235° F., and necessary pre-terminated wiring.



WATER PRESSURE KIT 61-713

Kit includes a blue warning light, pressure sending unit that actuates the warning light if water pressure drops below 4 PSI, and necessary pre-terminated wiring. Kit provides instant notice of coolant pressure loss such as a blown hose, radiator or head gasket leakage. Sending unit may be installed virtually anywhere in the cooling system.




OIL TEMPERATURE KIT 61-714 —

Kit includes an amber warning light, temperature sending unit that actuates the warning light if oil temperature exceeds 280° F., and necessary pre-terminated wiring.



Kit includes a green warning light, pressure sending unit that actuates the warning light if fuel pressure drops below 4 PSI, brass in-line tee and necessary pre-terminated wiring.



Keep track of spikes or loss of cooling system pressure, which if unnoticed, can cause catastrophic engine failure. Kit is similar to 61-713, but with the addition of a QuickCar 2-1/16" diameter mechanical 0-35 PSI water pressure gauge. Also includes blue warning light, pressure sending unit that actuates the warning light if water pressure drops below 4 PSI, brass in-line tee and necessary pre-terminated wiring.

Part No.	Description
61-697	Replacement LED Bulb
611-6008	Replacement Gauge, 0-35 PSI









SPRINT CAR GAUGE PANELS

DELUXE SPRINT GAUGE PANELS

Innovative, two-gauge panels feature a self-contained, low oil pressure warning system. Panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, use a 9-volt battery for power, and install with quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels. Sold complete with required fasteners and battery.

Part No.	Description	
61-6005	Aluminum Gauge Panel	
61-6005-1	Aluminum Gauge Panel, Includes Magneto Switch	
61-7005	Carbon Fiber Gauge Panel	





– PRO SPRINT GAUGE PANELS

Two-gauge panels weigh less than 1 lb., yet are very durable. Gauge panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, and fasten to dash from engine bay using included quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels.

Part No.	Description
61-6004	Aluminum Gauge Panel
61-6006	Aluminum Gauge Panel, Vertical Mount
61-7004	Carbon Fiber Gauge Panel

REPLACEMENT GAUGES

Gauges include mounting grommet.

Part No.	Description
611-6004	Oil Pressure, 0-100 PSI
611-6005	Water Temperature, 100°-280° F.



DIGITAL OPEN WHEEL GAUGE PANELS NEW!

Lightweight aluminum panels have digital, 2-1/16" dia. electronic oil pressure and water temperature gauges with bright blue readout and graduated scale for increased readability. Built-in warning lights, pre-set with the touch of a finger, cause the lighting to flash in the event of a problem. Weather resistant panels use a 12-volt battery for power, or for traditional sprint cars that lack a battery and require a self-contained panel. Self-contained unit uses a compact, 12-volt rechargeable battery for power and includes a double-pole switch that functions as both a kill switch and as a means of activating the gauge panel. Self-contained panel includes a battery and charger.

1	Part No.	Description
	67-2004	Open Wheel Gauge Panel, For Cars With 12-Volt Battery, 6-3/4" W. x 3" H.
	67-2005	Open Wheel Gauge Panel, Self-Contained, 6-3/4" W. x 4-1/16" H.

DIGITAL OPEN WHEEL GAUGE PANELS REPLACEMENT PARTS

Part No.	Description	Part No.	Description
67-003	Oil Pressure Gauge	63-225	Water Temperature Sender (2 Wire) NEW!
67-006	Water Temperature Gauge	63-230	Oil Pressure Sender
63-220	Water Temperature Sender (1 wire)	63-604	Replacement Battery Charger for 67-2005 Panel
		63-605	Replacement Battery Pack for 67-2005 Panel





SPRINT CAR GAUGE PANELS



ULTRA-NITE SPRINT CAR GAUGE PANELS

Compact, lightweight gauge panels are fitted with Auto Meter 2-5/8" diameter Ultra-Nite glow-in-the-dark oil pressure and water temperature gauges. Gauges are mounted in aluminum or carbon fiber panels using shockproof rubber grommets. Available Deluxe gauge panels include 9-volt battery for self-sufficient power supply for low oil pressure warning light and toggle switch. All panels are sold complete with Quick fasteners.

Part No.	Description
61-0604	Ultra-Nite Pro Sprint Panel, Aluminum Panel
61-0605	Ultra-Nite Deluxe Sprint Panel, Aluminum Panel, 9-Volt Powered
61-0606	Ultra-Nite Vertical Mount Panel, Aluminum Panel
61-0704	Ultra-Nite Pro Sprint Panel, Carbon Fiber Panel
61-0705	Ultra-Nite Deluxe Sprint Panel, Carbon Fiber Panel, 9-Volt Powered



REPLACEMENT GAUGES

Gauges include mounting grommet.

Part No.	Description
611-4521	Oil Pressure, 0-100 PSI
611-4531	Water Temperature, 140°-280° F.









OUICKCAR SPRINT CAR GAUGE PANEL ACCESSORIES

OFFSET SPRINT GAUGE GROMMET 61-727 -

Special rubber grommet secures 2-5/8" diameter gauges into mounting panel, replacing traditional saddle brackets. Offsets aguaes toward driver, while reducing aguae vibration for easier reading.



WEATHERPROOF SWITCH 50-401 -

Quality momentary-off-momentary toggle switch. Commonly used in conjunction with an electric motor to activate a wina adjuster.



ALUMINUM TEE FITTING 61-722 ----

Fitting includes a 1/8" NPT port to -4AN with 1/8" NPT side port for oil pressure sensor. Typically used with 61-6005 or 61-7005 gauge panels.



WEATHERPROOF MOMENTARY-OFF-MOMENTARY SWITCH 50-402 ----

Momentary-off-momentary switch may be wired to reverse polarity and used with an electric motor to adjust wing angle.



OIL PRESSURE WARNING KIT

Self-contained kit, powered by a 9-volt battery, provides immediate warning of loss of oil pressure. Completely pre-wired and ready to install, kit is sold complete with warning light, switch, brass tee fitting, oil pressure sending unit and battery.



WEATHERPROOF SWITCH 50-403 -

Pre-wired switch is typically used on mini sprints with an electric motor to adjust wing angle.

Part No.	Description
50-402	Replacement Switch



DELUXE OIL PRESSURE WARNING KIT 61-718 -

Self-contained, battery-powered kit is identical to the 61-717, but with a lightweight aluminum tee fitting and weatherproof switch. Sold complete with warning light, switch, tee fitting, oil pressure sending unit and 9-volt battery.



WEATHERPROOF MAGNETO SWITCH

Common to sprint cars, weatherproof toggle switch is typically used to activate or shut-off the ignition on applications using a magneto.



EXTENDED ALUMINUM TEMPERATURE ADAPTER 611-903 —

Extended, 3/8" NPT temperature adapter, manufactured from lightweight aluminum, is for use on applications where the temperature probe contacts the inside of the cylinder head before tightening. Typically required for most aluminum heads.



WRAPAROUND GAUGE PANELS



WRAPAROUND GAUGE PANELS

Innovative, Wraparound Gauge Panels not only offer a professional appearance, but provide improved gauge placement. Panels, offered in lightweight fiberglass or genuine carbon fiber, are 33" wide x 7" high x 13-1/2" deep with a 1" lip. White or black gel-coated fiberglass panels include gauges for oil pressure, water temperature, oil temperature and fuel pressure, are completely pre-wired and ready for installation. Carbon fiber panel is sold less gauges to allow customizing.

WRAPAROUND FIBERGLASS GAUGE PANEL WITH STANDARD GAUGES



WRAPAROUND FIBERGLASS GAUGE PANEL WITH EXTREME GAUGES



WRAPAROUND GENUINE CARBON FIBER GAUGE PANEL



GAUGE PANELS WITH AUTO METER SPORT-COMP GAUGES

Auto Meter's Sport-Comp gauge line is the most popular due to the fact that it combines the benefits of affordability, durability and performance. Mechanical, 2-5/8" diameter gauges feature advanced air-core meter movement for quicker response, while bold dials and fluorescent red pointers offer exceptional readability. Fully assembled and ready to install, panels are complete with warning lights and necessary senders.

Part No.	Description	
61-0101	2-Gauge Panel, Oil Press. & Water Temp., 7-1/4" W. x 4-1/2" H.	
61-0201	3-Gauge Panel, Oil Press., Water Temp. & Oil Temp., 10-1/2" W. x 4-1/2" H.	
61-0211	3-Gauge Panel, Oil Press., Water Temp. & Fuel Press., 10-1/2" W. x 4-1/2" H.	
61-0301	4-Gauge Panel, Oil Press., Water Temp., Oil Temp. & Fuel Press., 13-5/8" W. x 4-1/2" H.	



SPORT-COMP REPLACEMENT GAUGES

Part No.	Description
611-3411	Fuel Pressure, 0-15 PSI
611-3421	Oil Pressure, 0-100 PSI
611-3431	Water Temperature, 140°-280° F.
611-3441	Oil Temperature, 140°-280° F.









611-3411

611-3421

611-3431

611-3441



GAUGE PANELS WITH AUTO METER ULTRA-LITE GAUGES

The Ultra-Lite line of gauges weigh less than half the weight of equivalent Sport-Comp gauges, while maintaining performance and reliability. Mechanical. 2-5/8" diameter aguaes have a clear anodized aluminum bezel, bold numbers and fluorescent red pointers for quick, easy reading. Fully assembled and ready to install, panels are complete with warning lights and necessary senders.

Part No.	Description
61-0171	2-Gauge Panel, Oil Press. & Water Temp., 7-1/4" W. x 4-1/2" H.
61-0271	3-Gauge Panel, Oil Press., Water Temp. & Oil Temp., 10-1/2" W. x 4-1/2" H.
61-0281	3-Gauge Panel, Oil Press., Water Temp. & Fuel Press., 10-1/2" W. x 4-1/2" H.
61-0321	4-Gauge Panel, Oil Press., Water Temp., Oil Temp. & Fuel Press., 13-5/8" W. x 4-1/2" H.









611-4441

ULTRA-LITE REPLACEMENT GAUGES

Part No.	Description
611-4411	Fuel Pressure, 0-15 PSI
611-4421	Oil Pressure, 0-100 PSI
611-4431	Water Temperature, 140°-280° F.
611-4441	Oil Temperature, 140°-280° F.



GAUGE PANELS WITH AUTO METER PRO-COMP GAUGES

Pro-Comp gauges are top-of-the-line, liquid-filled to dampen vibration and increase gauge accuracy. Mechanical, 2-5/8" diameter gauges feature a black dial face with bright fluorescent red pointer allow quick, easy gauge reading. Fully assembled and ready to install, panels are complete with warning lights and necessary senders.

Part No.	Description
61-0151	2-Gauge Panel, Oil Press. & Water Temp., 7-1/4" W. x 4-1/2" H.
61-0251	3-Gauge Panel, Oil Press., Water Temp. & Oil Temp., 10-1/2" W. x 4-1/2" H.
61-0261	3-Gauge Panel, Oil Press., Water Temp. & Fuel Press., 10-1/2" W. x 4-1/2" H.
61-0311	4-Gauge Panel, Oil Press., Water Temp., Oil Temp. & Fuel Press.,
	13-5/8" W x 4-1/2" H



PRO-COMP REPLACEMENT GAUGES

Part No.	Description
611-5411	Fuel Pressure, 0-15 PSI
611-5421	Oil Pressure, 0-100 PSI
611-5431	Water Temperature, 140°-280° F.
611-5441	Oil Temperature, 140°-280° F.







611-5431



611-5441



GAUGE PANELS WITH AUTO METER ULTRA-NITE GAUGES

Ultra-Nite gauges feature blue bezels, glow-in-the-dark white dial faces and bright fluorescent red pointers. Mechanical, 2-5/8" diameter gauges require no electrical power. Fully assembled and ready to install, panels are complete with warning lights and necessary senders.

Part No.	Description		
61-0601	2-Gauge Panel, Oil Press. & Water Temp., 7-1/4" W. x 4-1/2" H.		
61-0611	3-Gauge Panel, Oil Press., Water Temp. & Oil Temp., 10-1/2" W. x 4-1/2" H.		
61-0621	3-Gauge Panel, Oil Press., Water Temp. & Fuel Press., 10-1/2" W. x 4-1/2" H.		
61-0631	4-Gauge Panel, Oil Press., Water Temp., Oil Temp. & Fuel Press., 13-5/8" W. x		
	4-1/2" H.		









Ultra-nite replacement gauges

Part No.	Description	
611-4511	Fuel Pressure, 0-15 PSI	
611-4521	Oil Pressure, 0-100 PSI	
611-4531	Water Temperature, 140°-280° F.	
611-4541	Oil Temperature, 140°-280° F.	



TIRE GAUGES

TIRE PRESSURE GAUGES

The QuickCar 2-1/2" diameter tire pressure gauge is regarded as the most reliable in the industry. Offered with a choice of Dry, Glow or Liquid-Filled face. High quality gauges feature pressure relief valves, rubber shock rings, 14" long hoses with 45° air chucks and strain reliefs on each end.

DRY GAUGES

Part No.	Description
56-020	0-20 PSI
56-040	0-40 PSI
56-060	0-60 PSI



GLOW GAUGES

Part No.	Description
56-022	0-20 PSI
56-042	0-40 PSI
56-062	0-60 PSI



LIQUID-FILLED GAUGES -

Part No.	Description
56-021	0-20 PSI
56-041	0-40 PSI
56-061	0-60 PSI



ECONOMY DIGITAL TIRE PRESSURE GAUGE 56-070 —

Economically-priced digital tire pressure gauge, which measures 0-100 PSI in 1/2 lb. increments and uses an autooff feature for extended battery life, is more shock resistant than analog style gauges. Gauge includes a 14" long hose with 45° air chuck and bleeder for quick pressure adjustments.



DIGITAL TIRE PRESSURE GAUGE 56-085 —

The most accurate tire pressure gauge currently offered by QuickCar is calibrated to .5% accuracy. Gauge, which reads in PSI, Bar, KG or KPA, incorporates an easy-to-read backlit screen, auto shut-off for extended battery life, and a premium, 14" long hose with angled air chuck. 0-60 lb. gauge.




TIRE GAUGES



TIRE INFLATORS

Check tire pressures while inflating or deflating tires. Precision tire inflators include air release buttons, stainless steel braided air hoses, chrome plated angle chucks and choice of Dry, Glow or Liquid-Filled gauge heads in 0-20 PSI, 0-40 PSI and 0-60 PSI versions. Digital Tire Inflators are also available, which incorporate easy-to-read backlit screens, auto shut-off feature for extended battery life, and accuracy calibrated to .5%.





ANGLE STYLE AIR CHUCK 56-9001

Angle style, 90° air chuck fits into hard-to-reach areas, easing tire pressure adjustments. Air chuck has 1/4" NPT threads.



BALL STYLE AIR CHUCK 56-9002

Compact, 90° air chuck fits into the tightest, hard-to-reach areas, easing tire pressure adjustments. Air chuck has $1/4^\circ$ NPT threads.

TIRE PRESSURE GAUGE HOLSTER

56-010 _____

Holster with belt loop keeps your tire gauge conveniently close and safe. May also be mounted in trailer or on tool boxes.



TIRE PRESSURE GAUGE REPLACEMENT PARTS

Replacement gauge heads, flex hoses and rubber shock rings are offered for QuickCar's premium tire pressure gauges.

·	
Part No.	Description
56-001	14" Flex Hose With Pressure Relief
56-002	Gauge Head, Dry 0-20 PSI
56-004	Gauge Head, Dry 0-40 PSI
56-006	Gauge Head, Dry 0-60 PSI
56-0022	Gauge Head, Glow 0-20 PSI
56-0042	Gauge Head, Glow 0-40 PSI
56-0062	Gauge Head, Glow 0-60 PSI
56-0021	Gauge Head, Liquid-Filled 0-20 PSI
56-0041	Gauge Head, Liquid-Filled 0-40 PSI
56-0061	Gauge Head, Liquid-Filled 0-60 PSI
56-003	Rubber Shock Ring



CHASSIS COMPONENTS

ALUMINUM SUSPENSION TUBES

Manufactured in the USA from rigid, 6061 aluminum, QuickCar Suspension Tubes are up to 35% stronger than traditional hex or round units. Suspension tubes include precision machined ends, corrosion resistant black anodized finish and identification on the left hand threaded end. Unique design allows adjustment by hand or with a wrench. Choose from 21/32" O.D. with 5/16-24, threads, 8mm-1.25 or 3/8"-24 threads, 1-1/8" O.D. with 5/8"-18 threads, or 1-1/4" O.D. with 3/4"-16 threads.

Length	21/32" O.D.	21/32" O.D.	21/32" O.D.	1-1/8" O.D.	1-1/4" O.D.
	5/16"-24 Thread	8mm-1.25 Thread	3/8"-24 Thread	5/8"-18 Thread	3/4"-16 Thread
6"	31-060	_	_	_	_
6.5"	31-065	_	_	_	_
7"	31-070	_	_	62-070	75-070
7.5"	31-075	_	_	62-075	75-075
8"	31-080	08-080	38-080	62-080	75-080
8.5"	31-085	08-085	38-085	62-085	75-085
9"	31-090	08-090	38-090	62-090	75-090
9.5"	31-095	08-095	38-095	62-095	75-095
10"	31-100	08-100	38-100	62-100	<i>75</i> -100
10.5"	31-105	08-105	38-105	62-105	75-105
11"	31-110	08-110	38-110	62-110	<i>75</i> -110
11.5"	31-115	08-115	38-115	62-115	<i>75</i> -115
12"	31-120	08-120	38-120	62-120	75-120
12.5"	31-125	08-125	38-125	62-125	75-125
13"	31-130	08-130	38-130	62-130	<i>75</i> -130
13.5"	31-135	08-135	38-135	62-135	<i>75</i> -135
14"	31-140	08-140	38-140	62-140	75-140
14.5"	31-145	08-145	38-145	62-145	75-145
15"	31-150	08-150	38-150	62-150	75-150
15.5"	31-155	08-155	38-155	62-155	75-155
16"	31-160	08-160	38-160	62-160	<i>75</i> -160
16.5"	31-165	08-165	38-165	62-165	75-165
1 <i>7</i> "	31-170	08-170	38-170	62-170	<i>75</i> -1 <i>7</i> 0
17.5"	31-175	08-175	38-175	62-175	75-175
18"	31-180	08-180	38-180	62-180	<i>75</i> -180
18.5"	31-185	08-185	38-185	62-185	75-185
19"	31-190	08-190	38-190	62-190	75-190
19.5"	31-195	08-195	38-195	62-195	75-195
20"	31-200	08-200	38-200	62-200	75-200
20.5"	31-205	_	_	62-205	75-205
21"	31-210	_	38-210	62-210	75-210
22"	31-220	_	38-220	62-220	75-220
22.5"	31-225	_	_	62-225	75-225
23"	31-230	-	38-230	62-230	75-230

Length	21/32" O.D.	21/32" O.D.	21/32" O.D.	1-1/8" O.D.	1-1/4" O.D.
	5/16"-24 Thread	8mm-1.25 Thread	3/8"-24 Thread	5/8"-18 Thread	3/4"-16 Thread
23.5"	31-235	_	_	62-235	75-235
24"	31-240	_	38-240	62-240	75-240
24.5"	31-245	_	_	62-245	_
25"	31-250	_	38-250	62-250	75-250
25.5"	31-255	_	_	_	-
26"	31-260	_	38-260	_	75-260
27"	_	_	38-270	62-270	75-270
28"	_	_	38-280	62-280	75-280
29"	_	_	_	_	75-290
30"	_	_	_	_	75-300
31"	_	_	_	62-310	75-310
32"	_	_	_	_	75-320
33"	_	_	_	_	75-330
34"	_	_	_	_	75-340
35"	_	_	_	_	75-350
36"	_	_	_	_	75-360
37"	_	_	_	_	75-370
38"	_	_	_	_	75-380
39"	_	_	_	62-390	75-390
40"	_	_	_	62-400	75-400
41"	_	_	_	_	75-410
42"	_	_	_	_	75-420
43"	_	_	_	_	75-430
44"	_	_	_	_	75-440
45.7"	_	_	_	62-457	_
46.5"	_	_	_	62-465	_
47.7"	_	_	_	62-477	_
48"	_	_	_	62-480	_
48.7"	_	_	_	62-487	_
49"	_	-	_	62-490	_
50"	_	_	_	62-500	-
51"	_	_	_	62-510	_
72"	_	_	_	62-600	75-600

DOUBLE ENDED SUSPENSION TUBE WRENCH

66-6275 -

Heavy duty steel, double ended wrench allows performing quick adjustments to QuickCar 5/8" or 3/4" threaded suspension tubing.



SUSPENSION TUBE RULER 66-100

Measure nearly any suspension component fitted with rod ends, including suspension tubes, tie rods, etc., quickly and precisely. Black powder coated ruler includes a locking thumb screw and provides precise measurements up to 36". Sold complete with aluminum adapters to measure components with 1/2", 5/8" or 3/4" rod ends. Optional adapters allow measuring parts with 1/4", 5/16" or 3/8" rod ends.



Part No.	Description
66-105	Ruler Adapters, Allows Measuring Components With 1/4", 5/16" Or 3/8" Rod Ends
66-106	Ruler Adapters, Allows Measuring Components With 1/2", 5/8" Or 3/4" Rod Ends (Included With 66-100)

CHASSIS COMPONENTS



TORQUE ABSORBERS-

Track-proven to increase forward bite out of the turns with sustained traction down the straight away, QuickCar's torque absorbers are IMCA-legal, and are lighter than spring style units. CNC-machined units feature internal brass bushing and grease fittings to eliminate any possibility of bind, while the specially-threaded cap allows easy biscuit changes. Offered in three versions: Standard, uses two interior biscuits and is 12-1/2" long; Intermediate, uses three interior biscuits and is 14" long; and Long, uses four interior biscuits and is 16" long. Softer or harder durometer biscuits may be purchased separately for tuning purposes.

Part No.	Description
66-500	Standard Torque Absorber, 12-1/2" Long
66-400	Intermediate Torque Absorber,14" Long
66-499	Long Torque Absorber, 16" Long



TORQUE ABSORBER BISCUIT TUNING KIT

66-508

Designed to aid the tuning of QuickCar torque absorbers, kit includes (2) each of different durometer biscuits; blue (extra soft), green (extra soft/soft), yellow (soft), red (medium) and black (hard). Biscuits may also be purchased separately.

Part No.	Description
66-501	Extra Soft Blue Biscuit, Each
66-509	Extra Soft/Soft Green Biscuit, Each
66-502	Soft Yellow Biscuit, Each
66-503	Medium/Soft Orange Biscuit, Each
66-504	Medium Red Biscuit, Each
66-506	Hard Black Biscuit, Each



TRAVEL INDICATOR 66-512

Specialized tool fits QuickCar and other small O.D. torque absorbers, and is used to determine travel of the unit during acceleration and braking. Installs easily. Sold complete with indicator rod, two indicator mounting brackets and required hardware.



TORQUE ABSORBER COVERS

Durable nylon covers keep dirt and debris out of QuickCar torque absorbers, while also preventing prying eyes from viewing biscuit colors and combinations. Covers may be easily installed or removed, and are secured with Velcro.



Part No.	Description
66-520	Cover For 66-500, Standard 12-1/2" Long Torque Absorber
66-530	Cover For 66-499, Long 14" Long Torque Absorber

OUTLAW TORQUE ABSORBER BISCUITS

Choose from four different rates. Biscuits are 3" diameter.

Part No.	Description
66-551	Extra Soft Blue Biscuit (Each)
66-552	Soft Yellow Biscuit (Each)
66-554	Medium Red Biscuit (Each)
66-556	Hard Black Biscuit (Each)





STEERING WHEELS

STEERING WHEELS

Quality dished aluminum or steel spoked steering wheels are offered with a choice of smooth red, blue or black grips. Choose from 15" or 17" diameter.

Part No.	Description	
15"		
Steel		
68-003	Black	
68-0031	Red	
68-0032	Blue	
Aluminum		
68-001	Black	
68-0011	Red	
68-0012	Blue	

Part No.	Description	
17"		
Steel		
68-004	Black	
68-0041	Red	
68-0042	Blue	
Aluminum		
68-002	Black	
68-0021	Red	

68-0022

STEEL



ALUMINUM

LIGHTWEIGHT STEERING WHEELS

Blue

Lightweight, 15" diameter aluminum steering wheels are drilled and shot peened to reduce weight and increase grip. Steering wheels weigh less than 1 lb. and include a 1-1/2" dish. Choose from natural or black powder coated.

Part No.	Description
68-005	Natural Finish Steering Wheel
68-006	Black Finish Steering Wheel



STEERING WHEEL ACCESSORIES



MOLDED STEERING WHEEL PAD 58-244

Molded black pad fits flat or dished three-spoke steering wheels. Secures with velcro.



STEERING WHEEL PAD

58-245 -

Black vinyl-covered foam pad attaches to most three-spoke racing steering wheels and offers added protection to the driver in the event of a crash. Pad is 5-3/4" diameter x 2" thick and attaches directly with three hook/loop straps.



STEERING WHEEL KILL SWITCH 50-190

Designed for steering wheel mounting, providing driver the ability to quickly disable electrical system in the event of a crash.



STEERING WHEEL DISCONNECTS

Lightweight, anodized aluminum disconnects allow quickly removing or replacing the steering wheel, often required to allow driver entry or exit. Designed for use with popular 3-bolt steering wheels and 3/4" diameter steering shafts, disconnects are sold complete with steel, weld-on hub adapter.



HEX HUB 360 DEGREE ALUMINUM DISCONNECT 68-012

Comes complete with hardware and fasteners.



HEX HUB BUTTON STYLE ALUMINUM DISCONNECT 68-010

Hex hub button style aluminum disconnect.



FINE SPLINE HUB 360 DEG. **ALUMINUM DISCONNECT 68-015**

Comes complete with hardware and fasteners.

WELD-ON HUB STEEL ADAPTERS

Also available separately, adapters are specifically made for QuickCar disconnects. Welds to 3/4" O.D. steering shaft.

Part No.	Description
68-0109	Fits Hex Hub Button Style (68-010)
68-0129	Fits Hex Hub 360° Style (68-012)
68-0159	Fits Fine Spline Hub 360° Style (68-015)









TIRE MANAGEMENT

Tire prep and selection are key to winning races and QuickCar offers a variety of tools to closely monitor them.

CHROME VALVE STEMS

Premium, chrome valve stems are sold each, or four to a card.

Part No.	Description
56-115	Chrome Valve Stem, Each
56-116	Chrome Valve Stems, Four To A Card



DuickCar

VALVE CORE REMOVER 56-119

Compact, pocket-sized tool allows quick valve core replacement and valve stem repair.

TIRE MARKER KIT 64-401

Perfect for marking sizes, circumferences and locations, kit includes a silver tire pen and white tire marker.

Part No.	Description
64-400	White Tire Marker
64-403	Silver Tire Pen



ALUMINUM VALVE CORE TOOL 56-100

Compact, pocket-sized tool allows quickly removing or replacing valve cores. Tool is manufactured from durable, billet aluminum and red anodized finished for corrosion resistance.



Simple, yet accurate. Simply lean against each front tire and measure the distance between the two. Includes (2) 12' tire tapes.

Part No.	Description
64-703	Replacement Tire Tape



ALUMINUM TIRE CALIPER 64-706

Lightweight aluminum tire caliper measures circumference quickly and accurately, from 65" to 115".



TIRE MANAGEMENT



TIRE MANAGEMENT KIT 56-105

All-in-one kit includes deluxe tire durometer (56-155), tire tread depth gauge (56-104) and tire tape (56-110), all in a foam-lined plastic storage case.









TIRE TREAD DEPTH GAUGE

56-104 ----

Monitor tire wear and ensure that your complete tire patch has maximum track contact. Durable, aluminum housed gauge includes professional scale graphics and allows measuring tread depth in 1/32" increments. Sold complete with carrying pouch.



DIGITAL TIRE TREAD DEPTH GAUGE 56-102 -

Determine tread depth quickly and effectively. Precision gauge includes a digital display in decimals or fractions, while the billet aluminum, non-rocking base helps ensure accurate measurements.



DELUXE TIRE DUROMETER 56-155 —

Determine tire hardness effectively and accurately. Gauge has a range of 0-100 durometer and is sold with carrying pouch.



TIRE TAPE -

Hawk tip tire tape grabs onto the edge of virtually any surface, allowing easy measurements by just one person. Tape has a magnetic back and measures up to 10'.

Part No.	Description
56-110	Hawk Tip Tire Tape
56-111	Hawk Tip Tire Tape, Carded





CHASSIS SET-UP

DELUXE QUICKANGLE TRAY

A replacement for the Smart Tray the Deluxe QuickAngle Tray has added features including the ability to add a caster/camber gauge adapter, or use the included legs that attach directly to trailing arms, tie rods or chassis tubing, while the two-step base plate accepts the Smart Tool or other similar digital angle finders. Deluxe QuickAngle Tray offers digital, hands-free accuracy and is a great aid when determining angles, or while bending chassis tubing. Four versions are available to fit 1", 1.25", 1.50" or 1.75" dia. tubina. Leas may be changed to adapt tray to use with different size tubina.

Renlacement Leas

Part No.	Description	Pa
56-167	Fits 1.25" O.D. Tubing	56-
56-168	Fits 1.50" O.D. Tubing	56-
56-169	Fits 1.75" O.D. Tubing	56-
56-170	Fits 1 00" O.D. Tubing	56.

Ropidcomoni Log.	
Part No.	Description
56-9141	1.25" Leg, Each
56-9143	1.00" Leg, Each
56-9144	1.50" Leg, Each
56-9145	1.75" Lea, Each

SMART TOOL DIGITAL LEVEL 56-163

Ensure that chassis tubing, driveshaft angles and suspension components are level and plumb. Particularly useful during chassis fabrication. Tool emits an audible beep at level and plumb, and shuts off automatically.



A-ARM SHIM KIT 56-124

Kit includes one each of 1/16", 1/8", 1/4" and 1/2" aluminum upper A-arm shims with 6" centers and installation tabs. Shims are also available separately.

Kit Includes

Part No.	Description
56-120	1/16" Shim
56-121	1/8" Shim
56-122	1/4" Shim
56-123	1/2" Shim



QUICKANGLE KIT

Kit includes both the Smart Tool and the Deluxe QuickAngle Tray in a handy foam-lined carrying

case. Provides digital, hands free accuracy when determining the angles of chassis tubing, driveshafts, etc. Available with trays to fit either 1.25" or 1.00" chassis tubing.	
Part No. Description 56-161 Fits 1.25" O.D. Tubing 56-162 Fits 1.00" O.D. Tubing	
SAURTINES	

CASTER/CAMBER GAUGE

Precision calibrated, Caster/Camber gauge is made from fully CNC-machined billet aluminum. Assembled on a 360° level bench, aguae measures up to 6° of camber and up to 8° of caster.

Cactor / Cambor Gauge Vite

Caster/ Camber Gauge Kits	
Part No.	Description
56-830	Caster/Camber Gauge with Magnetic Adapter
56-831	Caster/Camber Gauge, No Adapter
56-833	Caster/Camber Gauge with Wide 5 Adapter
56-834	Caster/Camber Gauge with Kart Adapter
56-835	Caster/Camber Gauge with GM Adapter
56-836	Caster/Camber Gauge with Small Ford Adapter
56-837	Magnetic Adapter Only
56-838	GM Adapter Only, 3/4"-20
56-839	Ford Adapter Only, 13/16"-20
56-842	Legends Adapter Only, 19mm-1.5
56-843	Small Ford Adapter Only, 3/4"-16
56-844	Wide 5 Adapter Only, 1.813"-16
56-845	Kart Adapter Only, 5/8"-18



CARBURETOR ACCESSORIES



THROTTLE STOP BRACKETS

Offered for popular Holley carburetors, rigid fully CNC-machined black anodized aluminum bracket includes adjustable throttle stop.

Part No.	Description
64-157	For Holley 4BBL
64-158	For Holley 2BBL





THROTTLE RETURN SPRING KIT 65-096

Includes carb mount bracket, (4) return springs and required hardware.

TALL ALUMINUM CARBURETOR NUT WITH O-RING SEAL

Carb nut includes 5/16" threads. Choose from red anodized or natural finish

Part No.	Description
64-148	Red
61-119	Aluminum



ALUMINUM CARBURETOR HAT 64-146

Durable, machined aluminum carb hat protects engine from dirt and debris when air cleaner has been removed.



THROTTLE RETURN SPRINGS 64-169

Includes (2) throttle return springs.





TIMING SYSTEMS

TIMING SYSTEMS

Timing systems include clipboard, choice of two stop watches, (5) qualifying sheets and (5) lap chart sheets, and choice of acrylic or aluminum clipboard. QuickCar acrylic or aluminum clipboard timing systems are visually unique, comfortable to hold, and durable.

DUAL ALUMINUM TIMING SYSTEMS

Systems include (2) Robic stop watches, aluminum clipboard, (5) qualifying sheets and (5) lap chart sheets. Choose from systems with Robic SC848 or SC505 stop watches.

Part No.	Description
51-070	With Two Robic SC505 Stop Watches
51-071	With Two Robic SC848 Stop Watches



DUAL TIMING SYSTEMS

Dual timing systems are complete with (2) Robic SC505 stop watches, acrylic clipboard, (5) qualifying sheets and (5) lap chart sheets. Choose from systems with red, black, yellow, or white clipboards.

Part No.	Description
51-051	Red
51-052	Black
51-053	Yellow
51-054	White









TIMING SYSTEMS




LAP CHART PADS

Lap charts are used to record lap times for practice, heat races and feature events. Each pad includes 50 sheets.


Part No.	Description
51-201	Chassis Set-Up
51-210	Before Race
51-215	After Race
51-230	50-Lap
51-235	100-Lap
51-236	Qualifying Organizer
51-237	Race Day Check List













51-237

ROBIC SC505 STOP WATCHES

The SC505 series includes a 12-lap memory and auto lap counter. Choose from red, black, yellow or blue.

51-201

Part No.	Description
51-037	Red
51-038	Black
51-039	Yellow
51-040	Blue









CLIPBOARDS

Our clipboards are so easy-to-hold, practical and attractive, that everyone at the track will want one. Choose from acrylic units in red, black, yellow or white, or a satin aluminum model.

Part No.	Description
51-041	Red Acrylic
51-043	Black Acrylic
51-044	Yellow Acrylic
51-046	White Acrylic
51-048	Aluminum














SPARK PLUG WIRES

SLEEVED RACE SPARK PLUG WIRE

Premium quality spark plug wire offers quick energy transfer, less than 40 ohms/ft. of resistance, high EMI (Electro Magnetic Interference) and RFI (Radio Frequency Interference) suppression. Flexible, high strength wire is constructed using a Kevlar core and nickel-copper alloy wound conductor that is covered with two full layers of silicone, resulting in a 11.5mm O.D., while the impregnated fiberglass insulation provides up to 1,400° F. of heat resistance. High temperature silicone boots resist temperatures up to 600° F., while the posi-snap terminals provide a secure connection. Cylinder numbers are labeled on both ends. Compatible with most ignition systems.



Part No.	Description
40-100	SB Chevy Wire Set, Red, 24" Coil Wire
40-300	SB Chevy Wire Set, Black, 24" Coil Wire
40-150	SB Chevy Wire Set, Red, Without Coil Wire
40-350	SB Chevy Wire Set, Black, Without Coil Wire
40-500	GM LS1 Wire Set, Red
40-700	GM LS1 Wire Set, Black
40-121	Red Coil Wire, 12" HEI/HEI
40-123	Black Coil Wire, 12" HEI/HEI
40-125	Red Coil Wire, 12" HEI/Socket
40-127	Black Coil Wire, 12" HEI/Socket
40-181	Red Coil Wire, 18" HEI/HEI
40-183	Black Coil Wire, 18" HEI/HEI
40-185	Red Coil Wire, 18" HEI/Socket
40-187	Black Coil Wire, 18" HEI/Socket
40-241	Red Coil Wire, 24" HEI/HEI
40-243	Black Coil Wire, 24" HEI/HEI
40-245	Red Coil Wire, 24" HEI/Socket
40-247	Black Coil Wire, 24" HEI/Socket
40-361	Red Coil Wire, 36" HEI/HEI
40-363	Black Coil Wire, 36" HEI/HEI
40-365	Red Coil Wire, 36" HEI/Socket
40-367	Black Coil Wire, 36" HEI/Socket
40-421	Red Coil Wire, 42" HEI/HEI
40-423	Black Coil Wire, 42" HEI/HEI
40-425	Red Coil Wire, 42" HEI/Socket
40-427	Black Coil Wire, 42" HEI/HEI
40-481	Red Coil Wire, 48" HEI/HEI NEW!
40-483	Black Coil Wire, 48" HEI/HEI NEW!
40-485	Red Coil Wire, 48" HEI/Socket NEW!
40-487	Black Coil Wire, 48" HEI/Socket NEW!
40-601	Red Coil Wire, 60" HEI/HEI NEW!
40-603	Black Coil Wire, 60" HEI/HEI NEW!
40-605	Red Coil Wire, 60" HEI/Socket NEW!
40-607	Black Coil Wire, 60" HEI/Socket NEW!

COOLING SYSTEM ACCESSORIES



CURVED BLADE AUTOMATIC FAN KIT 60-041

Thermostat automatically activates or deactivates fan at a pre-set, adjustable temperature. Sold complete with efficient, 16" diameter curved blade electric fan, thermostat, relay, wiring harness and connectors. Fan is factory pre-set at +/- 200° F., but may be adjusted as desired. Requires a 17" x 2-3/4" mounting area. May be set-up as pusher or puller. Fan may also be purchased separately.



ELECTRIC FAN RELAY KIT

60-039

Kit includes 40 Amp relay, adjustable water temperature sender switch and wiring harness.



16" CURVED BLADE ELECTRIC FAN ONLY 60-034

ELECTRIC FAN ACCESSORIES

Part No.	Description
60-032	Electric Fan Mounting Kit
60-040	Adjustable Water Temperature Sender Switch, Pre-Set To +/-200° F.

NACA DUCTS —

Designed specifically for ducting air into the car, providing air flow to cool the driver, brakes, rear end cooler, etc. Ducts may be mounted to virtually any flat surface and accept a 3" diameter hose.

Part No.	Description
60-000	Single Clear
60-003	Single Black
60-010	Dual Clear





BUMPER DUCTS

Bumper ducts direct air flow to brakes, preventing overheating and prolonging brake life. Durable and easy to install.

Part No.	Description
60-008	Single
60-009	Dual
60-005	Headlight Duct

NACA DUCT HOSE

Wire reinforced, 3" diameter duct hose will not collapse and is used to deliver continuous air flow to high temperature areas.

1	Part No.	Description	
	60-020	Neoprene Hose For Standard Temperatures, 10' Long	
	60-030	Silicone Hose For Extreme Temperatures, 11' Long	





BRAKE SYSTEM ACCESSORIES

BRAKE BIAS GAUGE PANELS

Brake bias gauge panels are fitted with two 1-1/2" diameter, liquid-filled pressure gauges that read from 0-1,500 PSI, allowing driver to track pressure at both the front and rear calipers. Panels include bleeders to evacuate air from the system. Replacement gauge: 611-90



Replacement Gauge 611-90

VERTICAL MINI BRAKE BIAS GAUGE

61-101

Vertical design panel is 2-3/4" wide x 4-1/2" high.

VERTICAL MINI BRAKE BIAS GAUGE 61-105

Vertical design panel is 2-3/4" wide x 4-1/2" high.



HORIZONTAL MINI Brake bias gauge

61-103 -

Horizontal design panel is 4-1/2" wide x 2-3/4" high.



BRAKE BLEEDER BOTTLE 66-700-

Eliminates messy brake bleeding. Bleeder bottle has a high grade surgical hose for a secure seal on bleeders and includes an extra nipple to put your hose on once bleeding is complete. Steel lanyard allows hanging bottle on chassis during bleeding process.



BRAKE CALIPER PRESSURE TEST KITS





Brake system troubleshooting tool allows checking brake pressure at the caliper, quickly and accurately. Each kit is packed in a neat, foam-lined case.

Part No.	Description	
64-510	1/8" NPT, Most Aftermarket Calipers	
64-511	10mm-1.50, GM Metric Calipers	





OIL FILTER CUTTER

Quickly open oil filters to check for potential engine problems. Heavy duty, billet aluminum tool features a razor sharp, hardened cutter for an extended life.

BRUNNHOELZL ALUMINUM JACK

64-086 ----

Deluxe, lightweight billet aluminum 3-pump jack is manufactured in the USA. Hand assembled and tested prior to shipment. Completely rebuildable.

ALUMINUM 6-PUMP PIT JACK 64-087

Lightweight, high quality aluminum 6-pump jack features a 3,000 lb. capacity. Low profile jack rolls under the lowest slung race chassis, with a maximum lifting height of 17-1/2".

DIRT WING 64-088 —

Provides a sturdy platform when using the 64-087 pit jack on soft or uneven surfaces.

PIT SOCKETS —

The same steel, 1/2" drive sockets used by many top racina teams.

-	
Part No.	Description
64-076	1" Socket, 3-1/4" Long
64-077	Pro 1" Socket, 3-1/4" Long
64-078	Pro 1" Socket, 2-1/4" Long



CLECO FASTENERS ———

Pin-style fasteners provide quick, easy installation of sheet metal during initial fitting. May be used with material up to 1/4" thick.

Part No.	Description
64-175	1/8" Clecos, 25 Pack
64-176	3/16" Clecos, 25 Pack

CLECO PLIERS 64-180

Specialized tool is used to install or remove Cleco fasteners.

RATCHETING CRIMPER PLIERS

50-395 ———

Crimps to a wide variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge or spark plug wire. Unique design allows quickly changing jaws without the need for tools. Rigid, heavy duty pliers also allow adjustment for crimping pressure.

HEAVY DUTY AUTOMATIC WIRE STRIPPER PLIERS

50-393 —

Heavy duty, 6" pliers allow quickly stripping 8-18 gauge wires for termination. A bolt-on depth adjustment quide provides consistent, reliable strip lenath.

WEATHERPACK TERMINAL TOOL 50-399

Tool is used to remove male and female pin terminals from Weatherpack connectors.

VALVE CORE TOOL 56-100 ———

Compact, pocket-sized tool allows quickly removing or replacing valve cores. Tool is manufactured from durable, billet aluminum and red anodized finished for corrosion resistance.









TOOLS

IMPACT CRIMPER 64-020 ———

Tool is designed for crimping standard power rings onto battery cables for a permanent termination.



CAMLOC TOOL 64-262

Engineered specifically for use in the installation of Camloc fasteners.



TIRE TAPE ———

Hawk tip design securely grabs onto virtually any surface and won't pull loose. Includes a magnetic back and measures up to 10'.

-	
Part No.	Description
56-110	Tire Tape
56-111	Tire Tane Carded



RIDE HEIGHT GAUGE CHECKER 56-108

Back by popular demand. Pocket-sized ride height gauge is simply placed under the frame and once the button is depressed, an etched stem pops out and reads the ride height. Measures ride heights from 3-1/2" to 6".



AN ALUMINUM ANGLE

SAFETY WIRE 64-015

Includes 1 lb. of .032" diameter safety wire.



AN ALUMINUM WRENCH SET

Five-piece aluminum wrench set includes -6AN, -8AN, -10AN, -12AN and -16AN.



Rugged pliers include an end bearing for smoother, faster twisting,

particularly in tight areas where a second pull is needed.

SAFETY WIRE PLIERS 64-010

SAFETY EQUIPMENT



ROLL BAR PADDING

Closed cell foam progressively absorbs shock and increases density as it is compressed. Offset inside diameter allows installing thicker padding toward driver for added protection. Sold in 3' lengths.

Part No.	Description
58-231	Red
58-221	Red, Case Of 12
58-232	Blue
58-222	Blue, Case Of 12
58-233	Black
58-223	Black, Case Of 12
58-234	Yellow
58-224	Yellow, Case Of 12
58-235	Orange
58-225	Orange, Case Of 12





Fire resistant roll bar padding meets SFI 45.1 specifications, won't melt in the event of a fire and offers 180° coverage to roll bar tubing. Sold in 3' lengths. Offered in black only.

Part No.	Description
58-211	1-5/8" To 2" O.D. Roll Bar Padding
58-212	1-1/4" To 1-3/4" O.D. Roll Bar Padding

NYLON WIRE TIES

Secure roll bar padding, electrical wiring, gauge lines, etc. Heavy duty, 14" long wire ties are sold in bags of 100.

Part No.	Description
58-237	Black
58-238	Red
58-239	Blue
58-240	Yellow



FIREPROOF SHIFTER BOOT 60-045 -

Shifter boot prevents heat or flames from entering the driver's compartment. Sold complete with mounting plate kit.





PREMIUM BLACK CABLE TIES 58-250

Black, 15" long cable ties are made from weather resistant nylon and include metal locking barbs in head to provide a reliable, locking force. Domed top ties include smooth edges and a high strength, low thread force. Sold in packs of 50.



SAFETY EQUIPMENT

TRIANGLE WINDOW NETS -

Typically used in sprint or midget applications, but may also be used on late models or modifieds.


Part No.	Description
58-047	Red
58-048	Blue
58-049	Black



WINDOW NETS

Standard, ribbon style window net is 24" x 18" in size.

Part No.	Description
58-041	Red
58-042	Blue
58-043	Black
58-034	Yellow
58-035	Orange
58-036	Purple
58-037	Pink





ANGLE WINDOW NETS

Angle window nets, in standard or with extended lower mounting straps, are 17" wide at top, 22" wide at bottom x 17" high, and meet SFI 27.1 specifications. Black only.

Part No.	Description
58-046	Angle Window Net With Extended Lower Straps

MESH WINDOW NET 58-032

Mesh style window net increases driver vision, yet stops smaller debris when compared to traditional ribbon-style nets. Rectangular net is 18" x 24" and offered in black only. Meets SFI 27.1 specifications.



WINDOW NET INSTALLATION KIT

58-030

Lever latch release style kit includes 1" x 3/16" thick x 26" long steel bar,

which anchors the window net, and necessary brackets for mounting.

SPRING-LOADED WINDOW NET INSTALLATION KIT

58-031 ———

Spring-loaded rod eliminates conventional latch release, easing driver entry and exit. Pushing against the handle releases or engages the window net.

Sold complete with 9/16" diameter x 26-1/2" long spring-loaded tube, 3/4" flat aluminum strap for bottom of net, and mounting brackets.

QUICKCAR EXTRAS



CARBURETOR BOX 64-140

Protect expensive carburetors from dirt and debris. Ideal for storage or transport, container accepts popular Holley 4150/4160 4BBL carburetors and includes a locking lid.



PLASTIC CARBURETOR TRAY

64-150

Tray sets directly atop carburetor, protecting engine when air cleaner has been removed, while providing a convenient spot for tools or components when servicing engine.



Durable plastic box stores and protects matched quick change gear sets.



PLASTIC CARBURETOR HAT 64-145

Cover protects engine when air cleaner has been removed. Hat includes provision to hold eight spark plugs.



PLASTIC CAPS AND PLUGS 64-225 -

Commonly used to keep debris out of spare or stored fuel pumps, regulators, dry sump pumps, etc. Includes (5) of each size, -3AN thru -16AN.



RADIO BOXES -

Aluminum radio box has a padded insert to absorb vibration. Accepts most racing radios and clamps directly to roll bar tubing.

Part No.	Description
66-923	1.75" Tube Mount
66-931	1.50" Tube Mount



HELMET HOOK ———

Lightweight anodized aluminum hook, which clamps directly to roll bar, provides an anchor for helmet strap.

Part No.	Description
66-920	1-3/4" Tube Mount
66-936	1-1/2" Tube Mount

ALUMINUM COIL CLAMPS

Anodized aluminum bracket allows mounting of ignition coil directly to firewall or chassis tubing.

Part No.	Description
66-925	Firewall Mount
66-927	1-3/4" Tube Mount
66-929	1-1/2" Tube Mount



66-925

ROLL BAR CLAMP REDUCER 66-908

Lightweight aluminum reducer is used to adapt existing radio boxes, drink bottle holders, etc. from 1-3/4" to 1-1/2" diameter tubing.

VENT CLAMPS ——

Clamp-on breather, ideal for use with transmissions, rear ends, etc. clamps directly to chassis tubing.

Part No.	Description
66-937	1-3/4"
66-938	1-1/2"
66-9381	Replacement Element
	•





QUICKCAR EXTRAS



LINE CLAMPS -

The professional method when securing fuel lines, electrical wiring, etc. to chassis. Rubber coated clamps are sold ten to a card.

Part No.	Description
66-850	1/4" Clamp
66-852	3/8" Clamp
66-854	1/2" Clamp
66-856	5/8" Clamp
66-858	3/4" Clamp
66-860	1" Clamp



FENDER SUPPORTS WITH MOUNTING BRACKET 66-950 ——



Fender supports are flexible and resilient. Supports, which are 32" long, spring straight when fender is pulled back out. Sold in pairs, complete with mounting brackets.

CAMLOCS

Ideally used when panels need to be removed frequently. A one time installation that involves no loose parts.

Part No.	Description
64-260	Large Camlocs, Pair
64-261	Small Camlocs, Pair
64-262	Camloc Tool



TIE DOWNS -

Designed for securing vehicles or pit equipment, tie downs are 8' long, include 5,000 lb. capacities and feature large, heavy duty handles for easy operation.

Part No.	Description
64-253	Ratchet Tie Down
64-255	Ratchet Tie Down With Axle Strap
64-257	Two Foot Axle Strap





PRODUCT INDEX

A	
A-Arm Shim Kit	66
Air Ducts	71
Alternator Wire Boot	15
Aluminum Jack	73
Dirt Wing	73
AN Wrenches	74
Apparel	84
В	
Battery Cable	10
Boots	14
Crimper	11, 74
Quick Disconnect	15
Stud Feed-Thru	16
Terminals	11
Battery Charging Posts	14
Mounting Bracket	14
Battery Disconnect	
Boots	
Jumper Wire	15
Brake	
Bias Panel	72
Bleeder Bottle	
Caliper Pressure Kit	
Brake/Bumper Duct	
Hose	
Buss Bar	14
C	
Cable Tie	75
Camlocs	
Tool	
Cap and Plug	
Carbon Fiber Panel	

C -Cont.
Carburetor
Box77
Hat67, 77
Nut67
Throttle Stop67
Tray77
Caster/Camber Gauge66
Adapters66
Charging Posts14
Mounting Bracket14
Chassis Height Gauge74
Check Lists69
Circuit Breaker27, 28
Clamps, Line
Cleco Fastener73
Pliers73
Clipboard
Coil, Ignition
Clamp77
Wire70
Control Arm Shim Kit66
D
Deutsch Connector
Dirt Wing
Disconnect, Master
Distributor Adaptor
DISTRIBUTOR WIRE10
E
Electric Fan71
Mounting Kit71
Relay Kit71
Electrical Outlet16

E -Cont.	
Electrical Wire	10
Terminals	11-13
Stripper	
Extreme	
Gauge/Panel4	10. 41. 49. 55
F	,,,
Fan	71
Firewall Grommet	
Fittings, AN/NPT	
Fuel Pressure Isolator	
Fuses	
<i>G</i>	
Gator Clamp	10
Gauges	
Alignment	
Brake	
Digital Panel	
Extreme Panel	
Mini	
Open Wheel Panel	
Redline Panel	
Replacement 33, 37, 39, 42,	
Standard Panel	
Sprint	<i>52-53</i>
Tire	
Gear Tote/Box	
Grommets	16, 54
Ground Cables	10
Н	
Heat Shrink Tubing	11
Helmet Hook	
Hose Adaptor	
Hydraulic Jack	
117 UTU OTT JULK	/ J

Ignition Box Mounting Plate17
Ignition Control Panel18-27
Mounting Bracket23
Wiring Harness 20, 29-31
Ignition Switch28
Boot28
Starter Button28
Switch Extensions21
Ignition Wiring Adapter17
Impact Crimper11, 74
J
Jack, Hydraulic73
Dirt Wing
•
L
LED Light/Bulb48
Strips16, 17, 48
Line Clamp78
M
Manifold, Oil Temperature50
Master Disconnect15
Boots15
Jumper Wire15
Mirror78
Mounting Plate, Ignition17
N
NACA Duct71
Nylon Ties75
0
Oil Filter Cutter73
Oil Temperature Manifold48
r

PRODUCTINDEX



r	
Pilot Light	28
Pit Jack	73
Pit Socket	73
Power Distribution Post	
Pressure Line Kit	
Pull Bar	
Q	
Qualifying Organizer	69
QuickAngle Tray	
Quick Change Gear Tote	
Quick Release, Steering	63
R	
Radio Box	
Ratchet Tie Downs	78
Rear View Mirror	78
Mounting Bracket	78
Remote Electrical Outlets	16
Remote Starter Button	13
Replacement Gauges	
Auto Meter	51, 54-57
Digital	37
Extreme	39
Redline	33
Sprint	50
Standard	
Resettable Circuit Breaker	
Ride Height Gauge	
Roll Bar Padding	
\$	
Safety Wire	
Pliers	74

S -Cont.
Senders, Pressure/Temperature
Mechanical47
Electric33, 37
Shifter Boot75
Smart Tool
Solenoid, Starter15
Spark Plug Wire Sets 70
Starter Solenoid15
Jumper Wires15
Steering Wheel62
Disconnect63
Kill Switch63
Pads63
<i>Sternum Strap</i>
Stop Watch69
Stud Feed-Thru15
Suspension Tubes60
Ruler60
Wrench60
Switches
Toggle28
Rocker26
_
<u> </u>
Tachometers
Tape Measure
Temperature Adapters
Terminals, Electrical11-13
Throttle Linkage67
Return Springs67
Throttle Stop67
Tie Downs
Timing Systems68

T -Cont.	
Tire	
Caliper	64
Chucks	59
Durometer	65
Gauges	58-59
Replacement Parts	59
Gauge Holster	59
Inflators	59
Management Kit	65
Markers	64
Таре	65, 74
Toe Plates	64
Toggle Switch	28
Aircraft Cover	28
Boot	28
Tools	
AN Wrenches	74
Camloc	74, 78
Impact Crimper	11, 74
Oil Filter Cutter	
Safety Wire Pliers	74
Weather Pack	12, 73
Wrenches, AN	74
Torque Absorbers	61
Biscuits	61
Tread Depth Gauge	65
U	
Under-Car Light Kit	16
V	
Valve Stems	64
Valve Stems Core Remover	

Vent Clamps77

W	
Warning Lights	48
Kits	48
Water Pressure Gauge	39, 49
Weather Pack Connectors	
Crimper	13, 73
Kit	13
Removal Tool	12, 73
Weatherproof Switch	
Window Nets	
Installation Kit	76
Wire, Electrical	10
Wiring Harnesses	
Guide	29
Wiring Kits	
Wraparound Panels	
Wrenches, AN	
Z	
Zin Ties	75





PART NUMBER / PAGE INDEX

08-080 60	31-210 60	40-243 70	50-2034 31	50-506 28	50-868 27	55-002 15	56-162 66	57-1810 10
08-085 60	31-215 60	40-245 70	50-2037 30	50-507 28	50-869 27	55-003 15	56-163 66	57-200 10
08-090 60	31-220 60	40-247 70	50-2051 31	50-510 28	50-905 28	55-004 15	56-167 66	57-201 10
08-095 60	31-225 60	40-300 70	50-206 17	50-512 28	50-910 28	55-005 15	56-168 66	57-2011 10
08-100 60	31-230 60	40-350 70	50-207 17	50-513 16	50-915 28	55-008 15	56-169 66	57-203 10
08-105 60	31-235 60	40-361 70	50-230 8	50-514 16	50-920 28	55-009 15	56-170 66	57-2031 10
08-110 60	31-240 60	40-363 70	50-231 8	50-520 28	50-925 28	55-010 15	56-220 59	57-236 10
08-115 60	31-245 60	40-365 70	50-232 8	50-522 28	50-930 28	55-011 15	56-221 59	57-2361 10
08-120 60	31-250 60	40-367 70	50-234 9	50-524 21	50-960 28	55-012 15	56-222 59	57-240 10
08-125 60	31-255 60	40-421 70	50-235 9	50-526 21	50-9715 27	55-013 15	56-240 59	57-2401 10
08-130 60	31-260 60	40-423 70	50-236 9	50-601 28	50-9720 27	55-021 15	56-241 59	57-321 10
08-135 60	38-080 60	40-425 70	50-300 12	50-602 28	50-9725 27	55-022 15	56-242 59	57-323 10
08-140 60	38-085 60	40-427 70	50-301 12	50-604 28	50-9730 27	55-023 15	56-260 59	57-341 10
08-145 60	38-090 60	40-481 70	50-302 12	50-609 28	51-037 69	55-120 15	56-261 59	57-343 10
08-150 60	38-095 60	40-483 70	50-303 12	50-610 28	51-038 69	55-5515	56-262 59	57-440 11
08-155 60	38-100 60	40-485 70	50-304 12	50-700 27	51-039 69	56-001 59	56-270 59	57-441 11
08-160 60	38-105 60	40-487 70	50-310 12	50-711 24	51-040 69	56-002 59	56-285 59	57-443 11
	38-110 60	40-601 70		50-7164 25		56-0021 59		57-445 11
08-165 60			50-311 12	50-718 25	51-041 69		56-830 66	
08-170 60	38-115 60	40-603 70	50-312 12		51-043 69	56-0022 59	56-831 66	57-450 11
08-175 60	38-120 60	40-605 70	50-320 12	50-719 25 50-720 24	51-044 69	56-003 59	56-833 66	57-470 11
08-180 60	38-125 60	40-607 70	50-321 12		51-046 69	56-004 59	56-834 66	57-471 11
08-185 60	38-130 60	40-500 70	50-322 12	50-7222 17 50-731 24	51-048 69	56-0041 59	56-835 66	57-472 11
08-190 60	38-135 60	40-700 70	50-330 12		51-051 68	56-0042 59	56-836 66	57-473 11
08-195 60	38-140 60	50-003 22	50-331 12	50-740 24	51-052 68	56-006 59	56-837 66	57-474 11
08-200 60	38-145 60	50-004 25	50-332 12	50-7411 24	51-053 68	56-0061 59	56-838 66	57-475 11
31-060 60	38-150 60	50-020 18	50-340 12	50-7431 24	51-054 68	56-0062 59	56-839 66	57-476 11
31-065 60	38-155 60	50-022 20	50-341 12	50-750 24 50-7531 24	51-070 68	56-010 59	56-842 66	57-477 11
31-070 60	38-160 60 38-165 60	50-023 20	50-342 12	50-7611 25	51-071 68	56-020 58	56-843 66	57-478 11 57-479 11
31-075 60	38-170 60	50-025 20	50-360 12	50-7631 25	51-201 69	56-021 58	56-844 66	57-481 11
31-080 60 31-085 60	38-175 60	50-031 25	50-361 12	50-7711 25	51-210 69	56-022 58 56-040 58	56-845 66	57-490 11
31-090 60	38-180 60	50-033 25	50-362 12 50-380 12	50-7713 24	51-215 69 51-230 69	56-041 58	56-9001 59 56-9002 59	57-490 11 57-520 11
	38-185 60	50-034 31		50-7714 24		56-042 58		57-525 11
31-095 60	38-190 60	50-052 18	50-393 13, 73	50-7731 24	51-235 69		56-9141 66	57-530 11
31-100 60		50-053 18	50-395 13, 73	50-790 25	51-236 69	56-060 58	56-9143 66	
31-105 60	38-195 60	50-102 18	50-399 13, 73	50-7911 25	51-237 69	56-061 58	56-9144 66	57-535 11
31-110 60	38-200 60 38-210 60	50-103 18	50-400 28	50-7931 25	52-163 26	56-062 58 56-070 58	56-9145 66	57-540 11 57-550 11
31-115 60		50-163 22	50-401 28		52-164 26		57-008 10	
31-120 60	38-220 60	50-164 22	50-402 28	50-802 19 50-803 19	52-165 26	56-085 58	57-009 10	57-560 11
31-125 60	38-230 60	50-165 22	50-403 28		52-166 26	56-100 64,73	57-010 10	57-601 15
31-130 60	38-240 60	50-166 22	50-410 28	50-820 19	52-200 26	56-102 65	57-011 10	57-602 15
31-135 60	38-250 60	50-1711 24	50-415 28	50-822 21 50-823 21	52-500 26	56-104 65	57-012 10	57-604 14
31-140 60	38-260 60	50-1713 24	50-417 28		52-510 26	56-105 65	57-014 10	57-605 15
31-145 60	38-270 60	50-1714 24	50-420 28	50-825 21	52-512 26	56-108 74	57-091 10	57-607 14
31-150 60	38-280 60	50-190 63	50-422 28	50-830 8	52-601 26	56-110 65,74	57-092 10	57-610 14
31-155 60	40-100 70	50-200 20, 30	50-424 28	50-831 8	52-602 26	56-111 65,74	57-093 10	57-620 14
31-160 60	40-121 70	50-2001 15	50-430 15	50-832 8	52-604 26	56-115 64	57-094 10	57-660 14
31-165 60	40-123 70	50-2002 15	50-434 13	50-834 9	52-609 26	56-116 64	57-101 10	57-700 16
31-170 60	40-125 70	50-2006 17	50-435 10	50-835 9	52-615 26	56-119 64	57-102 10	57-701 14
31-175 60	40-127 70	50-2007 17	50-442 17	50-836 9	52-716 26	56-120 66	57-103 10	57-702 14
31-180 60	40-150 70	50-2008 17	50-500 28	50-852 19	52-717 26	56-121 66	57-104 10	57-703 14
31-185 60	40-181 70	50-201 20, 30	50-501 28	50-853 19	52-863 26	56-122 66	57-1521 10	57-704 16
31-190 60	40-183 70	50-2021 30	50-502 28	50-863 23	52-864 26	56-123 66	57-1523 10	57-705 16
31-195 60	40-185 70	50-2030 30	50-503 28	50-864 23	52-865 26	56-124 66	57-1541 10	57-706 16
31-200 60	40-187 70	50-2031 30	50-504 28	50-865 23	52-866 26	56-155 65	57-1543 10	57-707 16
31-205 60	40-241 70	50-2032 31	50-505 28	50-866 23	55-001 15	56-161 66	57-1809 10	57-708 14

PART NUMBER / PAGE INDEX



57-709 14	60-008 71	611-6001 49	61-691 48	61-7731 40	62-457 60	64-703 64	67-2001 36	75-085 60
57-710 16	60-009 71	611-6002 49	61-692 48	61-77313 41	62-465 60	64-704 64	67-2004 52	<i>75-090</i> 60
57-711 16	60-010 71	611-6003 48	61-693 48	61-7741 40	62-477 60	64-706 64	67-2005 52	<i>75-100 60</i>
57-718 14	60-020 71	611-6004 52	61-694 48	61-77413 41	62-480 60	64-708 74	67-3011 36	<i>75-105</i> 60
57-719 14	60-030 71	611-6005 52	61-697 51	61-7742 40	62-487 60	64-709 74	67-3012 36	<i>75-110</i> 60
57-723 16	60-032 70	611-6006 48	61-698 48	61-77423 41	62-490 60	64-730 73	67-3016 36	75-115 60
57-801 14	60-034 70	611-6007 48	61-699 48	61-7751 40	62-500 60	65-096 67	67-3017 36	<i>75-120</i> 60
57-805 14	60-039 70	611-6008 51	61-7001 38	61-77513 41	62-510 60	66-400 61	67-4021 37	75-125 60
57-806 14	60-040 70	611-6009 48	61-7004 52	61-790 48	62-600 60	66-499 61	67-4026 37	<i>75-130</i> 60
57-807 14	60-041 70	611-7000 39	61-7005 52	61-791 17	63-001 49	66-500 61	67-4027 37	75-135 60
57-810 16	60-045 75	611-7003 39	61-701 48	61-795 16	63-002 49	66-501 61	67-5036 37	<i>75-140</i> 60
<i>57-820</i> 16	61-0101 56	611-7006 39	61-7011 38	61-903 54	63-120 32	66-502 61	67-5037 37	<i>75-145</i> 60
57-830 16	61-0151 57	611-7007 39	61-7012 38	61-9795 16	63-121 32	66-503 61	68-001 62	<i>75-150</i> 60
57-942 11	61-0171 56	611-7008 39	61-7017 38	62-070 60	63-130 32	66-504 61	68-0011 62	<i>75-155</i> 60
57-943 11	61-0201 56	611-7009 39	61-702 48	62-075 60	63-132 32	66-506 61	68-0012 62	<i>75-160 60</i>
57-944 11	61-0211 56	611-7010 49	61-7021 38	62-080 60	63-220 33	66-508 61	68-002 62	75-165 60
57-945 11	61-0251 57	611-7012 39	61-7024 55	62-085 60	63-225 33, 37, 52	66-509 61	68-0021 62	75-170 60
57-9790 17	61-0261 57	611-900 50	61-7031 39	62-090 60	63-230 33, 37, 52	66-512 61	68-0022 62	<i>75-175</i> 60
<i>57-9795 17</i>	61-0271 56	611-901 50	61-704 48	62-095 60	63-240 33, 37	66-520 61	68-003 62	<i>75-180 60</i>
<i>58-030 76</i>	61-0281 56	611-902 50	61-7041 39	62-100 60	63-300 49	66-530 61	68-0031 62	<i>75-185</i> 60
58-031 76	61-0301 56	611-903 50	61-7042 39	62-105 60	63-604 52	66-551 61	68-0032 62	<i>75-190</i> 60
58-032 76	61-0311 57	611-9015 50	61-7051 39	62-110 60	63-605 52	66-552 61	68-004 62	75-195 60
58-034 76	61-0321 56	611-90100 50	61-706 48	62-115 60	64-010 74	66-554 61	68-0041 62	<i>75-200 60</i>
58-035 <i>76</i>	61-0601 57	61-300 50	61-709 48	62-120 60	64-015 74	66-556 61	68-0042 62	<i>75-205 60</i>
58-036 76	61-0604 53	61-6001 42	61-710 50	62-125 60	64-020 74	66-700 72	68-005 62	<i>75-210</i> 60
<i>58-037 76</i>	61-0605 53	61-6004 52	61-7101 50	62-130 60	64-076 73	66-754 78	68-006 62	75-215 60
58-041 76	61-0606 53	61-6005 52	61-71012 50	62-135 60	64-077 73	66-757 78	68-010 63	<i>75-220 60</i>
58-042 76	61-0611 57	61-6005-1 52	61-71024 50	62-140 60	64-086 73	66-850 78	68-0109 63	<i>75-225 60</i>
58-043 76	61-0621 57	61-6006 52	61-71036 50	62-145 60	64-087 73	66-852 78	68-012 63	<i>75-230 60</i>
58-046 76	61-0631 57	61-6011 42	61-71048 50	62-150 60	64-088 73	66-854 78	68-0129 63	75-235 60
<i>58-047 76</i>	61-0704 53	61-6012 42	61-71060 50	62-155 60	64-140 77	66-856 78	68-015 63	<i>75-240 60</i>
58-048 76	61-0705 53	61-6021 42	61-711 51	62-160 60	64-145 77	66-858 78	68-0159 63	<i>75-250 60</i>
<i>58-049 76</i>	61-101 72	61-6024 55	61-712 51	62-165 60	64-146 67	66-860 78	69-000 33	<i>75-260 60</i>
58-211 75	61-103 72	61-6031 44	61-713 51	62-170 60	64-148 67	66-908 77	69-003 33	<i>75-270 60</i>
58-212 75	61-105 72	61-60313 46	61-714 51	62-175 60	64-149 67	66-920 77	69-006 33	<i>75-</i> 280 60
58-221 75	611-096 49	61-6041 44	61-716 51	62-180 60	64-150 77	66-923 77	69-007 33	<i>75-290 60</i>
<i>58-222 75</i>	611-099 49	61-60413 46	61-717 54	62-185 60	64-157 67	66-925 77	69-008 33	<i>75-300 60</i>
58-223 75	611-100 49	61-6042 44	61-718 54	62-190 60	64-158 67	66-927 77	69-009 33	<i>75-310</i> 60
58-224 75	611-3411 56	61-60423 46	61-719 51	62-195 60	64-169 67	66-929 77	69-2001 32	<i>75-320</i> 60
<i>58-225 75</i>	611-3421 56	61-6051 44	61-720 50	62-200 60	64-175 73	66-931 77	69-3011 32	<i>75-330 60</i>
58-231 75	611-3431 56	61-60513 46	61-721 50	62-205 60	64-176 73	66-936 77	69-3012 32	<i>75-340</i> 60
<i>58-232 75</i>	611-3441 56	61-6701 43	61-722 50, 54	62-210 60	64-180 73	66-937 77	69-3016 32	<i>75-350</i> 60
58-233 75	611-4411 56	61-6711 43	61-724 50	62-215 60	64-225 77	66-938 77	69-3017 32	75-360 60
58-234 75	611-4421 56	61-6712 43	61-725 50	62-220 60	64-230 77	66-9381 77	69-4021 33	<i>75-370 60</i>
<i>58-235 75</i>	611-4431 56	61-6717 43	61-727 54	62-225 60	64-253 78	66-939 23	69-4026 33	<i>75-380</i> 60
58-237 75	611-4441 56	61-6721 43	61-730 48	62-230 60	64-255 78	66-940 23	69-4027 33	75-390 60
58-238 75	611-4511 57	61-6724 55	61-733 48	62-235 60	64-257 78	66-945 23	69-5036 33	<i>75-400 60</i>
58-239 75	611-4521 57	61-6731 45	61-735 48	62-240 60	64-260 78	66-950 78	69-5037 33	75-410 60
58-240 75	611-4531 57	61-67313 47	61-740 48	62-245 60	64-261 78	<i>67-000 37</i>	71-322 13	<i>75-420 60</i>
58-244 63	611-4541 57	61-6741 45	61-748 48	62-250 60	64-262 78	67-001 37, 49	71-332 13	75-430 60
58-245 63	611-5411 57	61-67413 47	61-750 48	62-270 60	64-400 64	67-003 37	71-342 13	75-440 60
<i>58-250 75</i>	611-5421 57	61-6742 45	61-755 50	62-280 60	64-401 64	67-006 37	71-362 13	<i>75-600 60</i>
60-000 71	611-5431 57	61-67423 47	61-756 50	62-310 60	64-403 64	67-007 37	75-070 60	
60-003 71	611-5441 57	61-6751 45	61-757 50	62-390 60	64-510 72	67-008 37	75-075 60	
60-005 71	611-6000 48	61-67513 47	61-7724 55	62-400 60	64-511 72	67-009 37	<i>75-080 60</i>	