2002-2006 CADILLAC ESCALADE PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.



An assistant is useful when removing the front bumper from your vehicle.

Please be cautions when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

Product Part Numbers: 2LHP-ECLD02-RS 2LHP-ECLD02JM-RS





2002-2006 CADILLAC ESCALADE PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.

An assistant is useful when removing the front bumper from your vehicle.

Please be cautions when working with the bumper or any parts belonging to the vehicles's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.



1. Remove the (8) clips then remove the plastic radiator cover



2. Unlock the (2) lock pins



3. Pull out the headlight a little bit



4. Disconnect the headlight harness



5. Remove the headlight



6. Connect the headlight harness to the new projector headlight

Please see the Halo and L.E.D installation instruction. If your headlights don't have HALO or L.E.D. you can skip it



7. Install the new projector headlight



8. Put back the (2) lock Pins

经财富部门 化间接转动物 化分子转动分子



9. Install the plastic radiator cover and the (8) clips



10. Please repeat the steps in order from 1 to 9 for the opposite side. The installation is now complete