



TABLE OF CONTENTS

WHY VISION X

p.4-9

LED POD LIGHTS

p.10-23

LED LIGHT BARS

p.24-41

ACCENT LIGHTING

p.42-45

LED WORK/SCENE LIGHTS

p.46-53

LED HEADLIGHTS

p.54-59

APPLICATION SPECIFIC

p.60-71

HID & HALOGEN

p.72-75

ACCESSORIES

p.76-83

- 6 The Tech
- 8 Choosing Beam Pattern
- 9 Warranty
- 12 ADV Light Cannon
- 14 CG2 Light Cannon
- 18 VL-Series Driving Light
- 20 Optimus
- 22 Solo Pods
- 26 Shocker
- **28** XPL
- 30 XPL Curved
- **32** XPR-S
- **34** XPR
- 36 Xmitter Prime Xtreme
- 38 Xmitter Lo-Pro Prime Xtreme
- 40 Chaser Bar
- 43 XP Rock Lights
- 44 Pro Pods
- **44** Tantrum
- 45 Strip Lights & Utility Flood
- 48 VL-Series Light Duty
- **50** Duralux
- **52** UMX
- 56 VX Series Headlights
- 58 XMC Motorcycle Headlights
- 62 VX Grilles
- **64** Trucks
- 66 Jeeps
- **68** UTV
- **70** Sport Marine
- 72 HID Offroad Lights
- 74 Halogen Sealed Beam & Bulbs
- **78** Mounting Solutions
- 80 Covers
- 83 Lighting Accessories

NEW | PRODUCTS







Vision Motor Sports was established in 1997 with the mission to revolutionize the lighting industry. Today, we are doing just that. The Engineering, Product Development and Marketing is conducted from the Vision X USA office located in Auburn, Washington, Vision X Asia is home to the Manufacturing, Testing, and Inventory Logistics departments of Vision X Global Lighting. Today, Vision X has the mission of developing partners around the world to continue developing and marketing the most advanced lighting products in the world.

The key to Vision X's ongoing success, unmatched quality, and performance is our team of world class engineers who have taken outlandish concepts from conception to production. Our engineers are never afraid of reexamining products to find ways to better serve customers. Since its conception, Vision X has listened to the end user and put their ideas into action to further the quality, performance, and functionality of all Vision X products. At Vision X, we are constantly striving to live up to our company motto of "Lighting Evolved."

HIGH LEVEL CERTIFICATIONS



European Regulatory certification for on highway use.



DOT

US Department of Transportation certified for on road use.



ADR

Products which are in compliance with the Australian Design Rules (ADR).



Ensures no use of restricted hazardous materials in products such as lead, mercury, cadmium, PBB, PBDE, and Phthalate.



CE CE is a mandatory conformity mark for products in the European Economic Area.



SAE

SAE standard compliant for transport and automotive regulations.

PROP 65

PROP 65

California Regulation compliant for hazardous materials.



EMC

EMC and EMI certifies that a product does not interfere with other electrical products. This includes CISPR 25 Certifications



QUALITY AS A PRIORITY





INGRESS PROTECTION

Products are sprayed from close distances with 80~100 BAR water pressure to verify the ingress protection rating, ensuring they are sealed properly.





SUBMERSION & AGING

Once products are assembled every product is run through a submersion (water dunk test), then placed onto an aging rack and powered up for 30 minutes.





THERMAL IMPACT

Products are placed in a -40°C chamber for 30 minutes, and then placed in a 80°C chamber for an additional 30 minutes. Products are then left on for 72 hours.





LONG TERM DURABILITY

Products are then switched on and off 20,000 times repeatedly to ensure that they remain functional after all testing.






CONSUMPTION & INPUT RANGE

All products are put on a digital power meter to test that it is consuming the correct amount of power, checking for any electrical faults.



LIGHTING TECHNOLOGY EXPLAINED



KNOW THE **DIFFERENCE**

Vision X LED Lighting runs at a 6000K temperature for intense, bright white light for maximum visibility and safety. LED Lights do not use a bulb, making them much more durable than other options.

Vision X HID Lighting runs at a 5000k temperature for a super white beam color. HID lights require a bulb, starter and ballast to operate. They have a higher output per wattage than Halogen bulbs.

Vision X offers a number of different Halogen Lighting options. The Tungsten-Halogen series uses an oversized globe and specially engineered filament to enhance light output. Vision X offers many headlight replacements.

THE VISION X DIFFERENCE

Top Binning

Not all LEDs are created equal. Each run of LEDs by the manufacturer is binned to classify the quality within that batch. Vision X uses only top binned LEDs to ensure the highest quality.

High Efficacy

Vision X products are engineered for the highest possible luminus efficacy - the ratio of lumens per watt. Each light is specifically designed to take full advantage of the LED inside it.

Pulse Width Modulation


When enabled, Pulse Width Modulation integrated circuitry flashes the LED faster than the human eye can see for reduced heat, prolonged LED life and dimming capabilities.

Electronic Thermal Management

Integrated Electronic Thermal Management automatically regulates heat levels by engaging ETM to prolong each LEDs lifespan to 50,000 hours.




MEASURING LIGHT OUTPUT




USABLE LIGHT = DISTANCE

Usable light is defined as the light that is actually converted for use in forward projection lighting. Vision X measures this by accounting for effective, rather than raw lumens in our distance calculations. The measurement of distance at which a light achieves one lux is the level of light needed to read a newspaper also known as Usable Light

TOTAL LIGHT OUTPUT = LUMENS






RAW LUMENS | VS | **EFFECTIVE LUMENS**

Lumens are a common standard for measuring light output at the source. It is important to know that the lighting source manufacturer rating is only for the light source and does not account for losses due to optical inefficiencies, electrical inefficiencies or heat. The sheer output of the light source is not enough to capture the whole story. When rating the effective output of a light source, the light lost as heat, in optical light spray and electrical inefficiency must also be accounted for, as each of these reduce the total usable lumens. Through the use of top binned LEDs, pulse width modulation and electronic thermal management, Vision X Lights effectively produce the highest lumens per watt.



CHOOSING THE RIGHT BEAM



EXTREME SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology or use a focused 10° optic.

BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.

COMBO / MIXED BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.

DRIVING / ELLIPTICAL BEAM

Flat forward spread that keeps low to the ground . This unique pattern is only found in Vision X Lights and is projected using a special optic type that is specifically engineered to keep the light low the ground as to not blind oncoming vehicles.

FLOOD / WIDE FLOOD BEAM

Largest spread with the shortest distance. Vision X Lights with a flood beam will use multiple wide angle optics (40°,60°,90°) to produce a wide spread beam that is ideal for work area and scene lighting.







INCLUDED WITH EACH LIGHT



LIFETIME LIMITED WARRANTY


- 1. Proof of purchase is required to validate warranty and is valid from the original date of purchase. All products must be bought through a Vision X Authorized Dealer or one of their dealers/resellers.
- 2. Improper installation, accident, physical damage, neglect and normal wear are not covered under warranty.
- 3. Cutting the deutsch connector automatically voids warranty.
- 4. Lights operated in environments over 150° Fahrenheit are not covered under warranty.
- 5. Warrantied items will be repaired to working condition and returned without cosmetic alterations.
- 6. Warranties should be handled through the dealer/reseller the product was purchased from; customer is responsible for delivery to Vision X Returns in Washington.
- 7. If product is not under warranty, customers will be responsible for shipping return shipping charges.
- 8. Additionally, non-warranted items can be repaired at the customer's expense of parts and labor, at the discretion of Vision X Lighting, who will provide an estimated repair cost before proceeding with the repair.

LED POD LIGHTS

- 12 ADV Light Cannon
- 14 CG2 Light Cannon
- **18** VL-Series Driving Light
- 20 Optimus
- 22 Solo Pods







ADV LIGHT CANNON


- S E R I E S -

8.7"| 120W



ADVENTURES JUST GOT BRIGHTER

Combining the superior distance of Iris Reflector technology with the spread of elliptical optics the ADV Light Cannon series shines a powerful combo driving beam that is optimal for all terrains. Coupled with a smooth back-lit halo and a robust 4-bolt steel trunnion bracket, the ADV Light Cannon Series was engineered to outshine and outlast the competition.







THE PERFECT COMBO DRIVING BEAM

IRIS REFLECTOR AND OPTIC COMBO

Combining the superior distance of Iris Reflectors with two elliptical optics, the ADV Light Cannon shines a powerful and smooth light pattern for all terrains. From curving roads to high-speed trails, the Driving/Combo beam pattern is the perfect blend of light.

DAYTIME RUNNING HALO

The **SAE** compliant Halo provides the smoothest back lit glow day or night. Choose to run as a Daytime Running Light or place on a separate switch for style lighting on demand.



	ITEM#	PART#	RAW LUMENS	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
6.7"	CGA-CPMH8M	1236116	8,560lm	1,870ft.	80W	5.83A	6.78"x7.25"x3.46"	Combo
0.7	CGA-CPMH8MKIT	1236216	17,120lm	2,494ft.	160W	11.67A	6.78"x7.25"x3.46"	Combo
8.7"	CGA-CPMH14M	1238116	12,840lm	2,297ft.	120W	10A	8.78"x9.45"x4.07"	Combo
0.7	CGA-CPMH14MKIT	1238216	25,680lm	3,248ft.	240W	20A	8.78"x9.45"x4.07"	Combo



CG2 LIGHT CANNON

- S E R I E S -





The most powerful and versatile off-road LED lighting system. From 3.0" Square to 8.7" Round sizes, each is available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatchable distances. The 25-Lights-In-One Cover system (round only) allows you to change light pattern and color to fit your driving environments. Lifetime Limited Warranty.







MULTI LED FOR MAXIMUM LIGHT OUTPUT

Multi-LED CG2 Light Cannons are the ultimate light for blasting through the night with a powerful broad driving beam pattern and outstanding medium distance lighting coverage.





SINGLE LED FOR FOCUSED DISTANCE OUTPUT

Single LED CG2 Light Cannons take lighting to uncharted territory with incomparable distances. The industry-leading Luminous Big Chip LED and Iris Reflector throws a violent blast of light that penetrates the night up to 3,500 feet. If you need superior distance from your lighting, this is the solution.

EXTREME SPOT BEAM






ULTRA EFFICIENT MULTI LED

Top binned 7W Cree LED provides the greatest light output from a multi source LED light of its size.

ADVANCED OPTIC TECHNOLOGY

Each led is focused using a 10° optic that allows for the flood pattern to achieve full beam spread.



Different Output, Same Series

LUMENS | VS | **DISTANCE**




HIGHEST QUALITY SINGLE LED

Industry leading Luminus Big Chip Technology allows the Single Source Cannon to reach unheard of distances.

IRIS REFLECTOR TECHNOLOGY

Focusing the power of the single source LED, the advanced IRIS Reflector shoots out a long distance spot beam.





3.0"	
3.7"	
4.7"	
6.7"	


ITEM#	PART#	RAW LUMENS	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	ВЕАМ
CG2-OPM310	9929644	2,250	515ft.	21W	1.75A	2.99"x3.14"x3.82"	Broad Spot
CG2-OPM310KIT	9929651	4,500	680ft.	42W	3.5A	2.99"x3.14"x3.82"	Broad Spot
CG2-CPM310	9912141	2,250	515ft.	21W	1.75A	3.62"x3.62"x3.82"	Broad Spot
CG2-CPM310KIT	9912158	4,500	680ft.	42W	3.5A	3.62"x3.62"x3.82"	Broad Spot
CG2-CPM710	9907499	5,250	705ft.	49W	4.08A	5.42"x5.28"x3.69"	Broad Spot
CG2-CPM710KIT	9907437	10,500	915ft.	98W	8.17A	5.42"x5.28"x3.69"	Broad Spot
CG2-CPM1810	9907505	13,500	1,105ft.	126W	10.5A	7.30"x7.09"x5.37"	Broad Spot
CG2-CPM1810KIT	9907444	27,000	1,435ft.	252W	21A	7.30"x7.09"x5.37"	Broad Spot
CG2-CPM2410	9907512	18,000	1,405ft.	168W	14A	9.36"x9.34x6.30"	Broad Spot
CG2-CPM2410KIT	9907451	36,000	1,825ft.	336W	28A	9.36"x9.34x6.30"	Broad Spot













ITEM#	PART#	RAW LUMENS	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
CG2-0P110	929620	1,070	1,000ft.	10W	0.83A	2.99"x3.14"x3.82"	Spot
CG2-OP110KIT	929637	2,140	1,100ft.	20W	1.67A	2.99"x3.14"x3.82"	Spot
CG2-CPR110	9925240	1,070	1,000ft.	10W	0.83A	3.62"x3.62"x3.82"	Spot
CG2-CPR110KIT	9925271	2,140	1,100ft.	20W	1.67A	3.62"x3.62"x3.82"	Spot
CG2-CPZ110	9907574	3,000	1,115ft.	40W	3.33A	5.42"x5.28"x3.69"	Spot
CG2-CPZ110KIT	9907468	6,000	1,115ft.	80W	6.67A	5.42"x5.28"x3.69"	Spot
CG2-CPZ610	9907567	4,000	3,000ft.	70W	5.83A	7.30"x7.09"x5.37"	Spot
CG2-CPZ610KIT	9907475	8,000	3,300ft.	140W	11.67A	7.30"x7.09"x5.37"	Spot
CG2-CPZ810	9907550	6,200	3,500ft.	100W	8.33A	9.36"x9.34x6.30"	Spot
CG2-CPZ810KIT	9907482	12,400	3,850ft.	200W	16.67A	9.36"x9.34x6.30"	Spot




VL DRIVING LIGHT

- S E R I E S -



SPOT & FLOOD MADE SIMPLE

Designed similarly to our popular round pod style lights, the VL Driving Light offers multi LED Reflectors to provide a spread of light at a distance. With the VL Driving series we are able to streamline the manufacturing process in our new facility to the point we can offer a free set of Flood Covers and bring the price down to a point even entry level offroaders will be happy with, while still keeping the Vision X quality.







TAKE CONTROL OF YOUR LIGHT



BROAD SPOT BEAM

Harnessing the power of reflector technology arranged in a honeycomb pattern, the VL-Series Driving Light emits a powerful long distance spot beam capable of reaching distances up to 2,265ft (8.7in kit).

INCLUDES SNAP-ON WIDE FLOOD COVER

Included with every VL-Series Driving Light Kit is a Snap-On Clear Cover that is designed the change the spot beam into a wide flood light pattern as well as add protection from debris.

*Covers Only Included with Kits

	ITEM#	PART#	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
6.7"	VWR041810	9929682	8,730	1,310ft.	63W	5.25A	7.28"x7.44"x2.99"	Broad Spot
	VWR041810WFKIT	9929699	17,460	1,740ft.	126W	10.5A	7.28"x7.44"x2.99"	Broad Spot
8.7"	VWR043010	9929668	14,550	1,640ft.	105W	8.75A	9.25"x9.49"x3.46"	Broad Spot
	VWR043010WFKIT	9929675	29,100	2,265ft	210W	17.5A	9.25"x9.49"x3.46"	Broad Spot







COMPACT HOUSING MEETS DISTANCE OUTPUT

By combining Single-Source LEDs with Vision X's Iris Reflector technology, the Optimus Series is capable of reaching a staggering 883' of usable light at just 10W.

The Optimus is available in four different beam patterns, allowing users to choose between distance or spread.

Vehicle Specific Kits Available for : Fog Light Kits for Trucks and Jeeps (See p.64-67) Headlight Kits for RZR (See p.68)



HALO OPTION
White and All NEW Amber Halo options available.
*Round and Square Only

DIFFERENT HOUSING | MORE VERSATILITY

SQUARE 3.0"

10W | 0.83A | 1,052 Lumens

ROUND 3.7" 10W | 0.83A | 1,052 Lumens






DUAL 5.8" 20W | 1.67A | 2,104 Lumens








ROUND & SQUARE HALO MODEL



KITS I	NCLLIE)F 2 I I (+ 2TH2	HARNESS

RAW ITEM# PART# **LUMENS** DISTANCE WATTS BEAM HALO XIL-OPRH115 9891712 1,052 883ft. 10W WHITE Spot 15° XIL-OPRH115KIT 9891729 2,104 970ft. 20W WHITE Spot 15° XIL-OPRHA115 9907185 1,052 883ft. 10W **AMBER** Spot 15° XIL-OPRHA115KIT 9917610 2,104 20W **AMBER** 970ft. Spot 15° XIL-OPH115 9891699 1,052 883ft. 10W WHITE Spot 15° XIL-OPH115KIT 9891705 970ft. 20W WHITE 2,104 Spot 15° XIL-OPHA115 9907178 1,052 883ft. 10W **AMBER** Spot 15° XIL-OPHA115KIT 9917627 Spot 15° 2,104 970ft. 20W **AMBER**


ROUND MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

		RAW			AMP DRAW	
ITEM#	PART#	LUMENS	DISTANCE	WATTS	@12V	BEAM
XIL-OPR110	9140896	1,052	883ft.	10W	0.83A	Spot 10°
XIL-OPR110KIT	9141251	2,104	970ft.	20W	1.67A	Spot 10°
XIL-OPR120	9141077	1,052	525ft	10W	0.83A	Spot 20°
XIL-OPR120KIT	9141343	2,104	580ft.	20W	1.67A	Spot 20°
XIL-OPR160	9141169	1,052	157ft	10W	0.83A	Flood
XIL-OPR160KIT	9141435	2,104	175ft.	20W	1.67A	Flood


SQUARE MODEL



* KITS INCLUDE 2 LIGHTS + HARNESS

		RAW			AMP DRAW	
ITEM#	PART#	LUMENS	DISTANCE	WATTS	@12V	BEAM
XIL-OP110	9123882	1,052	883ft.	10W	0.83A	Spot 10°
XIL-OP110KIT	9124421	2,104	970ft.	20W	1.67A	Spot 10°
XIL-OP120	9130002	1,052	525ft	10W	0.83A	Spot 20°
XIL-OP120KIT	9138015	2,104	580ft.	20W	1.67A	Spot 20°
XIL-OP160	9124063	1,052	157ft	10W	0.83A	Flood
XIL-OP160KIT	9137926	2,104	175ft.	20W	1.67A	Flood

DUAL MODEL



* KITS INCL	IIDF 2 I	IGHTS 1	HARNESS

ITEM#	PART#	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	BEAM
XIL-0P210	9123882	2,104	975ft.	20W	1.67A	Spot 10°
XIL-0P210KIT	9125053	4,208	1,075ft	40W	3.33A	Spot 10°
XIL-0P220	9124605	2,104	550ft.	20W	1.67A	Spot 20°
XIL-0P220KIT	9137834	4,208	605ft.	40W	3.33A	Spot 20°
XIL-0P260	9136660	2,104	165ft.	20W	1.67A	Flood
XIL-OP260KIT	9137742	4,208	185ft.	40W	3.33A	Flood





ULTRA COMPACT FOR UNIVERSAL APPLICATIONS

Compact yet powerful, the Solo Pod Series from Vision X provides intense light output from a small housing.

The Solstice Solo excels at multiple applications thanks to the wide selection of different beam patterns. Perfect for dirt bikes, reverse lights, marine lights, or rock lights - the applications are endless.

FLUSH MOUNTING OPTIONS See p.79



DIFFERENT HOUSING | MORE APPLICATIONS

2.2" PRIME10W | 0.83A | 1,052 Lumens



2.0" SOLSTICE 10W | 0.83A | 1,052 Lumens



8

1.7" MINI 5W | 0.42A | 528 Lumens



LED COLOR | OPTIONS

AMBER*

RED*




GREEN*

*Refer to website for Part#'s




PRIME MODEL




		RAW			AMP DRAW	
ITEM#	PART#	LUMENS	DISTANCE	WATTS	@12v	BEAM
XIL-SP110	4008830	1,052	279'	10W	0.83A	Spot 10°
XIL-SP120	4009882	1,052	213'	10W	0.83A	Spot 20°
XIL-SP140	4009899	1,052	164'	10W	0.83A	Med Flood

SOLSTICE MODEL



		RAW			AMP DRAW	
ITEM#	PART#	LUMENS	DISTANCE	WATTS	@12v	BEAM
XIL-S1110	9888156	1,052	246'	10W	0.83A	Spot
XIL-S1130	9888163	1,052	190'	10W	0.83A	Med. Flood
XIL-S11E3065	9888187	1,052	186'	10W	0.83A	Elliptical
XIL-S1160	9888170	1,052	180'	10W	0.83A	Flood

MINI MODEL



		RAW			AMP DRAW	
ITEM#	PART#	LUMENS	DISTANCE	WATTS	@12v	BEAM
XIL-MX110	9113531	528	272'	5W	0.42A	Spot
XIL-MX140	9113715	528	165'	5W	0.42A	Med. Flood
XIL-MX160	9113807	528	82'	5W	0.42A	Flood

LED LIGHT BARS

- 26 Shocker
- **28** XPL
- 31 XPL Curved
- **32** XPR-S
- **34** XPR
- **36** Xmitter Prime Xtreme
- 38 Xmitter Lo Pro Prime Xtreme
- 40 Chaser Bar










DUAL ACTION PERFORMANCE

The Shocker Dual Action LED Light bar brings versatility and lighting power to the forefront by allowing you to adjust your vision to the ever-changing driving conditions with the flick of a switch. Experience the all new VRT (Vector Reflector Technology) at high speeds to shine long distance with a wide driving beam that also fans across the trail. When dust and fog tries to slow you down, engage the Amber PLC (Photon Light Core Technology) to penetrate the night by reducing shadows and white-out by using the proper Amber lighting color and wide-elliptical shaped beam.







DUAL FUNCTION LIGHTING TECHNOLOGY

New Vector Reflector and Photon Light Core technology for dual function lighting.

RACE-INSPIRED SIDE MOUNTS

The Shocker come with heavy duty Race-Ready side mounts that are built to outlive any abuse.

HIGH OUTPUT CREE LEDS

Utilizing top binned XP-L-HI and XP-E2 Cree chips, the Shocker was made to outshine the competition.





| BOTTOM HALF |

PHOTON LIGHT CORE FOR WIDE ELLIPTICAL BEAM

The new Photon Light Core technology is the first of its kind. Our engineers designed the bottom half of the Shocker to produce a unique wide spread elliptical beam that keeps the light low to the ground.





| TOP HALF |

VECTOR REFLECTOR FOR **BROAD SPOT BEAM**

With the flip of a switch, the Shocker bar transforms your light into a driving spot beam that utilizes our newly designed Vector Reflector Technology to boost the beam pattern out to 1,314ft.



ITEM#	PART#	LENGTH
SHK-BV6WPA	9929705	11.97"

	RAW			AMP DRAW	
_	LUMENS	DISTANCE	WATTS	@12V	BEAM
Vector Reflector	6,420	1,314ft.	60W	5A	Broad Spot
Photon Core	1,266	205ft.	48W	4A	Elliptical








The XPL Halo Series LED Light Bar builds upon the XPR Series by combining the distance power of Iris Reflector Technology with an ultra slim housing design. Utilizing a powerful 5W Cree LED, the XPL series is able to produce up to 19,260 lumens and over 2,000 ft. of usable light.

PERFORMANCE

SIZES: 6" | 10" | 13" | 20" | 32" | 40" | 51"









HIGH INTENSITY CREE LED

DUAL MOUNTING STANDARD Each XPL Light Bar includes side wing mounts and our newly designed mounting feet.

The 5W XP-L-HI LED from Cree is what allows the XPL to project

SMOOTH BACKLIT

light up to 2,067 ft.

The XPL comes equipped with a back-lit halo that can be used as a daytime running light.(SAE Compliant for 20" and under)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES

Front Bumpers | 13"

Hood, Front Bumpers | 20"

Stock RZR Cage | 32"

Aftermarket RZR Cage, Can-Am Cage, Mid Size Truck Roof | **40"**

Full Size Roof | 51"

RAW **AMP DRAW** ITEM# PART# LENGTH **LUMENS** DISTANCE WATTS @12V BEAM XPL-H3EMH 1.25A 2506916 5.63" 1,605 486ft. 15W Spot XPL-H6EMH 2510916 9.41" 3,210 919ft. 30W 2.5A Spot XPL-H9EMH 2513916 13.19" 4,815 1,083ft. 45W 3.75A Spot XPL-H15EMH 2520916 20.75" 8,025 1,408ft. 75W 6.25A Spot XPL-H24EMH 2530916 32.09" 12,840 1,805ft. 120W 10A Spot XPL-H30EMH 16,050 2540916 39.65" 1,970ft. 150W 12.5A Spot XPL-H39EMH 2550916 50.98" 20,865 2,067ft. 195W 16.25A Spot






RADIUSED STYLE & PERFORMANCE

The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim 2" housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 1,800ft with up 23,005 raw lumens.

SIZES: 20" | 30" | 40" | 50" | 54"









HIGH INTENSITY CREE LED

The 5W XP-L-HI LED from Cree is what allows the XPL Curved to project light up to 1,860 ft.

END CAP WING & STUD MOUNTING


Each XPL Curved Light Bar includes side wing mounts with the option of using a single bolt.

SMOOTH BACK-LIT

The XPL Curved comes equipped with a back-lit halo that can be used as a daytime running light.



APPLICATION | COMMON SIZES



			RAW			AMP DRAW	
ITEM#	PART#	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
XPL-HC15EMH	2520717	20.08"	8,025	1,070ft.	75W	6.25A	Spot
XPL-HC23EMH	2530717	30.18"	12,305	1,320ft.	115W	9.58A	Spot
XPL-HC31EMH	2540717	40.20"	16,585	1,520ft.	155W	12.92A	Spot
XPL-HC39EMH	2550717	50.12"	20,865	1,745ft.	195W	16.25A	Spot
XPL-HC43EMH	2554717	53.81"	23,005	1,860ft.	215W	17.92A	Spot






RACE SERIES SPOT BEAM FOR ULTIMATE DISTANCE OUTPUT

The XPR-S Series Light Bar uses a high intensity LED that allows the beam to take full advantage of the Iris Reflector and project the light up to 75% further than the XPR series. Designed to outshine and outlast the competition.

SIZES: 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |









UPGRADED REFLECTORS

The XPR-S Features Upgraded Reflectors that projects an unmatched spot beam up to 3,773ft.

DUAL MOUNTING STANDARD

Mounting options include side wing mounts and our patented mounting feet.

SMOOTH BACK-LIT HALO OPTION

The XPR-S is available in a halo model that can be used as a daytime running light. (SAE Compliant for 24" and under)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES

VISION & LIGHTING

BLACKOUT COVER AVAILABLE (See p.82)

Front Bumpers | 12"

Hood, Front Bumpers | 19"





Aftermarket RZR Cage, Can-Am Cage, Mid Size Truck Roof | **40"**





STANDAR	D MODEL	HALO N	10DEL						
00000		860		RAW		AMP DRAW			
ITEM#	PART#	ITEM#	PART#	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
XPR-3S	9897462	XPR-H3S	9898544	6.14"	3,237	1,557ft.	30W	2.5A	Spot
XPR-6S	9897479	XPR-H6S	9898537	11.46"	6,474	2,133ft.	60W	5A	Spot
XPR-9S	9897455	XPR-H9S	9893235	18.80"	9,711	2,362ft.	90W	7.5A	Spot
XPR-12S	9897394	XPR-H12S	9897165	24.06"	12,984	2,461ft.	120W	10A	Spot
XPR-15S	9897400	XPR-H15S	9893228	29.37"	16,185	2,789ft.	150W	12.5A	Spot
XPR-18S	9897417	XPR-H18S	9893242	34.69"	19,422	3,117ft.	180W	15A	Spot
XPR-21S	9897424	XPR-H21S	9898872	40.00"	22,659	3,281ft.	210W	17.5A	Spot
XPR-24S	9897431	XPR-H24S	9898889	45.30"	25,896	3,590ft.	240W	20A	Spot
XPR-27S	9897448	XPR-H27S	9898896	50.63"	29.133	3.773ft.	270W	22.5A	Spot







MIXED BEAM FOR PERIPHERAL AND DISTANCE ILLUMINATION

The XPR LED Light bar series provides a powerful distance with **Mixed Beam tilted reflectors** to illuminate your peripherals. The 10 Watt LEDs through the large Iris Reflectors make this bar one of the furthest shining Mixed Beam bars out there. The XPR is also available in a back-lit **Halo Model.**

SIZES: 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |









END CAP MOUNTS AVAILABLE (See p.79)



TILTED REFLECTORS

The XPR Features Tilted Reflectors on the ends that angle the beam outward to illuminate off to the sides of your vehicle.

DUAL MOUNTING STANDARD

Mounting options include side wing mounts and our patented mounting feet.

SMOOTH BACK-LIT HALO OPTION

The XPR-S is available in a halo model that can be used as a daytime running light. (**SAE** Compliant for 24" and under)



SAE J3098 compliant for street legal use





APPLICATION | COMMON SIZES

VISION & LIGHTING

BLACKOUT COVER AVAILABLE (See p.82)

Front Bumpers | 12"



Hood, Front Bumpers | 19"



Stock RZR Cage | 30"



Aftermarket RZR Cage, Can-Am Cage, Mid Size Truck Roof | **40**"



Full Size Roof | 51"



STANDARD MODEL

XPR-27M

9891682

HALO MODEL

XPR-H27M

9912134

					RAW			AMP DRAW	
ITEM#	PART#	ITEM#	PART#	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
XPR-3	9891606	N/A	N/A	6.14"	3,237	1,040ft.	30W	2.5A	Mixed
XPR-6	9891613	N/A	N/A	11.46"	6,474	1,262ft.	60W	5A	Mixed
XPR-9M	9891620	XPR-H9M	9911816	18.80"	9,711	1,365ft.	90W	7.5A	Mixed
XPR-12M	9891637	XPR-H12M	9911786	24.06"	12,984	1,430ft.	120W	10A	Mixed
XPR-15M	9891644	XPR-H15M	9911595	29.37"	16,185	1,625ft.	150W	12.5A	Mixed
XPR-18M	9891651	XPR-H18M	9912271	34.69"	19,422	1,755ft.	180W	15A	Mixed
XPR-21M	9891668	XPR-H21M	9911700	40.00"	22,659	1,853ft.	210W	17.5A	Mixed
XPR-24M	9891675	XPR-H24M	9911793	45.30"	25,896	1,950ft.	240W	20A	Mixed

50.63"

29.133

2,214ft.

270W

Mixed

22.5A






DUAL ROW LEDS


XTREME OUTPUT


Since the Xmitter Prime Xtreme was first launched, it has held the title of "Most Raw Lumens Per Inch". Pumping out nearly 1,000 raw lumens per inch, the Xmitter Prime Xtreme is unmatched in terms of effective power and performance.

*Also Available in **AMBER LED**

SIZES: 5" | 8" | 11" | 18" | 20" | 30" | 40" | 50" |









DUAL ROW HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Prime Xtreme to output up to 47,000 Lumens (50in).

WATERPROOF HOUSING

The IP-68 rated housing ensures a water tight seal even under the toughest conditions.

END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.79)





APPLICATION | COMMON SIZES



						RAW			
ITEM#	PART#	ITEM#	PART#	ITEM#	PART#	LENGTH	LUMENS	WATTS	
XIL-PX610	9117409	XIL-PX640	9117492	XIL-PX6M	9894850	4.70"	3,168lm	30W	

MEDIUM FLOOD MODEL

BROAD SPOT MODEL

IIEM#	PARI#	IIEM#	PAKI#	IIEWI#	PARI#	LENGTH	LUMENS	WAIIS	@12V
XIL-PX610	9117409	XIL-PX640	9117492	XIL-PX6M	9894850	4.70"	3,168lm	30W	2.5A
XIL-PX1210	9115603	XIL-PX1240	9115696	XIL-PX12M	9894751	7.90"	6,336lm	60W	5A
XIL-PX1810	9115788	XIL-PX1840	9115870	XIL-PX18M	9887890	11.10"	9,504lm	90W	7.5A
XIL-PX3010	9116860	XIL-PX3040	9116952	XIL-PX30M	9123431	17.50"	15,840lm	150W	12.5A
XIL-PX3610	9117041	XIL-PX3640	9117133	XIL-PX36M	9894836	20.60"	19,008lm	180W	15A
XIL-PX5410	9117225	XIL-PX5440	9117317	XIL-PX54M	9153223	30.20"	28,512lm	270W	22.5A
XIL-PX7210	9117584	XIL-PX7240	9117676	XIL-PX72M	9153490	39.80"	38,016lm	360W	30A
XIL-PX9010	9887036	XIL-PX9040	9887043	XIL-PX90M	9132792	49.37"	47.520lm	450W	37.5A

MIXED BEAM MODEL

AMP DRAW







LOW PROFILE MEETS XTREME OUTPUT

The Low Profile Prime XP is compact with a height of only 2.06" for a slim fit with outstanding 5watt LED light output. Available in multiple beam configurations. The Low Profile Prime XP Series also makes use of Prime Drive Technology which manages heat levels to prolong the life of the LEDs.

*Also Ävailable in AMBER LED

SIZES: 5" | 8" | 12" | 20" | 24" | 31" | 35" | 42" | 50" |









HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Lo Pro Prime Xtreme to output up to 20,600 Lumens (50in).

LOW PROFILE WATERPROOF HOUSING

The IP-68 rated housing ensures a water tight seal even under the toughest conditions.

END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.79)





APPLICATION | COMMON SIZES



MIXED BEAM MODEL

ITEM#	PART#	ITEM#	PART#	ITEM#	PART#	LENGTH	RAW Lumens	WATTS	AMP DRAW @12V
XIL-LPX310	4000759	XIL-LPX340	4000766	N/A	N/A	4.65"	1,584lm	15W	1.25A
XIL-LPX610	9118758	XIL-LPX640	9120737	XIL-LPX6M	9153407	8.43"	3,168lm	30W	2.5A
XIL-LPX910	4000773	XIL-LPX940	4000780	XIL-LPX9M	9928609	12.21"	4,752lm	45W	3.75A
XIL-LPX1510	9114613	XIL-LPX1540	9114705	XIL-LPX15M	9897042	19.77"	7,920lm	75W	6.25A
XIL-LPX1810	9114798	XIL-LPX1840	9114880	XIL-LPX18M	9137025	23.55"	9,504lm	90W	7.5A
XIL-LPX2410	9121901	XIL-LPX2440	9132884	XIL-LPX24M	9889351	31.11"	12,672lm	120W	10A
XIL-LPX3310	9115153	XIL-LPX3340	9115245	XIL-LPX33M	9115153	42.44"	17,424lm	165W	13.75A
XIL-LPX3910	9128115	XIL-LPX3940	9132976	XIL-LPX39M	9892252	50.00"	20,592lm	195W	16.25A

MEDIUM FLOOD MODEL

BROAD SPOT MODEL




MODEL | 28"

MODEL | 35"



The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber and White LED's.

The Chaser Bar comes in two sizes to accommodate stock UTV (28") and after-market UTV (35") roll cages.





HIGH OUTPUT COLOR LED

Combination of 5W (White) and 3W (Color) LEDs allows the XPL Chaser Bar to outshine the competition.

LOW PROFILE WATERPROOF HOUSING

The 2" slim IP-67/69K rated housing ensures a water tight seal even under the toughest conditions.

DUAL MOUNTING

The XPL Chaser comes standard with wing mounts with the option of just using the end cap bolt for side stud mounting.



LED COLOR | FUNCTION



				AMP DRAW	
ITEM#	PART#	LENGTH	WATTS	@12V	BEAM
XPL-CBSR28	2928101	28.15"	69W	5.75A	Flood
XPL-CBSR35	2935101	35.75"	98W	8.17A	Flood

ACCENT LIGHTING

- 43 XP Rock Lights
- 44 Pro Pods
- 44 Tantrum
- 45 Strip Lights & Utility Flood











DURABLE XTREME ROCK LIGHT KIT

The new Vision X LED Rock Light Kits feature 9 watts per pod of ultra bright style lighting. Offered in a 4-light 36 watt kit (UTV or Small Vehicle) or 6-light 54 watt kit (Truck or 4-Door Jeep), each kit comes with a flat mount and tube mount base for each pod to aid in easy installation. The supplied control box allows for easy connection and wire routing without cutting and splicing each pod lead.

LED COLORS | AVAILABLE



	II EIVI#	PARI#	COLOR
	HIL-RL4A	9929309	Amber
4 LIGHT KIT	HIL-RL4B	9929316	Blue
0000	HIL-RL4G	9929323	Green
9999	HIL-RL4R	9929347	Red
مرا مرا مرا مرا	HIL-RL4W	9929354	White
	HIL-RL4M	9929330	Multi

	ITEM#	PART#	COLOR
	HIL-RL6A	9929361	Amber
6 LIGHT KIT	HIL-RL6B	9929378	Blue
000000	HIL-RL6G	9929385	Green
755555	HIL-RL6R	9929408	Red
	HIL-RL6W	9929415	O White
	HII -RI 6M	9929392	Multi

LED ACCENT | LIGHTING



LED POD | LIGHTS

Vision X offers a diverse line of accent pod lighting. Easily attract attention to your vehicle with the wide variety of colors. Each durable pod and strip light accepts 9-32 volt input and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts alike.

PRO POD | LED LIGHT -



Features:

140 Lumens Per Pod 5 Color Options 3ft. Power Cord Weatherproof Housing

ITEM#	PART#	COLOR	SIZE
XIL-PDA	9136219	Amber 🛑	1.76"
XIL-PDB	9136301	Blue 🛑	1.76"
XIL-PDG	9136394	Green 🛑	1.76"
XIL-PDR	9136486	Red 🛑	1.76"
XIL-PDW	9136127	White \bigcirc	1.76"

POD | LED LIGHT



Features:

70 Lumens Per Pod 5 Color Options 10ft. Power Cord Acrylic Lens

ITEM#	PART#	COLOR	SIZE
HIL-DA	4004078	Amber 🛑	1.25"
HIL-DB	4004139	Blue 🛑	1.25"
HIL-DG	4004146	Green 🛑	1.25"
HIL-DR	4004061	Red 🛑	1.25"
HIL-DW	4004054	White \bigcirc	1.25"

TANTRUM | POD KIT



Features:

560 Lumens Per Kit Includes 8 Pods Multi-Speed Scanning Flash Control Wireless Remote

ITEM#	PART#	COLOR	SIZE
HIL-STA	4005662	Amber 🛑	1.25"
HIL-STB	4005372	Blue 🛑	1.25"
HIL-STG	4005396	Green 🛑	1.25"
HIL-STR	4005389	Red 🛑	1.25"
HIL-STW	4005419	White \bigcirc	1.25"
HIL-STM	4005679	Multi 🌘	1.25"



LED STRIP | LIGHTS

Strip Lights are available in standard (for switched applications) and touch models, which feature 50% Brightness, 100% Brightness and Off modes.







Features:	
Compact Design	
Touch Activation	
(Optional)	

ITEM#	PART#	RAW LUMENS	TOUCH	LENGTH
XIL-ST7.5	9136219	140(ea)	Yes	7.4"
XIL-ST12	9136301	140(ea)	Yes	11.9"
XIL-SL7.5	9136394	140(ea)	No	7.4"
XIL-SL12	9136486	140(ea)	No	11.9"

LED UTILITY FLOOD | LIGHTS

The Utility Market Flood Light features 32 wide angle LEDs making this the perfect lighting solution for applications such as back-up lighting, area lighting, or a number of other applications.





UTILITY | FLOOD LIGHT

Features:

500 Lumens (ea) 120° Flood Beam 6 Color Options

ITEM#	PART#	RAW LUMENS		COLOR	SIZE
XIL-UF32A	9119298	500		Amber	3.4"x1.9"x0.9"
XIL-UF32B	9121185	500		Blue	3.4"x1.9"x0.9"
XIL-UF32G	9121277	500		Green	3.4"x1.9"x0.9"
XIL-UF32R	9121369	500		Red	3.4"x1.9"x0.9"
XIL-UF32P	9135045	500		Purple	3.4"x1.9"x0.9"
XIL-UF32W	4001824	500	\bigcirc	White	3.4"x1.9"x0.9"

LED WORK/SCENE LIGHTS

54 VL-Series Light Duty

56 Duralux

58 UMX









VERSATILITY MEETS LIGHT OUTPUT

The VL-Series LED Light Duty offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket. High quality construction and components enable VL-Series LED Light Duty to withstand vibration up to 15.6 Grms. Built-in reverse polarity protection helps prevent accidental damage caused by incorrect installation. VL-Series LED Light Duty work lighting is a high value, versatile range designed for many light duty commercial applications.

3 DIFFERENT HOUSING OPTIONS

2 LED AND WATTAGE OPTIONS

6 VERSATILE LED LIGHTS



VL-SERIES LED LIGHTS FEATURES:

ULTRA BRIGHT CREE LEDS

Utilizing 5W Cree LEDS, the VL-Series Lights pump out 106 Lumens per watt.

FLOOD OPTICS

Each LED has a 40° flood optic that allows for each light to produce a wide spread beam.

UNIVERSAL MOUNTING

The single bolt mounting system allows for simple and easy placement.

VL-SERIES SQUARE HOUSING









9LED | 45W

6LED | 30W

5LED | 20W

4LED | 12W

ITEM#	PART#	LEDS	RAW LUMENS	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM	W/DEUTCH PLUG
VWS050940	9911373	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med Flood	Yes
VWS050640	9911366	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med Flood	Yes
VLS050940	9911311	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med Flood	No
VLS050640	9911304	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med Flood	No
VLS040540	9927091	5	2,294	20W	1.67A	4.33"x5.16"x2.33"	Med Flood	No
VLS030440	9927060	4	1,544	12W	1.0A	2.76"x3.58"x1.57"	Med Flood	No

VL-SERIES ROUND HOUSING







9LED | 45W

6LED | 30W

5LED | 20W

ITEM#	PART#	LEDS	RAW Lumens	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM	W/DEUTCH PLUG
VWR050940	9911359	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med Flood	Yes
VWR050640	9911342	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med Flood	Yes
VLR050940	9911298	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med Flood	No
VLR050640	9911281	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med Flood	No
VLR040540	9927084	5	2,294	20W	1.67A	4.33"x5.16"x2.33"	Med Flood	No

VL-SERIES ROUND HOUSING





8LED | 40W

6LED | 30W

ITEM#	PART#	LEDS	RAW Lumens	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM	W/DEUTCH PLUG
VW0050840	9911335	8	4,224	40W	3.33A	5.59"x4.39"x2.21"	Med Flood	Yes
VW0050640	9911328	6	3,168	30W	2.5A	5.59"x4.39"x2.21"	Med Flood	Yes
VL0050840	9911274	8	4,752	45W	3.75A	5.59"x4.39"x2.21"	Med Flood	No
VL0050640	9911267	6	3,168	30W	2.5A	5.59"x4.39"x2.21"	Med Flood	No





VERSATILITY MEETS LIGHT OUTPUT

The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application. From fog lights to roof rack and reverse lighting, the Duralux Series combines versatility with affordability to create the ultimate lighting solution for any vehicle.

FLUSH MOUNTING OPTIONS *See p.73



DIFFERENT SIZES | MORE APPLICATIONS

2.75" DURA MINI / DURA M4M 12W | 1A | 2,000 Lumens 20W | 1.67A | 2,115 Lumens



4.0" DURA 4 20W | 1.67A | 2,112 Lumens



5.5" DURA 6 30W | 2.5A | 3,696 Lumens








*AMBER LED

DURA MINI MODEL






* KITS INCLUDE 2 LIGHTS + HARNESS

		RAW		AMP DRAW	
ITEM#	PART#	LUMENS	WATTS	@12V	BEAM
DURA-M460	9895499	2,000	12W	1.0A	Flood
DURA-M4M	9911649	2,115	20W	1.67A	Mixed
DURA-M4MKIT	9911656	4,230	40W	3.33A	Mixed

DURA 4 MODEL






* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	RAW Lumens	WATTS	AMP DRAW @12V	BEAM
DURA-410	9891132	2,112	20W	1.67A	Broad Spot
DURA-410KIT	9891187	4,224	40W	3.33A	Broad Spot
DURA-440	9141619	2,112	20W	1.67A	Med Flood
DURA-440A	9889917	2,112	20W	1.67A	Med Flood
DURA-460	9141527	2,112	20W	1.67A	Flood

DURA 6 MODEL





		RAW		AMP DRAW	
ITEM#	PART#	LUMENS	WATTS	@12V	BEAM
DURA-610	9891125	2,112	30W	2.5A	Broad Spot
DURA-610KIT	9891309	4,224	60W	5.0A	Broad Spot
DURA-640	9888378	2,112	30W	2.5A	Med Flood
DURA-660	9888385	2,112	30W	2.5A	Flood

^{*} KITS INCLUDE 2 LIGHTS + HARNESS





XTREME UTILITY FOR FOG LIGHT UPGRADES AND SCENE LIGHTING

Serving as an OE Fog light upgrade or scene light, the Utility Market Xtreme Series delivers increased output and a smoother beam pattern over comparable halogen fixtures. The UMX is offered in two different housing options and three different beam pattern configurations.

4.5" ROUND 35W | 2.92A | 3,969 Lumens




4.7" SQUARE 35W | 2.92A | 3,969 Lumens






ROUND MODEL



RA	W	AMP DRA	W
PART# LUM	ENS WATTS	S @12V	BEAM
004719 3,9	69 35W	2.92A	Broad Spot
118215 3,9	69 35W	2.92A	Med. Flood
118307 3,9	69 35W	2.92A	Flood
	PART# LUM 004719 3,9 118215 3,9	004719 3,969 35W 118215 3,969 35W	PART# LUMENS WATTS @12V 004719 3,969 35W 2.92A 118215 3,969 35W 2.92A

SQUARE MODEL



ITEM#	PART#	RAW Lumens	WATTS	AMP DRAW @12V	BEAM
XIL-UMX4410	4004726	3,969	35W	2.92A	Broad Spot
XIL-UMX4440	9118390	3,969	35W	2.92A	Med. Flood
XIL-UMX4460	9118482	3,969	35W	2.92A	Flood





NEXT LEVEL

STYLE | OUTPUT | RELIABILITY



LED HEADLIGHTS

Take your desire for high powered LEDs to the streets with the DOT Approved VX Series LED Headlight. The VX Series boasts a daytime running halo, low and high beam modes, and a robust aluminum polycarbonate hybrid housing. E-Mark and ADR approved models also available.







LED HEADLIGHTS MEETS STYLE & PERFORMANCE

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" & 5.75" Round as well as 4x6" Rectangle with a Polished Chrome finish or a Black Chrome finish.

ADR and E-MARK Approved models are available for those who live in Australia and Europe.

Multiple direct plug-and-play accessories are available that help give you the most out of your VX Series LED Headlight. (See p.74)





DIFFERENT SIZES | SAME LED TECHNOLOGY

7.0" 42W | 3.5A | 4,210 Lumens(ea)



5.75" 42W | 3.5A | 4,210 Lumens(ea)



4x6"

42W | 3.5A | 4,210 Lumens(ea)





*Also Available in AMBER HALO

BRIGHT DAYTIME RUNNING HALO Every VX Series Model Headlight features an ultra smooth LED Halo Ring that can be ran independently.

WIDE SPREAD LOW BEAM


One main 12W LED produces the wide spread low beam with the help of 5W LEDs on the sides to fill in the roadway directly in front of your vehicle.


HIGH OUTPUT HIGH BEAM

Two 10W LEDs located under the low beam utilize Iris Reflectors to produce a long range high beam.

WATERTIGHT HOUSING

The IP-68 watertight housing comes equipped with a ultra rugged Polycarbonate Lens and one-way Gortex Valve to block moisture build up.







7.0"| MODEL

ITEM#	PART#	FINISH
XIL-7RD	9891217	CHROME
XIL-7RDKIT	9891224	CHROME
XIL-7RDB	9892436	BLK. CHROME
XIL-7RDBKIT	9892443	BLK. CHROME

^{*} KITS INCLUDE 2 LIGHTS + HARNESS



5.75" | MODEL

ITEM#	PART#	FINISH
XIL-575RD	9895604	CHROME
XIL-575RDKIT	9895611	CHROME
XIL-575RDB	9895635	BLK. CHROME
XIL-575RDBKIT	9895642	BLK. CHROME

^{*} KITS INCLUDE 2 LIGHTS + HARNESS



4x6"| MODEL

ITEM#	PART#	FINISH
XIL-46D	9897806	CHROME
XIL-46DKIT	9897820	CHROME
XIL-46DB	9897813	BLK. CHROME
XIL-46DBKIT	9897837	BLK. CHROME

^{*} KITS INCLUDE 2 LIGHTS + HARNESS



LED | HEADLIGHTS & ROAD GLIDE KIT

7.0"



7.0" | MODEL

PART#

9892061

5.75"
42W | 3.5A | 4,210 Lumens(ea)



5.75" | MODEL

PART#

9895628

9895659

ITEM#

XMC-575RD

XMC-575RDB



FINISH

CHROME

9895291 BLK. CHROME

BAGGER | LIGHTING

FINISH

CHROME

BLK. CHROME

5.75" ROAD GLIDE 84W | 7.0A | 8,420 Lumens(Kit)



5.75"ROAD GLIDE| MODEL

ITEM#	PART#	FINISH
XMC-5750DKIT	9895673	CHROME
XMC-5750DBKIT	9895697	BLK. CHROME

^{*} KITS INCLUDE 2 LIGHTS + HARNESS

FEATURES:

- 2 Pod Kit with 40" Power Cord
- Flush switch included
- 280 Lumens per kit
- IP-68 Water & Dust Proof

ITEM#	PART#
XMC-BKW2	9895246

ITEM#

XMC-7RD

XMC-7RDB





LED TECHNOLOGY MEETS **PASSING LAMP**

Vision X Lighting's XMC 4.5" LED HALO Passing Lamp Kit grants extra visibility and enhances your safety on the road. These powerful 10W lights each pack five times more output than the stock passing lamps, and draw six times less amperage. Dramatically improve your performance while increasing visibility and safety. The MSR Style Reflectors give the XMC Passing Lights a powerful beam pattern than combines distance with full spread coverage.





ITEM#	PART#	FINISH	AMP DRAW @12V
XMC-45RDHKIT	9904085	CHROME	0.83
XMC-45RDHBKIT	9904078	BLK. CHROME	0.83

^{*} KITS INCLUDE 2 LIGHTS + HARNESS

XMC | ACCESSORIES

BILLET CLAMPS | 0.75"-3.0"



*Includes 2 Clamps

ITEM#	PART#	SIZE	ITEM#	PART#	SIZE	
XIL-C075	9897325	0.75"	XIL-C200	9893372	2.0"	_
XIL-C100	9897301	1.0"	XIL-C225	9893389	2.25"	
XIL-C125	9897288	1.25"	XIL-C250	9893396	2.50"	
XIL-C150	9897264	1.50"	XIL-C300	9893402	3.00"	
XIL-C175	9897240	1.75"				

WIRING | ADAPTERS



ITEM#	PART#	FUNCTION
P-HLHI4	9895475	HI+LO Headlight
XMC-H42DELPHI	9892894	Delphi Adapter
XMC-H42H9H11	9892900	H9 & H11 Adapter

APPLICATION SPECIFIC

62 VX Grilles

64 Trucks

66 Jeeps

68 UTV

70 Sport Marine









GRILLE | FEATURES

FACTORY LOCATION MOUNTING


OEM replacement grille mounts to factory locations.

DURABLE CONSTRUCTION

Satin black powder coating over stainless steel grille.

STAINLESS STUDS

Triple chrome plated t304 stainless studs with black studs available.





Beam/Color ChangingPolycarbonate Covers (See p.80)

LIGHT CANNON | OPTION

FEATURING CG2 4.7" LIGHT CANNONS

The CG2 Light Cannons is Vision X's latest and greatest of the Light Cannon series. This configuration combines the distance of the big chip single source CG2 Cannon with the massive light output of the multi-LED version. The pairing of these two lights creates an unheard of amount of brightness and distance ideal for any situation.





COVER OPTIONBlackout Cover (See p.82)

LIGHT BAR | OPTION

FEATURING XPR-9M LIGHT BAR

Utilizing top-binned 10-Watt LEDs and large proprietary 1.5" diameter IRIS Reflectors, the XPR-9M Light Bar is capable of reaching a staggering 1,365 feet of usable light. This unmatched long-distance projection is also accompanied by precisely tilted IRIS Reflectors that create a unique combination beam pattern to provide even more visibility at the road's edge.



LIGHT CANNON | OPTION



LIGH	I RAH	[U	71101	V
	2.7	1000	: E	-=
	A11-02-1-0	200		==
1374	\$2.5	133	#	
3275	127	\$ 37	4	3638

CHEVY TRUCK MODELS	ITEM#	PART#	ITEM#	PART#
15'+ Chevy Silverado 2500/3500	XIL-OEGC15CHD	5162153	XIL-OEGB15CHD	5162150
11'-14 Chevy Silverado 2500/3500	XIL-OEGC14CHD	5162113	XIL-OEGB14CHD	5162110
16'+ Chevy Silverado 1500	XIL-OEGC16CS	5161163	XIL-OEGB16CS	5161160
14'-15 Chevy Silverado 1500	XIL-0EGC14CS	5161143	XIL-OEGB14CS	5161140
14'-15 Chevy Silverado 1500 Z71	XIL-0EGC14CS	5169143	XIL-OEGB14CS	5169140
DODGE TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
13'-17 Dodge Ram 2500/3500	XIL-OEGC13DHD	5662133	XIL-OEGB13DHD	5662130
13'+ Dodge Ram 1500	XIL-OEGC13DR	5661133	XIL-OEGB13DR	5661130
GMC TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
15'+ GMC Sierra 2500/3500	XIL-OEGC15GHD	5262153	XIL-OEGB15GHD	5262150
11'-14 GMC Sierra 2500/3500	XIL-0EGC11GHD	5262113	XIL-OEGB11GHD	5262110
16'+ GMC Sierra 1500	XIL-0EGC16GS	5261163	XIL-OEGB16GS	5261160
FORD TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
17'+ Ford SuperDuty	XIL-0EGC17FSD	5062173	XIL-OEGB17FSD	5062170
11'-16 Ford SuperDuty	XIL-OEGC11FSD	5062113	XIL-OEGB11FSD	5062110
15'+ Ford F-150	XIL-0EGC15F150	5061153	XIL-OEGB15F150	5061150
13'-14 Ford F-150	XIL-0EGC13F150	5061133	XIL-0EGB13F150	5061130
NISSAN TRUCK MODELS	ITEM#	PART#	ITEM#	PART#
16'+ Nissan Titan	XIL-OEGC16NT	5461163	XIL-OEGB16NT	5461160
TOYOTA TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
14'+ Toyota Tundra	XIL-0EGC14TT	5361143	XIL-OEGB14TT	5361140
16'+ Toyota Tacoma	XIL-OEGC16TTA	5360163	XIL-OEGB16TTA	5360160
12'-15 Toyota Tacoma	XIL-OEGC12TTA	5360123	XIL-OEGB12TTA	5360120





BUMPER | LIGHT BAR KITS

The Vision X OE Kits are designed with the customer in mind with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

*Not all kits shown

FORD TRUCK | BUMPER LIGHT KITS



	ITEM#	PART#	VEHICLE APPLICATION	LIGHT BAR & BEAM
	XIL-0EB09F150	9891057	09'-14 Ford F-150	Brackets Only + Connectors
-	XIL-0EB09F150PX36	9891156	09'-14 Ford F-150	20" Xmitter Prime Broad Spot
	XIL-0EB09F150LPX15	9891163	09'-14 Ford F-150	20" Xmitter Lo Pro Broad Spot
	XIL-0EB09F150EC0	9891170	09'-14 Ford F-150 Eco Boost	2x 5" Xmitter Prime Broad Spot
	XIL-0EB09F150ECOA	9911052	09'-14 Ford F-150 Eco Boost	2x 5" Xmitter Prime Amber Spot
	XIL-0EB10FR	9887340	09'-14 Ford Raptor	Brackets Only + Connectors
	XIL-0EB10FRPX3610	9887357	09'-14 Ford Raptor	20" Xmitter Prime Broad Spot
	XIL-OEB0810FSD	9891835	08'-10 Ford SuperDuty	Brackets Only + Connectors
_	XIL-0EB0810FSDPX3610	9891842	08'-10 Ford SuperDuty	20" Xmitter Prime Broad Spot
	XIL-0EB0810FSDXPR12M	5012082	08'-10 Ford SuperDuty	24" XPR Mixed
	XIL-OEB1114FSD	9891866	11'-14 Ford SuperDuty	Brackets Only + Connectors
	XIL-0EB1114FSDPX3610	9891873	11'-14 Ford SuperDuty	20" Xmitter Prime Broad Spot
	XIL-OEB1114FSDXPR12M	5012112	11-16 Ford SuperDuty	24" XPR



DODGE TRUCK | BUMPER LIGHT KITS



ITEM#	PART#	APPLICATION	LIGHTS & BEAM
XIL-0EB0913DR	9889238	10-16 Dodge Ram	Brackets Only + Connectors
XIL-0EB0913DRPX3610	9889245	10-16 Dodge Ram	20" Xmitter Prime Broad Spot

GMC TRUCK | BEHIND THE GRILL KITS



ITEM#	PART#	APPLICATION	LIGHTS & BEAM
XIL-0ER14GS	5272140	14+ GMC Sierra	Brackets Only + Connectors
XIL-0ER14GSXPR15M	5272141	14+ GMC Sierra	30" XPR
XIL-0ER14GSXPR15S	5272142	14+ GMC Sierra	30" XPR-S
XIL-0ER14GSXPRH15S	5272146	14+ GMC Sierra	30" XPR-S Halo





FOG LIGHT | KITS

With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind, with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

FORD TRUCK FOG LIGHT KITS	ITEM#	PART#	VEHICLE APPLICATION	LIGHTS & BEAM
0.7	XIL-0E17FR	9906072	17'+ Ford Raptor	Brackets Only + Connectors
	XIL-0E17FR0P	9906089	17'+ Ford Raptor	4x Optimus Sq. Spot
CA	XIL-0E17FR0PH	9906096	17'+ Ford Raptor	4x Optimus Sq. Spot Halo
	XIL-0E17FR0PHA	9907208	17'+ Ford Raptor	4x Optimus Sq. Spot Amber Halo
	XIL-0E17FR0PM	9911243	17'+ Ford Raptor	4x Optimus Sq. Mixed
66 39	XIL-0E10FR	9160870	10'-14 Ford Raptor	Brackets Only + Connectors
9	XIL-0E10FR0P	9133515	10'-14 Ford Raptor	4x Optimus Sq. Spot
	XIL-0E10FR0PH	9892450	10'-14 Ford Raptor	4x Optimus Sq. Spot Halo
	XIL-0E9913FSD	9891194	99'-16 Ford SuperDuty	Brackets Only + Connectors
	XIL-0E9913FSDDURA	9891200	99'-16 Ford SuperDuty	2x Dura 4 Spot
DODGE TRUCK FOG LIGHT KITS	ITEM#	PART#	APPLICATION	LIGHTS & BEAM
	XIL-0E0913DR	9889221	10'-16 Dodge Ram	Brackets Only + Connectors
	XIL-0E0913DR0P	9889252	10'-16 Dodge Ram	2x Optimus Sq. Spot
	XIL-0E0913DR0P1MX2	9890685	10'-16 Dodge Ram	4x Optimus Sq. Mixed
	XIL-0E0210DR	4002333	02'-10 Dodge Ram	Brackets Only + Connectors
	XIL-0E0210DRUMX	9133065	02'-10 Dodge Ram	2x UMX Round Spot
GMC TRUCK FOG LIGHT KITS	ITEM#	PART#	APPLICATION	LIGHTS & BEAM
	XIL-0E0711GS	4002388	07-13 GMC Sierra	Brackets Only + Connectors
	XIL-0E0711GSUMX	9133157	07-13 GMC Sierra	2x UMX Round Broad Spot
W W				
CHEVY TRUCK FOG LIGHT KITS	ITEM#	PART#	APPLICATION	LIGHTS & BEAM
	XIL-0E0711CS	4002340	07-13 Chevy Silverado	Brackets Only + Connectors
	XIL-0E0711CSS1100	9120829	07-13 Chevy Silverado	4x Solstice Solo Spot
TOYOTA TRUCK FOG LIGHT KITS	ITEM#	PART#	APPLICATION	LIGHTS & BEAM
	XIL-0E0711TT	4002296	07-14 Toyota Tundra	Brackets Only + Connectors
	XIL-0E0711TTUMX	9133249	07-14 Toyota Tundra	2x UMX Round Broad Spot





HEADLIGHT | KITS

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP JK SPECIFIC CANBUS JK Model Headlight kits come standard with Canbus Adapter.



JEEP JK SPECIFIC | MODEL

ITEM#	PART#	FINISH	HALO COLOR
XIL-7RDKITJK	9892733	CHROME	WHITE
XIL-7RDBKITJK	9892825	BLK. CHROME	WHITE
XIL-7RDAKITJK	9917566	CHROME	AMBER
XIL-7RDBAKITJK	9917573	BLK. CHROME	AMBER

^{*} KITS INCLUDE 2 LIGHTS + HARNESS

ALL OTHER JEEP | MODEL

ITEM#	PART#	FINISH	HALO COLOR
XIL-7RDKIT	9891224	CHROME	WHITE
XIL-7RDBKIT	9892443	BLK. CHROME	WHITE
* KITS INCLUDE 2 LIG	HTS + HARNESS		

WINDSHIELD | LIGHT BAR MOUNT



The Light Bar Windshield Mount bolts directly into existing holes allowing for quick installation. The Vision X Jeep JK Windshield mount is designed to fit any 50" + Light bar with mounting feet, such as our Xmitter Prime Xtreme Light Bar with 47,520 Raw Lumens or our XPR-S Light Bar with Unbeatable Distance. The Jeep JK Windshield Mount is also adaptable for mounting traditional round style pod lights such as our Light Cannons or HID Lights.

ITEM#	PART#	APPLICATION
XIL-0EW0713JKV2	9888422	07-13 Jeep JK



FOG LIGHT | KITS

With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

Brackets Only + Connectors
2x Optimus Rnd. Spot
2x Optimus Rnd. Spot Halo
Brackets Only + Connectors
2x Optimus Rnd. Spot
2x Optimus Rnd. Spot
2x Optimus Rnd. Spot Halo
2x Mini Cannon Broad Spot
Brackets Only + Connectors
2x Optimus Rnd. Spot
4x Optimus Rnd. Spot
5x Optimus Rnd. Spot
6x Optimus Rnd. Spot
7x Optimus Rnd. Sp

LIGHTS & BEAM

24" XPR

JEEP FOG LIGHT KITS
p g

ITEM#	PART#	VEHICLE APPLICATION
XIL-0E0709JKV2	9145662	07-09 Jeep JK
XIL-0E0709JKV20PR	9145754	07-09 Jeep JK
XIL-0E0709JKV20PRH	9891811	07-09 Jeep JK
XIL-0E1012JKV2	9154664	10-17 Jeep JK
XIL-0E1012JKV20PR	9154756	10-17 Jeep JK
XIL-0E1012JKV20PRH	9891828	10-17 Jeep JK
XIL-0E10JKCPM	5504104	10-17 Jeep JK
XIL-0E13JKX	9891064	13-17 Jeep JK X
XIL-0E13JKX0PR	9891088	13-17 Jeep JK X
XIL-0E13JKX0PRH	9892474	13-17 Jeep JK X
XIL-0E18JL	5504180	18+ Jeep JL
XIL-0E18JLCPM	5504184	18+ Jeep JL
XIL-0E18JLM	5509180	18+ Jeep JL(Metal Bumper)
XIL-OE18JLMCPM	5509184	18+ Jeep JL (Metal Bumper)

A-PILLAR & HOOD | LIGHT KITS

PART#

5524072



ITEM#

XIL-0EH0713JKXPR12M

	11 - 11111111		VEHIOLE ALL LIGATION	LIGITIO & DEJIIII
	XIL-0EA0713JK	9888392	07-17 Jeep JK	Brackets Only + Connectors
	XIL-OEA0713JKCPZ1	9888415	07-17 Jeep JK	2x 4.5" Light Cannon Spot
	XIL-0EA0713JK0P1	9888408	07-17 Jeep JK	2x Optimus Rnd. Spot
	XIL-0EA0713JK0PH	9892481	07-17 Jeep JK	2x Optimus Rnd. Spot Halo
	XIL-OEA07JKCPM710	5544074	07-17 Jeep JK	2x 4.7" CG2 Broad Spot
	XIL-OEA9706TJ	9892788	97-06 Jeep TJ	Brackets Only + Connectors
-	XIL-OEA9706TJCPZ1	9892795	97-06 Jeep TJ	2x 4.5" Light Cannon
	XIL-0EA9706TJ0P1	9892801	97-06 Jeep TJ	2x Optimus Rnd. Spot
	XIL-OEA9706TJOPH	9892818	97-06 Jeep TJ	2x Optimus Rnd. Spot Halo
	ITEM#	PART#	VEHICLE APPLICATION	LIGHTS & BEAM
	XIL-0EH0713JK	9890975	07+ Jeep JK	Brackets Only
-	XIL-0EH0713JKPX36	9891002	07+ Jeep JK	20" Xmitter Prime Xtreme Spot

07+ Jeep JK

VEHICLE APPLICATION



JEEP | HOOD LIGHT BAR KITS



RZR TWIN HEADLIGHT | KITS

Features four Optimus LED lights (10 WATT EA.) and a simple Plug-N-Play harness. These 100% Bolt-On vehicle specific brackets are built to use the factory switches and only 0.83A Draw Each light while putting out a brilliant 4,208 Total Raw Lumens of light per kit.







FOR	AI I	14+	R7R	1000	I MODELS



ITEM#	PART#	LIGHTS & BEAM	HOUSING COLOR
XIL-0EHL08RZR900	9145754	Brackets Only + Connectors	
XIL-0EHL08RZR9000P	9891811	4x Optimus Square Spot	Black
XIL-0EHL08RZR9000PC	9154756	4x Optimus Square Spot	Chrome
XIL-0EHL08RZR9000PW	9891828	4x Optimus Square Spot	White
XIL-0EHL08RZR9000PH	9891088	4x Optimus Square Halo Spot	Black

ITEM#	PART#	LIGHTS & BEAM	HOUSING COLOR
XIL-0EHL14RZR	9897509	Brackets Only + Connectors	
XIL-0EHL14RZR0PR	9897516	4x Optimus Round Spot	Black
XIL-OEHL14RZROPRC	9898490	4x Optimus Round Spot	Chrome
XIL-0EHL14RZR0PRW	9898513	4x Optimus Round Spot	White
XII -OFHI 14R7ROPRH	9898520	4x Optimus Round Halo Spot	Black

MAVERICK X3 SHOCK TOWER | MOUNT

The Vision X Shock Tower Light Mount for 2016+ Can-Am Maverick X3 makes adding a 12" LED light bar an easy task. The powder coated steel mount bolts quickly to the existing shock mount, providing a new world to light up your night.

ITEM#	PART#	LIGHTS & BEAM	MODEL
XIL-0EH16CX3	6222161	Brackets Only	'17+ Mav X3







FOR ALL 08'+ RZR | MODELS



A-PILLAR | KITS

Improve your night visibility for high speed or tight corners in your Polaris RZR with these bolt-on A-pillar brackets and LED lighting kits. These durable powder coated steel brackets are built for a beating on the trail while 3.7" Optimus LED Lights shine up to 883' of usable light, and tunable through our snap-on beam covers. Need a Euro or Flood beam for cornering? Just add the right cover in seconds! Need more style or a Daytime Running Light (DRL), then the Optimus LED Halo is your choice!

ITEM#	PART#	LIGHTS & BEAM
XIL-0EAS08RZR	6042083	Brackets Only + Connectors
XIL-0EAS08RZR0PR	6042084	2x Optimus Round Spot
XIL-0EAS08RZR0PRH	6042086	2x Optimus Round Halo Spot

D-PILLAR | KITS

Finally, a bright & easy back-up lighting solution for Polaris RZR XP. The bolt-on D-Pillar brackets and LED Lighting Kits provide enormous flood lighting to keep track of what's behind. These durable powder coated steel brackets are built for a beating on the trail while the Dura4 or Dura Mini Lights make the perfect flood light options. Need an Amber chase light? Just choose the Dura4 Amber light!



FOR ALL 08'+ RZR | MODELS





ITEM#	PART#	LIGHTS & BEAM	SIDE
XIL-0ED08RZRL	6052080	Brackets Only	Driver
XIL-OED08RZRLDURAM	6052081	Dura Mini Flood	Driver
XIL-OED08RZRLDURA460	6052082	Dura 4 Flood	Driver
XIL-OED08RZRLDURA440A	6052084	Dura 4 Amber Flood	Driver
XIL-OED08RZRR	6052085	Brackets Only	Passenger
XIL-OED08RZRRDURAM	6052086	Dura Mini Flood	Passenger
XIL-OED08RZRRDURA460	6052087	Dura 4 Flood	Passenger
XIL-OED08RZRRDURA440A	6052089	Dura 4 Amber Flood	Passenger

FOR '14+ RZR & '17+ Maverick X3 | MODELS



ROOF LIGHT BAR | MOUNTS

Shine up to 3,700' down the trail utilizing these bolt-on LED Light bar brackets with the Vision X 30" XPR Series light bars. Designed for Stock Cage RZR XP & Maverick X3, these durable powder coated steel brackets will hold your lights steady while slashing through the trail or dunes.

RZR Light Bar Mount is designed to fit any of our 30" XPR, XPR-Halo, XPR-S, and XPR-S Halo series light bars.

Maverick X3 Light Bar Mount is designed to fit any of our 40" XPR, XPR-Halo, XPR-S, and XPR-S Halo series light bars.

ITEM#	PART#	LIGHTS & BEAM	MODEL
XIL-0ESC14RZR	6032140	Brackets Only	'14 + RZR
XIL-0ESC16CX3	6232161	Brackets Only	'17+ Mav X3





MARINE GRADE COATING **SAME LED TECHNOLOGY**

Submersible up to 100 feet, the Subaqua offers a powerful LED light module for underwater applications. The 6 LED model offers double the effective light output of the previous 4 LED generation Subaqua. Designed for transom lighting, dock lighting and any underwater application.

Additionally, the Subaqua is outfitted with a 4 foot marinegrade cable that will not only ensure durability, but also make installation a breeze.

LED Color Options :









FLOOD OPTICS

Utilizing a medium beam 25 degree optic the Subagua has optimum underwater operation.

In a compact 4.13" diameter the 6 LED Subagua fits anywhere.

LOW POWER DRAW

With an extremely low power draw of 1.5 amps, the Subagua will not put a large strain on your boat battery.

ITEM#	PART#	LUMENS	COLOR
XIL-U625A	9897967	1,368	Amber
XIL-U625B	9897554	1,368	Blue
XIL-U625G	9897561	1,368	Green
XIL-U625R	9897585	1,368	Red
XIL-U625W	9897578	1,368	White

SAME LED TECHNOLOGY The unique gloss coating used on Maritime products from Vision X greatly reduces the dramatic impact that saltwater has on traditional lighting fixture housings.

4.7" LIGHT CANNON | MARINE



		RAW		AMP	
ITEM#	PART#	LUMENS	WATTS	DRAW@12V	BEAM
CTL-CPZ110W	9898858	2,500	25W	2.08A	Spot
CTL-CPZ110WKIT	9898841	5,000	50W	4.16A	Spot

DURA 4 & DURA 6 | MARINE



ITEM#	PART#	RAW Lumens	WATTS	AMP Draw@12V	BEAM
DURA-410W	9891477	2,112	20W	1.67A	Spot
DURA-440W	9891491	2,112	20W	1.67A	Med. Flood
DURA-460W	9901589	2,112	20W	1.67A	Flood
DURA-610W	9891521	3,696	30W	2.5A	Spot
DURA-640W	9901596	3,696	30W	2.5A	Med. Flood
DURA-660W	9901602	3,696	30W	2.5A	Flood

XMITTER PRIME XTREME | MARINE



			RAW		AMP	
ITEM#	PART#	LENGTH	LUMENS	WATTS	DRAW@12V	BEAM
XIL-PX1210W	9170503	7.90"	6,336	60W	5A	Spot
XIL-PX12MW	9907390	7.90"	6,336	60W	5A	Mixed
XIL-PX1810W	9902975	11.10"	9,504	90W	7.5A	Spot
XIL-PX1840W	9904627	11.10"	9,504	90W	7.5A	Med. Flood
XIL-PX1860W	9902982	11.10"	9,504	90W	7.5A	Flood
XIL-PX3610W	9163215	20.60"	10,008	180W	14A	Spot
XIL-PX5410W	9903019	30.20"	28,512	270W	22.5A	Spot
XIL-PX5460W	9911458	30.20"	28,512	270W	22.5A	Flood
XIL-PX72MW	9911441	39.81"	38,016	360W	30A	Mixed
XIL-PX90MW	9908861	49.37"	47,520	450W	37.5A	Mixed

XMITTER LO PRO | MARINE



				RAW		AMP	
ITEM#		PART#	LENGTH	LUMENS	WATTS	DRAW@12V	BEAM
XIL-LPX31	I0W	9170411	4.65"	1,584	15W	1.25A	Spot
XIL-LPX91	l0W	9902890	12.21"	4,752	45W	3.75A	Spot
XIL-LPX94	10W	9123073	12.21"	4,752	45W	3.75A	Med. Flood
XIL-LPX15	540W	9159706	19.77"	7,920	75W	6.25A	Med. Flood
XIL-LPX18	310W	9170596	23.55"	9,504	90W	7.5A	Spot
XIL-LPX27	740W	9887692	34.89"	14,256	135W	11.25A	Med. Flood





PERFORMANCE HID FOR LONG RANGE OUTPUT

The Xtreme Performance HID was engineered with input from Baja 1000 winning racers to further enhance the race proven Vision X HID series. Each light includes a weatherproof Deutsch Connector with Plug-and-Play Harness and features a durable, lightweight polycarbonate blackout cover.

The HID XP Series is currently trusted by professional off-road rally teams in the United States and Canada.

Internal Ballast & Starter

The ballast takes the standard 12V input power and increases this to the 32,000V that the bulb operates at and the starter is used to ignite the bulb. Vision X uses all internal components for an all-in-one package

8.7" 50W | 4.17A | 5,000 Lumens



6.7" 50W | 4.17A | 5,000 Lumens







DIE-CAST ALUMINUM

Housing is constructed using a lightweight aluminum.

BOROSILICATE GLASS LENS

Durable protective glass lens that is resistant to thermal shock.



Integrated into the housing for a complete offroad ready package.



8.7" XP MODEL






ITEM#	PART#	LUMENS	DISTANCE	BEAM
HID-8550XP	9119922	5,000	3,937'	Mixed
HID-8552XP	4000490	5,000	3,937'	Spot

6.7" XP MODEL





ITEM#	PART#	LUMENS	DISTANCE	BEAM
HID-6552XP	4000483	5,000	3,280'	Spot





ROUND 7.0"| 5.75"



ROUND MODEL

ITEM#	PART#	SIZE	BULB TYPE
VX-7RD	4004047	7.0"	H4
VX-575	4004030	5.75"	9007

SEALED BEAM DIRECT REPLACEMENT

The Sealed Beam Housing are the perfect upgrade to your OEM headlight. The die-cast housing are constructed with a Borosilicate glass lens which provide a tougher alternative to the stock plastic lens. Coupled with the advanced multi-surface reflector, the Sealed Beam Headlight series are made to last.

*Bulb Not Included

SQUARE 5x7" | 4x6"



SQUARE MODEL

ITEM#	PART#	SIZE	BULB TYPE
VX-57	4004023	5x7"	H4
VX-46	4004016	4x6"	9007



VX-D9004 | 65/45W

VX-D9005 | 65W

VX-D9006 | 55W

VX-D9007 | 65/55W

VX-DH1 | 55W

VX-DH3 | 60/66W























VX-DH11 | 55W





VX-DH10 | 42W







Increase brightness by up to 50% with the Vision X headlight bulbs. Vision X headlight bulbs provide a more natural light for increased visibility and safety. With three lines to choose from, we offer the perfect mix of cost and performance for any driver.

Unlike other Halogen Bulbs on the market, Vision X D-Series bulbs are DOT Approved and offer a lifetime $\,$ warranty. Enhance your night time driving experience while cooperating with all laws and regulations.

ITEM#	PART#	REPLACES	FILAMENT
VX-D9004	4001527	9004	DUAL
VX-D9005	4001534	9005	SINGLE
VX-D9006	4001558	9006	SINGLE
VX-D9007	4001572	9007	DUAL
VX-DH1	4001589	H1	SINGLE
VX-DH3	4001596	Н3	SINGLE
VX-DH4	4001602	H4	DUAL
VX-DH7	4001619	H7	SINGLE
VX-DH10	4001633	H10	SINGLE
VX-DH11	4001657	H11	SINGLE
VX-DH13	4001664	H13	DUAL

LIGHTING ACCESSORIES

- **78** Mounting Solutions
- 80 Pod Light Covers
- 82 Light Bar Covers
- 83 Lighting Accessories









LICENSE PLATE MOUNT | KIT

The License Plate Mount makes it easy to add any 12" Vision X LED Light Bar meaning that you can add up to 4,700 lumens to your vehicle with no drill holes or mess.

The License Plate Mount goes behind the license plate using the same holes as the license plate already uses, for easy plug and play mounting.

ITEM#	M# PART#	
XIL-LICENSEP	4000308	Brackets Only
XIL-LICENSEPLPX910	9887012	12" Xmitter Lo Pro 10°



TOW HITCH MOUNT | KITS

The Vision X 11.5" backup light receiver adapter uses machined 6061 aluminum and will fit over any Class 3 or 4 (2") tow hitch.

The tow hitch complete lighting kit includes a pair of Dura Minis or Solo Pods.

ITEM#	PART#	LIGHTS
XIL-SRECEIVER	4000322	Brackets Only
XIL-SRECEIVERDURAMX2	9899121	2x Dura Mini 60°
XIL-SRECEIVERS1101X2	4008595	2x Solstice Solo 35°



TUBE CLAMP | MOUNTS

*Includes 2 Clamps

ITEM#	PART#	SIZE	_	ITEM#	PART#	SIZE
XIL-C075	9897325	0.75"	_	XIL-C200	9893372	2.0"
XIL-C100	9897301	1.0"		XIL-C225	9893389	2.25"
XIL-C125	9897288	1.25"		XIL-C250	9893396	2.50"
XIL-C150	9897264	1.50"		XIL-C300	9893402	3.50"
XIL-C175	9897240	1.75"				





FLUSH MOUNT | KITS

ITEM#	PART#	LIGHTS	
DURA-M460FLUSH	9899138	Dura Mini 60°	
DURA-460FLUSH	9892993	Dura 4 60°	
DURA-660FLUSH	9893006	Dura 6 60°	
XIL-SFLUSHS1130	9907352	Solstice Solo 30°	



LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill locations.

ITEM#	PART#	DESIGNED FOR
XIL-LPECM	9888811	Xmitter Lo Pro
XIL-PECM	9889191	Xmitter Prime
XPI-EM	9892917	XPR & XPR-S



SECURITY | HARDWARE

Security hardware helps protect your lights against theft by only allowing the use of the unique key tool that is supplied with each set.

All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

SECURITY BOLTS				S	ECURIT	Y NUTS	
ITEM#	PART#	SIZE	APPLICATION	ITEM#	PART#	SIZE	APPLICATION
XIL-SB0615	9893440	M6 X 15	XPR, XPR-S	XIL-SN06	9897349	M6	Dura Mini, Xmitter Prime Xtreme,
XIL-SB0620	9893457	M6 X 20	Any M6 X 20 Bolt				Xmitter Lo Pro, Solstice Solo
XIL-SB0815	9893419	M8 X 15	Optimus, Duralux	XIL-SN08	9893488	M8	4.7" Cannon, Optimus
XIL-SB0820	9893426	M8 X 20	Any M8 X 20 Bolt	XIL-SN10	9893471	M10	All Cannon, Optimus Dual
XIL-SB0825	9893433	M8 X 25	Any M8 X 25 Bolt	XIL-SN12	9893464	M12	Any M12 Mounting Hardware



25 LIGHTS IN 1

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



AMBER | FOG

Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.



BLUE | SNOW


Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter conditions.



RED | DUST

Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS



SPOT

Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.

\leftarrow

COMBO

Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.



FURO

Illuminate some peripherals while maintaining effective distance.



ELLIPTICAL

Reduces peripheral illumination while losing minor distance.



WIDE FLOOD

Maximum wide field of view illumination in exchange for distance.



TRAIL FLOOD

Maximum vertical field of view illumination in exchange for distance.





DEAM

TRAIL FLOOD

WIDE FLOOD

ELLIPTICAL

ITEM#	PART#	SIZE
PCV-OPR1BL	9889580	3.7"
PCV-CP1BL	9157450	4.7"
PCV-6500BL	9160245	6.7"
PCV-8500BL	9890876	8.7"

3.7" MINI CANNON / OPTIMUS



II ⊏IVI #	PARI#	DEAW	
PCV-OPR1	9889528	SPOT	
PCV-OPR1EU	9889535	EUR0	
PCV-OPR1FL	9889542	TRAIL FLOOD	
PCV-OPR1WF	9890944	WIDE FLOOD	
PCV-OPR1FI	9890913	FLI IPTICAL	


DADT#

CLEAR | PROTECTIVE

PCV-OPR1YFL

PCV-OPR1YWF

PCV-OPR1YEL



9889764

9890968

9890951

AMBER | FOG

ITEM#

PCV-OPR1B

PCV-OPR1BEU

PCV-OPR1BFL

PCV-OPR1RWF

PCV-OPR1REL

ITEM#

BLUE | SNOW



RED | DUST

I OV OI ITIDIL	3003310	THALLEGOD	
PCV-OPR1BWF	9890906	WIDE FLOOD	
PCV-OPR1BEL	9890890	ELLIPTICAL	
ITEM#	PART#	BEAM	
ITEM # PCV-OPR1R	PART # 9889719	BEAM SPOT	
			_

9890937

9890920

PART#

9889559

9889566

9889573

BEAM

SPOT

EUR0

TRAIL FLOOD

WIDE FLOOD

ELLIPTICAL

DEAM

4.7" LIGHT CANNON COVERS



ITEM#	PAR	RT# BE	AM
PCV-CP1	9151	151 SP	OT TO
PCV-CP10	CB 9896	632 CO	MBO
PCV-CP1E	:U 9151	243 EU	RO
PCV-CP1F	L 9151	335 TR	AIL FLOOD
PCV-CP1V	VF 9890	562 WI	DE FLOOD
PCV-CP1E	L 9890	661 ELI	LIPTICAL



AMBER | FOG

ITEM#	PART#	BEAM	
PCV-CP1Y	9157726	SP0T	
PCV-CP1YCB	9896656	COMBO	
PCV-CP1YEU	9157818	EUR0	
PCV-CP1YFL	9157900	TRAIL FLOOD	
PCV-CP1YWF	9890586	WIDE FLOOD	
PCV-CP1YFI	9890579	ELLIPTICAL	



BLUE | SNOW

ITEM#	PART#	BEAM	
PCV-CP1B	9157184	SP0T	
PCV-CP1BCB	9896700	COMBO	
PCV-CP1BEU	9157276	EUR0	
PCV-CP1BFL	9157368	TRAIL FLOOD	
PCV-CP1BWF	9890654	WIDE FLOOD	
PCV-CP1BEL	9890647	ELLIPTICAL	



RED | DUST

ITEM#	PART#	BEAM
PCV-CP1R	9162492	SP0T
PCV-CP1RCB	9896649	COMBO
PCV-CP1REU	9157542	EUR0
PCV-CP1RFL	9157634	TRAIL FLOOD
PCV-CP1RWF	9890883	WIDE FLOOD
PCV-CP1REL	9890678	ELLIPTICAL

6.7" LIGHT CANNON COVERS



ITEM#	PART#	BEAM	
PCV-6500	4003248	SP0T	
PCV-6500CB	9895703	COMBO	
PCV-6500EU	9888453	EUR0	
PCV-6500FL	9888491	TRAIL FLOOD	
PCV-6500WF	9888771	WIDE FLOOD	
PCV-6500EL	9890616	ELLIPTICAL	



AMBER | FOG

ITEM#	PART#	BEAM
 PCV-6500Y	4002784	SPOT
PCV-6500YCB	9895734	COMBO
PCV-6500YEU	9888484	EUR0
PCV-6500YFL	9888521	TRAIL FLOOD
PCV-6500YWF	9889801	WIDE FLOOD
PCV-6500YEL	9890630	ELLIPTICAL



BLUE | SNOW

II EIVI #	FANT#	DEAM	
PCV-6500B	4003569	SPOT	
PCV-6500BCB	9895710	COMBO	
PCV-6500BEU	9888460	EUR0	
PCV-6500BFL	9888507	TRAIL FLOOD	
PCV-6500BWF	9889788	WIDE FLOOD	
PCV-6500BEL	9890609	ELLIPTICAL	

DADT#



RED | DUST

ITEM#	PART#	BEAM	
PCV-6500R	4004689	SPOT	
PCV-6500RCB	9895727	COMBO	
PCV-6500REU	9888477	EUR0	
PCV-6500RFL	9888514	TRAIL FLOOD	
PCV-6500RWF	9889795	WIDE FLOOD	
PCV-6500REL	9890623	ELLIPTICAL	

8.7" LIGHT CANNON COVERS



CLEAR	PROT	ECTIV
A	A STATE OF THE PARTY OF	The same
elli	View!	þ
	V-	D
	No.	

AMBER | FOG

ITEM#	PART#	BEAM
PCV-8500	4003255	SPOT
PCV-8500CB	9896663	COMBO
PCV-8500EU	9890128	EUR0
PCV-8500FL	9890135	TRAIL FLOOD
PCV-8500WF	9890463	WIDE FLOOD
PCV-8500EL	9890081	ELLIPTICAL

	FUV-0000EL	9090001	ELLIFIIGAL
=	ITEM#	PART#	BEAM
	PCV-8500Y	4002791	SPOT
	PCV-8500YCB	9896694	COMBO
	PCV-8500YEU	9890470	EUR0
	PCV-8500YFL	9890487	TRAIL FLOOD
	PCV-8500YWF	9890142	WIDE FLOOD
	PCV-8500YEL	9890159	ELLIPTICAL



BLUE | SNOW



RED | DUST

ITEM#	PART#	BEAM
PCV-8500B	4003583	SPOT
PCV-8500BCB	9896670	COMBO
PCV-8500BEU	9890098	EUR0
PCV-8500BFL	9890104	TRAIL FLOOD
PCV-8500BWF	9890111	WIDE FLOOD
PCV-8500BEL	9890869	ELLIPTICAL
ITEM 4		

ITEM#	PART#	BEAM	
PCV-8500R	4003576	SPOT	
PCV-8500RCB	9896687	COMBO	
PCV-8500REU	9890432	EUR0	
PCV-8500RFL	9890449	TRAIL FLOOD	
PCV-8500RWF	9890456	WIDE FLOOD	
PCV-8500REL	9890425	ELLIPTICAL	



XPR/XPR-S | BLACKOUT

VISION & LIGHTING

ITEM#

PCV-LP33Y

PCV-LP36Y

ITEM#	PART#	LENGTH / MODEL
PCV-XP3SBL	9898797	6" XPR / XPR-S
PCV-XP6SBL	9898803	12" XPR / XPR-S
PCV-XP9MBL	9898810	19" XPR / XPR-S
PCV-XP12MBL	9898728	24" XPR / XPR-S
PCV-XP15MBL	9898735	30" XPR / XPR-S

PCV-XP18MBL	9898742	34" XPR / XPR-S
PCV-XP21MBL	9898759	40" XPR / XPR-S
PCV-XP24MBL	9898766	45" XPR / XPR-S
PCV-XP27MBL	9898773	51" XPR / XPR-S

PART#

LENGTH / MODEL

42" Xmitter Lo Pro


50" Xmitter Lo Pro

XMITTER LO PRO | BLACKOUT

VISION & LIGHTING

ITEM#	PART#	LENGTH / MODEL
PCV-LP3BL	9155296	5" Xmitter Lo Pro
PCV-LP6BL	9155388	8" Xmitter Lo Pro
PCV-LP9BL	9135946	12" Xmitter Lo Pro
PCV-LP15BL	9155470	20" Xmitter Lo Pro
PCV-LP18BL	9135762	31" Xmitter Lo Pro
PCV-LP24BL	9155654	35" Xmitter Lo Pro
PCV-LP33BL	9155838	42" Xmitter Lo Pro
PCV-LP36BL	9155920	50" Xmitter Lo Pro

XMITTER LO PRO | AMBER



XMITTER PRIME XTREME | BLACKOUT

VISION & LIGHTING

ITEM#	PART#	LENGTH / MODEL
PCV-P6BL	9156019	5" Xmitter Prime Xtr
PCV-P12BL	9156101	8" Xmitter Prime Xtr
PCV-P18BL	9156194	11" Xmitter Prime Xtr
PCV-P30BL	9156378	18" Xmitter Prime Xtr
PCV-P36BL	9156460	20" Xmitter Prime Xtr
PCV-P54BL	9156736	30" Xmitter Prime Xtr
PCV-P72BL	9157009	40" Xmitter Prime Xtr
PCV-P90BL	9888064	50" Xmitter Prime Xtr

XMITTER PRIME XTREME | AMBER

9164922

9165011



ITEM#	PART#	LENGTH / MODEL
PCV-P6Y	9166186	5" Xmitter Prime Xtr
PCV-P12Y	9165288	8" Xmitter Prime Xtr
PCV-P18Y	9165370	11" Xmitter Prime Xtr
PCV-P30Y	9165554	18" Xmitter Prime Xtr
PCV-P36Y	9165646	20" Xmitter Prime Xtr
PCV-P54Y	9165912	30" Xmitter Prime Xtr
PCV-P72Y	9166278	40" Xmitter Prime Xtr
PCV-P90Y	9887883	50" Xmitter Prime Xtr





BORG CONTROL | MODULE


Unlock the full potential of your Vision X LED by equipping it with Borg. Everything from strobing intervals to light intensity can be controlled by your smart phone via bluetooth connection. Additionally, you'll have the power to see valuable data relayed from your LED Light such as humidity, temperature, voltage, RSSI, and elevation. Even further, you can track your g-force level and acceleration with only a few taps.

ITEM#	PART#	WORKS WITH
XIL-BORGPC	9893273	Optimus, Xmitter Prime Xtreme, Xmitter Lo
		Pro. Solstice Prime, 3,7"Mini Cannon



PRIME DIMMER | MODULE

ITEM#	PART#	CONTROL	DIMMER RANGE
XIL-PDIMMER	4009257	Dial Knob	50% - 100%
XIL-PDIMMERB	4009264	Button	50% Or 100%



VX HEADLIGHT | MODULE

ITEM#	PART#	FUNCTION
P-HLHI4	9895475	Engages all three beam modes at once for maximum visibility
P-HLHI4H13	9917542	Engages all three beam modes at once for maximum visibility w/H13 Plugs
P-HLCBA	9892757	Removes any electrical interference from vehicle to prevent flickering
P-HLCBAH13	9898476	Removes any electrical interference from vehicle to prevent flickering w/H13 Plugs



UNIVERSAL HARNESSES | WIRING

ITEM#	PART#	CONNECTORS	APPLICATION
P-HARNESS.2XIL	4006201	Terminals	2 Light Harness
P-HARNESS.XIL	4006195	Terminals	1 Light Harness
P-HARNESS.HO	9888354	Terminals	High Amp 1 Light Harness
P-DY2M1F	4006263	Deutsch DT Series	Y Adapter
P-UCA	4006218	Cigarette Adapter	Cigarette Power Cord