

JEEP WRANGLER JK KITS



2" SPACER KIT

- · Polyurethane coil spring spacers retain OE ride quality
- · Front and rear bump stops
- · Rear brake line relocation kit
- Choice of BDS NX2 or FOX 2.0 Shocks



3" SYSTEM INCLUDES

- Front and rear Pro-Ride coils
- · Front sway bar ultimate disconnects, for links
- · Rear track bar relocation
- Front and rear bump stop extensions
- Brake line extensions
- Choice of BDS NX2 or FOX 2.0 Shocks
- · Front lower octocam lock kit included



3" Exhaust Spacers for 2012-2017 JK

2" SYSTEM INCLUDES

- · Front and rear Pro-Ride coils
- Front and rear bump stops
- · Front lower octocam lock kit included
- Rear brake line relocation
- · Front Sway Bar Links



4" - 4.5" SYSTEM INCLUDES

- Front and rear Pro-Ride coils capable of full coil bind
- Front ultimate sway bar disconnects and rear solid links
- · Front track bar relocation designed to work with the new dropped pitman arm
- · Front lower control arms included to restore caster
- Rear upper adjustable and lower fixed arms to properly center the axle in the wheel well and allow for pinion adjustment
- · Front and rear bump stop extensions
- Rear track bar relocation to properly center the axle
- Choice of BDS NX2 or FOX 2.0 Shocks

4" - 6.5" LONG ARM SYSTEM INCLUDE



- Long Arm 4-Link geometry offers superior on and off road control
- 1/4" steel 4-Link mounting brackets utilizing BDS multi-mount system
- Pro-Ride coils capable of being fully compressed and always coming back to original height
- Fully adjustable upper and lower heavy wall tubular control arms with Clevite rubber bushings and forged flex ends
- Front ultimate sway bar disconnects, rear sway bar brackets for easy one handed operation, rear sway bar brackets
- Front and rear track bar bracket or available Adjustable Track Bars
- Front and rear stainless, braided, Kevlar lined brake lines
- Choice of BDS NX2 or FOX 2.0 Shocks



POSI-LOK



2012-2017 JEEP WRANGLER	JK 4-D(OOR - 4WD				
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEND	DED ACCESSORIES	NOTE
2" Front/2" Rear Front Coil Spacer Rear Coil Spacer Kit #463H 43/K233	1 2 2	024203 85710 85951	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	SHOCKS 98224921 98224951 STEERING ST	FOX 2.0 Front Gas Shock - 3" kit (2 req'd) FOX 2.0 Rear Gas Shock - 3" kit (2 req'd) ARILITERS	5
2" Front/2" Rear Front Coil Spring Rear Coil Spring Kit #1430H 15JK875 3" Front/3" Rear	1 1 1 1 2 2	034202 034209 124320 124314 85700 85951 034311 034319	Front Coil Springs Rear Coil Springs Front Sway Bar Links JK Exhaust Kit Front NX2 Shock Rear NX2 Shock Front Coil Springs Rear Coil Springs	55376 85421 95421 98224013 55378 85405 95405	Single High Mount Steering Stabilizer Kit Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or	1 7
Front Coil Spring Rear Coil Spring Std Kit #1403H 51JK767 Rubicon Kit #1404H 15JK276	1 1 1 1 1 2 2	014312 124310 124320 124314 85700 85951	Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) JK Exhaust Kit Front NX2 Shock Rear NX2 Shock	98224010 TRACK BARS 124403 124308 124408	Dual FOX 2.0 Steering Stabilizer (2 req'd) Front Adjustable Track Bar Rear Track Bar Bracket or Rear Adjustable Track Bar	
				ACCESSORIES Page 158 124310 2034 104002 104006	Control Arms Ultimate Swaybar Disconnects JKS Quicker Disconnect Front Brake Lines - SA Kits Rear Brake Lines - SA Kits	
4.5" Front/4" Rear Front Coil Spring Rear Coil Spring Std Kit #1405H 52JK1941 Rubicon Kit #1406H 16JK6931	1 1 1 1 1 1	034411 034419 014446 124310 124320 124314 124331	Front Coil Springs Rear Coil Springs Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) JK Exhaust Kit Front Lower Fixed Control Arms	98224921 98224922 98224959 98224952 98224958	FOX 2.0 Front Gas Shock - 4.5" kit (2 req'd) FOX 2.0 Front Gas Shock - 4.5" LA kit (2 req'd) FOX 2.0 Rear Gas Shock - 4.5" kit (2 req'd) FOX 2.0 Front Gas Shock - 6.5" kit (2 req'd) FOX 2.0 Rear Gas Shock - 6.5" kit (2 req'd)	1 2 7
	2 2	124339 85700 85959	Rear Lower Fixed Control Arms Front NX2 Shock Rear NX2 Shock	STEERING ST 85401 95421	ABILIZERS Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	
4.5" Front/4" Rear Front Long Arm 4-Link Rear Long Arm 4-Link Std Kit #1407H 00/K5972 Rubicon Kit #1408H 58/K2172	1 1 1 1 1	014691 014689 014493 034411 034419 124603	Front Arm Box Kit Rear Arm Box Kit Main Box Kit Front Coil Springs Rear Coil Springs Front Sway Bar Disconnects or	98224013 55378 85405 95405 98224010	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd)	1 3 7
C FILE COACH Door	1 2 2	124321 85922 85959	Front Sway Bar Links (Rubicon) Front NX2 Shock Rear NX2 Shock	TRACK BARS 124403 124408	Front Adjustable Track Bar Rear Adjustable Track Bar	1
6.5" Front/6" Rear Front Long Arm 4-Link Rear Long Arm 4-Link Std Kit #1409H 20/K6582 Rubicon Kit #1410H 78/K3772	1 1 1 1 1 1 1 2	014691 014689 014690 124603 124321 034611 034619 85952 85958	Front Arm Box Kit Rear Arm Box Kit Main Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	ACCESSORIES Page 158 2034 104002 104006	4.5" Adjustable Control Arms JKS Quicker Disconnect Front Brake Lines - SA Kits Rear Brake Lines - SA Kits	1 6 7


- Notes
 1. Will not fit 2wd models.

- Will not fit 2wd models.
 The fixed front and rear lower control arms can be upgraded to the flex or adjustable arms listed in the accessories.
 The fixed front and rear lower control arms can be upgraded to the flex or adjustable arms listed in the accessories.
 The front driveshaft is maxed out at full droop and on certain models the driveshaft boot can contact the transmission pan. Replacement of the front driveshaft is recommended.
 Removing the OE spring isolators will result in a 1" lift if desired.
 124408 rear track bar or 124308 rear track bar relocation is recommended if using factory wheels.
 The front and rear driveshafts are maxed out at full droop. The front driveshaft boot can contact the transmission pan at extreme articulation one some models. Replacement of the front and rear driveshafts is recommended.
 Exhaust modification may be required.

2012-2017 JEEP Wrangler JK - 2 door







- The fixed front and rear lower control arms can be upgraded to the flex or adjustable arms listed in the accessories.
- The front driveshaft is maxed out at full droop and on certain models the driveshaft boot can contact the transmission pan. Replacement of the front driveshaft is recommended.
- Removing the OE spring isolators will result in a 1" lift if desired.
- 124408 rear track bar or 124308 rear track bar relocation is recommended if using factory wheels.
 The front and rear driveshafts are maxed out at full droop. The front driveshaft boot can contact the transmission pan at extreme articulation one some models. Replacement of the front and rear driveshafts is recommended.













#469H - 6.5" Lor	ng Arm Lift Kit
------------------	-----------------

IFT & METHOD	QTY PART#	DESCRIPTION	RECOMMENDED ACCESSORIES	NOT
"Front/2" Rear ont Coil Spacer ear Coil Spacer it #463H 43JK233	1 024203 2 85710 2 85951	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	SHOCKS 98224921	5
"Front/2" Rear ont Coil Spring ear Coil Spring it #1402H 68JK625 "Front/3" Rear ont Coil Spring ear Coil Spring ear Coil Spring td Kit #1411H 05JK517 ubicon Kit #1412H 68JK026	1 034202 1 034209 1 124320 2 85700 2 85951 1 034311 1 034319 1 014312 1 124310 1 124320 2 85951	Front Coil Springs Rear Coil Springs Front Sway Bar Links Front NX2 Shock Rear NX2 Shock Front Coil Springs Rear Coil Springs Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front NX2 Shock Rear NX2 Shock	STEERING STABILIZERS 55376 Single High Mount Steering Stabilizer Kit 85421 Single NX2 Steering Stabilizer or 95421 Single 9500 Steering Stabilizer or 98224013 Single FOX 2.0 Steering Stabilizer 55378 Dual Steering Stabilizer Mounting Kit 85405 Dual NX2 Steering Stabilizer (2 req'd) or 95405 Dual 9500 Steering Stabilizer (2 req'd) or 98224010 Dual FOX 2.0 Steering Stabilizer (2 req'd) TRACK BARS 124403 Front Adjustable Track Bar 124308 Rear Track Bar Bracket or 124408 Rear Adjustable Track Bar ACCESSORIES Page 158 Control Arms	1
5" Front/4" Rear ont Coil Spring ar Coil Spring d Kit #1413H 06JK9341 ubicon Kit #1414H 69JK4431	1 034411 1 034419 1 014446 1 124310 1 124320 1 124331 1 124331	Front Coil Springs Rear Coil Springs Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front Lower Fixed Control Arms Rear Lower Fixed Control Arms	124310 Ultimate Swaybar Disconnects - 2" kit 104002 Front Brake Lines - SA Kits 104006 Rear Brake Lines - SA Kits 104006 FOX 2.0 Front Gas Shock - 4.5" kit (2 req'd) 98224921 FOX 2.0 Front Gas Shock - 4.5" kit (2 req'd) 98224959 FOX 2.0 Rear Gas Shock - 4.5" kit (2 req'd) 98224950 FOX 2.0 Front Gas Shock - 6.5" kit (2 req'd) 98224951 FOX 2.0 Rear Gas Shock - 6.5" kit (2 req'd)	1 2 7
5" Front/4" Rear ont Long Arm 4-Link tar Long Arm 4-Link d Kit #1407H OOJK5972 ubicon Kit #1408H 58JK2172	2 85700 2 85959 1 014691 1 014689 1 014493 1 034411 1 124603 1 124321 2 85922 2 85959	Front NX2 Shock Rear NX2 Shock Front Arm Box Kit Rear Arm Box Kit Main Box Kit Front Coil Springs Rear Coil Springs Front Sway Bar Disconnects or Front Sway Bar Links Front NX2 Shock Rear NX2 Shock	STEERING STABILIZERS 85401 Single NX2 Steering Stabilizer or 95421 Single 9500 Steering Stabilizer or 98224013 Single FOX 2.0 Steering Stabilizer 55378 Dual Steering Stabilizer Mounting Kit 85405 Dual NX2 Steering Stabilizer (2 req'd) or 95405 Dual 9500 Steering Stabilizer (2 req'd) or 98224010 Dual FOX 2.0 Steering Stabilizer (2 req'd) TRACK BARS 124403 Front Adjustable Track Bar	1 3 7
5" Front/6" Rear ont Long Arm 4-Link ar Long Arm 4-Link d Kit #1409H 20JK6582 Ibicon Kit #1410H 78JK3772	1 014691 1 014689 1 014690 1 124603 1 124321 1 034611 1 034619 2 85952 2 85958	Front Arm Box Kit Rear Arm Box Kit Main Box Kit Front Sway Bar Disconnects or Front Sway Bar Links Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	124408 Rear Adjustable Track Bar ACCESSORIES Page 158 4.5" Adjustable Control Arms 2034 JKS Quicker Disconnect 104002 Front Brake Lines - SA Kits 104006 Rear Brake Lines - SA Kits	1 6 7



- - Notes
 1. Will not fit 2wd models.
 2. The fixed front and rear.
 - The fixed front and rear lower control arms can be upgraded to the flex or adjustable arms listed in the accessories.

 The front driveshaft is maxed out at full droop and on certain models the driveshaft boot can contact the transmission pan. Replacement of the front driveshaft is recommended.

 Removing the OE spring isolators will result in a 1" lift if desired.

 - Removing the Os Spring Solators will result in a 1- Int it desired.

 124408 rear track bar or 124308 rear track bar relocation is recommended if using factory wheels.

 The front and rear driveshafts are maxed out at full droop. The front driveshaft boot can contact the transmission pan at extreme articulation one some models. Replacement of the front and rear driveshafts is recommended.

 Exhaust modification may be required.

2007-2011 JEEP Wrangler JK - 2 door





2007-2011 JEEP WRANGLER	JK 2-[000R - 4W	D		
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDED ACCESSORIES	NOTE
2" Front/2" Rear Front Coil Spacer Rear Coil Spacer	1 2 2	024203 85710 85951	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	SHOCKS 98224921 FOX 2.0 Front Gas Shock - 3" kit (2 req'd) 98224951 FOX 2.0 Rear Gas Shock - 3" kit (2 req'd)	4 5
Kit #463H 43JK233				STEERING STABILIZERS 55376 Single High Mount Steering Stabilizer Kit	
2" Front/2" Rear Front Coil Spacer Rear Coil Spacer Kit #1401H 67JK473	1 1 2 2	024203 124320 85700 85951	Spring Spacer Kit Front Sway Bar Links Front NX2 Shock Rear NX2 Shock	85421 Single NX2 Steering Stabilizer or 95421 Single 9500 Steering Stabilizer or 98224013 Single FOX 2.0 Steering Stabilizer 55378 Dual Steering Stabilizer Mounting Kit	4 5
3" Front/3" Rear Front Coil Spring Rear Coil Spring Std Kit #1423H 94/K417 Rubicon Kit #1424H 58/K916	1 1 1 1 1 2	034312 034209 014312 124310 124320 85700	Front Coil Springs Rear Coil Springs Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front NX2 Shock	85405 Dual NX2 Steering Stabilizer (2 req'd) or 95405 Dual 9500 Steering Stabilizer (2 req'd) or 98224010 Dual FOX 2.0 Steering Stabilizer (2 req'd) TRACK BARS 124403 Front Adjustable Track Bar 124308 Rear Track Bar Bracket or	1
	2	85951	Rear NX2 Shock	124408 Rear Adjustable Track Bar ACCESSORIES Page 158 Control Arms 124310 Ultimate Swaybar Disconnects - 2" kit 2034 JKS Quicker Disconnect 104002 Front Brake Lines - SA Kits 104006 Rear Brake Lines - SA Kits	
4" Front/4" Rear Front Coil Spring Rear Coil Spring Std Kit #1425H 06JK9341 Rubicon Kit #1426H 69JK4431	1 1 1 1 1 1 1 2 2	034311 034319 014446 124310 124320 124331 124339 85700 85959	Front Coil Springs Rear Coil Springs Complete Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front Lower Fixed Control Arms Rear Lower Fixed Control Arms Front NX2 Shock Rear NX2 Shock	SHOCKS 98224921	
4" Front/4" Rear Front Long Arm 4-Link Rear Long Arm 4-Link Std Kit #1419H 00JK5972 Rubicon Kit #1420H 58JK2172	1 1 1 1 1	014691 014689 014493 034311 034319 124603	Front Arm Box Kit Rear Arm Box Kit Main Box Kit Front Coil Springs Rear Coil Springs Front Sway Bar Disconnects or	95421 Single 9500 Steering Stabilizer or 98224013 Single FOX 2.0 Steering Stabilizer 55378 Dual Steering Stabilizer Mounting Kit 85405 Dual NX2 Steering Stabilizer (2 req'd) or 95405 Dual 9500 Steering Stabilizer (2 req'd) or 98224010 Dual FOX 2.0 Steering Stabilizer (2 req'd) TRACK BARS	1 3 7
5.5" Front/5" Rear	1 2 2 1 1 1	124321 85922 85959 014691	Front Sway Bar Links (Rubicon) Front NX2 Shock Rear NX2 Shock Front Arm Box Kit	124403 Front Adjustable Track Bar 124408 Rear Adjustable Track Bar 124452 Front Track Bar Relocation Kit - 5.5" Kit	1
Front Long Arm 4-Link Rear Long Arm 4-Link Std Kit #1421H 12JK5182 Rubicon Kit #1422H 70JK3372	1 1 1 1 1	014689 014690 124603 124321 034411 034419	Rear Arm Box Kit Main Box Kit Front Sway Bar Disconnects or Front Sway Bar Links (Rubicon) Front Coil Springs Rear Coil Springs	ACCESSORIES Page 158 4" Adjustable Control Arms 2034 JKS Quicker Disconnect 104002 Front Brake Lines - SA Kits 104006 Rear Brake Lines - SA Kits	6 7
	2 2	85922 85958	Front NX2 Shock Rear NX2 Shock		

- Will not fit 2wd models.
 The fixed front and rear lower control arms can be upgraded to the flex or adjustable arms listed in the accessories.
 The front driveshaft is maxed out at full droop and on certain models the driveshaft boot can contact the transmission pan. Replacement of the front driveshaft is recommended.
 Removing the OE spring isolators will result in a 1" lift if desired.
 124408 rear track bar or 124308 rear track bar relocation is recommended if using factory wheels.
 The front and rear driveshafts are maxed out at full droop. The front driveshaft boot can contact the transmission pan at extreme articulation one some models. Replacement of the front and rear driveshafts is recommended.
 Exhaust modification may be required.



CONTROL ARMS







FRONT LOWER CONTROL ARMS

Fixed Length - Rubber Bushings #**124331**.....07JK191 Fixed Length - Poly Bushings #124361.....07JK191 Adjustable w/ Forged Flex Ends **Rubber Bushings** #124332..... Adjustable w/ Forged Flex Ends **Poly Bushings**

Front Upper Control Arms

.....32JK903

#124362.....

Adjustable w/ Forged Flex Ends



Provides extra front driveshaft clearance for lifted 2012-2017 JK models. #124314.....56JK15

REAR LOWER CONTROL ARMS

Fixed Length - Rubber Bushings #124339..... Fixed Length - Poly Bushings #**124369**......07JK191 Adjustable w/ Forged Flex Ends **Rubber Bushings** #124338...... Adjustable w/ Forged Flex Ends **Poly Bushings** #124368.....32JK903

REAR UPPER CONTROL ARMS

Adjustable w/ Forged Flex Ends **Rubber Bushings** #124337... ...03JK872 Adjustable w/ Forged Flex Ends **Poly Bushings** #124367...... ..03JK872

LEVELING SPACER

Includes two front 2" urethane spacers. *Remove factory isolator to get 1" lift **#174102**.....33JK85 Includes two rear 2" urethane spacers.





BUMP STOP EXTENSIONS

Front Extended Length Bump Stops Black urethane bump stops - pair #174001... ..34JK82





Stainless Steel Brake Lines w/ Kevlar lining

For 4.5"-6.5" of Lift.

Front (pr.) #104002. .72JK931

Rear (pr.) .18JK831 #104006



ALIGNMENT CAMS

Octo Cam Kit #124330.... .. 62JK01 Cam "D" Bolts #124312.....77JK13



CHEVROLET/GMC

VEHICLE SPECS

JEEP WRANGLER JK accessories



JK LONG ARM UPGRADE KIT 2007-2016

JK LONG ARM UPGRADE KIT - 2007-2017

This complete upgrade kit will work with most lifted suspension systems ranging from 4.5" to 8.5". The upgrade kit uses 1/4" thick laser-cut frame brackets as well as the long upper and lower arms with forged flex ends and Clevite rubber bushings.28JK0671

#124403

TRACK BAR COMPONENTS



For 4"-6" of Lift

#124452...

Rear Track Bar Relocation Bracket Kit For 2-3" of Lift

#124308.....

...86JK26

Rear Track Bar Relocation Bracket Kit For 4"-6" of Lift

#124457...

Front Adjustable Track Bar -

Heavy duty adjustable track bar to allow for properly centering the axle. For 0-6.5" of Lift *

#124403....

Rear Adjustable Track Bar -

Urethane Mount

Heavy duty adjustable track bar to allow for properly centering the axle. For 2-6.5" of Lift

#124408...18JK251

*Note: Must be used with a relocation mount if a

0000 dropped pitman arm is used



JK REAR BAR PIN ELIMINATOR



JK SWAY BAR LINKS

Ultimate Sway Bar Disconnect

For 2"-4.5" of Lift

#124310

Ultimate Sway Bar Disconnect

For 5.5"-6.5" of Lift

#124603..... .06JK521



1997-2006 JEEP WRANGLER TJ



#418H - 3" Kit

3" KIT FEATURES

 Complete box kit includes: 3" Pro-Ride coil springs, front sway bar, Ultimate disconnects, rear sway bar links, rear track bar relocation, bump stop drops, shocks

3" ULTIMATE KIT FEATURES

- 8 Adjustable upper and lower, heavy duty control arms
- Front and rear D.O.T. approved, Kevlar lined, stainless steel brake lines
- Bump stop extensions and your choice of BDS-NX2 or FOX 2.0 Shocks
- Front adjustable track bar and rear track bar relocation bracket
- Front disconnect sway bar links and rear extended links

1997-2006 JEEP WRANC	ELER TJ					
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEN	DED ACCESSORIES	NOTE
75" Front/.75" Rear Front Coil Spacer Rear Coil Spacer (it #415H 60JK652	1 2 2	024100 85960 85969	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	98224979 98224972 85407 95407	FOX 2.0 Front Gas Shock - 1.75" and 2" Kits (2 req'd) FOX 2.0 Rear Gas Shock - 1.75" and 2" Kits (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or	
.75" Front/1.75" Rear ront Coil Spacer lear Coil Spacer (it #416H 24JK633	1 2 2	024200 85979 85975	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	98224017 55375 85429 98224012	Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd)	
"Front/2" Rear ront Coil Spring ear Coil Spring (it #417H 04JK804	1 1 2 2	034204 034206 85979 85975	Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	124311 124451 2000	TJ Alignment Cam Kit Sway Bar Disconnect Kit or JKS Quicker Front Disconnects	
		03273		124043 124051 124014 Page 158	Belly Skid Plate Steering Box Skid Plate Lower Control Arm Skid Plates Control Arm Options	
8" Front/3" Rear Standard Box Kit Front Coil Spring Rear Coil Spring 97-'02 Kit #418H	1 1 1 1 1	014320 014321 124652 034302 034308	Complete Box Kit (97-02) or Complete Box Kit (03-06) Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs	98224965 98224980 85407 95407 98224017	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	1 2
03-'06 Kit #419H #1JK817 B" Front/3" Rear	2 2 1	85965 85980 014314	Front NX2 Shock Rear NX2 Shock Complete Box Kit (97-02) or	55375 85429 98224012	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 reg'd)	1
Ultimate Kit Front/Rear Coil Spring Adjustable UCA and LCA 97-'02 Kit #420H 03-'06 Kit #421H	1 1 1 1 2 2	014315 124652 034302 034308 85965 85980	Complete Box Kit (03-06) Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	2001 124045 124051 124014 124429	JKS Quicker Front Disconnects Belly Skid Plate - 418H, 419H Steering Box Skid Plate - 1418H, 1419H Lower Control Arm Skid Plates - 1418H, 1419H Rear Adjustable Track Bar - 1418H, 1419H	
				Page 158 124319	Control Arm Options Rear Pinion Cam Bolts - 1418H, 1419H	



1997-2006 JEEP WRANGLER TJ

1997-2006 JEEP WRANGLER	l TJ					
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEND	ED ACCESSORIES	NOTES
4.5" Front/4.5" Rear Standard Short Arm Kit Front/Rear Coil Spring Fixed Arms Kit #422H 50JK5261	1 1 1 1 2 2	014440 124451 034451 034459 85967 85976	Complete Box Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	98224967 98224976 85407 95407 98224017	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	3 5
4.5" Front/4.5" Rear Ultimate Short Arm Kit Front/Rear Coil Spring Adjustable Arms Kit #423H 85JK5512	1 1 1 1 2 2	014460 124451 034451 034459 85967 85976	Complete Box Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	55375 85429 98224012 124429 2001 124045	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Rear Adjustable Track Bar JKS Quicker Front Disconnects Belly Skid Plate	3 5
4.5" Front/4.5" Rear 4-Link Long Arm System Front/Rear Coil Spring Adjustable Arms Kit #477H 04JK6952	1 1 1 1 1 1 2 2	014660 014441 014447 124451 034451 034459 85967 85976	Long Arm Box Kit (10f3) Long Arm Box Kit (20f3) Long Arm Box Kit (30f3) Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	124051 124014	Steering Box Skid Plate Lower Control Arm Skid Plates #124045 - High Clearance Belly Pan	3 4 5 6
6.5" Front/6" Rear 4-Link Long Arm System Front/Rear Coil Spring Adjustable Arms Kit #467H 43JK9572	1 1 1 1 1 1 2 2	014660 014651 014656 124652 034651 034659 85962 85974	Long Arm Box Kit (10f3) Long Arm Box Kit (20f3) Long Arm Box Kit (30f3) Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	98224962 98224974 85407 95407 98224017 55375 85429 98224012 124429 2001 124045 124051 124014	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Rear Adjustable Track Bar JKS Quicker Front Disconnects Belly Skid Plate Steering Box Skid Plate Lower Control Arm Skid Plates	3 4 5 6

- Models with manual transmissions may need shifter opening in the floorboard enlarged. Stabilizer and front lower control arms are highly recommended. A slip yoke eliminator kit and CV style rear drive shaft is required.
- May require exhaust modification.
- Some welding required.
 Long Arm systems also fit short wheel base Rubicon models (not Unlimited models)

4.5" ULTIMATE KIT FEATURES

- (8) Fully adjustable Gen II control arms with rubber bushings and forged flexed ends
- Front and rear D.O.T. approved, Kevlar lined, stainless steel brake lines
- Front ultimate sway bar disconnects and rear solid links
- Bump stop extensions · Rear track bar relocation kit
- Front adjustable track bar • Pitman Arm





6.5" LONG ARM KIT FEATURES

- True 4-link long arm design to give you castor control through wheel travel
- All control arms come with forged flex joints for extreme wheel travel
- New adjustable front track bar included and a relocation system to match angles with the supplied dropped pitman arm
- OEM style rubber bushings
- Front and rear braided stainless steel, kevlar-lined brake lines







4.5" ULTIMATE KIT FEATURES

- ProRide coils and bump stop extensions
- (8) adjustable upper/lower, front/rear control arms with forged flex ends
- Forged pitman arm to correct steering angle
- Front and rear adjustable track bars to recenter axles
- Front ultimate sway bar disconnects and rear links
- · Front and rear braided stainless steel, kevlar-lined brake lines

2003-2006 JEEP WRAN	GLER TJ	UNLIMITE	D & RUBICON			
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEND	ED ACCESSORIES	NOTES
.75" Front/.75" Rear Front/Rear Coil Spacer Kit #415H 60JK652	1 2 2	024100 85960 85969	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	98224979 98224972 85407	FOX 2.0 Front Gas Shock - 1.75" and 2" Kits (2 req'd) FOX 2.0 Rear Gas Shock - 1.75" and 2" Kits (2 req'd) Single NX2 Steering Stabilizer or	
1.75" Front/1.75" Rear Front/Rear Coil Spacer Kit #416H 24JK633	1 2 2	024200 85979 85975	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	95407 98224017 55375	Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit	
2" Front/2" Rear Front/Rear Coil Spring Kit #417H 04JK804	1 1 2 2 2	034204 034206 85979 85975	Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	35375 85429 98224012 124311 124451 2000 124043 124051	Dual Steering Stabilizer Mounting Nt Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) TJ Alignment Cam Kit Sway Bar Disconnect Kit or JKS Quicker Front Disconnects Belly Skid Plate Steering Box Skid Plate	
				124014 Page 158	Lower Control Arm Skid Plates Control Arm Options	
3" Front/3" Rear Standard Kit Front/Rear Coil Spring Kit #424H 75JK676	1 1 1 1 2 2	014313 124652 034302 034308 85965 85980	Complete Box Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	98224965 98224980 85407 95407 98224017 55375 85429 98224012	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd)	1
				124423 124429 124327 2001 124315	Front Adjustable Track Bar Rear Adjustable Track Bar Front Fixed LCA (rubber - pair) JKS Quicker Front Disconnects 3/4" Transfer Case Drop	
				124045 124051 124014 124319 104001 104009	Belly Skid Plate Steering Box Skid Plate Lower Control Arm Skid Plates Rear Pinion Cam Bolts Front Brake Lines Rear Brake Line	
4.5" Front/4.5" Rear Standard Kit Front/Rear Coil Spring Adj. UCA, Fixed LCA Kit #422H 50JK5261	1 1 1 1 2	014440 124451 034451 034459 85967	Complete Box Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock	98224967 98224976 85407 95407 98224017	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	2
4.5" Front/4.5" Rear Ultimate Kit Front/Rear Coil Spring Adj. UCA, Adj. LCA Kit #423H 85JK5512	2 1 1 1 1 2 2	85976 014460 124451 034451 034459 85967 85976	Rear NX2 Shock Complete Box Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	55375 85429 98224012 124429 2001 124045 124051 124014	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Rear Adjustable Track Bar JKS Quicker Front Disconnects Belly Skid Plate Steering Box Skid Plate Lower Control Arm Skid Plates	2



JEEP WRANGLER TJ accessories



#124327

After more than a year of development and testing, BDS Suspension is proud to announce the next generation of Jeep control arms is now available for popular Jeep JK, TJ, XJ, MJ, WJ and ZJ applications.

The new BDS control arms come fully assembled and sold in pairs. They also come standard in new BDS long arm and short arm lift kits, see specific kit applications for more information.



UPPER CONTROL ARMS

Front Fixed Length with Rubber Bushings #124441.....96JK421

Front Fixed Length with Polyurethane Bushings

#124442 001K531

Front Adjustable with Forged Flex Ends #124341.....97JK622

Rear Fixed Length with Rubber Bushings #124445......13JK541

Rear Fixed Length with Polyurethane

#124446.....39JK561

Rear Adjustable with Forged Flex Ends and Rubber Bushings

#124349.....27JK752

Rear Adjustable with Forged Flex Ends and Polyurethane Bushings

#**124447**.....27JK752



#124427

LOWER CONTROL ARMS - FRONT OR REAR

Fixed Length with Rubber Bushings #124327.....95JK451

Fixed Length with Polyurethane Bushings #124427......95JK451

Adjustable with Forged Flex Ends and Rubber Bushings

#124340 32/K903

Adjustable with Forged Flex Ends and Polyurethane Bushings

#**124360**.....32JK903

THE BUSHING DEBATE... RUBBER VS. POLY

BDS now offers control arms with the option of interchangeable vulcanized rubber bushings or dual fluted greaseable urethane bushings. The new rubber bushing are durometer specific, OEM quality vulcanized Clevite rubber bushings for improved longevity and reduced noise. The new control arms are offered in fixed and adjustable lengths, with your choice of pre-installed rubber bushings or greaseable polyurethane. Arms are built from 1-3/4" OD x .250 wall tubular steel and formed for optimal performance. Rubber/Poly bushing kits are interchangeable and can be purchased separately.

TJ LONGARM UPGRADE KIT

- Works with 4.5" 8.5" of lift
- Includes upper and lower long arms w/ flex ends
- · Includes all control mounting system for long arm installation

Kit# 983H57JK4551

QTY	PART#	DESCRIPTION	
1	014660	Lower Control Arms	
1	124605	Upper Arms & Mounting System	



CHEVROLET/GMC

VEHIGLE SPECS

JEEP WRANGLER TJ ACCESSORIES

LEVELING SPACERS



Used to compensate for heavy accessories.

Front or Rear .75" spacers (pr.)

Front or Rear 1.75" spacers (pr.) #174201.....73JK34

t-case drop kits or on 4 cylinder models.

#124045

#174001

1997-2006 HIGH CLEARANCE BELLY PAN

BDS's "belly up" style skid plate is built for off-road abuse. Constructed from

as well as in conjunction with most short arm lift kits and BDS long arm kits.

requiring a motor mount lift. Fits 6 cylinder TJs, except '03-06 automatics.

...78JK334

Rubicon models require minor modification. Will not work in conjunction with

3/16" steel with corner gussets, this belly pan skid increases ground clearance

and is designed to add underbody protection. The kit works on stock height Jeeps

Unlike other belly up skids on the market, the BDS Belly Skid Plate includes a low

profile transmission mount which allows for additional ground clearance without

#124423

PROTECTION

TRACK BAR COMPONENTS

TJ REAR TRACK BAR **RELOCATION KIT**

For 3" of Lift #124303..... For 4.5" of Lift #124459.....51JK35

TJ FRONT ADJUSTABLE TRACK BAR

Heavy-duty adjustable track bar to allow for properly centering the axle. For 2"-4" of Lift #124423....48JK271

TJ FRONT ADJUSTABLE TRACK BAR

Must use with dropped pitman arm. For 4.5"-6.5" of Lift #124602.....

TJ ADJUSTABLE DUAL SHEAR TRACK BAR

Must be used with dropped pitman arm. This is the same system as used in the BDS 6.5" longarm.

#124601..091K802

TJ REAR ADJUSTABLE TRACK BAR

Heavy-duty adjustable track bar to allow for properly centering the axle. Tech Note: 3" and up use w/124303.

#124429.....



#124014

TJ LOWER ARM SKID PLATES

Weld-on lower control arm skid plates made of 3/16" steel to strengthen and protect the front lower arm pockets #124014.....82JK23

TJ STEERING BOX SKID PLATE

Tight clearance design to maintain ground clearance while adding full protection. For Saginaw box only.

#124051.. 78 JK 3 5



#124051



BUMP STOP EXTENSIONS

Extended Length Bump Stops Black urethane bump stops - pair #174001.....34JK82

SWAY BAR LINKS

DRIVE LINE ADJUSTMENT

BRAKE LINES



TJ STAINLESS STEEL **BRAKE LINES**

DOT approved, Kevlar lined, 26" heavyduty brake line. For 3"-6.5" of Lift.

FIUIL	
#104001	89JK01
Rear	
#104009	07JK94

TJ TRANSFER CASE **LOWERING KIT**

97-02 - 1.5"53JK07 #124323..... 03-06 - 1.5" #124324 03-06 - .75" #124315 591K74

FRONT ALIGNMENT CAM BOLT

Easily adjust caster with front cam bolts

REAR PINION CAM BOLTS

Allows for precision adjustment of the rear pinion angle #**124319**......15JK53

TJ FRONT ULTIMATE **SWAY BAR DISCONNECT**

On road stability and off-road performance. Easy one handed operation.

For 0"-2" of Lift #124451..... 08 IK051 For 3"-4.5" of Lift #124652..... .08JK051 For 6.5" of Lift #124651... .08JK051 TJ Solid Rear Sway Bar Link For 2"-3" of Lift #124309..... 791K64 TJ Solid Front Sway Bar Link

For 2"-3" of Lift #124313.....17JK34

SHOCK RELOCATION AND CONVERSION



.....13JK82

TJ Rear Lower Shock Relocation Kit #124009......44JK07

#124015.....

SHOCK CONVERSION

TJ SHOCK STEM ELIMINATOR Allows use of eye-to-eye shock in stem-eye location

BAR PIN ELIMINATOR - REAR

#124022......47JK63

ACCESSORIES

VEHICLE SPECS

1987-1995 JEEP WRANGLER YJ

2", 3.5" & 4.5" KIT FEATURES

- Glide-Ride leaf springs come complete with anti-friction pads, bolt-style leaf alignment clamps, full military wrap and roll pointed leafs
- Complete 3.5" kit includes: front anti-sway bar links, front and rear track bar relocation brackets, bump stop contact brackets, u-bolts, urethane bushings, transfer case drop kit, rear pinion shims and front and rear brake line relocation brackets and drop pitman arm (PS)
- The 4.5" Ultimate Kit includes: front ultimate anti-sway bar dual disconnects, front and rear track bar relocation brackets, u-bolts, complete set of spring and shackle bushings, transfer case drop kit, rear pinion shims, pitman arm, front and rear 1" shackles, all new spring eye and shackle bolts, front and rear Kevlar lined, and stainless steel brake lines.



4.5" Ki

1987-1995 JEEP WRANGI	LER YJ					
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEN	DED ACCESSORIES	NOTES
2" Front/2" Rear Front Leaf Spring Rear Leaf Spring	4 1 2	004200 014200 85945	Leaf Spring Complete Box Kit Front NX2 Shock	85407 95407 55353	Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit	3
Kit #408H 20JK747	2	85900	Rear NX2 Shock	85402 124001 4100 124102 074004	Dual NX2 Steering Stabilizer (2 req'd) Front Sway Bar Link Kit JKS Quicker Disconnects Front or Rear Shackles 1" Lift (pair) Frame Shackle Bushing Kit (All)	
3.5" Front/3.5" Rear Soft Top Applications Front Leaf Spring Rear Leaf Spring Kit #409H 88JK099	2 2 1 1 1 2 2	004351 004359 014351 124001 084404 85955 85950	Front Leaf Spring Rear Leaf Spring Complete Box Kit Front Sway Bar Links Pitman Arm (PS) Front NX2 Shock Rear NX2 Shock	PSL900 98224860 98224950 85407 95407 55353 85402	4x4 Posi-Lok™ (page 132) FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd)	1 2 3 4 5
3.5" Front/3.5" Rear Hard Top Applications Front Leaf Spring Rear Leaf Spring Kit #410H 72JK399	4 1 1 1 2 2	004351 014351 124001 084404 85955 85950	Leaf Spring Complete Box Kit Front Swaybar Links Pitman Arm (PS) Front NX2 Shock Rear NX2 Shock	124102 074004 124352 4100 PSL920	Front or Rear Shackles 1" Lift (pair) Frame Shackle Bushing Kit (All) Front Sway Bar Disconnects or JKS Quicker Disconnects 4x4 Posi-Lok™ (page 132)	
4.5" Front/4.5" Rear Soft Top Applications Front Leaf Spring Rear Leaf Spring Kit #411H 26JK8831	2 2 1 1 2 2	004351 004359 014461 124503 85955 85950	Front Leaf Spring Rear Leaf Spring Complete Box Kit Front Sway Bar Disconnect Kit Front NX2 Shock Rear NX2 Shock	98224860 98224950 85407 95407 55353 85402	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd)	1 2 4 5 7 8
4.5" Front/4.5" Rear Hard Top Applications Front Leaf Spring Rear Leaf Spring Kit #412H 20/K1931	4 1 1 2 2	004351 014461 124503 85955 85950	Front Leaf Spring Complete Box Kit Front Sway Bar Disconnect Kit Front NX2 Shock Rear NX2 Shock	4100 074004 PSL920	JKS Quicker Disconnects Frame Shackle Bushing Kit (All) 4x4 Posi-Lok™ (page 132)	1 2 4 5 7 8



1987-1995 JEEP WRANGLER YJ



1987-1995 JEEP WRAN	GLER YJ					
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEND	DED ACCESSORIES	NOTES
5" Front/5" Rear Front Leaf Spring Rear Leaf Spring Kit #1431H <i>27JK1321</i>	4 1 1 2 2	004500 014501 124013 85660 85920	Front Leaf Spring Complete Box Kit Front Sway Bar Links Front NX2 Shock Rear NX2 Shock	98224660 98224920 85407 95407 55353 85402 124013 124503 4100 124102 074004 PSL920	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) Anti-Sway Bar Link Kit BDS Ultimate Disconnects JKS Quicker Disconnects Front or Rear Shackles 1" Lift (pr) Frame Shackle Bushing and Sleeve Kit 4x4 Posi-Lok™ (page 132)	2 3 6 8
6" Front/6" Rear Front Leaf Spring Rear Leaf Spring Kit #1432H <i>19JK5151</i>	4 1 1 2 2 2 2	004500 014501 124503 124102 85660 85920	Front Leaf Spring Complete Box Kit Front Sway Bar Disconnect Kit Front 1" Extended Shackles Front NX2 Shock Rear NX2 Shock	98224660 98224920 85407 95407 55353 85402 124013 124503 4100 PSL920 074004	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) Anti-Sway Bar Link Kit BDS Ultimate Disconnects JKS Quicker Disconnects Frame Shackle Bushing and Sleeve Kit 4x4 Posi-Lok™ (page 132)	2 6 8

- May require driveshaft lengthening for 13" (u-joint to u-joint) driveshaft. May require larger diameter driveshaft if equipped with a 41-1/2" front driveshaft. Extended shackles recommended to clear military wrap.

- Models with accessories like hardtop, rear tire carrier, roof rack etc., should use #004351 springs on front and rear.

 When combining lifted shackles with a 3.5" suspension system, a tail shaft eliminator kit and a "CV" style rear driveshaft may be required to eliminate driveline vibration.

 A tail shaft eliminator and CV style rear drive shaft is required and it may be necessary to lengthen the front driveshaft.
- #124015 front stem eliminator required to use FOX 2.0 Shocks.
 Includes pitman arm for power steering equipped models only.

JEEP WRANGLER YJ accessories

YJ SHACKLE REVERSAL KIT



YJ SHACKLE REVERSAL KIT

Better handling, less bump steer, no welding required, produces less than 1" of lift

#**124011**......73JK581

TRACK BAR COMPONENTS

YJ FRONT & REAR TRACK BAR RELOCATION BRACKET KIT

Contains front and rear track bar relocation brackets and hardware for 3.5"-4.5" of lift

FRONT TRACK BAR RELOCATION BRACKET KIT

Includes front track bar relocation bracket and hardware for 5"-6" of lift



DRIVE LINE ADJUSTMENT

For 3.5"-4.5" of Lift 1.5" Drop - Tube Style

#**124322**.....87JK06

YJ TRANSFER CASE DROP

SWAY BAR LINKS



YJ FRONT ULTIMATE SWAY BAR DISCONNECT

On road stability and off-road performance. Easy one handed operation.

For 3.5" of Lift #124352.....51JK161

For 4.5"-6" of Lift #124503......51JK161

YJ SOLID FRONT SWAY BAR LINK

For 2"-3.5" of Lift #124001......10JK63

For 5"-6" of Lift #124013......50JK83

#124001

SHOCK CONVERSION



YJ SHOCK STEM ELIMINATOR

PROTECTION

your steering box

#124050....

Allows use of eye-to-eye shock in front stemeye shock location
#124015......13JK82

YJ STEERING BOX SKID PLATE Made from 3/16" steel with durable black powder coat; snug design to offer as much

ground clearance as possible while protecting

.90JK34

BRAKE LINES



YJ STAINLESS STEEL BRAKE LINES

DOT approved, Kevlar lined. For 4.5"-6.5" of Lift.

Front

#104001.....

Rear

#104007......07JK94



SHACKLES

SHACKLES

Bolt together style shackles made from 3/8" steel 1" lift front or rear YJ Shackles (pair) #12410255/K08



#124102





#PSL900 (stock applications)
#PSL920 (lifted applications over 3")
#PSL100 Heavy-duty fork with pads



1976-1986 JEEP CJ5, CJ7, SCRAMBLER



4" KIT FEATURES

- 4" Glide-Ride leaf springs complete with antifriction pads, bolt style leaf alignment clamps, full military wrap, and roll pointed leaves
- 4" front box kit includes: u-bolts, hi-nuts, washers, urethane bushings, sleeves and rear



LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENI	DED ACCESSORIES	NOTES
2.5" Front / 2.5" Rear Front Leaf Spring Rear Leaf Spring 82-'86 Kit #405H 76-'81 Kit #483H 24JK647	2 2 1 2 2 2	004251 004259 014250 85900 85910 85950	Front Leaf Spring Rear Leaf Spring Box Kit Front NX2 Shock or 76-81 Front NX2 Shock Rear NX2 Shock	98224900 98224950 Page 146 124002 4100 074002 124000	FOX 2.0 Front Gas Shock (2 reg'd) FOX 2.0 Rear Gas Shock (2 reg'd) Steering Stabilizers Anti-Sway Bar Extension Kit JKS Quicker Disconnects Shackle Bushing Kit (1 Reg'd) Transfer Case Drop Kit	2 4
4" Front / 4" Rear Front Leaf Spring Rear Leaf Spring 182-186 Kit #406H 176-181 Kit #407H 48JK658	2 2 1 1 1 2 2 2	004401 004409 014400 084401 124000 85920 85900 85920	Front Leaf Spring Rear Leaf Spring Box Kit Pitman Arm (PS) Transfer Case Drop Kit 82-86 Front NX2 Shock or 76-81 Front NX2 Shock Rear NX2 Shock	98224920 98224920 98224900 98224920 Page 146 124002 4100 074002 114208	FOX 2.0 Front Gas Shock - '82-'86 (2 req'd) FOX 2.0 Rear Gas Shock - '82-'86 (2 req'd) FOX 2.0 Front Gas Shock - '76-'81 (2 req'd) FOX 2.0 Rear Gas Shock - '76-'81 (2 req'd) Steering Stabilizers Anti-Sway Bar Extension Kit JKS Quicker Disconnects Shackle Bushing Kit (1 Req'd) H. D. Rear Lift Kit (Add to #004409 spring)	1 2 3 4

- Notes
 1. Extended brake lines recommended.
 2. Vehicles equipped with optional Dana 44 Axle will require 4005 U-bolts (Qty. 4).
 3. Heavy models with accessories like hard top, tire carrier, roof rack, etc., should order #114208 H.D. Leaf Kit before installation of #004409 rear springs. This kit is highly recommended for all Cl8 Scramblers.
 4. #074002 shackle bushing kit is highly recommended.

See Shackles on next page

JEEP CJ5, CJ7, SCRAMBLER ACCESSORIES







SHACKLES

Bolt together style shackles made from 3/8" steel







#124021 - Spring Conversion Kit

YJ SPRING CONVERSION KIT

• Install any YJ springs under your '76-'86 CJ

Kit #124021 Includes:

- · New heavy-duty greaseable hangers
- · New upper shackle mount bushings
- Heavy-duty spring mounting plates with u-bolts
- Note: Leaf spring eye bushings, pitman arm, etc., are not included in this kit. This is strictly the mounting system required to convert to YJ springs
- Note: New shackles are required for installation 1/2" shackles (#124109 qty.2) 1-3/8" shackles (#124119 qty.2)

#124021 55/K59



1953-1975 JEEP CJ5, CJ6, M38A1

- Glide-Ride leaf springs—complete with anti-friction pads, bolt style leaf alignment clamps, full military wrap, and roll pointed leafs
- Front/rear box kit includes—u-bolts, hi-nuts, and washers

1972-1975 JEEP CJ5 & CJ6						
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDE	ED ACCESSORIES	NOTES
2.5" Front / 2.5" Rear	2	004252	Front Leaf Spring	98224900	FOX 2.0 Front Gas Shock (2 req'd)	1
Front Leaf Spring	2	004258	Rear Leaf Spring	98224900	FOX 2.0 Rear Gas Shock (2 req'd)	
Rear Leaf Spring	1	014253	Box Kit	Page 146	Steering Stabilizers	
Kit #400H 12JK137	2	85900	Front NX2 Shock			
	2	85900	Rear NX2 Shock			

1969-1971 JEEP CJ5, CJ6						
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDI	ED ACCESSORIES	NOTES
2.5" Front / 2.5" Rear	2	004252	Front Leaf Spring	98224900	FOX 2.0 Front Gas Shock (2 req'd)	1
Front Leaf Spring	2	004258	Rear Leaf Spring	98224900	FOX 2.0 Rear Gas Shock (2 req'd)	
Rear Leaf Spring	1	014252	Box Kit	Page 146	Steering Stabilizers	
Kit #401H 12JK137	2	85900	Front NX2 Shock	1.25	y	
	2	85900	Rear NX2 Shock			

1953-1968 JEEP CJ5, CJ6,	M38A1					
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDI	ED ACCESSORIES	NOTES
2.5" Front / 2.5" Rear	2	004252	Front Leaf Spring	98224900	FOX 2.0 Front Gas Shock (2 req'd)	1
Front Leaf Spring	2	004258	Rear Leaf Spring	98224900	FOX 2.0 Rear Gas Shock (2 req'd)	
Rear Leaf Spring	1	014251	Box Kit	Page 146	Steering Stabilizers	
Kit #402H 12JK137	2	85900	Front NX2 Shock	1.25		
	2	85900	Rear NX2 Shock			

1. #004252 and #004258 springs come with OE style bushings installed.



1974-1990 JEEP CHEROKEE & WAGONEER

- Glide-Ride leaf springs with anti-friction pads, bolt-style leaf alignment clamps and tapered leafs, to give a smooth ride through full wheel travel
- Box kit includes new front and rear u-bolts and brake line relocation brackets

1974-1990 J10, J20 G	RAND WA	GONEER, C	HEROKEE SJ FULL SIZE 4WD			
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEN	DED ACCESSORIES	NOTES
4" Front / 3" Rear Front Leaf Spring Rear 3" Block Kit Kit #403H 57JK896	2 1 2 2	004402 014401 85875 85920	Front Leaf Spring Front & Rear Box Kit Front NX2 Shock Rear NX2 Shock	Page 146 083402 119158 121009	Steering Stabilizers Pitman Arm (PS) Add-A-Leaf Kit Spring Eye Bolt Kit (1 required per axle)	1, 2 4, 5 6
4" Front / 4" Rear Front Leaf Spring Rear Leaf Spring Kit #404H 16JK9711	2 2 1 2 2	004402 004408 014402 85875 85920	Front Leaf Spring Rear Leaf Spring Front & Rear Box Kit Front NX2 Shock Rear NX2 Shock	Page 146 083402 121009	Steering Stabilizers Pitman Arm (PS) Spring Eye Bolt Kit (1 required per axle)	1, 2 3, 4 5, 6

- tes #083402 Pitman arm will increase turning radius (cannot turn as sharp).

 Not recommended for Wagoneers or Cherokees with front and / or rear track rods.
 1974-1975 models must have 131" wheelbase and 7200# GVWR or more for #004408 rear springs to fit.
 50me 1974 J20's with stock 401 come with a rear 15/16" spring eye stud.
 #004402 and #004408 come with 0E rubber bushings installed.
 Rear shock mount may need to be relocated.

1984-2001 JEEP CHEROKEE XJ 2WD/4WD 4.5" Long Arm Kit

6.5" Long Arm Kit

6.5" & 8.5" LONG ARM SYSTEM FEATURES

- Heavy-duty, high clearance belly pan for the ultimate in protection and support
- · No welding to the uni-body required
- · Extended length upper and lower control arms create a true long arm 4-link system
- Stainless steel Kevlar lined brake lines included
- BDS Ultimate Sway Bar Disconnects
- Rear 5" leaf springs with extended length shackles for some
- · Adjustable upper control arms with flex joints
- · Adjustable lower arms built to handle off road abuse
- · Extreme dropped pitman arm working with a relocated adjustable track bar for smooth controlled steering

4.5" LONG ARM SYSTEM FEATURES

- Heavy-duty, high clearance belly pan for the ultimate in protection and support
- No welding to the uni-body required
- Extended length upper and lower control arms create a true long arm 4-link system
- Stainless steel Kevlar lined brake lines included
- **BDS Ultimate Sway Bar Disconnects**
- Rear 5" leaf springs with extended length shackles for some
- Adjustable upper control arms with flex joints
- · Adjustable lower arms built to handle off road abuse
- Adjustable track bar for smooth controlled steering

3" SYSTEM FEATURES

- 3" Pro-Ride coil springs and rear Glide-Ride add-a-leaf or leaf springs
- · Transfer case lowering kit corrects driveline vibration
- Front sway bar links included

4.5" SYSTEM FEATURES

- Box kit includes heavy-duty adjustable upper and lower control arms
- Kevlar lined, DOT approved, stainless steel brake lines are included
- A front adjustable track bar is included to properly center the axle
 Ultimate sway bar disconnects are included to ensure on road stability while allowing for off-road capability
- The rear is lifted via BDS 3" Glide-Ride rear springs and a 1" rear shackle to assist with maximum articulation



LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMME	NDED ACCESSORIES	NOTES
. 75" Front/1" Rear Front Coil Spacer Rear Shackle Kit #484H 23 <i>JK023</i>	1 1 2 2	174101 124107 85960 85972	Front Coil Spacers Rear 1" Shackles Front NX2 Shock Rear NX2 Shock	98224979 98224972 85407 95407	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer	
1.75" Front/2" Rear Front Coil Spacer Rear Add-A-Leaf 8.25 Axle Kit #426H Dana Axle Kit #427H 04JK323	1 1 2 2 2	014205 014206 85979 85972	Front Spacer & Rear Add-a-Leaf Chrysler 8.25 or Front Spacer & Rear Add-a-Leaf Dana 35 Front NX2 Shock Rear NX2 Shock	98224017 55375 85429 98224012 124006	Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Transfer Case Lowering Kit - 1.75 & 2" Kits	2
2" Front/2" Rear Front Coil Spring Rear Add-A-Leaf 8.25 Axle Kit #428H Dana Axle Kit #429H 97JK324	1 1 4 4 2 2	034211 114202 4012 4005 85979 85972	Front Coil Springs Add-A-Leaf Kit U-bolt Kit - Chrysler 8.25 or U-bolt Kit - Dana 35 Front NX2 Shock Rear NX2 Shock	124306 2002 Page 158 124014 PSL900	Anti-Sway Bar Link Kit - 1.75 & 2" Kits JKS Quicker Disconnects Control Arm Options Lower Control Arm Skid Plates 4x4 Posi-Lok™ (page 132)	1 2
3" Front/2.5" Rear Front Coil Spring Rear Block Kit & Add-A-Leaf 8.25 Axle Kit #430H Dana Axle Kit #431H 92JK075	1 1 1 1 2 2	034301 014316 014317 124306 85965 85980	Front Coil Springs Box Kit - Chrysler 8.25 or Box Kit - Dana 35 Extended Sway Bar Links Front NX2 Shock Rear NX2 Shock	98224965 98224980 85407 95407 98224017	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Single FOX 2.0 Steering Stabilizer	1 2
3" Front/3" Rear Front Coil Spring Rear Leaf Spring 8.25 Axle Kit #432H Dana Axle Kit #433H 52JK799	1 2 1 1 4 4 2 2	034301 004209 014302 124306 4012 4005 85965 85980	Front Coil Springs Rear Leaf Spring Box Kit Extended Sway Bar Links U-bolt Kit - Chrysler 8.25 or U-bolt Kit - Dana 35 Front NX2 Shock Rear NX2 Shock	55375 85429 98224012 124327 124423 124451 2000 Page 158 104001 04008	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Front Fixed LCA (rubber - pair) Front Adjustable Track Bar Ultimate Sway Bar Disconnect Kit or JKS Quicker Disconnect Kit Control Arm Options Front Brake Lines Rear Brake Line	1 2 8

量

VEHICLE SPECS



#124656 - Optional Transfer Case Skid Plate. Will only work with NP231. Shown in gray, available in black only



1984-2001 JEEP CHEROKEE	XJ 2W	D & 4WD (C	ONTINUED)			
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEN	NDED ACCESSORIES	NOTES
4.5" Front/4" Rear Front Coil Spring Rear Leaf Spring 8.25 Axle Kit #434H Dana Axle Kit #435H 34JK5071	1 2 1 1 4 4 2 2	034452 004209 014444 124451 4012 4005 85965 85974	Front Coil Springs Rear Leaf Spring Box Kit Front Sway Bar Disconnect Kit U-bolt Kit - Chrysler 8.25 or U-bolt Kit - Dana 35 Front NX2 Shock Rear NX2 Shock	98224965 98224974 85407 95407 98224017 55375 85429 95429 98224012	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single 9500 Steering Stabilizer Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd)	1 3
				124451 2001 PSL920	BDS Ultimate Disconnects JKS Quicker Disconnect 4x4 Posi-Lok™ (page 132)	



	0.1.007	near box int empsier oras
2	85961	Front NX2 Shock
2	85920	Rear NX2 Shock
1	034852	Front Coil Springs
1	014841	Main Box Kit
1	014654	Belly Pan Box Kit
1	014655	Long Flex Arms
1	124652	Front Sway Bar Disconnect Kit
2	004509	Rear Leaf Spring
1	174001	87-96 Front Bump Stops or
1	174002	97-01 Front Bump Stops
1	014858	Rear Box Kit- Dana 35 or
1	014859	Rear Box Kit - Chrysler 8.25
2	85962	Front NX2 Shock
2	85974	Rear NX2 Shock
	1 1 1 1 1 2 1 1 1 1 1 2	2 85920 1 034852 1 014841 1 014654 1 014655 1 124652 2 004509 1 174001 1 174002 1 014858 1 014859 2 85962

* Base kit # includes options for 97-01 model with Chrysler 8.25 rear axle.

- Measure the rear u-bolts before ordering. Some XJ's are equipped with a Dana 44 rear axle.
- Transfer case lowering kit is not required for ZWD models. CV style rear driveshaft (not included) and slip yoke eliminator kit is required.
- System only works with 4.0L motor and automatic transmission
- Some welding required.
 96 and earlier models may require a longer emergency brake cable.
 124656 will only work with NP231
 Will produce tail-high stance by 1.5".

JEEP CHEROKEE XJ accessories

XJ LONGARM UPGRADE KIT



- Works with 4.5" 8.5" of lift
- Fully welded 3-piece subframe belly pan assembly
- Upper and lower adjustable control arms with forged flex ends and Clevite rubber bushings
- $\bullet \quad \text{Works on 87-01 models with 4.0L motor and automatic transmission only}$

#**981H**.....97JK949

QTY	PART#	DESCRIPTION
1	014655	Control Arm Box Kit
1	014654	Belly Pan Box Kit
	-	40

TRACK BARS

Track Bars

XJ FRONT ADJUSTABLE TRACK BAR

Heavy-duty adjustable track bar to allow for properly centering the axle.

#124423

For 2"-4.5" of Lift

#**124423**......48JK271

XJ FRONT ADJUSTABLE TRACK BAR

Must use with dropped pitman arm.

For 4.5"-6.5" of Lift

#**124602**.....56JK371

XJ FRONT ADJUSTABLE TRACK BAR

Must use with dropped pitman arm. Includes replacement frame mount bracket.

For 6.5"-9" of Lift

#**124611**.....17JK632



XJ STAINLESS STEEL BRAKE LINES

DOT approved, Kevlar lined, 26" heavy-duty brake line. For 3"-6.5" of Lift.

Front

#**104001**.....89JK01

Rear

#104008......07JK94



PROTECTION

TJ, XJ, ZJ LOWER CONTROL ARM SKID PLATES

Weld-on lower control arm skid plates made of 3/16" steel to strengthen and protect the front lower arm pockets

#**124014**.....82JK23

CONTROL ARMS

FRONT UPPER CONTROL ARMS

Fixed Length with Rubber Bushings

#**124441**......96JK421

Fixed Length

with Polyurethane Bushings
#124442......00JK531

Adjustable with Forged Flex Ends

XJ Rear Shackles

#124107.....

Heavy-duty greaseable 1" shackles

#**124341**......97JK622

FRONT LOWER CONTROL ARMS

Fixed Length

with Rubber Bushings

#124327......95JK451

Fixed Length

with Polyurethane Bushings

#**124427**......95JK451

Adjustable with Forged Flex Ends and Rubber Bushings

#**124340**.....32JK903

Adjustable with Forged Flex Ends and Polyurethane Bushings

#**124360**.....32JK903

DRIVE LINE ADJUSTMENT

XJ TRANSFER CASE LOWERING KIT

#124006.....94JK43

SHOCK CONVERSION

Shock Conversion

TJ SHOCK STEM ELIMINATOR

Allows use of eye-to-eye shock in stem-eye

"42 404 F

124013.....13JK82

BAR PIN ELIMINATOR - REAR

#124022......47JK63

BUMP STOP EXTENSIONS



#174001

#124015

EXTENDED LENGTH BUMP STOPS

Black urethane bump stops - pair

1987-96

#174001......34JK8

1997-01

#174002.....34JK82

SWAY BAR LINKS

XJ FRONT ULTIMATE SWAY BAR DISCONNECT

On road stability and off-road performance. Easy one handed operation.

For 3"-4.5" of Lift

#124451......08JK051

For 6.5" of Lift

XJ SOLID FRONT SWAY BAR LINK

For 2"-3" of Lift

#124306.....53JK18



2005-2010 JEEP Grand Cherokee WK 4WD



2" UPPER STRUT MOUNT FEATURES

- This kit comes with new front upper strut mounts that add a small amount of pre-load as well as relocate the strut. This maintains the smooth stock ride while offering a little extra for off road performance
- Rear upper coil mounts increase height while maintaining factory ride



2005-2010 JEEP GRAND CHEROKEE WK/ COMMANDER XK 4WD							
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDED ACCESSORIES	NOTES		
2" Front / 1.5" Rear Upper Strut Mount Rear Coil Mount Kit #449H 65JK442	1	014201	Complete Box Kit		1		

Notes
1. Strut compressor required for installation.





#448H - 4" Kit Shown w/ Optional FOX 2.0 Shocks

SYSTEM FEATURES

- Front & rear Pro-Ride coil springs
- · Front track bar bracket and pitman arm to correct steering angles and eliminate bump steer
- Front adjustable lower control arms to fine tune alignment
- Bump stop extensions
- Extended length rear sway bar links
- Rear upper tri-link spacer
- Transfer case drop kit for proper driveline angles

1999-2004 JEEP GRAND	CHEROKEE V	VJ				
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEND	DED ACCESSORIES	NOTES
2" Front / 2" Rear Front Coil Spring Rear Coil Spring Kit #447H 45JK934	1 1 2 2	034203 034207 85979 85970	Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	85409 95409 55366 85426 95426 124420 3100	Single NX2 Steering Stabilizer Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer Dual 9500 Steering Stabilizer Front Lower Adjustable Control Arms JKS Quicker Disconnects	1
4" Front / 3.5" Rear Front Coil Spring Rear Coil Spring Kit #448H 88JK1811	1 1 1 2 2	014404 034401 034359 85978 85971	Box Kit Front Coil Kit Rear Coil Kit Front NX2 Shock Rear NX2 Shock	98224978 98224971 85409 95409 55366 85426 95426 3104	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Front Gas Shock (2 req'd) Single NX2 Steering Stabilizer Single 9500 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) Dual 9500 Steering Stabilizer (2 req'd) or JKS Quicker Disconnects	2

- Vehicles equipped with V8 may not achieve stated lift height.
 Front drive line modification may be required.

DRIVE LINE ADJUSTMENT

WJ Transfer Case Drop

#124027......04JK94

SWAY BAR LINKS

WJ Rear Solid Sway Bar Links For 4" of Lift #124409..... ...54JK24

FRONT CONTROL ARMS

Fixed Upper - (For 2"-4" of Lift)

#**124441**......96JK421

Adjustable Upper - (For 2"-4" of Lift) #124341......97JK622

Adjustable Lower - (For 2"-4" of Lift) #124420.....83JK453

WJ ACCESSORIES

TRACK BAR COMPONENTS

WJ Front Track Bar **Relocation Bracket Kit**

For 4" of Lift

#124402..... ..45JK931



#124402 - Track Bar Relocation Bracket Kit

1993-1998 JEEP GRAND CHEROKEE ZJ



4.5" SYSTEM FEATURES

- Front and Rear adjustable upper control arms
- Front and Rear lower control arms
- Front adjustable track bar
- Rear track bar relocation system
- Front ultimate sway bar disconnects
- Rear sway bar links
- Front stainless Kevlar lined brake lines
- Bump stop extensions included

3" SYSTEM FEATURES

- 3" front / 2" rear Pro-Ride coils to level the stance
- Extended front sway bar links
- Front and rear track bar relocation brackets included to properly center the axle

LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMENDE	ED ACCESSORIES	NOTES
.75" Front/.75" Rear Front Coil Spacer Rear Coil Spacer Kit #443H 60JK652	1 2 2 2	024100 85979 85900	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	98224979 98224900 85401 98224017 55375 85429 95429 98224012 2002	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) JKS Quicker Disconnects	
1.75" Front/1.75" Rear Front Coil Spacer Rear Coil Spacer Kit #444H 77JK782	1 2 2	024202 85979 85950	Spring Spacer Kit Front NX2 Shock Rear NX2 Shock	98224979 98224950 85401 98224017	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	
2" Front/2" Rear Front Coil Spring Rear Coil Spring Kit #445H 60JK964	1 1 2 2	034211 034208 85979 85950	Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	55375 85429 95429 98224012 124306 2000	Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Extended Frt Sway Bar Links JKS Quicker Disconnect Kit	2
3" Front/2" Rear Front Coil Spring Rear Coil Spring Kit #446H 37JK985	1 1 1 2 2 2	034301 034208 124306 85965 85950	Front Coil Springs Rear Coil Springs Front Sway Bar Links Front NX2 Shock Rear NX2 Shock	98224965 98224950 85401 98224017 55375 85429 95429 98224012 124327	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) Front Fixed LCA (rubber - pair) Order (1) 124081 spacer kit with 124327 control arm kit for ZJ Front Adjustable Track Bar Front Sway Bar Disconnect Kit JKS Quicker Disconnect Kit	1 2
4.5" Front/4" Rear Front Coil Spring Rear Coil Spring Kit #450H 31JK1871	1 1 1 1 1 2 2	014462 124026 124451 034453 034409 85965 85920	Complete Box Kit Transfer Case Drop Kit Front Sway Bar Disconnect Kit Front Coil Springs Rear Coil Springs Front NX2 Shock Rear NX2 Shock	98224965 98224920 85401 98224017 55375 85429 95429 98224012 2001	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Dual Steering Stabilizer Mounting Kit Dual NX2 Steering Stabilizer (2 req'd) or Dual 9500 Steering Stabilizer (2 req'd) or Dual FOX 2.0 Steering Stabilizer (2 req'd) JKS Quicker Disconnect Kit	3 4

- 1. Measure front driveshaft, over 24-1/2" no modifications should be necessary, 20 to 24" you may need to change to spicer type joint if vibration occurs. If driveshaft is less than 20" then a spicer type joint is
- Medsure trant anvesnart, over 42-1/2 no moaincations should be necessary, 2 required and vibration may persist.
 Vehicles equipped with V8 may not achieve stated height.
 If you do not want to drop the transfer case, an aftermarket slip yoke eliminator and CV style rear drive shaft is required.
 If equipped with CV style drive shaft mount at front pinion, then a new spicer type joint is required to eliminate vibration.

JEEP GRAND CHEROKEE ZJ accessories

CONTROL ARMS

ZJ FRONT CONTROL ARMS

Upper Fixed Length with Rubber Bushings

#124441.....96JK421

Upper Fixed Length with Polyurethane Bushings

#124442......00JK531

Upper Adjustable with Forged Flex Ends

#**124341**......97JK622

Lower Fixed Length with Rubber Bushings

#124327*.....95JK451

Lower Fixed Length with Polyurethane Bushings

#124427*.....95JK451

Lower Adjustable with Forged Flex Ends

and Rubber Bushings

#**124340***.....32JK903

Lower Adjustable with Forged Flex Ends and Polyurethane Bushings

#**124360***.....32JK903

*requires 124081 spacer washer kit





ZJ REAR CONTROL ARMS

Upper Fixed Length with Rubber Bushings

#**124445**......13JK541

Upper Fixed Length with Polyurethane Bushings

#124446.....39JK561

Upper Adjustable with Forged Flex Ends

and Rubber Bushings

Upper Adjustable with Forged Flex Ends

and Polyurethane Bushings

#124447.....27JK752

Lower Fixed Length with Rubber Bushings

#**124469**......09JK461

Lower Fixed Length with Polyurethane Bushings

#124468......93JK181

Lower Adjustable with Forged Flex Ends and Rubber Bushings

#124240

#**124340**.....32JK903

Lower Adjustable with Forged Flex Ends and Polyurethane Bushings

#124360 32/K903



TRACK BAR COMPONENTS

XJ or ZJ Front Adjustable Track Bar

Heavy-duty adjustable track bar to allow for properly centering the axle.

For 2"-4.5" of Lift

#**124423**......48JK271

XJ or ZJ Front Adjustable Track Bar

Must use with dropped pitman arm.

For 4.5"-6.5" of Lift

#**124602**.....56JK371

XJ or ZJ Front Adjustable Track Bar

Must use with dropped pitman arm. Includes replacement frame mount bracket.

For 6"-9" of Lift

#124611.....17JK632

Rear Track Bar Bracket

For 2"-3" of Lift

#**124209**......04JK3

SWAY BAR LINKS

ZJ OR XJ FRONT ULTIMATE SWAY BAR DISCONNECT

On road stability and off-road performance. Easy one handed operation.

For 3"-4.5" of Lift

#**124451**......08JK051

For 6.5" of Lift

#**124652**......08JK051

ZJ or XJ Solid Front Sway Bar Link

For 2"-3" of Lift

#**124306**......53JK18





#124423

SHOCK CONVERSION

SHOCK STEM ELIMINATOR

Allows use of eye-to-eye shock in stem-eye location

#124015 131K82

Bar Pin Eliminator #124022......47JK63



#124015

PROTECTION

TJ, XJ, ZJ LOWER CONTROL ARM SKID PLATES

Weld-on lower control arm skid plates made of 3/16" steel to strengthen and protect the front lower arm pockets

#124014.....82JK2.



BRAKE LINES

ZJ OR XJ STAINLESS STEEL FRONT BRAKE LINES

DOT approved, Kevlar lined, 26" heavy-duty brake line.

For 3"-6.5" of Lift.

#**104001**.....89JK011

BUMP STOP EXTENSION

EXTENDED LENGTH BUMP STOPS

Front Bump Stops - Black #174001......34JK82

Rear Bump Stops - Black - 3"
#172501......20JK75



#174001

2002-2007 JEEP LIBERTY KJ



- Front strut extensions included to increase wheel travel and maintain ride quality
- Front and rear Pro-Ride coil springs
- Rear shock included with CAV technology
- Front box/coil kit includes: Pro-Ride front coil springs and strut relocation brackets to maintain full wheel travel





1986-1992 JEEP COMANCHE MJ

3" SYSTEM FEATURES: • 3" Pro-Ride coil springs and rear add-a-leafs • Transfer case lowering kit corrects driveline vibration

1986-1992 JEEP COMANO	HE TR	UCK MJ 2	WD/4WD			
LIFT & METHOD	QTY	PART#	DESCRIPTION	RECOMMEN	DED ACCESSORIES	NOTES
.75" Front / 1" Rear Front Coil Spacer Rear Shackle Kit #484H 23JK023	1 1 2 2	174101 124107 85960 85972	Front Coil Spacers Rear 1" Shackles Front NX2 Shock Rear NX2 Shock	85401 98224017	Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer	
1.75" Front / 2" Rear Front Coil Spacer Rear Add-A-Leaf 8.25 Axle Kit #436H Dana Axle Kit #437H 36JK493	1 1 4 4 2 2	024201 114202 4012 4005 85960 85920	Front Spacer Kit Rear Add-A-Leaf Kit U-bolt kit—Chrysler type 8-1/4 rear axle or U-bolt kit—Dana 35 rear axle Front NX2 Shock Rear NX2 Shock (MJ)	85401 98224017 124006 PSL900	Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Transfer Case Lowering Kit 4x4 Posi-Lok™ (page 132)	2
2" Front / 2" Rear Front Coil Spring Rear Add-A-Leaf 8.25 Axle Kit #438H Dana Axle Kit #439H 97JK324	1 1 4 4 2 2	034211 114202 4012 4005 85960 85920	Front Coil Springs Add-A-Leaf Kit U-bolt kit—Chrysler type 8-1/4 rear axle or U-bolt kit—Dana 35 rear axle Front NX2 Shocks Rear NX2 Shocks (MJ)			1 2
3" Front / 2.5" Rear Front Coil Spring Rear Block Kit & Add-A-Leaf 8.25 Axle Kit #440H Dana Axle Kit #441H 69/K875	1 1 1 1 4 4 2 2	034301 114202 124006 124306 4012 4005 85965 85920	Front Coil Springs Rear Add-A-Leaf Kit (MJ) Transfer Case Drop Kit Extended Anti-Sway Bar Links U-bolt kit—Chrysler type 8-1/4 rear axle or U-bolt kit—Dana 35 rear axle Front NX2 Shock Rear NX2 Shock (MJ)	98224965 98224920 85401 98224017 124327 124423 PSL900	FOX 2.0 Front Gas Shock (2 req'd) FOX 2.0 Rear Gas Shock (2 req'd) Single NX2 Steering Stabilizer or Single FOX 2.0 Steering Stabilizer Rubber Bushing Fixed Lower Control Arm (Pair) Front Adjustable Track Bar 4x4 Posi-Lok™ (page 132)	1 2

^{1.} Measure the rear u-bolts before ordering. Some MJ's are equipped with a Dana 44 rear axle. 2. Transfer case lowering kit is not required for 2WD models.