

WELCOME	/ 1
PRODUCT INDEX	2-7
NEW PRODUCTS FOR 2020	8-22
OIL PANS & ACCESSORIES	23-113
OIL PUMPS	114-137
OILING SYSTEMS	138-156
VACUUM PUMPS & ACCESSORIES	157-164
MOUNTING BRACKETS	165-169
OIL PUMP & VACUUM PUMP DRIVE KITS & PULLEYS	170-179
AIR-OIL SEPARATORS	180-184
TANKS & COVERS	185-206
TRANSMISSION PANS & ACCESSORIES	207-211
CHEMICALS	212-213
FASTENERS	214-226
BRAKE & WHEEL EQUIPMENT	227-230
TRICK SPRINGS	231-232
TOOLS	233-247
MOTOR & TRANSMISSION MOUNTS	248-251
COOLING SYSTEM	252-264
FUEL SYSTEM EQUIPMENT	265-279
AIR CLEANERS & ACCESSORIES	280-284
EXHAUST SYSTEM	285-286
VALVETRAIN EQUIPMENT	287
VALVE COVERS	288-318
IGNITION WIRE	319-341
IGNITION SYSTEMS	342-356
ELETRICAL SYSTEMS	357-369
REAR AXLE EQUIPMENT	370-371
SHEETMETAL & BODY	372
STEERING	373
TIRES	374-376
APPAREL	377-378
COMPETITION ENGINEERING	379-453
REPLACEMENT PARTS	454
NUMERICAL PRODUCT INDEX	455-464



Table of contents for Competition Engineering can be found on the reverse side of the tabbed section divider.

hank you to the loyal Moroso and Competition Engineering customers that have been using our products for years, to the newcomers that are just picking up our catalog for the first time and are reading this. Rest assured that Dick Moroso's spirit lives on today in every product that we produce and we wouldn't have it any other way.

President & Owner Rick Maraso


MOROSO



Rick Moroso

<i>Oil Pans</i>	Pages 8-10
Oil Pump Pickups	Page 11
External Dry Sump Oil Pumps	Pages 12-15
Mounts and Fittings	Pages 16-17
Tanks and Covers	Pages 17-18
Hardware, Misc.	Pages 18-19
Water Pump Gaskets	Page 20
Thermostat Spacer, Gasket	Page 21
Fuel Pump Gaskets	Page 21
Valve Covers	Page 22
Ultra 40 Wire	Page 22
Crank Trigger	Page 22

Rick





2

NEW PRODUCTS

NEW PRODUCTS SECTION

A

A & B EPOXY	212
ABS PUMP COVER	195
ACCESS DOOR	372
ACCUMULATORS	143-144
ACCUMULATOR ADAPTERS, MOUNTS AND VALVES	138-146
ADAPTER KITS, WATER PUMP	253-254
ADAPTER, LEAK TESTER	236
ADAPTER REAR SEAL	109
ADAPTER, GM LS VALVE COVERS	315
ADVANCE CURVE KITS	344
AIR BLEED VALVE	257
AIR CLEANERS AND ACCESSORIES	280-284
AIR CLEANER BASE GASKET	283
AIR PAN KITS, CARBURETOR	284
AIR OIL SEPARATORS	180-184, 190
AIR OIL SEPARATOR REPLACEMENT PARTS	180-184
ALL WEATHER SEAL	213
ALLEN HEAD PLUG KITS	214
ALTERNATOR DRIVE KITS, ALTERNATOR AND WATER	165-169
PUMP, MOUNTING KITS	
ALTERNATOR MOUNTING BRACKETS	165-169
ALTERNATOR AND VACUUM PUMP MOUNTING	165-169
BRACKETS	
ALTERNATOR PULLEYS	174, 176
ALTERNATOR SHUTDOWN RELAY KIT	362
AN FITTINGS	155-156
ALUMINUM FUEL LINE	275
ANTI-ROLL KITS	227
APPAREL	377-378
ASSEMBLY LUBE	212
AUTO TRANSMISSION EXPANSION TANKS	191
AUTO TRANSMISSION OIL COOLERS	211

B


		CARBURETOR JET TOOL
BAFFLES, LIFTER VALLEY	152	CARBURETOR LINKAGE BUSHIN
BAFFLES, MAIN CAP	110	CARBURETOR NEEDLE & SEATS
BALANCER BOLT KITS	220	CARBURETOR POWER VALVES
BALANCER INSTALLATION TOOLS	233	CARBURETOR SAFETY PLATE
BALL VALVE	180, 182, 187-195	CARBURETOR SIGHT PLUGS
BALLAST RESISTOR	347	CARBURETOR SPACERS
BAND CLAMP TIGHTENING TOOL	286	CARBURETOR STUD KITS
BATTERY BOX	357	CARBURETOR TOP TOOL TRAYS
BATTERY CHARGERS	357	CARBURETOR WASHER KIT
BATTERY EQUIPMENT	357-364	CARBURETOR WEDGE PLATE
BATTERY QUICK DISCONNECT	358-364	CARBURETOR WORK STANDS
BELLHOUSING DOWEL PINS	215	CATCH/OVERFLOW RECOVERY
BELLHOUSING PIN/SLEEVE KITS	215	CERAMIC ENGINE SEAL
BELT GUIDES	173	CHECK VALVE, ACCUMULATOR
BELTS GILMER	179	CHARGER, BATTERY
BELTS RADIUS	179	CHEMICALS
BILLET OIL PUMPS	114-115	CHROME HOOD PINS
BLOCK FILLER, ENGINE	213	CHROME OIL FILTERS
BLOCK OFF PLATE, OIL PUMP	138	CHROME PIPE PLUGS
		CLEANING BRUSHES, ENGINE

PRODUCT INDEX

8-22

B (CON'T)

BLUEPRINTED OIL PUMPS	120
BLUE MAX IGNITION WIRE	325-333
BOLT, BALANCER	220
BOLT WASHERS, CYLINDER HEAD	214
BOLTS, FLYWHEEL & FLEXPLATE	220
BOLTS, HEADER	219
BOLTS, INTAKE MANIFOLD	219
BOLTS, OIL PAN	217-220
BOLTS, TIMING COVER	219
BOOT SLEEVES, HIGH TEMPERATURE	338
BRACKETS, MOUNTING	165-169
BRACKETS, TANK	186-191
BRACKETS, VACUUM PUMP	164
BRAKE RESERVIOR COVERS	195-202
BRAKE/WHEEL EQUIPMENT	227-230
BREATHER KITS	314-318
BREATHER TANKS	17, 187-190
BREATHERS, POSITIVE LOCKING	313
BREATHERS, VALVE COVERS	295, 314-318
BULLET NOSE OIL PAN STUD KIT	218
BUNGS, WELD-ON	156
BUNGS, OXYGEN SENSOR	285
BUSHING, CARBURETOR LINKAGE	268
C	
CALCULATOR, POWER SPEED	241
CAM STOP BUTTONS	226
CAMSHAFT BETAINER & BOITS	226



C (CON'T)

CLEVIS ENDS	227
CLIMBING GEAR LUBE	212
COIL MOUNT BRACKET KIT	294, 348
COIL SHIELD COVER	202
COIL SPRINGS	231-232
COIL WIRE KITS	324, 335
COIL-OVER SHOCK ADJUSTING TOOL	243
COILS	349-353
COOLANT, SENSOR	196
COOLING SYSTEM EQUIPMENT	20-21, 252-264
COOLING SYSTEM EXPANSION TANKS	193-201
COVERS, FUSE BOX & BRAKE RESERVOIR	198-206
CRANK TRIGGER KITS & COMPONENTS	22, 354-355
CRANKCASE EVACUATION SYSTEM	151
CRANKSHAFT PULLEYS	173-178
CRANKSHAFT PULLEY SHIM KIT	173
CRANKSHAFT PULLEY WRENCH, HONDA/ACURA	234
CRANKSHAFT SOCKET TOOLS	234
CRANKSHAFT WIPERS	109
CUSTOM OIL PAN/ORDER FORM	105
CYLINDER HEAD DOWELS, OFFSET	214
CYLINDER HEAD WORK STAND	236
CYLINDER LEAK DOWN TESTER	236
CYLINDER LEAKAGE TESTERS	236

D

DANA 60 PARTS	370
DECK PLUG KIT	214
DEGREE WHEELS	234
DIAL INDICATOR STANDS	236
DIFFERENTIALS & REAR AXLE ACCESSORIES	370-371
DIPSTICK KIT, TRANSMISSION	210
DIPSTICK KITS, UNIVERSAL	106-107
DISCONNECT POWER SWITCHES	361-364
DISTRIBUTOR EQUIPMENT	342-347
DISTRIBUTORS	342-343
DISTRIBUTORS, ROTOR	345
DOWEL PINS, BELLHOUSING	215
DRAG RACE FRONT TIRES	374
DRAIN PLUGS	107-108
DRIVE KIT, SPACER RING	171, 356
DRIVE KIT, WATER PUMP	255
DRIVE KITS, ALTERNATOR	167
DRIVE KITS, DRY SUMP/EXTERNAL PUMP	170-172
DRIVE KITS, VACUUM PUMP/EXTERNAL OIL PUMP	170-172
DRIVE MANDREL SPACER KITS	172-173, 356
DRIVE MANDRELS, OIL PUMPS & VACUUM PUMPS	17, 171-173
DRIVESHAFT LOOPS	250
DRY SUMP BELTS	179
DRY SUMP DRIVE KITS	170-172
DRY SUMP PRIMER	136
DRY SUMP PULLEYS	170-179
DRY SUMP PUMP FITTINGS	132-136
DRY SUMP PUMPS	12-15, 126-136
DRY SUMP TANKS & ACCESSORIES	12-15, 185-187
DRY SUMP TANK MOUNTS	16, 186-187
DS2 DRAG TIRES	374
DUROMETER, DIGITAL WITH CASE	244
DUST SHIELD	49

E

EFI FUEL RETURN LINE KIT	277
ELECTRIC WATER PUMPS/DRIVE KITS	255
ELECTRICAL SYSTEM EQUIPMENT	357-369
ENGINE BLOCK FILLER	213
ENGINE CLEANING BRUSHES	235
ENGINE LIFT PLATES	237
ENGINE MAGNET KIT	151
ENGINE MOUNTS	248-251
ENGINE SAVER FILTER	150
ENGINE SEALERS	213
ENGINE STORAGE BAGS	235
ENGINE STORAGE PLATES	237
ENGINE TOOLS	233-241
EPOXY	212
EQUALIZING PLATES	163
EXHAUST SYSTEM EQUIPMENT	285-286
EXPANSION TANKS, COOLING SYSTEM	193-206
EXPANSION TANKS, TRANSMISSION	191
EXTERNAL OIL PUMPS	12-15, 127-129
EXTERNAL OIL PUMP ADAPTERS	138-139

F

FASTENERS	18, 214-226
FENDER COVER	239
FILLER CAP KITS	317, 371
FILLER NECKS	259-260
FILTERS, AIR CLEANER & ACCESSORIES	280-284
FILTERS, OIL	147-149
FILTERED FITTINGS	150, 156
FILTERS, FUEL	276
FIREWALL GROMMETS	220
FITTING, NON-WELD	316
FITTING KITS, -12AN, GM LS O.E.M. VALVE COVERS	316
FITTINGS, -AN	16, 155-156
FITTINGS, -AN PORT PLUGS	154
FITTINGS, -AN SPECIAL	155
FITTINGS, 1/2" NPT MALE TO 5/8" BARBED HOSE	17, 188
FITTINGS, -16AN, VACUUM	155, 162
FITTINGS, DRY SUMP OILING SYSTEM	154-156
FITTINGS, FILTERED	150-156
FITTINGS, FUEL LINE & FUEL GAUGE	275-275
FITTINGS, OXYGEN SENSOR	285
FITTING, POSITIVE SEAL 1/8" NPT	162
FITTINGS, POSITIVE SEAL VENTED -12AN, -16AN	16, 162
FITTINGS, TEMPERATURE GAUGE	257
FITTINGS, WELD-ON -AN BUNGS	156
FITTINGS, WELD-ON NPT BUNGS	156
FLAT BOTTOM AIR CLEANERS	281
FLOOR PAN BRACE	372
FLYWHEEL/FLEX PLATE BOLTS	220
FRONT TIRES	374
FUEL BLOCK KITS	276
FUEL FILTERS	276
FUEL INLET FITTINGS	275
FUEL HOSE FITTINGS	275
FUEL LINE	275
FUEL LINE FITTINGS	276
FUEL LOG	276

F (CON'T)

I (CON'T)

PRODUCT INDEX

$F(CON^2I)$		$I(CON^2I)$	
FUEL PRESSURE GAUGE	276	IGNITION SYSTEM EQUIPMENT	342-356
FUEL PRESSURE GAUGE/FITTINGS	275-277	IGNITION WIRE	22, 319-341
FUEL PUMP BLOCK-OFF PLATES	278	IGNITION WIRE ACCESSORIES	336-341
FUEL PUMP PUSH RODS	279	IGNITION WIRE BLUE MAX	325-333
FUEL PUMP SPRING	279	IGNITION WIRE BOOT SLEEVE	338
FUEL RETURN LINE KIT	277	IGNITION WIRE HONDA	333
FUEL SYSTEM EQUIPMENT	20-21, 265-279	IGNITION WIRE SEPARATORS	339-341
FUSE BOX COVERS	202-206	IGNITION WIRE SLEEVE	338
	202 200	IGNITION WIRE, SOLID CORE	334-335
•		IGNITION WIRE, SPIRAL CORE	325-333
G		IGNITION WIRE STRIPING TOOL	
			242, 337
GASKET, AIR CLEANER BASE	283	IGNITION WIRE TOOLS	242, 337
GASKETS, CARBURETOR	279	IGNITION WIRE, ULTRA 40	22, 321-324
GASKETS, FUEL PUMP	21, 278	IN-LINE FUEL FILTERS	276
GASKETS FOR HOLLEY® CARBURETOR	274, 279	IN-LINE SCREENED OIL FILTER	150
GASKETS, OIL PAN	106	INSULATING HEADER WRAP	286
GASKETS, SBC & BBC THERMOSTAT/WATERNECK	21, 263	INTAKE MANIFOLD BOLT KITS	219
GASKET, TRANSMISSION PAN	209	INTAKE SPACERS	279
GASKETS, VALVE COVER	307	INTERCOOLER TANKS	203-206
GASKETS, WATER PUMPS	20, 256-257		
GAUGE, FUEL PRESSURE	277	J	
GAUGE, OIL PRESSURE	151, 160, 277		
GAUGE, TEMPERATURE FITTING	257	JET EXTENSIONS, HOLLEY®	271
GAUGE, VACUUM	160, 277	JET INSTALLATION TOOL FOR HOLLEY®	240
GAUGES, TIRE	245-246, 375	JET TOOL	240
GEAR LUBE, CLIMBING	212		
GILMER DRIVE BELTS	179	L	
GM LS, OIL PUMP FLANGE REINFORCEMENT	49	-	
GROMMETS, FIREWALL	220		
GROMMETS PCV /BAFFLES	311		236
	511	LEAKDOWN TESTERS	236
		LIFTER VALLEY VENTS	152
н		LIFTER VALLEY OIL BAFFLES	152
		LIFTER VALLEY PLATE, GM LS	152
HARMONIC BALANCER TOOLS	233	LIGHTED TIRE PRESSURE GAUGES	245, 375
HEADER BOLTS	219	Line Kit, vacuum pump	163
HEADER FLANGE KIT	286	LINE LOCKS	227
HEADER WRAP	286	LOUVERED WINDAGE TRAYS	15, 110-113
HEAT BARRIER BLANKET	286	LOW OIL PRESSURE WARNING LIGHT	151
HEAT SHIELD STARTER	366	LOW-PROFILE AIR CLEANERS	280
HEATING PAD, OIL PREHEATERS	154	LS GM COIL MOUNTS	294, 348
HEI IGNITION KIT	343	LUG NUTS	228-229
HEI MODULE REPLACEMENT	342, 344		
HIGH-PRESSURE OIL PUMP RELIEF SPRING	111, 153	М	
HOLLEY® ACCELERATOR PUMP EQUIPMENT	272-273		
HOLLEY® NEEDLE AND SEATS	274	MAGNETIC KIT, ENGINE	151
HOLLEY® POWER VALVES	274	MAIN CAP BAFFLES	110
HOLLEY® TUNING & SERVICE PARTS	271-274	MAIN CAP GIRDLE	112
HOLLEY® VACUUM SECONDARY KITS	273	MANIFOLD FILLER NECK KIT	260-261
HOOD PINS	221-222	MOLY PASTETM	212
HOOD SCOOP PLUG	372	MOMENTARY SWITCH	365-366
HOSE ADAPTERS, ELECTRIC WATER PUMPS	253	MOTOR & TRANSMISSION MOUNTS	248-251
HOW A MOROSO OIL PAN IS MANUFACTURED	23	MOUNTING BRACKETS	165-169
HOW MOROSO IGNITION WIRE IS MANUFACTURED	319-320	MOUNTING BRACKET REMOTE THERMOSTAT HOUSING	264
HOW MOROSO ACCUMULATORS WORK	143-144		
		MOUNTING BRACKETS, ALTERNATOR	165-169
		MOUNTING BRACKET, DRY SUMP TANKS	186-187
•		MOUNTING BRACKETS, POWER STEERING	192
	047.050	MOUNTING BRACKETS, UNIVERSAL TANK	191

347-353

343

344

167

285

IGNITION COILS IGNITION KIT, SUPER HEI **IGNITION MODULE**

0

OFFSET AIR CLEANERS	281
OFFSET CYLINDER HEAD DOWELS	214
OFFSET VACUUM PUMP PULLEY	178
	180-184
OIL ACCUMULATORS	143-145
OIL ACCUMULATORS ADAPTERS, MOUNTS AND VALVES	
	152
OIL BYPASS ELIMINATOR, CHEVY OIL CONTROL KITS	138 110
	211
OIL COOLERS, AUTOMATIC TRANSMISSION	146
OIL CHECK VALVE, ONE WAY OIL DEFLECTOR KIT	
	153, 287 317
OIL FILLER CAP	317
	138-140
OIL FILTER BYPASSES & BLOCK-OFFS	138-139
OIL FILTER MOUNTS, REMOTE	141-142
OIL FILTERS, IN-LINE	150
OIL FILTERS, SPIN-ON	147-149
OIL PAN ACCESSORIES	106-113
OIL PAN ACCESS PLUG	108
OIL PAN BAFFLE KITS	110-113
OIL PAN DRAIN PLUG	107-108
OIL PAN GASKETS	106-113
OIL PAN INSPECTION PLUG	108
OIL PAN STUD & BOLT KITS	217-219
OIL PAN T-HANDLE WRENCHES	235
OIL PANS	8-10, 23-104
OIL PANS, CHEVY BIG BLOCK	52-65
OIL PANS, DONOVAN, DRC2, MERLIN	9,65-66
OIL PANS, CHEVY SMALL BLOCK	8, 25-36
OIL PANS, SBC DART/ROCKET	37-38
OIL PANS, GM LS NEXT	50
OIL PANS, GM LS SERIES	8-9, 39-49
OIL PANS, GM LT SERIES	51
OIL PANS, CHRYSLER/JEEP	10, 67-72
OIL PANS, CUSTOM	104-105
OIL PANS, FORD 4.6, 5.0, 5.4	82-83
OIL PANS, FORD 5.0 "COYOTE"	10, 84-86
OIL PANS, FORD SMALL BLOCK	73-83
OIL PANS, FORD BIG BLOCK	87-91
OIL PANS, FORD POWERSTROKE	91
OIL PANS, GEN V/GEN VI	62-65
OIL PANS, HONDA/ACURA	9, 94-96
OIL PANS, INTERNATIONAL	92
OIL PANS, LOTUS	103
OIL PANS, MAZDA	97
OIL PANS, MITSUBISHI	98
OIL PANS, NISSAN	99
OIL PANS, OLDSMOBILE	92
OIL PANS, PONTIAC	93 100
OIL PANS, SUBARU	100 101-102
OIL PANS, TOYOTA	101-103 154
OIL PREHEATERS	154
OIL PRESSURE GAUGE	151, 160, 277
OIL PRESSURE WARNING LIGHT OIL PRIMER TOOL	151 227
OIL PRIMER TOOL OIL PUMP BLOCK-OFF PLATE	237 138
OIL PUMP BLOCK-OFF PLATE	138
	1/0-1/2

O (CON'T)

OIL PUMP DRIVE SHAFTS	125
OIL PUMP PICKUPS	11, 116-124
OIL PUMP PICKUPS, GM LS FRONT SUMP	45-46
OIL PUMP & PICKUP PACKAGE	114-117
OIL PUMP & VACUUM PUMP DRIVE KITS & PULLE	YS 170-179
OIL PUMP PRIMERS	136, 237
OIL PUMP RELIEF SPRING	111
OIL PUMP SHAFTS	125
OIL PUMP STUD KITS	215
OIL PUMPS	114-137
OIL PUMPS, BILLET WET SUMP	114-115
OIL PUMPS, STEEL	119-120
OIL PUMPS, DRY SUMP	12-15, 127-136
OIL PUMPS, EXTERNAL	12-15, 127-134
OIL PUMPS, EXTERNAL P/U KITS	124
OIL RESTRICTOR KITS	153
OIL RETURN SCREEN KITS	150
OIL SCREEN PRE-FILTER	150
OIL SEPARATOR/BREATHERS	312-314
OILING SYSTEM EQUIPMENT	16, 138-156
OVERFLOW TANK, RADIATOR	192-206
OXYGEN SENSOR FITTINGS	285
OXYGEN SENSOR FITTING PLUG	285

P

PANEL SWITCH	367-369
PCV GROMMETS/BAFFLES	311-312
PILOT BEARING, ROLLER	210
PINION WRENCHES	243
PIPE PLUGS, ALUMINUM	214
PIPE PLUGS, CHROME PLATED	214
PISTON INSTALLATION TOOLS	235
PIT SOCKET	230, 244
PLUG, 02 SENSOR	285
PLUG KITS, ALLEN HEAD	214
PLUG, 22MM	108
POWER CHARGER, BATTERY	357
POWER STEERING PULLEY	175
POWER STEERING PUMP MOUNTING BRACKETS	169
POWER STEERING TANKS	192, 204
POWER-SPEED CALCULATOR	241
POWER VALVE TESTER	239
PRESSURE REGULATING FUEL LOG	276
PROCOILS	347-353
PULLEY WRENCH, HONDA/ACURA CRANKSHAFT	234
PULLEYS	173-178
PULLEYS, ALTERNATOR ROUND TOOTH	179
PULLEYS, DRY SUMP	170-178
PULLEY SHIM KITS	173
PULLEYS, VACUUM PUMP & DRIVE	173-179
PULLEYS, WATER PUMP & CRANKSHAFT	170-179

Q

QUICK DISCONNECT, BATTERY	360-364
QUICK FASTENERS/ACCESSORIES	222-224
QUICK FASTENER SINKING TOOL	243
QUICK FASTENER TRANSFER STUD PUNCH KITS	225
QUICK FASTENER WRENCHES	225

Q (CON'T)

QUICK RELEASE PINS

R

RACE WRITE	213
Racing oil filters	147-149
RADIATOR CAP COVERS	198
RADIATOR CAPS	258
RADIATOR HOSE DRAIN/FILLERS	258
RADIATOR OVERFLOW TANKS	192-206
RADIATOR RECOVERY TANKS	192-206
RADIUS TOOTH BELTS	179
RADIUS TOOTH, DRY SUMP & DRIVE PULLEYS	178
REAR AXLE EQUIPMENT	370-371
REAR END & WATER FILL CAP KITS	317
REAR END COVERS	370
REAR SEAL ADAPTERS	109
REMOTE COIL MOUNTING BRACKET	294, 348
REMOTE FILTER MOUNTS	141-143
REMOTE OIL FILTER ADAPTERS & MOUNTS	141-143
REMOTE THERMOSTAT HOUSING	264
REMOVABLE COIL MOUNTING BRACKET	294, 348
REPLACEMENT PARTS	454
RIM SCREWS	230
ROCKER SWITCH PANELS	368-369
ROLL BAR PADDING	247
ROLLER PILOT BEARING	210
ROTORS, IGNITION	342-345

S

SAFETY WIRE	247
SCREEN KIT, FILTER	150
SCREEN KIT, OIL RETURN GALLEY	150
SCREEN WINDAGE TRAYS	110-113
SEALED BATTERY BOX	357
SEALERS	212-213
SELF-EJECTING FASTENERS	223
SENSOR, COOLANT	196
SEPARATORS, AIR-OIL	180-184, 190
SHOCK ADJUSTING TOOL	243
SHEETMETAL & BODY	372
SHIM KIT PULLEY	173
SIGHT PLUG FOR HOLLEY®	271
SLEEVES, BOOT	338
SLIP LINK, 1:1	272
SOLENOID PRESSURE VALVE, ACCUMULATOR	146
SPACER PLATES, INTAKE MANIFOLD	279
SPARK PLUG HOLE AIR HOSE KIT	241
SPARK PLUG INDEXER	241
SPARK PLUG INDEXING WASHERS	345
SPARK PLUG INSULATORS	324
SPARK PLUG MARKERS	336
SPARK PLUG RACK	265
SPARK PLUG WIRE BOOT KITS	324, 336
SPARK PLUG WIRE, IMPORT SETS	333
SPARK PLUG WIRE INSULATED SLEEVE	338
SPARK PLUG WIRE LOOM & SEPARATOR KITS	339-341
SPARK PLUG WIRE SHRINK SLEEVES	338
SPARK PLUG WIRE, SOLID CORE	334-335

PRODUCT INDEX	

226

S (CON'T)	
SPARK PLUG WIRE, SPIRAL CORE	324-333
SPARK PLUG WIRE, ULTRA 40	22, 321-324
SPIN-ON, OIL FILTERS	147-149
SPIRAL FLOW RACING MUFFLER	285
SPOILER, UNIVERSAL REAR	372
SPRING OILER	293
SPRINGS, FASTENER	222-223
SPRINGS, FRONT	231
SPRINGS, REAR	232
SPRINT CAR FRONT DRIVE	137
SQUIRTER SCREW, HOLLEY® HIGH FLOW	272
STARTER HEAT SHIELD	366
STARTER QUICK DISCONNECT STEERING EQUIPMENT	364
STEERING U-JOINTS	373 373
STEERING WHEEL HUB, QUICK RELEASE	373
STUD GIRDLES AND ACCESSORIES, VALVETRAIN	287
STUD KITS, OIL PANS	216-217
SUPER HEI IGNITION KIT	343
SUPERCHARGER TANKS	197-201
SWITCH COVERS	366
SWITCH PANELS	367-369
SWITCH, THERMOSTATIC	258
SWITCHES	367-369
T	
T-HANDLE WRENCHES. OIL PAN	235
T-HANDLE WRENCHES, OIL PAN T-PINS	235 226
-	
T-PINS	226
T-PINS TANK MOUNTING BRACKETS	226 186-187, 191
T-PINS TANK MOUNTING BRACKETS TANKS	226 186-187, 191 21, 185-206
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS	226 186-187, 191 21, 185-206 180-184
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION	226 186-187, 191 21, 185-206 180-184 187-191
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DRY SUMP	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING THERMOSTAT HOUSING BRACKET	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING THERMOSTAT HOUSING BRACKET THERMOSTATIC SWITCH	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, DRY SUMP TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING THERMOSTAT HOUSING BRACKET THERMOSTATIC SWITCH THROTTLE CABLE MOUNTING KITS	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, COOLANT TANKS, COOLANT T	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT TANKS, COOL	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION TANKS, POWER STEETING TANKS, POWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING THERMOSTATI OUSING BRACKET THERMOSTATIC SWITCH THROTTLE CABLE MOUNTING KITS THROTTLE RETURN SPRINGS & KITS	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT TANKS,	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 268 247
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT THE TANKS, COOLANT THE TANKS, COOLANT THE THE THE THE THE THE THE THE THE TH	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 247 219
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION THERMOSTAT HOUSING BRACKET THERMOSTAT HOUSING BRACKET THERMOSTATIC SWITCH THROTTLE CABLE MOUNTING KITS THROTTLE RETURN SPRINGS & KITS THROTTLE STOPS TIE DOWNS TIMING COVER BOLTS TIMING COVERS	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 247 219 137
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DWER STEETING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING TAPE, SELF-VULCANIZING, BLACK TEMPERATURE GAUGE FITTING THERMOSTAT HOUSING BRACKET THERMOSTAT HOUSING BRACKET THERMOSTATIC SWITCH THROTTLE CABLE MOUNTING KITS THROTTLE RETURN SPRINGS & KITS THROTTLE STOPS TIE DOWNS TIMING COVER BOLTS TIMING COVERS TIMING POINTERS	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 247 219 137 356
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, DOWER STEETING THERMOSTAT HOUSING BRACKET THERMOSTAT HOUSING BRACKET THERMOSTATIC SWITCH THROTTLE CABLE MOUNTING KITS THROTTLE RETURN SPRINGS & KITS THROTTLE STOPS TIE DOWNS TIMING COVER BOLTS TIMING COVERS TIMING POINTERS TIMING POINTERS TIRE COVERS	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 265-266 268 247 219 137 356 376
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION THERMOSTATIC GAUGE & KITS TIMING COVERS TIMING POINTERS TIRE COVERS TIRE COVERS TIRE PRESSURE GAUGES & REPL. HOSE TIRES TOGGLE PANELS & SWITCHES	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 247 219 137 356 376 246, 375 374-376 366-369
T-PINS TANK MOUNTING BRACKETS TANKS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, AIR/OIL SEPARATORS TANKS, BREATHERS TANKS, COOLANT TANKS, COOLANT TANKS, COOLANT EXPANSION TANKS, COOLANT EXPANSION THERMOSTAT HOUSING BRACKET THERMOSTAT HOUSING BRACKET THERMOSTATI COULT HIS THROTTLE CABLE MOUNTING KITS THROTTLE ATORS TIMING COVER BOLTS TIMING COVERS TIMING POINTERS TIMING POINTERS TIMING POINTERS TIRE PRESSURE GAUGES & REPL. HOSE TIRES	226 186-187, 191 21, 185-206 180-184 187-191 18, 191-206 18, 194-205 185-187 192, 199, 204 336 257 264 258 265-266 268 268 268 247 219 137 356 376 246, 375 374-376

TORQUE CONVERTER BOLTS

TRANSMISSION COOLERS

TRANSMISSION DIPSTICKS

TRANSMISSION GASKETS

TRANSMISSION EXPANSION TANKS

TRANSMISSION PANS & ACCESSORIES

211, 219

211

210

191

209

207-211

T (CON'T)

TRANSMISSION MOUNTS, SOLID	248-251
TRANSMISSION TAIL SHAFT PLUGS	211
TRICK SPRINGS	231-232

U

U-JOINT GIRDLES	371
ULTRA 40 RACE WIRE	22, 321-324
ULTRA 40 SPARK PLUG BOOT & TERMINAL KITS	324
UNIVERSAL DIPSTICK KITS	106-107
UNIVERSAL SPOILER	372
UNIVERSAL TRANSMISSION DIPSTICKS	210
UNIVERSAL WINDAGE TRAYS	110-113

V

VACUUM ADVANCE KITS	344
VACUUM GAUGE	160
VACUUM LINE CAP KIT	163
VACUUM PUMPS & ACCESSORIES	157-164
VACUUM PUMP BRACKETS	164-169
VACUUM PUMP DRIVE MANDRELS	171-173
VACUUM PUMP DRIVE KITS	170-172
VACUUM PUMP, LINE KIT	163
VACUUM PUMP, PULLEYS	170-178
VACUUM PUMP, REGULATORS	161
VACUUM PUMP, REPLACEMENT LINE	158
VACUUM PUMP TECH TIPS	157
VACUUM PUMPS	157-164
VACUUM RELIEF VALVES	161
VACUUM RELIEF VALVE BREATHER	161
VALLEY PLATES	152
VALVE, BALL	180-184
VALVE COVER ACCESSORIES	309-318
VALVE COVER ACORN NUTS	309
VALVE COVER BAFFLES, GROMMETS	311-312
VALVE COVER BREATHERS	295, 312-318
VALVE COVERS FITTINGS	316-317
VALVE COVER GASKETS	307
VALVE COVER HOLD DOWN TABS	308-310
VALVE COVER LOCK NUTS	215
VALVE COVER OIL FILL KIT	317
VALVE COVER WING NUTS	309
VALVE COVERS	22, 288-318
VALVE SEAT PRESSURE TESTER	238-239
VALVE SPRING COMPRESSORS & TESTER	238-239
VALVE SPRINGS, CHECKING	238-239
VALVE, AIR BLEED	257
VALVE, OIL CHECK, ONE WAY	146
VALVETRAIN EQUIPMENT	287
VALVETRAIN OIL DEFLECTOR	153, 287
VENT, LIFTER VALLEY	152

W

WARNING LIGHT KIT, LOW OIL PRESSURE	151
WASHERS, DRAIN PLUG	108
WASHERS, HEAD BOLT	215
WASHERS, QUICK FASTENER	225
WATER FILLER NECKS	259-264

W (CON'T)

WATER NECK BLOCK-OFF PLATE	262
WATER OUTLET FITTING	257-259
WATER OUTLET RESTRICTOR KIT	257
WATER PUMP ADAPTER KITS	253-254
WATER PUMP BRACKET KIT	165-169
WATER PUMP DRIVE KITS	255
WATER PUMP HOSE ADAPTERS	253
WATER PUMP PULLEY SHIMS	173
WATER PUMP, ELECTRIC	252-256
WATER PUMPS, MECHANICAL, ALUMINUM	256
WATER PUMP SPACER KITS	256
WATER PUMP SWITCHES	257-258
WELD-IN BUNGS, ALUMINUM	156
WET SUMP VS. DRY SUMP OILING INFORMATION	24
WHEEL RIM SCREWS	230
WHEEL STUDS AND NUTS	19, 228-229
WINDAGE TRAYS & ACCESSORIES	15, 110-113
WINDAGE TRY MOUNTING, FORD	111-112
WINDOW MARKER, RACE WRITE	213
WING NUTS, AIR CLEANER	284
WIRE SEPARATORS	339-340
WIRE STRIPPING/CRIMPING TOOLS	242, 337
WIRE, SOLID CORE	334-335
WIRE, SPIRAL CORE	325-333
WIRE, ULTRA 40	22, 321-324
WRENCHES, PINION	243
WRENCHES, QUICK FASTENER	225

CHEVROLET SMALL BLOCK, DRAG RACE, OIL PAN

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep

Engine Application: Pre-1980 engine blocks with driver-side dipstick and Dart Little M engine blocks with 4 bolt non-radiused front main caps

NEW PRODUCTS

- · Accepts 4" strokes with steel rods
- · Core based oil pan utilizing stock pan rail bolt pattern
- · Passenger-side kick-out for increased horsepower
- Solid louvered tray with main cap partitions for maximum power and oil control
- For use with 168 and 153-tooth flywheel combinations
- Dipstick provision in sump

PART # DESCRIPTION

21015 Oil Pan, Steel, Clear Zinc

PART #	RECOMMENDED PICKUPS
24170	Fits: Moroso SBC Race Pump
	Nos. 22099, 22101 or M55 style pump
24181	Fits: Moroso SBC, 3/4" Inlet,
	M10552/M10555 style pumps
24350	Fits: Moroso SBC HV Race Pump


- 24320 Fits: Moreos Obern Made Fump Nos. 22109, 22111 or M55HV style pump 24320 Fits: Moreos BBC Race Pump
- 24360 No. 22150 or M77HV style pump Fits: M155HV/M10551 style pump, with slight tray modifications



No. 21015



UIULIUK



GM LS, CAST ALUMINUM, SWAP, OIL PAN KIT WITH SPIN-ON OIL FILTER PROVISION

Aluminum, Wet Sump, 6 Quart Capacity, 5-3/4" Deep Engine Application: GM LS Series Fits: LS Engine Conversions such as '55-'87 GM Cars & Trucks (except G-Body)

that require a Rear Sump Oil Pan with a Spin-On Filter provision (Check Measurements)

- Based on customer inquires, this product is for the individual who prefers the O.E.M. look of a cast aluminum oil pan
- The oil pan is cast, then machined from aluminum
- Clears 4.25" stroke with most steel rods
- Includes a removable, heavy duty stainless steel anti-slosh baffle
- Features a heavy duty, high flow oil pump pickup
- Integral Spin-On oil filter provision with a O.E.M. oil cooler port that accepts a 22mm-1.5 thread Moroso Part No. 22463 or O.E.M. Spin-On oil filter
- · Includes oil pan gasket and mounting hardware
- Use stock dipstick

PART # DESCRIPTION


20105 Oil Pan, Cast Aluminum, GM LS, Rear Sump Swap Kit, Spin-On Oil Filter


PART # AVAILABLE OPTIONS

- 22120 Oil Pump, GM LS, High Volume24890 Oil Pump Flange Reinforcement
 - <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.











11

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Fits: Camaro and Firebird '98-02 with GM LS Engines. Camaro and Firebird '93-'02 with LS Swap Features a drag race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area No. 21149 • Oil pan has a thick CNC machined aluminum rail Clears 4.25" stroke with most steel rods The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter 6' Included billet aluminum oil filter adapter has a 1/4" NPT sensor port Uses stock dipstick 8-1/2" PART # DESCRIPTION Oil Pan, Aluminum, Drag Race Baffled, Camaro/Firebird '98-'02 21149 **RECOMMENDED PICKUP** PART # Stock Oil Pumps or Moroso LS Series High Volume Race Pump No. 22120 24050 PART # **AVAILABLE OPTIONS** 11-1/16 Oil Pan Gasket, GM LS Series (Except LS7 & LS9) 93152 38541 Oil Pan Stud Kit

DONOVAN, DRC2, MERLIN, DRAG RACE, OIL PAN

Aluminum, Dry Sump

Engine Application: Donovan 700, DRC2, Donovan Style blocks with 10" and 10-3/8" wide pan rails and 2-piece rear main seal

CAMARO/FIREBIRD '98-'02 GM LS SERIES.

DRAG RACE, OIL PAN

- Fully fabricated, aluminum
- Removable bottom with o-ring billet flange
- (4) -12AN female billet aluminum pickups
- Power kick-out design for maximum horsepower. removable crank scraper
- Internal uni-directional screen
- For use with 168-tooth flywheel combination
- · Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 5.30" stoke with aluminum rods

PART # DESCRIPTION

21598 Oil Pan, Aluminum, Donovan, DRC2, Merlin Big Block, Two Piece, 4 Pickups, Drag Race, Dry Sump

HONDA H-SERIES, OIL PAN

Steel, Wet Sump, 4 Quart Capacity, 5-1/4" Deep Engine Application: Honda H Series 2.2L/2.3L

- Sump baffle that fully surrounds the oil pump pickup
- 1/2" NPT fitting for turbo or supercharger drain back
- Features a magnetic drain plug and a 1/2" NPT fitting for a temperature sender
- Works with OEM exhaust manifold and most aftermarket exhaust/header combinations

DESCRIPTION PART


20916 Oil Pan, Steel, Clear Zinc, Stock Configuration





8-1/2

















RECOMME	ENDED PICKUPS - 5.0 COYOTE	& 5.2 VOODOO
MOROSO OIL PAN Part #	GEN I & II OIL PUMP PICKUP	GEN III OIL PUMP PICKUP
20575	STOCK	24578
20576	STOCK	24578
20577	24574	24579

OIL PUMP PICKUP, GM LS REAR SUMP, MOROSO PART NO. 21153 OIL PAN

Fits: Moroso Part No. 22120 and other GM LS oil pumps

- \bullet To be used when a Moroso Part No. 22120 or other GM LS oil pump
- is being used with a Moroso Part No. 21153 rear sump oil pan
 Pickup has a double bolt hole mounting flange, pickup can be secured to the oil pump with 2 fasteners instead of one
- Pickup clears dipstick and windage tray even when the windage tray is spaced down for stroker engines
- O-Ring and mounting hardware are included
- Will only fit with 2020 COPO windage tray GM Part # 19202609 and main cap mounting hardware

PART # DESCRIPTION

24154 Oil Pump Pickup, GM LS, Fits Moroso Part No. 21153 Oil Pan





OIL PUMP PICKUP KITS, FORD COYOTE GEN 3, GT 350 ENGINES WITH GEN 3 OIL PUMPS

- Pickup's machined steel bung inserts into a Gen. 3 oil pump, is retained by the bung's machined steps, o-ring and it's integral bracket
- Pickup has a large 1-1/4" diameter tube so that there is no restriction of flow during continuous high rpm track events
- Must use with Moroso Part No. 22936 or Ford Part No. BR3Z-6710-A windage tray/gasket
- Kit includes pickup tube, o-ring, main cap bolt, standoff and 8mm flange head screw

PART # DESCRIPTION

- 24576 Oil Pump Pickup Kit, Ford Coyote Gen 3, GT 350 Engines *Fits: Moroso Part No. 20573 Oil Pan*
- 24577 Oil Pump Pickup Kit, Ford Coyote Gen 3, GT 350 Engines *Fits: Moroso Part Nos. 20569 and 20570 Oil Pans*
- 24578 Oil Pump Pickup Kit, Ford Coyote Gen 3, GT 350 Engines Fits: Moroso Part Nos. 20571, 20572, 20575 and 20576 Mustang rear sump oil pans
- 24579 Oil Pump Pickup Kit, Ford Coyote Gen 3, GT 350 Engines *Fits: Moroso Part Nos. 20574 and 20577 Oil Pans*











NEW PRODUCTS

EXTERNAL OIL PUMPS, SINGLE STAGE, V-BAND MOUNTING FLANGE

Fits: Alston Front Accessory Drives

- Two different gear sets are available, 1.200 or 1.800
- · External pumps eliminate the camshaft loads that come with an internal pump
- V-Band mounting flange to mount External Oil Pump to Alston front drives
- · Light weight and efficient
- Includes all replacement fittings, -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment

PART # DESCRIPTION

- 22411 External Oil Pump, with V-Band Mounting Flange for Alston Front Drives, 1.200 Pressure
- 22413 External Oil Pump, with V-Band Mounting Flange for Alston Front Drives, 1,800 Pressure

EXTERNAL OIL PUMPS, SINGLE STAGE, V-BAND MOUNTING FLANGE

Fits: ProCharger Front Accessory Drives

- Two different gear sets are available, 1.200 or 1.800
- External pumps eliminate the camshaft loads that come with an internal pump
- V-Band mounting flange to mount External Oil Pump to ProCharger and other supercharger front drives
- · Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

- External Oil Pump, Mounts to ProCharger Front Drives, V-Band Mounting Flange, 1,200 Pressure 22311
- External Oil Pump, Mounts to ProCharger Front Drives, V-Band Mounting Flange, 1.800 Pressure 22313

EXTERNAL OIL PUMP. SINGLE STAGE. REVERSE ROTATION **V-BAND MOUNTING FLANGE**

Fits: Alston Front Accessory Drives, Pump Mounted Towards Front of Car

- V-Band mounting flange to mount External Oil Pump to Alston front drives
- Spur gear 1.200 pressure section
- External pumps eliminate the camshaft loads that come with an internal pump
- Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment

PART # DESCRIPTION

22412 External Oil Pump, Reverse Rotation, Alston Front Drives, V-Band Mounting Flange for 1.200 Pressure

EXTERNAL OIL PUMP, SINGLE STAGE, **REVERSE ROTATION, V-BAND MOUNTING FLANGE**

Fits: ProCharger Front Accessory Drives, Pump Mounted Towards Front of Car

- V-Band mounting flange to mount External Oil Pump to ProCharger supercharger front drives
- Spur gear 1.200 pressure section
- External pumps eliminate the camshaft loads that come with an internal pump
- Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

22312 External Oil Pump, Reverse Rotation, ProCharger Front Drives, V-Band Mounting Flange, 1.200 Pressure





No. 22312





DRY SUMP PUMPS, TRI-LOBE, FIVE STAGE, V-BAND MOUNTING FLANGE

Available for Alston and ProCharger Front Accessory Drives

- V-Band mounting flange to mount Dry Sump Pump to front drives
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- · Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- · Saves weight and make big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge inlets -12AN Return -16AN
- Pumps weigh almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings
- On ProCharger applications, ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

22515 Dry Sump Pump Five Stage, V-Band Mounting Flange, Alston Front Drives, 1.200 Pressure/1.700 Scavenge
 22315 Dry Sump Pump Five Stage, V-Band Mounting Flange, ProCharger Front Drives, 1.200 Pressure/1.700 Scavenge

DRY SUMP PUMPS, TRI-LOBE, V-BAND MOUNTING FLANGE, REVERSE ROTATION

Available for Alston and ProCharger Front Accessory Drives, Pump Mounted Towards Front of Car

- V-Band mounting flange to mount Reverse Rotation Dry Sump Pump to Alston front drives
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- · Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- · Saves weight and make big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge inlets -12AN Return -16AN
- Pumps weigh almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings
- On ProCharger applications, ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

22517 Dry Sump Pump Five Stage, V-Band Mounting Flange, Reverse Rotation, Alston Front Drives, 1.200 Pressure/1.700 Scavenge
 22518 Dry Sump Pump Five Stage, V-Band Mounting Flange, Reverse Rotation, ProCharger Front Drives, 1.200 Pressure/1.700 Scavenge

EXTERNAL OIL PUMP, TWO STAGE, FUEL PUMP DRIVE

Driver's/Left Side Door Car Style Bracket

An expansion to our popular line of external oil pumps. This pump gives you the option of scavenging oil from the oil pan with one stage and using the second stage to scavenge oil from turbos, superchargers or areas that require oil to be scavenged.

- \bullet Rear 3/8" hex fuel pump drive with 1:1 ratio that accepts the
- popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Spur gear 1.800 pressure section
- External pumps eliminate the camshaft loads that occur with an internal pump
- · Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment

PART # DESCRIPTION

22342 External Oil Pump, Two Stage, Fuel Pump Drive, Left Side Bracket, 1.800 Pressure



No. 22515

No. 22517

13

DRY SUMP PUMPS, TRI-LOBE, DUAL MOUNTS

Heavy Duty Dual Mount Bracket

- Features two of our driver's side/left side door car mounting brackets for circle track, marine and road racing applications where the extra weight of the second bracket isn't an issue
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize oil pressure for smooth, reliable oil pressure readings
- Saves weight and make big crankcase vacuum
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN
- Pumps weigh almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings

PART # DESCRIPTION

- 22414 Dry Sump Pump Four Stage, dual mount double driver's/left side door car mounting brackets 1.200 Pressure/1.700 Scavenge
- 22415 Dry Sump Pump Five Stage, dual mount double driver's/left side door car mounting brackets 1.200 Pressure/1.700 Scavenge

DRY SUMP PUMP, TRI-LOBE, FIVE STAGE

Brinn/Bert Bellhousing Bracket

- Designed to mount Dry Sump Pump to Bert or Brinn Bellhousings
- Tri-lobe aluminum scavenge sections featuring individual timing gear to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- This design saves weight and makes more crankcase vacuum than previous designs
- This Tri-Lobe Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN

PART # DESCRIPTION

DRY SUMP PUMP, TRI-LOBE, FIVE STAGE FUEL PUMP DRIVE

Brinn/Bert Bellhousing Bracket

- Rear 3/8" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Saves weight and makes big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN Return -16AN
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings

PART # DESCRIPTION

22367 Dry Sump Pump Five Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge





No. 22405



14

²²⁴⁰⁵ Dry Sump Pump Five Stage, Bert or Brinn Bellhousing Mount, 1.200 Pressure/1.700 Scavenge

NEW PRODUCTS

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

SBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design with one belt only being utilized
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
- V-band clamp is included

PART # DESCRIPTION

22652 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, SBC Left Side Bracket



EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

BBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back of it
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
 V-band clamp is included

PART #DESCRIPTION22654External Oil Pump, Single Stage, Tri-Lobe,

Vacuum Pump, BBC Left Side Bracket



WINDAGE TRAY AND OIL PAN GASKET

Fits: Ford 5.0 Coyote, 5.2 Voodoo

- Required when installing a Moroso oil pan and oil pump pickup on a Gen. 3 engine or is a replacement windage tray/oil pan gasket on a Gen. 1 or Gen. 2 engine
- Goes between the engine block and oil pan

PART # DESCRIPTION

22936 Windage Tray & Oil Pan Gasket, Ford 5.0 Coyote, 5.2 Voodoo No. 22936



DRY SUMP TANK MOUNTS

Now available in single packs

- · Billet aluminum base for strength
- Includes stainless steel band clamp with interlocking rubber for cushioning

Available in two sizes DESCRIPTION PART

22701o Dry Sump Tank Mount, 6" diameter 22739o Dry Sump Tank Mount, 7" diameter

• / WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm,

DRY SUMP TANK REMOVABLE MOUNTING KITS FOR 7" DIAMETER TANKS

- . Mounting kit helps in the installation of 7" diameter dry sump tanks
- The kits contains a steel "I" shaped piece that allows the dry sump tank to be guickly removed and reinstalled in the vehicle
- Also this "I" shaped piece allows the installer to set what distance they would like their tank to be from the mounting surface
- Outer tube is drilled, inner tube needs to be drilled by customer
- Included in the mounting kit is the tank mount itself which has a billet aluminum base for strength
- A stainless steel band clamp with interlocking rubber for cushioning

PART # DESCRIPTION

226970 Dry Sump Tank Removable Mounting Kit, Aluminum 226980 Dry Sump Tank Removable Mounting Kit, Steel

OIL COOLER SANDWICH ADAPTER

Fits: Big Block Chevy Gen. 5, Gen. 6

- . Mounts in the spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter mount
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Features -10 AN female ports, Marked with "IN" and "Out"
- Includes mounting hardware and 0-rings

DESCRIPTION PART

Oil Cooler & Filter Adapter, Big Block Chevy Gen 5, Gen, 6 23705

AN FITTING WITH O-RING, -8AN MALE TO -8AN STRAIGHT O-RING SIDE

- Radiused on inlet to reduce restriction for greater flow
- Black anodized billet aluminum
- Includes 0-ring seal

PART # DESCRIPTION

22604 Fitting, -8AN Male to -8AN Straight O-ring Side

POSITIVE SEAL VENTED -8AN & -10AN FITTINGS, NON-WELD

• <u>WARNING Prop. 65</u>

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm.

Fits: 3/4" Holes

- Designed to greatly simplify the plumbing of a vacuum pump
- · Screws into side of valve cover
- Provides leak free O-ring seal on any flat cover surface
- No welding required
- Anodized to prevent corrosion

DESCRIPTION PART

226240 Fitting, -10AN Male, Positive Seal, Non-Weld 226270 Fitting, -8AN Male, Positive Seal, Non-Weld



No. 22697

No. 23705

No. 22604 birth defects, or reproductive harm.









No. 22698

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer,



NEW PRODUCTS

BREATHER TANK. TWO 1/2" FEMALE FITTINGS

- Use as a remote multi-inlet oil catch/breather for Crankcase Ventilation, Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Can be used to collect from 2 sources
- Features Two 1/2" NPT Female Fittings that are 180 Degrees apart for ease of plumbing
- Aluminum, lightweight tank features internal baffling with
- mesh media for separation of air and oil
- Includes non-hooded, clamp—on filtered breather. Heavy Duty T-Clamp and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height (without filter or drain),
- 11-1/2" overall height

PART # DESCRIPTION

854550 Breather Tank, Two 1/2" NPT Fittings

PART # **AVAILABLE OPTIONS**

Fitting, 1/2" NPT Male to 5/8" Barbed Hose, Straight 227350 227360 Fitting, 1/2" NPT Male to 5/8" Barbed Hose, 90 Deg.

			1	
		D		
			7-%16" 	
	\subseteq			
• [NING	Prop. 65	

→ 3-1/8"

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm




VACUUM PUMP BREATHER TANK, TWO BREATHERS


- Bigger than your typical breather tank for capturing large amounts of vapor expelled by big cube, high boosted, big shot of nitrous, loose tolerances, high stressed types of engines
- Aluminum, lightweight tank features internal baffling with mesh media for separation of air and oil
- Includes two non-hooded, clamp-on filtered breathers, built-in mounting bracket and a easy to drain ball valve drain
- Dimensions: 7" wide (without mount), 4" deep, 11" tank height (without filter or drain), 15" overall height

Breather Tank, Vacuum Pump, 853900 Two Breathers, -16AN Inlet

• /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm







COOLANT EXPANSION TANK, FORD F-150 '15-'19 & RAPTOR '17-'19

Fits: F-150 (2.7, 3.5, 5.0) '15-'19 & Raptor '17-'19

- Direct bolt-in replacement to stock multi-piece plastic tank
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- · Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

63852 Coolant Expansion Tank, Ford F-150 '15-'19 & Raptor '17-'19



No. 63852

COOLANT TANK, SUBARU IMPREZA, WRX/STI '08-'19

- · Direct bolt-in replacement for stock cracked or mis-colored tanks
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- · Has a provision for the factory siphon hose
- Includes a billet aluminum cap

PART # DESCRIPTION

63871 Coolant Tank, Subaru Impreza WRX/STI '08-'19



No. 63871

VALVE COVER HARDWARE KIT FOR MOROSO GM LT BILLET VALVE COVERS

Fits: GM LT with Moroso GM LT Billet Valve Covers

• Kit includes (20) Clear Zinced Socket Head Cap Screws and (20) Washers

PART #DESCRIPTION68832Valve Cover Hardware Kit, Moroso GM LT Billet Valve Covers



NEW PRODUCTS

WHEEL STUDS, 14MM X 1.5, 3" LONG, 5 PER PACK FOR MUSTANG S550, 2015-UP

- Manufactured from high grade SAE 8740 steel, 190,000 psi tensile strength (which exceeds Grade 8 specifications)
- These Moroso Press-in wheel studs have a .625" knurl and feature a "quick start dog end" for easier starting of lugnuts
- Black Oxide finish
- Made in the U.S.A.
- Five per package

PART # DESCRIPTION

46247 Wheel Studs, 14mm x 1.5 x 3" long, press in with a .625" knurl, for Mustang S550 '15-Up



EXHAUST BLOCK OFF STORAGE PLATES

Fits: BBC Mark IV with conventional cylinder heads

- A convenient way to keep engines sealed up from foreign objects during storage or when an engine is getting painted
- Durable aluminum construction, come as pairs

PART # DESCRIPTION

25160 Exhaust Block Off, Storage Plates, BBC Mark IV



No. 25160

TOOL CASE, PLASTIC WITH FOAM INSERT

- Rugged polyethylene plastic tool case is lined with a medium-density, open-cell foam insert to keep tools protected during transportation and storage
- Case's slide clasps have tabs for small padlocks
- Can also be used as replacement case for Moroso Part Nos. 89552 and 89562 Pro Series Tire Pressure Gauges

PART # DESCRIPTION

97481 Tool Case, Plastic with Foam Insert



WATER PUMP GASKETS, HEAVY DUTY, CHEVROLET

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race guality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface

NEW PRODUCTS

Precision die cut design

PART # DESCRIPTION

93230	Water Pump Gasket, SBC, 2 pack
93231	Water Pump Gasket, SBC, 10 pack
93232	Water Pump Gasket, BBC, 2 pack
93233	Water Pump Gasket, BBC, 10 pack





WATER PUMP GASKETS, HEAVY DUTY, CHRYSLER

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race guality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

PART # DESCRIPTION

- Water Pump Gasket, Chrysler 273-360, single pack 93234 93235 Water Pump Gasket, Chrysler 273-360, 10 pack
- 93236 Water Pump Gasket, Chrysler 383-440, single pack
- 93237 Water Pump Gasket, Chrysler 383-440, 10 pack



WATER PUMP GASKETS, HEAVY DUTY, FORD

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- · Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

PART # DESCRIPTION 93238 Water Pump Gasket, Ford 289. Standard Rotation 302 & 351W, single pack Nos. 93238, Nos. 93240 93239 Water Pump Gasket, Ford 289, Standard Rotation 302 & 351W, 10 pack 93239 93241 93240 Water Pump Gasket, Ford 429-460, single pack 93241 Water Pump Gasket, Ford 429-460, 10 pack

SUPER COOL CAN

For Carbureted and Fuel Injected Applications up to 125 PSI working pressure

- Polyethylene shell has a much higher insulating value than cork, allowing ice to last longer and cooling fuel more efficiently for a denser air-fuel mixture
- The higher insulating value of the shell combined with an advanced heat sink design reduces fuel temperature 20% over other cool cans
- The inlet and outlet are -8AN
- Lid is held on by a wing nut with a closed-cell foam seal between the lid and can
- NHRA approved mounting includes two stainless steel straps with T-bolt clamps and lightweight aluminum mounting bracket
- Spacing of steel straps aligns perfectly with mounting bosses molded into the Super Cool Can housing for strong attachment
- Holds ½ guart of fuel, approximate dimensions: 7-3/4" x 7-3/4" x 8" tall

PART # DESCRIPTION

65127↔ Super Cool Can, -8AN female fittings



No. 65127

• Z WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

PART # **REPLACEMENT PART** Super Cool Can Mounting Kit 97817

PART # **AVAILABLE OPTION** 22604 Fitting, -8AN Male to -8AN Straight O-ring Side



THERMOSTAT SPACER, BRODIX HV SERIES INTAKES INCLUDING SBC & BBC APPLICATIONS

- Spacer solves the issue of trying to use a thermostat on a Brodix HV Series Intake, can also be used on SBC and BBC applications to add water lines and/or raise thermostat to eliminate potential fitment issues
- Manufactured from billet aluminum with a machined 0-ring groove on the intake side and thermostat register on top
- 1" thick spacer has two 3/8" NPT female ports for plumbing water lines to cylinder heads, includes 0-ring

PART #	DESCRIPTION
63433	Thermostat Spacer,
	Brodix HV Series Intakes

PART # AVAILABLE OPTION 63000 Gasket, Thermostat/Water Neck, SBC & BBC

No. 63433

SBC & BBC THERMOSTAT/WATERNECK GASKETS

- · Same gasket that comes with Moroso non-o-ring filler/water neck kits
- Fiber construction
- Use as a replacement for Moroso non-o-ring filler/water neck kits or as a high quality replacement gasket for SBC & BBC thermostat housings
- Available as a single pack or 10 pack

PART # DESCRIPTION

63000	Gasket, Thermostat/Water Neck, SBC & BBC
00004	

63001 Gasket, Thermostat/Water Neck, SBC & BBC, 10 Pack

SBC MECHANICAL FUEL PUMP GASKETS

- · Same gaskets that comes with Moroso fuel pump block off plates
- Fiber construction
- Use as a replacement for Moroso fuel pump block off plates or as a high quality gasket for SBC mechanical fuel pumps
- Available as a single pack or 10 pack

PART # DESCRIPTION

93320 Gasket, Mechanical Fuel Pump, SBC93321 Gasket, Mechanical Fuel Pump, SBC, 10 Pack

MECHANICAL FUEL PUMP GASKETS

Fits: BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460

- Same gaskets that comes with Moroso fuel pump block off plates
- Fiber construction
- Use as a replacement for Moroso fuel pump block off plates or as a high quality gasket for BBC mechanical fuel pumps
- Available as a single pack or 10 pack

PART # DESCRIPTION

 93322
 Gasket, Mechanical Fuel Pump, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460

 93323
 Gasket, Mechanical Fuel Pump, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460, 10 Pack

SUPERCHARGER CAP KIT, FUEL CAP STYLE

- Contains all of the parts necessary to replace broken or missing fuel cap style caps in Moroso or other tanks with this style of cap and neck
- Can also be used when an individual is producing a custom tank
- Cap is black so the kit can be used to change out red caps No. 97092
- Kit contains; black fuel cap, neck, gasket, hardware and bonded sealing washers

PART # DESCRIPTION

97092• Supercharger Cap Kit, Fuel Cap Style

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.









No. 93320

No. 63000

SBC VALVE COVERS WITH OILERS, MULTIPLE OIL SUPPLY PORTS

Fits: SBC 13 To 23 Deg. Cylinder Heads with the valves in the conventional location, 3.25" Tall Please Note: Fits best with T&D Rockers, will not fit with All Pro 270-7 cylinder heads

- Fabricated from superior quality aluminum welded to a one-piece billet rail that is machined to ensure a precision flat surface for superior sealing
- Tall enough to clear all popular rocker combinations
- Air-tight sealing allows the engine to pull greater vacuum for improved ring seal and power
- The spring oilers have removable/replaceable .025" jets
- Each spring oiler has multiple oil supply ports that the supplied -4 AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications

PART # DESCRIPTION

68332 o* Valve Cover with Oilers, Fabricated Aluminum, Pair, SBC



You have the Moroso all billet aluminum GM LT valve covers, why use any other spark plug wire than the Moroso Ultra 40 Sleeved sets that were designed to be used with these valve covers?

- All wires are 9.25" long
- Designed to be used with Moroso Part No. 68494 All Billet Aluminum Valve Covers that have the integral coil pack mounts that accept LS2, LS3, LS7, & L98 style coils
- Wire Sets are constructed out of Moroso ULTRA 40, 7 mm Diameter Ignition Wire with 40 ohms of resistance per foot
- The black wire sets are sleeved which extends spark plug life and protects against exhaust header heat, chaffing and contaminants
- Sleeving also adds extra dielectric strength which is the wire's ability to not to affected by outside electrical pulses
- Each wire is terminated with heavy duty, high temperature, easy-pull/positive engagement spark plug boots and on the other end with matching coil boots
 Complete, ready to install

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

PART # DESCRIPTION

73848. Wire Set, Ultra 40, Sleeved In Black, for Moroso Part No. 68494

CRANK TRIGGER ULTRA SERIES UNIVERSAL KIT, NO WHEEL

- Moroso has designed the adjuster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- To be used with dampers that have built in crank trigger shells or EFI trigger wheels
- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- The trigger arm is constructed out of billet aluminum with a black anodized finish for long lasting good looks
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso crank trigger sensor comes with a more common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block only, and has two sensor locations for non-motorplate applications
- Includes all necessary hardware

PART # DESCRIPTION

60016*• Crank Trigger Ultra Series Kit, No Wheel

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

*Note: Not Legal for sale or use on pollution-controlled vehicles



• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.



 \square

HOW A MOROSO OIL PAN IS MANUFACTURED

REPRINTED FROM DRAG RA<u>CER MAGAZINE</u>

TEXT AND PHOTOS BY RANDY FISH

Moroso Performance Products was the first to manufacture racing oil pans with deep and kicked-out sumps, solving the lubrication problems of racers. The following details the manufacture of a Pro Eliminator Oil Pan. While automated machinery is used to make individual components, **Moroso Oil Pans are precision welded**, one at a time, by skilled craftsmen.




The turret punch press machine is where Moroso's precision manufacturing process begins. Reference holes become precision cuts resulting in a sheet of pre-cut aluminum components. Once a design is entered into the machine's computerized interface, the exacting tolerances of the original pan can be repeated endlessly. **Inset:** Individual pieces are detached manually in preparation for assembly.



Skilled craftsmen precision-make each Moroso Oil Pans which could not be mass produced with the same degree of accuracy and workmanship. **Pro Eliminator Oil Pan (Part No. 20385)** uses several welded bungs for its various attaching points. It also features a billet rail for optimum sealing. The fixture utilizes one-inch thick plate to absorb heat and ensure proper alignment, while preventing warpage.



Billet aluminum end caps are milled on Moroso's bank of CNC machines. They are then computer checked for dimensional accuracy before transfer to manufacturing. Here, a Quality Control Tech uses computerized digital probes to perform a battery of tests on a CMM machine, a staple in the aerospace industry. Another computer driven sheet metal brake makes the prescribed bends and angles for various component pieces.



Oil pan foundation after one billet end rail has been welded into place. Moroso's efficient manufacturing processes ensure that each part is made to close tolerances, which means the actual welded seam is minimal. **Inset:** Moroso pioneered the deep and kick-out sump oil pan; here, the deepest section of the pan begins to take shape.



With all surfaces carefully welded, the completed pan is fitment checked on a real engine block. Moroso performs high-pressure leak tests on all machined Oil Pans.




Shown here are the individual components, along with a completed **Pro Eliminator Oil Pan (Part No. 20385)** for Big-Block Chevypowered Super Class cars, Bracket cars, and Comp Eliminator racers. One of our more popular wet-sump Mark IV Big-Block Chevy offerings, this pan gives racers eight-to-nine quart capacity and will accommodate up to 4-3/4" stroke with aluminum rods.

The use of a wet or dry sump oiling system is often determined by the level of competition and the racer's budget. A wet sump system is based on the original equipment oiling system, and can be enhanced with certain components to improve oil control and increase power. A dry sump system is designed for the top levels of racing where maximum power and oil control are absolutely essential.

TYPICAL WET SUMP SYSTEM

In a typical Wet Sump system, oil is stored in the bottom of the pan and distributed throughout the engine by an internally-mounted pump. An oil pump pickup, mounted to the pump, extends to within a quarter inch of the pan's bottom to "pickup" the oil. Although a Wet Sump system is essentially the same system used in production cars, it can be enhanced significantly with components that improve oil control and increase power. For performance street and racing applications, these components include high capacity pans, extended oil pump pickups, racing oil pumps, windage trays, oil control kits, racing oil filters and other components. In some racing applications an external oil pump is used, allowing the windage tray or screen to run the pan's full length.



Moroso Wet Sump Oiling System components are race proven, designed to keep the engine properly supplied with oil during the most demanding conditions.


OIL PAN CAPACITIES

Capacities listed for Moroso Wet Sump Oil Pans include the capacity of the pan only, measured at or below the normal fill mark on a stock dipstick. Additional oil must be added to compensate for filters, coolers, tanks, etc.

TYPICAL DRY SUMP SYSTEM

Unlike a wet sump system where oil is stored in the pan, a Dry Sump Oiling System stores oil in a separate tank leaving the pan essentially "dry." An externally mounted pump, generally with three or four stages, is used to "scavenge" or remove oil from the pan. deliver it to the storage tank, and send it back through the engine. In a typical setup, all but one of the stages is used to scavenge oil from the pan. A single pressure stage is normally used to return oil from the tank to the engine. The primary advantage of a Dry Sump System is its ability to make more power. With very little oil in the pan, the rotating assembly is not burdened with

the weight of excess oil (a phenomenon commonly referred to as "windage").



Because there is no internal pump, the windage tray or screen which serves to isolate sump oil from the rotating assembly, is allowed to run the full length of the pan. Keeping the rotating assembly free of windage allows it to spin freely and make more power. In addition, the extra crankcase vacuum created by the dry sump pump helps to improve ring seal for additional power gain. Other advantages of a Dry Sump System include increased oil capacity, more consistent oil pressure, the ability to easily add remote coolers, and adjustable oil pressure. And because the pan doesn't store oil, it can be relatively shallow in depth to allow lower engine placement for improved weight distribution and handling. Moroso manufactures a full range of Dry Sump Oiling System components, all of which are engineered to be fully compatible with one another. This allows the engine builder to select the best combination of equipment and avoid the costly problems that often occur when "mixing and matching" components from various manufacturers.



CHEVROLET SMALL BLOCK

Steel, Wet Sump, 5 Quart Capacity, 7-1/2" Deep Fits: Stock Replacement

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffle for improved oil control
- DESCRIPTION PART # 20170 Oil Pan, Steel, Clear Zinc, Stock Configuration Engine Application: Pre-1980 blocks with driver-side dipstick 20171 Oil Pan, Steel, Clear Zinc, Stock Configuration Engine Application: 1980–'85 blocks with passenger-side dipstick 20172 Oil Pan. Steel. Clear Zinc. Stock Configuration
- Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # **RECOMMENDED PICKUPS**

- 24185 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24212 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24213 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24813 Fits: Moroso SBC. 3/4" Inlet. M155HV style pump
- **OIL PUMP/PICKUP PACKAGE** PART #
- 22144 Moroso High Volume Package

PART #	AVAILABLE OPTIONS	PART #	AVAILABLE C
23020	Windage Tray	38551	Oil Pan Flange
23000	Oil Pan Baffle	93150	Oil Pan Gaske
05000	0	004 54	01.0

No. 20171





	@	ي →	↑ 7-1/ ↓

- 25800 Crank Scraper
- OPTIONS e Head Bolts, SBC
- et, Pre-'85 block with a 2 piece rear main seal
- Oil Pan Gasket, '86-up block with a 1 piece rear main seal 93151

CHEVROLET SMALL BLOCK

Steel, Deep Sump, 6 Quart Capacity, 8-1/4" Deep Fits: Most chassis (except '62-67 Chevy II, V8 Vega and Monza)

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffle for improved oil control

PART # DESCRIPTION

20180 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: Pre-1980 blocks with driver-side dipstick 20181 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: 1980-'85 blocks with passenger-side dipstick Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump 20182 Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump 24320
- 24360 Fits: M155HV style pump
- PART # **OIL PUMP/PICKUP PACKAGE**
- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump


PART # **AVAILABLE OPTIONS**

- 23020 Windage Trav
- 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 38551 **Oil Pan Flange Head Bolts, SBC**
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal



No. 20180





 Π

Steel, W Fits: Mo • Accepi • Fits 4 • Trap d • Increa	VROLET SMALL BLOCK Vet Sump, 7 Quart Capacity, 9-½" Deep st Chassis (except '62-'67 Chevy II, V8 Vega and Monza) as up to 4.125" stroke with steel rods bolt Dart, GM and Merlin main caps bor baffle for improved oil control ses capacity which reduces oil temperature atible with most starter/flywheel combinations	No. 20165	MOROSO
PART # 20160 20165	DESCRIPTION Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump <i>Engine Application: Pre-1980 blocks with driver-side dipstick</i> Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump <i>Engine Application: 1980-'85 blocks with passenger-side dipstick</i>		
PART # 24150 24340	RECOMMENDED PICKUPS Fits: Stock Oil Pumps or Moroso SBC Race Pump Nos. 22099, 22101 or Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pu		
PART # 23020 23000 25800 38551 93150	AVAILABLE OPTIONS Windage Tray Oil Pan Baffle Crank Scraper Oil Pan Flange Head Bolts, SBC Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal	4- ¹ /₁6"	9 ¹ /2"

STREET | STRIP

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" deep Fits: Most Chassis (except '62-'67 Chevy II, V8 Vega and Monza)

- Accepts 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Kicked-out sump
- Trap door baffle for improved oil control
- · Compatible with most starter/flywheel combinations
- · Will clear most stock exhaust, Borla, Hedman and Hooker headers

PART # DESCRIPTION

- 20190 Oil Pan, Steel, Clear Zinc, Engine Application: Pre-1980 blocks w/ driver-side dipstick
- 20200 Oil Pan, Steel, Clear Zinc, Engine Application: 1980-'85 blocks w/ passenger-side dipstick
- 20205 Oil Pan, Steel, Clear Zinc, Engine Application: 1986 and newer blocks w/ one-piece rear main seal; passenger-side dipstick

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV/M10551 style pump

PART # **OIL PUMP/PICKUP PACKAGE**


- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- Moroso High Volume Package w/ $3\!\!\!/4^{\prime\prime}$ dia. inlet 22146
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump



8-7/8








AVAILABLE OPTIONS PART

- 23020 Windage Trav
- 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

27

 \square

- Accepts 4.125" stroke with most steel rods • Fits 4 bolt Dart, GM and Merlin main caps Kicked-out sump Crank scraper welded to pan • Uni-directional windage tray screen Trap door baffle for improved oil control • Will clear most stock manifolds; Borla[®], Hedman[®] and Hooker[®] headers • Compatible with most starter/flywheel combinations PART # DESCRIPTION 20191 Oil Pan, Steel, Clear Zinc, Engine Application: Pre-1980 blocks w/ driver-side dipstick 20201 Oil Pan, Steel, Clear Zinc, Engine Application: 1980-'85 blocks w/ two-piece rear main seal; passenger-side dipstick 20206 Oil Pan, Steel, Clear Zinc, Engine Application: 1986 and newer blocks w/ one-piece rear main seal; passenger-side dipstick PART # **RECOMMENDED PICKUPS** Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump 24170 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump 24360 Fits: M155HV/M10551 style pump **OIL PUMP/PICKUP PACKAGE** PART # 22124 Moroso Standard Volume Package 22134 Moroso High Volume Package 22146 Moroso High Volume Package w/ 3/4" dia. inlet 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump

CHEVROLET SMALL BLOCK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Engine Application: Pre-1985 with 2 piece rear main seal Fits: Most chassis (may require cross-member modification)

- Kicked-out sump
- Accepts strokes up to 4.125" with steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Provision for Universal Dipstick Kits Nos. 25970, 25971 or 25973
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- 20195 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump
- PART # **RECOMMENDED PICKUPS**
- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181
- 24350
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump, with baffle modification
- 24360 Fits: M155HV/M10551 style pump, with baffle modification

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171

PART # **AVAILABLE OPTIONS**


- 23020 Windage Tray 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 25970 Universal Dipstick Kit



- Oil Pan Gasket, Pre-'85 block with a 2 piece
- Oil Pan Gasket, '86-up block with a 1 piece


















Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Engine Application: Pre-1985 with 2 piece rear seal Fits: Most chassis (may require cross-member modification)

- · Kicked-out sump
- Accepts up to 4.125" stroke with steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- · Louvered windage tray
- · Compatible with most starter/flywheel combinations
- Provision for Universal Dipstick Kits Nos. 25970, 25971 or 25973

PART # DESCRIPTION

20196 Oil Pan, Steel, Clear Zinc, Deep Sump

PART # RECOMMENDED PICKUPS

- 24170 Fits: Moroso SBC Race Pump Nos. 22099 , 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump, with baffle modification
- 24360 Fits: M155HV/M10551 style pump, with baffle modification

PART # OIL PUMP/PICKUP PACKAGE

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146* Moroso High Volume Package w/ 3/4" dia. inlet
- 22139* Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump

PART # AVAILABLE OPTIONS

- 23000 Oil Pan Baffle
- 25800 Crank Scraper
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 9" Deep Fits: '62-'67 Chevy II (without power steering)

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Notched sump clears steering linkage
- Compatible with most starter/flywheel combinations
- Reduces oil temperature

PART # DESCRIPTION

- 20211 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: Pre-1980 blocks with driver-side dipstick
- 20212 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: 1986 & newer blocks with one-piece rear main seal

PART # RECOMMENDED PICKUPS

- 24120 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24122 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump


PART # AVAILABLE OPTIONS

- 23000 Oil Pan Baffle
- 25800 Crank Scraper
- **38551** Oil Pan Flange Head Bolts, SBC
- **93150** Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- **93151** Oil Pan Gasket, '86-up block with a 1 piece rear main seal











NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



CHEVROLET SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8-1/4" Deep Engine Application: Up to '85 with driver-side dipstick Fits: V8 Vega/Monza chassis

- Accepts up to 3.48" stroke with steel rods; will not work with 400 cid (3.75" stroke)
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffling for improved oil control
- Specially designed to fit with stock Vega & Monza cross-member
- Reduces oil temperature
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20230 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC. 3/4" Inlet. M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV/M10551 style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump

AVAILABLE OPTIONS PART

- 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal



CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Accepts 4" strokes with steel rods
- Core based oil pan utilizing stock pan rail bolt pattern
- · Passenger-side kick-out for increased horsepower
- Solid louvered tray with main cap partitions for maximum power and oil control
- For use with 168 and 153-tooth flywheel combinations

	-	
PART # 21015	DESCRIPTION Oil Pan, Steel, Clear Zinc Engine Application: Pre-1980 engine blocks with driver-side dips Dart Little M engine blocks with 4 bolt non-radiused front main cap	
21017	Oil Pan, Steel, Clear Zinc Engine Application: Up to '85 and aftermarket engine blocks with stock width oil pan rails	
PART #	RECOMMENDED PICKUPS	
24170	Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style put	тр
24181	Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps	
24350	Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump	PART #
24320	Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump	25970 25971
24260	Eite: M155HV/M10551 etule nump with elight tray modifications	209/1

24360 Fits: M155HV/M10551 style pump, with slight tray modifications

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- Moroso High Volume Package w/ 3/4" dia. inlet 22146
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump




No. 20230



 \square

CHEVY SMALL BLOCK










No. 21017

No. 21015



Universal Dipstick Kit

93150

- Universal Dipstick Kit, Braided Stainless Flex Tube
- Universal Dipstick Kit, Twist Lock
- 25973 38551 **Oil Pan Flange Head Bolts, SBC**
 - Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

11

CHEVROLET SMALL BLOCK

Aluminum, Wet Sump, 8 Quart Capacity, 8-1/4" Deep Engine Application: Up to 1985 Engine Blocks including Dart and Merlin Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Aluminum, fully fabricated oil pan accepts 4.25" strokes with steel rods Double kick-out design ensures large stroke clearance, wide main cap
- clearance and maximum horsepower
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- For use with 168-tooth flywheel combination
- Louvered windage tray with main cap partitions for maximum power and oil control
- Features O-ring magnetic drain plug, two -8AN N.P.T. drain backs and dipstick bung

DESCRIPTION PART

21234 Oil Pan, SBC, Two Piece Rear Main Seal Engine Blocks

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 & 10551M style pumps
- 24350 Fits: Moroso SBC HV Race Pump, 5/8" Inlet, Nos. 22109, 22111 or M55HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22171 Moroso Billet Aluminum Oil Pump

PART # **AVAILABLE OPTIONS**

- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit, Twist Lock
- 38385 Bullet Nose Oil Pan Stud Kit
- Wrench, Oil Pan T-Handle, 7/16", 6 PT 62256
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

CHEVROLET SMALL BLOCK

Aluminum Wet Sump/External P/U, 8 Quart Capacity, 8-1/4" Deep Engine Application: SBC up to 1985 Engine Blocks including Dart and Merlin Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Aluminum, fully fabricated oil pan accepts 4.25" stroke with steel or aluminum rods
- Double kick-out design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- For use with 168-tooth flywheel combination
- Full length solid louvered windage tray with main cap partitions for maximum power and oil control
- Features -16AN External Pickup
- Includes 0-ring magnetic drain plug, two -8AN drain backs and dipstick bung

PART # DESCRIPTION

Oil Pan, SBC, Power Kickouts, Aluminum, Divided Tray, 21240 -16AN External Pickup


PART # **AVAILABLE OPTIONS**


- 23962 Filter Fitting, -16 AN Male to -16 AN Male, with External Screen
- 23963 Filter Fitting, -12 AN Male to -16 AN Male with External Screen
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- Universal Dipstick Kit, Twist Lock 25973
- 38385 Bullet Nose Oil Pan Stud Kit
- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal




No. 21240









No. 21234

MOROSO







Fits: Most GM chassis (except '62-'67 Chevy II, V-8 Vega and Monza)

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- 3 trap door baffles, 2 runners for oil control in Road Racing, also an excellent Drag Race oil pan
- · Compatible with most starter/flywheel combinations
- Has a built in crank scraper, removable screen windage tray and antislosh baffle to free up horsepower

PART # DESCRIPTION

- 21813 Oil Pan, Steel, Clear Zinc, Road Race Baffled
 Engine Application: Pre- 1980 engine blocks with two piece seal/driver side dipstick
 21814 Oil Pan, Steel, Clear Zinc, Road Race Baffled
 Engine Application: SBC '80-'85 engine blocks with two piece seal/passenger side dipstick & Dart SHP Blocks
- 21815 Oil Pan, Steel, Clear Zinc, Road Race baffled *Engine Application:* SBC 1986 & Newer engine blocks with one piece seal/passenger side dipstick

PART # RECOMMENDED PICKUPS

- **24185** *Fits: Moroso SBC, 3/4*" *Inlet, M10552/M10555 style pumps*
- 24212 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24213 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24813 Fits: Moroso SBC, 3/4" Inlet, M155 HV style pump

PART # AVAILABLE OPTIONS

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

*If the factory low oil warning sensor is not going to be used, Part #22738, 20mm Plug with copper washer is available.


CHEVROLET SMALL BLOCK

Steel, Wet Sump, 5.5 Quart Capacity Fits: '93-'97 F-Body, Impala

- Kicked-out sump and trap door baffling for improved oil control in drag racing, road racing and street applications
- Clears 4.125" stroke with most steel rods
- Windage screen
- 20mm fitting for the factory oil level sensor*
- Clears stock exhaust and Hedman[®], Hooker[®], Borla[®] and similar-type headers
- Part No. 20179 has a ¼" NPT fitting for Moroso Univ. Dipsticks Nos. 25970, 25971 & 25973, Part No. 20185 uses stock dipstick

PART # DESCRIPTION


- 20179 Oil Pan, Steel Clear Zinc, Road Race Baffled Engine Application: SBC, Pre-'85 Block with a 2 piece rear main seal and Dart SHP engine blocks 20185 Oil Pan, Steel, Clear Zinc, Road Race Baffled Engine Application: SBC 1986 & newer engine blocks with a 1 piece seal and passenger side dipstick PART # **RECOMMENDED PICKUPS** 24185 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps 24212 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump 24213
- **24813** *Fits:* Moroso SBC, 3/4" Inlet, M155HV style pump



No. 20185

ראין:ויונו

No. 21813



PART # AVAILABLE OPTIONS

22738 Plug, 20mm x 1.5, Male with

- Copper Washer
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
 - Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38551** Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a
- 2 piece rear main seal 93151 Oil Pan Gasket, '86-up block with a
 - Oil Pan Gasket, '86-up block with a 1 piece rear main seal

3-15/16"

 \square

יאיו:ויוח

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7" Deep Sump, Road Race Baffled Fits: C-3 & C-4 Corvettes, Kit Cars and other low ground clearance applications

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- 5 trap door baffles for oil control in Road Racing, also Drag Racing
- Use stock dipstick; also has a 1/4" NPT fitting for Moroso Universal Dipsticks Nos. 25970, 25971 & 25973
- Has a built-in crank scraper, removable louvered windage tray for horsepower
- Includes 20mm fitting for oil level sensor, optional 20mm plug No. 22738 available for use when the factory low warning sensor is not going to be utilized
- Steel with a clear zinc finish
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled 21811 Engine Application: SBC '86 & up engine blocks with 1 piece seal and passenger side dipstick 21816 Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled
- Engine Application: SBC '80-85 engine blocks with 2 piece seal/passenger side dipstick & Dart SHP blocks 21812 Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled

DRAG I ROAD RACE

No. 21811

Engine Application: Pre-1980 engine blocks with two-piece seal and driver-side dipstick

PART # **RECOMMENDED PICKUPS**

- 24811 Fits: M55 style Standard Volume Oil Pump
- 24814 Fits: M55HV style High Volume Oil Pump
- 24817 Fits: M155HV style pumps
- 24819 Fits: 3/4" Inlet, M10552/M10555 style pumps

PART # **AVAILABLE OPTIONS**

- 22738 Plug, 20mm x 1.5, Male with Copper Washer
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38551 **Oil Pan Flange Head Bolts, SBC**
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- Oil Pan Gasket, '86-up block with a 1 piece rear main seal 93151

*If the factory low oil warning sensor is not going to be used, Part #22738, 20mm Plug with copper washer is available.

CIRCLE TRACK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Pre-1980 with two-piece rear main seal or '80-'85 with passenger-side dipstick Fits: GM Metric Chassis, Hobby Stock/Super Stock

- Three trap door baffles for oil control
- Built-in crank scraper
- Oil level sight plug
- Accepts most starter and flywheel combinations
- Accepts 3.80" stroke with steel rods

PART # DESCRIPTION

21308 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump

PART # **RECOMMENDED PICKUPS**


24308 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump

PART # **AVAILABLE OPTIONS**

38551 **Oil Pan Flange Head Bolts, SBC** 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

No. 21308 8' **4-**¹/₂"









Steel, Wet Sump, 7 Quart Capacity, 7-½" Deep With 1" Inspection Bung to meet 2011 - Up IMCA Rules Fits: GM '78-'87 Metric Chassis, aftermarket and Camaro front ends

- Accepts 4.125" stroke with steel rods, accepts most starter and flywheel combinations
- Fits 4 bolt Dart, GM and Merlin main caps
- Integrated 1" inspection bung with plug, no need for extra welding
- A cost-effective Circle Track Oil Pan with Moroso quality & performance was unavailable until now
- Trap doors for oil control, removable louvered windage tray and built-in crank scraper

PART # DESCRIPTION 21322 Oil Pan, Steel, Clear Zinc, Circle Track Engine Application: Pre-1980 blocks with driver-side dipstick 21323 Oil Pan, Steel, Clear Zinc, Circle Track

 Engine Application: 1980-'85 blocks with passenger side dipstick & Dart SHP Blocks
 21324 Oil Pan, Steel, Clear Zinc, Circle Track Engine Application: 1986 and newer blocks with a one-piece rear main seal

PART #	RECOMMENDED PICKUPS	

- 24316 Fits: M55HV style Oil Pump Pickup
- 24317 Fits: M55 style Oil Pump Pickup
- PART #
 AVAILABLE OPTIONS

 23000
 Oil Pan Baffle

 38555
 Self-Locking Oil Pan Bolts

 93150
 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

 93151
 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

0

No. 21322

mususu

11101:1050

10'

7-1/2"

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

SWV

CHEVY SMALL BLOCK

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

• Has a l	bolt Dart, GM and Merlin main caps built in crank scraper, removable louvered windage tray for horsepower T oil temperature bung and oil level check
PART # 21325	DESCRIPTION Oil Pan, Steel, Clear Zinc, 6-1/2" Deep, Offset Circle Track Sump Engine Application: SBC Pre-1980 engine blocks with two-piece seal and driver-side dipstick
21326	Oil Pan, Steel, Clear Zinc, 6-1/2" Deep, Offset Circle Track Sump Engine Application: SBC 1980-85 engine blocks with two piece seal/passenger side dipstick & Dart SHP blocks
21327	Oil Pan, Steel, Clear Zinc, 6-1/2" Deep, Offset Circle Track Sump Engine Application: SBC 1986 & Newer engine blocks with one-piece seal/passenger side dipstick
PART # 24314	RECOMMENDED PICKUPS Fits: Moroso SBC Race Pumps Nos. 22099, 22101 or M55 Style Standard Volume Oil Pump
24315	<i>Fits:</i> Melling M55HV style pump, pump housing may require slight clearancing to clear bottom of the oil pan

CIRCLE TRACK

PART # **AVAILABLE OPTIONS**

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

CHEVROLET SMALL BLOCK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-1/8" Deep Fits: GM Metric G-Body chassis, Street Stock and Late Model

- Five trap door baffles for oil control
- Engineered louvered tray system
- Oil level sight plug
- Accepts most starter and flywheel combinations
- Accepts 3.80" stroke with steel rods

PART # DESCRIPTION

- 21318 Oil Pan, Steel, Clear Zinc, Kicked-out Sump Engine Application: Pre-1980 blocks with two-piece rear main seal or 1980-'85 blocks with passenger-side dipstick 21319 Oil Pan, Steel, Clear Zinc, Kicked-out Sump
- Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # **RECOMMENDED PICKUPS**

- 24101 Fits: Flange Type Melling SBC Oil Pump M10555
- 24103 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24104 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24318 Fits: Moroso SBC HV Blueprinted Pump with 3/4" dia. inlet, Melling M155HV/M10551 style pump
- 22147 Fits: Moroso High Volume Package with 3/4" dia. inlet


PART # **AVAILABLE OPTIONS**


- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal
















3-3/8





Ш

CIRCLE TRACK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 6-1/2" Deep Fits: Fabricated tube chassis cars with lower engines

- · Passenger-side kick-out for more horsepower
- Five trap door baffles for oil control
- · Engineered louvered tray system
- Oil level sight plug
- · Accepts most starter and flywheel combinations
- Accepts 3.80" stroke with steel rods

PART # DESCRIPTION

- 21314 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump Engine Application: Pre-1980 blocks with driver-side dipstick or 1980-'85 blocks with passenger-side dipstick
 21315 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump
- Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # RECOMMENDED PICKUPS

- 24314 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24315 *Fits: Melling M55HV style pump, pump housing may require slight modification to clear bottom of the oil pan*

PART # AVAILABLE OPTIONS

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- **93151** Oil Pan Gasket, '86-up block with a 1 piece rear main seal

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-1/8" Deep Fits: GM Metric G-Body chassis, Street Stock and Late Model

- Passenger-side kick-out for more horsepower
- Five trap door baffles for oil control
- Engineered louvered tray system
- · Accepts most starter and flywheel combinations
- Oil level sight plug
- Accepts 3.80" stroke with steel rods

PART # DESCRIPTION

21312 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump *Engine Application:* Pre-1980 blocks with driver-side dipstick or 1980-'85 blocks with passenger-side dipstick

PART # RECOMMENDED PICKUPS


- 24101 Fits: Flange Type Melling SBC Oil Pump M10555
- 24103 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24104 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24318 *Fits:* Moroso SBC HV Blueprinted Pump with ³/₄" dia. inlet, Melling M155HV/M10551 style pump
- 22147 Fits: Moroso High Volume Package with ³/₄" dia. inlet


PART # AVAILABLE OPTIONS

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal




No. 21314














NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

CHEVROLET SMALL BLOCK

Aluminum, Wet Sump, 9.5 Quart Capacity, 7-1/4" Deep Fits: Sprint Car and any chassis with no cross-member under the engine

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main cap blocks
- Large kick out design for maximum horsepower and oil temperature reduction
- Advanced oil containment system comprised of 5 Trap Doors & a diagonal runner
- Pan rail crank scraper & windage tray
- Inspection bung with plug
- Oil level check and a magnetic drain plug

PART # DESCRIPTION

21330 SBC Oil Pan Fully Fabricated Aluminum with billet end seals, Wet Sump, Sprint Car

PART # RECOMMENDED PICKUPS


- 24101 Fits: Flange Type Melling SBC Oil Pump M10555
- 24103 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24104 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- **24325** *Fits:* Moroso Part *Nos. 22149, 22159, 22150, 22160 & 22162* and Melling 77/77HV style oil pumps


PART # AVAILABLE OPTIONS

- **62256** Wrench, Oil Pan T-Handle, ⁷/₁₆", 6 PT
- 38385 Bullet Nose Oil Pan Stud Kit
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal









360/410 SPRINT CAR

Aluminum, Dry Sump, 6-1/2" Deep

Fits: Sprint Car and any chassis with no cross-member under the engine

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main cap blocks
- Large kick out design for maximum horsepower and oil temperature reduction
- Forward facing -12 AN female pickups
- Inspection bung with plug
- Internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan

PART # DESCRIPTION

- 21553 Oil Pan, Fully Fabricated Aluminum with billet end seals *Engine Application: SBC, 3 P/U, Sprint Car*
- 21554 Oil Pan, Fully Fabricated Aluminum with billet end seals *Engine Application: SBC, 2 P/U, Sprint Car*
- 21555 Oil Pan, Fully Fabricated Aluminum with billet end seals *Engine Application: Donovan H/C 410, 3 P/U, Sprint Car*
- 21556 Oil Pan, Fully Fabricated Aluminum with billet end seals, Engine Application: Donovan H/C 410, 2 P/U, Sprint Car


PART # AVAILABLE OPTIONS

- **38385** Bullet Nose Oil Pan Stud Kit
- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT









NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



8-1/4"

10'

Engine Application: Small Block Style Dart Iron Eagle/Rocket Fits: Most chassis with Dart/Rocket Blocks (may require cross-member modification) Kicked-out sump Trap door baffle for improved oil control Crank scraper welded to pan Uni-directional screen windage tray Compatible with most starter/flywheel combinations Requires BBC standard height oil pump shaft, Moroso No. 22080 Recommended oil pan gasket Fel-Pro Part No. 1839

STREET | STRIP

PART # DESCRIPTION

20193 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

PART # RECOMMENDED PICKUPS

- 24171 Fits: Moroso SBC Race Pump Nos. 22099 , 22101 or M55 style pump
- 24351 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump

PART # OIL PUMP/PICKUP PACKAGE

22163 Moroso Billet Aluminum Oil Pump, High Volume

DART/ROCKET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep

22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # AVAILABLE OPTIONS


- 22080 Oil Pump Shaft
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38551 Oil Pan Flange Head Bolts, SBC



No. 21019

10-3/8





DRAG RACE

DART ROCKET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-¼" Deep Engine Application: Small Block Style Dart Iron Eagle/Rocket Fits: Most chassis (may require cross-member modification)

- Accepts 4.25" strokes with steel rods
- For use with 168-tooth flywheel combination
- · Partition-louvered windage tray
- · Cross-member modifications may be required
- Requires BBC standard height oil pump shaft, Moroso No. 22080
- Recommended oil pan gasket Fel-Pro Part No. 1839

PART # DESCRIPTION

21019 Oil Pan, Steel, Clear Zinc, Fully Fabricated

PART # RECOMMENDED PICKUPS

- 24171 *Fits:* Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24351 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- PART # OIL PUMP/PICKUP PACKAGE
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # AVAILABLE OPTIONS

- 22080 Oil Pump Shaft
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38551** Oil Pan Flange Head Bolts, SBC



DART / ROCKE

DART/ROCKET SMALL BLOCK

Aluminum, Wet Sump, 8 Quart Capacity, 8-1/2" Deep Engine Application: Small Block Style Dart Iron Eagle/Rocket Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

Aluminum, fully fabricated oil pan accepts 4.25" strokes with steel or alum. rods

DRAG RACE

CIRCLE TRACK

- Double kickout design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- · Billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- For use with 168-tooth flywheel combination
- Louvered windage tray with main cap partitions for maximum power and oil control
- Features O-ring magnetic drain plug, two –8AN drain backs and dipstick bung
- Recommended oil pan gasket Fel-Pro Part No. 1839

DESCRIPTION PART

- 21247 Oil Pan, Dart/Rocket, Alum. with Divided Tray
- 21248 Oil Pan, Dart/Rocket Small Block, Power Kickouts, Aluminum, Windage Tray, -16AN Ext. P/U

PART # **RECOMMENDED PICKUPS FOR PART NO. 21247**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump


PART # **OIL PUMP/PICKUP PACKAGE PART NO. 21247**


22124 Moroso Standard Volume Package

22134 Moroso High Volume Package

- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump







PART # **AVAILABLE OPTIONS**

23962	Fitting, -16 AN Male to -16 AN Male, External Screen
23963	Fitting, -12 AN Male to -16 AN Male External Screen
25970	Universal Dipstick Kit
25971	Universal Dipstick Kit, Braided Stainless Flex Tube
25973	Universal Dipstick Kit, Twist Lock
38551	Oil Pan Flange Head Bolts, SBC

DART/BRODIX/ROCKET SMALL BLOCK

Aluminum, Spread Rail

Fits: Sprint Car and any chassis with no cross-member under the engine

- · Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main caps
- · Large kick out design for maximum horsepower and oil temperature reduction
- Forward facing –12 AN female pickups
- Inspection plug
- Internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan
- Recommended oil pan gasket Fel-Pro Part No. 1839

PART # DESCRIPTION

21551 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: Dart/Brodix (Spread Rail), 3 P/U, Sprint Car 21552 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: Dart/Brodix (Spread Rail), 2 P/U, Sprint Car


ΔΥΔΙΙ ΔΒΙ Ε ΟΡΤΙΟΝS DART

62255	Wrench, Oil Pan T-Handle, ½", 6 PT
62256	Wrench, Oil Pan T-Handle, 7/16", 6 PT
38551	Oil Pan Flange Head Bolts, SBC



No. 21551







- Two -10AN fittings for remote filter installation
- Use stock dipstick

PART # DESCRIPTION

- 20140 Oil Pan, Steel, Clear Zinc PART # RECOMMENDED PICKUP
- **24050** *Fits:* Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # **AVAILABLE OPTIONS** 22120 Oil Pump GM LS, Race 22941 Windage Tray, GM Studs 22943 Windage Tray, ARP Studs 23694 Oil Cooler/Filter Sandwich Adapter 23700 **Remote Oil Filter Mount Remote Oil Filter Mount** 23710 23750 Remote Oil Filter Mount 23760 **Remote Oil Filter Mount** 23766 Remote Oil Filter Mount

NOTE: Front fitting is pressure, and the rear fitting is return.

PART #

24890

38541

71162

93152

AVAILABLE OPTIONS

Reinforcement

Oil Pan Stud Kit

GM LS Oil Pump Flange

Dust Shield for Moroso &

Oil Pan Gasket, One Piece

Series (Except LS7 & LS9)

Design, Steel Reinforced, GM LS

Aftermarket Oil Pans

E 10-1/4"

- 9-11/16"

OUTLET · INLET

- 1-13/16

GM LS SERIES

GM LS SERIES

Steel, Wet Sump, 7 Quart Capacity, 6" Deep, Angled Sump Engine Application: GM LS Series

- Fits: '67-'92 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S-10/S-15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications, check dimensions for clearance.
- Designed with a deeper front sump allowing the installation of Windage Trays (Nos. 22941 & 22943 sold separately, see pgs. 110-111)
- Trap-door baffling for improved oil control
- Clears 4.25" stroke with most steel rods
- Two -10AN fittings for remote filter installation
- Use stock dipstick

DESCRIPTION PART

20141 Oil Pan, Steel, Clear Zinc Plated, GM LS Series

PART # **RECOMMENDED PICKUP**

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

STREET | STRIP

PART # **AVAILABLE OPTIONS** 22120 Oil Pump GM LS, Race

- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9) 93152

NOTE: Front fitting is pressure, and the rear fitting is return.

GM LS SERIES, REAR SUMP SWAP

Steel, Wet Sump, 5 Quart Capacity, 6" Deep Engine Application: GM LS Series

Fits: LS Engine Conversions that require a Rear Sump (Check Measurements)

- Oil pan has a thick precision laser cut steel rail with a durable fabricated steel sump plated with a clear zinc finish
- Fabricated, durable steel construction is more adaptable to add fittings, change finishes and weighs less than cast aluminum construction
- Clears 4.25" stroke with most steel rods
- Anti-climb baffle; magnetic drain plug and uses a stock dipstick
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a ¼" N.P.T. sensor port

PART # DESCRIPTION


- 20145 Oil Pan, Steel, Clear Zinc, Rear Sump
- PART # **RECOMMENDED PICKUP**
- Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120 24050


PART # **AVAILABLE OPTIONS**

22120 Oil Pump GM LS, Race

22463 **Racing Oil Filter**

- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 **Oil Pan Mounting Stud Kit**
- Dust Shield for Moroso & Aftermarket Oil Pans 71162
- 93152 Oil Pan Gasket, GM LS










OUTLET

INLE7



No. 20141



22941 Windage Tray, Louvered, LS Engine

----- 16-1/16" 20-3/4" ----- • Features a drag race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pick up area

DRAG RACE

- Oil pan has a thick precision laser cut steel rail with a clear zinc finish
- Clears 4.25" stroke with most steel rods
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or 0.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a ¼" N.P.T. sensor port
- Uses stock dipstick

PART # DESCRIPTION

- 20139 Oil Pan, Steel, Clear Zinc, Drag Race Baffled
- PART # RECOMMENDED PICKUP
- 24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- **22463** Oil Filter, Moroso Racing
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs23711 Spin-On Oil filter Adapter. Side
- 23711 Spin-On Oil filter Adapter, Sideways Mount93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)
- **38541** Oil Pan Stud Kit
- **24890** GM LS Oil Pump Flange Reinforcement
- **71162** Dust Shield for Moroso & Aftermarket Oil Pans

GM LS SERIES

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Fits: Camaro and Firebird '98-02 with GM LS Engines, Camaro and Firebird '93-'02 with LS Swap

- Features a drag race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area
- Oil pan has a thick CNC machined aluminum rail
- Clears 4.25" stroke with most steel rods
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a 1/4" NPT sensor port
- Uses stock dipstick


PART # DESCRIPTION


- 21149 Oil Pan, Aluminum, Drag Race Baffled
- PART # RECOMMENDED PICKUP
- 24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120
- PART # AVAILABLE OPTIONS
- 22120 Oil Pump GM LS, Race
- 22463 Oil Filter, Moroso Racing
- **22941** Windage Tray, GM Studs **22943** Windage Tray, ARP Studs
- **22343** Willuage Iray, ARP Studs **23711** Spin-On Oil filter Adapter, Sideways Mount
- 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)
- 38541 Oil Pan Stud Kit
- 24890 GM LS Oil Pump Flange Reinforcement
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans



No. 20139
















SNAG 110

3-1/5



Aluminum, Wet Sump, 7 Quart Capacity, 7-1/2" Deep Engine Application: GM LS Series Fits: '12-'15 COPO Camaro, Rear Sump Applications (Check Measurements)

• Part No. 21151 is standard equipment on the 2014 COPO Camaros, can be used to upgrade earlier cars or used on COPO tribute cars

- Is 6 lbs lighter than the cast aluminum oil pan that was used on the 2012 and 2013 cars
- Has a thick oil pan rail machined from billet aluminum with a fabricated aluminum sump with an internal anti-slosh baffle
- Features a billet aluminum Spin-On oil filter adapter with a 1/4" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. Spin-On oil filter
- NHRA legal for stock eliminator & factory showdown

PART # DESCRIPTION

21151 Oil Pan, Aluminum, Fully Fabricated

REQUIRES THESE GM PARTS FOR INSTALLATION GM PART# DESCRIPTION 12608579 Oil Pump Pick Up 12570788 Dipstick 12570787 Dipstick Tube 12611129 Windage Tray*

*A.R.P. Part #200-8587 is required to space Windage Tray on 427 engine



No. 21151





20 Oil Pump GM LS, Race	
-------------------------	--

7-1/2"

- GM LS Oil Pump Flange Reinforcement
- Oil Pan Gasket, GM LS
- 22463 Oil Filter, Moroso Racing
- 38542 Oil Pan, Mounting Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans

GM LS DRAG RACE/ CAMARO '10-'15, COPO '12-'15

Aluminum, Wet Sump, 7 Quart Capacity, 7-1/2" Deep Engine Application: GM LS Series Fits: Camaro '10-'15, COPO Camaro '12-'15 & rear sump applications

(check measurements)


- · Features trap door baffle assembly, anti-climb baffle and anti-slosh baffle to keep oil contained in the oil pump pickup area during Drag Racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941, 22943 or O.E.M. windage trays Part Nos. 12611129, 19244049, 19202609 check clearances first
- Features a billet aluminum Spin-On oil filter adapter with a 1/4" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. Spin-On oil filter
- NHRA legal for stock eliminator & factory showdown

DESCRIPTION PART


- 21158 Oil Pan, GM LS, Drag Race, Camaro '10-'15, COP0 '12-'15
- PART # **RECOMMENDED PICKUP**
- 24153 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

AVAILABLE OPTIONS PART

- 22120 Oil Pump GM LS, Race
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 24890 GM LS Oil Pump Flange Reinforcement
- 38542 Oil Pan Stud Kit







REQUIRES THESE GM PARTS FOR INSTALLATION GM PART# DESCRIPTION 12570788 Dipstick

12570787 Dipstick Tube

AVAILABLE OPTIONS PART


- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



No. 21158



S SERIES



No. 21153

- 19202609 check clearances first • Features a billet aluminum Spin-On oil filter adapter with a 1/4" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. Spin-On oil filter
- NHRA legal for stock eliminator & factory showdown

GM LS COPO CAMARO '16-UP

Aluminum Wet Sump, 7 Quart Capacity, 7-1/2" Deep

PART # DESCRIPTION 21153 Oil Pan, GM LS, Drag Race, COPO Camaro '16-up **AVAILABLE OPTIONS** PART # 22120 Oil Pump GM LS, Race 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)

Oil Pan Stud Kit

Racing Oil Filter

PART # **RECOMMENDED PICKUP** 24153

- Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120
- 24154 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120, requires GM Part No. 19202609 windage tray and GM main cap mounting hardware

3-1/16

Q_1/16


REQUIRES THESE GM PARTS FOR INSTALLATION GM PART# DESCRIPTION

DRAG RACE

- Dust Shield for Moroso & Aftermarket Oil Pans
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- Spin-On Oil Filter Adapter, Sideways Mount 23711

GM LS Oil Pump Flange Reinforcement





GM LS COPO CAMARO '16-UP, -16AN EXT. P/U

Aluminum Wet Sump, 7 Quart Capacity, 7-1/2" Deep Engine Application: GM LS Series Fits: COPO Camaro '16-up and rear sump applications (check measurements)

- Features trap door baffle assembly, anti-climb baffle and anti-slosh baffle to keep oil contained in the oil pump pickup area during Drag Racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941, 22943 or O.E.M. windage trays Part Nos. 12611129, 19244049, 19202609 - check clearances first
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Features a billet aluminum Spin-On oil filter adapter with a ¼" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. Spin-On oil filter

PART # DESCRIPTION


21157 Oil Pan, GM LS, Drag Race, COPO Camaro '16-up, -16AN Ext. P/U


REQUIRES THESE GM PARTS FOR INSTALLATION

GM PART# DESCRIPTION 12570788 Dipstick **Dipstick Tube** 12570787

PART # **AVAILABLE OPTIONS**

- 23962 Fitting, -16 AN Male to -16 AN Male, External Screen
- 23963 Fitting, -12 AN Male to -16 AN Male External Screen
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced GM LS Series (Except LS7 & LS9)
- 38541 Oil Pan Stud Kit
- 22463 Racing Oil Filter
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 23711 Spin-On Oil Filter Adapter, Sideways Mount







वित्तान

11

38541

22463

24890

71162





- Included billet aluminum oil filter adapter has a ¼" N.P.T. sensor port
- Dipstick Fitting for required oil pan mounted dipstick

PART# DESCRIPTION


20138 Oil Pan, Steel, GM LS, Front Sump Swap, Race Baffled, Fully Fabricated, Spin-On Oil Filter Adapter

PART # **RECOMMENDED PICKUP**

24052 Fits: Front Sump For Stock Oil Pumps or Moroso LS Series High Volume Race Pump No. 22120

PART# **AVAILABLE OPTIONS**

- Oil Pump GM LS, Race 22120
- 22463 **Oil Filter, Moroso Racing**
- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 24890 GM LS Oil Pump Flange Reinforcement
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38541 Oil Pan Mounting Stud Kit.
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



45

ら

Π

DRAG | DRIFT | ROAD RACE

GM LS, EARLY F-BODY, ROAD RACE BAFFLED

Steel, Wet Sump, 7 Quart Capacity Early F-Body/Swap Engine Application: GM LS Series

Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications; check dimensions for clearance

• Two versions available:

No. 20142 has a Billet Aluminum Spin-on Oil Filter Adapter that accepts a 22mm thread. Moroso **No. 22463** or O.E.M. oil filter to be mounted in the stock location, clears 4.25" stroke **No. 20148** has a Billet Aluminum Remote Oil Filter Adapter that has two straight -10AN ports for remote filter installation, clears 4.25 stroke

- Oil pan has a thick precision laser cut steel rail and a clear zinc finish
- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pick up area during road racing and drag racing
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Uses stock dipstick

PART # DESCRIPTION

- 20142 Oil Pan, GM LS, Early/Swap F-Body Race Baffled, Spin-on Oil Filter Adapter that accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- 20148 Oil Pan GM LS Early/Swap F-Body Race Baffled, Remote Oil Filter Adapter that accepts -10AN to -10AN Fittings

PART # RECOMMENDED PICKUP

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- 22463 Oil Filter for Part No. 20142 Only
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 22605 -10AN to -10AN Fittings, For Part No. 20148 Only
- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)




No. 20142 Spin-on Oil Filter Adapter

NOTE: Front fitting is pressure, and the rear fitting is return.



No. 20148 Remote Filter Adapter




No. 23688 Remote Oil Filter Adapter, GM LS Series, Included with **No. 20148**














DRAG | DRIFT | ROAD RACE

GM LS, SWAP, ROAD RACE BAFFLED

Steel, Wet Sump, 7 Quart Capacity Engine Conversion Race Baffled, Angled Sump, Fully Fabricated Steel Oil Pan Engine Application: GM LS Series

- Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications; check dimensions for clearance
- Two versions available:

No. 20143 has a Billet Aluminum Spin-on Oil Filter Adapter that accepts a 22mm thread. Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, clears 4.25" stroke No. 20149 has a Billet Aluminum Remote Oil Filter Adapter that has two straight -10AN ports for remote filter installation, clears 4.25 stroke

- Oil pan has a thick precision laser cut steel rail and a clear zinc finish
- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Uses stock dipstick

PART # DESCRIPTION

- 20143 Oil Pan, GM LS, Engine Conv. Race Baffled, Angled Sump, Spin-on Oil Filter Adapter that accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- 20149 Oil Pan, GM LS, Engine Conv. Race Baffled, Angled Sump, Remote Oil Filter Adapter that accepts -10AN to -10AN Fittings

PART # RECOMMENDED PICKUP

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

Part # AVAILABLE OPTIONS


- 22120 Oil Pump GM LS, Race
- 22463 Oil Filter for Part No. 20143 Only
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 22605 -10AN to -10AN Fittings, For Part No. 20149 Only
- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



No. 20143 Spin-on Oil Filter Adapter



No. 20149 Remote Filter Adapter




No. 23688 Remote Oil Filter Adapter, GM LS Series, Included with **No. 20149**




MORDSO

No. 20143







S SERIES

GM LS SERIES



Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Sump

Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications; check dimensions for clearance

- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941 and 22943 Windage Tray
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a 1/4" N.P.T. sensor port
- Uses stock dipstick

DESCRIPTION PART

21152 Oil Pan, Aluminum, GM LS, EARLY F-BODY Race Baffled

PART # **RECOMMENDED PICKUP**

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # **AVAILABLE OPTIONS**

- Oil Pump GM LS, Race 22120
- 23688 Remote Oil Filter Adapter, GM LS
- 23711 Spin-On Oil filter Adapter, Sideways Mount
- 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)
- 38541 Oil Pan Stud Kit
- 22463 **Racing Oil Filter**
- 24890 GM LS Oil Pump Flange Reinforcement
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 22941 Windage Tray, GM Studs, Louvered, LS Engine
- 22943 Windage Tray, ARP Studs, Louvered, LS Engine

GM LS, SWAP, ROAD RACE BAFFLED

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Engine Application: GM LS Series

- Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck Can also be used in additional applications: check dimensions for clearance
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Nos. 22941 and 22943 Windage Tray
- · Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or 0.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a 1/4" N.P.T. sensor port
- Uses stock dipstick

PART # DESCRIPTION

21159 Oil Pan, GM LS, Engine Conversion, Race Baffled, Aluminum Angled Sump


PART # **RECOMMENDED PICKUP**

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART #	AVAILABLE OIL PAN OPTIONS
00044	Windows Tray, CM Chuda Lawyarad

- 22941 Windage Tray, GM Studs, Louvered, LS Engine 22943 Windage Tray, ARP Studs, Louvered, LS Engine 23688 Remote Oil Filter Adapter, GM LS 23711 Spin-On Oil filter Adapter, Sideways Mount 38541 Oil Pan Stud Kit Oil Pan Gasket, GM LS Series 93152
 - (Except LS7 & LS9)







No. 21152


















No. 21159

GM LS SERIES

Steel, Dry Sump, Fully Fabricated Steel

- For GM LS Series Engine Blocks
- Has versatile 3 scavenge –12 AN male pick up design allows the oil pan to be used as a Circle Track or Road Race Oil Pan, would also make an excellent Drag Race or Off Road oil pan
- Oil pan has a ³/₆" thick precision laser cut steel rail with a 14 gauge steel sump to stand up to the toughest racing conditions
- Clears 4.25" stroke with most steel rods
- Wrap around Anti-Slosh Baffle
- Has a -10 AN male fitting for a oil return

PART # DESCRIPTION


- 21155 Oil Pan, Fully Fabricated Steel left side pickups
- **21156** Oil Pan, Fully Fabricated Steel right side pickups

PART # AVAILABLE OPTIONS

23700 23710 23750 23760	Remote Oil Filter Mount Remote Oil Filter Mount Remote Oil Filter Mount Remote Oil Filter Mount
23766	Remote Oil Filter Mount
38541	Oil Pan Stud Kit
93152	Oil Pan Gasket, One Piece Design,
	Steel Reinforced, GM LS Series
	(Except LS7 & LS9)







No. 21156

GM LS OIL PAN & PICKUP ACCESORIES

an moroso

GM LS OIL PUMP FLANGE REINFORCEMENT

- Based on customer inquiries, this product is for the individual who would like their O.E.M. or aftermarket oil pump pick up to be secured in two locations
- Flange reinforcement is installed by screwing in the supplied hardware into the unused screw hole in the Moroso, GM or Melling LS oil pump
- · Can be installed without removing an already installed oil pump pickup

PART # DESCRIPTION

24890 GM LS Oil Pump Flange Reinforcement





10



No. 24890

DUST SHIELD, GM LS SERIES

- Covers the exposed flywheel (and clutch in standard transmission vehicles) when using an aftermarket oil pan on a GM LS Series Engine
- Manufactured from .100 thick aluminum
- Includes mounting hardware

PART #DESCRIPTION71162Dust Shield, GM LS Series





 \square

Steel, Wet Sump, 7 Quart Capacity, Baffled Engine Application: Dart LS Next Engine Blocks Fits: '67-'92 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body, and GM S10/S15 Two Wheel Drive Blazer/Truck

- Kit includes Dart LS Next oil pan and Moroso No. 22934, Billet Aluminum Spacers with mounting hardware
- Oil pan has a ³/₁₆" thick precision laser cut steel rail specifically designed for the LS Next Engine Block
- Features a trap door baffle and a removable windage tray that wraps around the oil pump for horsepower savings and oil control
- Has a 16 gauge steel sump to stand up to the toughest racing conditions
- Clears 4.25" stroke with most steel rods
- The included billet aluminum spacers that mount between the engine block and the oil pan with the supplied mounting hardware, sealing via the built in O-ring groove and requires a GM LS Gasket

STREET | STRIP

- Billet aluminum spacers have mounting holes for A/C and P/S brackets
- Uses stock OEM LS dipstick

PART # DESCRIPTION

20144 Oil Pan, Fully Fabricated Steel

PART # RECOMMENDED PICKUP


24144 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120


PART # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- 24890 GM LS Oil Pump Flange Reinforcement
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)









DART LS NEXT

Steel, Wet Sump, 7 Quart Capacity, 6" Deep, Baffled Engine Application: Dart LS Next Non-skirted Engine Blocks with Moroso Billet Aluminum Spacer Kit

Fits: '67-'92 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body, and GM S10/S15 Two Wheel Drive Blazer/Truck

- Pan does not include Moroso Oil Pan Spacer Kit No. 22934
- Oil pan has a 3/16" thick precision laser cut steel rail specifically designed for the LS Next Engine Block
- Features a trap door baffle and a removable windage tray that wraps around the oil pump for horsepower savings and oil control
- Has a 16 gauge steel sump to stand up to the toughest racing conditions
- Clears 4.25" stroke with most steel rods

PART # DESCRIPTION

20151 Oil Pan, DART LS NEXT, Fully Fabricated Steel

PART # RECOMMENDED PICKUP

24144 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- 22934 Oil Pan Spacer Kit
- 24890 GM LS Oil Pump Flange Reinforcement
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



8-5/s'

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

ż"

DART / LS NEX1



GM LT SERIES, REAR SUMP SWAP

Aluminum, Wet Sump, 5 Quart Capacity, 5-7/8" Deep Engine Application: GM LT Series Fits: LT Engine Conversions that require a Rear Sump (Check

Measurements)


- Due to the O.E.M. GM LT oil pans having the oil pump pickup built into the oil pan, our LT oil pan has a thick billet aluminum O-ringed rail incorporates a removable pick up, a billet front sump and a location to mount our billet aluminum spin-on oil filter adapter
- Fabricated aluminum construction is more adaptable to add fittings, change finishes and weighs less than cast aluminum construction
- Features a trap door baffle and a removable windage tray that wraps around the oil pump pick up for horsepower savings and oil control
- Includes a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 Racing or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- For dipstick, use GM part No.12643278 dipstick and GM part No.12652951 dipstick tube
- The included dip stick bung is designed to be use with GM Part # 12652951 Dipstick Tube and 12643278 Dipstick

PART # DESCRIPTION


20155 Oil Pan, GM LT, Rear Sump, Swap, Aluminum

PART#	AVAILABLE OPTIONS
22463	Oil Filter, Moroso Racing





nh:hh



DRAG RACE

1-7/8

GM LT COPO CAMARO '16-UP

Aluminum Wet Sump, 7 Quart Capacity, 7-½" Deep Engine Application: GM LT Series Fits: COPO Camaro '16-Up and rear sump applications (check measurements)

- Due to the O.E.M. GM LT oil pans having the oil pump pickup built into the oil pan, our LT oil pan has a thick billet aluminum O-ringed rail that incorporates a removable pickup, a billet front sump and a location to mount our billet aluminum spin-on oil filter adapter
- Fabricated aluminum construction is more adaptable to add fittings, change finishes and weighs less than cast aluminum construction
- Features trap door baffle assembly, anti-climb baffle and anti-slosh baffle to keep oil contained in the oil pump pickup area during Drag Racing
- Features a trap door baffle and a removable windage tray that wraps around the oil pump pickup for horsepower savings and to keep oil contained in the oil pump pickup area during Drag Racing
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- \bullet Included billet aluminum oil filter adapter has a $1\!\!4"$ N.P.T. sensor port
- The included dip stick bung is designed to be use with GM Part # 12652951 Dipstick Tube and 12643278 Dipstick

PART # DESCRIPTION

21154 Oil Pan, GM LT, Drag Race, COPO Camaro '16-up



with aluminum rods Compatible with most starter/flywheel combinations

PART # DESCRIPTION

'55-'57 Chevy · Stock style baffle

20451 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump

Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and

PART # **RECOMMENDED PICKUPS**

24430 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **AVAILABLE OPTIONS**

- 23030 Windage Tray (may require some modification)
- 23010 **Oil Pan Baffle**
- 25830 Crank Scraper
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- Universal Dipstick Kit, Twist Lock 25973
- Oil Pan Fastener Kit, BBC Race Pans 38361
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

CHEVY BIG BLOCK

CHEVROLET BIG BLOCK

Steel, Wet Sump, 5 Quart Capacity, 7-3/4" Deep Engine Application: Stock Replacement for GM Stock 2 or 4-Bolt Main Blocks Fits: Most Chassis w/Mark IV Engines

- · Can be used with GM 2-bolt and 4-bolt blocks
- Anti-slosh internal baffling
- Accepts up to a 4.0" stroke with steel rods
- Uses O.E.M. Dipstick/ Grommet

PART # DESCRIPTION

20449 Oil Pan, Steel, Clear Zinc, Stock Configuration

PART # RECOMMENDED PICKUPS

- 24448 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160 and 22162 or M77/M77HV style pump
- PART # **OIL PUMP/PICKUP PACKAGE**
- 22195 Moroso High-Volume Package

AVAILABLE OPTION PART

- 23030 Windage Tray (may require some modification)
- 23010 **Oil Pan Baffle**
- 25830 Crank Scraper
- 38361 **Oil Pan Fastener Kit, BBC Race Pans**


CHEVROLET BIG BLOCK Steel, Wet Sump, 7 Quart Capacity, 9" Deep

93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks




No. 20449











STREET | STRIP

CHEVROLET BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 9-3/4" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy

- Stock style baffle
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART #	DESCRIPTION
20460	Oil Don Stool Cl

- 20460 Oil Pan, Steel, Clear Zinc, Street Performance Sump
- PART # RECOMMENDED PICKUPS
- 24450
 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

23030	Windage Tray (may require some modification)
23010	Oil Pan Baffle
25830	Crank Scraper
25970	Universal Dipstick Kit
25971	Universal Dipstick Kit, Braided Stainless Flex Tube
25973	Universal Dipstick Kit, Twist Lock
93153	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV,
	notched for stroker cranks

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep, 10" Long Sump Engine Application: Mark IV Style (except for Gen V and Gen VI) Fits: Most Chassis (except '62-'67 Chevy II, V-8 Vega/Monza, and '55-'57 Chevy)

- Designed with a sump that has flat sides to alleviate header clearance problems with some exhaust header brands
- Flat sides eliminate the need to change headers or perform fabrication work to the kicked-out sump of the oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- · Features a crank scraper and uni-directional windage tray for horsepower
- Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration

PART # DESCRIPTION

20408 Oil Pan, Steel, Clear Zinc

- PART # RECOMMENDED PICKUPS
- 24440
 Fits: Stock Oil Pumps, Moroso BBC Race Pump

 Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

 24441*

 Fits: Stock Oil Pumps, Moroso BBC Race Pump
 - Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE


- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package with Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking



No. 20460








No. 20408





- PART # AVAILABLE OPTIONS 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless Flex Tube
- **25973** Universal Dipstick Kit, Twist Lock
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced,
 - BBC Mark IV, notched for stroker cranks

CHEVROLET BIG BLOCK Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy Kicked-out sump ראינגרות No. 20401 Trap door baffling for improved oil control Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods Compatible with most starter/flywheel combinations PART # DESCRIPTION 20401 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump PART # **RECOMMENDED PICKUPS** 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump **OIL PUMP/PICKUP PACKAGE** PART # 4-1/8" 22175 Moroso Standard Volume Package 8 22185 Moroso High Volume Package Moroso High Volume Package/Front Style Offset Pickup 22186* 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume 10-5/8" 10" Moroso Billet Aluminum Oil Pump, BBC, Standard Volume 22164 PART # **AVAILABLE OPTIONS** PART # **AVAILABLE OPTIONS** 23030 Windage Tray 25971 Universal Dipstick Kit, Braided Stainless Flex Tube 23010 **Oil Pan Baffle** 25973 Universal Dipstick Kit, Twist Lock 25830 Crank Scraper 93153 Oil Pan Gasket. One Piece Design. Steel Reinforced. 25970 Universal Dipstick Kit BBC Mark IV, notched for stroker cranks *Offset to middle of sump for more consistent oil pressure under braking CHEVROLET BIG BLOCK Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy Kicked-out sump and crank scraper Uni-directional windage screen · Rear anti-climb baffle

- Trap door baffling for improved oil control
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION 20403 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump PART # **RECOMMENDED PICKUPS**

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

OIL PUMP/PICKUP PACKAGE PART

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume


PART # **AVAILABLE OPTIONS**

- 23010 **Oil Pan Baffle**
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38361 **Oil Pan Fastener Kit, BBC Race Pans**
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks *Offset to middle of sump for more consistent oil pressure under braking

4-1/8"













STREET | STRIP

Steel, W Engine Fits: Mo Ter	VROLET BIG BLOCK <i>Vet Sump, 6 Quart Capacity, 8" Deep</i> <i>Application: Mark IV style (except Gen V and Gen VI)</i> <i>st chassis including '65-'72 Chevelle, Cutlass, Skylar</i> <i>npest and GTO, except '62-'67 Chevy II,</i> <i>Vega/Monza and '55-'57 Chevy</i>	k,		
 Rear s Trap d Acception with a 	rear steer center links in GM A-Body cars ump has been shortened 1-¼" for additional cross-mer oor baffling for improved oil control ts up to a 4.25" stroke with steel rods and a 4.090" stro luminum rods atible with most starter/flywheel combinations		ance No. 20412	
PART # 20412	DESCRIPTION Oil Pan, Steel, Clear Zinc, Rear Sump		↑ 4-1/a"	
PART # 24440 24441*	RECOMMENDED PICKUPS Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, M77/M77HV style pump Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 2 M77/M77HV style pump			
PART # 22175 22185 22186* 22163 22164	OIL PUMP/PICKUP PACKAGE Moroso Standard Volume Package or M77 style pump Moroso High Volume Package or M77HV style pump Moroso High Volume Package/Front Style Offset Pickup or M77HV style pump Moroso Billet Aluminum Oil Pump, BBC, High Volume Moroso Billet Aluminum Oil Pump, BBC, Standard Volume	PART # 23030 23010 25830 25970 25971 25973	AVAILABLE OPTIONS Windage Tray Oil Pan Baffle Crank Scraper Universal Dipstick Kit Universal Dipstick Kit, Br Universal Dipstick Kit, Tw	
*Offset to	middle of sump for more consistent oil pressure under braking	38361 93153	Oil Pan Fastener Kit, BBC Oil Pan Gasket, One Piec	

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis including '65-'72 Chevelle, Cutlass, Skylark, Tempest and GTO, except '62-'67 Chevy II,

V8 Vega/Monza and '55-'57 Chevy

- · Clears rear steer center links in GM A-Body cars
- Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Features a crank scraper and uni-directional windage tray for horsepower
- Compatible with most starter/flywheel combinations

DESCRIPTION PART

20416 Oil Pan, Steel, Clear Zinc, Rear Sump, Windage Tray

PART # **RECOMMENDED PICKUPS**


- Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or 24440 M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

OIL PUMP/PICKUP PACKAGE PART

- 22175 Moroso Standard Volume Package or M77 style pump
- 22185 Moroso High Volume Package or M77HV style pump
- 22186* Moroso High Volume Package/Front Style Offset Pickup or M77HV style pump
- Moroso Billet Aluminum Oil Pump, BBC, High Volume 22163
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking







- ss Flex Tube
- esign, Steel Reinforced, BBC Mark IV, notched for stroker cranks



PART # **AVAILABLE OPTIONS**

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- Oil Pan Gasket, One Piece Design, Steel Reinforced, 93153 BBC Mark IV, notched for stroker cranks

10-5/8

|||

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: '62-'67 Chevy II (without power steering) and '55-'57 Chevys; transmission must be in stock location

- Notched rear sump clears steering linkage
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20431 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Core Based

PART # RECOMMENDED PICKUP


24430 *Fits:* Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

- 23010 Oil Pan Baffle
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38361** Oil Pan Fastener Kit, BBC Race Pans
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks







DRAG RACE

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis (may require cross-member modification)

- Kicked-out sump
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods
- Anti-slosh baffling
- · Compatible most starter/flywheel combinations

PART # DESCRIPTION

20406 Oil Pan, Steel, Clear Zinc, Deep Sump, Core Based

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- **22163** Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # AVAILABLE OPTIONS

- 23030 Windage Tray
- 23010 Oil Pan Baffle
- 25830 Crank Scraper
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38361** Oil Pan Fastener Kit, BBC Race Pans


93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

*Offset to middle of sump for more consistent oil pressure under braking




No. 20406









DRAG RACE

25830 Crank Scraper 25970 Universal Dipstick Kit

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Bracket Race cars and Budget Super Stock cars; Some modifications necessary to fit cross-membered cars

- Core based oil pan, utilizing stock pan rail bolt pattern
- · Passenger-side kick-out for horsepower savings
- 8" rear depth, 5" front depth
- Louvered steel tray with main cap partitions for maximum power and oil control
- . For use with 168 and 153-tooth flywheel combinations
- Clears most cross-members
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

PART #	DESCRIPTION	

21047 Oil Pan, Steel, Clear Zinc

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150,
- 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22187 Moroso High Volume Package with Windage Shield

*Offset to middle of sump for more consistent oil pressure under braking





PART # **AVAILABLE OPTIONS**

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube

9'


- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



 \square

CHEVY BIG BLOCK



Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks



No. 21047



CHEVY BIG BLOCK

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 6" Front Depth, 8" Rear Depth Engine Application: Mark IV Style (except Gen V & Gen VI) Fits: Bracket and Budget Super Stock cars. Some modifications may be necessary to fit crossmembered cars.

- · Core based oil pan
- Kick-out for horsepower savings
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

DRAG RACE

- Partitioned and louvered windage tray with main cap dividers separates oil quickly from rotating assembly for ultimate oil control and maximum horsepower gain
- Includes provisions to accept Moroso Dipstick Kit Parts Nos. 25970, 25971, 25973
- Used with GM-style or Tilton-style starter and 168-tooth flywheel
- Clear zinc plating for durability and corrosion resistance

PART # DESCRIPTION

21048 Oil Pan, Steel, Clear Zinc Plated, Wet Sump, Mark IV Style

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186 Moroso High Volume Package/Front Style Offset Pickup*
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22187 Moroso High Volume Package with Windage Shield

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity with Standard Volume Pump, 7 Quart Capacity with High Volume Pump, 8" Deep Engine Application: Mark IV Style (except Gen V & Gen VI) Fits: Bracket Race cars and Budget Super Stock cars;

Some modifications necessary to fit cross-membered cars

- Core based oil pan
- Kick-out for horsepower savings
- 8" rear depth, 5" front depth with louvered steel tray
- Directional baffle across front of pan to direct oil to sump for oil control under hard acceleration
- For use with 168 and 153-tooth flywheel combinations
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

PART # DESCRIPTION

21049 Oil Pan, Steel, Clear Zinc, Mark IV Style


PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package with Front Style Offset Pickup
- **22187** Moroso High Volume Package with Windage Shield
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking








PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced BBC Mark 4, notched for stroker cranks



Indiak









- **25970** Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4, notched for stroker cranks



No. 21049





CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI)

Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars. Installation may require modifications to cross-member; check dimensions carefully before ordering

- Fully fabricated aluminum, billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern
- Double kick-out design ensures large stroke clearance and wide main cap clearance
- Solid louvered tray w/ main cap partitions for maximum power and oil control
- For use with 168-tooth flywheel combination
- Sump design works with Moroso spur gear and gerotor billet oil pumps
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 4.75" stroke with aluminum rods
- Features two 1/2" NPT Drainbacks



20385 Oil Pan, Aluminum, Internal Wet Sump

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- Moroso Billet Aluminum Oil Pump, BBC, High Volume 22163
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22167 Moroso Billet Aluminum High Volume Oil Pump

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket Cars. Installation may require modifications to cross-member;

- Fully fabricated aluminum, billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern
- Double kick-out design ensures up to 4.75" stroke with aluminum rods, wide main cap clearance and maximum horsepower
- Solid louvered windage tray w/main cap partitions for maximum power and oil control
- Sump design works with Moroso spur gear and gerotor billet oil pumps
- Features two 0-ring magnetic drain plugs, two –8AN drain backs, alternator notch
- · For use with 168-tooth flywheel combination
- Pump adjustment bung with plug

PART # DESCRIPTION

20485 Oil Pan, BBC Gen IV, Alum. w/Div. Tray


OIL PUMP/PICKUP PACKAGE PART

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- Moroso Billet Aluminum Oil Pump, BBC, High Volume 22163
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- Moroso Billet Aluminum High Volume Oil Pump 22167

*Offset to middle of sump for more consistent oil pressure under braking









25970 Universal Dipstick Kit

9-%"


0

 $\overline{\cap}$

Ω

- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- Universal Dipstick Kit, Twist Lock 25973
- 62255 Wrench. Oil Pan T-Handle, 1/2", 6 PT
- Oil Pan Fastener Kit, BBC Race Pans 38361
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern





RECOMMENDED PICKUPS PART

Fits: Moroso BBC Race Pump Nos. 22149, 22150, 24440 22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

AVAILABLE OPTIONS PART

- 62255 Wrench, Oil Pan T-Handle, 1/2", 6 PT Oil Pan Fastener Kit, BBC Race Pans
- 38361
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race **Bolt Pattern**

 Π

BBC MARK IV, -16 AN EXTERNAL PICKUP

Aluminum, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: BBC Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket Cars. Installation may require modifications to cross-member Check dimensions carefully before ordering

- Designed to be used with an External Oil Pump, oil pan has a sump mounted billet aluminum pickup that accepts a -16AN Male Fitting
- Fully fabricated aluminum with billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern, recommended oil pan gasket, Moroso No. 93156
- Double kick-out design ensures up to 4.75" stroke with aluminum rods, wide main cap clearance and maximum horsepower
- Full length solid louvered windage tray with main cap partitions for maximum power and oil control
- Features one O-ring magnetic drain plug, two –8AN drain backs, alternator notch
- For use with 168-tooth flywheel combination

PART # DESCRIPTION

20486 Oil Pan, BBC Mark IV, Aluminum Divided Tray, External –16 AN Pickup


PART # AVAILABLE OPTIONS

- 38361 Oil Pan Fastener Kit, BBC Race Pans
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern









CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-¾" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Alcohol Funny Car, Dragster, Tractor Pull, Racing Boats and 4x4s

- · Core based oil pan, utilizing stock pan rail bolt pattern
- · Box design sump for high capacity applications
- Accepts up to a 4.5" stroke with steel rods and a 4.25" stroke with aluminum rods
- Solid louvered tray for increased oil control
- · For use with 168 and 153-tooth flywheel combinations

PART # DESCRIPTION

20032 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP

24446 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

- **38361** Oil Pan Fastener Kit, BBC Race Pans
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4, notched for stroker cranks



No. 20032





Cars. In Check
Cars. In Check
Designed the mounted be
Fully fabric sealing suits and the sealing

CHEVY BIG BLOCK

DART #

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars with no cross-member under engine

- Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- Double kick-out design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- · Internal uni-directional screen and pan rail bolt access bungs
- For use with 168-tooth flywheel combination
- 1" deep mini sump design works with Moroso spur gear and gerotor billet oil pumps
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 4.75" stroke with aluminum rods

PART # DESCRIPTION

21600 Oil Pan, Aluminum, Internal Oil Pump

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150,
- 22159, 22160, 22162 or M77/M77HV style pump
- PART # OIL PUMP/PICKUP PACKAGE
- 22167 Moroso Billet Aluminum High Volume Oil Pump
- 22175 Moroso Standard Volume Package
- **22185** Moroso High Volume Package

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Top Sportsman, Top Dragster, Pro Mods, needing wet sump and ability for frequent lower-end inspection

- · Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- · Removable bottom with o-ringed billet flange
- Internal uni-directional screen
- · Power kick-out design for maximum horsepower
- For use with 168-tooth flywheel combination
- · Sump design works with Moroso spur gear and gerotor billet oil pumps
- · Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 4.75" stroke with aluminum rods

PART # DESCRIPTION

- 20376 Oil Pan, Two-piece, Gen IV Block, Mark IV Style
- PART # RECOMMENDED PICKUPS
- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22159 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22159 or M77/M77HV style pump
- PART # OIL PUMP/PICKUP PACKAGE
- 22167 Moroso Billet Aluminum High Volume Oil Pump
- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- **22164** Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- *Offset to middle of sump for more consistent oil pressure under braking



No. 21600

\uparrow	
5-3/4"	
↓]	

π	
22186*	Moroso High Volume Package/Front Style
	Offset Pickup
22163	Moroso Billet Aluminum Oil Pump, BBC,
	High Volume
22164	Moroso Billet Aluminum Oil Pump, BBC,
	Standard Volume
PART #	AVAILABLE OPTIONS
22704	Fitting, -12AN to -16AN Adapter
22104	Thing, TZAN to TOAN Adaptor
62255	Wrench, Oil Pan T-Handle, ½", 6 PT
00004	

OIL PLIMP/PICKUP PACKAGE

- 62255 Wrench, Oil Pan T-Handle, ½", 6 PT
 38361 Oil Pan Fastener Kit, BBC Race Pans
 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With
 - Race Bolt Pattern



No. 20376




PART #	REPLAC	EMENT	PART
	-		

97319	Square O-Ring
97326	Round O-Ring

PART # AVAILABLE OPTIONS

- **38361** Oil Pan Fastener Kit, BBC Race Pans
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern



CHEVROLET BIG BLOCK

Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V-8 Vega/Monza & '55-'57 Chevy

- 3 trap door baffles, 2 runners for oil control in Road Racing, also an excellent Drag Race oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Has a built in crank scraper, removable screen windage tray, anti-slosh and anti-climb baffles to free up horsepower
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20420 Oil Pan, Steel, Clear Zinc, Rear Sump, Road Race Baffling, Windage Tray

PART # RECOMMENDED PICKUP

24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE


- 22175 Moroso Standard Volume Package or M77 style pump
- 22185 Moroso High Volume Package or M77HV style pump
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume


PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks









NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

- M77/M77HV style pump

OIL PUMP/PICKUP PACKAGE PART

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- Moroso Billet Aluminum Oil Pump, BBC, High Volume 22163
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # **AVAILABLE OPTIONS**

- 25830 Crank Scraper 25970 Universal Dipstick Kit
- 25971
- Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93154 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6

Universal Dipstick Kit, Twist Lock

AVAILABLE OPTIONS

Universal Dipstick Kit

BBC Gen 5 & 6

No. 20411

CHEVROL	ET D	IC D	I OCH
CHEVHOL			

CHEVROLET BIG BLOCK

Cutlass, Skylark, Tempest/GTO

Trap door baffling for improved oil control

RECOMMENDED PICKUPS

OIL PUMP/PICKUP PACKAGE

Moroso High Volume Package

Moroso Standard Volume Package

Engine Application: Gen V/Gen VI

Kicked-out sump

Removable anti-slosh tray

Rear anti-climb baffle

with aluminum rods

DESCRIPTION

PART #

PART #

24440

24441*

PART #

22175

22185

22186*

22163

22164

20411

Steel, Wet Sump, 6.25 Quart Capacity, 8" Deep, 10" Long Sump

Fits: Most GM Chassis, front steering; including '65-'72 Chevelle,

Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke

Moroso High Volume Package/Front Style Offset Pickup

Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

Moroso Billet Aluminum Oil Pump, BBC, High Volume

*Offset to middle of sump for more consistent oil pressure under braking

Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

Accommodates stock GM main cap mounted windage tray

Compatible with most starter/flywheel combinations

Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Gen V/Gen VI Fits: Most GM Chassis, most rear steering; including '64-'72 Chevelle, Cutlass, Skylark, Tempest/GTO

- Kicked-out sump
- Accommodates the stock GM main cap mounted windage tray
- Accepts up to a 4.625" stroke with steel rods and a 4.25" stroke with aluminum rods
- Compatible with most starter/flvwheel combinations

PART # DESCRIPTION

- 20413 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Core Based
- PART # **RECOMMENDED PICKUPS**
- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or



Universal Dipstick Kit, Braided Stainless Flex Tube

Oil Pan Gasket, One Piece Design, Steel Reinforced,

No. 20413









TIDROSO



9-1/2





PART #

25970

25971

25973

93154



BBC

GEN V / GEN V

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep, 10" Long Sump Engine Application: Gen V and Gen VI Fits: Most Chassis (except '62-'67 Chevy II, V-8 Vega/Monza, and '55-'57 Chevy)

- Designed with a sump that has flat sides to alleviate header clearance problems with some exhaust header brands
- Flat sides eliminate the need to change headers or perform fabrication work to the kicked-out sump of the oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Features a crank scraper and uni-directional windage tray for horsepower
- Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration

PART # DESCRIPTION

20409 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUPS

 24440
 Fits: Stock Oil Pumps, Moroso BBC Race Pump

 Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

 24441*

 Fits: Stock Oil Pumps, Moroso BBC Race Pump

 Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

 Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package with Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93154 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen V and VI

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep	-
Engine Application: Gen V and Gen VI	
Fits: '62-'67 Chevy II (without power steering) and	
'55-'57 Chevys; transmission must be in stock location	

- Notched rear sump
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20433 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

PART # RECOMMENDED PICKUP

24430 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

23010 Oil Pan Baffle

- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93154 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6






No. 20433

יאיזגייות







BBC GEN V / GEN VI











DONOVAN, DRC2, MERLIN

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Fits: Competition Eliminator, Super Gas, Super Comp. and Bracket cars.

Installation may require modifications to cross-member; check dimensions carefully before ordering

- Fully fabricated, aluminum
- · Internal uni-directional screen and pan rail bolt access bungs
- For use with 168-tooth flywheel combinations
- Sump design works with Moroso spur gear & gerotor billet oil pumps
- · Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Double kick-out design ensures large stroke and wide main cap clearance and max horsepower
- Accepts 5.00" stroke with aluminum rods

PART # DESCRIPTION

20372 Oil Pan, Aluminum, Internal Oil Pump. Engine Application: Donovan 700, DRC2 Pan Rail

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE


- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- **22164** Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- **22167** Moroso Billet Aluminum High Volume Oil Pump

*Offset to middle of sump for more consistent oil pressure under braking



No. 20372





PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 62255 Wrench, Oil Pan T-Handle, ½", 6 PT
- 38361 Oil Pan Fastener Kit, BBC Race Pans

OIL PANS

DONOVAN, DRC2, MERLI

DONOVAN, DRC2, MERLIN

Aluminum, Dry Sump Engine Application: Donovan 700, DRC2, Donovan Style blocks with 10" and 10-3/8" wide pan rails and 2-piece rear main seal Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars with no cross-member under engine

- Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- (4) -12AN female pickups
- Power kick-out design for maximum horsepower
- Internal uni-directional screen
- For use with 168-tooth flywheel combination
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 5.30" stroke with aluminum rods

DESCRIPTION PART

21592 Oil Pan, Aluminum, 5-Stage, Passenger-Side Starter

AVAILABLE OPTIONS PART

- 23961 -12AN Filter Pickup Fittings
- 23963 -16AN Filter Pickup Fittings
- 62255 Wrench, Oil Pan T-Handle, 1/2", 6 PT
- 38361 Oil Pan Fastener Kit, BBC Race Pans

DONOVAN, DRC2, MERLIN

Aluminum, Dry Sump Engine Application: Donovan 700, DRC2, Donovan Style blocks with 10" and 10-3/6" wide pan rails and 2-piece rear main seal

- Fully fabricated, aluminum
- Removable bottom with o-ring billet flange
- Available with either (3) or (4) -12AN female pickups
- Power kick-out design for maximum horsepower
- Internal uni-directional screen
- For use with 168-tooth flywheel combination
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 5.30" stroke with aluminum rods

PART # DESCRIPTION

- 21597 Oil Pan, Donovan, DRC2, Merlin Big Block, Two Piece, 3 Pickups, Drag Race, Dry Sump
- 21598 Oil Pan, Donovan, DRC2, Merlin Big Block, Two Piece, 4 Pickups, Drag Race, Dry Sump

AVAILABLE OPTIONS PART


- 23961 -12AN Filter Pickup Fittings
- -16AN Filter Pickup Fittings 23963
- 38361 **Oil Pan Fastener Kit, BBC Race Pans**

REPLACEMENT PART PART

97319 Square O-Ring 97326 Round O-Ring



No. 21598



This pan design is also available for other engines and engine combinations. Call Moroso Custom Sales at 203-453-6571 for information.



OIL PUMP SECTION

ON PGS. 114-137





6 7-1/2





אתיהה


No. 21592

7-7/8

12-5/8

17-¹/₂

8-1/2





STREET | STRIP



Steel, Wet Sump, 8 Quart Capacity, 10" Deep Engine Application: 273-340, 360 Magnum Fits: Most production chassis

- Anti-slosh baffling
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20710 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Stock Core Based

PART # RECOMMENDED PICKUP

24700 Fits: Stock Oil Pumps or Chrysler 2468489 Pump



— 7-3/4" →



NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

GEN III HEMI OIL PAN ACCESSORY



0//



8-3/8

9-1/2"

68

CHRYSLER 361-440, 426 HEMI


Steel, Wet Sump, 5 Quart Capacity, 5" Deep Engine Application: 361-440 and 426 Street Hemi Fits: Work well in chassis with extra-low front

suspensions, Will not fit '62-'65 production chassis and is not recommended for racing applications due to it's shallow sump design

- · Anti-slosh baffling
- · Compatible with most starter/flywheel combinations
- PART # DESCRIPTION
- 20766 Oil Pan, Chrysler 361-440, 426 Hemi
- PART# RECOMMENDED PICKUP
- 24766 Fits: Stock R/RB Pumps
- PART # AVAILABLE OPTION
- 93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge







Ш

OIL PANS

CHRYSLER BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7" Deep Engine Application: 361-440 and 426 Street Hemi Fits: Most '66-Up production chassis

- Anti-slosh baffling
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

PART # RECOMMENDED PICKUPS


- 24750 Fits: Stock B/RB Pumps (% NPT-18 thread)
- 24800 Fits: Stock Hemi Pumps (1/2 NPT-14 thread)

PART # AVAILABLE OPTION

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge









²⁰⁷⁶⁰ Oil Pan, Steel, Zinc, Street Performance, Deep Sump, Stock Core Based

CHRYSLER

Aluminum, Wet Sump

Engine Application: Chrysler and most aftermarket Hemi Blocks including Keith Black and JP-1 used in Top Fuel-Alcohol Dragsters

- One-piece billet rail with steel inserts prevents annoving leaks after repeated R&R
- -20AN pickup
- With steel inserts at the mounting points provide a rigid flange that won't bend, move or leak after repeated removals
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan
- Built-in crank scraper removes excess oil to reduce windage and increase power

DESCRIPTION PART

200430 Oil Pan, Aluminum, BAE, KB Pan Rail, Dragster, Single -20AN built-in pickup, Camlock Fasteners

PART # **REPLACEMENT PART**

23143o Louvered Windage Tray

PART # **RECOMMENDED FITTING** 22625 -20AN to -20AN Fitting

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # **AVAILABLE OPTION**

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge

CHRYSLER

Aluminum, Wet Sump Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 used in Funny Cars

- · Billet rail with steel inserts
- Removable windage tray built into oil pan baffling
- Commonly used for wet sump applications

PART # DESCRIPTION

200450 Oil Pan, Aluminum, BAE, KB Pan Rail, Pro-Modified/Funny Car, single -20AN built-in pickup, camlock fasteners

REPLACEMENT PART PART

Louvered Windage Tray 231450

PART # **RECOMMENDED FITTING**

22625 -20AN to -20AN Fitting

PART # **AVAILABLE OPTION**

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge

3-1/2

CHRYSLER

Aluminum, Dry Sump

Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 style engines, Funny Cars

- One-piece billet rail, skirted, steel inserts
- Removable windage tray built into oil pan baffling

DESCRIPTION PART # 200440 Oil Pan, Aluminum, BAE, KB Pan Rail,

Single -16AN built-in pickup, Camlock Fasteners

PART # **REPLACEMENT PART**

23144o Windage Tray

PART # **RECOMMENDED FITTING** 22622 -16AN to -16AN Fitting

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm

PART # **AVAILABLE OPTION**

Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge 93174





MOROSO






 $5^{-1}/_{4}$

• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-





SNAG 110





CHRYSLER / AFTERMARKET

CHRYSLER, KEITH BLACK, BAE AND JP-1

Aluminum, Dry Sump

Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 style engines, Funny Cars

- One-piece billet rail, skirted, steel inserts
- Removable windage tray built into oil pan baffling
- Crankscraper

PART # DESCRIPTION


200490 Oil Pan, Aluminum, BAE, KB Pan Rail, Single -16AN built-in pickup, Camlock Fasteners

REPLACEMENT PART PART

- 231440 Windage Tray
- PART # **RECOMMENDED FITTING**
- 22622 -16AN to -16AN Fitting

AVAILABLE OPTION PART


93174 Oil Pan Gasket. One Piece Design. Steel Reinforced. Chrysler 361-440, Hemi, KB, BAE & Wedge







No. 20049



AJPE TFX 96, TFX2000 & TFX 2002 DRAGSTER OIL PAN

Aluminum, Wet Sump

Engine Application: AJPE TFX 96, TFX2000 & TFX 2002 (does not fit TFX 92 blocks)

- Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -20AN pickup, recessed pickup area
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan

PART # DESCRIPTION

200550 Oil Pan, AJPE TFX 96, TFX2000 & TFX 2002, Dragster

PART # **RECOMMENDED FITTING**

22625 -20AN to -20AN Fitting








• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-







CHRYSLER / AFTERMARKET / JEEP



AJPE TFX 96, TFX2000 & TFX 2002 FUNNY CAR OIL PAN

Aluminum, Dry Sump

Engine Application: AJPE TFX 96, TFX2000 & TFX 2002 (does not fit TFX 92 blocks)

- Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -16AN pickup
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan

PART # DESCRIPTION

20054 · 0il Pan, AJPE TFX 96, TFX2000 & TFX 2002, Funny Car

PART # RECOMMENDED FITTING

22622 -16AN to -16AN Fitting


• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-













OFF ROAD

JEEP

Steel, 4.0 Multi-Baffled

- Designed for 1991-2006 Jeep Wranglers, 1987-2001 Jeep Cherokees and 1987-1992 Comanches with 4.0 liter engines, including stock exhaust manifolds with the integral catalytic converters
- Features a race proven 3 trap door assembly and removable antislosh baffle that keeps oil contained in oil pump pickup area during harshest off road conditions
- The rear sump of the oil pan extends out on both sides to hold 7.25 quarts to reduce oil temperature
- Oil Pan is designed to work with your existing oil pump and pickup tube
- Depth of the oil pan remains at the stock depth is maintained to allow fitment for aftermarket skid plates and to maximize ground clearance
- Constructed from heavy duty 16 gauge steel with a clear zinc finish to resist corrosion

PART # DESCRIPTION

27862 Oil Pan, Steel, Clear Zinc, Jeep 4.0 Multi-Baffled

PART # AVAILABLE OPTION

93175 Oil Pan Gasket



FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Applications: Ford 289-302 Eity: Ford and Margury, care and trucks originally equipped

Fits: Ford and Mercury cars and trucks originally equipped with front sump pans (except Mustang II)

- Kicked-out sump
- Oil retention baffle
- Will clear 302 4-bolt center mains only
- Will not clear 302 4-bolt front and rear main caps without modification to pan or main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- 20502 Oil Pan, Steel, Clear Zinc, Front Sump Engine Application: 289-302 Engines
- PART # RECOMMENDED PICKUP
- 24520 Fits: Stock or M68, M68HV or M10688 style pumps


PART # AVAILABLE OPTIONS

- 22928 Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93161 Oil Pan Gasket, Ford 302, Early, Dimpled Rail









DRAG | ROAD RACE

FORD SMALL BLOCK

Steel, Street/Strip & Road Race, Front Sump, 9 Quart Capacity, 8" Deep Engine Applications: Ford 289-302 Fits: Ford, Mercury and Cobra Kit Car Front Sump applications (except Mustang II)

- Kicked-out sump increases capacity to 9 quarts, which reduces oil temperature and ensures adequate supply to pickup area
- · Baffling designed for street/strip & road racing
- Will clear 302 with 4-bolt center mains only; will NOT clear 302 with 4-bolt front and rear main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20503 Oil Pan, Steel, Clear Zinc, Kicked-Out Front Sump Engine Application: 289-302 Engines

PART # RECOMMENDED PICKUP

24523 Fits: Stock or M68 or M68HV style pumps


PART # AVAILABLE OPTIONS

- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- **25973** Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93161 Oil Pan Gasket, Ford 302, Early, Dimpled Rail



No. 20503





- 10-½"

Billet

End Seals

ルリミレトマ・

FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Application: 289-302

Fits: Ford including Australian, Mercury and Cobra Kit Car front sump applications (except Mustang II) Useage: Road and Drag Race, including street

- Billet end seals for greater sealing
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 3.40 stroke with most steel rods
- Four Trap Doors keep oil contained in oil pump pick up area
- Anti-slosh baffle keeps oil from leaving the sump
- Features oil temperature fitting and drain plug
- Compatible with most starter/flywheel combinations
- For use with 1-piece, rear sump oil pan gasket
- Includes O-ring drain plugs

PART # DESCRIPTION


20535 Ford 302 Front Sump Oil Pan, Road Race, clears 4-Bolt Blocks

PART# RECOMMENDED PICKUP

24523 Fits: Stock or M68, M68HV or M10688 style pumps

PART# AVAILABLE OPTIONS

- **22928**Main Cap Girdle for 289-302
- 22930 Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail



No. 20535

Billet

End Seals



FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 7-½" Deep Engine Application: 289-302 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Will clear 4-bolt center mains only
- Will not clear 4-bolt front and rear main caps
- Oil retaining baffle
- Engineered to supply oil to sump at all times
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20506 Oil Pan, Steel, Clear Zinc, Kicked-out Sump

PART # RECOMMENDED PICKUPS

- 24517 Fits: Stock or M68, M68HV or M10688 style pumps
- 24518* Fits: Stock or M68, M68HV or M10688 style pumps with Main Support

*Must use Moroso Main Cap Girdle Part No. 22928

PART # AVAILABLE OPTIONS

- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail






No. 20506

Billet

End Seals



NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

End Seals

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 289-302 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Will clear 4-bolt center mains only
- Clears 3.40" stroke with most steel rods
- Will not clear 4-bolt front and rear main caps without modification to pan or main caps
- Oil sump retaining system
- Engineered to supply oil to sump at all times
- Compatible with most starter/flywheel combinations

DESCRIPTION PART

20521 Oil Pan, Steel, Clear Zinc, Deep Sump Rear

PART # RECOMMENDED PICKUP

24516* Fits: Stock or M68, M68HV or M10688 Style Oil Pumps *Fits with or without main support girdle

PART # **AVAILABLE OPTIONS**

- Main Cap Girdle for 289-302 22928
- 22930 Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 289-302 Fits: '79-Up Mustang, '81-'88 Thunderbird & Cougar, '79-'86 Capri and other Ford rear sump applications

Now with billet end seals for greater sealing!

- 9" deep rear sump
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 3.40" stroke with most steel rods
- Oil sump retaining system
- Compatible with most starter/flywheel combinations
- Includes O-ring drain plugs

PART # DESCRIPTION

20511 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Rear Sump

RECOMMENDED PICKUP PART

Fits: Stock or M68, M68HV or M10688 Style Oil Pumps 24516*

*Fits with or without main support girdle

PART # **AVAILABLE OPTIONS**

- 22928 Main Cap Girdle for 289-302
- 22930 Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail



Billet

End Seals

4-1/4

8-5/8

No. 20511

6-1/2






٢

- 7-13/16"









DRAG | ROAD RACE

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 7-1/2" Deep Engine Application: 289-302 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri

and other Ford Rear Sump applications

- Features 4 trap doors, 2 baffles and removable sump tray that keeps the oil contained in the pickup area during hard acceleration, cornering and braking
- Fits 2005-Up SCCA and NASA race cars with 302 engines
- Designed for Road Racing, makes an excellent Drag Race or Kit Car oil pan
- Will clear center 4-bolt main caps
- Includes 1/2" NPT oil temperature bung
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20527 Oil Pan, Steel, Clear Zinc, Kicked-out Sump, Road Race Baffled

PART # RECOMMENDED PICKUPS

- 24527 Fits: Stock or M68, M68HV or M10688 Style Oil Pumps
- 24528* Fits: Stock or M68 or M68HV Style Oil Pumps w/ Main Support

*Must use Moroso Main Cap Girdle Part No. 22928


PART # AVAILABLE OPTIONS

- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- **25973** Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail



No. 20527





FORD 302 REAR SUMP

77

 Π

DRAG | ROAD RACE

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 7-1/2" Deep Engine Applications: Ford 289-302

Fits: '79-up Mustang, '81-'88 Thunderbird & Cougar,'79-'86 Capri and other Ford rear sump applications

- Oil pans have thick precision laser cut steel rails with a clear zinc finish
- · Billet end seals for greater sealing than a core based oil pan
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 3.40" stroke with most steel rods
- Feature a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in the oil pump pick up area during hard acceleration, cornering and braking
- Designed for Road Racing, makes an excellent Drag Race or Kit Car oil pan
- Fits 2005-up Mustang SCCA and NASA racecars with 302 engines
- Includes 1/2" N.P.T. oil temperature bung and magnetic drain plugs
- · Compatible with most starter/flywheel combinations
- For use with 1 piece, rear sump oil pan gasket such as Part **No. 93160** for 302 applications

PART # DESCRIPTION

20533 Oil Pan , Ford 302, Clear Zinc


PART # RECOMMENDED PICKUPS

 24527
 For 302, Fits: Stock or M68, M68HV or M10688 Style Oil Pumps

 24528*
 For 302, Fits: Stock or M68, M68HV or M10688 Style Oil Pumps

 w/ Main Support
 Main Support

*Must use Moroso Main Cap Girdle Part No. 22928





NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Application: 351W

Fits: Ford and Mercury cars and trucks originally equipped with front sump pans (except Mustang II)

- · Kicked-out sump
- Oil retention baffle
- Will clear 351W 4-bolt center mains only
- Will not clear 351W 4-bolt front and rear main caps without modification to pan or main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION


- 20507 Oil Pan, Steel, Clear Zinc, Front Sump Engine Application: 351W Engines
- PART # RECOMMENDED PICKUP
- 24507 Fits: Stock or M83, M83HV or M10833 style pumps


PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud. 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93163 Oil Pan Gasket, Ford 351 W, Early, Dimpled Rail









FORD SMALL BLOCK



- Fits: Ford, Mercury and Cobra Kit Car Front Sump applications (except Mustang II)
- Kicked-out sump increases capacity to 9 quarts, which reduces oil temperature and insures adequate supply to pickup area
- Baffling designed for street/strip & road racing
- Will clear 351W with 4-bolt center mains only; will NOT clear 351W with 4-bolt front and rear main caps
- Works with most starter/flywheel combinations
- Clear zinc plating for durability and corrosion resistance

PART # DESCRIPTION

20501 Oil Pan, Steel, Clear Zinc, Kicked-Out Front Sump *Engine Application: 351W engines*

PART # RECOMMENDED PICKUP

24507 Fits: Stock or M83, M83HV or M10833 style pumps

PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- **25973** Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud. 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- **93163** Oil Pan Gasket, Ford 351W, Early, Dimpled Rail

FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Application: 351W

Fits: Ford including Australian, Mercury and Cobra Kit Car front sump applications (except Mustang II) Useage: Road and Drag Race, including street

- Fully Fabricated steel with a clear zinc finish
- Billet end seals for greater sealing
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 4.0 stroke with most steel rods
- Four Trap Doors keep oil contained in oil pump pick up area
- Anti-slosh baffle keeps oil from leaving the sump
- · Features oil temperature fitting and drain plug
- · Compatible with most starter/flywheel combinations
- For use with 1-piece, rear sump oil pan gasket
- Includes O-ring drain plugs

PART # DESCRIPTION

20536 Ford 351W Front Sump Oil Pan, Road Race, clears 4-Bolt Blocks

PART# RECOMMENDED PICKUP


24507 Fits: Stock or M83, M83HV or M10833 style pumps

PART# AVAILABLE OPTIONS

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- **38194** Oil Pump Pickup Stud. 351W
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail














NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

OIL PANS

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 351W

- Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications
- Rear sump design
- Will clear 351W 4-bolt center mains only
- Will not clear 351W 4-bolt front and rear main caps
- Oil sump retaining system and anti-slosh baffle
- Reduced oil temperature

PART # DESCRIPTION

- 20523 Oil Pan, Steel, Clear Zinc, Deep Rear Sump
- PART # **RECOMMENDED PICKUP**
- 24532 Fits: Stock or M83, M83HV or M10833 Style Oil Pump

PART # **AVAILABLE OPTIONS**

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38192 Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud. 351W
- Oil Pan Mounting Stud Kit, Bullet Nose 38390
- 93163 Oil Pan Gasket, Ford 351W, Early, Dimpled Rail

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 351W Fits: '79-Up Mustang, '81-'88 Thunderbird & Cougar,

'79-'86 Capri and other Ford rear sump applications

Now with billet end seals for greater sealing!

- Steel with a clear zinc finish
- 9" deep rear sump
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 4.0" stroke with most steel rods
- Oil sump retaining system
- Compatible with most starter/flywheel combinations
- Includes O-ring drain plugs

PART # DESCRIPTION

20520 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Deep Sump

PART # **RECOMMENDED PICKUP**


24532* Fits: Stock or M83, M83HV or M10833 Style Oil Pump *Does not fit World Products Man O' War Engine Block

- PART # **AVAILABLE OPTIONS**
- 22935 Louvered Windage Trav. 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38192 Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud. 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail










NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.






Billet



79

11

FORD 351W REAR SUMP



FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 9 Quart Capacity, 7-½" Deep Engine Application: 351W Fits: Late Model, Pro Stock, SK Modified[®] with tube snout chassis

and no cross-members or steering linkages located under engine

- Five trap door baffling for oil control
- Built-in scraper on passenger-side
- Built-in dipstick
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 4.250" stroke with steel rods with scraper modification
- Accepts most starter and flywheel combinations

PART # DESCRIPTION

- 20522 Oil Pan, Steel, Clear Zinc, Fully Fabricated, Kicked-out Sump
- PART # RECOMMENDED PICKUP
- 24515 Fits: Stock or M83, M83HV or M10833 Style Oil Pumps

PART# AVAILABLE OPTIONS

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud, 351W
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail

FORD SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: 351C and 351M Fits: 351C & 351M into most front sump production chassis (except Mustang II)

- Oil sump retaining system
- Reduces oil temperature
- · Compatible with most starter/flywheel combinations
- Magnetic drain plug

PART # DESCRIPTION

20558 Oil Pan, Steel, Clear Zinc, Kicked-out Front Sump


PART # RECOMMENDED PICKUP

24558 Fits: Stock Oil Pumps

PART # AVAILABLE OPTIONS

- 38192 Tray Mounting Studs
- **38194** Oil Pump Pickup Stud, 351W





No. 20558



Q_3/4

Q"

STREET

STRIP

FORD SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8-1/4" Deep Engine Application: 351C and 351M Fits: Most Front Sump Production Chassis


- Oil sump retaining system
- Magnetic drain plug
- · Compatible with most starter/flywheel combinations
- Uses stock pickup


PART # DESCRIPTION


20557 Oil Pan, Unplated Steel, Stock Configuration, Front Sump

PART # AVAILABLE OPTIONS

- **38192** Tray Mounting Studs
- 38194 Oil Pump Pickup Stud







No. 20522

FORD 351W / 351C / 351M





	STREET ST	RIP
Steel, W Engine A Fits: '79 '79	D SMALL BLOCK <i>Tet Sump, 8 Quart Capacity, 9" Deep</i> <i>Application: Ford 351C, 351M, and 400 block</i> <i>-Up Mustang, '81-'88 Thunderbird, Cougar,</i> <i>-'86 Capri and other Ford Rear Sump applications</i> <i>cept Mustang II</i>)	TURUSE
 Increas Compa PART # 	ased oil pan, utilizing stock pan rail bolt pattern sed sump capacity, full length scraper atible with most starter and flywheel combinations DESCRIPTION	No. 20530
20530 PART # 24530 PART # 25970 25971 25973	Oil Pan, Steel, Clear Zinc RECOMMENDED PICKUP <i>Fits: Melling M84AHV, Speed Pro 224-103R or similar pumps</i> AVAILABLE OPTIONS Universal Dipstick Kit Universal Dipstick Kit, Braided Stainless Flex Tube Universal Dipstick Kit, Twist Lock	$\begin{array}{c} & & \\$
Steel, W Engine A	DRAG ROAD D 4.6/5.4L, COBRA REPLICA Tet Sump, 7 Quart Capacity Application: 4.6/5.4L SOHC/DOHC for Kit Cars that require a rear sump oil pan	
 For For Design rear su Feature bafflet road ra Steel v Design Uses ti Extra c ½" NP 	rd 4.6/5.4 SOHC/DOHC ned for Cobra Replicas that require a shallow ump oil pan es a race proven four trap door assembly and anti-slosh that keeps oil contained in oil pump pick up area during acing and drag racing with a clear zinc finish ned to be used with the Moroso No. 22933 windage tray he factory Mustang Dipstick eapacity; holds 1 more quart that the Mustang O.E.M. oil pan T fitting for supercharger drain back T fitting for oil temperature sender DESCRIPTION Oil Pan, Steel, Ford 4.6/5.4 Modular, Cobra Replica Race Baffled	No. 20549 No. 20549 PART # RECOMMENDED PICKUPS 24547 Fits: Factory 4.6/5.4, 2 Valve Engine Oil Pum 24548 Fits: Factory 4.6/5.4, 4 Valve Engine Oil Pum PART # AVAILABLE OPTIONS 22933 Louvered Windage Tray 4.6/5.4 93164 Oil Pan Gasket, Ford 4.6/5.4
	TRUCK	
Aluminu Engine A Fits: '99	D 4.6/5.4L Im, Wet Sump, 7 Quart Capacity Application: 4.6/5.4L SOHC/DOHC -'04 Lightning, '97-'04 F-150 (2-Wheel Drive) abricated, all-aluminum construction offers exceptional	


- Billet rail, kicked-out and lengthened sump adds extra capacity to help cool oil better
- Baffling system confines oil flow within the pickup area during hard acceleration, cornering and braking
- Designed to work with Ford Pickup No. F65Z-6622-CA and Ford Pickup Spacer No. N806180S2
- Uses factory dipstick

• Includes magnetic drain plug
PART # DESCRIPTION

20554 Oil Pan, Aluminum

PART # AVAILABLE OPTIONS

22933 Louvered Windage Tray, 4.6/5.4 **93164** Oil Pan Gasket, Ford 4.6/5.4



PART # AVAILABLE OPTIONS

- 22933 Louvered Windage Tray, 4.6/5.4
- **93164** Oil Pan Gasket, Ford 4.6/5.4




FORD 4.6/5.4L

Steel, Wet Sump, 8 Quart Capacity, 6-1/4" Deep Engine Application: 4.6/5.4 Liter Fits: '79-Up, including '05-Up Mustang

- Four trap door baffles for Drag and Road Race Applications
- Anti-slosh baffle
- Increased oil capacity over stock
- Designed to work with factory 2v, 3v and 4v oil pump pickup
- Uses factory dipstick
- 1/2" NPT fitting for supercharger drain back
- 1/2" NPT fitting for oil temperature sender
- Includes magnetic drain plug

PART # DESCRIPTION

- 20548 Oil Pan, Steel, Clear Zinc Plated, Baffled Rear Sump
- PART # AVAILABLE OPTIONS
- 22933 Louvered Windage Tray, 4.6/5.4
- **93164** Oil Pan Gasket, Ford 4.6/5.4



1-7/8

13

← 6-1/8"→

3-3/8"

6-1/2"

OIL PANS

FORD 4.6 / 5.4L

FRONT SUMP Steel, Wet Sump, 7 Quart Capacity moroso Engine Application: Ford 5.0 Modular "Coyote" Engines Fits: Early Ford Chassis that require a front sump oil pan (check measurements) For Ford 5.0 "Coyote" Engine Blocks • Designed to install Ford 5.0 "Coyote" Engines into early Ford chassis that require a front sump oil pan • Oil pan has a thick steel rail with a fabricated steel sump • Designed to be used with the 5.0 "Coyote" factory windage tray and dipstick Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing 1/2" NPT fitting for oil temperature sender and dipstick provision 20 mm fitting for the factory oil level sensor C DESCRIPTION **AVAILABLE OPTIONS** PART # Ford 5.0 Coyote, Front Sump Race 22936 Windage Tray & Oil Pan Baffled Fabricated Steel Oil Pan Gasket, Ford 5.0 Covote, Ford 5.2 Voodoo, with modification

PART # **REQUIRED PICKUPS**

- 24573 Fits: Factory 5.0/5.2 Gen 1 & 2 Oil Pumps
- 24576 Fits: Factory 5.0/5.2 Gen 3 Oil Pumps
- 25970 25971 25973

22738

Factory Low Oil Warning Sensor Plug, 20mm Universal Dipstick Kit Universal Dipstick Kit, Braided Stainless Flex Tube

No. 20570

2-5/8

Universal Dipstick Kit, Twist Lock

FORD 5.0 COYOTE / 5.2 VOODOO. **COBRA REPLICA**

FORD 5.0 COYOTE / 5.2 VOODOO,

Wet Sump, 9-1/2 Quart Capacity

Engine Application: Ford 5.0 "Coyote"/5.2 "Voodoo" Engines Fits: Cobra Kit Cars that require a rear sump oil pan

- Designed for Cobra Replicas that require a shallow, rear sump oil pan
- Available in either fully fabricated steel with a clear zinc finish or fabricated alumium sump with a thick rail
- Designed to be used with the 5.0 "Coyote"/ 5.2 "Voodoo" Gen 1 or 2 factory windage tray and dipstick
- Features a race-proven, four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- $\frac{1}{2}$ " NPT fitting for supercharger drain back
- 1/2" NPT fitting for oil temperature sender
- 20 mm fitting for the factory oil level sensor

DESCRIPTION PART

- 20569 Oil Pan, Fabricated Aluminum, Race Baffled
- 20570 Oil Pan, Fabricated Steel, Clear Zinc, Race Baffled

PART # **REQUIRED PICKUPS**

- 24570 Fits: Factory 5.0/5.2 Gen 1 & 2 Oil Pumps
- 24577 Fits: Factory 5.0/5.2 Gen 3 Oil Pumps


PART # **AVAILABLE OPTIONS**

- 22738 Factory Low Oil Warning Sensor Plug, 20mm
- 22936 Windage Tray & Oil Pan Gasket, Ford 5.0 Coyote, Ford 5.2 Voodoo




2-3/8

No. 20569





. 4-³/8"





3-%

C marasa

⊚

10-3/4

2-3%



PART #

20573

Ш



OIL PUMP PICKUP KITS, FORD COYOTE GEN 3, GT 350 ENGINES WITH GEN 3 OIL PUMPS

- Pickup's machined steel bung inserts into a Gen. 3 oil pump, is retained by the bung's machined steps, o-ring and it's integral bracket, kit includes pickup tube, o-ring, main cap bolt, standoff and 8mm flange head screw
- Pickup has a large 1-1/4" diameter tube so that there is no restriction of flow during continuous high rpm track events
 Must use with Massas Part No. 22026 or Fard Part No. PP27 6710. A windows trav/geolet
- Must use with Moroso Part No. 22936 or Ford Part No. BR3Z-6710-A windage tray/gasket

PART # DESCRIPTION

24576	Oil Pump Pickup Kit, FORD Coyote Gen 3, GT 350 Engines	
Fits: Moroso Part No. 20573 Oil Pan		
~ ~ = = = =		

- 24577 Oil Pump Pickup Kit, FORD Coyote Gen 3, GT 350 Engines Fits: Moroso Part Nos. 20569 and 20570 Oil Pans
- 24578 Oil Pump Pickup Kit, FORD Coyote Gen 3, GT 350 Engines *Fits: Moroso Part Nos. 20571, 20572, 20575 and 20576*
- 24579 Oil Pump Pickup Kit, FORD Coyote Gen 3, GT 350 Engines Fits: Moroso Part Nos. 20574 and 20577 Oil Pans







FORD 5.0 COYOTE / 5.2 VOODOO MUSTANG AND REAR SUMP APPLICATIONS

Aluminum,Wet Sump, 9 Quart Capacity Engine Application: Ford 5.0 Modular "Coyote" Engines Fits: Mustang, '11-Up; Mustang, '79-Up & other Ford Rear Sump conversions with Ford "Coyote" or "Voodoo" Engines, (check measurements)

- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Designed to be used with the 5.0 "Coyote"/ 5.2 "Voodoo" Gen 1 or 2 factory windage tray and dipstick
- Features a Drag Race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during launches and deceleration
- 1/2" NPT fitting for supercharger drain back
- 1/2" NPT fitting for oil temperature sender
- 20 mm fitting for the factory oil level sensor*

PART # DESCRIPTION

20574 Oil Pan, Aluminum, Fully Fabricated *Fits:* '11-Up Mustang & Rear Sump Conversions
20577 Oil Pan, Aluminum, Fully Fabricated *NEW Fits:* '79-'93 Mustang with 5.0 Coyote / 5.2 Voodoo Swaps using BBK or American Racing Headers


PART # REQUIRED PICKUPS

- 24574 Fits: Factory 5.0 Coyote/5.2 Voodoo Gen1 & Gen 2 Oil Pumps
- 24579 Fits: Factory 5.0/5.2 Gen 3 Oil Pumps

PART # AVAILABLE OPTIONS

- 22738 Factory Low Oil Warning Sensor Plug, 20mm
- 22936 Windage Tray & Oil Pan Gasket, Ford 5.0 Coyote, Ford 5.2 Voodoo

*If the factory low oil warning sensor is not going to be used, Part **No. 22738,** 20mm Plug with copper washer is available



WINDAGE TRAY AND OIL PAN GASKET

Fits: Ford 5.0 Coyote, 5.2 Voodoo

- Required when installing a Moroso oil pan and oil pump pickup on a Gen. 3 engine or is a replacement windage tray/oil pan gasket on a Gen. 1 or Gen. 2 engine
- Goes between the engine block and oil pan

PART # DESCRIPTION

22936 Windage Tray & Oil Pan Gasket, Ford 5.0 Coyote, 5.2 Voodoo









6

No. 20574

13-1/16

 \bigcirc

9-3/16

3-1⁄2"

٨

6-5/8

MARASI

2-3%



MURUSD

FORD BIG BLOCK

Steel, Wet Sump, 5 Quart Capacity, 5" Deep Engine Application: 352-428 FE Fits: Most Production Chassis

- Front sump
- Built-in oil baffle
- Uses stock pickup
- Magnetic drain plug


PART # DESCRIPTION

20606 Oil Pan, Steel, Clear Zinc, Stock Configuration

PART # **AVAILABLE OPTION**

22940 Louvered Windage Tray No. 20606





FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-1/2" Deep Engine Application: 352-428 FE Fits: Most Production Chassis

- · Oil sump retaining system
- Removable oil sump tray
- Reduces oil temperature
- Magnetic drain plug

PART # DESCRIPTION


- 20609 Oil Pan, Steel, Clear Zinc, Deep Front Sump
- PART # **RECOMMENDED PICKUP** 24609 Fits: Melling M57HV
- PART #

AVAILABLE OPTIONS 22940 Louvered Windage Tray

- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit, Twist Lock







OIL PANS FORD 352 - 428FE



गणःगस



10-3/16


FORD BIG BLOCK

Street/Strip & Road Race, Kicked-Out Front Sump, Enhanced Road Race Baffling Engine Application: 352-428 FE

- Kicked-out front sump increases oil capacity to 8 guarts which reduces oil temperature and insures adequate supply to the oil pump pickup
- Includes 6 trap doors, 2 baffles and a removable sump tray that keeps the oil contained in the pickup area during hard acceleration, cornering and braking
- Features a magnetic drain plug and oil temperature bung
- Dipstick bung
- PART # DESCRIPTION
- 20608 Oil Pan, Steel, Clear Zinc, 6" Kicked-Out Front Sump, Wet Sump
- PART # **RECOMMENDED PICKUP**
- 24608 Fits: Melling M57HV

PART # **AVAILABLE OPTIONS**

- 22940 Louvered Windage Tray
- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit, Twist Lock



10-1%"

FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 6" Deep Engine Application: 352-428 FE Fits: Most front sump production chassis and kit cars

- Anti-slosh baffle
- Oil temperature bung
- Reduces oil temperature
- Magnetic drain plug

PART # DESCRIPTION 20607 Oil Pan, Steel, Clear Zinc, Kicked-out Front Sump

PART # **RECOMMENDED PICKUP**

24608 Fits: Melling M57HV

AVAILABLE OPTIONS PART

22940 Louvered Windage Tray 25970 Universal Dipstick Kit Universal Dipstick Kit, Braided Stainless Flex Tube 25971

25973 Universal Dipstick Kit, Twist Lock





1-3/4'

3-1/2



13





17-1/3



88

No. 20608







STREET | STRIP

FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 9" Deep Engine Application: 429-460 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Oil sump retaining system
- Clears stock cross-member and steering linkage
- Reduces oil temperature
- PART # DESCRIPTION
- **20620** Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP

24509* Fits: Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps

PART # AVAILABLE OPTIONS


- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail

*Fits only 4-bolt mains (SVO Block)









 \square

011

PANS

DRAG RACE

FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: 429-460 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Core based oil pan, utilizing stock pan rail bolt pattern
- · Increased sump capacity and trap door baffling
- Stock starter with 184-tooth flywheel

PART # DESCRIPTION

- 20625 Oil Pan, Steel, Clear Zinc
- PART # RECOMMENDED PICKUP
- 24508* Fits: Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps

PART # AVAILABLE OPTIONS


- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail

*Fits only 4-bolt mains (SVO Block)



No. 20625





FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/2" Deep Engine Application: 429-460 Fits: Tube-chassis Bracket and Super Classes including dragsters, roadsters, door slammers, etc.

- Core based oil pan, utilizing stock pan rail bolt pattern
- Increased sump capacity, and trap door baffling
- Stock starter with 184-tooth flywheel

PART # DESCRIPTION

20614 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP

24511 Fits: Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps


PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail



No. 20614





FORD BIG BLOCK

Steel, Wet Sump, 9 Quart Capacity, 7- ⁷/₆" Deep Engine Application: 429-460 Fits: Tube-chassis Bracket and Super Classes including dragsters, roadsters, door slammers, etc.

- Steel fully fabricated oil pan, utilizing "race" pan rail bolt pattern
- Power kick-out for increased horsepower
- · Increased sump capacity, solid louvered tray
- Clears all 4-bolt main caps
- Accepts 4.75" stroke with aluminum rods
- Compatible with Tilton starter and 184-tooth flywheel

PART # DESCRIPTION

- 20616 Oil Pan, Steel, Clear Zinc
- PART # RECOMMENDED PICKUPS
- 24505 *Fits:* Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps with 4-bolt Main Blocks
- 24522 Fits: Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps with 2-bolt Main Blocks


PART # AVAILABLE OPTIONS


- **62255** Wrench, Oil Pan T-Handle, ½", 6 PT
- **62256** Wrench, Oil Pan T-Handle, ⁷/₁₆", 6 PT
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail











OIL PANS

91

 Π

FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 10-3/4" Deep Engine Application: All 429-460 Fits: Four-wheel drive trucks and vans except Bronco

- Deep sump increases capacity to 8 quarts, which reduces oil temperature and insures ample supply to pickup area
- Relocated rear sump improves oil control during hard acceleration and off-road use
- Accepts 3.85" stroke with most steel rods
- Works with most starter/flywheel combinations
- Use Nos. 25970, 25971 or 25973 for dipstick provision welding required

PART # DESCRIPTION


- 20612 Oil Pan, Steel, Clear Zinc, Deep Rear Sump, Off-Road
- PART # RECOMMENDED PICKUP
- **24504** *Fits:* Only 4 bolt main caps. 2 bolt pickups require a custom product, please inquire

PART # AVAILABLE OPTIONS

- 93166 Oil Pan Gasket, 460 Late, Smooth Rail
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock



No. 20612



FORD 7.3 POWERSTROKE, '94-'03

Steel, Fits: F-250/F-350 '94.5-'03, Super Duty '99-'03, Excursion '00-'03, Econoline '94.5-'03, Ford E- Series van/motorhome/bus chassis '94.5-'03

- After hearing that our customers were having premature rusting issues with their O.E.M. oil pans on Ford Powerstroke engines, Moroso knew that they could come up with a longer lasting solution
- . Heavy Duty, stamped out of 16 gauge quality steel which is thicker than 0.E.M.
- Has a triple coat finishing process of a zinc phosphate which besides creating a durable finish foundation also neutralizes any corrosion started by the welding process itself. The second coat is a black 1-mil thick electrocoat and the last coat is a gloss black epoxy powdercoat. This process has been fine tuned from years of oil pan building experience and from this Moroso oil pan design being subjected to numerous salt spray testing. The O.E.M. oil pan only has a black painted surface
- Features an internal O.E.M. style anti-slosh baffle to keep oil contained in the oil pick up area, dipstick provision on passenger side and notch in front oil pan for clearance
- More cost effective than the 0.E.M. piece by it's initial price and that labor dollars will not need to be spent every couple of years on it's replacement
- Oil pan is designed to work with your existing oil pump and pickup tube

27336 Oil Pan *Fits:* Ford 7.3 Powerstroke, '94-'03


PART # AVAILABLE OPTIONS

- 27293 Oil Pan Gasket, Ford 7.3 Powerstroke '94-'03 and International T444E, Patent Pending
 27003 Oil Pan Preis Plug. Zing Einigh
- 97003 Oil Pan Drain Plug, Zinc Finish















TRUCK

Oil Pan, Steel, Clear Zinc, Large Marine Pan





Engine Application: 301-455 Fits: 1967-'81 Firebird and 1964-'87 mid and full-sized chassis

Oil sump retaining system


Magnetic drain plug

PART #DESCRIPTION20492Oil Pan, Steel, Clear Zinc, Stock Replacement

PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup



No. 20492



PONTIAC

Steel, Wet Sump, 7 Quart Capacity, 8-1/2" Deep Engine Application: 301-455 Fits: 1967-'81 Firebird and 1964-'87 mid and full-sized chassis


- Oil sump retaining system
- Reduces oil temperature
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- 20500 Oil Pan, Steel, Clear Zinc, Deep Sump
- PART # RECOMMENDED PICKUP
- **24482** *Fits: M54DS or M10541 Style Pumps*









 \square

ACURA/HONDA B SERIES

Steel, Wet Sump, 4 Quart Capacity, 6" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Sump baffle that fully surrounds oil pump pickup
- Turbo/Supercharger oil drain back
- Features a magnetic drain plug and temperature sensor bung
- Works with OEM exhaust manifold and most aftermarket exhaust/ header combinations

PART # DESCRIPTION


20911 Oil Pan, Steel, Clear Zinc, Stock Configuration

PART # RECOMMENDED OIL PUMP & PICKUP

Use Stock Oil Pump & Pickup

PART # AVAILABLE OPTIONS

 38366 Oil Pan Stud Kit
 93200 Oil Pan Gasket, One Piece Design, Acura/Honda B Series



No. 20910

No. 20911

ACURA/HONDA B SERIES

Steel, Wet Sump, 5.5 Quart Capacity, 6" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Kicked-out sump
- Includes 6 trap doors, 2 baffles and a removable anti-slosh baffle for oil control in Road Racing, also an excellent Drag Race oil pan
- Turbo/Supercharger oil drain back and temperature sensor bung
- Magnetic drain plug
- · Works with OEM exhaust manifold and most aftermarket exhaust/header combinations

1-1/4

PART # DESCRIPTION

20910 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup

PART # AVAILABLE OPTIONS

38366	Oil Pan Stud Kit
93200	Oil Pan Gasket, One Piece Design,
	Acura/Honda B Series

ACURA/HONDA B SERIES

Aluminum, Kicked-out Sump, 5 Quart Capacity, 5-5/" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Dynamic trap door baffling for Drag Race & Street
- Aluminum with 1/4" thick pan rail
- Includes ½" NPT bung for plumbing turbo oil return line, ½" NPT bung for installing oil temperature sender and magnetic drain plug with extra washer
- Includes mounting kit with hex-drive studs and serrated-face flare nuts
- Works with OEM exhaust

PART # DESCRIPTION

20901 Oil Pan, Aluminum, Fully Fabricated

PART # RECOMMENDED PICKUPS

24010 *Fits:* VTEC Engines
24011 *Fits:* Non-VTEC Engines and 1.6 Liter VTEC

PART # AVAILABLE OPTIONS


93200 Oil Pan Gasket, One Piece Design, Acura/Honda B Series



No. 20901



militi



Ш

<u>STREET | COMPETITION</u>

DRAG RACE

HONDA H-SERIES, OIL PAN

Steel, Wet Sump, 4 Quart Capacity, 5-1/4" Deep Engine Application: Honda H Series 2.2L/2.3L


- Sump baffle that fully surrounds the oil pump pickup
- 1/2" NPT fitting for turbo or supercharger drain back
- Features a magnetic drain plug and a 1/2" NPT fitting for a temperature sender
- Works with OEM exhaust manifold and most aftermarket exhaust/header combinations

PART # DESCRIPTION


20916 Oil Pan, Steel, Clear Zinc, Stock Configuration

Aluminum, Wet Sump, 5.5 Quart Capacity, Race Baffled





HONDA H-SERIES



NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

10-3%

MPORT

 \square

OIL PANS

13

TAOON

ACURA/HONDA K-SERIES

Steel, Wet Sump, 6.5 Quart Capacity, Race Baffled Engine Application: Acura/Honda K-Series Fits: K-series Engine Swaps into Integra (DA) '90-'93, Integra (DC)'94-'01, Accord (CB) '90-'93, Accord (CD) '94-'97, Civic/CRX: (EF)'88-'91, Civic (EG) '92-'95, Civic (EK) '96-'00, Civic (ES) '01-'05; Fit (GD) '07-'08, Prelude (BB) '92-'96

- Doesn't fit DC5 chassis "RSX", CL9 "TSX", EP3 "Civic SI"
- Designed to be used with the Acura RSX oil pump assembly* OEM Part #15100-PRB-A01 and Acura RSX Windage Tray OEM Part #11211-PNC-000
- Oil Pan has a thick steel rail with a sump that is 5.5" deep, 16.75" long and 9" wide

STREET | COMPETITION

- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Extra capacity: holds two more quarts than stock
- 1/2" NPT fitting for supercharger or turbo drain back
- 1/2" NPT fitting for oil temperature sender
- Magnetic drain plug


PART # DESCRIPTION

- 20915 Oil Pan, Fabricated Steel, Clear Zinc, Race Baffled
- PART # **RECOMMENDED OIL PUMP & PICKUP** Use Acura RSX oil pump and pickup assembly* OEM Part #15100-PRB-A01

ACURA/HONDA K-SERIES

Engine Application: Acura/Honda K-Series

*Oil pump assembly might require slight notching to clear certain K-series main caps



- To be used with the Acura RSX oil pump assembly* OEM Part # 15100-PRB-A01 and Acura RSX Windage Tray OEM Part # 11211-PNC-000
- Oil pan has a thick steel rail with a sump that is $5-\frac{1}{2}$ " deep, $16-\frac{3}{4}$ " long and 9" wide

Fits: Notched to fit in ACURA/HONDA K-SERIES, RSX (DC5)'02-'06, TSX (CL9) '04-'08, Civic SI (EP3) '02-'05, Accord (CG) '98-'02,

Civic (ES) '01-'05, Fit (GD) '07-'08, Prelude (BB) '92-'96

'90-'93, Integra (DC) '94-'01, Accord (CB) '90-'93, Accord (CD)

- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pick up area during road racing and drag racing
- Extra capacity: holds one more guart than stock
- 1/2" NPT fitting for supercharger or turbo drain back
- 1/2" NPT fitting for oil temperature sender
- Magnetic drain plug

PART # DESCRIPTION


20919 Oil Pan, Fabricated Steel, Clear Zinc, Race Baffled Notched for Cross member clearance

PART # **RECOMMENDED OIL PUMP & PICKUP**

Use Acura RSX oil pump and pickup assembly* OEM Part #15100-PRB-A01


*Oil pump assembly might require slight notching to clear certain K-series main caps

No. 20919









MAZDA



111-1-1-1-1-1

No. 20942

Aluminum, Wet Sump, 6.25 Quart Capacity (with stock oil cooler installed), 4" Deep Engine Application: 13B Rotary (Non FD or Renesis) Fits: Tube chassis cars and other cars without a cross-member located

under engine (check dimensions for clearance)


- Fully fabricated
- 3/8" thick billet rail with integral X-brace greatly strengthens engine assembly to reduce twisting and axial deflection
- Includes .080"-thick aluminum Baffle Plate to de-aerate and cool return oil (other baffles are only .060" thick)
- Includes an oil pump pickup specially designed for this pan; access holes in pan facilitate mounting pickup to the front cover
- For Drag Race & Street
- Includes magnetic drain plug with extra copper washer and pan mounting kit with hex-drive steel studs to eliminate stripping the engine block and serrated-face flare nuts to withstand vibration
- · Accommodates stock pan gasket and dipstick with existing oil level marks

PART # DESCRIPTION

20940 Oil Pan, Aluminum, Rear Sump

PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit



No. 20940

MAZDA

Aluminum, Wet Sump, 6.25 Quart Capacity, 4" Deep
Engine Application: 13B Rotary (Non FD or Renesis)
Fits: RX-3 & RX-4 models; several rotary engine conversions including 1981-'84 Toyota Starlet, 1964-'83 Toyota Corolla, 1971-'73 Datsun 1200 & others with little or no cross-member

modifications; also tube chassis cars

- Rugged %" thick billet aluminum gasket rail with integral cross-brace serves as a girdle to greatly strengthen the entire engine assembly and reduce flexing under hard driving
- Fully fabricated
- Dual trap door baffles for Drag Race & Street
- Enlarged sump increases capacity to 6-1/4 quarts (with stock oil cooler installed) while adding only a quarter-inch in depth to provide ample ground clearance
- Includes oil temperature sender provisions
- Includes magnetic drain plug with extra copper washer, pan mounting kit with hexdrive steel studs to eliminate stripping the engine block and serrated-face flare nuts to withstand vibration
- · Accommodates stock pan gasket and dipstick (with modification)


PART # DESCRIPTION


20942 Oil Pan, Aluminum, Front Sump

PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup



38366 Oil Pan Stud Kit





STREET | COMPETITION

MITSUBISHI Aluminum, Wet Sump, 6.25 Quart Capacity, 6-1/2" Deep

Engine Application: 2.0L DOHC Turbo 4G63 Fits: 1989-Mid '92 Eclipse

Can be used with Front and All-Wheel Drive

- Aluminum with %" thick billet aluminum pan rail provides a rigid flange for leak-free sealing; accommodates stock pan gasket
- Trap door baffles provide adequate oil control in Drag & Road Racing
- Built-in mounting flange allows the use of the stock turbo drain tube
- 1/2" NPT bung accommodates oil temperature sender
- · Includes mounting kit with hex-drive studs and serrated-face flare nuts
- Magnetic drain plug included

PART # DESCRIPTION

- 20960 Oil Pan, Aluminum, Fully Fabricated, Kicked-Out Sump
- **RECOMMENDED PICKUP** PART # Use Stock Oil Pump & Pickup
- **AVAILABLE OPTION** PART # 38366 Oil Pan Stud Kit

MITSUBISHI EVO 7, 8, 9, ROAD RACE BAFFLED

Aluminum, Wet Sump, 6.5 Quart Capacity Engine Application: Mitsubishi 4G63T I4 Race Baffled

Fits: 2001-'07 Mitsubishi Evo, 7, 8, 9 with aftermarket lower intercooler pipe

- Has a 3/8" thick billet aluminum oil pan rail with a fabricated aluminum sump that is 3/4" deeper than the stock oil pan
- Features a race-proven, trap door assembly and an anti-slosh baffle that keeps oil contained in the oil pump pickup area during road racing and drag racing
- To free up horsepower and to help with oil temps, the oil pan also features a removable windage tray and crank scraper
- Holds 1.5 more guarts than stock, 6.5 guart capacity
- Has an accommodation for stock or aftermarket oil return lines
- Includes a heavy duty, bolt-on oil pump pickup
- Magnetic drain plug and a mounting kit comprised of hex drive steel studs and serrated flange nuts are included
- Uses stock dipstick
- 1/2" NPT fitting for oil temperature sender

PART # DESCRIPTION

20967 Oil Pan, Fabricated Aluminum, Race Baffled for Mitsubishi Evo. 7. 8. 9

MITSUBISHI EVO 10

Aluminum, Race Baffled

Engine Application: Mitsubishi 4B11T engines Fits: 2008-'16 Mitsubishi Evo 10, will fit with factory air conditioning

- Has a ³/₄" thick billet aluminum oil pan rail with a fabricated aluminum sump
- Features a race-proven, three door assembly and removable anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Holds 1.5 more quarts than stock
- 1/2" NPT fitting for oil temperature sensor and O-ring style drain plug
- · Includes mounting kit with hex drive steel studs and serrated-faced flange nuts
- Reuses stock air conditioning hardware and bedplate

PART # DESCRIPTION

20969 Oil Pan, Fabricated Aluminum, Race Baffled for Mitsubishi Evo 10, 2008-16

- **RECOMMENDED PICKUP** PART #
 - Use Stock Oil Pump & Pickup







No. 20960

000 5-5%"

6-16







No. 20969





INPORT


DATSUN/NISSAN L24, L26, L28

Steel, Wet Sump, 7 Quart Capacity, 6 ¼" Deep Engine Applications: Datsun/Nissan L24, L26, L28 Fits: 240/260/280/280ZX '70-'83

- Oil pan is fully fabricated steel with a thick pan rail and a clear zinc finish
- Features a race proven trap door assembly that keeps oil contained in oil pump pickup area during road racing and track events
- Windage Tray/Anti-Slosh baffle prevents oil from splashing back to the rotating assembly, robbing vital horsepower
- Magnetic drain plug

PART # DESCRIPTION

- 20976 Oil Pan, Steel, Road Race Baffled, Datsun/Nissan L24, L26, L28
- PART # RECOMMENDED PICKUP
- 24976 Fits: Stock Oil Pump





No. 20976



 \square

OIL PANS

NISSAN SR20, RWD

Aluminum, Wet Sump, 4.75 Quart Capacity, Stock Depth Engine Application: Nissan SR20, RWD


- Dual internal baffling insures oil control not present in OE oil pan
- For use in Road Racing, Drifting and Drag Racing
- Bolt-in upgrade replaces OEM steel pan
- 1/4" aluminum rail
- Metric studs and nuts included
- Oil temperature provision (1/2" NPT bung)
- Magnetic drain plug included

PART # DESCRIPTION

- 20975 Oil Pan, Aluminum
- PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup
- PART # AVAILABLE OPTION
- 38366 Oil Pan Stud Kit



No. 20975



SUBARU EJ20, EJ22 & EJ25


Aluminum, Wet Sump, 5 Quart Capacity, Competition Baffled for Rally, Road Race, Drag Race and Sand Rail Engine Application: Subaru EJ20, EJ22 & EJ25 Fits: Subaru Impreza 1993-2007, Legacy 1990-2009 and Forester 1997-2008 and universal applications such as Sand Rails & F.F. 818


- One-piece %" thick billet aluminum oil pan rail provides a rigid flange for leak-free sealing
- Baffled for Rallying, Road & Drag Racing
- Bottom of oil pan is finned for heat dissipation
- Windage tray for increased horsepower saving and oil control
- ½" NPT fitting that can be used for crank case ventilation or for head drainback
- 1/2" NPT fitting for oil temperature sender
- Oil pan gasket (Fel Pro® # 30656) included
- Uses factory dipstick
- High-grade mounting hardware included
- Includes heavy duty, braced oil pump pickup Part No. 24965 with O-ring
- PART # DESCRIPTION
- 20965 Oil Pan, Aluminum with Billet Rail

PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit







SUBARU EJ20, EJ22 & EJ25


Steel/Aluminum, Wet Sump, 6 Quart Capacity, 6-15/16" Deep Engine Application: Subaru EJ20/EJ22/EJ25

Fits: Subaru WRX 2002-2014, STI 2004-2019, Legacy 2004-2009, Forester 2004-2008 and Universal Applications such as the F.F. 818 and Sand Rails. On earlier model Subaru(s), check chassis and oil pan dimensions for compatibility

- Designed to work with all popular header combinations currently available
- Aluminum version features a billet rail, steel version has a laser-cut rail
- Anti-slosh baffle for increased horsepower savings and oil control
- Uses factory dipstick
- $\frac{1}{2}$ " NPT fitting for air/oil separator or turbo drain back
- · Oversize O-ring style drain plug for ease of oil draining
- Includes heavy duty, braced oil pump pickup with O-ring

PART # DESCRIPTION

20966 Oil Pan, Steel, Clear Zinc20968 Oil Pan, Fabricated Aluminum





No. 20966





OIL PANS



• Includes mounting hardware

PART # DESCRIPTION

ΤΟΥΟΤΑ

20930 Oil Pan, Aluminum, Kicked-Out Sump


Engine Application: 3C, 2T and 2C engines

• Trap door baffling for Road & Drag Racing

PART # **RECOMMENDED PICKUP** Use Stock Oil Pump & Pickup

PART # **AVAILABLE OPTIONS**





STREET | COMPETITION



 \square

MPORT

ΤΟΥΟΤΑ

Aluminum, Wet Sump, 6.25 Quart Capacity, 7-9/16" Deep Engine Application: Model #3SGT 2.0L Turbo and 5SFE Non-Turbo Fits: 1990-'95 MR2, Celica and All Track

- Aluminum with 1/4" thick billet aluminum pan rail
- Trap door baffling ensures oil control in Road & Drag Racing
- · Solid windage tray with oil drain & dipstick cut out holes prevents oil from splashing back to the rotating assembly, robbing vital horsepower
- Front of pan has 28mm threaded bung for turbo drain back connection
- 3/8" thick billet receptacle for the factory oil level sensor
- Includes mounting hardware


PART # 20935	DESCRIPTION Oil Pan, Aluminum,
	Kicked-Out Sump
PART #	RECOMMENDED PICKUP

- Use Stock Oil Pump & Pickup
- **AVAILABLE OPTION** PART #
- 38366 Oil Pan Stud Kit









INPORT

OIL PAN, TOYOTA 2RZFE, 3RZFE

Aluminum, Wet Sump, 5 Quart Capacity, 5-1/2" Deep Engine Applications: Toyota 2RZFE, 3RZFE For engine swaps, check dimensions for clearance

- Aluminum with 1/4" thick billet aluminum pan rail
- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during drag racing and road racing
- Windage tray with oil drain & dipstick cut out holes prevents oil from splashing back on to the rotating assembly, robbing vital horsepower
- 1/2" NPT fitting for supercharger or turbo drain back
- Magnetic drain plug

PART # DESCRIPTION


20936 Oil Pan, Fabricated Aluminum, Toyota 2RZFE, 3RZFE, Race Baffled

PART # **RECOMMENDED PICKUP**

24936 Fits: Stock Oil Pump & Pickup







OIL PAN, TOYOTA 2RZFE, 3RZFE **EXT. -12 AN PICKUP**

Engine Applications: Toyota 2RZFE, 3RZFE For engine swaps, check dimensions for clearance

- Aluminum with 1/4" thick billet aluminum pan rail
- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during drag racing and road racing
- Solid windage tray with oil drain & dipstick cut out holes prevents oil from splashing back to the rotating assembly, robbing vital horse horsepower
- Has a -12AN external oil pump pickup
- 1/2" NPT fitting for supercharger or turbo drain back
- Magnetic drain plug

DESCRIPTION PART


20937 Oil Pan, Fabricated Aluminum, Race Baffled, Toyota 2RZFE, 3RZFE Ext. -12 AN Pickup

AVAILABLE OPTIONS PART

- 23961 -12AN Filter Pickup Fittings
- 23963 -16AN Filter Pickup Fittings







TOYOTA-LOTUS ELISE

Aluminum, Wet Sump, 6 Quart Capacity, Stock Depth Engine Application: 1ZZ/2ZZ Engines, Lotus, Elise Fits: 2000-'05 Toyota, Celica, Front Wheel Drive, 1999-'05 US, 1999-'07 J.D.M. Japanese Toyota MR2 mid engine cars, 2004-Up Lotus Elise

- Manufactured from thick aluminum
- Internal baffling insures oil control not present in a OE oil pan
- Baffled for Road Racing, also an excellent Drag Race oil pan
- Can be used as a bolt-in replacement for the stock pan
- ¾" Billet Aluminum rail
- Metric studs and nuts included
- \bullet Turbo drain, $1{\!\!\!/}_2{}^{\prime\prime}$ NPT bung for turbo drainback
- 1/2" NPT bung for oil temperature provision


PART # DESCRIPTION

20970 Oil Pan, Billet Aluminum, Wet Sump, Toyota-Lotus

PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup

PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit



MARASO

TOYOTA 2GR-FE/Z, LOTUS EVORA

Aluminum, Wet Sump, 6.25 Quart Capacity, Stock Depth Fits: 2010-Up 2GR-FE/Z swaps into MR2 Lotus Evora Supercharged and Non-Supercharged

5-3%

10-%


- 3/8" Thick Billet Aluminum Rail with integral O-ring
- Features a race proven trap door assembly and a removable anti-slosh baffle that keeps oil contained in the oil pump pickup area during road racing and drag racing
- Designed to be used with the factory oil pump pickup
- \bullet Two -10 AN female fittings with bungs for supercharger or turbo drain back
- $\frac{1}{8}$ " NPT fitting for oil temperature sender
- 0-ringed magnetic drain plug
- Includes 6mm mounting studs and nuts

PART # DESCRIPTION

20971 Oil Pan, Aluminum, Race Baffled



No. 20971



.. 2007 1

OIL PANS. VALVE COVERS. OIL TANKS & MORE

NV5000 Vertical Machining center.

Mori J2 Seiki

PUT OUR EXPERIENCE TO WORK FOR YOU!

The Mori J2 Seiki NV5000 Horizontal Machining Center

(shown above) in our machine department provides significantcycle time reduction and improved surface finishes due to a 12,000 RPM spindle, "through the tool" coolant capability and new chip removal technology.

This state-of-the-art equipment provides Moroso customers with the latest in innovative valve cover and oil pan rails, end seals, water pump bodies and impellers, wet and dry sump oil pump components as well as a myriad of billet adapters and bracketry.

This advanced machining capability goes hand-in-hand with our CNC punch and press brakes to enhance the ability of Moroso Performance to produce state-of-the-art custom and production oil pans, valve covers, oil tanks and **virtually any race part that can be imagined.** Cup Oil Pans Dry

Sump

Tanks

UNITAL

Fabricated Valve Covers Pro Stock

Oil Pans

CUSTOM

CUSTOM OIL PAN ORDER FORM

SOLD TO

Name		
Attn:		
Address:		
City, State, Zip		
Phone	Fax	
Email:		

All Custom Orders Must be PrePaid in Full

Please contact Sales Department with your Credit Card Info., we accept Visa/MC/Discover

ENGINE SPECIFICATIONS

Block Manufacturer:	Block	Model No.:			
Displacement:	Rear Main Seal:			_ 1pc	2pc
Stroke:		n	_ Steel		
Starter Location: Passenger					
Starter Mfr.:					
Starter Model:	F	-Iywheel - Number of	Teeth:		
OIL PAN CONFIGURATIO		-			
Oil Pan Application/Type of Racing:					
Material: Steel	Alum				
Pan Style: Wet Sump	Dry Sump		_ External P	ump	
One piece or Two piece Oil Pan:					
Oil Pan Depth: Front					
Drain Plug Location:					
Dip Stick Location:					
Pump Style/Type Used:					
Number of Pickups: Male	Fema	le	Fitting S	ize	
Location of Pickups:					
Windage Tray Louvered or Screen:					
Other Special Instructions:					

Sketch oil pan on illustrations below. Include all pan dimensions where possible.

Front of Oil Pan

Rear of Oil Pan

Front View or Rear View, Please specify

OIL PAN GASKETS

Race Quality

Why go searching for the right oil pan gasket for a Moroso oil pan? Now Moroso offers race quality, reinforced oil pan gaskets that have been verified by Moroso to work with our oil pans



PART # DESCRIPTION

27293	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 7.3 Powerstroke 1994-2003 and International T444E
93150	Oil Pan Gasket, One Piece Design, Steel Reinforced, For SBC, Pre '85 Engine Block with 2 piece rear main seal
93151	Oil Pan Gasket, One Piece Design, Steel Reinforced, SBC '86-Up Engine Block Style with 1 piece rear main seal
93152	Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)
93153	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4, notched for stroker cranks
93154	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6
93156	Oil Pan Gasket, 4 Piece Design, BBC Mark 4, With Race Bolt Pattern
93160	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 289-302 for oil pan core with a smooth rail*
93161	0il Pan Gasket, One Piece Design, Steel Reinforced, Ford 289-302, for oil pan core with a dimpled rail*
93162	Oil Pan Gasket, One Piece Design, Steel Inserts, Ford 351W, for oil pan core with a smooth rail*
93163	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 351W, for oil pan core with a dimpled rail*
93164	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 4.6/5.4
93166	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 460, for oil pan core with a smooth rail*
93167	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 460, for oil pan core with a dimpled rail*
93174	Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge (not TFX)
93175	Oil Pan Gasket, One Piece Design, Steel Reinforced, Jeep 4.0L, 232, 242, 258
93200	Oil Pan Gasket, One Piece Design, Honda/Acura B-Series Oil Pans

UNIVERSAL DIPSTICK KIT

- Chrome plated Dipstick Kit fits Moroso and other oil pans with a built-in 1/4" NPT fitting
- ¼" NPT steel weld-in fitting supplied for pans that do not already have that provision
- Existing "full" and "fill" dipstick marks can
 - be used "as is" or new marks can be added to indicate desired oil level
- Tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- · Seal keeps the dipstick secure in tube
- Dimensions: overall length including exposed portion of dipstick 24"

PART # DESCRIPTION

25970. Universal Dipstick Kit, 1/4" NPT fitting and pan adapter

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 25970

PAN ACCESSORIES

OIL PAN DIPSTICK

Flex Tube. Stainless Steel. Universal Fits: Moroso Oil Pans with 1/4" NPT dipstick bung

- Oil Pan Dipstick features braided stainless flex tube with 1/4" NPT fitting and a machined aluminum handle
- Existing "full" and "fill" dipstick marks can be used as-is, or new marks can be added to indicate desired oil level
- Flexible tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- O-Ring seal keeps dipstick secured in tube and prevents crankcase gasses from escaping
- Dimensions: exposed portion of dipstick is 14" long, overall 20-3/4" long

DESCRIPTION PART

25971↔ Oil Pan Dipstick, Flex Tube, Stainless Steel, Universal

UNIVERSAL DIPSTICK KIT

Twist-Lock

- Efficient twist-lock design eliminates oil leakage, blowing out of handle and prevents crankcase gasses from escaping
- In Dyno testing, engines equipped with our twist-lock dipstick pulled more vacuum than engines equipped with standard, non-locking dipstick
- High temperature nylon handle dissipates heat for checking oil level on hot engines
- Flexible stick; zinc-plated, bendable outer tube; adjustable clamp
- 1/4" NPT steel, weld-in fitting supplied for pans that do not already have that provision
- Existing "full" and "fill" dipstick marks can be used as-is, or new marks can be added to indicate desired oil level
- Tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- Dimensions: overall length, including exposed portion of dipstick 24"

PART # DESCRIPTION

Universal Dipstick Kit, Twist Lock **25973**↔

REPLACEMENT OIL PAN AND TRANSMISSION DRAIN PLUGS

to the state of California to cause cancer, birth defects, or reproductive harm-

97006

- ³/₄" hex head with ¹/₂" x 20 threads
- Replacement for Moroso Oil and Transmission Pans and others
- Extra strength, rare earth magnetic tip holds metal particles

PART # DESCRIPTION

970000	Oil Pan Drain Plug. Chrome-Plated.
	Includes Nylon Washer
97001	Oil Pan Drain Plug. Clear Zinc.
	Includes Nylon Washer
97002	Oil Pan and Transmission Drain Plug.
	Clear Zinc. Includes Copper Washer

OIL PAN DRAIN PLUG

³/₄" inch –16 thread (-8 AN) with O-Ring

Replacement for Moroso Oil Pans with

14MM, 1.5 Thread

Includes a Nylon washer

kick out designs

14 MM, 1.5 thread pitch with a 17 MM hex head

OIL PAN DRAIN PLUG, MAGNETIC

- Replacement for Moroso Nos. 20911 & 20980, also is an excellent drain plug upgrade to 0.E.M. oil pans that take this thread size
- Strong Rare Earth Magnetic tip holds metal particles Zinc Finish
 - PART # DESCRIPTION 97003 Oil Pan Drain Plug, Zinc Finish

No. 97003

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm-

No. 25971

• /!\ WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 25973

No. 97000

No. 97002

PART # DESCRIPTION Oil Pan Drain Plug, 1 per pack, Magnetic



WARNING Prop. 65 This product contains a chemical known

REPLACEMENT DRAIN PLUG WASHERS

- High quality washers ensure a leak-free seal
- ½" I.D. x ½" 0.D.
- Fits Moroso Drain Plug Nos. 97000 and No. 97001 and others

PART # DESCRIPTION

97010Replacement Drain Plug Washers, Copper, Ten per Pack97011Replacement Drain Plug Washers, Nylon, Ten per Pack



No. 97010

OIL PAN ACCESS PLUG

- ³/₄" inch –16 thread (-8 AN) with O-Ring
- Replacement for Moroso Oil Pans with kick out designs

PART # DESCRIPTION

97005 Oil Pan Access Plug, Six per pack



No. 97005

OIL PAN INSPECTION PLUG KIT

- Allows sanctioning bodies to conduct post-race inspections of connecting rods without removing oil pan
- · Kit is easy to install
- Includes steel fitting to be welded to side of oil pan and a removable, lightweight 1" NPT aluminum inspection plug

PART # DESCRIPTION

23970 Oil Pan Inspection Plug

PLUG

20MM x 1.5, Male with Copper Washer

- On certain models from GM and Ford, a low oil warning sensor screws into a 20mm female fitting in the O.E.M. oil pan
- Moroso Oil Pans Nos. 20179, 20185, 20569, 20570, 20571, 20572, 20574, 21811, 21812 and 21816 include the 20mm female fitting for the factory sensor
- This male plug is for use when the factory low warning sensor is not going to be utilized
- Includes a copper washer

PART #DESCRIPTION22738Plug, 20mm x 1.5, Male with Copper Washer

-10AN MALE FITTING

Non-Weld

- Non-weld kit, makes it easy to add a leak proof fitting to oil pans for oil returns, valve covers etc., without having to actually weld the fitting
- \bullet Perfect for adding a fitting to steel or aluminum with up to a $1\!/\!\!\!\!/_8$ " max. wall thickness
- O-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld





No. 22738



OIL PAN ACCESSORIES

REAR SEAL ADAPTERS

- Converts one-piece rear main seal on 1986 and newer Small Block Chevy blocks to the old style, two-piece rear seal when installing the old style crankshaft in the newer style blocks
- Available for use with both new style oil pan (1986 and newer blocks with one-piece rear seal), and old style oil pan (pre-1980 blocks with driver-side dipstick)
- Manufactured from billet aluminum
- Includes fasteners

PART # DESCRIPTION

- **38315** Rear Seal Adapter, Small Block Chevy, use with new style oil pan (1986 and newer blocks with one-piece rear seal)
- **38415** Rear Seal Adapter, Small Block Chevy, use with old style oil pan (pre-1980 blocks with driver-side dipstick)



Dart LS Next Non-skirted Engine Block

- This oil pan spacer kit contains a right and left billet aluminum spacers, mounting hardware that is included in Moroso No. 20144 Dart LS Next Oil Pan Kit
- This spacer kit is designed to mount the following GM LS oil pans*; Moroso, O.E.M. or other aftermarket oil pans to DART LS Next engine blocks
- Billet Aluminum Spacers have a built in oil ring groove on the side that mounts between the spacer and the engine block, on the other side of the spacer is a smooth surface that oil pan gasket mounts between it and the oil pan
- Includes mounting hardware, billet aluminum spacers have mounting holes for A/C and P/S brackets

PART # DESCRIPTION

- 22934 Oil Pan Spacer Kit, Dart LS Next, non-skirted engine block
- PART # AVAILABLE OPTION
- 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)



No. 22934

*Any oil pan besides Moroso Part **Nos. 20144** or **20155** will require modification to itself or the oiling system

CHEVROLET CRANKSHAFT WIPERS

- Removes excess oil from crankshaft to reduce horsepowerrobbing windage
- .035" steel plate comes pre-fit so only slight amounts of material must be removed
- Trim to within .045" of the connecting rods and counterweights for best results

PART # DESCRIPTION

- 25800 Crankshaft Wiper, Small Block Chevy
- 25830 Crankshaft Wiper, Big Block Chevy

UNIVERSAL WINDAGE TRAY SCREEN

- · Keeps rotating assembly free of unwanted oil to reduce horsepower robbing windage
- · Screen must be trimmed for each engine application

PART # DESCRIPTION

22912 Uni-Directional Windage Tray Screen, 23" x 16", Universal Application





CHEVY V8 LOUVERED WINDAGE TRAYS

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back
- Teflon coated for quick drainage
- Improved drainage reduces windage, increases power
- · Mount with aftermarket stud kits or with stock extended main cap studs
- Fits Moroso Oil Pans, some trimming may be required

DESCRIPTION PART

23020	Louvered Windage Tray, SBC and 400 block, with either driver or
	passenger side dipstick
00000	Lawyon d Minda a Trav. DBO Marily IV

23030 Louvered Windage Tray, BBC, Mark IV



CHEVY V8 OIL CONTROL KITS

- Kits convert stock-type oil pan into competition style pan for proper oil control, consistent oil pressure and horsepower gain
- Includes Teflon coated windage tray, which attaches to stock type main cap studs with standoffs
- Also includes crankshaft scraper and bolt-on rear pan baffle
- Fits Moroso Oil Pans, some trimming may be required

PART # DESCRIPTION

23035	Oil Control Kit, SBC with either driver or passenger side dipstick
23036	Oil Control Kit, BBC



No. 23036


MAIN CAP BAFFLES

 Mounts between rear main bearing cap and oil pump to prevent sump oil from reaching crankshaft during hard acceleration

DESCRIPTION PART

- Main Cap Baffle, Small Block and 90° V6 Chevy 23000
- 23010 Main Cap Baffle, Big Block Chevy

NOTE: Baffles must be trimmed to fit oil pan



LOUVERED WINDAGE TRAY, GM LS ENGINE

Fits: GM LS Engines with GM Main Cap Studs & Moroso Rear Sump Oil Pans

- · Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage, increasing power and cutting down oil temperature
- Manufactured from 16 gauge steel
- · Mounts right to the main caps
- Fits Moroso Oil Pan Nos. 20139, 20140, 20141, 20142, 20143, 20145, 20147, 20148, 20149, 20150, 21150, 21152, 21153, 21157 and 21158
- Must use Corvette C-6 Dipstick and tube Part Nos. 12570788 & 12570787

PART # DESCRIPTION

22941

Louvered Windage Tray, LS Engine Also a replacement part for Moroso Pan No. 21150



No. 22941

OIL PAN ACCESSORIES

LOUVERED WINDAGE TRAY, GM LS

Fits: GM LS Engines with ARP Main Cap Studs and Moroso Rear Sump Oil Pans

- Louvered design allows oil thrown from the rotating assembly to drain into the sump without splashing back, reducing windage, increasing power and cutting down on oil temperature
- Manufactured from 16 gauge steel
- Mounts right to the main caps with the customer supplied ARP Main Stud Kits
- Fits Moroso Oil Pan Nos. 20139, 20140, 20141, 20142, 20143, 20145, 20147, 20148, 20149, 20150, 21150, 21152, 21153, 21157 and 21158
- Must use Corvette C-6 Dipstick and tube Part Nos. 12570788 & 12570787

PART # DESCRIPTION

22943 Louvered Windage Tray, GM LS with ARP Main Cap Studs, for Rear Sump

LOUVERED WINDAGE TRAY

Fits: Ford 302 Engines with Rear Sump Oil Pans

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit No. 38191

PART # DESCRIPTION

22930 Louvered Windage Tray, Ford 302

*NOTE: Will not fit 4-bolt engine blocks such as: Ford Boss 301, 302 Ford R302 and Dart

LOUVERED WINDAGE TRAY

Fits: Ford 351W/SVO with Rear Sump Oil Pans*

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit No. 38192

PART # DESCRIPTION

22935 Louvered Windage Tray, Ford 351W

*NOTE: Will fit Dart 4 bolt engine blocks by slotting the mounting holes

LOUVERED WINDAGE TRAY

Fits: Ford 351C & 351M Engines with Rear Sump Oil Pans

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit. No. 38192

PART # DESCRIPTION

22939 Louvered Windage Tray, Ford 351C & 351M

HIGH-PRESSURE OIL PUMP RELIEF SPRING

Designed by Jack Roush

Fits: Ford 351C & 400 Engines

- Fits Melling M84A and M84AHV oil pumps
- Increases oil pressure to approximately 100 psi for proper lubrication under sustained high rpm conditions

PART # DESCRIPTION

22850 High-Pressure Oil Pump Relief Spring, Ford 351C and 400



No. 22850

No. 22943





No. 22935





No. 22939





LOUVERED WINDAGE TRAY

Fits: Ford 4.6/5.4

11

OIL PAN ACCESSORIES

- Fits both stock* and aftermarket oil pans
- Louvered design allows oil thrown from the rotating assembly to drain into the sump without splashing back, reducing the windage and increasing power
- Features dual cylinder bank drain back for superior oil control and horsepower gains
- Goes between the engine block and oil pan
- · Constructed out of 14 gauge steel with a clear zinc finish
- · Includes oil pan studs and nuts

PART # DESCRIPTION

22933 Ford 4.6/5.4 Louvered Windage Tray

*NOTE: On some Mustang Cobra applications, diverters in factory oil pan and oil pump pickup need to be trimmed

WINDAGE TRAY AND OIL PAN GASKET

Fits: Ford 5.0 Covote, 5.2 Voodoo

- Required when installing a Moroso oil pan and oil pump pickup on a Gen. 3 engine or is a replacement windage tray/oil pan gasket on a Gen. 1 or Gen. 2 engine
- Goes between the engine block and oil pan

PART # DESCRIPTION

- 22936 Windage Tray & Oil Pan Gasket,
 - Ford 5.0 Coyote, 5.2 Voodoo

LOUVERED WINDAGE TRAY

Fits: Ford 352-428 FE Engines

- Fits Moroso Oil Pan Nos. 20606, 20607, 20608 and 20609
- · Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power

DESCRIPTION PART

22940 Louvered Windage Tray, Ford 352-428 FE engines

MAIN CAP GIRDLE FOR 289-302 FORDS

- Manufactured from 1/2" thick steel
- Girdle to be profiled to fit over engine main caps without the need of spacers
- Designed to work with up to a 3.40" stroke
- Includes necessary hardware
- Works with any standard Melling M68 or M68HV oil pump

DESCRIPTION PART # 22928 Main Cap Girdle

OIL PAN BAFFLE KIT, HONDA S2000 AP1/AP2

Trap Doors, Weld-In Fits: Honda S2000, 1999-'09

- The Moroso Drop and Weld in trap door baffle assembly fits both AP1 and AP2 Honda S2000 oil pans
- The baffle assembly creates an oil containment area that is fed by 3 Trap Doors and 2 anti-slosh plates
- Constructed out of heavy gauge aluminum with aluminum trap doors
- Installation of the baffle assembly is accomplished by placing the self positioning assembly in a clean degreased factory S2000 oil pan and having the assembly stitch welded in by a proficient aluminum welder

PART # DESCRIPTION


23040 Oil Pan Baffle Kit, Honda S2000 AP1/AP2








No. 22940









No. 22936

171

TOYOTA LOUVERED WINDAGE TRAY

Fits: Stock style oil pans used in Toyota 3TC, 2T & 2TC engines

- Louvered design directs oil into pickup area to prevent starvation, increases horsepower by preventing sump oil from splashing back onto rotating crank and rod assembly
- Mounts directly to front and rear main caps
- · Includes notches to accept most stroke combinations

PART # DESCRIPTION

23210 Louvered Windage Tray, Toyota 3TC, 2T & 2TC engines. Also a replacement part for Moroso Pan No. 20930

OIL PAN BAFFLE, SUBARU BRZ / SCION FRS / TOYOTA 86

- •The Moroso Double Tier, Drop in baffle assembly fits the O.E.M. oil pan without modification by sandwiching between the engine block and oil pan
- The baffle assembly with directional oil return flaps creates an oil containment area that keeps the oil pump pick up fed and oil off the rotating assembly to free up horsepower and cut down on oil temperatures
- Baffle Kit will help protect the engine from oil pressure surges in prolonged corners with high lateral G forces or long acceleration runs
- Constructed out of aluminum and comes with 2 sealing washers for the internal drain tubes


PART # DESCRIPTION

No. 23045

Fits: Subaru BRZ/Scion FRS/Toyota 86

23045 Oil Pan Baffle Kit, Subaru BRZ/SCION FRS/Toyota 86, DROP IN





No. 23045



REPLACEMENT WINDAGE TRAYS FOR MOROSO OIL PANS

Replacement Trays are available directly from Moroso for current and some obsolete oil pans. Please allow plenty of time when ordering. Call our **Tech Support Department** for more specific product information.

<u>BILLET ALUMINUM OIL PUMPS</u>

oroso, the leader in oil system technology, has taken proven high volume oil pumps to the next level. Moroso engineers have incorporated the proven spur gear technology into a billet machined housing that solves the problems faced by today's racers. Broken pickups are a thing of the past for racers using Moroso's Small Block and Big Block Chevrolet Billet Oil Pumps.



mmmmmmm ==

SBC SPUR GEAR PUMP

High Volume

- 6061-T6 billet housing with 3 times larger mounting boss area to prevent breaking
- Weight 1 lb. less than stock oil pump with pickup
- · Inlet area is increased to prevent cavitation
- Thrust bearing assembly increases housing and gear life due to drive shaft axial forces on the drive gear
- Pump will clear 4-1/4" stroke with most steel rods
- Engineered to fit 8-1/4" deep oil pans

PART # DESCRIPTION

22171 Oil Pump, Billet, SBC, High Volume





WHAT DETERMINES WHICH OIL PUMP I NEED?

When choosing a spur gear or gerotor wet sump this is the most asked question. The answer is the oil pressure wanted and the additional amount of volume your engine requires. On Nitrous or Blown engines, additional oil pressure is desired. Our gerotor pump easily gives that extra amount by adjusting the bypass pressure. Many engines require more oil volume. Larger strokes and bigger valve train assemblies often

require one to two gallons a minute more than required just five years ago. Typically an engine over 565 cu. in. can benefit by a gerotor pump, but a spur gear pump can maintain great oil pressure in 598 cu. in. Every engine has different requirements, and installing too big a pump can cause oil pressure problems by overworking the bypass assembly.



<u>BILLET ALUMINUM OIL PUMPS</u>




BBC SPUR GEAR PUMP

High or Standard Volume (Patent No. 5,810,571)

- 6061-T6 billet housing with 3 times larger mounting boss area to prevent breaking
- Weights 1 lb. less than stock oil pump with pickup
- Inlet area is increased to prevent cavitation
- Thrust bearing assembly increases housing and gear life due to drive shaft axial forces on the drive gear
- Pump will clear 4-³/₄" stroke with most steel rods
- Engineered to fit 8" deep oil pans

PART # DESCRIPTION

22163 Oil Pump, Billet Aluminum, BBC, High Volume22164 Oil Pump, Billet Aluminum, BBC, Standard Volume





- Pump will clear 5.25" stroke with most aluminum rods
- Engineered to fit 8" deep fabricated aluminum oil pans
- PART # DESCRIPTION
- 22167 Oil Pump, BBC, High Volume

115

OIL PUMPS

OIL PUMP/PICKUP COMBINATIONS

Fits: SBC and BBC

- Package includes the Moroso pickup welded to the oil pump for a simple bolt-on installation
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan

PART # DESCRIPTION

- 22124 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22099 Standard Volume Pump, Fits: 8-1/4" Deep Oil Pan
- 22134 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22109 High Volume Pump, Fits: 8-1/4" Deep Oil Pan
- 22144 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22109 High Volume Pump, Fits: stock 7-½" Deep Oil Pan
- 22175 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22149 Standard Volume Pump, Fits: 8" Deep Oil Pan
- 22185 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump, Fits: 8" Deep Oil Pan
- 22186 Oil Pump and Offset Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump, Fits: 8" Deep Oil Pan
- 22195 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump, Fits: 7-34" Deep Oil Pan





No. 22124



No. 22134



No. 22144



No. 22175

OIL PUMPS E



No. 22185



No. 22186



No. 22195

SMALL BLOCK CHEVY 3/4" DIAMETER INLET OIL PUMP/PICKUP COMBINATIONS

- 3/4" Diameter inlet area reduces cavitation in high RPM applications
- Features a Moroso "Tough Neck" oil pump, a thick neck to guard against pump breakage
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan

PART # DESCRIPTION

- 22146 High Volume Small Block Chevy Oil Pump with ¼" diameter inlet area and pickup for 8-¼" deep oil pan
- High Volume Small Block Chevy Oil Pump with ¾" diameter inlet area and pickup for 7-½" deep oil pan, for Oval Track applications. Fits Moroso Pan Nos. 21312, 21313, 21318, & 21319



No. 22147

SMALL BLOCK CHEVY 3/4" DIAMETER INLET OIL PUMP/PICKUP COMBINATION

- ¾" Diameter inlet area reduces cavitation in high RPM applications
- Pump and pickup are built to fit 8-1/4" deep oil pans. Will not work on "Rocket" blocks
- Drive shaft and idler shafts are extended to locate in the bottom cover, preventing dynamic shaft deflection
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan
- Bottom cover is doweled to properly locate the extended shafts
- A threaded plug blocks off bypass spring and cross-drilled relief hole

PART # DESCRIPTION

22139 High Volume Small Block Chevy Oil Pump with Heavy Duty Housing with anti-cavitation grooves



BIG BLOCK CHEVY/OIL PUMP/PICKUP COMBINATION WITH WINDAGE SHIELD

- To be used with Moroso Part Nos. 21049, 21047, 21048 and 21049 Chevrolet Big Block Oil Pans
- Package includes the Moroso pickup welded to the oil pump for a simple bolt-on installation
- Moroso Part No. 22159 High Volume oil pump is used
- Revolutionary windage shield was developed from extensive in house dyno sessions, at top engine builders and on the track by race teams
- The windage shield protects oil pump pickup from windage for steady oil pressure throughout RPM range
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan
- Offset pickup location for more consistent oil pressure under braking

PART # DESCRIPTION

22187 Oil Pump and Pickup Package, Big Block Chevy, 8" pan depth, high-volume pump



No. 22187

CHART LISTS THE MOROSO OIL PANS THAT NEED A MOROSO OIL PUMP PICK UP

* Please note that the oil pans that do not require a Moroso Oil Pump Pick up are not listed on this chart and would take a stock oil pump pick up

	CHE	VROLET S		LOCK - INC.		
MOROSO	SBC, STANDARD	SBC, HIGH	SBC, HIGH	SBC, HIGH	BBC, STANDARD	BBC, HIGH
OIL PAN	VOLUME PUMPS	VOLUME PUMPS	VOLUME PUMP	VOLUME FLANGE	VOLUME PUMPS	VOLUME PUMPS
PART #	MOROSO #22101	MOROSO #22111	MEL. #M155HV	STYLE PUMP	MOROSO #22150	MOROSO #22160
	MEL. #M55	MEL. #M55HV	MEL. #M10551	MEL. #M10552	MEL. #M77	MEL. #M77HV
	MEL. #M55A	MEL. #M10550	MEL. #10551ST	MEL. #M10555	MEL. #M10774	MEL. #M10774HV
	MEL. #M10553	MEL. #10550ST		MEL. #10552ST		
				MEL. #10555ST		
PART #	5/8" DIA. INLET	5/8" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
20110	24100	24330	0, 1 0, 1111111		0,1 0,110221	
20160	24150	24340				
20165	24150	24340				
20170	24212	24213	24813	24185		
20171	24212	24213	24813	24185		
20172	24212	24213	24813	24185		
20179	24212	24213	24813	24185		
20180	24170	24350	24360	24181	24320	24320
20181	24170	24350	24360	24181	24320	24320
20182	24170	24350	24360	24181	24320	24320
20185	24212	24213	24813	24185		
20186	24170	24350	24360	24181	24320	24320
20190	24170	24350	24360	24181	24320	24320
20191	24170	24350	24360	24181	24320	24320
20193	24171	24351				
20195	24170	24350	24360	24181	24320	24320
20196	24170	24350	24360	24181	24320	24320
20200	24170	24350	24360	24181	24320	24320
20201	24170	24350	24360	24181	24320	24320
20205	24170	24350	24360	24181	24320	24320
20206	24170	24350	24360	24181	24320	24320
20210	24100	24330				
20211	24120	24122				
20212	24120	24122				
20230	24170	24350	24360	24181	24320	24320
21015	24170	24350	24360	24181	24320	24320
21017	24170	24350	24360	24181	24320	24320
21019	24171	24351				
21234	24170	24350		24181	24320	24320
21235	24170	24350	24360	24181	24320	24320
21237	24170	24350	24360	24181	24320	24320
21245	24171	24351				
21247	24170	24350		24181	24320	24320
21308		24308				







No. 22146

No. 22139

No. 22171

WELDED OR BILLET OIL PUMP PICKUP BUYER'S GUIDE

	CHEVRO	OLET SM/	ALL BLO	CK - INC. DART/	ROCKET, CONTIN	UED
MOROSO	SBC, STANDARD	SBC, HIGH	SBC, HIGH	SBC, HIGH	BBC, STANDARD	BBC, HIGH
OIL PAN	VOLUME PUMPS	VOLUME PUMPS	VOLUME PUMP	VOLUME FLANGE	VOLUME PUMPS	VOLUME PUMPS
PART #	MOROSO #22101	MOROSO #22111	MEL. #M155HV	STYLE PUMP	MOROSO #22150	MOROSO #22160
	MEL. #M55	MEL. #M55HV	MEL. #M10551	MEL. #M10552	MEL. #M77	MEL. #M77HV
	MEL. #M55A	MEL. #M10550	MEL. #10551ST	MEL. #M10555	MEL. #M10774	MEL. #M10774HV
	MEL. #M10553	MEL. #10550ST		MEL. #10552ST		
				MEL. #10555ST		
PART #	5/8" DIA. INLET	5/8" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
21312	24103	24104	24318	24101		
21313	24103	24104	24318	24101		
21314	24314	24315				
21315	24314	24315				
21316	24316	24317				
21317	24316	24317				
21318	24103	24104	24318	24101		
21319	24103	24104	24318	24101		
21320	24316	24317				
21322	24316	24317				
21323	24316	24317				
21324	24316	24317				
21325	24314	24315				
21326	24314	24315				
21327	24314	24315				
21330	24103	24104	24318	24101	24325	24325
21804	24212	24213				
21808	24212	24213				
21811	24811	24814	24817		24819	
21812	24811	24814	24817		24819	
21813	24212	24213	24813	24185		
21814	24212	24213	24813	24185		
21815	24212	24213	24813	24185		
21816	24811	24814	24817		24819	

STEEL OIL PUMPS

SMALL BLOCK CHEVY HEAVY DUTY RACING OIL PUMPS

- More material and are thicker in the neck area than standard SBC oil pumps. Casting is like "older style" pumps with more material in the neck area
- Benefits of a stronger casting with the features and price that the racer is looking for
- Same oil pumps that are used in our SBC welded together Oil Pump/Pickup combinations

PART # DESCRIPTION

- **22099** SBC Standard Volume, Oil Pump, %" Inlet
- 22109 SBC High Volume, Oil Pump, %" Inlet



No. 22099

BIG BLOCK CHEVY HEAVY DUTY RACING OIL PUMPS

- Same oil pumps that are used in our BBC welded together Oil Pump/Pickup combinations
- Have a long track record of providing solid performance at an appealing price point

PART # DESCRIPTION

22149BBC Standard Volume, Oil Pump22159BBC High Volume, Oil Pump



OIL PUMPS /

WET SUMP

ANTI-CAVITATION RACING OIL PUMPS

Fits: SBC and BBC

- Moroso "Race" Oil Pumps are designed to accommodate consistent oil pressure and volume requirements for today's racing engine
- Moroso engineered anti-cavitation grooves into the pump housing to prevent pump chatter, which will lead to broken pickups and inconsistent oil pressure
- Anti-cavitation slots are machined to bleed oil back to the inlet side of the pump, and an enlarged bypass area ensure a smooth flow rate throughout any RPM range

PART # DESCRIPTION

ļ

- **22111** SBC, High Volume
- 22150 BBC, Standard Volume
- **22160** BBC, High Volume



No. 22150





No. 22111

BIG BLOCK CHEVY/ANTI-CAVITATION BLUEPRINTED RACING OIL PUMP

Our Blueprinted Oil Pumps were developed in association with racing's most respected engine builders. Our CNC machined blueprinted oil pumps ensure the tightest tolerances and most consistent performance of any cast oil pump in its class that's produced.

Check Out All The Features:

- Anti-cavitation slots and enlarged feeder grooves are ball milled smooth, providing steady oil flow to each side of the gears for high RPM lubrication, cavitation relief and reduced spark scatter
- · Distortion-free cast iron housing resists wear after extended use
- Parkerized[™] coating retains oil for extra lubrication during break-in and cold starts
- Socket head screw makes it easy to change pressure; includes additional springs
- Individually tested with oil to ensure proper functionality

PART # DESCRIPTION

22162 Blueprinted High Volume Racing Oil Pump, BBC



GM LS SERIES RACING OIL PUMP

Fits: Gen III and Gen IV, 4.8L, 5.3L, 6.0L, 6.2L

- Volume will increase by 18% over stock oil pumps
- Hard anodized coating for wear and performance
- Will fit with stock timing cover

PART #DESCRIPTION22120Oil Pump, GM LS



No. 22120

OIL PUMP PICKUP BUYER'S GUIDE	1
-------------------------------	---

	GM LS SE	RIES, DART LS NEXT	
MOROSO	STOCK	HIGH VOLUME	OIL PAN
OIL PAN	OIL	RACE PUMP	COMES WITH
PART #	PUMPS	MOROSO #24050	PICK UP
20105	KIT	KIT	YES
20138	24052	24052	NO
20139	24050	24050	NO
20140	24050	24050	NO
20141	24050	24050	NO
20142	24050	24050	NO
20143	24050	24050	NO
20144	24144	24144	NO
20145	24050	24050	NO
20146	24052	24052	NO
20147	24050	24050	NO
20148	24050	24050	NO
20149	24050	24050	NO
20150	24050	24050	NO
21149	24050	24050	NO
21150	24050	24050	YES
21151	GM PART# 12608579	GM PART# 12608579	NO
21152	24050	24050	NO
21153	24154	24154	NO
21158	24153	24153	NO
21159	24050	24050	NO
21340	21051	21051	NO

	CHEV	ROLET B	IG BLOCK	C - INC. DONOVAI	N, DRC2 & MERLIN	1
	STAI	NDARD PICKUP LOO	CATION	OF	FSET PICKUP LOCATI	ON
MOROSO	BBC, STANDARD	BBC, HIGH	BBC, HIGH	BBC, STANDARD	BBC, HIGH	BBC, HIGH
OIL PAN	VOLUME PUMPS	VOLUME PUMPS	VOL. BLUEPRINTED	VOLUME PUMPS	VOLUME PUMPS	VOLUME PUMPS
PART #	MOROSO #22150	MOROSO #22160	RACE PUMP	MOROSO #22150	MOROSO #22160	MOROSO #22162
	MEL. #M77	MEL. #M77HV	MOROSO #22162	MEL. #M77	MEL. #M77HV	MEL. #M10770
	MEL. #M10774		MEL. #M10770	MEL. #M10774		MEL. #M10778
			MEL. #M10778			
PART #	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
20032	24446	24446	24446			
20376	24440	24440	24440	24441	24441	24441
20380	24440	24440	24440	24441	24441	24441
20385	24440	24440	24440	24441	24441	24441
20401	24440	24440	24440	24441	24441	24441
20403	24440	24440	24440	24441	24441	24441
20405	24440	24440	24440	24441	24441	24441
20406	24440	24440	24440	24441	24441	24441
20408	24440	24440	24440	24441	24441	24441
20409	24440	24440	24440	24441	24441	24441
20411	24440	24440	24440	24441	24441	24441
20412	24440	24440	24440	24441	24441	24441
20413	24440	24440	24440	24441	24441	24441
20416	24440	24440	24440	24441	24441	24441
20420	24440	24440	24440	24441	24441	24441
20421	24440	24440	24440	24441	24441	24441
20431	24430	24430	24430			
20433	24430	24430	24430			
20449	24448	24448	24448			
20451	24430	24430	24430			
20460	24450	24450	24450			
20485	24440	24440	24440	24441	24441	24441
21047	24440	24440	24440	24441	24441	24441
21048	24440	24440	24440	24441	24441	24441
21049	24440	24440	24440	24441	24441	24441
21600	24440	24440	24440	24441	24441	24441
21602	24440	24440	24440	24441	24441	24441
21604	24440	24440	24440	24441	24441	24441

OIL PUMP PICKUP BUYER'S GUIDE

	OLD	SMOBILE - 330-455	
MOROSO	HIGH VOLUME	HIGH VOLUME	MONDELLO
OIL PAN	PUMP	PUMP	HIGH VOLUME PUMP
PART #	MEL. #M22F	MEL. #M22MHV	SP755
20480	24460		
2163 1		24463	24463

	PONTIAC - 301-455	
MOROSO OIL PAN	HIGH PRESSURE PUMP	HIGH VOLUME PUMP
PART #	MEL. #54DS	MEL. #10541
20490	24480	24480
20500	24482	24482

CHRY	'SLER - 273-340, 360 & 360 MAG	NUM
MOROSO OIL PAN	STOCK	CHRYSLER 2468489
PART #	OIL PUMPS	PUMP
20710	24700	24700
20730	24700	24700

	CHRYSLER - 5.7-6.4 HEMI				
MOROSO OIL PAN Part #	STOCK NON-MDS/VCT (UP TO '08)	STOCK NON-MDS/VCT (UP TO '08) OIL PUMPS WITH BED PLATE/GIRDLE	PART NOS. 68195993AC, 5038398AE, 53021622BF OIL PUMPS WITH NON-HELLCAT FRONT TIMING COVER	PART NO. 68195993AC Oil Pump With Hellcat Front Timing Cover	
21161	24161		24162		
21165			24165		
21166				24166	
27601	24601	24602	24603		

CHRYSLER - 361-440 & 426 HEMI			
MOROSO	STOCK-STYLE	STOCK-STYLE	
OIL PAN	B/RB PUMP	HEMI PUMP	
PART #	3/8-18 THREAD	1/2-14 THREAD	
20760	24750	24800	
20766	24766		

FORD - 289-302				
MOROSO	STOCK	STOCK OIL PUMPS	MELLING	MELLING
OIL PAN	OIL PUMPS	WITH MAIN SUPPORT	PUMP	PUMP
PART #			#M68	#M68
			#M68HV	#M68HV
			#M10688	#M10688
				WITH MAIN SUPPORT
20502	24520		24520	
20503	24523			
20506	24517	24518	24517	24518
20511	24516	24516	24516	24516
20521	24516	24516	24516	24516
20527	24527	24528	24527	24528
20528	24516	24516	24516	24516
20533	24527	24528	24527	24528
20535	24523		24523	

OIL PUMP PICKUP BUYER'S GUIDE

_	_	_	_	
		1		- 351W-SVO
		- 1		

MOROSO OIL PAN	STOCK	MELLING PUMP		
PART #	OIL PUMPS	#M83, #M83HV, #M10833		
20501	24507	24507		
20507	24507	24507		
20508	24501	24501		
20520	24532*	24532*		
20522	24515	24515		
20523	24532	24532		
20529	24532	24532		
20532	24532*	24532*		
20534	24534	24534		
20536	24507	24507		

* Does not fit World Products Man-O-War Engine Block

FORD - 4.6L & 5.4L				
MOROSO OIL PAN Part #	OIL PAN USES STOCK 2V, 3V OR 4V OIL PUMP & PICKUP	STOCK Oil Pump		
20546	YES			
20548	YES			
20549	2V	24547		
20549	4V	24548		
20554	YES			
20555	YES			

FORD - 5.0L & 5.2L			
MOROSO OIL PAN	GEN I & II	GEN III	
PART #	OIL PUMP PICKUP	OIL PUMP PICKUP	
20569	24570	24577	
20570	24570	24577	
20571	STOCK	24578	
20572	STOCK	24578	
20573	24573	24576	
20574	24574	24579	
20575	STOCK	24578	
20576	STOCK	24578	
20577	24574	24579	

FORD - 351C/351M & 400			
MOROSO OIL PAN	STOCK	MELLING PUMP	
PART #	OIL PUMPS	#M84AHV	
20530	24530	24530	
20558	24558	24558	

FORD - 352-428				
MOROSO OIL PAN	STOCK	MELLING PUMP		
PART #	OIL PUMPS	#M57HV		
20607	24608	24608		
20608	24608	24608		
20609	24609	24609		

FORD - 429-460			
MOROSO OIL PAN	FORD MOTORSPORTS PUMP		
PART #	#M-6600-A460		
	MELLING #M84D/84DHV		
20612	24504		
20614	24511		
20616	24505/24522		
20620	24509		
20625	24508		

OIL PAN	STOCK	STOCK	STOCK	OIL PAN USES	OIL PAN
PART #	OIL PUMP	OIL PUMPS	OIL PUMPS	STOCK	COMES WITH
	1.8 VTEC ENGINES		OPTIONAL PICK	OIL PUMP &	PICK UP
			UP	PICK UP	
20901	24010	24011		NO	NO
20910				YES	NO
20911				YES	NO
20912	24012	24012		NO	NO
20915				YES*	NO
20916				YES*	NO
20917				YES	NO
20919				YES*	NO
20930				YES	NO
20935				YES	NO
20936			24936	YES	NO
20940				NO	YES
20942				YES	NO
20960				YES	NO
20965			24965	NO	YES
20966				NO	YES
20967				NO	YES
20968				NO	YES
20969				YES	NO
20970				YES	NO
20975				YES	NO
20976			24976	YES	NO

*To be used with Acura RSX oil pump assembly, OEM Part # 15100-PRB-A01, oil pump assembly might require slight notching to clear certain K-Series main caps

OIL PUMP PICKUP & ACCESSORIES

U-WELD-IT EXTENDED OIL PUMP PICKUPS

- · U-Weld-It Kits can be tailored for either standard or high volume pumps
- Use in oil pans up to 10-3/4" deep
- Intended for Street/Strip use

PART # DESCRIPTION

- 24861 U-Weld-It Extended Oil Pump Pickup, Small Block and 90° Chevy V6. Includes: one ⁵/₈" tube, one bracket, one box, two ¹/₄" -20 x ³/₄" allen head screws, two hex head cap screws and two ¹/₄" lock washers
- 24862 U-Weld-It Extended Oil Pump Pickup, Big Block Chevy. Includes one ¾" tube, one bracket, one box



EXTERNAL OIL PUMP PICKUP KIT, STEEL OIL PANS

- · Complete kit includes everything needed to convert steel wet sump oil pan for use with external pump
- Includes screened pickup box, pickup tube and specially machined -12AN fitting
- Adapts to a variety of pans, welding required
- · Recommended for wet sump pans with power kickouts

PART # DESCRIPTION

24840 External Oil Pump Pickup Kit, Steel Oil Pans

No. 24840

EXTERNAL OIL PUMP & DRY SUMP PICKUP KITS, TO ADD PICKUP TO ALUMINUM OIL PANS

- Complete kit includes everything needed to convert an aluminum wet sump oil pan for use with external oil pump
- Includes 7" long billet aluminum slotted pickup tube, mounting foot, and removable/cleanable male A.N. fitting
- Also makes a convenient way to add extra pickup to an aluminum dry sump oil pan
- · Adapts to a variety of oil pans, welding required

PART # DESCRIPTION

24865External Oil Pump Pickup Kit, Aluminum Pans, -12AN Male Fitting24866External Oil Pump Pickup Kit, Aluminum Pans, -16AN Male Fitting

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 24865

O ADD PICKUP



OIL PUMP PICKUP | DRIVE SHAFTS

OIL PUMP PICKUPS, SUBARU

- Designed to replace factory oil pump pickups which have had cases of failure
- These Heavy Duty designs have thicker tubing and flanges, plus the pickup box and bracket are constructed out of thicker steel with a zinc plated finish
- Mates to oil pump exactly like the factory pickup and includes an O-Ring

PART# DESCRIPTION

- 24964 Oil Pump Pickup, Subaru '02-'05 WRX O.E.M. Oil Pans
- 24965 Oil Pump Pickup, Subaru EJ25 Turbo Applications, '04-'05 STI, '06-Up WRX, STI, Forester, Baja, Fits Moroso No. 20965 & O.E.M. Configuration Oil Pans





OIL PUMP DRIVE SHAFTS

· High-quality steel for extended reliability, with steel sleeve

· Steel sleeve is pinned to maintain correct alignment between oil pump and shaft

PART #	OVERALL LENGTH	APPLICATION	PUMP DRIVE	USE ON PUMPS
22070*	5.985"	SBC, Chevy V-6 (Stock)	Blade	22101, 22111, 22124, 22134, 22171,
22080	6.691"	BBC, Stock Height	Blade	22150, 22160, 22144, 22175, 22185, 22162, 22163
22082	7.153"	BBC, .400" raised cam	Blade	22150, 22160, 22144, 22175, 22185, 22163
22090*	5.878"	SBC using BBC Pump	Blade	22150, 22160, 22144, 22175, 22185, 22163
22072	7.353"	BBC DART Block, .600" raised cam	Blade	22150, 22160, 22144, 22175, 22185, 22163
22074	9.136"	BBC, .400" raised cam	Hex	22167
22077	6.394"	SBC DART Block, .391" raised cam	Blade	22101, 22111, 22124, 22134, 22171

*400 cubic inch small block requires the oil pump drive shaft opening to be machined to $\frac{9}{6}$ "

OIL PUMPS

DRY SUMP OILING SYSTEMS

D ry Sump Oiling Systems are the safest, most dependable oiling systems available. They're popular in all forms of racing, especially where low chassis height is important for good handling. Horsepower gain is maximized because there is virtually no oil in the pan and no internal pump, allowing the windage tray or screen to run the full length of the pan. Other advantages of a dry sump system include a remotely mounted oil tank for increased capacity, the ability to easily add remote oil coolers, more consistent oil pressure, adjustable oil pressure, improved scavenging and increased ring seal due to greater pan vacuum.

	TYPICAL 4 STAC	e Dry Su	MP SYSTEM
		0000	
No. 224		١	🔍 🖌 No. 85467
10.224			Г С С С С С С С С С С С С С
CATEGORY	PART # AND DESCRIPTION	CATEGORY	PART # AND DESCRIPTION
A Dry Sump	No. 22343, Tri-Lobe, Door Car, 3 Stage	Oil Preheaters	No. 23980, In Tank w/ Aluminum Fitting
Oil Pumps	No. 22443, Tri-Lobe, Dragster, 3 Stage		No. 23990, In Tank w/ Steel Fitting
	No. 22253, Door Car, 3 Stage		No. 23995 , External Heating Pad, 6"x12"
	No. 22523, Dragster, 3 Stage		No. 23996, External Heating Pad, 5" x 7"
	No. 22344, Tri-Lobe, Door Car, 4 Stage No. 22444, Tri-Lobe, Dragster, 4 Stage	H Oil Tanks	No. 23997 , External Heating Pad, 2" x 15"
	No. 22254 , Door Car, 4 Stage	H UII IAIIKS	No. 22681 , 13", 5 qt., (1) -16AN w/o Integral Breather
	No. 22524 , Dragster, 4 Stage		No. 22682, 13", 5 qt., (1) -16AN w/ Integral Breather
B Pump Fittings	No. 22741, Replacement Fitting -10AN		No. 22682 , 13", 5 qt., (3) -12AN w/o Integral
	No. 22742, Replacement Fitting -12AN		Breather
	No. 22743, Replacement Fitting -16AN		No. 22684, 13", 5 qt., (3) -12AN w/ Integral Breather
	No. 22744, Replacement Fitting -16AN		No. 22686, 15", 6 qt., (1) -16AN w/o Integral
	W/-12 AN		Breather
C In-Line	No. 23850 , -10AN fittings, ⁵ / ₈		No. 22687 , 15", 6 qt., (1) -16AN w/ Integral Breather
Screened Oil	No. 23860 , -12AN fitting, ³ / ₄ "		No. 22688 , 15", 6 qt., (3) -12AN w/o Breather
Filters D Remote Filter	No. 23870, -8AN fitting, ½" Nos. 23700/23710, Ford/Chrysler Style	l Filter Fittings	No. 22689, 15", 6 qt., (3) -12AN w/ Integral Breather No. 23960. %" NPT Male to -12AN Male
Mounts	Nos. 23750/23760, Chevy Style	TT IIICE TELLINGS	No. 23961 , -12AN Male to -12AN Male
mounto	No. 23766 , Large Diameter Style	J Filter Block-	No. 23690, Filter Adaptor, Chevy
E Racing Oil	No. 22459 , Chevy, 4-% ² " high	Off/ Bypass	No. 23050 , Filler Adaptol, Chevy No. 23770 , Bypass, SBC & BBC
Filters	No. 22460, Chevy, 5-1/4" high	Plates	No. 23782 , Bypass, Merlin Block
	No. 22461, Chevy, 8" high		No. 23780, Block-Off SBC & BBC
	No. 22470, Ford/Chrysler, 5-1/4" high		No. 23840, Block-Off BBC (Gen V)
	No. 22465 , Large Dia. (Fram HP-6		No. 23820, Block-Off Ford/Chrysler
	replacement), 6-1/4" high		
F Breather Tanks	No. 85465, -12AN Inlet		
	No. 85466, Dual -12AN Inlet Fittings		
	No. 85470, ¾" NPT Inlet No. 85475, -16AN Inlet		
G Tank Mounts	Nos. 22677, 22678, 22679		
	1103. 22011, 22010, 22019		

(Straight, Offset or U-Weld-It Kits)

TRI-LOBE EXTERNAL OIL PUMPS

MOROSO TRI-LOBE LINE OF EXTERNAL PUMPS ARE THE LATEST IN OUR RICH HISTORY OF INNOVATIVE OIL PUMP DESIGNS!

EXTERNAL OIL PUMPS

Single Stage

- These Oil Pumps Feature:
- Spur gear pressure section
- Lightweight and efficient
- Includes replaceable fittings, -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- External pumps eliminate the spark scatter and camshaft loads that are associated with an internal pump



Single Stage No. 22321



Single Stage No. 22441

	EXTERNAL PUMPS			
PART #	DESCRIPTION	STAGE	STYLE OF BRACKET & ORIENTATION	PRESSURE SECTION
22341	Dry Sump Pump, T3 Series	SINGLE	FULL BODY, DRIVER'S/LEFT SIDE	1.200
22321	Dry Sump Pump, T3 Series	SINGLE	FULL BODY, PASSENGER/RIGHT SIDE	1.200
22441	Dry Sump Pump, T3 Series	SINGLE	DRAGSTER, LEFT SIDE	1.200

PART # AVAILABLE OPTIONS

- 22606 AN Fittings, -10AN to -12AN, 2 per package
- 62208 Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft

EXTERNAL OIL PUMP, SINGLE STAGE,

FUEL PUMP DRIVE

Driver's/Left Side Door Car Style Bracket

- Rear ³/₆" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Spur gear 1.200 pressure section
- · Light weight and efficient
- Includes replaceable fittings, -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- External pumps eliminate the spark scatter and camshaft loads that come with an internal pump

PART # DESCRIPTION

22361 External Oil Pump, with Fuel Pump Drive, Left Side Bracket, 1.200 Pressure

PART # AVAILABLE OPTIONS

- 22606 AN Fittings, -10AN to -12AN, 2 per package
- 62208 Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft





OIL PUMPS

DRY SUMP

TRI-LOBE EXTERNAL OIL PUMPS

EXTERNAL OIL PUMPS, SINGLE STAGE, V-BAND MOUNTING FLANGE

Fits: Alston Front Accessory Drives

- Two different gear sets are available, 1.200 or 1.800
- External pumps eliminate the camshaft loads that come with an internal pump
- · V-Band mounting flange to mount External Oil Pump to Alston front drives
- Light weight and efficient
- Includes all replacement fittings, -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment

PART # DESCRIPTION

- 22411 External Oil Pump, with V-Band Mounting Flange for Alston Front Drives, 1.200 Pressure
- 22413 External Oil Pump, with V-Band Mounting Flange for Alston Front Drives, 1.800 Pressure



EXTERNAL OIL PUMPS, SINGLE STAGE, V-BAND MOUNTING FLANGE

Fits: ProCharger Front Accessory Drives

- Two different gear sets are available, 1.200 or 1.800
- · External pumps eliminate the camshaft loads that come with an internal pump
- V-Band mounting flange to mount External Oil Pump to ProCharger and other supercharger front drives
- · Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

- 22311 External Oil Pump, Mounts to ProCharger Front Drives, V-Band Mounting Flange, 1.200 Pressure
- 22313 External Oil Pump, Mounts to ProCharger Front Drives, V-Band Mounting Flange, 1.800 Pressure

EXTERNAL OIL PUMP, SINGLE STAGE, REVERSE ROTATION

Fits: Alston Front Accessory Drives, Pump Mounted Towards Front of Car

- V-Band mounting flange to mount External Oil Pump to Alston front drives
- Spur gear 1.200 pressure section
- External pumps eliminate the camshaft loads that come with an internal pump
- Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment

PART # DESCRIPTION

22412 External Oil Pump, Reverse Rotation, Alston Front Drives, V-Band Mounting Flange for 1.200 Pressure

EXTERNAL OIL PUMP, SINGLE STAGE, REVERSE ROTATION, V-BAND MOUNTING FLANGE

Fits: ProCharger Front Accessory Drives, Pump Mounted Towards Front of Car

- V-Band mounting flange to mount External Oil Pump to ProCharger supercharger front drives
- Spur gear 1.200 pressure section
- External pumps eliminate the camshaft loads that come with an internal pump
- Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

22312 External Oil Pump, Reverse Rotation, ProCharger Front Drives, V-Band Mounting Flange, 1.200 Pressure





No. 22312

No. 22311

IL PUMPS

DRY SUMP

TRI-LOBE DRY SUMP OIL PUMPS EXTERNAL OIL PUMPS, TWO STAGE, FUEL PUMP DRIVE BES Driver's/Left Side Door Car Style Bracket An expansion to our popular line of external oil pumps. This pump gives you the option of scavenging oil from the oil pan with one stage and using the second stage to scavenge oil from turbos or superchargers and areas that require oil to be scavenged. Two different gear sets are available, 1.200 or 1.800 Light weight and efficient Includes replaceable fittings, -16AN inlet, -12AN inlet, -12AN outlets External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment External pumps can help eliminate the spark scatter and camshaft loads that come with an internal pump • Rear 3/8" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps No. 22342 PART # DESCRIPTION 22362 External Oil Pump, Two Stage, Fuel Pump Drive, Left Side Bracket, 1.200 Pressure/1.700 Scavenge 22342 External Oil Pump, Two Stage, Fuel Pump Drive, Left Side Bracket, 1.800 Pressure/1.700 Scavenge PART # **AVAILABLE OPTIONS** 22606 AN Fittings, -10AN to -12AN, 2 per package 62208 Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft DRY SUMP PUMPS, TRI-LOBE, FIVE STAGE, V-BAND **MOUNTING FLANGE**

Available in Standard or Reverse Rotation (pump mounted towards front of car) for Alston and ProCharger Front Accessory Drives

- V-Band mounting flange to mount Dry Sump Pump to front drives
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- · Saves weight and make big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge inlets -12AN Return -16AN
- Pumps weigh almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings
- On ProCharger applications, ProCharger Part No. 3PCCD-032 is required for installation

PART # DESCRIPTION

- 22515 Dry Sump Pump Five Stage, V-Band Mounting Flange, Standard Rotation, Alston Front Drives, 1.200 Pressure/1.700 Scavenge
- 22315 Dry Sump Pump Five Stage, V-Band Mounting Flange, Standard Rotation, ProCharger Front Drives, 1.200 Pressure/1.700 Scavenge
- 22517 Dry Sump Pump Five Stage, V-Band Mounting Flange, Reverse Rotation (pump mounted towards front of car), Alston Front Drives, 1.200 Pressure/1.700 Scavenge
- 22518 Dry Sump Pump Five Stage, V-Band Mounting Flange, Reverse Rotation (pump mounted towards front of car), ProCharger Front Drives, 1.200 Pressure/1.700 Scavenge

Optional Replacement Fittings available for -10AN through -16AN

PART #	AVAILABLE FITTINGS
00744	Donloggement Fitting

22741	Replacement Fitting –10AN
22742	Replacement Fitting –12AN
22743	Replacement Fitting –16AN
22744	Replacement Fitting –16AN
	with a –12AN



No. 22517

TRI-LOBE DRY SUMP PUMPS

MOROSO TRI-LOBE LINE OF DRY SUMP PUMPS ARE THE LATEST IN OUR RICH HISTORY OF INNOVATIVE OIL PUMP DESIGNS! DRY SUMP PUMPS, TRI-LOBE

Left or Right Side Door Car Style Brackets Three, Four, Five and Six Stage

The best performing dry sump pump line that Moroso has ever produced!

Moroso's new aluminum dry sump pumps have been developed with our decades of oiling system expertise to give you a lighter, better performing oil pump that will save weight and make more crankcase vacuum!

These Oil Pumps Feature:

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest RPM's
- Spur gear pressure section based off Moroso's highly successful billet wet sump pump design.
- Designed to be driven at 70-80% of engine speed.
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive!
- Custom pressure section sizes for increased efficiency with different pump speeds
- Includes all necessary fittings



Three Stage-Driver's/Left Side No. 22343



Four Stage-Driver's/Left Side No. 22344



Three Stage-Passenger/Right Side No. 22323



Five Stage-Driver's/Left Side No. 22345



Four Stage-Passenger/Right Side No. 22324



Five Stage-Passenger/Right Side No. 22325



Six Stage-Driver's/Left Side No. 22346



Six Stage-Passenger/Right Side No. 22326

	DOOR CAR BRACKET STYLE PUMPS				
PART #	DESCRIPTION	STAGE	BRACKET ORIENTATION	PRESSURE SECTION	SCAVENGE SECTION
22343	DRY SUMP PUMP, T3 SERIES	THREE	DRIVER'S/LEFT SIDE	1.200	1.700
22323	DRY SUMP PUMP, T3 SERIES	THREE	PASSENGER/RIGHT SIDE	1.200	1.700
22344	DRY SUMP PUMP, T3 SERIES	FOUR	DRIVER'S/LEFT SIDE	1.200	1.700
22324	DRY SUMP PUMP, T3 SERIES	FOUR	PASSENGER/RIGHT SIDE	1.200	1.700
22345	DRY SUMP PUMP, T3 SERIES	FIVE	DRIVER'S/LEFT SIDE	1.200	1.700
22325	DRY SUMP PUMP, T3 SERIES	FIVE	PASSENGER/RIGHT SIDE	1.200	1.700
22346	DRY SUMP PUMP, T3 SERIES	SIX	DRIVER'S/LEFT SIDE	1.200	1.700
22326	DRY SUMP PUMP, T3 SERIES	SIX	PASSENGER/RIGHT SIDE	1.200	1.700

PART # AVAILABLE OPTION

62208 Dry Sump/External Oil Pump Primer For a %" Diameter Shaft



TRI-LOBE DRY SUMP OIL PUMPS

MOROSO TRI-LOBE LINE OF DRY SUMP PUMPS ARE THE LATEST IN OUR RICH HISTORY OF INNOVATIVE OIL PUMP DESIGNS! DRY SUMP PUMPS, TRI-LOBE

Driver's/Left Dragster Style Brackets Three, Four, Five and Six Stage

The best performing dry sump pump line that Moroso has ever produced!

Moroso's new aluminum dry sump pumps have been developed with our decades of oiling system expertise to give you a lighter, better performing oil pump that will save weight and make more crankcase vacuum!

These Oil Pumps Feature:

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest RPM's
- Spur gear pressure section based off Moroso's highly successful billet wet sump pump design. Designed to be driven at 70-80% of engine speed.
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive!
- Custom pressure section sizes for increased efficiency with different pump speeds
- Includes all necessary fittings



SEE MORE DRY SUMP TANKS ON PGS. 185-186

BEST



DRY SUMP





Five Stage- Driver's/Left Side No. 22445

Four Stage- Driver's/Left Side No. 22444



Six Stage- Driver's/Left Side No. 22446

	DRAGSTER CAR BRACKET STYLE PUMPS				
PART #	DESCRIPTION	STAGE	BRACKET ORIENTATION	PRESSURE SECTION	SCAVENGE SECTION
22443	DRY SUMP PUMP, T3 SERIES	THREE	DRIVER'S/LEFT SIDE	1.200	1.700
22444	DRY SUMP PUMP, T3 SERIES	FOUR	DRIVER'S/LEFT SIDE	1.200	1.700
22445	DRY SUMP PUMP, T3 SERIES	FIVE	DRIVER'S/LEFT SIDE	1.200	1.700
22446	DRY SUMP PUMP, T3 SERIES	SIX	DRIVER'S/LEFT SIDE	1.200	1.700

PART # AVAILABLE OPTION

62208 Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft

TRI-LOBE DRY SUMP OIL PUMPS

DRY SUMP PUMPS, TRI-LOBE, FUEL PUMP DRIVE

Driver's/Left Side Door Car Style Bracket

- Rear ³/₄" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Saves weight and make big crankcase vacuum
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN
- Pumps weights almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings





No. 22363



No. 22364





No. 22365



Optional Replacement Fittings available for -10AN through -16AN

PART #	AVAILABLE FITTINGS
22741	Replacement Fitting –10AN
22742	Replacement Fitting –12AN
22743	Replacement Fitting –16AN
22744	Replacement Fitting –16AN
	with a -12AN



No. 22366

	DRIVER'S/LEFT SIDE DOOR CAR STYLE BRACKET				
PART #	DESCRIPTION	STAGE	BRACKET ORIENTATION	PRESSURE SECTION	SCAVENGE SECTION
22363	DRY SUMP PUMP, FUEL PUMP DRIVE	THREE	DRIVER'S/LEFT SIDE	1.200	1.700
22364	DRY SUMP PUMP, FUEL PUMP DRIVE	FOUR	DRIVER'S/LEFT SIDE	1.200	1.700
22365	DRY SUMP PUMP, FUEL PUMP DRIVE	FIVE	DRIVER'S/LEFT SIDE	1.200	1.700
22366	DRY SUMP PUMP, FUEL PUMP DRIVE	SIX	DRIVER'S/LEFT SIDE	1.200	1.700

PART # AVAILABLE OPTION

62208 Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft

TRI-LOBE DRY SUMP OIL PUMPS

DRY SUMP PUMPS, TRI-LOBE, DUAL MOUNTS

Heavy Duty Dual Mount Bracket

- Features two of our driver's side/left side door car mounting brackets for circle track, marine and road racing applications where the extra weight of the second bracket isn't an issue
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize oil pressure for smooth, reliable oil pressure readings
- Saves weight and make big crankcase vacuum
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN. Return -16AN
- Pumps weigh almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes all necessary fittings

PART # DESCRIPTION

22415

- 22414 Dry Sump Pump Four Stage, dual mount double driver's/left side door car mounting brackets 1.200 Pressure/1.700 Scavenge
- Dry Sump Pump Five Stage, dual mount double driver's/left side door car DRY SUMP PUMP, TRI-LOBE, FIVE STAGE

Brinn/Bert Bellhousing Bracket

Designed to mount Dry Sump Pump to Bert or Brinn Bellhousings

mounting brackets 1.200 Pressure/1.700 Scavenge

- Tri-lobe aluminum scavenge sections featuring individual timing gear to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- This design saves weight and makes more crankcase vacuum than previous designs
- This Tri-Lobe Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN

PART # DESCRIPTION

22405 Dry Sump Pump Five Stage, Bert or Brinn Bellhousing Mount, 1.200 Pressure/1.700 Scavenge

DRY SUMP PUMP, TRI-LOBE, FIVE STAGE FUEL PUMP DRIVE

Brinn/Bert Bellhousing Bracket

- Rear 3/8" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Saves weight and makes big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN Return -16AN
- Pump weighs almost half of gerotor pumps. and takes up to 40% less power to drive
- Includes all necessary fittings

PART # DESCRIPTION

22367 Dry Sump Pump Five Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge



IEV/

No. 22405




No. 22367

No. 22414

Ш

OIL PUMPS

DRY SUMP



SBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design with one belt only being utilized
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
 V-band clamp is included

PART # DESCRIPTION

22652 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, SBC Left Side Bracket

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

BBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back of it
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
- V-band clamp is included

PART # DESCRIPTION

22654 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, BBC Left Side Bracket

Tri-Lobe, Vacuum Pump, SE

No. 22652

No. 22654

DRY SUMP



Single Stage No. 22251 / No. 22241



Three Stage No. 22253 / No. 22243



Four Stage No. 22254 / No. 22244

DRY SUMP OIL PUMPS, DOOR CAR

Single, Three, Four, Five and Six Stage Fits: Chevrolet-based Small Block & Big Block Door Car applications

- Steady oil pressure throughout RPM range
- · Consistent oil pressure at high heat levels
- Increased vacuum
- · Consistent oil pressure at high vacuum levels
- Oil pressure adjustability, allows for finer tuning of pressure levels
- Internal manifold with -16AN return, no need for separate manifold
- · Built-in mounting bracket designed for engine compartment constraints
- Two pressure outlet locations for easier plumbing
- Includes all necessary fittings
- · Vertical oil pressure adjuster makes it easier to change oil pressure settings

.875 Pressure / 1.100 Scavenge

PART #	DESCRIPTION
22251	Single Stage
22253	Three Stage
22254	Four Stage
22255	Five Stage

1.100 Pressure / 1.100 Scavenge

PART # DESCRIPTION

22241Single Stage22243Three State22244Four Stage22245Five Stage


PART # AVAILABLE OPTION

62208 Dry Sump/External Oil Pump Primer For a 5/4" Diameter Shaft



Five Stage No. 22255 / No. 22245





Ш OIL PUMPS

BLACK SERIES DRY SUMP OIL PUMPS



Single Stage No. 22521 / No. 22421



Three Stage No. 22523 / No. 22423



Four Stage No. 22524 / No. 22424

DRY SUMP OIL PUMPS, DRAGSTER

Single, Three, Four, Five and Six Stage Fits: Chevrolet-based Small Block & Big Block Dragster applications

- Steady oil pressure throughout RPM range
- Consistent oil pressure at high heat levels
- Increased vacuum
- · Consistent oil pressure at high vacuum levels
- Oil pressure adjustability, allows for finer tuning of pressure levels
- Internal manifold with -16AN return, no need for separate manifold
- Built-in bracket mounts pump higher and closer to the engine, for better engine compartment packaging in a Dragster
- Two pressure outlet locations for easier plumbing
- Includes all necessary fittings
- Vertical oil pressure adjuster makes it easier to change oil pressure settings

.875 Pressure / 1.100 Scavenge		1.100 Pressure / 1.100 Scavenge		
PART #	DESCRIPTION	PART #	DESCRIPTION	
22521	Single Stage	22421	Single Stage	
22523	Three Stage	22423	Three State	
22524	Four Stage	22424	Four Stage	
22525	Five Stage	22425	Five Stage	

Five Stage No. 22525 / No. 22425



PART #	AVAILABLE OPTION
62208	Dry Sump/External Oil Pump Primer
	For a %" Diameter Shaft

DRY SUMP/EXTERNAL OIL PUMP PRIMER FOR A 5/8 INCH DIAMETER SHAFT

- Makes the task of priming a pump quick and easy using this drive
- Attaches to a 5/4" diameter shaft of a Dry Sump or External Oil Pump
- Adapter is machined out of stainless steel for years of use
- Includes Hardware

DESCRIPTION PART

Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft 62208o



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmNo. 62208

SPRINT CAR FRONT MAGNETO DRIVE ASSEMBLY

Patent Pending

Moroso Performance Products has developed a Magneto re-location kit that has solved inherent problems related to standard rear mounted magnetos.

Issues of unstable timing, magneto flex and movement, shaft failure, drive gear failure and the inability to perform in-car timing adjustments, have all been addressed.

Front Magneto Drive Assembly has been designed to work with:

- Standard Shaver Wesmar gear drive assemblies
- Moroso cam driven dry sump pumps, as well as other commonly used oil pumps
- Commonly used crank driven water pumps
- Designed to be used with MSD 12 LT Generator or MSD Part No. 7904 Generator Kit
- Now legal for most racing organizations

PART # DESCRIPTION

60205Timing Cover Magneto Kit, Sprint Car, SBC, Non-Raised Cam60206Timing Cover Magneto Kit, Sprint Car, SBC, .390 Raised Cam





TIMING COVERS

BENEFITS INCLUDE:

- Increased timing accuracy
- The ability to eliminate costly crank trigger systems
- Improved access to Magneto for timing adjustments
- Increased area at the rear of engine allows for induction system improvements

ASSEMBLY INCLUDES:

- Billet Timing Cover
- Magneto Drive Adapter
- Magneto Billet Relocation Mount
- Magneto Drive Stem
- Billet Distributor Hole Plug
- Mounting Hardware

SPRINT CAR BILLET ALUMINUM TIMING COVER, SBC NON-RAISED CAM & RAISED CAM

- · Strong and Lightweight, machined from a solid bar of Aluminum
- Designed to work with all gear and chain cam drive systems, including Standard Shaver and Wesmar gear drive assemblies
- Timing Cover's bolt pattern is designed to accept Moroso cam driven dry sump pumps as well as others
- Is included in the Moroso Sprint Car Front Magneto Drive Assembly
- Cover accommodates commonly used Sprint Car crank driven water pumps
- Has a top timing port
- Black anodized finish for good looks and protection

PART # DESCRIPTION

- 60200 Timing Cover, SBC, Sprint Car, Non-Raised Cam
- 60201 Timing Cover, SBC, Sprint Car, .390 Raised Cam





OIL PUMP BLOCK-OFF PLATE

Fits: Small Block, Big Block and 90° Chevy V6

- Easy, bolt-on anodized aluminum plate seals oil passage on rear main cap when dry sump systems are used
- Requires no drilling or tapping for installation

PART # DESCRIPTION

23790 Oil Pump Block-Off Plate. Chevy V8 & 90° V6



No. 23790

OIL BYPASS ELIMINATOR, CHEVY

- · Designed to eliminate the oil bypass found on Chevrolet engines
- Does not allow unfiltered oil back into the engine
- A stock type spin-on oil filter can be used with this part installed
- Machined from billet aluminum for strength
- Features a single inlet and easy two bolt installation

PART # DESCRIPTION

23775 Oil Bypass Eliminator, SBC, BBC (except Gen V and Gen VI)



EXTERNAL PUMP ADAPTER, REMOTE FILTER, CAST

Fits: SBC & BBC (Mark IV)

- Aluminum bypass replaces engine-mounted oil filter in wet sump oiling system and directs oil to remote oil filter or oil cooler
- Drilled and tapped for 1/2" NPT inlet and outlet fittings
- Includes all mounting hardware, gaskets and o-ring

PART # DESCRIPTION

23770 Oil Filter Bypass

PART # REPLACEMENT PARTS

97321 Square O-Ring **97322** Gasket



No. 23770

EXTERNAL PUMP ADAPTER, REMOTE FILTER, BILLET

- Fits: World Products Merlin Big Block or standard Small Block and Big Block (Mark IV) Chevy applications without bolt hole at center of the filter pad
- Machined billet anodized aluminum Bypass Plate is needed when using a remote oil filter or returning oil from dry sump oiling system
- Sealing o-rings are captured in the plate for a tight seal against block's surface, washers are installed under bolt heads for a leak-free performance
- Drilled and tapped to accept male -10AN fittings
- Includes all mounting hardware and o-rings

PART #	DESCRIPTION
23782	Billet Oil Filter Bypass Plate
PART #	AVAILABLE OPTION
22606	Fitting, -10AN to -12AN

PART # REPLACEMENT PARTS

97323	O-Ring, Oil Adapter, Repl. 1.75" I.D.
97324	O-Ring, Oil Adapter, Repl. 3.5" I.D.
07005	

97325 O-Ring, Oil Block-off, Repl. **No. 23782**



No. 23782



OILING SYSTEM EQUIPMENT

EXTERNAL PUMP ADAPTER, REMOTE FILTER

- Aluminum Block-Off Plates designed for Moroso Dry Sump Oiling System or External Oil Pump
- Drilled and tapped to accept 1/2" NPT fitting to provide increased clearance for installing input pressure line
- Includes all mounting hardware and o-rings

PART # DESCRIPTION

- 23840 Oil Filter Block-Off Plate *Fits:* Small Block and Big Block (exc. Gen V and Gen VI) Chevy applications without bolt hole at center of pad
- 23820 Oil Filter Block-Off Plate *Fits:* 1957-01 Ford 8, 6, 4 cyl; 1959-03 Dodge; Chrysler 8, 6, 4, cyl; 1970-86 Toyota 4 cyl; 1986-96 Toyota 6 cyl. Others: All engines with 2-½" I.D. x 2-½" O.D. Sealing Area and ¾" -16 UNF Block Thread. -12AN fitting size
- PART # REPLACEMENT PART
- 97321 Square O-Ring (Except No. 23820)

PART # AVAILABLE OPTIONS

- 22706 Fitting, ½" NPT to -10AN
- 22708 Fitting, 1/2" NPT to -12AN
- 22709 Fitting, -12AN to -10AN, 1 per package



No. 23820



No. 23840

EXTERNAL PUMP, ACCUMULATOR, FILTER SANDWICH ADAPTERS Fits: Small Block and Big Block Chevy Mark 4 including aftermarket engine blocks

- Mount in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote oil filter
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil bypass eliminator, so unfiltered oil does not go back into the engine
- · Includes full instructions, mounting bolts and o-rings

PART # DESCRIPTION

- 23690 Oil Filter Adapter, SBC, for plumbing Accumulators and External or Dry Sump Oil Pumps. Lowers oil filter by 1-1/2", has 1/2" NPT inlet and outlet port
- 23701 Oil Filter Adapter, BBC Mark 4, for plumbing Accumulators and External or Dry Sump Oil Pumps. Lowers oil filter by 2-1/2", has -10AN inlet and outlet ports, one before filtration and one after filtration

PART # AVAILABLE OPTIONS

- **22459** Racing Oil Filter, Chevy and others, ¹³/₁₆" -16 UNF thread, short design (4-%2" high), burst strength: 350 psi (max.)
- 22460 Racing Oil Filter, Chevy and others, ¹³/₁₆" -16 UNF thread, long design (5-1/4" high), burst strength: 350 psi (max.)





ACCUMULATOR ADAPTERS

- · Provides a convenient way to plumb an Accumulator into the oiling system
- The adapter has one -10 AN oil input port that provides filtered oil to the Accumulator
- Mounts on the spin-on filter pad between the oil filter and engine block, lowering the spin-on filter by 1-1/4"

PART # DESCRIPTION

- **23675** Accumulator Adapter, ¾-16 thread and 2-½" O-ring Fits: Ford, Chrysler and 4 and 6 cylinder applications
- Accumulator Adapter, ¹³/₁₆ thread and 2-⁵/₈" O-ring Fits: Chevy, LS1 through 2006 Small Block
 Accumulator Adapter, 18MM -1.5 thread and 2-⁵/₈" O-ring Fits: Chevy, LT1 and G.M. 4 and 6
- 23677 Accumulator Adapter, 18MM -1.5 cylinder applications
- 23678 Accumulator Adapter, 20MM-1.5 thread and 2-5/«" O-ring Fits: Honda and other 4 and 6 cylinder applications
- 23679 Accumulator Adapter, 22MM-1.5 thread and 2-5/8" O-ring Fits: New Ford, GM LS





LING SYSTEM

OILING SYSTEM EQUIPMENT

OIL COOLER AND FILTER SANDWICH ADAPTERS

Fits: Small Block, Big Block Chevy Mark IV and most aftermarket blocks of each

- Mounts in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Includes mounting hardware and 0-rings

PART # DESCRIPTION

- 23691 Oil Filter Adapter, BBC Mark IV and Aftermarket Engine Blocks with a deep oil filter pocket, for plumbing a remote oil cooler for wet sump oiling systems. Lowers oil filter by $2-\frac{1}{2}$ ", has -10AN inlet and outlet ports
- 23692 Oil Filter Adapter, SBC, for plumbing a Remote Oil Cooler for wet sump oiling systems. Lowers oil filter by 1-1/2", has 1/2" NPT inlet and outlet ports

OIL COOLER AND FILTER SANDWICH ADAPTER

Fits: Big Block Chevy Gen. 5, Gen. 6

- Mounts in the spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter mount
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator. so unfiltered oil does not go back into the engine
- · Features -10 AN female ports, Marked with "IN" and "Out"
- Includes mounting hardware and O-rings

PART # DESCRIPTION

23705 Oil Cooler & Filter Adapter, Big Block Chevy Gen 5, Gen. 6

OIL COOLER/FILTER SANDWICH ADAPTERS

Fits: Small Block, Big Block Chevy Mark IV, Mark V & Gen VI including most aftermarket blocks of each

- Mounts in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Includes mounting hardware and 0-rings

PART # DESCRIPTION

23693	Universal Oil Cooler/Filter Adapter, 3/4"-16 thread and 2-5/8" O-ring
	Fits: Ford, Chrysler and 4 and 6 cylinder applications
23694	Universal Oil Cooler/Filter Adapter, 13/16"-16 thread and 2-5%" O-ring
	Fits: Chevy, LS1 through 2006 Small Block
23695	Universal Oil Cooler/Filter Adapter, 18mm-1.5 thread and 2-%" O-ring
	Fits: Chevy, LT1 and G.M. 4 and 6 cylinder applications
23698	Universal Oil Cooler/Filter Adapter, 20mm-1.5 thread and 2-5/8" O-ring
	Fits: Honda and other 4 and 6 cylinder applications
23699	Universal Oil Cooler/Filter Adapter, 22mm-1.5 thread and 2-5%" O-ring
	Fits: New Ford GM IS

REMOTE OIL FILTER, ROTATING 90 DEGREE ADAPTER

· Manufactured from Billet Aluminum with a black anodized finish

Marked –10AN inlet/outlet to plumb a remote oil filter–easier to plumb oil cooler/accumulator

Mounts on the engine block's spin-on oil filter pad

PART # DESCRIPTION

23682	Universal Remote Oil Filter Adapter, 3/4"-16 thread and 2-5/6" O-ring	No. 23	682
	Fits: Ford, Chrysler and most 4 and 6 cylinder applications		
23683	Universal Remote Oil Filter Adapter, 13/16"-16 thread and 2-5/8" O-ring		
	Fits: American Motors V-8, GM LS through 2006, Oldsmobile V-8 and Pontiac V	/-8	
23684	Universal Remote Oil Filter Adapter, 18mm-1.5 thread and 2-5/8" O-ring		
	Fits: GM LTI and GM 4 and 6 cylinder applications		
23685	Universal Remote Oil Filter Adapter, 20mm-1.5 thread and 2-5/8" O-ring		
	Fits: Honda and other 4 and 6 cylinder applications	PART #	RE
23686	Universal Remote Oil Filter Adapter, 22mm-1.5 thread and 2-5/8" O-ring	22605	Fitt



Fits: New Ford Applications, GM LS 2006 Corvette "E" Code 2007 & up 23703 Universal Remote Oil Filter Adapter, 13/16" thread and 3 1/4" O-ring Fits: Small Block and Big Block Chevy Gen. V and Gen. VI including aftermarket engine blocks







No. 23693

PART # **REPLACEMENT PARTS** 22605 Fitting, -10AN to -10AN 22606 Fitting, -10AN to -12AN



140

ING SYSTEM EQUIPME

OUT

REMOTE OIL FILTER ADAPTER

GM LS Series

- Replaces Moroso Spin-On oil filter adapter on Moroso Part Nos. 20142, 20143, 21151 & 21152 oil pans, comes standard on Moroso Part Nos. 20146, 20147, 20148 & 20149 oil pan
- Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired
- Billet aluminum construction
- -10 AN "IN" and "OUT" ports
- Includes mounting hardware and engine block sealing O-rings
- PART # DESCRIPTION
- 23688 Remote Oil Filter Adapter, GM LS Series

GM LS SERIES SPIN-ON OIL FILTER ADAPTER

- Designed for applications that require a Spin-On Oil Filter but don't have the room for one that mounts north to south
- Fits Moroso Part Nos. 20138, 20145, 21046, 20147, 20150, 21151, 21157 & 21158 oil pans
- Billet aluminum construction
- Accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- Includes mounting hardware and engine block sealing O-rings

PART # DESCRIPTION

23712 GM LS Series Spin-On Oil Filter Adapter

GM LS SERIES SPIN-ON OIL FILTER ADAPTER, MOUNTS FILTER SIDEWAYS

- Designed for applications that require a Spin-On Oil Filter but don't have the room for one that mounts north to south
- Fits Moroso Part Nos. 20138, 20139, 20142, 20143, 20145, 21046, 20147, 20148, 20149, 20150, 21151, 21152, 21153, 21154, 21157 & 21158 oil pans
- · Allows for a different plumbing option than was provided with the oil pan originally
- Accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- Includes mounting hardware and engine block sealing O-rings
- Billet aluminum construction

PART # DESCRIPTION

23711 Oil Filter Adapter, Spin-On, GM LS Series, Mounts Filter Sideways

REMOTE OIL FILTER ADAPTER

Ford 4.6/5.4 modular

- Anodized adapter replaces larger factory casting
- · Provides for easy plumbing of remote oil filters and coolers
- Enables the plumbing of external, wet or dry sump oil pumps when lower port is plugged
- -16AN fitting supplied for water outlet to radiator
- Includes 2 -10AN to -12AN Fittings for oil line plumbing and 1-10AN Plug

PART # DESCRIPTION

23681 Remote Oil Filter Adapter, Ford 4.6/5.4 modular

REMOTE OIL FILTER ADAPTER

Ford 5.0 Coyote

- Replaces factory spin-on oil filter mount on engine
- Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired
- Billet aluminum construction with an anodized finish
- Includes mounting hardware and engine block sealing O-rings
- –10 AN "IN" and "OUT" ports





No. 23712



DILING SYSTEM





REMOTE OIL FILTER ADAPTER, FORD 5.0 COYOTE GEN 1, GEN 2, GEN 3

- Replaces factory spin-on oil filter mount on engine
- Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired
- Billet aluminum construction with a black anodized finish
- Marked -10 AN "IN" and "OUT" ports
- 1⁄4" NPT port for Supercharger/Turbo oil feed or Oil Pressure Sender
- Includes mounting hardware and engine block sealing 0-rings

PART # DESCRIPTION

23689 Ford 5.0 Modular Remote Oil Filter Adapter




No. 23750

REMOTE OIL FILTER MOUNTS 1/2" NPT

- Excellent choice for dry sump oiling systems or wherever installation limitations require a remote mounted filter
- Cast aluminum design tapped for 1/2" NPT inlet and outlet pipe adapters, uses spin-on type oil filters
- Center port available for pressure or temp gauge

PART # DESCRIPTION



PART # AVAILABLE OPTIONS

- **22706** Fitting, ½" NPT to -10AN
- **22708** Fitting, ½" NPT to -12AN
- 22709 Fitting, -12AN to -10AN, 1 per package

REMOTE OIL FILTER MOUNT, TOP PORTS, ACCEPTS 13/16", 3/4 ", 22MM OIL FILTERS

- Excellent choice for dry sump oiling systems or wherever installation limitations require a remote mounted oil filter
- Includes three screw-in center nipples for different types of Spin-On Oil Filters; Chevy (¹³/₁₆"), Early Chrysler/Fords/Imports (³/₄"), GM LS and late Ford (22mm)
- Has a black anodized finish for durability/long-lasting looks and features marked -10AN inlet/outlet ports

PART # DESCRIPTION

23767 Remote Oil Filter Mount, Top Ports, Accepts ¹³/₁₆", ³/₄" & 22mm Oil Filters



REMOTE OIL FILTER MOUNTS

Revised Design, Now accepts 22mm Filter

- Now accepts Chevy style spin-on filters ($^{13}/_{16}$ " -3- $^{1}/_{4}$ " O-ring) and others with $^{3}/_{4}$ " -16 thread, 2- $^{5}/_{8}$ " O-ring, such as early Ford & imports and 22mm GM LS and Late Ford
- Includes three screw-in center nipples
- Manufactured from billet aluminum for strength
- · Black anodized finish to protect against corrosion
- Designed with two -12AN inlets and three outlets, one -12AN and two $\frac{1}{4}$ " NPT
- Includes one -12AN port plug and two $1\!/\!4^{\prime\prime}$ NPT plugs
- · Easy plumbing of oil pressure lines to turbos, superchargers, and valve spring oilers

PART # 23763	DESCRIPTION Billet Aluminum Remote Oil Filter Mount.
	Side Port Style
23764	Billet Aluminum Remote Oil Filter Mount,
	Front Port Style

•			•	
PART #	AVAILAB	LE OPTI	ons	
22709	Fitting, -1	2AN ma	le to	-10AN
07044	F:++:	0.4.1.		1044

22709Fitting, -12AN male to -10AN male97641Fitting, -12AN male to -12AN male22749Port Plug, -12AN with 0-ring Seal



No. 23764



No. 23763

REMOTE, LARGE DIAMETER OIL FILTER MOUNT

- Machined from 6061-T6 billet aluminum for exceptional strength and weight reduction (1.3 lbs w/out fittings)
- Compact, low profile design (¾" body height) facilitates installation in crowded areas; includes two ¾"-16 threaded holes on backside for mounting
- Anodized finish
- Includes two screw-in adapters to accept a wide range of large-diameter filters including Fram HP-6, Motorcraft FL 784, STP 43R, (Purolator PER 288/L30288), (AC PF1054) and (WIX 51742)
- 12AN inlet and outlet threaded ports are positioned vertically to improve laminar flow
- Includes 1/8"NPT port for gauge

PART # DESCRIPTION

23766 Remote, Large-Diameter Oil Filter Mount, Billet Aluminum

PART # REPLACEMENT PART

97641 Fitting, -12AN male to -12AN male

PART # AVAILABLE OPTIONS


- 22706 Fitting, 1/2"NPT to -10AN
- **22708** Fitting, ½"NPT to -12AN




How the accumulator works:

The Accumulator is tapped to the pressure side of the engine's oiling system. When the engine is running, oil pressure forces reserve oil into the accumulator and compresses the air ahead of it.

If oil pressure should suddenly drop because of hard acceleration, severe cornering or hard braking, the air pressure immediately sends oil to the main galleries. When the danger is over and the pump is once again primed with oil, the oil pressure forces oil back into the Accumulator where it is ready for the next emergency.











No. 23766

143



WHAT ARE MOROSO ACCUMULATORS AND HOW ARE THEY USED ON A RACE CAR OR HIGH PERFORMANCE VEHICLE ENGINE?

- Oil accumulators are oil storage tanks, connected into the engine's oiling system that have pressurized air on one side, and engine oil on the other side of a movable piston.
- When engine pressure fluctuates due to oil surging away from the pickup during hard acceleration, severe cornering or hard braking, a **Moroso Accumulator** equipped engine provides an instantaneous supply of oil to the engine.
- When the fluctuation is over and the oil pump is once again primed with oil, the engine's oil pressure forces this reserve of oil back into the Accumulator. When the engine returns to normal pressure, the Accumulator refills automatically, ready for the next possible occurrence.

HOW ARE MOROSO ACCUMULATORS CONSTRUCTED?

- The main body of a **Moroso Accumulator** is constructed out of heavy-wall, high pressure hydraulic cylinder aluminum tubing that has an interior bore which has been micro-rolled and polished with a hardcoat finish.
- Inside the Accumulator is a movable, billet aluminum double o-ringed piston, which keeps the air from mixing with the oil.
- The difference between the **Moroso Accumulator** and the **Moroso Heavy Duty Accumulator** is the design and construction of the billet aluminum o-ringed end caps. The Accumulators have end caps that hold in the Accumulator body with high tension snap rings. The end caps on the Heavy Duty Accumulator are actually designed like threaded cups, the body threads into these end caps, encompassing the ends of the Accumulator
- On all **Moroso Accumulators**, the end cap on the air side has an air gauge and Schrader valve and on the oil side, a 1/2" NPT fitting end cap for plumbing in the oiling system.

WHAT ARE DIFFERENT VALVING OPTIONS FOR MOROSO ACCUMULATORS?

- For an Accumulator to function at their fullest, it needs to have a valve assembly and each **Moroso Accumulator** comes a manual ball valve. The valve has to be manually opened by hand before starting the car to pre-oil the engine, offering surge protection while the vehicle is in use and will close when the engine is turned off.
- Moroso offers two styles of optional electric valves: Solenoid Valve (electric), allows remote control of the Accumulator.
 Solenoid Pressure Valve Kits are the best performing for competition vehicles and are offered in different oil pressure ranges of 15-24 PSI, 35-40 PSI discharge and refill. They have all the benefits of the Solenoid Valve but with quicker reaction times because the Solenoid Pressure Valve allows only the needed volume of oil to be released for faster filling and discharging. An internal sensor electronically activates when engine oil pressure drops below normal

CAN I CAUSE ENGINE WEAR JUST BY STARTING MY ENGINE?

- Independent tests have shown that on street cars, over 85% of engine wear is caused by starting an engine, and that these "dry starts" cause premature engine wear
- Moroso Accumulators can prevent cold start scuffing by pre-oiling the engine before start up, thus producing a dramatic increase in cylinder wall, piston ring and bearing longevity.

WHICH ACCUMULATOR IS BEST FOR MY APPLICATION?

- 3-Quart capacity Moroso Accumulators are for V-8 and larger, high performance 6 cylinder applications
- 1.5-Quart capacity Accumulators are for 4 & 6 cylinders, applications where a 3-quart capacity will not fit and when the Accumulator's main function is to pre-oil the engine before start up

HOW CAN I PLUMB AN ACCUMULATOR INTO THE ENGINE'S OILING SYSTEM?

Moroso Accumulators require only one line which can be:

- Plumbed into the return line of an oil cooler and/or remote oil filter
- Run through an **Accumulator Adapter** (page 137 that mounts between the engine's spin-on oil filter and the engine, **OR**
- Run directly into a oil galley in the engine block that is on the pressure side of the engine's oiling system

CAN I FREE UP HORSEPOWER WITH AN ACCUMULATOR?

Drag Racers have successfully used Moroso Accumulators to free up horsepower by running less oil in the oil pan

OIL ACCUMULATORS

ACCUMULATOR

Protects Against Oil Pressure Loss!

Automatic Operation!

- Three guarts of oil under pressure provides emergency supply instantaneously when needed
- Air Pressure gauge verifies that Accumulator is ready for use
- · Cold start valve releases oil into cold engine for reduced wear
- Tapped for 1/2" NPT fitting
- Can be mounted in any position using Moroso Accumulator Mo (see below)
- Includes a manual ball valve



PART # DESCRIPTION

239000	Accumulator, 3 quart capacity, 20-1/8" x 4-1/4" cylinder
23901 0	Accumulator, 1.5 quart capacity, 10" x 4-1/4" cylinder



No. 23900

ounts	PART #	AVAILABLE OPTIONS
. <u>65</u>	22706	Fitting, ½" NPT to -10AN
cal known	22708	Fitting, ½" NPT to -12AN
ise cancer,	22709	Fitting, -12AN to -10AN, 1 per package
e harm-	23920	Accumulator Mount
	PART #	REPLACEMENT PART

97530 0-rings, 4 per package

HEAVY DUTY ACCUMULATORS

Protects Against Oil Pressure Loss!

Automatic Operation!

- For extreme applications—specially designed caps withstand high pressure
- Smaller size allows installation in vehicles with limited space
- 3 or 1.5 quarts of oil under pressure provide emergency supply instantaneously when needed
- Air Pressure gauge verifies that Accumulator is ready for use
- · Cold start valve releases oil into cold engine for reduced wear
- Tapped for ½" NPT fitting
- Can be mounted in any position using Moroso Accumulator Mount No. 23921
- Includes a manual ball valve

PART # DESCRIPTION

- Heavy Duty Accumulator, 3 quart capacity, 23" x 4-3/4" cylinder 239020
- 239030 Heavy Duty Accumulator, 1.5 quart capacity, 12" X 4-1/4" cylinder
- PART # **AVAILABLE OPTION**
- 23921o Accumulator Mount for Heavy Duty Style



No. 23902



• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-


No. 23903


ACCUMULATOR MOUNTS

- Brackets provide safe, sure mount for Moroso Accumulators
- Designed to be easily fastened to any flat surface
- Includes T-Bolt type clamps accepted by NHRA
- Two per package

PART # DESCRIPTION

239200 Accumulator Mount for Nos. 23900, 23901 and 23930 23921 Accumulator Mount for Heavy Duty Style No. 23902 and 23903







No. 23920

OIL CHECK VALVE, ONE WAY

- \bullet 1/2" NPT to 1/2" NPT One Way
- For use with oil accumulators and oil coolers
- For prevention of oil drain-back

PART # DESCRIPTION

23875 Check Valve, One Way

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





SOLENOID PRESSURE VALVE KIT

Best for Competition—kit includes Moroso Part No. 23905 Solenoid Valve plus a Pressure Valve

- Better than a regular manual electric valve—our Solenoid Pressure Valve allows only the needed volume of oil to be released for quicker filling and discharging
- Screw-in sensor electronically activates when engine oil pressure drops below normal. When engine returns to normal pressure, the accumulator refills automatically, ready for the next possible occurrence
- Best to use in remote mount situations, where accessing a manual valve is not an option
- · Easy three-wire hookup
- Comes in two pressure ranges: choose the one that best suits your engine combination

PART # DESCRIPTION

- 23907 ↔ Electronic Pressure Control Accumulator Solenoid Valve, 12 volt, 15-24 PSI discharge and refill
- 23908↔ Electronic Pressure Control Accumulator Solenoid Valve, 12 volt, 35-40 PSI discharge and refill



Do not use with fuels.

No. 23907

• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

SOLENOID VALVE

- Allows remote control of fluid flow from the driver's seat
- \bullet Each side of the solenoid valve contains a $1\!\!\!/ \!\!2^{\prime\prime}$ NPT female port
- 1/2" NPT male nipple also included if required for elbows or for other plumbing needs
- Solenoid Valve is open when toggle switch is on, when switched off remains closed regardless of ignition switch position
- Use the toggle switch and 16 gauge wire included in the kit to wire the valve (use one of Moroso's many Switch Panels for a professional installation)
- A 20-amp fuse must be used between the power source and the switch
- Use a power source that is active (i.e., "hot") only when the ignition switch is in the "on" position

PART # DESCRIPTION

23905. Solenoid Valve, 12 volt, with $\frac{1}{2}$ " NPT female ports

22706	Fitting, 1/2" NPT to -10AN, 1 per package
22708	Fitting, 1/2" NPT to -12AN, 1 per package
22709	Fitting, -12AN to -10AN, 1 per package



Do not use with fuels.






• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

//hen good looks are important, Moroso's Chrome Oil Filters are the way to go! Outside is a triple process chrome plated steel housing that's hand polished and rack nickled before chroming to insure the highest luster possible. Inside is a heat cured, resin impregnated filter element that has been engineered to exceed OEM specifications for filtration efficiency.

ENGINEERED FOR HIGH FILTRATION EFFICIENCY!



PART # DESCRIPTION

- 223000 Chrome Oil Filter, Chevy type, Short Design (4-%2" high), 13/16" -16UNF thread
- **22305**↔ Chrome Oil Filter, GM LS Series, 1997-2006, 13/16" -16UNF thread
- 223200 Chrome Oil Filter, Chevy type, Long Design (5-1/4" high), 13/16" -16UNF thread
- **22400**↔ Chrome Oil Filter, Ford/Chrysler type, Long Design (5-1/4" high), 3/4" -16UNF thread


	CHROME OIL FILTER CROSS REFERENCE										
MOROSO	FRAM	PUROLATOR	MOTORCRAFT	WIX	AC	GM	LEE	HASTINGS	CHRYSLER	FORD	STP
22300	PH30	L20049	FL10	51069	PF25	6438261	LF25,	LF225			S-025
							LF25HP				
22305	PH3506	L14006	FL330	51042	PF46	25010251	LF44	LF232	L321		S-3506
						6439857					
22320	PH13	L30040	FL12	51061	PF35	6438384	LF29,	LF24, LF224			S-029
	HP4					6437946	LF29HP				
						6435679					
22400	PH8A	L30001	FL1A	51515	PF2		LF1,	LF15, LF115	185658	C1AZ-6731A	S-01A
	HP1						LF1HP			D9AZ-6731A	

• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harmA fter many years of designing and testing racing oil systems and related components, we've determined what's most important to oil filtration. Many filter manufacturers stress the importance of filtering the smallest particles out of your engine's oil, with references to "micron ratings" of 10 or less for a filter's efficiency. With the help of research performed by filtration technology experts, Moroso engineers have determined that particles smaller than 20 microns in diameter are not large enough to produce engine wear. Furthermore, we've found that filters with extremely low micron ratings create an excessive pressure drop across the filter. They can be so restrictive that the filter by-pass valve can open. With the by-pass valve open, unknown to you—NO FILTRATION will occur!

To maximize filter performance, Moroso Racing Oil Filters have a rating of 27 microns, which produces a maximum initial restriction of only 2.5 psi when tested to SAE J806! The result is less pressure drop, more flow, less oil by-pass and maximum filtration performance important in severe racing conditions.



MOROSO	FRAM	PUROLATOR	ACING O	WIX	AC	GM	K&N	HASTINGS	CHRYSLER	FORD	STP
22459o	PH30 TG30	L20049	FL10	51069	PF25	6438261	HP-2002	LF225			S-025
22460 ↔	PH13 TG13 HP4	L30040	FL12	51061	PF35	6438384 6437946 6435679	HP-3002	LF24, LF224			S-029
224610	PH373	L40084	FL308	51794	PF932	6439034	HP-6002	LF226			
22462 0	PH3506	L14006	FL330	51042	PF46	25010251 6439857	HP-1007	LF232	L321		S3506
22463 0	PH2 PH10060	L1222 L24651	FL820S	57060 51372	PF48 PF1250	19160693 89017524	HP-2010	LF110 LF636	4884899AB 4892339A	FL820 F1AZ6731A	S2 S10060
22470 0	PH8A TG8A	L30001	FL1A	51515	PF2		HP-3001	LF15, LF115	185658	C1AZ-6731A D9AZ-6731A	S-01A

OIL FILTER APPLICATION CHART

	Oll	FILTER	APPI
MAKE	MODEL	CHROME	RACING
YEAR	MODEL	FILTER	FILTER
AMC			
_		00005	00400
1990-1971	All 4.2L/258/V-8	22305	22462
BUICK			
1980	5.0L 305 cid	22300	22459
1979-1978	305, 350(L)	22300	22459
<u>1977</u> 1975	305, 350 Century, Regal	22300 22300	22459 22459
1974-1969	All 6 cyl. engs. (exc. V6) All 6 cyl. engs.	22300	22459
1968	All 6 cyl. engs.	22320*	22460*
CADILLAC	Yar o by: ongo.		
2014-2007	CTS/CTSV/STS 6.0, 6.2L engs.		22463
2006-2009	CTS/CTSV/STS 5.7, 6.0L engs.	22305	22462
2014-2007	Escalade 6.2L engs.	22000	22463
2006-2003	Escalade 5.3, 6.0L engs.	22305	22462
2005-2009	XLR 4.6L	22305	22462
CHEVROLET			
2015-2010	Camaro 6.2, COPO		22463
2002-1998	Camaro 5.7	22305	22462
1997-1994	Camaro LT1, 5.7(P)	22300	22459
2015-2007	Corvette Z06 6.0. 6.2. 7.0L engs.		22463
2006-1997	Corvette Z06 5.7, 6.0L engs.	22305	22462
1993-1992	All V8 engs. (exc. Corvette)	22300	22459
1991	All V8 engs. (exc. 5.7(J))	22300	22459
1990-1989	All V8 engs. (exc. 5.0(Y), 5.7(J),(7)),	22300	22459
1330-1303	5.7(7) Police w/o oil cooler only	22320*	22460*
1988-1986	All V8 engs. (exc. 5.0(Y), 5.7(6) Police)	22300	22459
1000 1000	5.7(6) Police w/o oil cooler only	22320*	22460*
1985-1982	All V8 engs. (exc. Diesel, 5.7(6),(L) Police)	22300	22459
	5.7(6),(L) Police w/o oil cooler only	22320*	22460*
1981-1969	All V8 engs. (exc. Diesel)	22300	22459
1968	All V8 engs.	22320*	22460*
1967-1964	All Chevy II, Nova	22320*	22460*
1979-1969	All 6 cyl. engs. (exc. V6)	22300	22459
1968-1963	All 6 cyl. engs. (exc. Corvair)	22320*	22460*
<u>1978-1971</u> 1968-1962	All Vega, Monza	22300 22300	22459 22459
	-	22300	22409
	TRUCK / GMC TRUCK		
2015-2007	1500/2500/3500 4.8, 5.3, 6.2, 6.0L engs.		22463
2006-2003	1500/2500/3500 4.8, 5.3, 6.0L engs.	22305	22462
1990-1988	All V8 engs. (exc. K Series)	22320*	22460* 22460*
1987-1977	All V8 engs. (exc. El Camino, Caballero)	22320**	22460"
	El Camino, Caballero only	22300	22409
1070	All V8 engs.	22320*	22460*
1976	(exc. El Camino, Sprint, & 2 bbl. Blazer)	22300	22459
	El Camino, Sprint & 2 bbl. Blazer only All V8 engs. (exc. El Camino, Sprint)	22300	22459
1975-1969	El Camino, Sprint only	22320	22450
1968	All V8 engs. with spin-on filter	22300	22459
1989-1985	4.8(T) 1 bbl.	22300	22459
1984-1970	4.1L 250 2 bbl., 4.8L 292 1 bbl.	22300	22459
1969-1963	All 6 cyl. engs. with spin-on filter	22300	22459
CHRYSLER			
2015-2008	300C 5.7, 6.1/6.4L engs.		22463
1972-1959	All V8 engs. with spin-on filter	22400	22470
DODGE			
2014-2008	Viper 8.4L eng.		22463
	Challenger, Charger, Magnum 5.7, 6.1/6.4L		
2015-2008	engs.		22463
1972-1963	All V8 engs. with spin-on filter	22400	22470
1962-1961	All "B" Series engs.	22400	22470
1972-1960	All 6 cyl. engs. with spin-on filter	22400	22470
DODGE TRUC			
2011-2008	Dakota, Durango 4.7, 5.7L engs.		22463
2015-2008	Ram 1500, 2500, 3500 4.7, 5.7L engs.		22463
1974-1964	All V8 engs. with spin-on filter	22400	22470
1974-1965	All V6 engs. with spin-on filter	22400	22470
1974-1905	(exc. cartridge type spin-on)	22400	22470
FORD			
2010-1992	Crown Victoria 4.6L eng.		22463
2015-1996	Mustang 4.6L/5.0L/5.4L engs.		22463
1995-1994	Mustang 5.0L eng.	22400	22470
1993-1992	All V8 engs. (exc. Crown Victoria, LTD)	22400	22470
1991-1989	All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400	22470
1988-1986	All V8 engs. w/o oil cooler	22400	22470
1985-1984	All V8 engs. w/o oil cooler (exc. 5.0L H.O.)	22400	22470
1983-1980	All V8 engs. (exc. 5.8L 2 bbl. w/oil cooler)	22400	22470
1979-1975	All V8 engs. (exc. Mustang II)	22400	22470
1974-1957	All V8 engs. with spin-on filter	22400	22470
1985-1980	All 6 cyl. engs.	22400	22470
1979-1975	All 6 cyl. engs. (exc. Pinto & Mustang II)	22400	22470
1974-1957	All 6 cyl. engs. with spin-on filter	22400	22470
1993-1992	2.3(M)	22400	22470
<u>1991</u> 1990-1985	2.3(M),(X) 2.3(A),(S),(X)	22400 22400	22470 22470
1990-1985	2.3(A),(S),(X) 2.3L w/1 bbl. carb	22400	22470
1001	1 2.02 W/ I DDI. 00ID	22400	22410

MAKE Year	MODEL	CHROME Filter	RACING Filter
FORD contin	nued		
1983-1978	All 4 cyl. engs.	22400	22470
	(exc. Fiesta, Escort, Exp)		-
<u>1977-1974</u> 1973-1971	All 4 cyl. engs. 2.0L engs.	22400 22400	22470 22470
FORD TRUC		22100	22.170
2014 1007	Excursion, Expedition		00460
2014-1997	4.6, 5.0, 5.4, 6.8L engs.		22463
2010-1996	Explorer 4.6, 5.0L engs.	22306	22463
2014-1994	F-150, F-250, F-350, F-450 4.6, 5.0, 5.4, 6.8L engs.	22306	22463
1998-1983	All V8 engs. (exc. Diesel)	22400	22470
	5.8 (R), 1996-94 5.8 (H))	22400	22470
1982-1960	All V8 engs. with spin-on filter All 6 cyl. engs.	22400	22470
1998-1983	(exc. Diesel, 3.0(U) w/Fuel Inj.)	22400	22470
1982-1960	All 6 cyl. engs. with spin-on filter	22400	22470
1996-1983	All 4 cyl. engs. (exc. Diesel)	22400	22470
GMC - See (Chevrolet Truck		
HUMMER			
2006-2003	H2 6.0 L	22305	22462
JEEP			
2015-2008	Commander, Gr. Cherokee 4.7, 5.7,	22305	22462
	6.1L engs.	22000	22702
1986-1982	CJ, All 4.2L/258		
LINCOLN			
1990-1957	All 8 cyl. engs. with spin-on filter	22400	22470
MERCURY	F 0(T) w/Fuel !=:	00400	00470
<u>1993-1992</u> 1991	5.0(T) w/Fuel Inj. All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400 22400	22470 22470
1990-1988	5.0(F) w/Fuel Inj.	22400	22470
1987-1986	All V8 engs. w/o oil cooler	22400	22470
1985-1984	All V8 engs. w/o oil cooler	22400	22470
1983-1980	(exc. 5.0L H.O., 5.8(G)) All V8 engs. w/o oil cooler	22400	22470
1979-1957	All V8 engs. with spin-on filter	22400	22470
1987-1986	All 6 cyl. engs. (exc. Sable)	22400	22470
1985-1980	All 6 cyl. engs.	22400	22470
<u>1979</u> 1978-1977	All 6 cyl. engs. (exc. Bobcat) All 6 cyl. engs. (exc. V6)	22400 22400	22470 22470
1976	Comet, Monarch w/6 cyl. engs.	22400	22470
1975-1974	All 6 cyl. engs. (exc. V6)	22400	22470
1973-1957	All 6 cyl. engs. with spin-on filter	22400	22470
<u>1991-1989</u> 1988-1987	Topaz only 2.3(S),(X)	22400 22400	22470 22470
1986	2.3(A),(R),(S)	22400	22470
1985	2.3(A),(S),(X)	22400	22470
1984-1983	2.3L w/1 bbl. carb	22400	22470
1982-1981	All 4 cyl. engs. (exc. Lynx, LN-7)	22400 22400	22470 22470
<u>1980-1973</u> 1972-1971	All 4 cyl. engs. 2.0L engs.	22400	22470
OLDSMOBIL			
1992	5.0(E), 5.7(7)	22300	22459
1991	5.0(E) Custom Cruiser	22300	22459
1987-1986	5.0(H) Cutlass Supreme (Canada only)	22300	22459
<u>1980</u> 1979-1977	5.0L Cutlass 305, 350(L)	22300 22300	22459 22459
1976-1966	All 6 cyl. engs. (exc. V6)	22300	22459
1978-1976	All 4 cyl. engs.	22300	22459
PLYMOUTH			
1972	All V8 engs. (exc 318 cid)	22400	22470
1971-1965	All V8 engs. with spin-on filter	22400	22470
1964-1963	All "A", "B" Series engs. (exc. Fleet cars)	22400	22470
1962	All V8 engs. w/4 bbl. carb.	22400	22470
1961-1958	All "B" Series engs.	22400	22470
1972-1960	All 6 cyl. engs. with spin-on filter	22400	22470
			00400
2010-2008 2006-2004	G8 6.0, 6.2L engs. GTO 5.7, 6.0L engs.	22305	22463 22462
2008-2004	Firebird 5.7L eng.	22305	22462
1997-1990	All V8 engs.	22300	22459
1989-1986	All V8 engs. (exc. 5.0(Y))	22300	22459
1985-1982	All V8 engs. (exc. Diesel)	22300	22459
<u>1981-1980</u> 1979-1978	5.0(H) 4 bbl. 5.0L, 5.7(L) engs.	22300 22300	22459 22459
1972-1971	307 cid only	22300	22459
1976-1970	All 6 cyl. engs.	22300	22459
1964 1978-1976	All 6 cyl. engs. All 4 cyl. engs.	22320* 22300	22460* 22459

*NOTE: The shorter Nos. 22300 and 22459 filters may be used in this application, if desired. For maximum filtration performance, always use the largest filter possible.

<u>OIL FILTERS & SCREENS</u>

ENGINE SAVER

Pre-Filter Screen

- Fits all Small Block, Big Block and 90° V6 Chevy engines with spin-on oil filters
- Unique stainless steel screen locates on top of spin-on oil filters to trap debris before it enters the filter element undetected
- Particulate matter trapped in the screen and detected during periodic inspections serves as an "early warning signal" for impending engine failures
- 304 stainless steel filtration-grade screen traps contaminants down to the 280 micron range without affecting oil flow or oil pressure
- Crimped rings at both outside and inside diameters provide increased strength and extended durability
- Designed in cooperation with Jomar Racing Engines

PART # DESCRIPTION

23845. "Engine Saver" Pre-Filter Screen. Small Block, Big Block and 90° V6 Chevy

IN-LINE SCREENED OIL FILTERS

- Prevents metal chips and other debris from entering dry sump pumps, rear end pumps & other oiling system components
- Ideal for use in oiling system scavenge lines
- Disassembles for easy cleaning
- Manufactured from lightweight aluminum
- 304 stainless steel screen uses .018" diameter 16 mesh wire

PART # DESCRIPTION

23850₀ In-Line Screened Oil Filter, -10AN fittings
 23860₀ In-Line Screened Oil Filter, -12AN fittings
 23870₀ In-Line Screened Oil Filter, -8AN fittings

PART # REPLACEMENT PART 97050 Filter Element

FILTER FITTING SCREEN KIT

- Install in fittings to trap metal chips and debris
- Ideal for use on dry sump pumps, external oil pumps, rear end pumps, etc.
- 304 stainless steel screen uses .015" diameter 16 mesh wire
- Dimensions: .817" O.D. x 1.75" long
- · Includes epoxy cement and 4 screens per kit
- Machining required for installation

PART # DESCRIPTION

23965 ·· Filter Fitting Screen Kit

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• K WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

OIL RETURN SCREEN KITS

- Inexpensive engine insurance!
- Traps metal fragments or loose components resulting from valvetrain failure before reaching vital engine parts
- Stainless steel mesh screens are fitted over holes in lifter valley with supplied epoxy

PART # DESCRIPTION

250000	Oil Return Screen Kit, Small Block Chevy. Incl	udes 8 oil
	return hole plugs to redirect oil to front/rear re	eturn galleries.
	Includes filter screens and epoxy	
25001 ⇔	Oil Return Screen Kit, Big Block Chevy.	

Includes 4 screens and epoxy 25026• Oil Return Screen Kit, Dart SHP SBC • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







• Mo. 23845 • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 23870





No. 23965

OILING SYSTEM EQUIPMENT

• <u>MARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

ENGINE MAGNET KIT

- Use with any engine to minimize damage caused by valvetrain failures
- · Magnets pick up metal fragments before reaching critical areas
- Place them in strategic locations near cylinder head and lifter valley drainback holes or in dry sump tank
- Includes: 4 each of 2-sized magnets (1-1/8" 0.D. $\frac{3}{8}$ " I.D. and $\frac{7}{8}$ " 0.D. $\frac{3}{8}$ " I.D.) and Epoxy

PART # DESCRIPTION 22710↔ Engine Magnet Kit • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



LOW OIL PRESSURE WARNING LIGHT

- Quick-response switch immediately alerts the racer to a low oil pressure condition
- Sending unit is factory set at 15 PSI. If a setting other than 15 PSI is desired, this Sending unit is easily adjustable by removing rubber cap and adjusting with Allen wrench
- Extra large 2-1/2" diameter Lexan lens is impossible to ignore
- Light assembly is rubber-mounted to protect against shock

PART # 49500↔	DESCRIPTION Low Oil Pressure Warning Light Kit	• MARNING Prop. 65
PART # 97015	REPLACEMENT PART Low Oil Pressure Switch	This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

OIL PRESSURE GAUGE

1.5" Diameter, 0-120 PSI

- Necessary for racing applications where high oil pressures above the range of typical oil pressure gauges—are used
- Will fit any 1/8" NPT male thread
- · Excellent vibration and shock resistance

PART # DESCRIPTION

89611. Oil Pressure Gauge, 1.5" Diameter, 0-120 PSI



No. 49500



CRANKCASE EVACUATION SYSTEM

• Reduces crankcase pressure throughout entire rpm range for increased piston ring seal, reduced intake charge contamination, and fewer oil leaks

• MARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

- Track and dyno tests prove increases in engine performance
- Includes 2 each: Oil Separators/Breathers, Breather/Filler Cap Grommets, One-Way Check Valve and Weld-In Nipple for header collector, use with %" dia. hose

PART # DESCRIPTION

25900*•• Crankcase Evacuation System

PART # ACCESSORIES

68788 Breather

PART # REPLACEMENT PARTS

- 68780 Oil Separator/Breathers
- 97800 Check Valve for Header Collector
- 97810 Weld-in Nipple for Header Collector

*Cannot be used on cars with mufflers



LIFTER VALLEY OIL BAFFLES

- Increases horsepower by shielding bottom of intake manifold from hot oil
- · Keeps surplus oil out of valve covers by eliminating oil splash
- Maintains oil pressure during pushrod or rocker arm failure by keeping lifters in their bores (except with roller cam)
- Due to slight variations in blocks, the baffle may have to be trimmed .060"-.100" before it will "snap" into place
- Cannot be used with roller lifters

PART # DESCRIPTION

- 25050 Lifter Valley Oil Baffle, Small Block Chevy, including 18° heads
- 25100 Lifter Valley Oil Baffle, Big Block Chevy
- 25150 Lifter Valley Oil Baffle, Chrysler 273-360



No. 25050

LIFTER VALLEY VENTS

- · Positive ventilation to upper engine
- · Prevents drainback to crankshaft
- · Helps stop excessive windage and horsepower loss
- All aluminum 8 per kit

PART # DESCRIPTION

25025 Lifter Valley Vents. Fits SBC and others, 1/4" NPT with Hex Head



No. 25025

GM VALLEY PLATES

Aluminum, ¼" Thick

- Cost-effective alternatives to the factory GM pieces
- Does not have the two provisions for knock sensors, which are usually not used in racing applications, as open headers, solid lifter cams and stiff suspensions can false trigger them
- Engines that are using a carburetor and distributor also do not need the provisions for the knock sensors, which creates a cleaner installation
- Aluminum plate construction weighs less than the factory cast piece and allows specific bungs to be added
- Can be used on factory and aftermarket GM LS Series style engine blocks

PART # DESCRIPTION

- 25177 Valley Plate, Aluminum For GM LS1, LS2, LS6 & C5R
- 25178 Valley Plate, Aluminum For GM LSX, LS3 & LS7



No. 25177



No. 25178

OILING SYSTEM EQUIPMENT

OIL RESTRICTOR KITS

- Reduces oil flow to upper engine assembly, leaving more oil available for the rod and main bearings
- Reduces power-robbing windage by reducing the volume of oil passing by the rotating assembly on its return to the pan
- Do not use with hydraulic lifters



No. 22000



No. 22010

PART #	DESCRIPTION
22000	Oil Restrictor Kit. SBC and BBC engines, .060" orifice dia. Oil delivery
	holes at rear cam bearing must be tapped to install. Two per pack
22010	Oil Restrictor Kit. SBC and BBC engines, .0625" orifice dia. Screws into
	existing lifter galley cleaning plug holes at back of block. Two per pack
22016	Oil Restrictor Kit. Fits newer GM-Style blocks
	(including Mark V and Gen VI),.0625" orifice diameter with oil
	lifter galley bosses flush with bell housing face. Two per pack
22017	Oil Restrictor Kit. Fits Merlin II blocks, .0625" orifice
	diameter. Screws into existing lifter galley cleaning plug
	holes at back of block. Two per pack
22018	Oil Restrictors, Dart SHP SBC, fits stock lifter bore .843 only
22045	Oil Restrictor Kit. Ford 302-351W and Dart Iron Eagle Ford blocks.
	Kit includes: Four - Cam Bearing Restrictors (used in Ford & Dart Blocks);
	One - 7/16" -14 Restrictor for Lifter Gallies (Ford Only);
	One - 1/8" NPT Restrictor for Lifter Gallies (Dart); One - 1/8" NPT
	Plug for Lifter Gallies (Dart)
22050	Oil Restrictor Kit. Ford 351 Cleveland, designed and used by
	Roush-Fenway Racing. Five per pack

No. 22018 No. 22018 No. 22017



No. 22045

No. 22050

VALVETRAIN OIL DEFLECTOR

Fits: All SBC and Ford 289-302 engines with stamped rocker arms

- Redirects oil from pushrod to fulcrum balls, rockers and springs to provide maximum lubrication and cooling
- Extends life of stock valvetrain assembly
- Helps eliminate excessive oil accumulation in breather tank when vacuum pump is used
- Manufactured from lightweight .100" aluminum
- · Mounts easily to stock rocker arm studs
- Includes mounting hardware
- Can be easily adapted to many other applications

PART # DESCRIPTION

67700 Valvetrain Oil Deflector, Must use with tall valve covers. Polylocks not included



No. 67700

HIGH-PRESSURE OIL PUMP RELIEF SPRING

Designed by Jack Roush Fits: Ford 351C & 400 Engines

- Fits Melling M84A and M84AHV oil pumps
- Increases oil pressure to approximately 100 psi for proper lubrication under sustained high rpm conditions

PART # DESCRIPTION

22850 High-Pressure Oil Pump Relief Spring, Ford 351C and 400





OILING SYSTEM EQUIPMENT

OIL PREHEATERS

- Heater element designed specifically for heating oil; does not scorch or boil the oil like "converted water heater" designs
- 212 watts of power raises temperature of 12 quarts of oil 60°F in about 30 minutes
- Element screws into place; available with aluminum or steel 1" NPT fitting
- 120 volt rating; includes detachable 7-foot cord
- \bullet Length of heating element is $4\mathchar`-1\mathc$

PART # DESCRIPTION

23980↔ Oil Preheater, Internal, Aluminum Fitting23990↔ Oil Preheater, Internal, Steel Fitting

PART # REPLACEMENT PART

97590 ·· Electric Cord

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



.....

OIL PREHEATER, SELF-CONTAINED

- Heater element designed specifically for heating oil; does not scorch or boil the oil like "converted water heater" designs
- 212 watts of power raises temperature of 12 quarts of oil 60°F in about 25 minutes
- 400 watts of power, 110-120 volt rating
- Aluminum, 1/2" -14 NPT weld-in bung and 3 ft. cord included
- Length of heating element is 4-3/4" from fitting to tip

PART # DESCRIPTION

- 23991 Oil Preheater, Self Contained
- PART # AVAILABLE OPTION
- 22737 Steel Weld-In Bung, 1/2" -14 NPT

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 23991

EXTERNAL HEATING PADS New and improved lamination process No. 23995 Excellent for pre-heating of oil pans, tanks and automatic transmission pans Available with self-adhesive or hook/spring attachment methods Etched foil design distributes heat evenly Superior grade silicone outer shell resists oil and dirt PART # DESCRIPTION 23995^o External Heating Pad, 6" x 12", hook and spring attachment. 360 Watts. 8" 110V cord 239960 External Heating Pad, 5" x 7", self-adhesive. 400 Watts (min). Heats oil from 66°F to 160°F in only 25 minutes. 36" 110V cord No. 23996 239970 External Heating Pad, 2" x 15", self-adhesive. 150 Watts. Perfect for slender areas of oil pans/drv sump tanks. 36" 110V cord • MARNING Prop. 65 PART # **AVAILABLE OPTION** This product contains a chemical known to the state of California to cause cancer, 64929 **Throttle Return Springs** birth defects, or reproductive harm For Part No. 23995 No. 23997

AN ALUMINUM PORT PLUGS

Aluminum -12AN Port Plugs are used to seal threaded female ports in fluid systems

- Billet Aluminum, anodized
- Comes with O-ring seal

PART # DESCRIPTION

22749 Port Plug, -12 AN With O-Ring Seal, Anodized



-AN FITTINGS

Aluminum

- Can be used on oil system components, Moroso Part Nos. 23700, 23710, 23750, 23760, 23770, 23782, 23780, 23690, 23692, 23840, 23900, 23901 or 23905
- Can be used with cooling system components, Moroso Part Nos. 63650, 63651, 63655, 63656, 63420, 63421
- Part No. 22709 can be used with No. 23766

PART #	DESCRIPTION
22706	Fitting, $\frac{1}{2}$ " NPT to -10AN, 1 per package

- 22708 Fitting, 1/2" NPT to -12AN, 1 per package
- 22709 Fitting, -12AN to -10AN, 1 per package



No. 22708

AN FITTINGS WITH O-RING

For Dry Sump Pumps, Tanks and Other Applications

- · Radiused on inlets to reduce restriction for greater flow
- Black anodized billet aluminum
- Includes O-ring seal
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # DESCRIPTION

22604 0	Fitting, -8AN Male to -8AN Straight O-ring Side MEM
22605	AN Fittings, -10AN to -10AN, 2 per package
22606	AN Fittings, -10AN to -12AN, 2 per package
22620	AN Fitting, -12AN to -12AN, 1 per package
22622	AN Fitting, -16AN to -16AN, 1 per package





No. 22620



No. 22606



No. 22622

No. 22625

-20AN HEMI PAN FITTING

- Designed to plumb oil lines to -20AN pickups in Hemi oil pans
- Black anodized billet aluminum
- · Radiused inlet increases flow for improved oiling
- Includes 0-ring

PART # DESCRIPTION

22625 Hemi Pan Fitting, -20AN to -20AN, 1 per package

SPECIAL REPLACEMENT FITTINGS

- Special clearanced Fittings
- -12AN for Moroso Vacuum Pumps Nos. 22640, 22641 and 22642 and Remote Oil Filter Mount No. 23766
- -16AN for Moroso Vacuum Pump No. 22643
- Black anodized billet aluminum
- · Radiused inlets to reduce restriction for greater flow
- Includes 0-ring

PART # DESCRIPTION

97641 Replacement Threaded Fitting, -12AN, 2 per package

22626 Threaded Fitings for No. 22643, -16AN, 2 per package

EXTERNAL WET SUMP OIL PUMP FITTINGS

- Helps prevent cavitation by allowing a larger diameter hose to be used, which acts as a storage container
- · For use with external wet sump pumps and pans with -10AN or -12AN fittings
- Includes 0-ring

PART # DESCRIPTION

22703 Fitting, -10AN to -16AN Adapter, 1 per package
22704 Fitting, -12AN to -16AN Adapter, 1 per package



No. 97641



FITTINGS

FILTER FITTINGS

Designed to trap metal chips and debris before reaching external or dry sump oil pumps, or rear end lube pumps

- 304 stainless steel screen uses .015" diameter, 16 mesh wire
- Two styles available: External Screen for oil pan and tank outlets and Internal Screen for inlet sides of oil pumps
- Useful in applications where space limitations prevent the use of an in-line filter
- Easily removed for cleaning

PART # DESCRIPTION

- **23960**↔ Filter Fitting, External Screen, 3/4" NPT to -12AN male, one per package
- **23961**↔ Filter Fitting, External Screen, -12AN male to -12AN male, one per package
- Filter Fitting, External Screen, -16AN to -16AN, one per package 239620
- **22610**0 Filter Fittings, Internal Screen, -10AN to -12AN, two per package
- 239630 Fitting, -12 AN Male to -16 AN Male with External Screen, one per package

PART # **AVAILABLE OPTIONS**

- 22706 Fitting, 1/2" NPT to -10AN, 1 per package 22708 Fitting, 1/2" NPT to -12AN, 1 per package
- 22709 Fitting, -12AN to -10AN, 1 per package
- WELD-ON -AN BUNGS
- Weld-on bungs for use with aluminum radiators, overflow tanks, oil tanks, oil pans, etc.
- Provides adapters for return or feed hoses, pressure gauges, turbo drainbacks or other custom plumbing requirements
- Aluminum

No. 22711

PART #

22724

22725

22726

22727

22728

22729

22737

One per package

other requirements One per package, female

DESCRIPTION



• Weld-on for use with oil pans, fuel tanks/fuel sump, turbo drainbacks, feed hoses, pressure gauges or

Weld-On Bung, 1/8" NPT, Aluminum

Weld-On Bung, 1/4" NPT, Aluminum

Weld-On Bung, 3/8" NPT, Aluminum

Weld-On Bung, 1/2" NPT, Aluminum

Weld-On Bung, 3/4" NPT, Aluminum

Weld-On Bung, 1" NPT, Aluminum

Weld-On Bung, 1/2" NPT, Steel





No. 22727

DESCRIPTION

PART #



• AN WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-



APPLICATION CHART

MALE

22711

22712

22713

22714

22715

22716

22717





No. 22724

No. 22728

No. 22726







-12AN MALE NON-WELD, BAFFLED FITTING KIT

- Provides an easy way of adding a -12AN male fitting to a steel or aluminum flat surface without welding
- . Since no welding is required then there is not the possibility of heat damage to the surface or the need to take the piece to get welded
- Billet aluminum mounting plate features an o-ring and hardware for leak free sealing
- Includes optional interior baffle and mounting hardware
- -12AN fitting screws into base plate and can be tighten down with built-in hex

PART # DESCRIPTION

22754 Fitting Kit, -12AN Male Non-Weld Baffled





No. 22610

No. 23960



22719	-6AN	No. 22717
22720	-8AN	
	-10AN	
22722	-12AN	
	-16AN	
	-20AN	No. 22716
T		

-4AN



No. 22713 No. 22714 No. 22715 No. 22722

No. 22725

FEMALE

22718

No. 22712 No. 22719 No. 22718 WELD-ON NPT BUNGS



PROPERLY MAINTAIN YOUR MOROSO VACUUM PUMP



Moroso recommends that your Vacuum Pump be cleaned on a regular basis for optimum performance. When performing any maintenance, wear approved safety glasses. Loosen the vacuum pump pulley bolts and remove the pulley. Remove the vacuum pump from engine and remove bearing cap from the back of the pump.

Remove the rear cover from the pump housing, remove the vanes from the rotor slots noting the notches on the bottom and top of the vanes face towards the shaft and the worn in edge of the vane curves to match the shape of the rotor. Remove the front cover and rotor shaft assembly. Disassemble rotor from shaft. Clean all pieces, (vanes, housing, rotor & shaft, front & rear covers, bearing cap), using a mild part cleaning solvent or soap and water. Inspect parts for wear or damage. If rebuilding is necessary use the correct rebuild kit for your 3-vane or 4-vane pump or contact Moroso Performance Technical Service Department at for information on how we can service your pump. When all pieces are cleaned and ready for assembly, place the rotor shaft keys onto the shaft. Install rotor onto shaft being careful to keep the shaft keys in place.

Next, place the rotor, shaft and front cover assembly into the housing. Replace the vanes making sure the vane notches are facing the shaft and the curved "worn-in" surfaces are facing the housing. If you are using new vanes, they will not have a curved end, follow the instructions provided with the Rebuild Kit. Replace rear cover and bearing cap. Install and tighten the front and rear cover hardware and bearing cap screw. Re-install pump onto your engine.



Q: HOW FAST SHOULD I DRIVE THE VACUUM PUMP FOR BEST RESULTS? A: As a base line, all Moroso Vacuum Pumps will work at 50% of engine speed. Our Drive Kits are designed to work with the pump pulleys to achieve the proper ratio.

Q: WHAT IF I NEED MORE VACUUM? A: In applications that require more vacuum at a lower engine RPM (i.e. at idle or at staging RPM) or through the entire RPM range it may be necessary to increase the drive ratio of the pump. Consult your Moroso Technical Advisor for assistance in choosing the proper drive ratio.

Q: HOW FAST CAN I DRIVE MY VACUUM PUMP? A: Moroso Vacuum Pumps Part Nos. 22640 and 22641 can turn no more than 6500 RPM shaft speed. Moroso Vacuum Pump Nos. 22642 and 22643 can turn 8000 RPM maximum shaft speed.

Q: WHAT IS THE BEST WAY TO CARE FOR MY NEW MOROSO VACUUM PUMP? A: Keep it clean.

Q: HOW OFTEN SHOULD I REBUILD MY VACUUM PUMP? A: As a "rule of thumb", it is generally good

practice to rebuild your vacuum pump after 300 runs. Upon physical inspection it is recommended to rebuild your pump when the vanes are sitting below the rotor surface .100" or greater. Other key indicators for rebuild are excessive bearing or shaft wear. Rebuild kits are available from Moroso. Moroso Vacuum Pumps, like any part on a race car, require some up keep to ensure good performance.

Q: HOW MUCH VACUUM IS ENOUGH? A: Leading engine builders and race teams confirm that on wet sump systems, 10" to 14" of vacuum will create additional horsepower and minimize oiling system related problems. Dry sump engines should be kept in the range of 18" to 22" Hg. Although normally capable of achieving greater vacuum levels, it is best to consult a professional engine builder if higher levels of vacuum are desired. Moroso carries a variety of vacuum relief valves to adjust the maximum amount of vacuum an engine will make.

Q: WHY DOES MY ALCOHOL ENGINE MAKE LESS VACUUM? A: Engines running alcohol typically see

less vacuum than an engine that runs on gasoline. This is from the ring sealing characteristics between the two fuels.

Q: WHEN IS THE BEST TIME TO CHECK MY VACUUM AND OIL PRESSURE? A: The best time to check

vacuum and oil pressure together is during your trans brake check. At your staging RPM, monitor what your vacuum and oil pressure is. This is the most consistent way of knowing what condition your system is in.

Q: WHERE SHOULD THE INLET OF MY MOROSO VACUUM PUMP BE PLUMBED? A: Moroso Vacuum

Pumps are most commonly plumbed to the front or top of a valve cover. Using Moroso Part **Nos. 22634** or **22635** Positive Seal Fitting with a built-in baffle, no welding is required on the valve cover. This fitting allows a small amount of oil to flow through the pump for increased lubrication. Be sure to consult the Moroso catalog for a listing of all the accessories needed for your application.

VACUUM PUMPS

The nature of a vacuum pump is to remove air, blow-by gasses and other contaminants from the crankcase of an engine. Crankcase vacuum will increase horsepower by allowing the use of low-tension compression and oil control rings. In which the use of reduces frictional horsepower losses, blow-by, intake charge contamination and aids in detonation prevention. Moroso's "purpose built" racing pumps offer all these advantages and more. Whether you have a normally aspirated Small Block or a nitrous equipped Pro-Mod, one of Moroso's vacuum pump offerings with all the needed accessories has you covered. These pumps will suit nearly any engine combination and requirement.

ORIGINAL DESIGN 3-VANE VACUUM PUMP

- Versatile Billet aluminum design
- · Engineered vane material for improved efficiency and wear
- Completely rebuildable in 15 minutes
- Mounting bracket not included
- 4.150" O.D. body, 5.050" from back of pump to pulley mounting flange

PART # DESCRIPTION

22640* Original Design 3-Vane Vacuum Pump, -12AN Fittings



ENHANCED DESIGN 3-VANE VACUUM PUMP

- We've taken our popular 3-Vane Vacuum Pump and added tricks that we learned when designing our "Enhanced Design" 4 Vane Vacuum Pump and through continual development of our Vacuum Pump line. The end result is:
- The "Enhanced Design" features allow the pump to pull more vacuum than the "Original" style 3-Vane pump
- Achieves greater vacuum sooner
- 3-Vane Design weighs less than "original" style pumps
- Virtually maintenance free
- · Designed with maintenance-free precision sealed roller bearings
- Includes -12AN Fittings
- · Mounting bracket not included
- 4.375" O.D. body, 5.050" from back of pump to pulley mounting flange

PART # DESCRIPTION

22840* Enhanced Design 3-Vane Vacuum Pump, -12AN Fittings, Hard Anodized Finish

PART # AVAILABLE OPTIONS

63903 Vacuum Pump Idler Pulley Kit

ORIGINAL DESIGN 4-VANE VACUUM PUMP

- Versatile Billet aluminum design, well suited for wet or dry sump applications
- · Engineered vane material for improved efficiency and wear
- · Completely rebuildable in 15 minutes
- Mounting bracket not included
- 4.150" O.D. body, 5.900" from back of pump to pulley mounting flange


PART # DESCRIPTION

22641* Original Design 4-Vane Vacuum Pump, -12AN Fittings

REPLACEMENT PARTS FOR MOROSO VACUUM PUMPS

PART # REPLACEMENT PARTS

- 97641 Replacement Fittings, -12AN
- 22626 Replacement Fittings, -16AN
- 22645 Vacuum Pump Rebuild Kit, Includes Bearing, Seals & Vanes For No. 22640
- 22646 Vacuum Pump Rebuild Kit, Includes Bearing, Seals & Vanes For No. 22641
- 97180 Rebuild Kit, Excluding Vanes, Includes Shaft & Hub, For Nos. 22640, 22641
- 97181 Rebuild Kit, Excluding Vanes, Includes Shaft & Hub, For Nos. 22642, 22644, 22840, 22842
- 97642 Vacuum Pump, Vane Kit, For Nos. 22642, 22644, 22840, 22842
- **97644** Vacuum Pump, Vane Kit, For **No. 22643**











VACUUM PUMPS

LARGE STYLE 4-VANE VACUUM PUMP

with Dual Line Manifold

This "large style" 4-Vane Vacuum Pump was released from feedback by racers and engine builders who craved the performance of the Moroso "Pro-Mod Style" vacuum pump but needed a pump that was physically smaller and lighter.

- Pulls large consistent vacuum numbers
- Creates vacuum quickly and linearly
- Virtually maintenance free, designed with maintenance-free precision sealed roller bearings
- Includes a manifold for dual feed applications or installation of a relief valve
- Comes with a 36 tooth ³/₄" pitch ¹/₂" wide Gilmer pulley, adjustable mounting bracket and -12AN fittings
- 5.030" O.D. body, 6.175" from back of mounting bracket to end of slot on front of pulley

PART # DESCRIPTION

22843* Large Style 4-Vane Vacuum Pump

PART # **AVAILABLE OPTIONS**

- 22630 Vacuum Relief Valve, -12 AN Adjustable
- 97172 Crankshaft Drive Pulley, 18 tooth, 1/2" wide, Gilmer

PRO-MOD STYLE LARGE CUBIC INCH ENGINES & BLOWER MOTOR PUMP

- Large displacement creates incredible vacuum
- Flows up to 150% more than Original Design
- Capable of flowing 100 CFM with -16AN fitting
- Utilizes sealed maintenance free bearings
- Adjustable bracket and fittings included
- 5.300" O.D. body, 6.550" from back of pump to pulley mounting flange

PART # DESCRIPTION

22643* Pro Mod Style Large Cubic Inch & Blower Motor Pump, 1-1/4" beaded hose fitting with -16AN Inlet and Outlet Fitting



No. 22843







CUUK

No. 22652

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

SBC. Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design with one belt only being utilized
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings · V-band clamp is included

DESCRIPTION PART

22652 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, SBC Left Side Bracket

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

BBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back of it
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision No. 22654 sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
- V-band clamp is included

DESCRIPTION PART

22654 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, BBC Left Side Bracket



CLAMP ON BREATHER

- · Clamps onto a 1" outside dia. tube, clamp included
- Fits Moroso Billet Alum. Vacuum Relief Valves Nos. 22633, 22636 and 22637
- Provides maximum protection against dirt and airborne debris without restricting air flow
- · Cleanable and re-usable: oil before use

PART # DESCRIPTION

68791o Clamp On Breather, 1" I.D.

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm



VACUUM & OIL PRESSURE GAUGES

- No. 89610 is used to determine vacuum in your engine
- No. 89611 is for racing applications where high pressures. above the range of typical oil pressure gauges are used
- Have 1/8" NPT male thread
- Excellent vibration and shock resistance

PART # DESCRIPTION

896100 Vacuum Gauge, 1.5" Diameter, 0-30" Hg 896110 Oil Pressure Gauge, 1.5" Diameter, 0-120 PSI





No. 89611

VACUUM PUMP ACCESSORIES

VACUUM RELIEF VALVES

With Easy Adjustable Knob

- Vacuum relief point is adjustable by turning the built-In adjustment knob to get the precise amount of vacuum desired. Tightening the integral locknut keeps the adjustment locked until the next adjustment is needed
- Can be disassembled for easy cleaning and maintenance and will work with any vacuum level
- They are made of 6061 aluminum and have a smooth, attractive finish

PART # DESCRIPTION

22630* Vacuum Relief Valve with Easy Adjustable Knob, Gland Seal (-12AN Female)

22631* Vacuum Relief Valve with Easy Adjustable Knob, Face Seal ("Face to Face" thru sheetmetal)

BILLET ALUMINUM VACUUM RELIEF VALVES

Shim-able Spring Style

- Two styles allow fastening through valve covers (No. 22637) or threaded directly into lifter valley (No. 22636)
- Vacuum relief point is adjustable by shimming an internal spring to get the precise amount of vacuum desired
- Can be disassembled for easy cleaning and maintenance and works with any vacuum level
- They are made of 6061 T6 Billet aluminum and have a clear, attractive finish

PART # DESCRIPTION

22636* Billet Aluminum Vacuum Relief Valve, Shim-able Spring Style, 3/" NPT

22637* Billet Aluminum Vacuum Relief Valve, Shim-able Spring Style, 3/4"-16 Thread

VACUUM PUMP REGULATOR

Shim-able Spring Style

- · Regulator screws directly into vacuum pump's -12AN inlet
- 360° directional adjustability
- Prevents the need for drilling additional holes in the valve cover
- Anodized clear
- Prevents pulling excess oil out of the crankcase

DESCRIPTION PART

22633* Vacuum Pump Regulator, Shim-able Spring Style

VACUUM PUMP REGULATOR

With Easy Adjustable Knob

- Regulator screws directly into vacuum pump's -12AN inlet no need to drill additional holes in the valve cover
- 360° directional adjustability by turning the built-in adjustment knob to get the precise amount of vacuum desired
- Tightening the integral locknut keeps the adjustment locked until the next adjustment is needed
- Can be disassembled for easy cleaning and maintenance and will work with any vacuum level
- Made from 6061 billet aluminum with a clear anodized finish
- · Prevents pulling excess oil out of the crankcase

PART # DESCRIPTION

22629* Vacuum Pump Regulator with Easy Adjustable Knob



No. 22629



No. 22633

No. 22630 No. 22631 No. 22636







POSITIVE SEAL VENTED FITTING -12AN/-16AN

- Designed to greatly simplify the plumbing of a vacuum pump
- · Screws into side of valve cover
- · Provides leak free O-ring seal on any flat valve cover surface
- No welding required
- Anodized to prevent corrosion

PART # DESCRIPTION

- 22634 -16AN Fitting, Positive Sealing, one per package
- **22635** -12AN Fitting, Positive Sealing, one per package

PART # REPLACEMENT PARTS

- 97641 -12AN Replacement Fitting, two per package
- **22626** -16AN Replacement Fitting, two per package



POSITIVE SEAL VENTED -8AN & -10AN FITTINGS, NON-WELD

Fits: 3/4" Holes

- · Designed to greatly simplify the plumbing of a vacuum pump
- · Screws into side of valve cover
- · Provides leak free O-ring seal on any flat cover surface
- · No welding required
- Anodized to prevent corrosion

PART # DESCRIPTION

- 22624 Fitting, -10AN Male, Positive Seal, Non-Weld
- 22627 Fitting, -8AN Male, Positive Seal, Non-Weld

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





-16AN FITTINGS FOR VACUUM PUMPS

- -16AN for Moroso Vacuum Pump No. 22643
- Anodized to prevent corrosion
- · Radiused inlets to reduce restriction for greater flow
- Includes 0-rings
- Two per package

PART # DESCRIPTION

22626 Fitting, Vacuum Pump, -16AN



POSITIVE SEAL 1/8" NPT FITTING

- · Designed to facilitate connection of vacuum gauge to the valve cover without welding
- Use with Moroso Vacuum Gauge No. 89610
- Includes 0-rings

PART # DESCRIPTION

22632 Positive Seal ¹/₈" NPT Fitting



-10AN MALE FITTING, NON-WELD

- Non-weld kit, makes it easy to add a leak-proof fitting to oil pans for oil returns, valve covers, etc., without having to actually weld the fitting
- Perfect for adding a fitting to steel or aluminum with up to a 1/8" max. wall thickness
- 0-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld

VACUUM PUMP LINE KIT

- Includes 6 feet of steel reinforced hose, two 90 degree hose fittings and two -12AN straight hose fittings
- Designed to simplify Vacuum Pump installation

PART #	DESCRIPTION
22649↔	Vacuum Pump Line Kit
PART #	REPLACEMENT PARTS
22651↔	Vacuum Pump Replacement Line

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





VACUUM LINE CAP KIT

- Convenient kit provides a quick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- Kit consists of color-coded soft plastic caps in quantities and inside dimensions as follows: two 1/8", six 3/6", six 1/4", two 5/16", four 3/8"

PART # DESCRIPTION

41090 ·· Vacuum Line Cap Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 41090

VACUUM LINE CAP KIT, BLACK CAPS

- Convenient kit provides a quick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- Kit consists of black soft plastic caps in quantities and inside dimensions as follows: two ¹/₈", six ³/₆", six ¹/₄", two ⁵/₁₆", four ³/₈"

PART # DESCRIPTION

41091 • Vacuum Line Cap Kit, Black

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-



No. 41091

BILLET ALUMINUM EQUALIZING PLATES WITH FITTINGS

- Includes 1/8" NPT Fitting and -12AN Fitting
- Allows the vacuum pump and vacuum gauge to be connected*
- Can also be used as a drain back location
- Black Anodized
- · Includes gaskets and stainless steel socket head screws

PART # DESCRIPTION

- 65397. Fuel Pump Block-Off Plate, SBC
- 65398 Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, and all Fords except 351C, 351M and 400





No. 65398

No. 65397

*Note: Installation of this product requires pulling vacuum from a valve cover as well

VACUUM PUMP MOUNTING BRACKETS

proso offers Anodized Billet Aluminum Vacuum Pump Mounting Brackets that fit a variety of engine and vacuum pump combinations. These brackets fit the engines directly, or mount to a motor plate. Refer to the chart below for complete application details.

	VACL	JUM I	PUMP	BRA	CKET	APPLI	CATION	CHART
--	------	-------	------	-----	------	-------	--------	-------

PART #	ENGINE APPLICATION	BRACK	so pump Et was Ned for	MOUNTING LOCATION
63910	All Engines	22640	22641	With a motorplate
63917	All Engines	22642 22840	22644 22842	With a motorplate
63910	Small & Big Block Chevy	22640	22641	Driver/passenger cyl. heads
63917	Small & Big Block Chevy	22642 22840	22644 22842	Driver/passenger cylinder heads
63922	GM LS	22640	22641	Driver side cylinder head
63923	GM LS	22640	22641	Passenger side cylinder head
63924*	GM LS	22642 22840	22644 22842	Driver/passenger cylinder heads
63911	Small Block Ford	22640	22641	Driver or Passenger cylinder heads
63916*	Small Block Ford	22642 22840	22644 22842	Passenger cylinder heads
63921*	Ford 4.6/5.4	22640 22642 22840	22641 22644 22842	OEM, Power Steering Pump Location
63909	Big Block Ford	22640	22641	Driver or Passenger cylinder heads



No. 63910

No. 63911

No. 63917

* Part No.63917 needed with 63914, 63916, 63921 & 63924 to mount enhanced pumps to the mounting bracket.





FOR ALL VACUUM PUMP MOUNTING BRACKETS:

All necessary **spacers & hardware** included for each Mounting Bracket!



No. 63922

No. 63924

No. 63916



No. 63923

PART # REPLACEMENT PARTS

63917 Replacement Bracket for Moroso "Enhanced Design" Vacuum Pump Nos. 22642 and 22842

PART # AVAILABLE OPTIONS

63918 Adapter Ring. Allows the use of a Moroso "Original" Style Vacuum Pump with No. 63917 Mounting Brackets

11

ALTERNATOR AND VACUUM PUMP MOUNTING KITS

GM LS ENGINE ALTERNATOR MOUNT

For GM LS Series engines with Moroso No. 63566 Electric Water Pump & 130mm style alternators

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator
- · Works with Moroso and other similar drive mandrels
- Includes all spacers and hardware

PART # DESCRIPTION

63839 Alternator Mount, GM LS With Moroso Electric Water Pump

No. 63839

ALTERNATOR MOUNT KITS PATENT NO. D600,720

For SBC and BBC, Nippondenso 93 mm, Aftermarket

- These bracket kits are designed to mount mini ND-style and 93mm alternators to either side of the motor, while clearing the electric water pump
- Works with Moroso old and new style drive mandrel kits
- · Includes all spacers and hardware

PART # DESCRIPTION

63827	Alternator Mounting Kit, SBC, Moroso Electric Water Pumps
63828	Alternator Mounting Kit, SBC, CSR Electric Water Pumps
63829	Alternator Mounting Kit, SBC, Meziere Electric Water Pumps
63832	Alternator Mounting Kit, BBC, Moroso Electric Water Pumps
63833	Alternator Mounting Kit, BBC, CSR Electric Water Pumps
63834	Alternator Mounting Kit, BBC, Meziere Electric Water Pumps



No. 63832

ALTERNATOR/VACUUM PUMP MOUNTING KIT, GM LS WITH FRONT DRIVE DISTRIBUTOR, FOR MOROSO ENHANCED VACUUM PUMPS, MOROSO ELECTRIC WATER PUMP & 93MM ALTERNATORS

- Two mounts are incorporated into one billet aluminum frame with belt adjustment for alternator, vacuum pump and includes all spacers and hardware
- Bracket kit was designed to mount mini ND-style 93 mm alternators and Moroso Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the required Moroso No. 63547 electric water pump, No. 63615 water pump adapter kit and No. 63849 drive mandrel kit

PART # DESCRIPTION

63870 Alternator/Vacuum Pump Mounting Kit, GM LS With Distributor, Moroso Enhanced Vaccum Pumps & Electric Water Pump & 93mm Alt.



ALTERNATOR AND VACUUM PUMP MOUNTING KITS

ALTERNATOR AND VACUUM PUMP MOUNTING KITS PATENT NO. D600,720 For SBC and BBC, Nippondenso 93 mm, Aftermarket

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- These bracket kits are designed to mount mini ND-style 93mm alternators and Moroso Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps

PART # DESCRIPTION

- 63817 Alternator/Vacuum Pump Mounting Kit, SBC, Moroso Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- **63818** Alternator/Vacuum Pump Mounting Kit, SBC, CSR Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- 63819 Alternator/Vacuum Pump Mounting Kit, SBC, Meziere Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps



PART # DESCRIPTION

- 63836 Alternator/Vacuum Pump Mounting Kit, BBC, Moroso Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- 63837 Alternator/Vacuum Pump Mounting Kit, BBC, CSR Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- 63838 Alternator/Vacuum Pump Mounting Kit, BBC, Meziere Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps

ALTERNATOR AND VACUUM PUMP MOUNTING KITS

For BBC Chevy with Moroso Enhanced Vacuum Pumps & 130mm style alternators

Patent No. D600,720

- Two mounts are incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- Bracket kit was designed to mount full size 130 mm Alternators such as East Coast 2007, 2008 & 2009 series, also fits CS121 style Alternators and Moroso Part Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the electric water pump
- · Works with most styles of drive mandrel kits
- Includes all spacers and hardware

PART # DESCRIPTION

- 63865 Alternator/Vacuum Pump Mounting Kit, Moroso Electric Water Pumps, 130mm style alternators, Moroso Enhanced Vacuum Pumps
- **63866** Alternator/Vacuum Pump Mounting Kit, BBC, CSR Electric Water Pumps the latest version of, which have a profiled silhouette and countersunk fasteners, 130mm style alternators, Moroso Enhanced Vacuum Pumps
- 63867 Alternator/Vacuum Pump Mounting Kit, BBC, Meziere Electric Water Pumps, 130mm style alternators, Moroso Enhanced Vacuum Pumps





ALTERNATOR AND VACUUM PUMP MOUNTING KITS

For Ford 289-302, 351W Patent No. D600,720

DESCRIPTION

PART #

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- These bracket kits are designed to mount mini ND Style 93mm Alternators and Moroso No. 22642, No. 22644, No. 22840 or No. 22842 Enhanced Design Vacuum Pumps
- Mounts alternator on driver-side and vacuum pump on passenger-side, while clearing the electric water pump
- Works with most old and new style drive mandrel kits, with recommended pulleys (see options, above)

63821	Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with Meziere Electric Water Pumps and
	Moroso Enhanced Design Vacuum Pumps
63822	Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with Moroso Electric Water Pumps and M

- 63822 Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with Moroso Electric Water Pumps and Moroso Enhanced Design Vacuum Pumps
- 63823 Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with CSR Electric Water Pumps and Moroso Enhanced Design Vacuum Pumps



ALTERNATOR/VACUUM PUMP MOUNTING KIT

Fits: Ford 289, 302, 351W, CSR Electric Water Pumps (Latest Version) Patent No. D600,720

- Fits the latest version of the CSR Ford 289, 302, 351W Electric Water Pumps which have a profiled silhouette and countersunk fasteners
- For earlier design CSR Ford 289, 302, 351W Electric Water Pumps use Part No. 63823
- Two mounts are incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- Bracket kit was designed to mount mini ND Style 93mm Alternators and Moroso Part Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the electric water pump
- · Works with most styles of drive mandrel kits
- Includes all spacers and hardware

PART # DESCRIPTION

63824 Alternator/Vacuum Pump Mounting Kit, Ford 289, 302, 351W use with CSR Electric Water Pumps (Latest Version) and Moroso Enhanced Design Vacuum Pumps



ALTERNATOR MOUNTING KITS

GM DELCOTRON/CHEVY V8

90° V6-V8

- This bracket kit is designed to mount any GM Delcotron alternator to Small Block and 90° V6 Chevy with a short water pump (right side mount)
- Although designed primarily for Circle Track, this kit can be used in many other applications where a compact, rugged alternator mount is needed
- Use with Moroso Alternator Pulley No. 64800
- Early model heads need to be drilled and tapped

PART # DESCRIPTION

63825 Alternator Mount Kit, GM Delcotron



No. 63825 (typical installation)


SMALL BLOCK CHRYSLER

- This kit enables the racer/enthusiast to mount either a 93mm or 15mm Nipondenso alternator to a Chrysler "A" series engine, (318, 340 & 360) in as many as fourteen different configurations
- Fits with stock mechanical water pumps and Moroso electric water pumps
- Mounts alternator to either side of engine
- Enables the use of lighter weight alternators
- Adjustable turnbuckle makes for easy and accurate belt tension adjustments
- Use with Moroso Drive Kit No. 63848
- Kit Includes all mounting hardware

PART # DESCRIPTION

63815 Billet Aluminum Alternator Mounting Bracket, Small Block Chrysler





SMALL BLOCK FORD

- Will mount standard Ford or ND-style alternator on either side of engine
- Fits with mechanical and electric water pumps from all major manufacturers with V-belt pulley systems
- Provides an alternative to running the stock serpentine belt
- Use with Moroso Drive Kit No. 63846
- Kit Includes all mounting hardware

PART # DESCRIPTION

63810 Aluminum Alternator Mounting Bracket, Small Block Ford

PART # AVAILABLE OPTIONS

23523 4" O.D. Mandrel Pulley, V-Belt





<u>ALTERNATOR MOUNT AND DRIVE KITS</u>

Proroso has engineered Alternator Mount Kits and Alternator Drive Kits for popular engines using an electric water pump or electric water pump drive kit. The Drive Kits work with or without crank triggers or engine plates.

• Alternator Mount Kits include all hardware needed to mount old-style Delco alternators to the driver's side of the engine

• Alternator Drive Kits are crankshaft-mounted and designed with spacers that can be replaced with pulleys to drive other accessories such as external oil pumps and vacuum pumps

SMALL BLOCK CHEVY

PART # DESC	CRIPTION
-------------	----------

- 63842 Alternator Mount Kit, SBC
- 63843[∞] Alternator Drive Kit, SBC, use No. 97170 Gilmer Drive Pulley if external oil pump is used. Comes complete with all spacers and hardware

RECOMMENDED USAGE WITH

PART # 63750	DESCRIPTION Universal Electric Water P	ump Drive Kit
63500	SBC Aluminum Water Pun	np 🤍
63539,	Electric Water Pump	• MARNING Prop. 65
63555, 63557		This product contains a chemical known
ADDITIONAL PART		to the state of California to cause cancer, birth defects, or reproductive harm-
23523	4" Crank Pulley	bit deletes, or reproductive harm





No. 63842



No. 63843

MOUNTING BRACKETS

BIG BLOCK CHEVY


PART # DESCRIPTION

- 63840 Alternator Mount Kit, Big Block Chevy with early style Delco alternator
- 63841 ↔ Alternator Drive Kit, Big Block Chevy, use No. 97170 Gilmer Drive Pulley if external oil pump is used. Comes complete with all spacers and hardware.

RECOMMENDED USAGE WITH

PART #	DESCRIPTION	
63750	Universal Electric Water	
63546, 63547	Electric Water Pumps	· A WARM
ADDITIONAL PART		This product contain to the state of Califor
23523	4" Crank Pulley	birth defects, or re

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





No. 63840



No. 63841



SMALL BLOCK CHEVY

Early Model GM Pump

- This kit mounts an early-style GM Power Steering Pump (with integral reservoir removed) or a Lee, Profile or Cavalier racing power steering pump to the driver's side head of a Small Block Chevy
- \bullet Manufactured from %" 6061-T6 aluminum, anodized
- Can be shimmed to align any pulley combination
- Comes complete with all necessary fasteners

PART # DESCRIPTION

63895 Power Steering Pump Mounting Bracket, Small Block Chevy, Early-Style GM Pump

SMALL BLOCK CHEVY

Late Model GM Pump With 18° or 23° Cylinder Head

- This kit mounts a late-model, small-style GM power steering pump (with remote reservoir) or Sweet-type pumps to the driver's side cylinder head of a Small Block Chevy. Use with Moroso Pump Pulley No. 64860
- Manufactured from 3/8" 6061-T6 aluminum, anodized
- Comes complete with all necessary spacers and hardware

PART # DESCRIPTION







VACUUM PUMP, DRY SUMP PUMP DRIVE KITS

Big and Small Block Chevy

- Extra long to accommodate any combination
- Steel, self-centering mandrel bolts directly to harmonic balancer for dead-accurate concentricity
- Pulleys are 6061-T6 aluminum and hard coat anodized for exceptional strength and extended service life
- Includes: 2 ¹/₂" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides & hardware
- For optimum accessory speed, use with Moroso Dry Sump Gilmer Pulleys, and Vacuum Pump V-Belt Pulley **No. 64885**

PART # DESCRIPTION

63844↔ Vacuum Pump, Dry Sump Pump Kit, BBC, uses 5" mandrel length 63845↔ Vacuum Pump, Dry Sump Pump Kit, SBC, uses 4.75" mandrel length

PART # REPLACEMENT PARTS

- 23528Pulley, Gilmer Drive, 28-Tooth23532Pulley, Gilmer Drive, 32-Tooth
- 97170 Pulley, Gilmer Drive Crankshaft, 16-Tooth

PART # AVAILABLE OPTIONS

235234" O.D. Mandrel Pulley, V-Belt64885Vacuum Pump V-Belt Pulley

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





VACUUM PUMP, DRY SUMP PUMP DRIVE KIT

Fits: Small Block Ford 302-351W with either three or four mounting bolts (3.30" bolt circle, 2.432" male register—will NOT fit 289)

- Hub mounted to harmonic balancer
- 6061-T6 Aluminum Pulleys are hard coat anodized for strength and extended service life
- Includes: 2 ¹/₂" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides and hardware

PART # DESCRIPTION

63846↔ Vacuum Pump, Dry Sump Pump Kit, 5.80" overall length (with spacer)

PART # AVAILABLE OPTION

23523 4" O.D. Mandrel Pulley, V-Belt

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 63846

VACUUM PUMP, DRY SUMP PUMP DRIVE KIT

Big and Small Block Chrysler

- Pulleys are 6061-T6 aluminum and hard coat anodized and mandrel is black anodized for exceptional strength and extended service life
- Extra long to accommodate any combination
- 6-bolt self-centering aluminum hub fastens to balancer; steel mandrel mounts to hub and provides rigid pulley mounting
- Includes: Steel Mandrel, 4" V-belt pulley for alternator, 2 ½" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides and hardware

PART # DESCRIPTION

63848↔ Vacuum Pump, Dry Sump Pump Kit, 5.70" overall length • 2! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



OIL PUMP AND VACUUM PUMP DRIVE KITS

Flange Style

- · Bolts to balancer-balancer does not need to be drilled like older designs
- Pulleys are hard coat anodized and mandrel is black oxide for exceptional strength and extended service life
- Kits include: one-piece, forged steel drive mandrel, 4" V-belt pulley for alternator, 2 1/2" V-belt pulley for vacuum pump,
 - 1" (16 tooth) Gilmer pulley for external oil pump, assorted spacers, belt guides and hardware

APPLICATION CHART						
ENGINE APPLICATION	PART #	STYLE	MANDREL LENGTH MINUS FLANGE	OVERALL	REQUIRED BALANCER	
Small Block Chevy*	638570	Short	2.990"	3.380"	3-Bolt, 3.20" bolt circle**	
Small Block Chevy*	63859o	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle**	
GM LS Series	63860 ↔	Short	2.990"	3.645"	Aftermarket, using BBC 3-Bolt, 3.20" bolt circle, 2.050" female register pattern	
GM LS Series	63858 ↔	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register, when using ARP Balancer Bolt use Moroso Spacer Part No. 63890	
GM LS Series	63849 ↔	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register, when using ARP Balancer Bolt use Moroso Spacer Part No. 63890	
Big Block Chevy	638580	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register	
Big Block Chevy	63849 0	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register	
Small Block Ford	638530	Short	3.500"	4.125"	4-Bolt, 3.30" bolt circle, 2.382" male register	
Big Block Ford, 429-460	63847 0	Long	3.500"	5.285"	4-Bolt, 3.30" bolt circle, 2.180" male register	
Domestic and Import using BBC bolt pattern and register balancer	63858 ↔	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register	
Domestic and Import using BBC bolt pattern and register balancer	63849 ↔	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register	

*Centers off of I.D. of Balancer Bore via Supplied Crankbolt Washer

**Centers off of I.D. of Balancer, via Supplied Crankbolt Washer



No. 63849

No. 63857



No. 63860

DRIVE MANDREL SPACER KIT, FOR 2.275" FEMALE REGISTER

- This 5/8" thick spacer comes handy when creating a custom drive set-up or when contending with oversized hardware
- Designed to be used with Moroso and other bolt-on flange style mandrels that have a 2.275" female register
- Billet aluminum construction, includes hardware

DRIVE MANDREL SPACER KIT For use with Moroso Nos. 63857 & 63859 drive mandrels • Maintains register of mandrel when using a 1/4" thick crank trigger

DESCRIPTION PART

63890 Drive Mandrel Spacer Kit


• Comes with a 1/4" longer crankshaft bolt





PART # DESCRIPTION 63861 Drive Mandrel Spacer Kit, SBC, for 1/4" Thick Crank Trigger Wheels

Constructed out of stress-proof steel with a black oxide finish



OIL PUMP AND VACUUM PUMP DRIVE MANDRELS

PUMP & VACUUM PUMP DRIVE KITS AND PULLEYS

63883

63884

Short

Long

2.990"

4.000"

3.645"

4.655"

Domestic and Import using BBC

bolt pattern and register balancer Domestic and Import using BBC

bolt pattern and register balancer

**Centers off of I.D. of Balancer, via Supplied Crankbolt Washer

3-Bolt, 3.20" bolt circle, 2.275" Female Register

3-Bolt, 3.20" bolt circle, 2.275" female register

172

LOWER BLOWER DRIVE MANDREL KIT, CHRYSLER **GEN. 2 HEMI CRANK SNOUT**

Fits: Chrysler Gen. 2 and most aftermarket Hemis

- Drive kit designed for all Chrysler and RCD based crankshaft pulley snouts
- Steel mandrel bolts to aluminum spacer for maximum strength for two-step and high torque applications
- 3/8" Bolt on a 2.782" bolt pattern and clears a 2.000" crankshaft hub register
- Will clear a 1.00" tall crankshaft bolt head
- Includes Top Fuel spec. blower pulley bolts with full shoulder and radius head for complete and correct installation the first time
- Drive pulleys not included

PART # DESCRIPTION

638870 Drive Mandrel Kit, Chrysler Gen. 2 Hemi with Blower

· MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

REPLACEMENT PARTS FOR DRY SUMP DRIVE KITS

With Crank-Driven Power Steering

PART # DESCRIPTION


• KARNING Prop. 65 97110 Gilmer Drive Belt - 22.5" long This product contains a chemical known to the state of California to cause cancer, 97120 Gilmer Drive Belt - 24.0" long birth defects, or reproductive harm-97130 Gilmer Drive Belt - 25.5" long 97140 Gilmer Drive Belt - 27.0" long 23528 Gilmer Drive Pump Pulley - 28-tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672 Gilmer Drive Pump Pulley - 32-tooth 23532 97170 Gilmer Drive Crankshaft Pulley - 16-tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672 235200 V-Belt Crankshaft Pulley - 2.5" long 23523 ·· V-Belt Crankshaft Pulley - 4" long

BELT GUIDES

- Made from 6061-T6 Aluminum
- .062 thick with 1.00 hole in center and provision for 1/8" keyway

2 per package

PART #	DESCRIPTION
23560	Belt Guide, 2.50" Diameter
23561	Belt Guide, 3.50" Diameter
23562	Belt Guide, 4.50" Diameter






CRANK PULLEY SHIM KIT

Fits: Small and Big Block Chevrolet engines

Includes 3 shims per pack. ¹/₁₆". ¹/₈" and ³/₁₆"

PART #	DESCRIPTION
64031	Crank Pulley Shim Kit



No. 63887

UNIVERSAL WATER PUMP PULLEY SHIM KIT

Fits: All GM and Ford water pumps with either a 3/4" or 5/8" shaft

- Kit provides proper drive belt alignment with water pump
- Shims are installed between the water pump pulley and drive flange
- Kit contains two 1/16" spacers and one 1/8" spacer

PART # DESCRIPTION

64035	Universal Aluminum
	Water Pump Pulley Shim Kit



Π PUMP & VACUUM PUMP DRIVE KITS AND PULI

CRA V-Belt I	NKSHAFT PULLEYS, CAST ALUMINUM Design		1-31/32"
 Extra- in eng 	sion machined from high grade, lightweight aluminum castings ·deep belt grooves provide added belt retention during rapid changes gine RPM		
	pulley diameter slows fan, water pump, and alternator speed to e horsepower-robbing drag		
• High I	RPM water pump operation is improved, reducing impeller speed	No	54700
	<i>i</i> cavitation threshold		,4700
	6° x ¹⁷ / ₃₂ " wide belt		
PART #	DESCRIPTION		G
64050	Crankshaft Pulley, single groove, 30% reduction, 5.25" O.D. <i>Fits: SBC</i> , 1968-earlier (with short water pump)	97 0	
64060	Crankshaft Pulley, double groove, 25% reduction, 5.40" O.D.		
04000	Fits: SBC, 1968-earlier (with short water pump)	OL	02
64070	Crankshaft Pulley, single groove, 50% reduction, 4.00" O.D.		
	Fits: SBC, 1968-earlier (with short water pump)	No. 64050	No. 64060
64100	Crankshaft Pulley, single groove, 50% reduction, 4.00" 0.D.		
	Fits: SBC, 1969-later (with long water pump)		
64110	Crankshaft Pulley, double groove, 50% reduction, 4.04" 0.D.	10000	
64120	<i>Fits:</i> SBC and 90° V6 Chevys, 1969-later (with long water pump) Crankshaft Pulley, single groove, 30% reduction, 4.95" 0.D.		
04120	Fits: Chevrolet 302-350, 1969-later (with long water pump)	- 3	
64200	Crankshaft Pulley, single groove, 30% reduction, 5.25" O.D.		
	<i>Fits:</i> Chevrolet 396-454, pre-1969 (with short water pump)	No. 64070	No. 64100
64210	Crankshaft Pulley, double groove, 25% reduction, 5.40" 0.D.	No. 64070	No. 64100
	Fits: Chevrolet 396-454, pre-1969 (with short water pump)		
64550	Crankshaft Pulley, double groove, 4" dia., fits all 4 bolt dampeners,		
	reduction ratio varies, 4.00" O.D.		0
64700	<i>Fits:</i> Ford 351-400 Cleveland, Boss 302 Crankshaft Pulley, single groove, with standard dampener, 30% reduction,		
04700	5.00" O.D.		2
	Fits: Chrysler 340-440, pre-1972		
		No. 64110	No. 64210

ALTERNATOR PULLEY, CAST ALUMINUM

V-Belt Design

- Large diameter reduces alternator speed for high engine RPM applications
- · Machined from high grade, lightweight aluminum to reduce alternator bearing loads
- Deep groove helps retain V-belt at high RPM
- Uses 36° x 17/32" V-belts

PART # DESCRIPTION

64800 Alternator Pulley, single groove V-belt. 5.00" O.D. *Fits:* For GM and Ford Alternators with ²¹/₃₂" dia. shaft



No. 64800

OEM CRANKSHAFT PULLEY REINFORCEMENT PLATE

Fits: Chevrolet V8 and 90° V6 with OEM crank pulley (GM #3858533), also fits some inline Chevy 6's

- Strengthens stock GM crank pulleys
- Precision stamped from 6061-T6 aluminum and black anodized

PART # DESCRIPTION

64030 Crankshaft Pulley Reinforcement Plate



CRANKSHAFT PULLEYS, BILLET ALUMINUM

V-Belt Design

- Machined from the highest grade aircraft billet aluminum for maximum durability
- Deep precision machined grooves ensure belt retention even during extreme changes in engine RPM
- When crankshaft and water pump pulleys are used together, water pump speed is reduced by approximately 30%
- Hard-coat anodized for extended life
- Uses 36° x 17/32" wide belt

PART # DESCRIPTION

- 64051 Crankshaft Pulley, Billet, single groove, 30% reduction, 5.25" O.D. *Fits: SBC, 1968-earlier (with short water pump)*
- 64111 Crankshaft Pulley, Billet, double groove, 50% reduction, 4.04" O.D. *Fits: SBC and 90° V6 Chevys, 1969-later (with long water pump)*
- 64201 Crankshaft Pulley, Billet. single groove, 30% reduction, 5.25" O.D. *Fits: BBC, 1968-earlier (with short water pump)*
- 64211 Crankshaft Pulley, Billet. double groove, 25% reduction, 5.40" O.D. *Fits: BBC, 1968-earlier (with short water pump)*
- 64551 Crankshaft Pulley, Billet, double groove, 4" dia. fits all 4-bolt dampeners, reduction ratio varies, 4.00" O.D. *Fits: Ford 351-400 Cleveland, Boss 302*



No. 64051

No. 64551





CRANKSHAFT PULLEY, BILLET ALUMINUM

V-Belt Design

- Ideal for driving alternators and/or vacuum pumps at optimum speed
- Fits any 1" dia. crank-driven mandrel with 1/8" x 1/8" keyway
- · CNC machined from billet aluminum with hard-coat anodized finish
- May be used with Moroso Vacuum Pumps Nos. 22640, 22641, 22642, 22644, 22840, 22842, 22843 and Vacuum Pump Pulley Nos. 64885 and 64887

PART #	DESCRIPTION
23520 ↔	2.5" V-Belt Crankshaft Pulley
23523 ↔	4" V-Belt Crankshaft Pulley

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 23523

No. 23520

POWER STEERING PULLEY, BILLET ALUMINUM

V-Belt Design

Fits: Late model GM pumps

- Designed for Oval Track and Road Race applications using the late model, small GM power steering pump with remote reservoir
- 6" diameter, hard-coat anodized billet aluminum
- Deep-grooved to ensure belt retention under extreme racing conditions
- · Can be used as replacement pulley for Sweet-type pumps
- Use with 36° x $\frac{1}{2}$ " wide belt

PART # DESCRIPTION

64860 Power Steering Pulley



No. 64860

PULLEYS & ACCESSORIES

ALTERNATOR PULLEY, BILLET ALUMINUM

V-Belt Design

- Machined from the highest grade aircraft billet aluminum for maximum durability
- Deep precision machined grooves ensure belt retention even during extreme changes in engine RPM
- When crankshaft and water pump pulleys are used together, water pump speed is reduced by approximately 30%
- Hard-coat anodized for extended life

PART # DESCRIPTION

64870 Billet Aluminum Alternator Pulley. Single groove, 5" 0.D. Use $36^{\circ} \times \frac{1}{2}$ " wide belt *Fits: GM and Ford Alternators with* $\frac{21}{32}$ " *dia. shaft*



No. 64870

VACUUM PUMP DESIGN, BILLET ALUMINUM

V-Belt Design

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern
- Precision machined from the highest grade aircraft aluminum and hard-coat anodized for extended service life
- · Deep V-groove ensures belt retention under all racing conditions
- Machined with six holes to reduce weight
- 5" diameter pulley uses stock (3-bolt) mounting pattern with 1.16" bolt circle
- Use with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842 and 22843

PART # DESCRIPTION

64885 Vacuum Pump V-Belt Pulley



No. 64885

VACUUM PUMP PULLEY, OFFSET, BILLET ALUMINUM

V-Belt Design

- Allows Moroso Vacuum Pumps to be installed in cars with minimal drive mandrel space
- Hard coat anodized
- Offset $\frac{7}{8}$ ", 5" diameter pulley uses stock (3-bolt) mounting pattern with 1.16" bolt circle
- Use with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842 and 22843

PART # DESCRIPTION

64887 Vacuum Pump Pulley, Offset



No. 64887

CRANKSHAFT PULLEYS

Gilmer Style

- ³/₈" pitch pulley fits 1" diameter keyed drive mandrels
- Machined from billet aluminum for unmatched precision
- Anodized for extended durability

PART # DESCRIPTION

- 97170 Crankshaft Pulley, Gilmer Style, 3/8" Pitch, 1" Wide, 16-teeth
- 97171 Crankshaft Pulley, Gilmer Style, 3/8" Pitch, 1" Wide, 18-teeth
- 97172 Crankshaft Pulley, Gilmer Style, 3/8" Pitch, 1/2" Wide, 18-teeth

DRY SUMP PUMP PULLEYS

Gilmer Style

- Machined from billet aluminum for unmatched precision
- Hard-coat anodized for extended durability
- ³/₈" pitch pulleys fit ⁵/₈" diameter shafts
- Use with Moroso Gilmer Drive Pulleys to suit desired drive ratio
- Compatible with %" pitch gilmer tooth drive pulleys and belts manufactured by Moroso and others
- Includes key and 4 set screws to lock pulley to the shaft

PART # DESCRIPTION

- Dry Sump Pump Pulley, Gilmer Style, 1" Wide, 28-teeth 23528
- 23532 Dry Sump Pump Pulley, Gilmer Style, 1" Wide, 32-teeth

VACUUM PUMP PULLEY

Gilmer Type, 28 Tooth

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern; accepts standard gilmer belts with 3/4" width or less
- Precision machined from aircraft-quality aluminum with hard-coat anodized finish for extended service life and features direct, bolt-on installation
- Use with Moroso 3- or 4-Vane Racing Vacuum Pump Nos. 22640, 22641, 22642, 22643, 22644, 22840, 22842, 22843 and interchangeable drive components

PART # DESCRIPTION

64886 Vacuum Pump Pulley, Gilmer Type, 28 Tooth

PART # **AVAILABLE OPTION**

97172 Crankshaft Pullev



Gilmer Type, 36 Tooth

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern; accepts standard Gilmer belts with 1/2" width or less
- · Precision machined from aircraft-guality aluminum and features direct, bolt-on installation
- Use with Moroso 3- or 4-Vane Vacuum Pump Nos. 22640, 22641, 22642, 22643, 22644, 22840. 22842 and interchangeable drive components

PART # DESCRIPTION

64888 Vacuum Pump Pulley, Gilmer Type, 36 Tooth

PART # **AVAILABLE OPTION**

97172 Crankshaft Pulley

No. 64888



No. 97170



No. 23532





RADIUS TOOTH DRY SUMP PUMP PULLEYS AND DRIVE PULLEYS

Moroso black anodized Radius Tooth Pump Pulleys are designed to work more efficiently and take less power to drive your dry sump pump. These Pulleys are made to use a 1.00" wide drive belt, and with a wide variety of sizes, most drive ratios you may need are achievable. All dry sump pulleys are made to accept a $\frac{5}{6}$ " shaft, and come with 4 set screws to lock the pulley to the shaft. Moroso Radius Tooth Pump Pulleys are designed with the same 8mm tooth technology, and will add to the efficiency of the entire round tooth drive combination.

DRY S	UMP P	UMP PUL	LEY CH	IART
PUMP PULLEY PART #	NO. OF TEETH	DRIVE PULLEY PART #	NO. OF TEETH	DRIVE Ratio
23544	30	23541	20	67%
	30	23542	22	73%
	30	23543	24	80%
23545	32	23541	20	63%
	32	23542	22	69%
	32	23543	24	75%
23546	34	23541	20	59%
	34	23542	22	65%
	34	23543	24	71%
23547	36	23541	20	56%
	36	23542	22	61%
	36	23543	24	67%
23548	40	23541	20	50%
	40	23542	22	55%
	40	23543	24	60%

Available in sizes that will not only give you the ratio you want, but will adjust the centerline measurement between your pump and crankshaft center. This will help in tight fitting conditions while allowing you to have the correct drive ratio. Moroso drive pulleys fit any 1.00" mandrel with a $\frac{1}{8}$ " keyway slot.



RADIUS TOOTH VACUUM PUMP PULLEYS AND DRIVE PULLEYS

Moroso black anodized Radius Tooth Vacuum Pump Pulleys are designed to work more efficiently and take less power to drive your vacuum pump. Moroso Radius Tooth Vacuum Pump Pulleys are made to use a .500" wide drive belt, and with a wide variety of drive pulley sizes, most drive ratios you may need are achievable. This pulley is made to accept a ½" shaft, 3-hole OEM design.

Moroso Radius Tooth Drive Pulleys are designed with the latest 8mm tooth technology, and will add to the efficiency of the entire round tooth drive combination. Available in sizes that will not only give you the ratio you want, but will adjust the centerline measurement between your pump and crankshaft center. Moroso Drive Pulleys fit any 1.00" mandrel with a 1//8" keyway slot.

VACUUM PUMP PULLEY RATIO CHART					
DRIVE PULLEY Part #	NO. OF TEETH	PUMP PULLEY Part #	NO. OF TEETH	DRIVE Ratio	
23533	20	23540	40	50%	
23534	22	23540	40	55%	
23535	24	23540	40	60%	



No. 23540

RADIUS TOOTH ALTERNATOR PULLEY

Moroso Radius Tooth Alternator Pulley is designed to work more efficiently and take less power to drive. Moroso Radius Tooth Alternator Pulley is made to use a .500" wide drive belt, and with a wide variety of drive pulley sizes, any drive ratio you may need is achievable. This pulley is made to accept a .590" diameter shaft alternator.

ALTERNATOR PULLEY CHART					
ALT. PULLEY PART # NO. OF TEETH DRIVE PULLEY PART # NO. OF TEETH DRIVE RATIO					
23556	20	23558	40	200%	





DRIVE BELTS

PART #

97105

97125

97135

97136

97138

PART #

97110

97120

97130

97143

RADIUS TOOTH BELTS

Fits: Radius Tooth Pulleys with 8mm Pitch

- Provides higher power and torque transmission, improved meshing to reduce tooth jump, greater resistance to tooth shear and reduced friction to extend belt life
- Fiberglass cord is wound across the entire width of the belt to minimize stretching
- Belt body is manufactured from a synthetic neoprene compound that resists heat, oils, ozone and aging
- Tough nylon fabric is bonded to the tooth surface for greater wear resistance

GILMER DRIVE BELTS

- For Moroso Dry Sump Pump setups
- Will also work with other manufacturers' 3/8" pitch Gilmer Drive setups



RADIUS TOOTH BELTS

Fits: Radius Tooth Pulleys with 8mm Pitch

- Thin Series Belts for Moroso Vacuum Pump and Alternator Pulleys
- Fits 1/2" wide or greater pulleys
- · Strong and lightweight with less belt stretch
- Provides lower tension with positive engagement and no slippage

PART #	DESCRIPTION	LENGTH X WIDTH (MM)	TEETH
97141	Radius Tooth Belt	23.3" x ½" (592 x 12.7)	74
97142	Radius Tooth Belt	23.9" x ½" (608 x 12.7)	78
97144	Radius Tooth Belt	25.2" x ½" (640 x 12.7)	80
97146	Radius Tooth Belt	26.5" x ½" (672 x 12.7)	83
97147	Radius Tooth Belt	26.8" x ½" (680 x 12.7)	85
97149	Radius Tooth Belt	28.3" x ½" (720 x 12.7)	90
97151	Radius Tooth Belt	29.9" x ½" (760 x 12.7)	97
97152	Radius Tooth Belt	30.6" x ½" (776 x 12.7)	99
97154	Radius Tooth Belt	31.5" x ½" (800 x 12.7)	100
97157	Radius Tooth Belt	33.7" x ½" (856 x 12.7)	106
97159	Radius Tooth Belt	34.7" x ½" (880 x 12.7)	110
97164	Radius Tooth Belt	37.8" x ½" (960 x 12.7)	120

No. 97141

REPLACEMENT PARTS FOR DRY SUMP DRIVE KITS

PART # 97110 97120 97130 97140 23528	DESCRIPTION Gilmer Drive Belt - 22.5" long Gilmer Drive Belt - 24.0" long Gilmer Drive Belt - 25.5" long Gilmer Drive Belt - 25.5" long Gilmer Drive Belt - 27.0" long Gilmer Drive Pump Pulley - 28-tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672	2
PART # 23532 97170 235200 235230	DESCRIPTION Gilmer Drive Pump Pulley - 32-tooth Gilmer Drive Crankshaft Pulley - 16-tooth. For Nos. 23600 , 23610 , 23620 , 23630 , 23660 , 23670 and 2 V-Belt Crankshaft Pulley - 2.5" long V-Belt Crankshaft Pulley - 4" long	23672



TEETH

67

75

80

LENGTH X WIDTH (MM)

23.6" x 1" (599 x 25.4)

25.2" x 1" (641 x 25.4)

21"x 1" (533 x 25.4)

Radius Tooth Belt	25.8" x 1" (655 x 25.4)	82
Radius Tooth Belt	26.8" x 1" (681 x 25.4)	85
DESCRIPTION	LENGTH X WIDTH (MM)	TEETH
Gilmer Drive Belt	22.5" x 1" (572 x 25.4)	60
Gilmer Drive Belt	24" x 1" (610 x 25.4)	64
Gilmer Drive Belt	25.5" x 1" (648 x 25.4)	68
Gilmer Drive Belt	27" x 1" (686 x 25.4)	72
Gilmer Drive Belt	22.5" long x 1/2" wide	60
Gilmer Drive Belt	24" long x 1/2" wide	64
Gilmer Drive Belt	25.5" long x 1/2" wide	68
Gilmer Drive Belt	27" long x 1⁄2" wide	72


DESCRIPTION

Radius Tooth Belt

Radius Tooth Belt

Radius Tooth Belt

UNIVERSAL FIT AIR-OIL SEPARATORS



 Includes a billet aluminum mounting clamp for the body of the air-oil separator. a stainless steel bracket for non-accessible behind the panel mount applications and an O-ringed drain bung

DESCRIPTION PART

854950 Air-Oil Separator, Universal, -12AN Fittings

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmNo. 85495





AIR-OIL SEPARATOR KITS, LARGE BODY

Universal

- Plumbed into a vehicle's PCV system to capture the excess crankcase vapors and the residual oil mist from re-entering the intake track
- Vehicles from the factory vent these excess crankcase vapors and residual oil right back into the intake manifold which could cause detonation and oil deposits to form in the intake track including the valves themselves
- Features billet aluminum housing and includes 3/1" 90° inlet & outlet fittings, 36" of 3/1" rubber hose for plumbing the Air-Oil Separator inline, and a billet aluminum mounting clamp for the body of the Separator
- Features a bottom drain with elbow that makes draining the collected oil virtually mess-free

PART # DESCRIPTION

- Air-Oil Separator, Universal Fit, Polished Body 854740
- 855310 Air-Oil Separator, Universal Fit, Black Anodized Body

PART # **REPLACEMENT PART**

97200 Ball Valve, 3/8" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

NOTE: Not legal for sale or use on polution-controlled vehicles.

UNIVERSAL FIT AIR-OIL SEPARATORS

AIR-OIL SEPARATOR KITS Universal, Small Body

- Moroso Air-Oil Separator is plumbed into a vehicle's PCV system and captures the excess crankcase vapors and the residual oil mist from re-entering the intake tract
- Vehicles from the factory vent these excess crankcase vapors and residual oil right back into the intake manifold which could cause detonation and oil deposits to form in the intake tract including the valves themselves
- Ethanol enriched fuels put off more moisture during the combustion process, the Moroso Air-Oil Separator is an excellent tool for collecting this extra moisture
- Billet Aluminum body is available either with raw or black anodized finish
- 4.5" tall by 3.75" (clamp installed) diameter body, fits in more places than our standard air-oil separators
- Supplied %", 90° inlet & outlet fittings, 36" of %" rubber hose and includes a billet aluminum mounting clamp
- Two piece body of the Air-Oil Separator unscrews for cleaning and draining

PART # DESCRIPTION

- 85682 Air-Oil Separator, Small Body, Universal, Clear Bottom
- 85683. Air-Oil Separator, Small Body, Universal, Black Anodized Finish Upper, Clear Bottom
- 85496 Air-Oil Separator, Small Body, Polished Finish
- 85497 Air-Oil Separator, Small Body, Black Anodized Finish

PART # REPLACEMENT PART

97301 Air-Oil Separator Small Body Replacement Clear Bottom



CUSTOM FIT AIR-OIL SEPARATORS

AIR-OIL SEPARATOR PCV DELETE KIT FOR SUBARU

From the factory, a vehicle's PCV system vents excess crankcase vapors, residual oil and moisture back into the intake manifold which compromises performance and durability

- Kit allows Air-Oil Separators to work at greater efficiency at all rpm levels
- Enables full filtration of Blow By gases entering turbo inlet
- Kit is designed to work with all Moroso Air-Oil Separators for Subaru Applications
- Deletes O.E.M. PCV System including Intake Manifold PCV Inlet
- Not for use on Emission Controlled Vehicles, off road use only

PART # DESCRIPTION

85699 Air-Oil Separator PCV Delete for Subaru

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



AIR-OIL SEPARATOR, CLEAR BOTTOM

- A replacement clear bottom for Moroso Nos. 85682 or 85683 and is an option if someone wants to change out their standard billet aluminum bottom on a Moroso Small Bodied kit
- Allows the user to see how much oil is collected without unscrewing the bottom of a Moroso small body Air-Oil Separator

PART # REPLACEMENT PART

97301 Air-Oil Separator Small Body Replacement Clear Bottom





R - OIL SEPARATORS

AIR-OIL SEPARATOR KITS

Fits: Custom Fit Applications

- Plumbed into a vehicle's PCV system to capture the excess crankcase vapors, residual oil mist and moisture from re-entering the intake tract
- Vehicles from the factory vent these excess crankcase vapors, residual oil mist and moisture right back into the intake manifold which could cause: detonation, oil deposits in the intake tract including the valves themselves, and decreased intercooler efficiency
- Increases engine performance from cleaner intake air
- Air-Oil Separators have billet aluminum bodies with internal baffling and mesh media
- Includes heavy duty brass inlet and outlet fittings, Fuel/Emission/PCV Vapor hose, stainless steel mounting bracket and billet aluminum mounting clamp for the body of the separator
- Some vehicle crankcase ventilation systems require that 2 Air-Oil Separator bodies be used to properly capture and ventilate the system



Moroso Air-Oil Separators are available in 2 sizes, not all kits are available with both size body, please see Air-Oil Separator Application Chart on the next page for more information

AIR-OIL SEPARATOR KITS, LARGE BODY

- The original size, 43% more capacity than the Small Body version
- Features a bottom drain with elbow that makes draining the collected oil virtually mess-free
- Available with a polished or black anodized finish

AIR-OIL SEPARATOR KITS, SMALL BODY

- Smaller size fits in more applications and some customers prefer the smaller size body
- Two piece body unscrews for draining
- Available with a polished or black anodized finish

PART # REPLACEMENT PARTS

97200	Ball Valve, ³ / ⁴ " Male and Female Ports
97300 ↔	Replacement Cap, Air-Oil Separator Large Body Drain, Black
97301 0	Air-Oil Separator Small Body Replacement Clear Bottom
65388 ↔	Air-Oil Sep, ¾" To ½" Hose 90 Deg., Black
65389 ↔	Air-Oil Sep, 3/8" To 1/2" Hose, Straight, Black
65131 ↔	Air-Oil Sep, 3/8" To 1/2" Hose, 90 Deg. Streamline, Black
65381 ↔	Air-Oil Sep, 3/8" To 3/8" Hose, Straight, Black
65382 ↔	Air-Oil Sep, ¾" To ¾" Hose, 90 Deg., Black



No. 97301





No. 97300

No. 65131





AIR-OIL SEPARATORS

		AIR-OIL SEPA	RATOR	СН	ART		
	Not legal for sale or use on ollution-controlled vehicles	• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-	# OF AIR-OIL Separators In Kit	LARGE Body Part #	BLACK ANODIZED LARGE BODY PART #	POLISHED Small Body Part #	BLACK ANODIZED SMALL BODY PART #
BMW M3, 199	95-1999		1	854990	N/A	856480	85649↔
CADILLAC CTS	S V, 2008-2014		1	N/A	N/A	856020	85603 0
CHEVY CAMAR	RO SS, 2010-2015, ZL1,	2012-2015	1	85487 ↔	N/A	856520	856530
CHEVY CAMAR	RO SS WITH EDELBROCK	SUPERCHARGER, 2010-2015	1	854930	N/A	856340	856350
CHEVY CORVE	TTE NON ZO6 2014-201	9	1	855240	N/A	856860	856870
CHEVY CORVE	TTE Z06 2006-2013		1	85521 o	N/A	856780	85679 ∘
CHEVY CORVE	TTE, 1997-2004		1	855160	N/A	N/A	N/A
CHEVY CORVE	ETTE LT1/LT4, 1992-1996	i	1	N/A	N/A	856420	856430
CHEVY/GM TR	UCK WITH LS ENGINES, "	1999-2018	1	85481 o	N/A	N/A	N/A
CHRYSLER 30	OC 6.1, 2005-2010		1	85472 o	N/A	85612 0	85613o
CHRYSLER 300C 5.7 WITH AFTERMARKET INTAKE, 2005-2010		1	85472 o	N/A	856400	85641 0	
CHRYSLER 300C 5.7 WITH FACTORY INTAKE, 2005-2010		1	N/A	N/A	856320	85633o	
DODGE CHALLENGER 6.1/6.4 NON HELLCAT, NON SHAKER HOOD 2008-2019		1	85472 0	N/A	85612 ↔	85613 0	
DODGE CHALLENGER 5.7/6.4 SHAKER HOOD 2015-2019		1	855300	N/A	856960	85697 ↔	
DODGE CHALLENGER HELLCAT 2015-2019		1	855320	N/A	85702 ↔	85703 ↔	
DODGE CHALL	LENGER 5.7 WITH AFTER	MARKET INTAKE, 2008-2012	1	85472 0	N/A	856400	85641 ↔
DODGE CHALL	LENGER 5.7 WITH FACTO	RY INTAKE, 2008-2012	1	N/A	N/A	856320	85633 ↔
DODGE CHAR	GER 6.1/6.4 NON HELLCA	AT, 2008-2019	1	85472o	N/A	85612 ↔	85613 ↔
DODGE CHAR	GER HELLCAT 2015-2019	}	1	85532o	N/A	85702 ↔	85703↔
DODGE CHARGER 5.7 WITH AFTERMARKET INTAKE, 2006-2010		1	85472 0	N/A	856400	85641 ↔	
DODGE CHARGER 5.7 WITH FACTORY INTAKE, 2006-2010		1	N/A	N/A	856320	856330	
DODGE MAGNUM 6.1, 2005-2008		1	85472 0	N/A	85612 ↔	85613 0	
DODGE MAGNUM 5.7 WITH AFTERMARKET INTAKE, 2005-2008		1	85472 ↔	N/A	85640 ↔	85641 <i>\</i>	
DODGE MAGNUM 5.7 WITH FACTORY INTAKE, 2005-2008		1	N/A	N/A	856320	85633 ↔	
DODGE RAM F	PICKUP, 2009-2018, HEM	IENGINE	1	85479 ₀	N/A	N/A	N/A
FORD FOCUS	ST, 2013-2018		1	N/A	N/A	856640	856650



BMW M3, 1995-1999, Part No. 85499



Cadillac CTS V, 2008-2014, Part No. 85603



Dodge Magnum, Charger, Challenger, Part No. 85613



Dodge Ram Truck 1500 2009-2018, Part No. 85479



Chevy Corvette non Z06 2014-2017 Part No. 85524



Ford Focus ST, 2013-2017, Part No. 85665

AIR-OIL SEPARATORS

5	
Ě	
R	
Z	
5	
Η	
0	

FITS:		• OIL SEPARAT	# OF AIR-OIL	LARGE	BLACK	POLISHED	BLACK
FIIƏ.	○ Not legal for sale or use on pollution-controlled vehicles	 [•] [•]	SEPARATORS	BODY PART #	ANODIZED LARGE BODY PART #	SMALL BODY PART #	ANODIZED SMALL BODY PART #
FORD M	IUSTANG GT, 2015-2019		1	85522 0	N/A	856800	85681 <i>°</i>
FORD M	IUSTANG ECOBOOST 2015-20	19	1	855230	N/A	856840	856850
FORD M	IUSTANG GT, 2011-2014		1	854850	N/A	856280	85629 ↔
FORD M	IUSTANG GT WITH ROUSH SUP	ERCHARGER, 2011-2014	1	85491 <i>°</i>	N/A	856040	85605 ↔
FORD M	IUSTANG SHELBY GT 500, 200	7-2014	1	854780	N/A	85616⇔	85617 ↔
FORD M	IUSTANG V-6, 2011-2014		1	854980	N/A	856380	856390
FORD M	IUSTANG GT, 2005-2010		1	854770	N/A	N/A	N/A
FORD M	IUSTANG GT, 1996-2004		1	854860	N/A	N/A	N/A
FORD M	IUSTANG GT/LX 5.0, 1987-199	3	1	855140	N/A	856600	85661 o
FORD F-	-150 ECOBOOST 2011-14		1	855200	N/A	856760	85677 0
FORD F-	-150, 5.4, 2004-2008		1	855130	N/A	N/A	N/A
FORD RA	APTOR TRUCK 6.2, 2010-2014		1	854920	N/A	856060	856070
HUMME	R H2, 2003-2009		1	854810	N/A	N/A	N/A
JEEP JK	l, 3.6, 2012-2018		1	855180	N/A	856700	85671 0
JEEP JK	l, 3.8, 2007-2011		1	855170	N/A	856680	856690
JEEP SR	RT8, 2006-2010		1	854820	N/A	N/A	N/A
LOTUS E	ELISE/EXIGE, 2005-2011		2	854940	N/A	856360	856370
Mazda	MIATA, 1990-2005		1	854880	N/A	856000	85601o
MINI CO	OPER S/CLUBMAN S, 2007-20	15	1	N/A	N/A	856080	856090
MITSUB	ISHI EVO 10, 2008-2015		1	854830	N/A	N/A	N/A
SUBARU	J BRZ, SCION FRS, 2012-2015		1	855150	N/A	856660	856670
SUBARU	J STI, 2008-2014, TOP MOUNT	INTERCOOLER	2	855100	N/A	856440	85645 °
SUBARU	J STI, 2008-2014, FRONT MOU	NT INTERCOOLER	2	N/A	N/A	856460	856470
SUBARU	J WRX, 2008-2014		2	854890	N/A	85610 ↔	85611 0
SUBARU	J WRX, 2006-2007, STI, 2004-	2007 TOP MOUNT INTERCOOLER	2	854840	N/A	856260	85627 0
SUBARU	J WRX, 2006-2007, STI, 2004-	2007 FRONT MOUNT INTERCOOLER	2	N/A	N/A	856540	856550
SUBARU	J WRX, 2015-2018		1	N/A	N/A	85672 ↔	856730
TOYOTA TUNDRA, 2007-2014, 5.7 & TOYOTA SEQUOIA, 2008-2014		1	855110	N/A	856500	856 51 0	
VOLKSW	AGEN GOLF/JETTA, 2.0 T, 201	0-2014	1	855190	N/A	856740	856750
UNIVERS	SAL		1	854740	85531	854960	85497 0
UNIVERS	SAL, -12AN		1	854950	N/A	N/A	N/A



Ford Mustang GT 2015-2019, Part No. 85522



Subaru WRX 2006-2007, STI 2004-2007 Top Mount Intercooler, Part No. 85484



Jeep JK 2012-2018, . Part No. 85671



Volkswagen Golf/Jetta 2010-2014 Part No. 85519



Mazda Miata, 1990-2005, Part No. 85488



Universal Air-Separator installed on a custom Harley-Davidson

<u>DRY SUMP TANKS & ACCESSORIES</u>

DRY SUMP TANKS

- Tall design capacity: 6 guarts; short design capacity: 5 guarts
- Oil tanks without integral breathers and #12 breather fitting use Nos. 85465, 85466 or 85467 Overflow Breather Tanks
- Large diameter, billet aluminum, screw-on cap with O-ring
- Body height: 13" Tank measures 11.1"; 15" Tank measures 12.9"
- Use Moroso Mount Nos. 22674, 22677, 22678 and 22679

SINGLE INLET DRY SUMP TANKS

Single -16AN inlet without Breather

PART # DESCRIPTION

22681* Dry Sump Tank, 13", 5 Quart, (1) -16AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks

22686* Dry Sump Tank, 15", 6 Quart, (1) -16AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks Single -16AN inlet with Breather

Single -16AN inlet with Breather

PART # DESCRIPTION

- **22682***• Dry Sump Tank, 13", 5 Quart, (1) -16AN with Integral Breather Tank
- 22687*• Dry Sump Tank, 15", 6 Quart, (1) -16AN with Integral Breather Tank

TRIPLE INLET DRY SUMP TANKS

Three -12AN inlets without Breather

PART # DESCRIPTION

- 22683* Dry Sump Tank, 13", 5 Quart, (3) -12AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks
- 22688* Dry Sump Tank, 15", 6 Quart, (3) -12AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks

Three -12AN inlets with Breather

PART # DESCRIPTION

22684[★]• Dry Sump Tank, 13", 5 Quart, (3) -12AN with Integral Breather Tank **22689**[★]• Dry Sump Tank, 15", 6 Quart, (3) -12AN with Integral Breather Tank


*Not legal for sale or use on pollution-controlled vehicles


PART # AVAILABLE OPTIONS

- 22674• Dry Sump Tank Mount, 7" Diameter
- 22677 Straight Extended Tank Mount, 7" Diameter
- 22678 ·· 30° Angle Extended Tank Mount, 7" Diameter
- 22679. U-Weld-It Tank Mount. 7" Diameter


PART # REPLACEMENT PARTS

- 68815 Non-Hooded Breather
- 97571 Replacement lid with O-ring
- 97751 Replacement O-ring





No. 22682/22687



• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

No. 22683/22688



No. 22681/22686



• MARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer.

birth defects, or reproductive harm-

No. 22682/22687






No. 22683/22688



No. 22684/22689



No. 22684/22689

185

DRY SUMP TANKS & ACCESSORIES

DRAGSTER 6 QUART TWO-PIECE DRY SUMP TANK

- Tank body is 20" tall and 6" diameter with a six quart capacity
- -16AN inlet and -12AN outlet
- -12AN Breather tank fitting
- O-ring drain bung
- Tank comes apart for ease of cleaning or inspection
- Top of tank can be clocked for plumbing routing
- Top and bottom of tank are joined together by billet aluminum O-ringed sealing flanges
- Large diameter, billet aluminum, screw-on cap with 0-ring for positive sealing

PART # DESCRIPTION

22691* Dragster 6 Quart, Two-Piece Dry Sump Tank

PART # REPLACEMENT PARTS

- 97571 Replacement lid with 0-ring
- 97751 Replacement O-ring

PART # AVAILABLE OPTION

22699 ·• Dry Sump Tank Mount, 6" diameter



No. 22691











No. 22679 U-WELD-IT

DRY SUMP TANK MOUNT KITS

Moroso offers aluminum Dry Sump Tank Mount Kits for all 7" diameter Moroso tanks. The kits include a .250" thick billet aluminum mounting flange to mount to any motor plate application. The rounded aluminum saddle ensures proper contact to the tank and along with the rubber strips, vibration is reduced to a minimum. The stainless steel clamps are sanctioning body legal, and will hold the tank securely to the mount

PART # DESCRIPTION

- **22677** Straight extended Tank Mount. Mount is 5.25" from flange mount to saddle base
- 22678. 30 Degree extended Tank Mount. Mount is 5.25" from flange mount to saddle base
- 22679. U-Weld-It Tank Mount. Maximum mount length is 5.25" from flange mount to saddle base

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

DRY SUMP TANK REMOVABLE MOUNTING KITS, FOR 7" DIAMETER TANKS

- Mounting kit helps in the installation of 7" diameter dry sump tanks
- The kits contains a steel "I" shaped piece that allows the dry sump tank to be quickly removed and reinstalled in the vehicle
- Also this "I" shaped piece allows the installer to set what distance they would like their tank to be from the mounting surface
- Outer tube is drilled, inner tube needs to be drilled by customer
- Included in the mounting kit is the tank mount itself which has a billet aluminum base for strength
- · A stainless steel band clamp with interlocking rubber for cushioning

PART # DESCRIPTION

22697 ∘ Dry Sump Tank Removable Mounting Kit, Aluminum 22698 ∘ Dry Sump Tank Removable Mounting Kit, Steel

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm.



DRY SUMP TANK ACCESSORIES

DRY SUMP TANK MOUNTS

- · Billet aluminum base for strength
- Includes stainless steel band clamp with interlocking rubber for cushioning
- Available in single and two packs

DESCRIPTION PART

22699* Dry Sump Tank Mount, 6" diameter, 2 per

22701*°* Dry Sump Tank Mount, 6" diameter, single

Dry Sump Tank Mount, 7" diameter, 2 per 226740

Dry Sump Tank Mount, 7" diameter, single 227390

*Fits Moroso Part No. 22691

BREATHER TANKS, PLA Dry Sump, Vacuum Pump Systems, Air/o • Black polyethylene for light weight • 2" Breather filter mounted on top • Four sizes of inlet fittings available • Can be modified for additional fitting for • Works with Mounting Bracket Part No. 6	Dil Separatio dual vent h 5 3401	SEE MORE Universal Tank Mounting Bracke on pg. 191	
 Dimensions: 3-½" Dia. 7-½" tank heigh PART # DESCRIPTION 85400* Breather Tank, -12AN Fitting 85402* Breather Tank, -10AN Fitting 85404* Breather Tank, -8AN Fitting 85406* Breather Tank, -6AN Fitting 	t without Br PART # 97200 688180	eather, 10-1/2" with Breather OPTIONS/REPLACEMENT PARTS Ball Valve, ¾" Male and Female Ports Non-Hooded Breather • <u>Marning Pro</u> This product contains a chem to the state of California to ca birth defects, or reproduction	nical known nuse cancer,
FILTERED BREATHER 2" O.D. Tubes, Non-Hooded • Provides maximum protection against d • Clamp on type, includes clamps (one pe • Fits 2" O.D. tubes: is a replacement bre	r pack)	-	

- 85402, 85404 & 85406
- Cleanable and re-usable: oil before use

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # DESCRIPTION

68818^{*} ○ Filtered Breather, non-hooded style, clamp-on type, For Moroso Breather Tanks, 2" 0.D.

BREATHER TANK

Dry Sump, Vacuum Pump Systems, Air/Oil Separation

- Remote breather tank is a perfect companion for Moroso's Racing Vacuum Pumps or Dry Sump Tanks
- Includes non-hooded, clamp-on style Filtered Breather that traps oil while allowing air to escape freely

68811o

97200

- Petcock facilitates tank draining
- Dimensions: 3-1/8" diameter, 6-1/2" tank height (without filter), 11-1/2" overall height

PART # DESCRIPTION

85465* Breather Tank, -12AN fitting, male 85470*• Breather Tank, 3/8" NPT fitting, female 85456*• Breather Tank, -6AN fitting, male 85458*• Breather Tank, -8AN fitting, male 85459*• Breather Tank, -10AN fitting, male 85475* Breather Tank, -16AN fitting, male

PART # **OPTIONS/REPLACEMENT PARTS 68815**0 Non-Hooded Breather

Half-Hooded Breather Ball Valve, 3/8" Male and Female Ports

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-











BREATHER TANKS

BREATHER TANK

Dry Sump, Vacuum Pump Systems, Air/Oil Separation

- A perfect companion for engines equipped with dry sump pumps, vacuum pumps or non-dry sump or non-vacuum pump equipped engines that historically have "pushed oil" with other breather tanks
- Features internal baffling with mesh media for superior separation of air and oil
- -12AN male side fitting and petcock facilitates tank draining
- Includes a panel mount, billet aluminum clamp that has two supplied 1/4" -20 mounting hardware
- Dimensions: 3-1/8" dia., 6-1/2" tank height (without filter), 11-1/2" overall height DESCRIPTION PART # PART # 85467*• Breather Tank
 - 🗥 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-
- 63403 68815^o 68811o 97200
- **OPTIONS/REPLACEMENT PARTS** Billet Aluminum Mounting Bracket, Universal Non-Hooded Breather Half-Hooded Breather Ball Valve, 3/8" Male and Female Ports



BREATHER TANK, BILLET

Dry Sump, Vacuum Pump Systems, Air/Oil Separation

- All billet aluminum, lightweight tank features mounting strap to simplify installation
- Includes non-hooded, clamp-on-style Filtered Breather that traps oil while allowing air to escape freely
- Petcock facilitates tank draining
- Dimensions: 3" dia., 6-1/2" tank height (without filter), 11-1/2" overall height

PART # DESCRIPTION

85500* • Billet Breather Tank

PART # **OPTIONS/REPLACEMENT PARTS 68815**0 Non-Hooded Breather

• A WARNING Prop. 65 This product contains a chemical known 68811o Half-Hooded Breather 97200 Ball Valve, 3/8" Male and Female Ports

to the state of California to cause cancer. birth defects, or reproductive harm-

BREATHER TANKS, MULTI-INLET

Dry Sump, Vacuum Pump Systems, Air/Oil Separation

- Multi-inlet tank can collect from different sources to save on weight and plumbing complexity
- All aluminum, lightweight tank features mounting straps to simplify installation
- Includes non-hooded, clamp-on style Filtered Breather that traps oil while allowing air to escape freely
- Petcock facilitates tank draining
- Dimensions: 3-1/8" diameter, 6-1/2" tank height (without filter), 11-1/2" overall height

PART # DESCRIPTION

- **85455**↔ Breather Tank, Two 1/2" NPT fittings, female 180° apart
- 854690 Breather Tank, Two -12AN fittings, male 180° apart
- 854680 Breather Tank, Two -10AN fittings, male 180° apart
- 85473*• Dry Sump Breather Tank, Two 3/8" NPT, female 180° apart

OPTIONS/REPLACEMENT PARTS PART

- **68815**↔ Non-Hooded Breather
- Half-Hooded Breather 68811o


DESCRIPTION

97200 Ball Valve, ³/₈" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm-

birth defects, or reproductive harm

FITTINGS, 1/2" NPT MALE TO 5/8" BARBED HOSE









No. 85469

Fitting, 1/2" NPT Male to 5/8" Barbed Hose, Straight

Fitting, 1/2" NPT Male to 5/8" Barbed Hose, 90 Deg.

188

PART #

227350

227360

ANKS & COVERS



No. 85473

No. 22736



No. 22735

BREATHER TANKS


VACUUM PUMP BREATHER TANK, TWO BREATHERS

- Bigger than your typical breather tank for capturing large amounts of vapor expelled by big cube, high boosted, big shot of nitrous, loose tolerances, high stressed types of engines
- Aluminum, lightweight tank features internal baffling with mesh media for separation of air and oil
- Includes two non-hooded, clamp-on filtered breathers, built-in mounting bracket and a easy to drain ball valve drain
- Dimensions: 7" wide (without mount), 4" deep, 11" tank height (without filter or drain), 15" overall height

PART # DESCRIPTION

85390 Breather Tank, Vacuum Pump, Two Breathers, -16AN Inlet

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



7-%16



No. 85390

BREATHER TANK, MULTI-INLET, 2.5 QUART

Dry Sump, Vacuum Pump Systems, Air/Oil Separation

- · Eliminates the need for two tanks
- Larger capacity 2.5 quart tank complete with dual -12AN fittings, allows hookup from Vacuum Pump and Dry Sump Pump
- All-aluminum, lightweight 3" x 17-1/2" (installed) tank includes mounting clamp to simplify installation
- Includes non-hooded, clamp-on-style Filtered Breather that traps oil while allowing air to escape freely
- · Petcock facilitates tank draining

PART # DESCRIPTION

85466* Breather Tank, Vacuum/Dry Sump Pump, 2.5 Quart

PART # OPTIONS/REPLACEMENT PARTS

- 63401. Universal Tank Mounting Bracket, 3" to 3.25" dia.
- 68815 Non-Hooded Breather
- 68811 Half-Hooded Breather
- 97200 Ball Valve, 3/8" Male and Female Ports
- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





FILLER/BREATHER TANK

- · Provides remote filling capabilities and breathing capacity
- Mounted so that its bottom outlet, with 3/4" NPT female fitting, is higher than the inlet to the steering pump, rear axle housing, etc.
- The 3/8" NPT fitting located at the top of the tank can be used to connect a vent line to the rear axle housing for quicker filling or as a return line when the tank is used as a radiator catch can
- Dimensions: 8" length, 3-1/8" diameter, 1 qt. capacity

PART # DESCRIPTION

85450* •• Filler/Breather Tank, panel mount

PART # REPLACEMENT PART 97580 Cap

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





BREATHER TANKS, ROLL BAR MOUNT

Are available with several different side mounted fitting options for ease of plumbing

- Remote breather tank is a perfect companion for Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- Features internal baffling with mesh media for separation of air and oil
- Includes non-hooded, clamp-on style, filtered breather and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height, 11-1/2" overall height

PART # DESCRIPTION

- 85461* Breather Tank, Roll Bar Mount, -12AN Male
- 85462*• Breather Tank, Roll Bar Mount, 3/6" NPT Female
- 85463*• Breather Tank, Roll Bar Mount, 1/2" NPT Female

Ball Valve, 3/8" Male and Female Port

OPTIONAL PART PART

97200

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

Integral Tube Mount

*Not legal for sale or use on pollution-controlled vehicles

MULTI-INLET BREATHER TANK. ROLL BAR MOUNT

Fits: Breather Tank. Roll Bar Mount. 1/2" & 3/6" NPT

- Remote breather tank is a perfect companion for Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Side mounted ³/₄" female fitting and ¹/₂" female fitting on roll bar mount side, that are 180 Degrees apart for ease of plumbing
- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- · Features internal baffling with mesh media for separation of air and oil
- Includes non-hooded, clamp-on style, filtered breather and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height, 11-1/2" overall height

PART # DESCRIPTION

85464*• Breather Tank, Roll Bar Mount, 1/2" & 3/8 " NPT

OPTIONAL PART PART

97200 Ball Valve, 3/8" Male and Female Ports *Not legal for sale or use on pollution-controlled vehicles

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

Integral Tube Mount



AIR-OIL SEPARATOR

Universal, Vacuum Pump

- Moroso Vacuum Pump Air-Oil Separator is designed to be plumbed between the valve cover and the inlet side of the vacuum pump
- Features internal baffling with mesh media for superior separation of air and oil
- Billet Aluminum body compliments any engine compartment and can be polished. chromed or powder coated for a custom look
- -12 AN inlet and outlet fittings for plumbing the Air-Oil Separator inline
- Includes a billet aluminum mounting clamp for the body of the air-oil separator, a stainless steel bracket for non-accessible behind the panel mount applications and an O-ringed drain bung

DESCRIPTION PART

854950 Air-Oil Separator, Universal, -12 AN Fittings



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 85495







TRANSMISSION EXPANSION TANK

Billet Aluminum

- Both heavy duty and good looking-finish can be left as is, polished, powder coated or painted
- Meets requirements of 1-1/2 pint transmission NHRA overflow rule
- Prevents fluid mist from spraying on the race surface, behind your car and tires
- Pressurized fluid is captured in the Tank and will drain back into the transmission as it cools
- · Includes breather and billet aluminum mounting bracket
- Designed with an integral baffle

PART # DESCRIPTION

- 41221*• Transmission Expansion Tank, Billet Aluminum, 2.75" 0.D., 2.715" I.D. x 7.050" long
- PART # REPLACEMENT PARTS
- 68791 ·· Clamp on breather

*Not legal for sale or use on pollution-controlled vehicles

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

UNIVERSAL FIT BRACKETS

UNIVERSAL TANK MOUNTING BRACKETS

- No. 63401 fits all 3" to 3.25" diameter tanks, including Moroso Overflow Tank No. 63657
- No. 63402 fits all tanks with a 2.44" to 2.69" diameter
- Manufactured from a one-piece, zinc plated steel bracket with ¹¹/₃₂" mounting holes and a sliding, stainless steel T-Bolt clamp
- · Features a locking nut to prevent loosening and a quick disconnect strap
- · Meets the requirements of all sanctioning bodies

PART # DESCRIPTION

63401↔ Universal Tank Mounting Bracket. 3" to 3.25" dia. 63402↔ Universal Tank Mounting Bracket. 2.44" to 2.69" dia

No. 41221

TILIT

No. 63401

BILLET ALUMINUM MOUNTING BRACKET

Universal

Fits: All 3-1/8" diameter tanks such as Moroso Nos. 63660, 85400, 85402, 85404, 85406, 85450, 85465, 85466, 85467, 85470, 85471, 85473

- Manufactured from Billet Aluminum
- Back of Bracket has two panel mounting holes for the supplied 1/4" -20 mounting hardware

PART # DESCRIPTION

63403 Billet Aluminum Mounting Bracket, Universal



No. 63403

LOOKING FOR A CUSTOM TANK?

Moroso can custom build dry sump, breather, coolant, expansion, overflow and power steering tanks to your unique specifications. A Technical Representative is available to discuss options, finishes and pricing for your custom tank.

POWER STEERING TANKS

POWER STEERING TANKS

Fits: Universal Panel Mount

- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Built in bracket allows convenient mounting on a panel
- -6 AN inlet and -10AN outlet with an internal baffle
- · Includes a heavy duty vented screw on cap

DESCRIPTION PART

63506 Power Steering Tank, Universal Panel Mount, Inlet left side 63507 Power Steering Tank, Universal Panel Mount, Inlet right side





RADIATOR RECOVERY TANK

1 Quart Capacity

Features built-in mounting Inserts

- Lightweight durable design has a full quart capacity
- Tank features 2 molded in 3" on center mounting inserts with 5/16"-18 thread
- · Can be used in many forms of competition: NHRA & IHRA accepted
- Vented tank includes ³/₈" NPT hose fitting and drain cock
- Dimensions: 10-1/2" high (overall), 3" tank diameter
- · Mounting hardware included

PART # DESCRIPTION

Overflow Tank, 1 Quart, Built-In Mounting Inserts



No. 63657



- Lightweight Aluminum design holds one full guart capacity
- Can be used in many forms of competition: NHRA, IHRA & SCCA accepted
- Vented recirculating tank includes push-lock fitting (for 1/4" 0.D. flexible tubing), barbed fitting (for 3/8" rubber hose), siphon tube and drain fitting
- Dimensions: 9" high (overall), 3-1/8" tank diameter

DESCRIPTION

Radiator Recovery Tank

AVAILABLE OPTIONS

63401o Universal Tank Mounting Bracket, 3" to 3 1/4" dia. 63403 Billet Aluminum Mounting Bracket, Universal 97200 Ball Valve, 3/8" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-



BILLET RADIATOR RECOVERY TANK

- Billet Aluminum design holds one full quart capacity
- Can be used in many forms of competition: NHRA, IHRA & SCCA accepted
- Vented recirculating tank includes: push-lock fitting (for 1/4" 0.D. flexible tubing), barbed fitting(for 3/4" rubber hose), siphon tube and drain fitting
- Dimensions: 9" high (overall), 3" tank diameter
- Billet mount included

DESCRIPTION PART

855050 **Billet Radiator Recovery Tank**


PART # **OPTIONAL PART** 97200 Ball Valve, 3/8" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 85505

TANKS & COVERS 636570 PART # 63660**0** PART #









COOLING SYSTEM EXPANSION TANKS

- Perfect for cars with low-mount radiators to provide convenient filling location and to bleed off unwanted air
- Available with rugged 6061-T6 billet aluminum filler necks welded to tank to withstand continuous removal and installation of cap
- Available in two sizes to simplify installation in tight areas
- Each tank includes a $\frac{1}{8}$ " pipe overflow fitting at neck, a $\frac{1}{4}$ " NPT water intake bung, and a $\frac{1}{2}$ " bung at the bottom for plumbing a line to the radiator
- 100% pressure tested to eliminate leaks
- Accepts a standard-size radiator cap
- Dimensions: 6-1/2" H x 7" W

PART #	DESCRIPTION	FILLER NECK	CAPACITY	DEPTH
63650	Expansion Tank	Stamped	1-1/2 quart	3-5⁄8"
63651	Expansion Tank	Billet Aluminum	1-1/2 quart	3-5⁄8"
63655	Expansion Tank	Stamped	1 quart, low-profile	2-5⁄8"
63656	Expansion Tank	Billet Aluminum	1 quart, low-profile	2-5⁄8"




No. 63656

UNIVERSAL COOLANT EXPANSION TANK

- · Designed for several applications where a small volume remote tank is necessary
- Fabricated aluminum with integral mounting bracket
- 1-1/4" quart capacity
- One 1/2" NPT female fitting on bottom of tank and one 3/4" NPT female fitting on side
- Billet filler neck with barbed fitting for overflow hose

PART # DESCRIPTION

63766 Universal Coolant Expansion Tank






No. 63766

UNIVERSAL COOLANT EXPANSION TANK, WITH SIGHT TUBE

- Designed for several applications where a small volume remote tank is necessary
- Sight Tube is constructed out of high quality tubing, allows the user to visually check the fluid level for years to come
- Fabricated aluminum with integral mounting bracket
- 1-1/4 quart capacity
- One $1\!\!\!/_2$ " NPT female fitting on bottom of the tank and one $3\!\!\!/_2$ " NPT female fitting on the side
- Billet radiator filler neck accepts Moroso Racing Radiator Caps and standard size radiator caps, has a barbed fitting for overflow hose


PART # DESCRIPTION

63773 ··· Coolant Expansion Tank, Universal with Sight Tube









UNIVERSAL COOLANT EXPANSION & RECOVERY TANK SYSTEM

Until now to follow the rules of most sanctioning bodies a remote recovery tank would have to be plumbed off the overflow hose. No need with this dual tank system which has a 1-1/4" quart expansion tank with an attached 1 quart recovery tank. An added bonus is that the recovery tank has a built-in siphon tube which draws the overflowed coolant

back into the expansion tank as the coolant cools down. The end result is savings in complexity, weight, clutter, cost, maintenance and forgetting to install a recovery tank off the expansion tank.


- Tank system is fabricated out of aluminum with integral mounting bracket
- Expansion Tank section features:
- 1-¼ quart capacity
- One $\frac{1}{2}$ " NPT female fitting on bottom of the tank and one $\frac{3}{8}$ " NPT female fitting on the side
- Billet radiator filler neck accepts Moroso Racing Radiator Caps and standard size radiator caps
- Recovery Tank section features:
 - 1 quart capacity
 - Internal Siphon Tube which allows the coolant to recirculate from the recovery tank back into the expansion tank 3/8" NPT female fitting, with ball valve on bottom of the tank

PART # DESCRIPTION

63772**0 Coolant Expansion &** Recovery Tank System, Universal

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





UNIVERSAL CATCH/OVERFLOW/RECOVERY TANK

- Fabricated of aluminum for strength with integral mounting brackets and a clear coolant level check
- · Versatile tank can be used for different applications depending how it is plumbed
- Side bung ¼" NPT


TANKS & COVERS

- With straight barbed fitting,
- Bottom bung, ¼" NPT w/ petcock, ¼" NPT plug & 1/4" NPT 90° fitting

PART # DESCRIPTION

637690 Catch/Overflow/Recovery Tank, Universal Fit

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 63772



No. 63769

COOLANT EXPANSION TANK

Fits: Roll Bar Mount, 1/2" NPT

- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- 22.6 oz capacity
- Side mounted 1/2" NPT female fitting for ease of plumbing
- · Features billet aluminum radiator neck that accepts standard size radiator caps
- Billet aluminum neck has screw-in 1/8" NPT hose fitting
- Has a bottom ³/₈" drain with plug
- Dimensions: $3-\frac{1}{8}$ " diameter (without mount), $6-\frac{1}{2}$ " tank height (without billet neck), 7-1/2" overall height

PART # DESCRIPTION

PART # **REPLACEMENT PARTS**

63771o Coolant Expansion Tank, Roll Bar Mount, 1/2" NPT

Ball Valve, 3/8" Male and Female Ports

97200

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 63771

• / WARNING Prop. 65

COOLANT EXPANSION TANK

Fits: Camaro '16-Up, Cadillac ATS '13-Up, CTS '14-Up

- Direct bolt-in replacement to stock 2 piece plastic tank, ACDelco Part No. 22948113
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as-is for a race look
- Features a billet aluminum radiator neck that accepts the factory cap
- Includes sight tube to check coolant level

PART # DESCRIPTION

63813 Coolant Expansion Tank, Camaro, '16-Up

SUPERCHARGER TANK

Fits: Camaro SS with Edelbrock Supercharger, '10-'15

- Direct bolt-in to factory Edelbrock tank
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- · Accepts factory screw on cap

PART # DESCRIPTION

63503 Supercharger Tank, Camaro SS with EDELBROCK Supercharger, '10-'15

SUPERCHARGER TANK, CAMARO COPO '12-UP, CAMARO '10-UP being converted to a COPO SPEC.

- Bolt-in replacement for the plastic tank that comes in earlier Supercharged COPO Camaros, the plastic tank can crack or deform over time
- . Can also be used instead of or as a bolt-in replacement to GM Part No. TK40025
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Features a easy to turn, see through screw on cap that makes checking fluid and ice levels simple
- Mounting hardware included

PART # DESCRIPTION

63531 Supercharger Tank, Camaro Copo '12-Up, Camaro '10-Up

FUSE BOX, BRAKE RESERVOIR & ABS PUMP COVERS

Fits: Camaro V-6, SS, '10-'15

- Fits over factory plastic fuse box lid, brake reservoir or ABS Pump tank and can be installed in just minutes
- · Fabricated out of .100" thick aluminum with TIG welded corners

No. 74258

- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as-is for a race look

PART #DESCRIPTION74246Brake Reservoir Cover.

	Fits: Camaro V-6, SS, '10-'15
74247	Fuse Box Cover. Fits: Camaro V-6, SS '10-'11
74248	ABS Pump Cover, Camaro V-6, SS,
	Hardtop Only, '10-'15
74258	ABS Pump Cover, Camaro V-6, '10-'15







COOLANT EXPANSION TANKS

Fits: Corvette, '97-'13

- Direct, bolt-in replacement for stock, cracked or mis-colored tanks
- Utilizes O.E.M. mounting points
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations, especially in supercharged or turbocharged applications
- Billet aluminum neck accepts stock vented cap, bleeds pressure like the factory intended
- This aluminum tank can be polished, chromed, painted, powder coated or left as-is for a race look
- Does not allow use of factory coolant level sensor if equipped

PART # DESCRIPTION

- 63787 Coolant Expansion Tank, Corvette, '97-'04
- 63808 Coolant Expansion Tank, Corvette, '05-'13

No. 63808

POWER STEERING TANK

Fits: Corvette '97-'13 (Except ZR1)

- Direct, bolt-in replacement for O.E.M. tank, also fits GM Accessory Drive Kits 19155066 & 19155967
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts the stock cap
- This aluminum tank can be polished, chromed, painted, powder coated or left as-is for a race look
- Tank is baffled, includes integral mounting bracket and billet aluminum hose fittings that are better looking and more trouble-free than screw-in fittings

PART # DESCRIPTION

63788 Power Steering Tank, Corvette, '97- '13 (except ZR1)

Note: Shown with O.E.M. cap, not included



No. 63788

BRAKE RESERVOIR & FUSE BOX COVERS

Fits: Corvette, '97-'08 & Cadillac XLR, '04-'08

- Fabricated .100" thick aluminum, fits over existing plastic brake reservoir cover
- Improves under-hood appearance, matching Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as-is for a race look

PART # DESCRIPTION

74240 Brake Reservoir Cover, Corvette, '97-'08 & Cadillac XLR, '04-'08 74241 Fuse Box Cover, Corvette, '97-'04



No. 74241



No. 74240

COOLANT EXPANSION TANKS

Fits: GAS '07-'16, GAS 2500 '99-'07, GAS 3500 '01-'07

- Direct bolt-in replacement to stock 2 piece plastic tank
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look.
- Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

- 63854 Coolant Expansion Tank, GM P/U SUV, GAS '07-'16
- 63856 Coolant Expansion Tank, GM P/U GAS 2500 '99-'07, 3500 '01-'07*

*Has port for Moroso Part No. 63950 low coolant sensor







NKS & COVERS



COOLANT EXPANSION TANKS

For Dodge/Chrysler 300C, Challenger, Charger Hellcat, Magnum

- Direct bolt-In replacement to stock plastic tanks
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- · Plastic coolant tanks fail after repeated high heat situations

• Has a built-in overflow expansion reservoir like the factory tank (except Moroso **No. 63796**)

- · Features a robust billet aluminum filler neck, fittings and power steering tabs
- Increased coolant capacity over stock tanks
- Optional Moroso Racing Radiator Caps, see page 258

PART # DESCRIPTION

- 63796 Coolant Expansion Tank.
- Fits: Dodge/Chrysler 300C, Challenger, Charger, '11-'14
 63497. Coolant Expansion Tank, with two power steering tab locations, for mounting an aftermarket intake shield, can be used with a stock intake.
 Fits: Dodge/Chrysler Challenger, Charger, Magnum with 2.7, 3.5, 5.7

and 6.1L Engines, '05-'10

63499. Coolant Expansion Tank, with one power steering tab location, for use with a stock intake or aftermarket intake that does not use the power steering tab to mount the intake shield.

Fits: Dodge/Chrysler Challenger, Charger, Magnum with 2.7, 3.5, 5.7 and 6.1L Engines, '05-'10

63812 Coolant Expansion Tank. *Fits: Dodge/Chrysler Challenger & Charger, SRT8, Hellcat, '15-'18,*

> • <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



- · Supercharged cars run hot so increased cooling capacity is a must for horsepower
- Direct bolt-in replacement, uses factory mounting bracket
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- · Features billet aluminum neck and comes with Moroso Radiator Cap

PART # DESCRIPTION

63809 Supercharger Tank, Dodge/Chrysler Challenger & Charger Hellcat, '15-'18

POWER STEERING TANK

For Dodge/Chrysler 300C, Challenger, Charger, Magnum

- Manufactured from aluminum for strength
- Direct bolt-in to factory tank
- A much stronger and better looking tank than the plastic factory tank
- · Baffled and complete with integral mounting bracket & fittings
- · Accepts factory screw-on cap
- Finish can be polished, chromed, painted, powder coated or left as-is for a race look
- Fits on Moroso No. 63497 or stock

PART # DESCRIPTION

63498 Power Steering Tank. *Fits:* Dodge Cars with 2.7, 3.5, 5.7 and 6.1L Engines, '05 - '10

















<u>CUSTOM FIT TANKS & COVERS</u>

FUSE BOX COVER

Fits: Dodge Challenger, '08-'14

- Fabricated .100" thick Aluminum, fits over existing plastic fuse box lid
- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look

PART # DESCRIPTION

74226 Fuse Box Cover



RADIATOR & INTERCOOLER CAP COVERS

Billet Aluminum

- · Billet Aluminum cap cover snaps right on to factory radiator and intercooler caps
- Nos. 63802 and 63803 have knurled, easy-grip design
- Moroso Cap Covers complete the look and complement your upgraded tank
- Can be polished, chromed, painted, anodized, powder coated or left as-is for a race look

PART #	DESCRIPTION
63800	Radiator & Intercooler Cap Cover.
	Fits: Ford Radiator and Intercooler Cap Nos. 1W138101AA, F6DZ8100A, RS103, RS527,
	XL3V8101AA, XL3Z8100AA, 9C3Z-8101B
63801	Radiator & Intercooler Cap Cover.
	Fits: Chevrolet Radiator Cap Nos. 10305080, 20838623, 25713160, RC87, RC107
63802	Radiator & Intercooler Cap Cover, Knurled Grip.
	Fits: Ford Radiator and Intercooler Cap Nos. 1W138101AA, F6DZ8100A, RS103, RS527,
	XL3V8101AA, XL3Z8100AA, 9C3Z-8101B
63803	Radiator & Intercooler Cap Cover, Knurled Grip.
	Fits: Chevrolet Radiator Cap Nos. 10305080. 20838623. 25713160. RC87. RC107



No. 63800 - 63801



No. 63802- 63803

SUPERCHARGER CAP KIT, FUEL CAP STYLE

- Contains all of the parts necessary to replace broken or missing fuel cap style caps in Moroso or other tanks with this style of cap and neck
- Can also be used when an individual is producing a custom tank
- Cap is black so the kit can be used to change out red caps
- Kit contains; black fuel cap, neck, gasket, hardware and bonded sealing washers

PART # DESCRIPTION

97092. Supercharger Cap Kit, Fuel Cap Style

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



COOLANT EXPANSION TANK, FORD F-150 '15-'19 & RAPTOR '17-'19

Fits: F-150 (2.7, 3.5, 5.0) '15-'19 & Raptor '17-'19

- Direct bolt-in replacement to stock multi-piece plastic tank
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- · Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION





No. 63852

198

No. 63768

COOLANT EXPANSION TANK

Fits: Ford Mustang, '86-'93

* Requires the use of '90-'93 Mustang Low Coolant Sensor, Ford Replacement Part No. 10D968

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts stock cap with sensor or stock cap without sensor
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look.
- Includes integral billet aluminum hose fittings that are better looking and more trouble free than screw in fittings.

PART # DESCRIPTION

63786 Coolant Expansion Tank. *Fits: Ford Mustang, '86-'93*







No. 63782

No. 63783



No. 63806

No. 63767

COOLANT EXPANSION TANKS

Fits: Ford Mustangs

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, powder coated or left as-is for a race look
- Uses factory stock vented cap, bleeds pressure like the factory intended, except No. 63782
- Integral fittings are more reliable than screw-in style on competitor tanks

PART #	DESCRIPTION	A			
63767	Coolant Expansion Tank.	• <u>VI</u> WARNING Prop. 65 This product contains a chemical known			
	Fits: Ford Mustang, '96-'04	to the state of California to cause cancer,			
63768	Coolant Expansion Tank.	birth defects, or reproductive harm-			
	Fits: Ford Mustang, V6 & GT, '05-'10, GT50	0, '07-'10			
63782 0	2. Coolant Expansion Tank with Built-in Overflow Reservior as required by NHRA & SCCA.				
	Fits: Ford Mustang, '05-'10				
63783	Coolant Expansion Tank.				
	Fits: Ford Mustang, V6 & GT, '11-'14*				
63806	Coolant Expansion Tank.				
	Fits: Mustang, '15-Up				
*For GT 50	10. 2011-'14. use Moroso No. 63768				



Fits: Ford including Mustang

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Manufactured from aluminum for strength
- A much stronger and better looking tank than the plastic factory tank
- Baffled and complete with cap, integral mounting bracket and fittings to ensure a factory replacement part
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Integral fittings are more reliable than screw-in style on competitors tanks

PART # DESCRIPTION

634900	Power Steering Tank.	
	Fits: Mustang, '99-'04, Expedition, '97-'02, F-150, '97-	'03,
	Ranger, '98-'01, Explorer, '95-'01, Crown Victoria,	'98-'04
63491 <i>\</i>	Power Steering Tank.	
	Fits: Mustang, '05-'10	• Z This prod
63501 <i>\</i>	Power Steering Tank.	to the sta
	Fits: Mustang Shelby GT500, '07-'10	birth de



CUSTOM FIT TANKS & COVERS



NO. 0349

SUPERCHARGER TANK, MUSTANG '15-'18, WITH FORD PERFORMANCE & ROUSH® PERFORMANCE SUPERCHARGER KITS

- Direct bolt-in replacement for the tank that comes in the Ford Performance Part No. M-6066-M8627 supercharger kit or Roush[®] Performance Part Nos. 421542, 421823 & 422001 supercharger kits or tanks factory installed on Roush[®] supercharged Mustangs
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Accepts factory screw on cap

PART # DESCRIPTION

63509 Supercharger Tank, Mustang '15-'18



No. 63509

SUPERCHARGER TANK, MUSTANG '05 - UP, WITH PAXTON / PROCHARGER / VORTECH SUPERCHARGER KITS

- Direct bolt-in replacement for the plastic relocation tank that comes in the Paxton, Procharger and Vortech supercharger kits
- Fabricated of aluminum for strength, will not split open like the kit supplied tanks
- Can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower

PART # DESCRIPTION

63530 Supercharger Tank, Mustang '05-Up, with Paxton/Procharger/Vortech Supercharger Kits



No. 63530



MUSTANG GT 500, '07-'12, DUAL TANK, STOCK CAPS

Combines A Coolant & Supercharger Tank Into One Unit

- Two separate tanks integrated together to look like one
- Directly bolts in place of factory installed coolant and supercharger tanks
- Tanks are oversized to aid in cooling, supercharged cars run hot so increased cooling capacity is a must for horsepower
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Includes heavy duty mounting bracket

PART # DESCRIPTION

- 63804 Dual Tank, Mustang GT 500, '07-'12, stock caps
- 63805 Dual Tank, Mustang GT 500, '07-'12, stock cap with fuel cell style cap on Supercharger Tank

COOLANT EXPANSION TANK FORD FOCUS RS, '16-'18, FOCUS ST, '13-'18

- Direct bolt-in replacement to stock 2 piece plastic tank
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look.
- Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

63820 Coolant Expansion Tank, Ford Focus RS '16-'18, Focus ST '13-'18





No. 63804

U.S. Patent No. D643.796

For Nos. 63804 & 63805

BRAKE RESERVOIR, FUSE BOX COVERS, MUSTANG, '15-'17

Fits: Mustang GT/Ecoboost/ V-6, '15-'17

- Fuse Box Cover, Fabricated .100 thick Alum., fits over existing plastic fuse box lid
- Brake Reservoir Cover, Fabricated .100 thick Alum., fits over factory reservoir
- Improves under-hood appearance, Matching Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look

PART# DESCRIPTION

- 74255 Fuse Box Cover, Mustang, '15-'17
- 74256 Brake Reservoir Cover, Mustang, '15-'17



No. 74256

BATTERY, BRAKE RESERVOIR, COIL SHIELD & FUSE BOX COVERS



COOLANT EXPANSION TANKS

Fits: BMW E36, '92-'99, Z3 and BMW E46 M3, '01-'06

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations and age
- No cutting of factory hoses is required and accepts the factory clip-on hose
- Included is a Moroso No. 63324 racing radiator cap that operates in the same pressure range as the factory cap
- The Moroso radiator cap mounts to a billet aluminum neck that will not strip out like plastic threaded necks
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

- **63791** Coolant Expansion Tank, *Fits: BMW E36, '92-'99, Z3*
- 63793. Coolant Expansion Tank, Includes Sight Gauge, *Fits: BMW E46 M3, '01-'06*

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







COOLANT EXPANSION TANK

Fits: Lotus Elise, Exige, '05-'11

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fits Normally Aspirated, OEM and Aftermarket Forced Induction vehicles
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- Features billet aluminum radiator neck, sight glass to check the level of coolant and manual bleed valve
- Includes Part No. 63316 radiator cap

PART # DESCRIPTION

63797↔ Coolant Expansion Tank, Lotus Elise/Exige, '05-'11

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm



No. 63797

COOLANT EXPANSION TANK, NISSAN R35 GT-R, '09-'18

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- · Billet aluminum neck accepts the factory stock vented cap
- Has 50% more capacity than the stock plastic tank

PART # DESCRIPTION

63811 Coolant Expansion Tank, Nissan R35 GT-R, '09-'18



COOLANT EXPANSION TANKS

Fits: Mazda Miata/MX-5 '06-'15 and '16-Up

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- · Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

No. 63778

- 63778 Coolant Expansion Tank, Mazda MX-5 '16-Up
- 63779 Coolant Expansion Tank, Mazda Miata '06-'15









- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts factory O.E.M. cap
- Tank is baffled, includes integral billet aluminum mounting bracket and billet aluminum hose fittings
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

63777 Power Steering Tank, Mazda Miata, '06-'15



COOLANT EXPANSION TANKS

Fits: Mazda Miata, '90-'97 and '99-'05

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, powder coated or left as-is for a race look
- · Comes with billet aluminum cap

PART # DESCRIPTION

63780↔ Coolant Expansion Tank. *Fits: Mazda Miata, '90-'97* **63781**↔ Coolant Expansion Tank. *Fits: Mazda Miata '99-'05*

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-




COOLANT EXPANSION TANK, MAZDA RX-8, '03-'12

- · Direct bolt-in replacement for stock, cracked or discolored tanks
- · Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations by either separating or from the neck deforming
- · Features a billet aluminum radiator neck that accepts O.E.M. Small radiator caps (SAE Type B/43mm)
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

63814 Coolant Expansion Tank, Mazda RX-8 '03-'12





COOLANT TANK, SUBARU IMPREZA, WRX/STI '08-'19

- Direct bolt-in replacement for stock cracked or mis-colored tanks
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- Has a provision for the factory siphon hose
- Includes a billet aluminum cap

PART # DESCRIPTION

63871 Coolant Tank, Subaru Impreza WRX/STI '08-'19





COOLANT EXPANSION TANK

Fits: Subaru Impreza, WRX/STI, '02-'07

- Direct bolt-in replacement for stock, cracked or discolored tanks
- · Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This aluminum tank can be polished, chromed, painted, powder coated or left as-is for a race look
- Has a provision for the factory siphon hose
- Includes a billet aluminum cap with O-ring

DESCRIPTION PART #

63785 · Coolant Tank

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



INTERCOOLER TANK

Fits: Subaru WRX '02-'07, STI '04-'19 (without sound tubes), Forester XT Turbo '04-'08

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Has 50% more capacity than Subaru stock tank
- Finish can be polished, chromed, painted, powder coated or left as-is for a race look
- Includes billet aluminum filler neck, Moroso Racing Radiator Cap in the stock pressure range and integral billet aluminum hose fittings that are better looking and more trouble-free than screw in fittings
- By having this style of radiator neck, the user can change the operating pressure by purchasing Moroso's **No. 63328** Racing Radiator Cap in the 27-29 lbs. range

PART #DESCRIPTION63784Intercooler Tank

PART # 63328

AVAILABLE OPTION Paging Padiator Cap. 27, 20 lbs

Racing Radiator Cap, 27-29 lbs.

INTERCOOLER TANK

Fits: Subaru WRX '08-'14, Forester XT Turbo '09-'13, Legacy GT '05-'09

- · Direct bolt-in replacement to stock tank with increased capacity
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- This Aluminum tank can be polished, chromed, painted, powder coated or left as is for a race look
- Includes Moroso Racing Radiator Cap in the stock pressure range and integral billet aluminum hose fittings that are better looking and more trouble free than screw in fittings
- With this style of radiator neck, you can change the operating pressure using Moroso Part **No. 63328** Racing Radiator Cap in the 27-29 lbs range

63328

• Tank is designed to be used with an Aftermarket "Cone Air Filter" intake, doesn't fit with O.E.M. Panel Air Filter Intake

PART #DESCRIPTION63795Intercooler Tank

the 27-29 lbs range et "Cone Air Filter" intake, PART # AVAILABLE OPTION

Racing Radiator Cap, 27-29 lbs.

FUSE BOX COVER Fits: Subaru WRX/STI/Impreza 2.5 RS, '06-'07

- Fabricated .100" thick Aluminum, fits over existing plastic fuse box lid
- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look


PART # DESCRIPTION

74231 Fuse Box Cover






No. 63784



E TRANSMISSION PANS & ACCESSORIES

TRANSMISSION PANS



TR	ANSMISS	SION	PAN	& GASKET	CHAR	Г
TRANSMISSION TYPE	TRANSMISSION PAN Part #	DEPTH	INCLUDED	FILTER RECOMMENDED	GASKET PART #	REPLACEMENT DRAIN PLUG
GM Powerglide	42000	3.080"	Filter Spacer	Fram FT1017	93100	97006
GM Powerglide	42001	1.830"	N/A	Fram FT1017	93100	97006
GM Turbo 350	42010	3.000"	Filter Spacer	Fram FT1021	93102	97006
GM Turbo 400	42020	3.000"	Filter Extension	Fram FT1020	93103	97006
GM 3L80	42020	3.000"	Filter Extension	Fram FT1074	93103	97006
GM 700R4	42025	2.375"	N/A	Fram FT1074	93104	97006
GM 6L80 Camaro SS '10-'15	42030	3.350"	N/A	AC Delco 24236931	N/A	97006
GM 4L80E	42031	3.500"	Filter Spacer	AC Delco 24208576	N/A	97006
FORD C4 '70-up	42040	3.080"	N/A	Fram FT1028, Fram FT1035	93107	97006
FORD C4 Pre-'70	42040	3.080"	N/A	Fram FT1027A	93107	97006
FORD E40D/4R100	42050	3.642"	N/A	Motorcraft FT113	N/A	97006
FORD C6	42060	2.000"	N/A	Ford D3TZ7A098B, Fram FT1035	93108	97006
CHRYSLER A-904	42090	2.250"	Filter Spacer	Fram FT1039	N/A	97006
CHRYSLER 727	42080	2.330"	Filter Spacer	Fram FT1039	93110	97006

See Moroso Transmission Pan Gaskets on pg.209 and Replacement Drain Plugs on pg. 107

TRANSMISSION PAN GASKETS

PERM-ALIGN TRANSMISSION GASKETS


- Manufactured from 40 durometer rubber that is vulcanized to a rigid steel frame
- The extra-strength design will not leak, split or fail like 0.E.M., stock or inferior quality aftermarket gaskets
- Gaskets require no sealant, which allows for quick removal and installation of transmission pans
- Rubber/Steel gasket outlast cork composites to provide years of dependable service
- Full 3/16" thick
- One per package

PART # DESCRIPTION

93100	Perm-Align Transmission Gasket
93102	Perm-Align Transmission Gasket
93103	Perm-Align Transmission Gasket
93104	Perm-Align Transmission Gasket
93105	Perm-Align Transmission Gasket
93106	Perm-Align Transmission Gasket
93107	Perm-Align Transmission Gasket
93108	Perm-Align Transmission Gasket
93110	Perm-Align Transmission Gasket

- Fits: Moroso Powerglide Pans No. 42000 and 42001
- Fits: GM Turbo 350, Moroso Transmission Pan No. 42010
- Fits: GM Turbo 400, Moroso Transmission Pan No. 42020
- Fits: GM 4L60E, 4L65E, 700R4, Moroso Transmission Pan No. 42025
- Fits: Ford E40D/4R100, Moroso Transmission Pan No. 42050
- Fits: Ford AOD, AODE and 4R70W
- Fits: Ford C4, Moroso Transmission Pan No. 42040
- Fits: Ford C6, Moroso Transmission Pan No. 42060

Fits: Chrysler Torqueflite 727, Moroso Transmission Pan No. 42080



No. 93108

TRANSMISSION DIPSTICKS


- Custom designed for each transmission application listed, to work with the popular shields being used
- Each assembly is constructed out of heavy duty hydraulic tubing, fixture welded for a precision fit and black powder coated
- Threaded knob design stays locked to tube under high transmission pressure and vibration levels
- Heavy duty cable with a "full" and "fill" area to indicate desired fluid level
- Required by NHRA/IHRA for cars running 10.99 or quicker

PART # DESCRIPTION

- 41300 Transmission Dipstick, Locking Style, OE Long Style. *Fits: GM Powerglide*
- 41301 Transmission Dipstick, Locking Style, Short Dragster Style. *Fits: GM Powerglide*
- **41302** Transmission Dipstick, Locking Style, OE Long Style. *Fits: GM Turbo 350*
- 41303 Transmission Dipstick, Locking Style, OE Long Style. Fits: GM Turbo 400
- 41305 Transmission Dipstick, Locking Style, OE Long Style/Case Style. Fits: Ford C4







ROLLER PILOT BEARING

- Unlike other roller pilot bearings, this high speed bearing is designed as a direct replacement in all Chevrolet V8's and 90° V6's (also fits 1976 and later V6 Buick)
- Requires no modification to either crank or input shafts
- Eliminates premature bearing failure and insures clean clutch release by maintaining true alignment of clutch disc to flywheel
- Packed with high temperature grease for proper lubrication under extreme high heat conditions
- Suitable for all high performance applications including drag, oval track/road race and street
- 1.093" 0.D. x .591" I.D. x .72" Depth
- One per package

PART # DESCRIPTION

41100 Roller Pilot Bearing, Chevrolet V8 and 90° V6



No. 41100

AUTOMATIC TRANSMISSION COOLERS

Available With & Without Filters

- Heat sink design dissipates the excessive heat build up in racing transmissions
- . Can be used on the street as an auxiliary cooler in conjunction with a stock cooler
- Withstands up to 100 lbs of pressure
- Made of aluminum, very easy to install with built-in mounting tabs
- . Includes two- 6 AN O-ring fittings and all necessary installation instructions

APPLICATION CHART						
PART #	INCLUDES A FILTER WITH A MAGNET	WEAR PARTICLES ARE Filtered down to	SQUARE INCHES OF RADIATION SURFACE	DIMENSIONS	WEIGHT	
41200	Yes	10 MICRONS	500	3" H x 3" W x 12" L	1.00	
41201	No	N/A	500	3" H x 3" W x 12" L	1.00	
41205	Yes	10 MICRONS	1072	3 -½" H x 6-¼" W x 18" L	4.70	



No. 41200



No. 41201



No. 41205

PART # **REPLACEMENT PARTS**

97290 Filter Cartridge for part No. 41200

97291 Filter Cartridge for part No. 41205

TRANSMISSION TAILSHAFT PLUG

- Another time saver from Moroso
- Eliminates the messy spilling of transmission fluid during transmission removal, replacement and storage
- One per package

PART # DESCRIPTION

41060 Transmission Tailshaft Plug, 1-1/2" O.D., Early Muncie, Borg-Warner, Ford, Chrysler, Chevrolet Powerglide

No. 41060

TORQUE CONVERTER BOLTS

 Special fasteners provide maximum holding strength & eliminate the possibility of shearing

PART # DESCRIPTION

- 38764 Torque Converter Bolts, Grade 8 bolts with nuts for Turbo 350, 400 flex plates without tapped holes, ³/₈" -24 x ⁵/₈". Set of 3.
- 38765 Torque Converter Bolts, Grade 5 bolts for Turbo 350, 400 flex plates w/tapped holes, 3/8" -16 x 5/8", Set of 3





LUBES, SEALERS, FILLERS & EPOXY

A & B EPOXY

- Two-part bonding product molds like putty, yet hardens to steel-like consistency
- Does not shrink and is not affected by solvents, oils or gasoline
- Maximum use temperature of 250°F makes it perfect for repairing intake manifolds, cylinder head intake ports, heads and blocks
- Also useful for filling crevices in lifter galleries and installing filter screens
- Can be drilled and tapped when hard
- Adheres to almost any clean surface and hardens in 60 min. at 75°F
- One year shelf life
- Not recommended to be used with E85

PART # DESCRIPTION

35560. A & B Epoxy, 1 lb.



No. 35560



No. 34800

CLIMBING GEAR LUBE

• High-performance, extreme high-pressure gear lube

WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

- Multi-purpose applications including manual transmissions and both conventional and posi-traction differentials
- Contains special "clinging" agents that provide direct adhesion to all moving parts; whereas conventional lubes rely on "splashing and sloshing" to distribute lubricant
- Increased speed of rotating parts causes continuous film of oil to "climb" and spread over surfaces
- Insures complete lubrication of gears, bearings, bushings, shift yokes, synchros, etc.

PART # DESCRIPTION

34800 ·· Climbing Gear Lube, 1 quart

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

MOLY PASTE ASSEMBLY LUBE

- Heavy-duty assembly lubricant is specially formulated to reduce friction and wear on all metal surfaces
- · Extends the life of parts subjected to extreme heat during racing
- Contains molybdenum disulfide (MoS2), which greatly reduces friction and wear
- Moly formula coats surfaces with film that chemically bonds itself to metals, filling in the microscopic "hills and valleys" present in all metal surfaces
- Surface areas coated with Moly Paste[™] retain an unbroken film of lubricant that reduces metal to metal contact and reduces risk of component failure
- Recommended for use on cams, lifters, bearings, gears, etc. Very effective when storing an engine

PART # DESCRIPTION

35000↔ Moly Paste[™] Assembly Lube, 4 oz. tube





LUBES. SEALERS. FILLERS & EPOXY

ENGINE BLOCK FILLER

- · Just fill with water, mix and pour into block before machining
- Helps prevent thin cylinder walls from cracking and improves ring seal by keeping cylinders round
- Also dampens unwanted vibrations
- Has expansion rate very similar to cast-iron
- Highly regarded by "Mountain Motor" authority Scott Shafiroff
- Easy to follow, detailed instructions

DESCRIPTION PART

355700 Engine Block Filler. One case of four one-gallon containers; enough for one block

Engine Block Filler. One-gallon container 355710 • MARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer-

CERAMIC ENGINE SEAL

- The best Chemical Sealer you can buy to stop cooling system leaks
- · Works equally well in aluminum or cast-iron blocks
- Cooling system must be thoroughly clean before use
- Does not work with antifreeze
- If this doesn't stop the leaks, find yourself a welder!

PART # DESCRIPTION

35500*0 Ceramic Engine Seal. One pint plastic bottle. Do not use with antifreeze

• A WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-



Never remove a radiator cap when engine is hot and under pressure! Open the petcock slowly to relieve pressure, then carefully take off radiator cap.

No. 35500 and 35520 - Avoid contact with eyes or skin. Do not take internally. If splashed on skin, wash thoroughly with cold water. If splashed in eyes, flush thoroughly for 15 minutes with cool water and consult a physician **RACE WRITE** Goes on smoothly and evenly with a

bright white finish

- A single marker for use on both tires and windows
- Use on windows to mark dial-in/class
- Use on tires to check slippage and sidewall deflection
- Use on Wheel-E-Bars[™] to aid in chassis tuning
- Use on the car when it's time to sell
- Easy to apply applicator, safe on glass and Lexan®
- · Wipes clean with a dry rag

PART # DESCRIPTION

35581 Race Write. 3 oz. single bottle with applicator

ALL WEATHER SEAL

- Specially formulated to stop cooling system leaks when antifreeze is present
- · Ideal for stopping radiator leaks and sealing cracked blocks in subfreezing conditions
- Works best when cooling system has been thoroughly cleaned and flushed

PART # DESCRIPTION

35520*~ All Weather Seal. One pint plastic bottle. Can be used with antifreeze

> • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

No. 35520

If taken internally, drink 3 or 4 glasses of milk

or water. DO NOT induce vomiting.

Call a physician

immediately.

ALWAYS KEEP OUT OF CHILDREN'S REACH.

III:IIKI







ENGINE BLOCK FILLER

No. 35571

For best results, open the petcock and drain coolant into container for safe disposal. Remove radiator cap. Use a hose to add water keeping radiator full with petcock open and draining. Start engine ad continue draining until water runs clear. Close petcock and refill with clear water leaving enough room for sealer additive.

NOTE: Ceramic Engine Seal and All Weather Seal cannot remain in cooling system for more than 24 hours!







PLUGS & DOWELS

DECK PLUG KIT

- Upper cylinder wall distortion is greatly reduced when these ³/₄" NPT plugs are installed in the water passage holes in the decks of Small Block and 90° V6 Chevy engines
- Water holes must be tapped before the plugs are screwed in; block must also be decked after installation
- Plugs also restrict water flow to the cylinder heads by reducing size of water passage holes to 5/16"
- · Packaged six to a kit

PART # DESCRIPTION

37800 Plug Kit, Small Block and 90° V6 Chevy



ALUMINUM PIPE PLUGS

- Use on most aftermarket aluminum blocks and heads to replace plugs removed or damaged during machining, cleaning, etc.
- \bullet Available in two sizes, each with %" hex socket drive for ease of installation and removal
- Two per package

PART # DESCRIPTION

- 37810 Aluminum Pipe Plugs, 1/2" NPT thread
- 37812 Aluminum Pipe Plugs, 3/8" NPT thread



No. 37810





CHROME PLATED PIPE PLUGS

- · Chrome plated steel pipe plugs dress up often forgotten areas
- Available for several NPT sizes
- Use to plug vacuum accessory holes in manifolds, fill plug holes in transmissions and rear ends, or any other spot that accepts a pipe plug

PART # DESCRIPTION

39152. Chrome Plated Pipe Plugs, 3/8" NPT, four per pack

- **39153** Chrome Plated Pipe Plugs, ½" NPT, two per pack
- **39154**•• Chrome Plated Pipe Plugs, ³/₄" NPT, two per pack

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-



OFFSET CYLINDER HEAD DOWELS

Offset cylinder head dowels reposition the cylinder heads upwards on the block (toward the lifter valley), moving valves away from cylinder wall for improved intake flow

• One package contains 4 alloy steel dowels

PART # DESCRIPTION

- **37900** Offset Cylinder Head Dowels, Big Block Chevy and Big Block Chrysler .030" offset
- 37920 Offset Cylinder Head Dowels, Small Block Chevy and Small Block Chrysler .015" offset
- 37930 Offset Cylinder Head Dowels, Small Block Chevy and Small Block Chrysler .030" offset







EXTRA LONG BELLHOUSING DOWEL PINS

- · Provides an easy method of properly aligning the transmission input shaft to the crankshaft pilot bearing
- Extra long to simplify the task of installing a bellhousing on the engine block
- Offset Dowel Pins include set screws and instructions for locking pins into place; drilling and tapping of block required
- Getting alignment concentric to within ±.005" insures a clean clutch release, maximum pilot bearing and transmission life and reduced shifting problems
- .625" diameter
- Two per package
- Fits virtually all GM V8 and V6 blocks

PART # DESCRIPTION

- **37932**Bellhousing Dowel Pins, standard, 1.500 long**37934**Bellhousing Dowel Pins, .007 offset, 1.328 long
- **37936** Bellhousing Dowel Pins, .014 offset, 1.328 long
- 37938 Bellhousing Dowel Pins, .021 offset, 1.328 long





No. 37936 No. 37938

No. 38300

CHROME-MOLY HEAD BOLT WASHERS

- Not your ordinary hardware store variety!
- Moroso Head Bolt Washers are designed for the racer; machined from tough 4130 chrome moly steel, heat treated to proper hardness and parallel-ground
- · Stress loads are more evenly distributed and torque readings more accurate
- Can also be used on main bearing caps, rocker arm stands, and other engine components
- Use them over and over again

PART # DESCRIPTION

38300 Chrome-Moly Head Bolt Washers, ⁷/₁₆", Small Block and 90° V6 Chevy, Pack of 34
38310 Chrome-Moly Head Bolt Washers, ¹/₂", Pack of 30

NOTE: These washers are a must when using aluminum heads. Chamfered side of the washer should be toward the head of the bolt.

VALVE COVER NUTS

Fits: BBC with Moroso Part Nos. 68420, 68425, 68426, 68429 and 68432 valve covers

- Set includes Lock Nuts, Studs 1/4"-20 x 3-1/4", and Set Screws
- · Lock Nuts have a clear zinc finish

PART # DESCRIPTION

68562 Valve Cover Lock Nuts for BBC



OIL PUMP STUD KIT, CHEVROLET

- Wet sump oil pump stud (7/16" x 3-3/16") is manufactured from 4130 chrome moly steel
- Provides improved mounting for all Moroso oil pumps or stock pumps on Small Block, Big Block and 90° V6 Chevy engines
- Kit includes a nut and hardened/ground washer

PART # DESCRIPTION

38150 Oil Pump Stud Kit, SBC, BBC and 90° V6 Chevy



E FASTENERS



OIL PUMP PICKUP MOUNTING STUD KITS, FORD

- Studs are stronger and better at maintaining torque than factory bolts
- Provides secure mounting for Moroso oil pump pickups or stock pump pickups
- Kit includes flat washer and hex nut and serrated nut for windage tray

PART # DESCRIPTION

- **38193** Oil Pump Pickup Stud Kit, 7/16" –14, Ford 302
- **38194** Oil Pump Pickup Stud Kit, ½" –20, Ford 351W, 302R



WINDAGE TRAY MOUNTING STUD KIT, FORD

- Required to fasten a Moroso No. 22930 or 22935 Windage Tray to the main caps
- Kits include quantity 4 of; studs, main cap nuts, windage tray nuts and 8 washers
- Engineered to allow adjustment of the distance of the Windage Tray from the rotating assembly

PART # DESCRIPTION

- 38191 Windage Tray Mounting Stud Kit for No. 22930, Ford 289-302
- 38192 Windage Tray Mounting Stud Kit for No. 22935, Ford 351W, Ford 302R





No. 37950



BULLET NOSE CARBURETOR STUD KITS

- · "Bullet Nose" studs are rounded on one end, making it easy to start nuts
- · Kits include 4 studs, hardened flat washers and jam nuts

PART # DESCRIPTION

- 37950 Carburetor Stud Kit, Fits carbs. with $\frac{1}{2}$ " thick flange base, $\frac{5}{6}$ " -18 and 24 x 1- $\frac{3}{6}$ " long
- 37955 Carburetor Stud Kit, for $1\!\!\!/ 2"$ thick carburetor spacers $5\!\!/ _{16}"$ 18 thread and 2" Long
- $\label{eq:37960} \begin{array}{c} \mbox{Carburetor Stud Kit, Fits carbs. with $1\!/2"$ thick flange base with a 1" spacer or with one or two, $1\!/2"$ spacers, $1\!/6"$ -18 and 24 x 2-1\!/2"$ long \\ \end{array}$
- 37961 Carburetor Stud Kit, Fits carbs. with $\frac{1}{2}$ " thick flange base with a 2" spacer or with three or four $\frac{1}{2}$ " thick spacers, $\frac{5}{16}$ " -18 and 24 x 3- $\frac{1}{2}$ " long



IMPORT/SPORT COMPACT OIL PAN STUD KITS

- · Steel studs allow repeated R&R of pan without stripping blocks
- Simplifies pan installation and extends gasket life
- Studs have an Allen Head socket at one end to facilitate installation
- · Lock nuts feature attached washers with serrated faces
- · Studs finished with black oxide and nuts are zinc plated to resist corrosion

PART # DESCRIPTION

- **38356** Oil Pan Stud Kit, 8mm. Fits Toyota 2TC, 3TC, 2TG, 3TG and others; includes 20 studs and nuts, M8 x 1.25 x 35mm.
- 38366 Oil Pan Stud Kit, 6mm. Fits Honda, Acura, Mazda Rotary, Dodge Neon, Toyota MR2 and others; includes 22 studs and nuts, M6 x 1.00 x 35mm.

OIL PAN STUD KITS

- These stud kits make pan installation easy and prolong gasket life
- Lock nuts feature attached washers with serrated faces to provide a positive grip on the pan rail
- Studs are made of heat treated Grade 8 steel with black oxide finish; nuts are zinc-plated
- · Highly recommended for use with our fabricated pans

PART # DESCRIPTION

38350 Oil Pan Stud Kit, Small Block and 90° V6 Chevy and Oldsmobile V8, Set of 18
38360 Oil Pan Stud Kit, Big Block Chevy and Pontiac V8, Set of 22

OIL PAN STUD KITS, GM LS

- For installing a Moroso or other brand billet aluminum or steel fabricated oil pans on a GM LS engine
- Designed to make pan installation easy and prolong gasket life
- Lock nuts feature attached washers with serrated faces to provide a positive grip on the pan rail
- Studs are made from heat-treated Grade 8 steel with a durable finish, nuts are zinc plated
- Part No. 38541 for fabricated steel oil pans, contains: Quantity 13, 8mm x 1.25 x 40mm studs with matching nuts Quantity 2, 6mm x 1 x 40mm studs with matching nuts
- Part **No. 38542** for fabricated aluminum billet rail oil pans, contains: Quantity 13, 8mm x 1.25 x 45mm studs with matching nuts Quantity 2, 6mm x 1 x 50mm studs with matching nuts

PART # DESCRIPTION

38541 Oil Pan Stud Kit, for Steel Fabricated GM LS oil pans

38542 Oil Pan Stud Kit, for Aluminum, Fabricated Billet Rail GM LS oil pans

VALVE COVER HARDWARE KIT FOR MOROSO GM LT BILLET VALVE COVERS

Fits: GM LT with Moroso GM LT Billet Valve Covers

 Kit includes (20) Clear Zinced Socket Head Cap Screws and (20) Washers

PART # DESCRIPTION

68832 Valve Cover Hardware Kit, Moroso GM LT Billet Valve Covers





IIIIII

TTTTTT

No. 38356

1111









217

OIL PAN FASTENER KIT

Fits: Big Block Chevy Race Pans

- For use with Moroso Oil Pan Numbers 20370, 20371, 20385, 21600, 21601, 20372, 20373. 20374. 20375. 20376. 20378. 20380. 20485. 21581. 21591. 21592. 21597. 21602, 21604 and 21605
- Studs and 12 point nuts to fasten all BBC/DRC/Merlin/CN blocks wet sump and dry sump oil pans
- Studs are made of heat treated Grade 8 steel with black oxide finish
- Makes installing the nuts through the access bungs easy with bullet nose studs and makes initial line up easier with studs on all bolt holes

PART # DESCRIPTION

Oil Pan Fastener Kit, BBC Race Pans 38361

BULLET NOSE OIL PAN STUD KITS

- "Bullet Nose" Studs are rounded on one end for easier starting of oil pan mounting nuts
- Kits include heat treated Grade 8 steel studs with a black oxide finish. and special-design nuts

DESCRIPTION PART

38385

- Bullet Nose Oil Pan Stud Kit, specially designed for Moroso Aluminum Oil Pans No. 21234 and includes six studs with 12-point nuts for the pan rail and four longer studs with Allen Head nuts for the investment-cast
- end caps found on Moroso's innovative line of oil pans 38387 Bullet Nose Oil Pan Stud Kit, specially designed for Moroso Aluminum Oil Pans Nos. 21581 and 21592, includes 6 studs and serrated nuts for pan rails, and 2 each, socket head cap screws for the timing cover and rear pan rail area
- 38390 Bullet Nose Oil Pan Stud Kit, for Small and Big Block Ford Engines, special nuts included to fit flat against pan rail on tight corners, use with Moroso Oil Pan Nos. 20502, 20507, 20508, 20510 and 20521, 23 to a kit

NUT	S, OIL PANS		0	0	0
	ar size nuts, No. 97036 is used in Part No. 38361 , Oil Pan Fastener Kit 7037 is used in Part Nos. 38360 & 38390		0	0	0
PART # 97036	DESCRIPTION Nuts, 5/16"-24", 25 Pack , Washer Face Serrated			0	
97037	Nuts, ¼"-28", 20 Pack , Washer Face Serrated	No. 97036	40	0	0

SELF-LOCKING OIL PAN BOLTS

- Self-Locking Oil Pan Bolts manufactured from Grade 8 steel
- Integral serrated washer face provides self-locking effect
- · Hex head flange bolts are zinc plated

PART # DESCRIPTION

- 38550 Self-Locking Oil Pan Bolts, Small Block and 90 V6 Chevy and Oldsmobile V8's, For One-Piece Gaskets, Fourteen 1/4"-20 x 3/4" and Four 5/16"-18 x 3/4" bolts
- Self-Locking Oil Pan Bolts, Small Block and 90 V6 Chevy and 38555 Oldsmobile V8's, For Multi-piece Gaskets, Fourteen 1/4"-20 x 1/2" and Four 5/16"-18 x 3/4" bolts
- 38560 Self-Locking Oil Pan Bolts. Big Block Chevy and Pontiac V8's. For One piece and Multi-piece Gaskets, Twenty 5/16"-18 x 1/2" bolts and Two 1/4"-20 x 3/4" bolts







No. 38385

 \bigcirc

OIL PAN FLANGE HEAD BOLTS

Fits: Small Block Chevy Oil Pans

- For use with Moroso Oil Pan Nos. 20173, 20175, 20183, 20184, 20186, 21325, 21326, 21327, 21811, 21812, 21813, 21814 and 21815
- Fasteners are short enough to fit in kick-out style oil pans
- Economical alternative to stud kits
- 12 point flange head, black, grade 8
- 18 to a set; 4 of 5/16-18 x 3/4", 14 of 1/4-20 x 3/4"

PART # DESCRIPTION

38551 Oil Pan Flange Head Bolts, SBC

INTAKE MANIFOLD BOLT KITS

- 3/8" diameter, 12-point headed intake manifold bolts simplify the job of installing and removing many of today's aftermarket intake manifolds designed with extremely tight fastener clearances
- Kits are manufactured of Grade 8 steel and come complete with close-tolerance washers

PART # DESCRIPTION

- **38400** Intake Manifold Bolt Kit, SBC and 90° Chevy V6, and Small Block Chrysler with single plane manifold, set of 12; 3/4" -16 x 1-1/4"
- **38410** Intake Manifold Bolt Kit, BBC, set of 16; $\frac{3}{4}$ " -16 x 1- $\frac{1}{4}$ "
- 38420 Intake Manifold Bolt Kit, BBC, set of 12; $\frac{3}{8}$ " -16 x 1- $\frac{1}{4}$ " and set of 4 of $\frac{3}{8}$ " -16 x 1- $\frac{3}{4}$ "



No. 38400

TIMING COVER BOLTS

- 1/4" -20 hex head timing cover bolts manufactured of zincplated Grade 8 steel
- Integral serrated washer face insures positive locking against the timing cover
- Ten per package
- PART # DESCRIPTION
- **38590** Timing Cover Bolts, Small Block, Big Block and 90° V6 Chevy





HEADER BOLTS

- Grade 8 header bolts are heat treated with black oxide finish
- Uses 7/16" hex head for quick installation and removal of headers

PART # DESCRIPTION

38710 Header Bolts, $\frac{3}{10}$ -16 x $\frac{3}{10}$ hex head bolts for SBC, BBC and 90° V6 Chevy engines, Small Block Ford and other engines where a $\frac{3}{10}$ -16 bolt is used, pack of 16



No. 38710

TORQUE CONVERTER BOLTS

• Specially designed fasteners provide maximum holding strength and eliminate the possibility of shearing

PART # DESCRIPTION

- **38764** Torque Converter Bolts, Grade 8 bolts with nuts for Turbo 350, 400 flex plates without tapped holes, 3/8" -24 x 5/8". Three per pack
- **38765** Torque Converter Bolts, Grade 5 bolts for Turbo 350, 400 flex plates with tapped holes, ³/₄" -16 x ⁵/₄". Three per pack



No. 38764





ULTIMATE-DUTY BALANCER BOLT KITS

- Extra-strength chrome moly steel bolt with large, built-in washer flange exerts 200,000 psi of clamping force to secure balancer firmly in place under severe conditions
- Unlike other brands, the bolt is machined and thread rolled after heat treating for superior strength, accuracy and longevity
- Extra-tall 12-point head accepts deep 5/8" socket to provide positive grip for removal/installation without stripping
- Large, 2" diameter washer is .275" thick and machined perfectly flat to spread the fastening load over a larger surface area
- · Black oxide finish

PART # DESCRIPTION

- 38772 Ultimate-Duty Balancer Bolt Kit, SBC, 7/16" -20 threads
- **38775** Ultimate-Duty Balancer Bolt Kit, BBC, ½" -20 threads





BALANCER BOLT

- The thicker ³/₄" hex head on this ⁷/₁₆"-20 x 2-¹/₄" balancer bolt provides a larger contact surface for increased positive socket engagement
- Especially important when crankshaft is being rotated by hand with the use of a socket and breaker bar or ratchet handle
- Manufactured of Grade 8 steel

PART # DESCRIPTION

38770 Balancer Bolt, Small Block Chevy



FLYWHEEL/FLEX PLATE BOLTS

- Bolts manufactured using Grade 8 steel and heat treated for maximum strength
- · Black oxide finish provides corrosion resistance

PART # DESCRIPTION

- 38755 Flywheel Bolts, 12-point, manufactured of special high strength steel alloy for use in Chevrolet V8 and 90° V6 engines on flywheels with a counter-sunk crankshaft flange, Black oxide finish, Each package has six ¼6"-20 x 1" bolts
- **38760** Flex Plate Bolts, SBC, BBC and 90° Chevy V6 engines, ⁷/₁₆"-20 x ³/₄", Each package has 6 bolts and washers




- Black, thermoplastic grommets will fit five different size holes for wires and cables passing through the firewall
- They not only insulate, but provide mechanical protection against chafing
- Outside dimensions range from $\frac{1}{2}$ " to 1", the inside from .41" to .89"
- Package of 25; five of each size

PART # DESCRIPTION

39050 Firewall Grommets



No. 38755



No. 39050

LIGHTWEIGHT ALUMINUM HOOD PIN SET

- \bullet Set consists of two %" diameter pins with all necessary mounting hardware
- · Pins are manufactured from high strength aluminum alloy
- We recommend 6 to 8 per hood


PART # DESCRIPTION 39000↔ Hood Pin Set

PART #AVAILABLE OPTION39025Hood Pin Bracket, %" Diameter Pins

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



FASTENERS



• Hood Pin Sets consist of two chrome plated steel hood pins (5" long with 3" of thread), two 1/8" hitch pins, four cadmiumplated mounting nuts, two scuff plates, two 12" vinyl-coated stainless steel lanyards and two rivet eyelets

PART # DESCRIPTION

- 39020 Heavy-Duty Hood Pin Set, ½" dia. pins
- 39021 Standard-Duty Hood Pin Set, 7/16" dia. hood pins
- PART # REPLACEMENT PARTS
- **39022** Hood Pin Clips, ¹/₈" wire dia., chrome plated, two per set
- **39023**↔ Hood Pin Scuff Plates, 2-½" dia., chrome plated, two per set



• 2 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

HOOD PIN BRACKET, 3/8 INCH DIAMETER PINS

- \bullet Makes mounting and aligning a %" Diameter hood pin easier than previous methods
- Made out of 1/8" thick Stainless Steel
- Can be bolted and/or welded into place
- Finish of the bracket can be painted, polished or left as is

PART # DESCRIPTION

39025. Hood Pin Bracket, 3/8" Diameter Pins

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



QUICK FASTENERS & SPRINGS

- **QUICK FASTENERS, 5/16", 7/16"** Fasteners Provide Quick Fastening Of Body Panels, Door, Tilt Front Ends, Fiberglass To Metal, Metal To Metal, Etc.
- Ten Per Package
- Use with Spring Nos. 71400, 71410, 71420, 71425 or 71430

Flush Head, Slotted %" 400° Short Body Steel Silver 71291 Flush Head, Slotted %" 400° Short Body Steel Silver 71286 Flush Head, Slotted %" 450° Short Body Atuminum Atuminum 71296 Flush Head, Slotted %" 500° Medium Body Steel Silver 71297 Flush Head, Slotted %" 500° Long Body Atuminum Atuminum 71286 Flush Head, Slotted %" 500° Long Body Atuminum Atuminum 71296 Flush Head, Slotted %" 400° Short Body Steel Silver 71290 Flush Head, Slotted %" 400° Short Body Atuminum Atuminum 71312 Flush Head, Slotted %" 400° Short Body Atuminum 71311 No. 71311 Flush Head, Slotted %" 400° Short Body Atuminum Atuminum 71311 Flush Head, Slotted %" 500° Long Body Atuminum Atuminum 71311 Flush Head, Slotted %" 500° Long Body Atuminum Atuminum 71340	Style of Head	Size	Body	Material	Finish	Part #	
Flush Head, Stotted%"4.000AuminumAuminum77295Flush Head, Stotted%"4.500Short BodyAluminumAuminum77296Flush Head, Stotted%".500Medium BodySteelSilver77296Flush Head, Stotted%".500Medium BodySteelSilver77296Flush Head, Stotted%".500Medium BodySteelSilver77296Flush Head, Stotted%".500Medium BodySteelSilver77280Flush Head, Stotted%".400Short BodySteelSilver77280Flush Head, Stotted%".400Short BodySteelSilver71300Flush Head, Stotted%".500Medium BodyAluminumAluminum71301Flush Head, Stotted%".500Medium BodyAluminumAluminum71301Flush Head, Stotted%".500Medium BodySteelSilver71310Flush Head, Stotted%".500SteelSilver71310No. 71351Flush Head, Stotted%".500Medium BodySteelSilver71310Flush Head, Stotted%".500Medium BodySteelSilver71320Flush Head, Stotted%".500Medium BodySteelSilver71320Flush Head, Stotted%".600Medium BodySteelSilver71326Flush Head, Stotted%".500	-		•	Steel	Silver	71291	
Fush Read, Slotted%"450° Short BodySteelSilver71238Flush Head, Slotted%".500′ Medium BodySteelSilver71294Flush Head, Slotted%".500′ Medium BodySteelSilver71294Flush Head, Slotted%".500′ Medium BodyAturninumAturninum71296Flush Head, Slotted%".500′ Medium BodyAturninumAturninum71297No. 71291Flush Head, Slotted%".550′ Long BodyAturninumAturninum71298No. 71291Flush Head, Slotted%".600′ Short BodyAturninumAturninum71302No. 71311Flush Head, Slotted%".600′ Short BodyAturninumAturninum71300No. 71311Flush Head, Slotted%".550′ Long BodyAturninumAturninum71310No. 71311Flush Head, Slotted%".550′ Long BodySteelSilver71310No. 71311Flush Head, Slotted%".550′ Long BodyAturninumAturninum71328No. 71351Flush Head, Slotted%".550′ Long BodyAturninumAturninum71329No. 71351Flush Head, Slotted%".550′ Long BodyAturninumAturninum71329No. 71351Flush Head, Slotted%".500′ Medium BodyAturninumAturninum71329No. 71351Oval Head, Slotted%".600′ Short BodyAturninumAturninum71330No. 71351Oval Head, Slotted<							
Fush Head, Slotted9'**4.50° Short BodyAuminumAuminum71296Flush Head, Slotted9'**.500° Medium BodySteelSilver71294Flush Head, Slotted9'**.500° Medium BodySteelSilver71299Flush Head, Slotted9'**.500° Medium BodySteelSilver71299Flush Head, Slotted9'**.500° Medium BodySteelSilver71280Flush Head, Slotted1'**.400° Short BodySteelSilver71280Flush Head, Slotted1'**.400° Short BodyAluminumAluminum71312Flush Head, Slotted1'**.400° Short BodyAluminumAluminum71312Flush Head, Slotted1'**.500° Medium BodyAluminumAluminum71311Flush Head, Slotted1'**.500° Medium BodyAluminumAluminum71312Flush Head, Slotted1'**.500° Medium BodyAluminumAluminum71311Flush Head, Slotted1'**.500° Medium BodyAluminumAluminum71325No. 71351Oval Head, Slotted1'**.400° Short BodyAluminumAluminum71326No. 71351Oval Head, Slotted1'**.500° Medium BodyAluminumAluminum71330No. 71354Oval Head, Slotted1'**.500° Medium BodyAluminumAluminum71331No. 71354Oval Head, Slotted1'**.500° Medium BodyAluminumAluminum71335No. 71356<							O AM
Flush Head, Stotted %* 5.00° Medium Body Auminum Y1297 No. 71291 Flush Head, Stotted %* 5.00° Medium Body Auminum Y1297 No. 71291 Flush Head, Stotted %* 5.50° Long Body Steel Silver 71290 Flush Head, Stotted %* 4.00° Short Body Steel Silver 71280 Flush Head, Stotted %* 4.00° Short Body Aluminum Auminum 71300 Flush Head, Stotted %* 4.00° Short Body Steel Silver 71310 Flush Head, Stotted %* 5.00° Medium Body Steel Silver 71310 Flush Head, Stotted %* 5.00° Ino Body Steel Silver 71311 Flush Head, Stotted %* 5.00° Ino Body Aluminum Aluminum 71329 Flush Head, Stotted %* 5.00° Ino Body Aluminum Aluminum 71320 Oval Head, Stotted %* 4.00° Short Body Aluminum Aluminum 71325 Oval Head, Stotted<			•				
Flush Head, Stotted %** 5.00° Modum Body Auminum Auminum 71237 No. 71291 Flush Head, Stotted %** 5.50° Long Body Steel Silver 71239 Flush Head, Stotted %** 4.00° Short Body Steel Silver 71290 Flush Head, Stotted %** 4.00° Short Body Steel Silver 71290 Flush Head, Stotted %** 4.00° Short Body Steel Silver 71300 No. 711311 Flush Head, Stotted %** 500° Medium Body Steel Silver 71310 No. 71311 Flush Head, Stotted %** 500° Medium Body Atuminum Auminum 71310 No. 71311 Flush Head, Stotted %** 500° Inde Body Steel Silver 71341* Oval Head, Stotted %** 400° Short Body Atuminum Atuminum 71320 No. 71351 Oval Head, Stotted %** 400° Short Body Atuminum Atuminum 71330 No. 71354 Oval Head, Stotted %** 5					Silver		
Flush Head, Skotted%** 4.**5.50° Long BodySteelSilver 7.12907.1290Flush Head, Skotted%** 4.40° Short BodyAtuminumAtuminum7.1300Flush Head, Skotted%** 4.60° Short BodySteelSilver 4.80° Short BodySteelSilver 7.1300Flush Head, Skotted%** 4.60° Short BodySteelSilver 7.13007.1300Flush Head, Skotted%** 4.60° Short BodySteelSilver 7.13007.1311Flush Head, Skotted%** 4.60° Short BodySteelSilver 7.13007.1311Flush Head, Skotted%** 4.60° Short BodySteelSilver 7.13017.1311Oval Head, Skotted%** 4.00° Short BodySteelSilver 7.134077.1300Oval Head, Skotted%** 4.00° Short BodyAtuminum AtuminumAtuminum 7.1329No. 7.1351Oval Head, Skotted%** 4.60° Short BodyAtuminum AtuminumAtuminum 7.1329No. 7.1351Oval Head, Skotted%** 4.50° Short BodyAtuminum AtuminumAtuminum 7.1329No. 7.1351Oval Head, Skotted%** 4.50° Short BodyAtuminum AtuminumAtuminum 7.1329No. 7.1354Oval Head, Skotted%** 4.50° Short BodyAtuminum Atuminum7.1331No. 7.1354Oval Head, Skotted%** 4.50° Short BodyAtuminum Atuminum7.1333No. 7.1354Oval Head, Skotted%** 4.60° Short BodyAtuminum AtuminumT.1335No. 7.1355Oval H	,		,				No. 71291
Hush Head, Stotted%* 4.40° Short BodyAuminum SteelAuminum Silver71280 71280Flush Head, Stotted%* 4.40° Short BodySteelSilver71280 71302Flush Head, Stotted%* 4.40° Short BodySteelSilver71280 71302Flush Head, Stotted%* 4.50° Short BodySteelSilver71302 71301Flush Head, Stotted%* 4.50° Short BodySteelSilver71301 71311Flush Head, Stotted%* 4.50° Short BodySteelSilver71310 71311Flush Head, Stotted%* 4.50° Short BodySteelSilver71310 71311Flush Head, Stotted%* 4.00° Short BodySteelSilver71310 71311Oval Head, Stotted%* 4.60° Short BodyAuminum AuminumAuminum 7133071329 71329Oval Head, Stotted%* 4.60° Short BodyAuminum Auminum71330 71330No. 71351 71330Oval Head, Stotted%* 4.60° Short BodyAuminum Auminum71330 71330No. 71354Oval Head, Stotted%* 4.60° Short BodyAuminum Auminum71330 71330No. 71354Oval Head, Stotted%* 4.60° Short BodyAuminum Auminum71330 71330No. 71354Oval Head, Stotted%* 4.50° Short BodyAuminum Auminum71330 71330No. 71354Oval Head, Stotted%* 4.60° Short BodyAuminum Auminum71330 71330No. 71354Oval Head, Stotted%* 4.60° Short B	•		-				
Fluch Head, Slotted%"A00° Short BodySteelSilver71280Flush Head, Slotted%".400° Short BodyAluminumAluminum71302Flush Head, Slotted%".450° Short BodyAluminumAluminum71312No. 71311Flush Head, Slotted%".500° Medlum BodyAluminumAluminum71301No. 71311Flush Head, Slotted%".500° Medlum BodySteelSilver71310No. 71311Flush Head, Slotted%".500° Short BodyAluminumAluminum71301No. 71351Oval Head, Slotted%".500° Short BodyAluminumAluminum71302No. 71351Oval Head, Slotted%".400° Short BodyAluminumAluminum71330No. 71351Oval Head, Slotted%".400° Short BodyAluminumAluminum71330No. 71351Oval Head, Slotted%".400° Short BodyAluminumAluminum71330No. 71351Oval Head, Slotted%".500° Medlum BodySteelBlack71333No. 71354Oval Head, Slotted%".500° Medlum BodyAluminumAluminum71331No. 71354Oval Head, Slotted%".500° Medlum BodyAluminumAluminum71333No. 71355Oval Head, Slotted%".500° Medlum BodyAluminumAluminum71331No. 71355Oval Head, Slotted%".500° Medlum BodyAluminumAluminum71336No. 71355							
Flush Head, Slotted%"A00° Short BodyAuminumAuminum71302Flush Head, Slotted%".450° Short BodySteelSilver71290Flush Head, Slotted%".500° Medium BodySteelSilver71301Flush Head, Slotted%".500° Medium BodySteelSilver71301Flush Head, Slotted%".500° Medium BodySteelSilver71301Flush Head, Slotted%".500° Long BodyAuminumAluminum71311Oval Head, Slotted%".300° Short BodyAuminumAluminum71311Oval Head, Slotted%".400° Short BodySteelSilver71325Oval Head, Slotted%".400° Short BodyAluminumAluminum71322Oval Head, Slotted%".400° Short BodyAluminumAluminum71327Oval Head, Slotted%".500° Medium BodySteelSilver71326Oval Head, Slotted%".500° Medium BodyAluminumAluminum71331Oval Head, Slotted%".500° Medium BodyAluminumAluminum71332Oval Head, Slotted%".500° Medium BodyAluminumAluminum71332Oval Head, Slotted%".500° Medium BodyAluminumAluminum71333Oval Head, Slotted%".500° Medium BodyAluminumAluminum71333Oval Head, Slotted%".500° Medium BodyAluminumAluminum71353Oval Head,	•						
Flush Head, Slotted%.".450° Short BodySteelSilver7120Flush Head, Slotted%.".500° Medium BodyAluminumAluminum71311No. 71311Flush Head, Slotted%.".500° Medium BodyAluminumAluminum71301No. 71311Flush Head, Slotted%.".550° Long BodyAluminumAluminum71301No. 71311Flush Head, Slotted%.".550° Long BodyAluminumAluminum71301No. 71351Oval Head, Slotted%.".400° Short BodyAluminumAluminum71329No. 71351Oval Head, Slotted%.".400° Short BodyAluminumAluminum71329No. 71351Oval Head, Slotted%.".450° Short BodyAluminumAluminum71327No. 71354Oval Head, Slotted%.".500° Medium BodySteelSilver71323No. 71354Oval Head, Slotted%.".500° Medium BodySteelBlack71333No. 71354Oval Head, Slotted%.".500° Medium BodyAluminumAluminum71333No. 71355Oval Head, Slotted%.".500° Medium BodySteelSilver71363			•				1
Fluch Head, Slotted%"450° Short BodyAuminumAluminum71312 SliverNo. 71311Flush Head, Slotted%".500° Medium BodySteelSliver71300 SliverNo. 71311Flush Head, Slotted%".500° Medium BodySteelSliver71310 SliverNo. 71311Oval Head, Slotted%".300° Short BodySteelSliver71310 SliverNo. 71311Oval Head, Slotted%".300° Short BodyMurninumAluminum71311 SliverNo. 71351Oval Head, Slotted%".400° Short BodyAluminumAluminum71322 SliverNo. 71351Oval Head, Slotted%".450° Short BodyAluminumAluminum71322 SliverNo. 71351Oval Head, Slotted%".450° Short BodyAluminumAluminum71331 SliverNo. 71354Oval Head, Slotted%".500° Medium BodySteelSliver71332 SliverNo. 71354Oval Head, Slotted%".500° Medium BodyAluminumAluminum71331 SliverNo. 71354Oval Head, Slotted%".500° Medium BodyAluminumAluminum71332 SliverNo. 71354Oval Head, Slotted%".500° Medium BodyAluminumAluminum71332 SliverNo. 71354Oval Head, Slotted%".500° Medium BodySteelSliver71333 SliverNo. 71355Oval Head, Slotted%".500° Medium BodySteelSliver71353 Sliver<			•				> 000
Flush Head, Slotted74."5.00" Medium BodyStellSilver71300No. 71311Flush Head, Slotted74."5.00" Medium BodyAtuminumAtuminum71301TisonFlush Head, Slotted74."5.50" Long BodySteelSilver71310TisonOval Head, Slotted74."5.50" Long BodyAtuminumAtuminum71301TisonOval Head, Slotted74."4.00" Short Body, UndercutSteelSilver71340TisonOval Head, Slotted74."4.00" Short Body, UndercutSteelSilver71325No. 71351Oval Head, Slotted74."4.60" Short BodyAtuminumAtuminum71330Oval Head, Slotted71346Oval Head, Slotted74."4.50" Short BodyAtuminumBlack71346Oval Head, Slotted74."5.00" Medium BodySteelBlack71336Oval Head, Slotted74."5.50" Medium BodyAtuminumAtuminum71332No. 71354Oval Head, Slotted74."4.50" Short BodyAtuminumAtuminum71332Oval Head, Slotted74."4.50" Short BodyAtuminumAtuminum71332Oval Head, Slotted74."4.50" Short BodyAtuminumAtuminum71336Oval Head, Slotted74."4.50" Short BodyAtuminumAtuminum71383Oval Head, Slotted74."4.50" Short BodyAtuminumAtuminum71383Oval Head, Slotted74."4.50" Short Body<			•				and a
Flush Head, Slotted%."5.00" Medium BodyAluminumAluminum71301 71301Flush Head, Slotted%."5.50" Long BodySteelSilver71310 71311Oval Head, Slotted%."3.00" Short Body, UndercutSteelSilver71340* 71341*Oval Head, Slotted%."4.00" Short Body, UndercutSteelSilver71340* 71325Oval Head, Slotted%."4.00" Short Body, UndercutSteelSilver71325 71325No. 71351Oval Head, Slotted%."4.50" Short BodyAluminumAluminumAluminumTi329 71330Oval Head, Slotted%."4.50" Short BodyAluminumBlack71327 71345No. 71351Oval Head, Slotted%."4.50" Medium BodySteelSilver71345 71345No. 71354Oval Head, Slotted%."500" Medium BodyAluminumAluminum71333 71333No. 71354Oval Head, Slotted%."500" Medium BodyAluminumAluminum71333 71333No. 71354Oval Head, Slotted%."4.00" Short BodyAluminumAluminum71383 71383No. 71355Oval Head, Slotted%."4.00" Short BodyAluminumAluminum71380 71385No. 71355Oval Head, Slotted%."4.60" Short BodyAluminumAluminum71380 71386No. 71355Oval Head, Slotted%."4.60" Short BodyAluminumBlack71386 71386No. 71355Oval Head, S			•				No. 71311
Flush Head, SlottedY.**5.50° Long BodySteelSilver71310Flush Head, SlottedY.**S.50° Long BodyAtuminumAtuminum71311Oval Head, SlottedY.**3.00° Short Body, UndercutSteelSilver71340°Oval Head, SlottedY**4.00° Short Body, UndercutSteelSilver71326Oval Head, SlottedY**4.00° Short BodyAtuminumAtuminum71327Oval Head, SlottedY**4.50° Short BodyAtuminumBlack71327Oval Head, SlottedY**4.50° Short BodyAtuminumBlack71330Oval Head, SlottedY**5.00° Medium BodySteelBlack71346Oval Head, SlottedY**5.00° Medium BodyAtuminumAtuminum71333Oval Head, SlottedY**5.00° Medium BodyAtuminumAtuminum71333Oval Head, SlottedY**5.00° Medium BodyAtuminumAtuminum71332Oval Head, SlottedY**5.00° Medium BodyAtuminumAtuminum71333Oval Head, SlottedY**5.00° Medium BodySteelSilver71389Oval Head, SlottedY**4.60° Short BodyAtuminumAtuminum71383Oval Head, SlottedY**4.60° Short BodyAtuminumAtuminum71383Oval Head, SlottedY**4.60° Short BodyAtuminum71383No. 71355Oval Head, SlottedY**4.60° Short BodyAtuminum71383			•				
Flush Head, Slotted %.4" .550° Long Body Aluminum Aluminum 71311 Oval Head, Slotted %.4" .300° Short Body, Undercut Steel Silver 71340° Oval Head, Slotted %.4" .400° Short Body, Undercut Steel Silver 71320° No. 71351 Oval Head, Slotted %.4" .450° Short Body Aluminum Aluminum 71320° No. 71351 Oval Head, Slotted %.4" .450° Short Body Aluminum Black 71325 No. 71351 Oval Head, Slotted %.4" .450° Short Body Aluminum Black 71345 Mo. 71351 Oval Head, Slotted %.4" .500° Medium Body Steel Black 71345 No. 71354 Oval Head, Slotted %.4" .500° Medium Body Aluminum Aluminum 71331 No. 71354 Oval Head, Slotted %.4" .500° Medium Body Aluminum Aluminum 71335 No. 71354 Oval Head, Slotted %.4" .400° Short Body Aluminum Aluminum 71353 No. 71355 Oval Head, Slotted %.4" .450° Short Body<	,		•				
Oval Head, Slotted%.".300" Short Body, UndercutSteelSilver71341* 71329Oval Head, Slotted%.".400" Short BodyAluminumAluminum71329Oval Head, Slotted%.".450" Short BodyAluminumAluminum71329Oval Head, Slotted%.".450" Short BodyAluminumAluminum71329Oval Head, Slotted%.".450" Short BodyAluminumAluminumAluminumOval Head, Slotted%.".450" Short BodyAluminumAluminumOval Head, Slotted%.".500" Medium BodySteelSilver71345Oval Head, Slotted%.".500" Medium BodySteelBlack71333No. 71354Oval Head, Slotted%.".500" Medium BodyAluminumAluminum71339WediumOval Head, Slotted%.".500" Medium BodyAluminumAluminum71339No. 71354Oval Head, Slotted%.".500" Medium BodyAluminumAluminum71339No. 71354Oval Head, Slotted%.".400" Short BodyAluminumAluminum71353No. 71355Oval Head, Slotted%.".400" Short BodyAluminumAluminum71353No. 71355Oval Head, Slotted%.".400" Short BodyAluminumAluminum71363No. 71355Oval Head, Slotted%.".500" Medium BodySteelBlack71389No. 71355Oval Head, Slotted%.".500" Medium BodySteelS			• •				
Oval Head, Slotted%-".400° Short Body, UndercutSteelSilver71340°Oval Head, Slotted%-".400° Short BodyAluminumAluminumAluminum71329No. 71351Oval Head, Slotted%-".450° Short BodyAluminumAluminum71330No. 71351Oval Head, Slotted%-".450° Short BodyAluminumBlack71325No. 71351Oval Head, Slotted%-".450° Short BodyAluminumBlack71331No. 71354Oval Head, Slotted%-".500° Medium BodySteelBlack71333No. 71354Oval Head, Slotted%-".500° Medium BodyAluminumAluminum71332No. 71354Oval Head, Slotted%-".500° Medium BodyAluminumAluminum71332No. 71354Oval Head, Slotted%-".500° Medium BodyAluminumAluminum71332No. 71354Oval Head, Slotted%-".400° Short BodyAluminumAluminum71332No. 71354Oval Head, Slotted%-".450° Short BodySteelSilver71356No. 71355Oval Head, Slotted%-".450° Short BodyAluminumAluminum71353No. 71355Oval Head, Slotted%-".500° Medium BodySteelBlack71356No. 71355Oval Head, Slotted%-".500° Medium BodySteelSilver71356No. 71356Oval Head, Slotted%-".500° Medium BodySteelSilver71356 </td <td></td> <td></td> <td>• •</td> <td></td> <td></td> <td></td> <td>The second</td>			• •				The second
Oval Head, Slotted%**400° Short BodyAluminumAluminum71329No. 71351Oval Head, Slotted%**.450° Short BodySteelSilver71325No. 71351Oval Head, Slotted%**.450° Short BodyAluminumAluminum71320Oval Head, Slotted%**.450° Short BodyAluminumBlack71327Oval Head, Slotted%**.500° Medium BodySteelBlack71346Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.400° Short BodySteelSilver71349Oval Head, Slotted%**.400° Short BodySteelSilver71353Oval Head, Slotted%**.450° Short BodySteelBlack71353Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71351Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71351Oval Head, Slotted%**.500° Medium BodyAluminum71351No. 71355Oval Head, Slotted%**.500° Medium BodyAluminum71351No. 71356Oval Head, Slotted%**.500° Medium BodyAluminum							and and
Oval Head, Slotted%**4.50° Short BodySteelSilver71325No. 71351Oval Head, Slotted%**4.50° Short BodyAluminumAluminumAluminum71330Oval Head, Slotted%**4.50° Short BodyAluminumBlack71327Oval Head, Slotted%**5.00° Medium BodySteelSilver71345Oval Head, Slotted%**5.00° Medium BodySteelBlack71333No. 71354Oval Head, Slotted%**5.00° Medium BodyAluminumAluminum71333No. 71354Oval Head, Slotted%**5.00° Medium BodyAluminumAluminum71332No. 71354Oval Head, Slotted%**5.00° Medium BodyAluminumAluminum71333No. 71354Oval Head, Slotted%**.500° Medium BodySteelSilver71383No. 71354Oval Head, Slotted%**.400° Short BodySteelSilver71383No. 71355Oval Head, Slotted%**.450° Short BodySteelBlack71383No. 71355Oval Head, Slotted%**.500° Medium BodySteelBlack71384No. 71356Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71383No. 71356Oval Head, Slotted%**.500° Medium BodySteelSilver71380No. 71356Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71381No. 71356Oval Head, Slotted	,						
Oval Head, Slotted 74" 450" Short Body Aluminum Aluminum 71330 Oval Head, Slotted 54" 450" Short Body Aluminum Black 71327 Oval Head, Slotted 54" 450" Short Body Aluminum Black 71345 Oval Head, Slotted 56" 500" Medium Body Steel Silver 71333 No. 71354 Oval Head, Slotted 56" 500" Medium Body Aluminum Aluminum 71333 No. 71354 Oval Head, Slotted 56" 500" Medium Body Aluminum Aluminum 71333 No. 71354 Oval Head, Slotted 56" 1.00" Short Body Steel Silver 71349 No. 71354 Oval Head, Slotted 56" 40" Short Body Steel Silver 71359 No. 71355 Oval Head, Slotted 56" Aluminum Aluminum 71365 No. 71355 Oval Head, Slotted 56" Short Body Aluminum Aluminum 71365 No. 71355 Oval Head, Slotted 56" Short Body Aluminum Aluminum T1366 No. 71355	,		,				No. 71351
Oval Head, Slotted%+".450" Short BodyAluminumBlack71327 Silver71345 71345 TialsOval Head, Slotted%+".500" Medium BodySteelSilver71346 Black71331 71331No. 71354Oval Head, Slotted%+".500" Medium BodyAluminumAluminum71331 71331No. 71354Oval Head, Slotted%+".500" Medium BodyAluminumAluminum71332 71332No. 71354Oval Head, Slotted%+".500" Short BodyAluminumAluminum71332 71339No. 71354Oval Head, Slotted%+".400" Short BodySteelSilver71359 71359No. 71355Oval Head, Slotted%+".400" Short BodySteelSilver71359 71359No. 71355Oval Head, Slotted%+".450" Short BodyAluminumAluminum71363 71355No. 71355Oval Head, Slotted%+".500" Medium BodySteelSilver71350 71356No. 71355Oval Head, Slotted%+".500" Medium BodySteelSilver71350 71356No. 71355Oval Head, Slotted%+".500" Medium BodyAluminumAluminum71351 71356No. 71356Oval Head, Slotted%+".500" Medium BodyAluminumAluminum71351 71356No. 71356Oval Head, Slotted%+".500" Medium BodyAluminumAluminum71351 71360No. 71356Oval Head, Slotted%+".500" Medium BodyAluminu			•				
Oval Head, Slotted%**.500° Medium BodySteelSilver71345Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71331Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71332Oval Head, Slotted%**.500° Short BodySteelSilver71349Oval Head, Slotted%**.450° Short BodyAluminum71353No. 71354Oval Head, Slotted%**.450° Short BodyAluminum71363No. 71355Oval Head, Slotted%**.450° Short BodyAluminumAluminum71363Oval Head, Slotted%**.500° Medium BodySteelBlack71386Oval Head, Slotted%**.500° Medium BodySteelSilver71350Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71351Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71361Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71361Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71361Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71361Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71			•				
Oval Head, Slotted%**.500° Medium BodySteelBlack71346Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71331Oval Head, Slotted%**.500° Medium BodyAluminumBlack71333Oval Head, Slotted%**.500° Medium BodyAluminumBlack71333Oval Head, Slotted%**.500° Short BodyAluminumAluminum71332Oval Head, Slotted%**.400° Short BodySteelSilver71349Oval Head, Slotted%**.450° Short BodySteelBlack71358Oval Head, Slotted%**.450° Short BodySteelBlack71358Oval Head, Slotted%**.450° Short BodyAluminumAluminumOval Head, Slotted%**.500° Medium BodySteelBlack71358Oval Head, Slotted%**.500° Medium BodySteelBlack71354Oval Head, Slotted%**.500° Medium BodySteelSliver71360Oval Head, Slotted%**.500° Medium BodyAluminumAluminum71351Oval Head, Slotted%**.550° Long BodyAluminumAluminum71356Oval Head, Slotted%**.550° Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted%**.550° Long BodyAluminumAluminum71361No. 71362Oval Head, %**Hex Drive%**.550° Long BodySteelSilver71276 </td <td></td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td>			•				
Oval Head, Slotted%".500" Medium BodyAluminumAluminum71331 AluminumNo. 71354Oval Head, Slotted%".500" Medium BodyAluminumBlack71333 AluminumNo. 71354Oval Head, Slotted%".400" Short BodySteelSilver71359 AluminumMuminumOval Head, Slotted%".400" Short BodySteelSilver71359 AluminumMuminumOval Head, Slotted%".400" Short BodySteelSilver71359 AluminumMuminumOval Head, Slotted%".450" Short BodySteelBlack71356 AluminumNo. 71355Oval Head, Slotted%".450" Short BodyAluminumBlack71363 AluminumNo. 71355Oval Head, Slotted%".500" Medium BodySteelBlack71350 AluminumNo. 71355Oval Head, Slotted%".500" Medium BodySteelBlack71350 AluminumNo. 71356Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361 AluminumNo. 71356Oval Head, Slotted%".500" Long BodyAluminumAluminumT1361 <br< td=""><td></td><td></td><td>•</td><td></td><td></td><td></td><td></td></br<>			•				
Oval Head, Slotted%".500" Medium BodyAluminumBlack71333No. 71354Oval Head, Slotted%".550" Long BodyAluminumAluminum71332Oval Head, Slotted%".400" Short BodySteelSilver71349Oval Head, Slotted%".400" Short BodySteelSilver71359Oval Head, Slotted%".450" Short BodySteelBlack71358Oval Head, Slotted%".450" Short BodyAluminumAluminum71363Oval Head, Slotted%".450" Short BodyAluminum71363No. 71355Oval Head, Slotted%".500" Medium BodySteelBlack71354Oval Head, Slotted%".500" Medium BodySteelBlack71354Oval Head, Slotted%".500" Medium BodySteelBlack71354Oval Head, Slotted%".500" Medium BodySteelBlack71356Oval Head, Slotted%".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361No. 71356Oval Head, Slotted%".500" Long BodyAluminumBlack71360No. 71356Oval Head, Slotted%".500" Long BodyAluminumBlack71361No. 71366Oval Head, Slotted%".500" Long BodyAluminumBlack71362No. 71366Oval Head, %" Hex Drive%".500" Medium Bod			•				
Oval Head, Slotted%".550" Long BodyAluminumAluminum71332Oval Head, Slotted%".400" Short BodySteelSilver71349Oval Head, Slotted%".400" Short BodyAluminumAluminum71353Oval Head, Slotted%".450" Short BodySteelSilver71359Oval Head, Slotted%".450" Short BodySteelBlack71356Oval Head, Slotted%".450" Short BodyAluminumAluminum71363Oval Head, Slotted%".450" Short BodyAluminumAluminum71365Oval Head, Slotted%".450" Short BodyAluminumAluminum71365Oval Head, Slotted%".500" Medium BodySteelBlack71350Oval Head, Slotted%".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361Oval Head, Slotted%".500" Medium BodyAluminumAluminum71360Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361Oval Head, Slotted%".550" Long BodyAluminumAluminum71361Oval Head, Slotted%".550" Long BodyAluminumBlack71354Oval Head, Slotted%".550" Long BodySteelSilver71276Oval Head, Slotted%".550" Long BodySteelSilver71272Oval Head, %" Hex Drive </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>No. 71954</td>							No. 71954
Oval Head, Slotted%".400" Short BodySteelSilver71349Oval Head, Slotted%".400" Short BodyAluminumAluminum71353Oval Head, Slotted%".450" Short BodySteelSilver71359Oval Head, Slotted%".450" Short BodySteelBlack71353Oval Head, Slotted%".450" Short BodyAluminumAluminum71353Oval Head, Slotted%".450" Short BodyAluminumAluminum71363Oval Head, Slotted%".500" Medium BodySteelSilver71350Oval Head, Slotted%".500" Medium BodySteelSilver71351Oval Head, Slotted%".500" Medium BodySteelSilver71360Oval Head, Slotted%".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%".550" Long BodyAluminumAluminum71351Oval Head, Slotted%".550" Long BodyAluminumAluminum71352Oval Head, Slotted%".550" Long BodyAluminumAluminum71352Oval Head, Slotted%".550" Long BodyAluminumAluminum71352Oval Head, %" Hex Drive%".500" Medium BodySteelSilver71274Oval Head, %" Hex Drive%".500" Medium BodySteelSilver71362Oval Head, %" Hex							NO. 71354
Oval Head, Slotted%"400" Short BodyAluminumAluminum71353 Silver71353 71359 Silver71353 71359 Silver%"Oval Head, Slotted%".450" Short BodySteelSilver71359 Silver%"Oval Head, Slotted%".450" Short BodyAluminumAluminum71363 Aluminum%"Oval Head, Slotted%".450" Short BodyAluminumAluminum71363 MediumNo. 71355Oval Head, Slotted%".500" Medium BodySteelSilver71350 SilverNo. 71355Oval Head, Slotted%".500" Medium BodySteelSilver71360 SilverNo. 71355Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361 MolexNo. 71355Oval Head, Slotted%".500" Medium BodyAluminumAluminum71361 MolexNo. 71356Oval Head, Slotted%".500" Medium BodyAluminumBlack71360 Molium BodyNo. 71356Oval Head, Slotted%".500" Long BodyAluminumAluminum71361 MolexNo. 71356Oval Head, Slotted%".500" Medium BodySteelSilver71362 MolexNo. 71356Oval Head, %" Hex Drive%".500" Medium BodySteelSilver71362 MolexNo. 71362Oval Head, %" Hex Drive%".500" Medium BodySteelSilver71362 MolexNo. 71362Oval Head, %" Hex Drive%".500" Medium Body			• •				
Oval Head, Slotted%e".450" Short BodySteelSilver71359Oval Head, Slotted%e".450" Short BodySteelBlack71358Oval Head, Slotted%e".450" Short BodyAluminumAluminum71363Oval Head, Slotted%e".450" Short BodyAluminumBlack71365Oval Head, Slotted%e".450" Short BodyAluminumBlack71365Oval Head, Slotted%e".500" Medium BodySteelSilver71350Oval Head, Slotted%e".500" Medium BodySteelBlack71351Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%e".500" Medium BodyAluminumBlack71356Oval Head, Slotted%e".500" Medium BodyAluminumBlack71360Oval Head, Slotted%e".500" Long BodyAluminumBlack71361Oval Head, Slotted%e".550" Long BodyAluminumBlack71356Oval Head, Slotted%e".550" Long BodyAluminumBlack71356Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71276Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71356Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71276Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71362Oval H							11
Oval Head, Slotted%e".450" Short BodySteelBlack71358Oval Head, Slotted%e".450" Short BodyAluminumAluminum71363Oval Head, Slotted%e".450" Short BodyAluminumBlack71365Oval Head, Slotted%e".500" Medium BodySteelSilver71350Oval Head, Slotted%e".500" Medium BodySteelBlack71354Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71361Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71361Oval Head, Slotted%e".550" Long BodyAluminumAluminum71361Oval Head, Slotted%e".550" Long BodyAluminumAluminum71361Oval Head, Slotted%e".550" Long BodyAluminumBlack71354Oval Head, Slotted%e".550" Long BodySteelSilver71276Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71352Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71362 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Oval Head, Slotted7/*e"450" Short BodyAluminumAluminum71363Oval Head, Slotted7/*e"450" Short BodyAluminumBlack71365No. 71355Oval Head, Slotted7/*e".500" Medium BodySteelSilver71350Oval Head, Slotted7/*e".500" Medium BodySteelBlack71354Oval Head, Slotted7/*e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted7/*e".500" Medium BodyAluminumAluminum71361Oval Head, Slotted7/*e".550" Long BodySteelSilver71360Oval Head, Slotted7/*e".550" Long BodyAluminumAluminum71361Oval Head, Slotted7/*e".550" Long BodyAluminumBlack71364Oval Head, Slotted7/*e".550" Long BodyAluminumBlack71364Oval Head, Slotted7/*e".550" Long BodySteelSilver71274Oval Head, %" Hex Drive7/*e".600" Medium BodySteelSilver71352Oval Head, %" Hex Drive7/*e".500" Medium BodySteelSilver71362Oval Head, %" Hex Drive7/*e".500" Medium BodySteelSilver71362Oval Head, %" Hex Drive7/*e".500" Medium BodySteelSilver71276Oval Head, %" Hex Drive7/*e".500" Medium BodySteelSilver71276Oval Head, %" Hex Drive7/*e".500" Medium Body							
Oval Head, Slotted%e".450" Short BodyAluminumBlack71365No. 71355Oval Head, Slotted%e".500" Medium BodySteelSilver71350Oval Head, Slotted%e".500" Medium BodySteelBlack71354Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71360Oval Head, Slotted%e".550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted%e".550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted%e".550" Long BodyAluminumBlack71364Oval Head, %lotted%e".400" Short BodySteelSilver71274Oval Head, %lotted%e".400" Short BodySteelSilver71352Oval Head, %lotted%e".500" Medium BodySteelSilver71352Oval Head, %lotte%e".500" Medium BodySteelSilver71352Oval Head, %lotte%e".500" Medium BodySteelSilver71352Oval Head, %lotte%e".500" Medium BodySteelSilver71276Oval Head, %lotte%e".600" Medium BodySteelSilver71276Oval Head, %lotte%e".600" Short BodySteelSilver<							
Oval Head, Slotted $\gamma_{e^{ii}}$.500" Medium BodySteelSilver71350Oval Head, Slotted $\gamma_{e^{ii}}$.500" Medium BodySteelBlack71351Oval Head, Slotted $\gamma_{e^{ii}}$.500" Medium BodyAluminumAluminum71351Oval Head, Slotted $\gamma_{e^{ii}}$.500" Medium BodyAluminumAluminum71351Oval Head, Slotted $\gamma_{e^{ii}}$.500" Long BodySteelSilver71360Oval Head, Slotted $\gamma_{e^{ii}}$.550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted $\gamma_{e^{ii}}$.550" Long BodyAluminumBlack71364No. 71356Oval Head, Slotted $\gamma_{e^{ii}}$.550" Long BodySteelSilver71274Oval Head, $\gamma_{e^{ii}}$ Hex Drive $\gamma_{e^{ii}}$.450" Short BodySteelSilver71352Oval Head, $\gamma_{e^{ii}}$ Hex Drive $\gamma_{e^{ii}}$.500" Medium BodySteelSilver71352Oval Head, $\gamma_{e^{ii}}$.500" Medium BodySteelSilver71352No. 71362Oval Head, $\gamma_{e^{ii}}$.500" Medium BodySteelSilver71362No. 71362Oval Head, $\gamma_{e^{ii}}$.500" Medium BodySteelSilver71276No. 71362Oval Head, $\gamma_{e^{ii}}$.450" Short BodySteelSilver71276No. 71362Oval Head, $\gamma_{e^{ii}}$.450" Short BodySteelSilver71276No. 71362 <tr<tr>Butterfly Head$\gamma_{e^{ii}}$</tr<tr>			-				
Oval Head, Slotted%e".500" Medium BodySteelBlack71354Oval Head, Slotted%e".500" Medium BodyAluminumAluminum71351Oval Head, Slotted%e".500" Medium BodyAluminumBlack71355Oval Head, Slotted%e".550" Long BodySteelSilver71360Oval Head, Slotted%e".550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted%e".550" Long BodyAluminumBlack71364No. 71356Oval Head, Slotted%e".550" Long BodyAluminumBlack71364Oval Head, Slotted%e".500" Medium BodySteelSilver71274Oval Head, %e" Hex Drive%e".400" Short BodySteelSilver71352Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71352Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71366Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71352Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71362Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71276Oval Head, %e" Hex Drive%e".500" Medium BodySteelSilver71276Butterfly Head%e".500" Medium BodySteelSilver71279Butterfly Head%e".500" Short BodySteelSilv							No. 71355
Oval Head, Slotted γ_{6} ".500" Medium BodyAluminumAluminumT1351Oval Head, Slotted γ_{6} ".500" Medium BodyAluminumBlackT1355Oval Head, Slotted γ_{6} ".550" Long BodySteelSilverT1360Oval Head, Slotted γ_{6} ".550" Long BodyAluminumAluminumT1361No. 71356Oval Head, Slotted γ_{6} ".550" Long BodyAluminumAluminumT1361No. 71356Oval Head, Slotted γ_{6} ".550" Long BodyAluminumBlackT1364Oval Head, γ_{6} " Hex Drive γ_{6} ".400" Short BodySteelSilverT1274Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1352Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1356Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1356Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1276Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1276Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilverT1277Butterfly Head γ_{6} ".500" Medium BodySteelSilverT1277Butterfly Head γ_{6} ".500" Medium BodySteelSilverT1279Butterfly Head γ_{6} ".400" Short BodySteelSilver							
Oval Head, Slotted7/4e".500" Medium BodyAluminumBlack71355Oval Head, Slotted7/4e".550" Long BodySteelSilver71360Oval Head, Slotted7/4e".550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted7/4e".550" Long BodyAluminumBlack71364No. 71356Oval Head, Slotted7/4e".550" Long BodyAluminumBlack71364No. 71356Oval Head, %4e" Hex Drive7/4e".400" Short BodySteelSilver71274Oval Head, %4e" Hex Drive7/4e".450" Short BodySteelSilver71352Oval Head, %4e" Hex Drive7/4e".500" Medium BodySteelSilver71352Oval Head, %4e" Hex Drive7/4e".500" Medium BodySteelSilver71352Oval Head, %4e" Hex Drive7/4e".500" Medium BodySteelSilver71362Oval Head, %4e" Hex Drive7/4e".500" Medium BodySteelSilver71276Oval Head, %4e" Hex Drive7/4e".500" Short BodySteelSilver71276Butterfly Head5/4e".450" Short BodySteelSilver71277Butterfly Head5/4e".500" Medium BodySteelSilver71279Butterfly Head5/4e".450" Short BodySteelSilver71270Butterfly Head7/4e".500" Short BodySteelSilver71270Butterfly Head7/4e".500"			•				
Oval Head, Slotted $\gamma_{fe}^{"}$.550" Long BodySteelSilver71360Oval Head, Slotted $\gamma_{fe}^{"}$.550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted $\gamma_{fe}^{"}$.550" Long BodyAluminumBlack71364Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.400" Short BodySteelSilver71274Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.400" Short BodySteelSilver71352Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71352Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71352Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71362Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71362Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71276Oval Head, $\gamma_{fe}^{"}$ Hex Drive $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71276Butterfly Head $\gamma_{fe}^{"}$.450" Short BodySteelSilver71277Butterfly Head $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71278Butterfly Head $\gamma_{fe}^{"}$.450" Short BodySteelSilver71279Butterfly Head $\gamma_{fe}^{"}$.500" Medium BodySteelSilver71270Butterfly Head<			•				
Oval Head, Slotted $\frac{7}{6e^n}$.550" Long BodyAluminumAluminum71361No. 71356Oval Head, Slotted $\frac{7}{6e^n}$.550" Long BodyAluminumBlack71364Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.400" Short BodySteelSilver71274Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.450" Short BodySteelSilver71275Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.500" Medium BodySteelSilver71352Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.500" Medium BodyAluminumBlack71362Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.500" Medium BodySteelSilver71362Oval Head, $\frac{3}{6^n}$ Hex Drive $\frac{7}{6e^n}$.500" Medium BodySteelSilver71276No. 71362Butterfly Head $\frac{7}{6e^n}$.400" Short BodySteelSilver71276Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71278Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71279Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71270Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71270Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{6e^n}$.500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{6e^n}$.5			•				
Oval Head, Slotted γ_{6} ".550" Long BodyAluminumBlack71364Oval Head, γ_{6} " Hex Drive γ_{6} ".400" Short BodySteelSilver71274Oval Head, γ_{6} " Hex Drive γ_{6} ".450" Short BodySteelSilver71275Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilver71352Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodySteelSilver71352Oval Head, γ_{6} " Hex Drive γ_{6} ".500" Medium BodyAluminumBlack71362Oval Head, γ_{6} " Hex Drive γ_{6} ".550" Long BodySteelSilver71276Oval Head, γ_{6} " Hex Drive γ_{6} ".550" Long BodySteelSilver71277Butterfly Head γ_{6} ".450" Short BodySteelSilver71277Butterfly Head γ_{6} ".500" Medium BodySteelSilver71278Butterfly Head γ_{6} ".450" Short BodySteelSilver71279Butterfly Head γ_{6} ".450" Short BodySteelSilver71270Butterfly Head γ_{6} ".500" Medium BodySteelSilver71271Butterfly Head γ_{6} ".500" Medium BodySteelSilver71270Butterfly Head γ_{6} ".500" Medium BodySteelSilver71271Butterfly Head γ_{6} ".500" Medium BodySteelSilver71270Butterfly Head γ_{6} " <td< td=""><td></td><td></td><td>u</td><td></td><td></td><td></td><td></td></td<>			u				
Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.400" Short BodySteelSilver71274Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.450" Short BodySteelSilver71275Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodySteelSilver71352Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodyAluminumBlack71356Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodySteelSilver71362Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Long BodySteelSilver71276Butterfly Head $%e^{"}$.450" Short BodySteelSilver71277Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71277Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71278Butterfly Head $%e^{"}$.500" Short BodySteelSilver71279Butterfly Head $%e^{"}$.500" Short BodySteelSilver71270Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71270Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71271Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71270Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71271Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71270Butterfly Head $%e^{"}$.500" Medium Bod							No. 71356
Oval Head, $%_{6}$ " Hex Drive $%_{6}$ ".450" Short BodySteelSilver71275Oval Head, $%_{6}$ " Hex Drive $%_{6}$ ".500" Medium BodySteelSilver71352Oval Head, $%_{6}$ " Hex Drive $%_{6}$ ".500" Medium BodyAluminumBlack71356Oval Head, $%_{6}$ " Hex Drive $%_{6}$ ".500" Medium BodyAluminumBlack71362Oval Head, $%_{6}$ " Hex Drive $%_{6}$ ".550" Long BodySteelSilver71276Butterfly Head $%_{6}$ ".400" Short BodySteelSilver71277Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71278Butterfly Head $%_{6}$ ".500" Long BodySteelSilver71279Butterfly Head $%_{6}$ ".400" Short BodySteelSilver71270Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71270Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71271Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71270Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71271Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71270Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71271Butterfly Head $%_{6}$ ".500" Medium BodySteelSilver71270Butterfly Head $%_{6}$ ".500" Medium BodySte			• •				
Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodySteelSilver71352Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodyAluminumBlack71356Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.500" Medium BodyAluminumBlack71356Oval Head, $%e^{"}$ Hex Drive $%e^{"}$.550" Long BodySteelSilver71362Butterfly Head $%e^{"}$.400" Short BodySteelSilver71276No. 71362Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71277No. 71362Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71278No. 71362Butterfly Head $%e^{"}$.500" Short BodySteelSilver71279No. 71360Butterfly Head $%e^{"}$.400" Short BodySteelSilver71270No. 71260Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71271No. 71260Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71271No. 71260Butterfly Head $%e^{"}$.500" Medium BodySteelSilver71271No. 71260							- Ala
Oval Head, $\frac{4}{6}$ " Hex Drive $\frac{4}{6}$ ".500" Medium BodyAluminumBlack 71356 Oval Head, $\frac{4}{6}$ " Hex Drive $\frac{4}{6}$ ".550" Long BodySteelSilver 71362 Butterfly Head $\frac{4}{6}$ ".400" Short BodySteelSilver 71276 No. 71362Butterfly Head $\frac{4}{6}$ ".450" Short BodySteelSilver 71277 No. 71362Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71277 No. 71362Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71278 Butterfly Head $\frac{4}{6}$ ".400" Short BodySteelSilver 71279 Butterfly Head $\frac{4}{6}$ ".450" Short BodySteelSilver 71270 Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71270 Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71271 Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71270 Butterfly Head $\frac{4}{6}$ ".500" Medium BodySteelSilver 71271 Butterfly Head $\frac{4}{6}$ ".550" Long BodySteelSilver 71272 No. 71260			-				
Oval Head, $\frac{4}{6}$ " Hex Drive $\frac{7}{6}$ ".550" Long BodySteelSilver71362Butterfly Head $\frac{5}{6}$ ".400" Short BodySteelSilver71276No. 71362Butterfly Head $\frac{5}{6}$ ".450" Short BodySteelSilver71277No. 71362Butterfly Head $\frac{5}{6}$ ".500" Medium BodySteelSilver71277No. 71362Butterfly Head $\frac{5}{6}$ ".500" Medium BodySteelSilver71279Butterfly Head $\frac{7}{6}$ ".400" Short BodySteelSilver71260Butterfly Head $\frac{7}{6}$ ".450" Short BodySteelSilver71270Butterfly Head $\frac{7}{6}$ ".500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{6}$ ".500" Medium BodySteelSilver71270Butterfly Head $\frac{7}{6}$ ".500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{6}$ ".500" Long BodySteelSilver71272No. 71260							
Butterfly Head $\frac{5}{16^{\circ}}$.400" Short BodySteelSilver71276No. 71362Butterfly Head $\frac{5}{16^{\circ}}$.450" Short BodySteelSilver71277No. 71362Butterfly Head $\frac{5}{16^{\circ}}$.500" Medium BodySteelSilver71278Butterfly Head $\frac{5}{16^{\circ}}$.550" Long BodySteelSilver71279Butterfly Head $\frac{5}{16^{\circ}}$.400" Short BodySteelSilver71260Butterfly Head $\frac{7}{16^{\circ}}$.450" Short BodySteelSilver71270Butterfly Head $\frac{7}{16^{\circ}}$.500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{16^{\circ}}$.500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{16^{\circ}}$.500" Long BodySteelSilver71272No. 71260			-				
Butterfly Head $\frac{5}{16}$ ".450" Short BodySteelSilver71277No. 71362Butterfly Head $\frac{5}{16}$ ".500" Medium BodySteelSilver71278Butterfly Head $\frac{5}{16}$ ".550" Long BodySteelSilver71279Butterfly Head $\frac{7}{16}$ ".400" Short BodySteelSilver71260Butterfly Head $\frac{7}{16}$ ".450" Short BodySteelSilver71270Butterfly Head $\frac{7}{16}$ ".500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{16}$ ".500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{16}$ ".550" Long BodySteelSilver71272No. 71260							
Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{450}{500^\circ}$ Short BodySteelSilver 71277 Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{500^\circ}{100}$ Medium BodySteelSilver 71278 Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{550^\circ}{100}$ Long BodySteelSilver 71279 Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{450^\circ}{100}$ Short BodySteelSilver 71260 Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{450^\circ}{100}$ Short BodySteelSilver 71270 Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{550^\circ}{100}$ Medium BodySteelSilver 71271 No. 71260Butterfly Head $\frac{\gamma_{16}}{\gamma_{16}}$ $\frac{550^\circ}{1000}$ Long BodySteelSilver 71272 No. 71260	-						No. 71362
Butterfly Head $\frac{5}{16}$ ".550" Long BodySteelSilver71279Butterfly Head $\frac{7}{16}$ ".400" Short BodySteelSilver71260Butterfly Head $\frac{7}{16}$ ".450" Short BodySteelSilver71270Butterfly Head $\frac{7}{16}$ ".500" Medium BodySteelSilver71271Butterfly Head $\frac{7}{16}$ ".550" Long BodySteelSilver71272			-				
Butterfly Head 7_{16} ".400" Short BodySteelSilver71260Butterfly Head 7_{16} ".450" Short BodySteelSilver71270Butterfly Head 7_{16} ".500" Medium BodySteelSilver71271Butterfly Head 7_{16} ".550" Long BodySteelSilver71272			,				\sim
Butterfly Head 7_{16} ".450" Short BodySteelSilver71270Butterfly Head 7_{16} ".500" Medium BodySteelSilver71271Butterfly Head 7_{16} ".550" Long BodySteelSilver71272	-						1 677
Butterfly Head 7_{16} ".500" Medium BodySteelSilver71271Butterfly Head 7_{6} ".550" Long BodySteelSilver71272No. 71260	•		•				
Butterfly Head 7/16" .550" Long Body Steel Silver 71272 No. 71260			-				
	-		-				N- 81000
* Line with Easteney Option Nee 71405 and 71400	Butterfly Head		.550" Long Body	Steel	Silver	71272	NO. 71260

SELF-EJECTING QUICK FASTENERS, 5/16"

- These Spring Loaded Buttons Guarantee A Quick Release
- The spring holds the button captive so that it can't be dropped underneath the car or into some hard-to-get-at area of the chassis
- A necessity for quick pit work in racing
- Use Spring No. 71430 as a replacement Ten per package

unuemeaurine	al ul inu	o some naru-lo-yel-al area or life or	105515 • 16	en per packay	e	
Style of Head	Size	Body & Grip Range	Material	Finish	Part #	
Flush Head, Slotted	5/16"	.400" Short Body, .098" to .133"	Steel	Silver	71440	
Flush Head, Slotted	5/16"	.400" Short Body, .098" to .133"	Aluminum	Black	71441	
Flush Head, Slotted	5/16"	.450" Short Body, .148" to .183"	Steel	Silver	71450	
Flush Head, Slotted	5/16"	.450" Short Body, .148" to .183"	Aluminum	Black	71451	No. 71441
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71500	
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Aluminum	Aluminum	71501	
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Aluminum	Black	71502	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Steel	Silver	71505	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Aluminum	Aluminum	71506	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Aluminum	Black	71507	No. 71501
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Steel	Silver	71530	
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Aluminum	Aluminum	71531	and the
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Aluminum	Black	71532	
Butterfly Head	5/16"	.400" Short Body, .098" to .133"	Steel	Silver	71460	
Butterfly Head	5/16"	.450" Short Body, .148" to .183"	Steel	Silver	71470	
Butterfly Head	5/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71510	No. 71510
Butterfly Head	5/16"	.650" long body, .348" to .383"	Steel	Silver	71540	

LARGE HEAD SELF-EJECTING QUICK FASTENERS, 7/16"

- Heavy duty to allow repeated use with a fastener tool allen wrench or a ratchet without stripping
- A Larger size distributes the load over a larger area to avoid pull-through
- . The spring holds the button captive so that it can't be dropped underneath the car or into some hard-to-get-at area of the chassis
- · A necessity for quick pit work in racing
- Use Spring Nos. 71400, 71410, 71420, 71425, or 71430

 Ten per package 						6
Style of Head	Size	Body & Grip Range	Material	Finish	Part #	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71370	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Gold	71371	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Black	71372	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Aluminum	Aluminum	71373	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Silver	71375	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Gold	71376	4
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Black	71377	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Aluminum	Aluminum	71378	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Aluminum	Black	71379	
Large Flush Head, 3/16" Hex Drive	7/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71380	
Large Flush Head, 3/16" Hex Drive	7/16"	.500" Medium Body, .198" to .233"	Steel	Gold	71381	C
Large Flush Head, 3/16" Hex Drive	7/16"	.550" Long Body, .250" to .325"	Steel	Silver	71382	
Large Flush Head, 3/16" Hex Drive	7/16"	.550" Long Body, .250" to .325"	Steel	Gold	71383	


No. 71370

No. 71322

No. 71371

B SPRING HEIGHT

() TOTAL THICKNESS = () + (2) + (3)



REPLACEMENT FASTENER SPRING

- Designed for use with Moroso's flush, oval head and butterfly fasteners
- Ten per package
- Determine C TOTAL THICKNESS of panels being joined (including space in between if any)
- Select the appropriate (A) BODY LENGTH and (B) SPRING HEIGHT combination to provide the desired thickness range

FASTENER SELECTION CHART

		В	A				
PART NUMBER	WIRE DIA.	SPRING HEIGHT	BODY LENGTH .400" BODY	.450" BODY	.500" BODY	.550" BODY	.650" BODY
1" Springs			C TOTAL MATERIAL THICKNESS RAM	IGE			
71425	.080"	(.250'')	.165200"	.215250"	.265300"	.315350"	.365400"
71430	.080"	(.325")	.098133"	.148183"	.198233"	.248283"	.348383"
1-%" Springs		-	-		-	-	-
71420	.090"	(.325")	.105148"	.155198"	.205248"	.255298"	.355398"
71410	.090"	(.375")	.055098"	.105148"	.155198"	.205248"	.305348"
71400	.090"	(.425")	.005048"	.055098"	.105148"	.155198"	.255298"

REINFORCING PLATES | MOUNTING BRACKETS


QUICK FASTENER REINFORCING PLATES

- Reinforcement plates provide a secure metal backing for long lasting service
- Solves the problem of quick release fastener attachment rivets pulling out of fiberglass hood and body panels after repeated usage
- Also prevents fastener spring brackets from cutting into body panels
- Use with Quick Fastener Nos. 71280, 71290, 71300, 71310, 71350, or 71360

PART # DESCRIPTION

71490 Quick Fastener Reinforcing Plates, .022" Thick, Ten per package







No. 71554



No. 71559

Ten per package

PART #

71554

71557

71381, 71382, or 71383

DESCRIPTION

For Standard & Self-Eiect Fasteners

pop rivet mount for fastener springs

QUICK FASTENER MOUNTING BRACKET, 7/16"

QUICK FASTENER MOUNTING BRACKETS, 7/16"

• Use with Nos. 71301, 71311, 71351, 71361, 71352, 71362, 71371, 71376, 71380,

Steel bracket can be welded or fastened to any member of the car to provide a convenient

For Standard Fasteners

 Aluminum bracket can be welded or fastened to any member of the car to provide a convenient pop rivet mount for standard fastener springs

Quick Fastener Mounting Bracket, .069" thick, accepts 1.375" springs, dimpled, standard fasteners

Quick Fastener Mounting Bracket, .060" thick, accepts 1.375" springs, dimpled, Self E-ject fasteners

- Use with Moroso Nos. 71370. 71371. 71372. 71375. 71376. 71377. 71380. 71381. 71382 or 71383
- Ten per package

PART # DESCRIPTION

71559 Quick Fastener Mounting Bracket, Aluminum, .120" thick, for 7/16" Fasteners & 1-3/8" Springs



QUICK FASTENER WASHERS

- One of these tough Teflon washers under each quick fastener will protect your car's finish from otherwise hard-to-prevent scratches
- A must for the conscientious car owner
- Package of 25
- · Fits all quick fasteners

DESCRIPTION PART

Quick Fastener Washers 71610



No. 71600

MURINSI

QUICK FASTENER WRENCH

- This tool fits slot-head ¹/₄-turn fasteners far better than a screwdriver. reducing the possibility of damaged fasteners and body panels
- Manufactured of zinc plated spring steel with three different sized radii to match the slots in various 1/4-turn fasteners
- Includes non-slip, plastic hand grip
- One tool per pack

PART # DESCRIPTION

71600↔ **Quick Fastener Wrench**

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

QUICK FASTENER WRENCHES

With Easy Grip Handles

- Allows for faster removal of ¹/₄-turn fasteners.
- · Features include a high strength steel shank plated with black zinc for durability
- The slot head blade on No. 71606 is contoured to fit inside the ¹/₄-turn fastener without stripping the slot
- One per package

PART # DESCRIPTION

- 71606 Quick Fastener Wrench, 3/8" Slot Head
- 71607 Quick Fastener Wrench, 3/16" Hex Drive





OUICK FASTENER SINKING TOOL

- Ideal for sinking flush-mount quick fasteners
- The two piece steel tool dimples a single metal panel using one end and a double panel using the other
- Zinc-plated
- One tool per package

DESCRIPTION PART

71605 **Quick Fastener Sinking Tool**



OUICK FASTENER TRANSFER STUD PUNCH KITS

Place the Transfer Stud Punch in a weld plate or body panel. Then position your panel over top of it and lightly tap the panel with a hammer and you'll be left with a mark in your panel where you drill your hole.

• 5 per pack

DESCRIPTION PART

71601 Transfer Stud Punch Kit for 5/16" Buttons, 5 per kit Transfer Stud Punch Kit for 7/16" Buttons, 5 per kit 71602





No. 71602

FASTENER TOOLS & QUICK RELEASE PINS

CAM STOP BUTTONS

- Professional engine builders are familiar with camshaft "walk" when excessive end play produces erratic spark timing and the timing chain/gear "eats" the timing cover
- Moroso solves the problem with a highly wear resistant button mounted in an aluminum holder and bolted to the cam timing gear by way of a retaining plate
- The button assembly does not allow the cam to "walk" forward, stabilizing ignition timing and preventing costly engine repair

PART # DESCRIPTION

- 60460 Cam Stop Button and Retaining Plate, SBC and 90° V6 Chevy with early ribbed style timing cover, Cam bolts included
 60461 Cam Stop Button and Retaining Plate, SBC and 90° V6 Chevy
 - with late style flat timing cover, Cam bolts included
- 60462 Cam Stop Button and Retaining Plate, BBC, Cam bolts included

CAMSHAFT BOLT

- Don't let a broken camshaft bolt ruin your motor!
- \bullet Hex head $5\!\!/_{16}$ "-18 camshaft bolts are manufactured from tough Grade 8 steel with a black oxide finish
- Three per pack; includes retaining plate
- Should be used with Cam Stop Button Nos. 60460, 60461 and 60462 shown above

PART # DESCRIPTION

60464 Chevy Camshaft Bolts with Retainer








QUICK RELEASE PINS

Heavy-Duty, Aircraft Quality

- These "T" handle quick release pins offer the racer the ultimate in quick release fastening
- Supplied in all popular sizes
- Single pack



APPLICATION CHART						
DIMENSIONS	DIMENSIONS LOAD SPECIFICATIONS					
1⁄4" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90366				
1⁄4" DIA. X 1-1⁄2" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90367				
1⁄4" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90368				
5/16" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90369				
5/16" DIA. X 1-1/2" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90370				
5/16" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90371				
5/16" DIA. X 3" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90372				
%" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90373				
¾" DIA. X 1-½" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90374				
¾" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90375				
3⁄8" DIA. X 2 1⁄2" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90378				
¾" DIA. X 3" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90376				
1/2" DIA. X 2-1/2" LONG	DOUBLE SHEAR LOAD OF 32,800 LBS WHEN PROPERLY MOUNTED	90377				



ANTI-ROLL KITS

NOTE: Continuous use of solenoid for more than 30 seconds will damage the coil.

ANTI-ROLL VALVE, ENHANCED VERSION

Now Moroso offers it's Anti-Roll/Brake Line Lock Enhanced Version Valve by itself. Ideal for the installer who wants to wire/plumb their Anti-Roll switch a certain way.

- Brake line locks are used in Drag Racing to lock the front wheels and hold the car in the water box for the burnout or to prevent creeping into the starting lights
- Anti-Roll design has better holding power than any other unit currently available
- · Enhanced version valve has an internal check valve which allows the driver to pump up the brakes when actuated
- Will work in applications with ABS
- Heavy-duty construction and quality components provide reliable operation after repeated use

DESCRIPTION PART # 44056 Anti-Roll Valve, Enhanced

CLEVIS ENDS









PRESS-IN WHEEL STUDS

Exceeds sanctioning bodies requirements on the use of extra long wheel studs with thick-hub racing wheels

- Manufactured from high grade SAE 8740 steel, 190,000 psi tensile strength (which exceeds Grade 8 specifications))
- Feature a "quick start dog end" for easier starting of lug nut installation
- 5 per package
- Made in the U.S.A.

PRESS-IN WHEEL STUD LUG NUTS

- Manufactured from high grade steel for resistance to fatigue and stress
- Meets NHRA 5.2 rule of hex being length of diameter of stud
- 60° Seat
- Black Oxide finish
- 5 per package
- Made in the U.S.A.





FITS OUR PRESS-IN WHEEL STUDS!

Left to right: Nos. 46345, 46320, 46340, 46330

PRESS-IN WHEEL STUD / LUG NUT APPLICATION CHART

APPLICATION DESCRIPTION	STANDARD Hole Size	WHEEL STUD (5 PER PACK) PART #	WHEEL STUD (100 PER PACK) PART #	LUG NUT (5 PER PACK) PART #	COMB. WHEEL STUD/LUG NUT (FIVE PER PACK) PART #
$7\!\!/_{6}$ " -20 x 2- $7\!\!/_{6}$ ", .480" diameter knurled stud, $3\!\!/_{4}$ " hex nut Fits: Most late model GM drum brake applications	.472" to .479"	46150	46151	46320	46450
$\%_{\rm 6"}$ -20 x 2- $\%"$, .560" diameter knurled stud, $34"$ hex nut Fits: Most late model GM disc brake and early drum applications	.552" to .559"	46160		46320	46460
1/2" -20 x 3", .615" diameter knurled stud, 13/6" hex nut Fits: Most late model Ford front and rear disc brake, 2005-Up Mustang rear and Chrysler front	.606" to .613"	46180		46330	46480
 '/2" -20 x 3", .594" diameter knurled stud, ¹³/₆" hex nut <i>Fits:</i> 1979-04 Mustang, 2005 and up Mustang front. Also has a flat on head for front hubs with ABS 	.590" (15mm)	46185		46330	46485
$^{1}\!\!/_2$ " -20 x 3", .685" diameter knurled stud, $^{13}\!\!/_{16}$ " hex nut Fits: Most Chrysler rears with $^{1}\!\!/_2$ " stud	.676" to .683"	46190		46330	46490
¹ / ₂ " -20 x 3", .563" diameter knurled stud, ¹³ / ₁₆ " hex nut <i>Fits:</i> ¹ / ₂ " <i>Frankland hubs</i>	.554" to .561"	46220		46330	46420
⁵ /«"- 18 x 3", .672" diameter knurled stud, ⁷ /«" hex nut <i>Fits: Circle Track applications</i>	.663" to .670"	46240	46241	46340	46440
12 mm x 1.5 x 3.25", .509" diameter knurled stud, 19mm hex nut <i>Fits:</i> Late model Corvette, 3rd, 4th Gen. Camaro & Firebird	.482" to 492"	46245		46345	46445
14 mm x 1.5 x 3", .625" diameter knurled stud <i>Fits: Mustang S550</i>	.616" to .625"	46247 🛕	IEWI		

NOTE: All Stud lengths are measured from the base of the knurl to the end of the stud.

WHEEL STUDS



When installing a set of Moroso Wheel Studs, it is necessary to measure the knurl diameter of the stud and hole size in the rotor or axle. The hole size in the rotor or axle may have to be opened up with a drill bit or ream to achieve the proper .002"–.009" press fit.

SCREW-IN TYPE WHEEL STUDS

- Larger shank diameter provides additional metal to metal contact with the wheel for reduced stud flex and increases strength
- Eliminates the need for aftermarket shoulder type lug nuts and simplifies wheel installation
- · Set comes complete with flat type lug nuts and stud spacers to fit various thicknesses of disc brake hats
- 5 per pack

PART # DESCRIPTION

PART # REPLACEMENT PARTS

97730 Flange Nut

- 97731 Wheel Stud Spacer, .567"
- 97732 Wheel Stud Spacer, 1.25"





SOCKET HEAD SCREW-IN TYPE WHEEL STUDS

• 5 per pack

PART # DESCRIPTION

46200 Wheel Studs, 1/2" -20 x 3" Screw-in, Socket Head Cap Screw, fits all aftermarket axles with 1/2" -20 threads

1111:1:14



No. 46200



PRESS IN WHEEL STUDS

• Exceeds sanctioning body's requirements on the use of extra long wheel studs with thick-hub racing wheels

PRESS IN WHEEL STUD LUG NUTS

• Meets NHRA 5.2 rule of hex being length of diameter of stud

COMPARE BEFORE YOU BUY THERE IS A DIFFERENCE!

See Moroso Catalog or website for complete application listing and part number interchange.

BRAKE & WHEEL EQUIPMENT

DOUBLE END LUG NUTS

- Double end lug nuts designed for oval track racers
- Both ends are chamfered to a 45° angle, thus eliminating the possibility of putting the lug nut on backwards during guick pit stops
- Five per package
- Use with Pit Socket No. 62010 for even faster pit stops (No. 46310 only)

PART # DESCRIPTION

- 46300 Double End Lug Nut, ¹³/₁₆" Hex x ¹/₂" -20
- 46310 Double End Lug Nut, 1" Hex x 5/8" -18



PIT SOCKET

- Thick-walled socket with six-point surface contact and large chamfer ensures fast, clean engagement on the lug nut
- Manufactured of alloy steel and carefully heat treated for maximum strength to prevent lug nut damage
- Accepts 1/2" drive, and fits 1" lug nuts

PART #DESCRIPTION62010Pit Socket



WHEEL RIM SCREWS

- Manufactured from rugged Grade 8 steel to withstand the extreme loading placed on today's racing tires
- · Self-tapping screws feature a built-in washer face for maximum holding strength
- · Finished in gold iridite
- Use with 3/8" Socket

PART # DESCRIPTION

- 90100 Wheel Rim Screws, $\frac{1}{4}$ " dia. x $\frac{3}{4}$ " long. Pack of 35
- 90110 Wheel Rim Screws, ¹/₄" dia. x ³/₄" long. Pack of 500



No. 90100

BRAKE & WHEEL EQUIPMENT

TRICK FRONT SPRINGS

1964-67

1550 -1640

1690-1750

1700-1750

1730-1780

- · Designed for Drag Racing where maximum weight transfer is needed
- Trick Front Springs are tall, small wire diameter coil springs that hold a great amount of stored energy for instant weight transfer
- · Replaces stock OEM springs with no modifications required
- Two per package



No. 47140

For drag use only, NOT for street use!

	TRIC	K FRO	NT SF	PRING	S APPLICATIO	DN CI	HART	0	0
			Coil Spring	Trick Front				Coil Spring	Trick Fro
MAKE/MODEL	Years	Front End	Rate (LBS./	Spring	MAKE/MODEL	Years	Front End	Rate (LBS./	Spring
		Weight (LBS.)*	IN.)	Part #			Weight (LBS.)*	IN.)	Part #
Buick Apollo	1975-79	1840-1910	212	47180	Chevrolet El Camino	1978-88	1600-1660	212	47130
	1373-13	1910-1970	230	47175			1660-1720	242	47205
		2010-2100	230	47170			1720-1800	250	47135
	1968-74	1550-1640	213	47150		1968-72	1610-1680	242	47160
	1300-74	1690-1750	213	47140			1680-1750	250	47190
		1700-1750	240	47165			1750-1810	260	47200
		1730-1780	241	47195		1964-67	1550 -1640	213	47150
Buick G.N.	1978-88	1600-1660	230	47135			1690-1750	240	47140
DUICK G.N.	19/0-00	1660-1720	212	47130			1700-1750	241	47165
				47205			1730-1780	250	47195
Duial: CC	1000 70	1720-1800	250		Chevrolet Malibu	1978-88	1600-1660	212	47130
Buick GS	1968-72	1610-1680	242	47160			1660-1720	242	47205
		1680-1750	250	47190			1720-1800	250	47135
	1004.07	1750-1810	260	47200		1968-72	1610-1680	242	47160
	1964-67	1550-1640	213	47150			1680-1750	250	47190
		1690-1750	240	47140			1750-1810	260	47200
		1700-1750	241	47165		1964-67	1550 -1640	213	47150
	4070.00	1730-1780	250	47195	1001 01	1690-1750	240	47140	
Buick Regal	1978-88	1600-1660	212	47130			1700-1750	241	47165
		1660-1720	242	47205			1730-1780	250	47195
		1720-1800	250	47135	Chevrolet Monte Carlo	1978-88	1600-1660	212	47130
	1968-72	1610-1680	242	47160		1370-00	1660-1720	242	47205
		1680-1750	250	47190			1720-1800	242	47135
		1750-1810	260	47200		1968-72	1610-1680	230	47160
Buick Skylark	<u>1968-72</u> 1610-1680 242 47160		1900-72	1680-1750	242	47190			
		1680-1750	250	47190					47190
		1750-1810	260	47200	Chevrolet Nova	1975-79	1750-1810 1840-1910	260 212	47200
	1964-67	1550-1640	213	47150	Chevrolet Nova	1975-79			47100
		1690-1750	240	47140			1910-1970	230	47175
		1700-1750	241	47165		1000 74	2010-2100	270	
		1730-1780	250	47195		1968-74	1550 - 1640	213	47150
Buick Special	1968-72	1610-1680	242	47160			1690-1750	240	47140
		1680-1750	250	47190			1700-1750	241	47165
		1750-1810	260	47200		4000.07	1730-1780	250	47195
	1964-67	1550-1640	213	47150	Chevrolet Nova/Chevy II	1962-67	1200-1250	217	47230
		1690-1750	240	47140	Ford Fairlane	1966-70	1610-1680	242	47160
		1700-1750	241	47165			1680-1750	250	47190
		1730-1780	250	47195			1750-1810	260	47200
Chevrolet Bel Air	1955-57	1550 -1640	213	47150	Ford Mustang	1979-04	1750-1900	250	47220
		1690-1750	240	47140		1964-73	1610-1680	242	47160
		1700-1750	241	47165			1680-1750	250	47190
		1730-1780	250	47195			1750-1810	260	47200
Chevrolet Camaro	1982-92	1680-1750	220	47210	Mercury Capri	1979-86	1750-1900	250	47220
		1750-1870	250	47215	Mercury Comet	1966-69	1610-1680	242	47160
	1970-81	1840-1910	212	47180			1680-1750	250	47190
		1910-1970	230	47175			1750-1810	260	47200
		2010-2100	270	47170	Oldsmobile Cutlass	1978-88	1600-1660	212	47130
	1967-69	1550 -1640	213	47150			1660-1720	242	47205
		1690-1750	240	47140			1720-1800	250	47135
		1700-1750	241	47165		1968-72	1610-1680	242	47160
		1730-1780	250	47195			1680-1750	250	47190
Chevrolet Chevelle	1968-72	1610-1680	230	47160			1750-1810	260	47200
	1000 12	1680-1750	250	47190		1964-67	1550 -1640	213	47150
		1750-1810	250	47190			1690-1750	240	47140
	1004.07	1750-1610	200	47200			1700-1750	241	47165

CONTINUED ON NEXT PAGE

1700-1750

1730-1780

241

250

47165

47195

47150

47140

47165

47195

213

240

241

250

REAR	SPRIN	IGS

FRO	NT SP	PRINGS	G - CON'T	
		Front End	Coil Spring	Trick Front
MAKE/MODEL	Years	Weight (LBS.)*	Rate (LBS./ IN.)	Spring Part #
	1070.00	1000 1000	,	
Oldsmobile 442	1978-88	1600-1660 1660-1720	212 242	47130 47205
		1720-1800	242	47135
	1968-72	1610-1680	242	47160
		1680-1750	250	47190
		1750-1810	260	47200
	1964-67	1550 - 1640	213	47150
		1690-1750 1700-1750	240 241	47140 47165
		1730-1780	250	47195
Oldsmobile Omega	1975-79	1840-1910	212	47180
		1910-1970	230	47175
		2010-2100	270	47170
	1973-74	1550 -1640	213	47150
		1690-1750 1700-1750	240 241	47140 47165
		1730-1780	250	47105
Pontiac Firebird	1982-92	1680-1750	220	47210
		1750-1870	250	47215
	1970-81	1840-1910	212	47180
		1910-1970	230	47175
	1967-69	2010-2100 1550 -1640	270 213	47170 47150
	1307-03	1690-1750	240	47130
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Grand Am	1978-88	1600-1660	212	47130
		1660-1720	242	47205
Pontiac Grand Prix	1978-88	1720-1800 1600-1660	250 212	47135 47130
FUILLIAG GLATIN FILX	1970-00	1660-1720	212	47130
		1720-1800	250	47135
Pontiac GTO	1968-72	1610-1680	242	47160
		1680-1750	250	47190
	1001.07	1750-1810	260	47200
	1964-67	1550 -1640	213 240	47150 47140
		1690-1750 1700-1750	240	47165
		1730-1780	250	47195
Pontiac LeMans	1978-88	1600-1660	212	47130
		1660-1720	242	47205
		1720-1800	250	47135
	1968-72	1610-1680	242	47160
		1680-1750 1750-1810	250 260	47190 47200
	1964-67	1550 -1640	200	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Tempest	1968-72	1610-1680	242	47160
		1680-1750 1750-1810	250 260	47190 47200
	1964-67	1550 -1640	200	47200
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Ventura	1975-79	1840-1910	212	47180
		1910-1970	230	47175
	1971-74	2010-2100 1550 -1640	270 213	47170 47150
	13/1-/4	1690-1750	213	47150
		1700-1750	241	47165
		1730-1780	250	47195

* NOTE: Front End Weight is as raced with driver

TRICK REAR SPRINGS


- Computer designed rear springs engineered to compress at a controlled rate when car is launched for optimum "squat"
- Right-side spring is stronger than left, allowing the car to lift evenly upon launch for balanced weight transfer and more consistent 60-foot times
- CNC-wound from high-strength chrome silicon wire to maintain accurate spring rate and to handle the abuse of hard launches



No. 47500

- Replaces stock OEM springs with no modifications required
- Track proven by professional racers for optimum performance
- Two per package with black painted finish

	NICK REAR SPRIN		
MAKE	MODEL	YEAR	PART
GENERAL MOTORS INTERMEDIATE	Chevelle, GTO, LeMans, Cutlass, 442, Skylark, Gran Sport, Malibu, Monte Carlo, Grand Prix, Regal, Grand National	1968-'72 1978-'87	47500 47520
FORD	Mustang (non i.r.s.)	1979-'04	47510





For drag use only, NOT for street use!

WITH MOROSO TRICK REAR SPRINGS Moroso Trick Rear Springs equalize these forces to provide

balanced traction, eliminating the need for "air bags"



MODIFYING MOROSO TRICK FRONT SPRINGS TO GET THE DESIRED HEIGHT

If Front Springs are too high, they may be lowered by cutting off one-half of a coil. Many factors affect the front end height. Wheel offset is a major consideration. A front wheel offset to the outside will increase leverage of the lower A-frame against the coil spring, and the nose of the car will be lower. Disc brake spacers will further affect the height. Adding or removing as little as 50 lbs. can also make a big difference. Take this into consideration when adding a fiberglass hood, aluminum heads, or when putting the battery in the trunk. Although these changes will affect the height of the car, the spring rates will be unaffected as long as you stay within the guidelines of our definitions. ENGINE TOOLS

HARMONIC BALANCER INSTALLATION TOOLS

- Our Universal Tool (No. 61744) has adapters to fit most popular engines including Chevrolet, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick
- Choose from several tools designed for specific engine applications
- Each tool uses a pilot stud, which keeps the harmonic balancer perpendicular to the crankshaft's centerline for a bind-free installation
- Thrust bearing and protective washer allows the drive nut to rotate freely so the balancer is pressed on smoothly and evenly

PART # DESCRIPTION

61740 Harmonic Balancer Installation Tool, SBC or any engine with a $7/6$ " -20 threaded hole in the crank
61741 Harmonic Balancer Installation Tool, BBC
or any engine with a $\frac{1}{2}$ " -20 threaded hole in the crank
61742 Harmonic Balancer Installation Tool, all Fords
or any engine with a $\%^{\prime\prime}$ -18 threaded hole in the crank
61744 Universal Harmonic Balancer Installation Tool,
includes screw-in inserts for 7_{16} ", $1/2$ ", $5/8$ " and $3/4$ " threaded open

HARMONIC BALANCER INSTALLATION & REMOVAL TOOL KIT

- Innovative tool with multiple adapters installs and removes harmonic balancers guickly and easily without causing damage
- Four heat-treated chrome moly inserts ($\frac{1}{2}$ ", $\frac{7}{16}$ ", $\frac{5}{8}$ " and $\frac{3}{4}$ ") fit most popular engines including Chevrolet, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick
- The CNC-machined tool provides a large contact area to keep the harmonic balancer perpendicular with the centerline of the crankshaft for bind-free action
- Roller thrust bearing allows drive nut to rotate freely so the balancer is pressed on or pulled off smoothly and evenly
- · Compact storage case keeps tool and all attachments organized and rust free for years of dependable service
- Black oxide finish

PART # DESCRIPTION

61743 Harmonic Balancer Installation and Removal Tool Kit, Chevy, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick

HARMONIC BALANCER INSTALLATION & REMOVAL TOOL KIT, GM LS & LT

- . Innovative tool makes installing and removing GM LS & LT harmonic balancers quick and easy without causing damage
- The CNC-machined tool provides a large contact area to keep the harmonic balancer perpendicular with the centerline of the crankshaft for bind-free action
- Roller thrust bearing allows drive nut to rotate freely so the balancer is pressed on or pulled off smoothly and evenly
- Compact storage case keeps tool and all attachments organized and rust free for years of dependable service
- Black oxide finish


PART # DESCRIPTION

61745 Harmonic Balancer Installation & Removal Tool Kit, GM LS & LT

HARMONIC BALANCER INSTALLATION & REMOVAL ADAPTER, GM LS & LT

- This adapter allows a Moroso Part No. 61743 Harmonic Installation & Removal Tool Kit work with the GM LS & LT Series of engines
- Like all of the adapters in the kit this adapter will now make it possible to install and remove GM LS & LT harmonic balancers quickly and easily without causing damage
- Black oxide finish

PART # DESCRIPTION

















CRANKSHAFT SOCKET TOOLS

- Designed to simplify the task of crankshaft rotation during short block assembly with the balancer removed
- Features full steel construction with a zinc-plated finish for corrosion resistance
- Accepts 1/2" drive

PART # DESCRIPTION

- 61760 Crankshaft Socket Tool, Small Block and 90° V6 Chevy and Super-Duty Pontiac/GM 4 Cyl.
- 61770 Crankshaft Socket Tool, Big Block Chevy
- 61790 Crankshaft Socket Tool, all Small Block Ford, Buick and Pontiac

HONDA/ACURA CRANKSHAFT PULLEY WRENCH

- Fits Honda 1.5L, 1.6L and Acura 1.8L engines
- A cost-effective alternative to the factory tool for turning the engine over or holding the crankshaft pulley in place while removing the pulley bolt
- CNC machined hex fits perfectly into the crankshaft pulley for positive engagement, while the hollow center allows a socket to pass through and unfasten the bolt
- Extra long handle with coated grip supplies the leverage needed to prevent the pulley from moving
- All steel construction with protective black zinc finish will provide years of rust-free, dependable service

DESCRIPTION PART

61805↔ Honda/Acura Crankshaft Pullev Wrench

CRANKSHAFT SOCKET TOOLS

For Degree Wheel

- · By removing the crank hub or balancer and using a Moroso Crankshaft Socket Tool, engine builders have a positive way to turn over the engine
- Tool makes it easier to locate TDC and BDC when degreeing camshafts
- Broached keyway allows the socket (which fits 1/2" drive) to slide over the crankshaft snout and key. A knurled jam nut is then used to position a degree wheel
- Use with Moroso Degree Wheel No. 62190 (11"), No. 62191 (18") or No. 62192 Dual (18")

PART # DESCRIPTION

- **61755**↔ Crankshaft Socket for Degree Wheel. Fits: Small Block and 90° V6 Chevy, Super-Duty Pontiac/GM 4 Cyl. 617560
 - Crankshaft Socket for Degree Wheel. Fits: Big Block Chevy




DEGREE WHEELS

- These degree wheels are mandatory for professional engine builders
- Accurately measures several timing functions of an engine: camshaft centerline, valve timing, TDC, BDC, etc.
- Made from heavy gauge metal with a silk screen finish for long-lasting use in shop or track environments
- Adapter included to fit virtually any engine
- For mounting Degree Wheels, use Crankshaft Socket Nos. 61755 or No. 61756 for Small and Big Block Chevys, and No. 61757 for LS Series Engines with keyway
- Dual Degree Wheel No. 62192 easily degrees your camshafts with NO math and NO calculations
- Dual Degree Wheel No. 62192 features an outer wheel developed by automotive writer David Vizard, which allows for more precise location of cam timing values and reassurance you've made the correct cam location adjustments

PART # DESCRIPTION

- 62190 11" Degree Wheel, primarily for in-car use at the track
- 18" Degree "Pro Wheel™", for engine stand use 62191
- 62192 18" Dual Degree "Pro Wheel™", for precise adjustments



No. 62191



No. 62192





No. 61757

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

234

ENGINE CLEANING BRUSHES

- It's important to have a clean block especially in critical hard-to-get-at areas of the oiling system
- Each brush is designed for a specific purpose; there are two each of the oil gallery brushes since they get the most wear
- Can also be used on crankshaft oil holes, cylinder heads, etc; bristles are made of nylon which cleans as well as wire but does not scratch
- Set of 12 brushes

PART #	DESCRIPTION	INCLUDES TWO OF EACH:			INCLUDES ONE OF EACH:		
61820	Engine Cleaning Brushes	1⁄4" dia.	2" long	10" handle	1⁄2" dia.	2-1/2" long	34" handle
		5∕16" dia.	2-1/2" long	12" handle	%" dia.	3" long	34" handle
		%" dia.	2-1/2" long	12" handle	3⁄4" dia.	3" long	34" handle
					%" dia.	3" long	12" handle
					1-¼" dia.	4" long	12" handle

ENGINE STORAGE BAGS

- Manufactured from heavy duty 4 mil thick plastic
- Extra-large sizes cover a complete engine with installed headers
- One per package

PART # DESCRIPTION

99400 Engine Storage Bag, 40" wide x 19-½" deep x 47" tall
99401 Engine Storage Bag, 42" wide x 32" deep x 54" tall



No. 99400



18" handle

No. 99401

OIL PAN T-HANDLE WRENCHES

Made especially for use on oil pans with power kick-outs

- Oil pans with power kick-outs have access plugs in the bottom for fastening to the engine block—Oil Pan T-Handle Wrenches allow for quicker and easier installation and removal
- No more lost socket or dropped fasteners due to one piece design
- A positive locking tool with a magnetized spring loaded socket that fits into the access holes in the pan
- Moroso Oil Pan T-Handle Wrenches have a 6 point socket with a 12" long shaft
- After using this product, power kick-out oil pan owners will never know how they lived without it

PART # DESCRIPTION

 62255
 Wrench, Oil Pan T-Handle, ½", 6 PT

 62256•
 Wrench, Oil Pan T-Handle, ½", 6 PT

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PISTON INSTALLATION TOOLS

- Designed for fast, easy installation of pistons in most popular bore diameters
- Tapered inner diameter of tool compresses piston rings to proper bore size, completely eliminating chances of unseen ring breakage
- · Made from aluminum with a hard-coat anodized finish for long wear

PART # DESCRIPTION

- 61870 Piston Installation Tool for 4.280" Bore
- 61880 Piston Installation Tool for 4.310" Bore



No. 62255





5" dia.



7" long

ENGINE TOOLS

DIAL INDICATOR STAND

- · Rugged steel fixture is a "must have" for the serious engine builder
- \bullet The versatile stand will span cylinder bores up to $4\text{-}7\!/_{16}$ and makes it easy to check piston dome and deck heights
- Block and head surface problems can be found by the racer who checks everything
- Other uses include checking for flatness, runout, warping, etc.

PART # DESCRIPTION

62050 Dial Indicator Stand



No. 62050

CYLINDER HEAD WORK STAND

- Work stand is designed for use with all popular cylinder heads and provides an inexpensive, safe and sure mount for all jobs from porting to cc-ing the chambers
- Disassembles for easy storage in tool box
- Two supports per set

PART # DESCRIPTION

62080 Cylinder Head Work Stand





No. 62080

No. 89600

CYLINDER LEAKAGE TESTERS

- Quickly diagnoses failed or leaking valves, pistons, rings and head gaskets
- \bullet Large-diameter 3-1/2" gauge face indicates percentage of leakage rather than psi, eliminating need for math calculations
- Includes 4-foot hose with quick-disconnect fitting
- No. 89600 includes two zinc-plated adapters for 14mm and 18mm plug sizes
- Accessory Adapter available for 14mm plugs on OHC and HEMI engines

PART # DESCRIPTION

- 89600 ·· Cylinder Leakage Tester, Standard Version
- 89602 · Adapter Leak Tester, OHC and HEMI, 7.43" long

PART # REPLACEMENT PARTS

97500 Gauge Head

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



CYLINDER LEAKAGE TESTERS

The high performance tool you'll pass down from generation to generation!

Moroso asked top engine builders and race teams to give their input during development. The two biggest results—they immediately asked, "When can I buy one?" and thought of even more uses for this versatile product!

- \bullet Top of the line components are used in this precision instrument
- Calibrated for high accuracy and repeatability
- Housed in a stand-up, black powder coated steel case to make taking readings easier and to protect the components themselves
- Comes with 14 mm adapter long, 14 mm and 18 mm adapters short, tapered plug adapter and whip lines

PART # DESCRIPTION

89603. Cylinder Leak Down Tester

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





TOOLS

No. 62674

ENGINE LIFT PLATE

- Handy tool provides a guick, easy method of attaching an engine lift chain
- Bolts onto the intake manifold for easy engine lifting and seals up the engine when in storage
- Revised version accommodates most 2bbl. and 4bbl. carburetor bolt patterns
- Made of ³/₁₆" zinc plated steel with 1,000 lb. rating

DESCRIPTION PART # 62670 **Engine Lift Plate**


ENGINE LIFT/STORAGE PLATES. **GM LS & GM GEN V LT ENGINES**

- Handy tool provides a quick, easy method of attaching an engine lift chain
- Bolts onto the non-intake equipped engine block for easy engine lifting and seals up the engine for storage
- Made out of 3/16" thick steel with a durable zinc plated finish, 1000 lb. rating

DESCRIPTION Part

- 62672 Engine Lift/Storage Plate, GM LS1, LS2, LS6 & C5R
- 62673 Engine Lift/Storage Plate, GM LSX, LS3 & LS7
- 62674 Engine Lift/Storage Plate, GM Gen V LT1, LT4





- Plate is constructed out of 1/8" thick steel with a zinc coating for corrosion resistance
- Mounting hardware is included

PART # DESCRIPTION

25179	Engine Storage Plate, For GM LS1, LS2, LS6 & C5R engines	No. 25180	TTTTT
25180	Engine Storage Plate, For GM LSX, LS3 & LS7 engines		11111

OIL PUMP PRIMERS

- Used to build up oil pressure in a new engine before initial starting
- Remove the distributor and insert the primer to engage the end of the oil pump drive
- The other end of the primer fits a ³/₈" chuck in a hand drill to drive the oil pump
- Black oxide finish resists corrosion

PART # DESCRIPTION

62200	Oil Pump Primer.
	Fits: Most Chevrolet engines
62210	Oil Pump Primer.
	Fits: Ford 289, 302, 390, 428 engines. Pump drive
	end of the primer fits 1⁄4" hex male end of the oil
	pump drive



02220	Oil Pump Primer.
	Fits: Ford 351W, 351C, 400, 429, 460 engines.
	Pump drive end of the primer fits 5/16" hex male end
	of the oil pump drive
62250	Oil Pump Primer.
	Fits: Most Chrysler engines and Moroso
	Blueprinted Oil Pump No. 22162

OIL PRIMER TOOL

SBC, BBC and 90° V-6 Engines

- This oil pump primer offers a superior design
- Includes bushing to pressurize the valvetrain
- Primes the oil pump right through the distributor hole using an electric drill

No. 62205

11111 No. 25179

11111

PART # DESCRIPTION 62205 Oil Primer Tool, with bushing No. 62670 No. 62672





ENGINE TOOLS

STUD MOUNT VALVE SPRING COMPRESSOR

Heavy Duty

- Makes valve spring changing quicker and easier than conventional methods
- Unlike models offered by other manufacturers, Moroso's stud mount tool fits both %" and 7_{16} " rocker studs
- Heavy Duty version of Moroso Stud Mount Valve Spring Compressor features thick laser cut steel and billet aluminum components for day in and day out use
- The 12" handle gives all leverage needed to compress the strongest springs

PART # DESCRIPTION

62371. Stud Mount Valve Spring Compressor, Heavy Duty



STUD MOUNT VALVE SPRING COMPRESSORS

- Simplifies between-rounds valve spring changing
- Unlike models offered by other manufacturers, Moroso's stud mount tool fits both 3%'' and $7\!/_{16}''$ rocker studs
- Strong, durable handle withstands the most extreme high pressure valve springs
- The 12" handle gives all the leverage needed to compress the strongest springs

PART # DESCRIPTION

62370 ·· Stud Mount Valve Spring Compressor

PART # AVAILABLE OPTION


62372 Stud Mount Valve Spring Compressor Conversion Kit. Contains all parts necessary to convert Part No. 62370 to fit Jesel Rocker Shaft assemblies

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

VALVE CHECKING SPRINGS

- · Greatly simplifies the task of cam degreeing, checking valve-to-piston clearance, etc.
- Designed with 7/8" diameter and 2" height for most popular race engines
- Can be installed by hand without the use of compression tools
- Sold as a set of 8

PART # DESCRIPTION 62380 Valve Checking St





No. 62372

VALVE SEAT PRESSURE TESTER

- The original tool for checking valve seat pressure on an assembled engine!
- Built-in 300-lb. reading scale
- Fits roller rockers on Small Block, Big Block and 90° V6 Chevy; Ford 221-302, 351-400 SVO and Ford Windsor engines, and most other wedge-type engines
- Use with Moroso Stud Mount Valve Spring Compressors No. 62370 for the most accurate method of maintaining the valvetrain on a fully assembled engine

PART # DESCRIPTION

62390 Valve Seat Pressure Tester





No. 62371


REST

GOOL

ENGINE TOOLS

LOW-PROFILE DESIGN VALVE SEAT PRESSURE TESTER

- Similar to No. 62390 with low-profile design to fit under windshield and cowl of tube-chassis cars
- Designed by Jerry Haas, the tool features a rocker arm "gripper" machined from billet aluminum
- Scale reading from 160 to 400 lbs. allows testing of springs with higher spring pressures
- Use in conjunction with Moroso Stud Mount Valve Spring Compressors No. 62370 for the most accurate method of maintaining the valvetrain on a fully assembled engine



62391 Low-Profile Valve Seat Pressure Tester





VALVE SEAT PRESSURE TESTER

• Built-in 400-lb. reading scale

PART #

- Billet aluminum with body pocket to fit taller adjuster nuts used on stud girdles
- Use with Moroso Stud Mount Valve Spring Compressor **No. 62370** for the most accurate method of maintaining the valvetrain on a fully assembled engine

PART # DESCRIPTION

- 62388 Valve Seat Pressure Tester
- **62389** Low-Profile Valve Seat Pressure Tester



FENDER COVER

- 34" x 22" Rubber cover printed with Moroso and Competition Engineering Logos
- Non-skid foam backing is safe for your car's finish and will not slide off while working
- Protects fender paint from scratches and grease while working on engine
- · Acid/grease resistant, top surface is easily washable with mild solvents or detergents

PART #DESCRIPTION99406Fender Cover

No. 99406

CARBURETOR WORK STAND

- Designed to hold Quadrajet and both standard and spread-bore Holley[®] carbs, this tool greatly simplifies carburetor work
- Manufactured of cast aluminum with open center and mounting pegs

PART # DESCRIPTION

62070 Carburetor Work Stand



CARBURETOR WORK STAND, ADJUSTABLE

- Designed to hold standard and spread bore Holley 4150, Holley 4500, Rochester and Carter Quadrajet, Carter AFB and Edelbrock Carburetors
- This tool simplifies carburetor work and with it's open center allows access for assembly and disassembly
- · Manufactured out of thick aluminum for years of service

PART # DESCRIPTION

62071 Carburetor Work Stand, Adjustable



No. 62071

TOOLS



CARB-TOP TOOL TRAYS

- Made from lightweight, durable, .063" aluminum in two styles for Holley® 5-1/8" and 7-5/16" Dominator carburetors
- Also fits other carburetors with similar neck diameters
- Each Tool Tray sits just 2-1/2" above the carburetor and features a convenient handle, 1/8" rubber mat, 16 spark plug holders, 8 plug wire holders and enough room to store a variety of tools for working on just about any engine
- Inside tray dimensions: 10" x 13"

PART # DESCRIPTION

- **65800** Carb-Top Tool Tray, 5-¹/₈" diameter carburetors
- 65801 Carb-Top Tool Tray, 7-5/16" diameter carburetors



SPARK PLUG INDEXER

- High-compression drag race engines require "indexing" of spark plugs to prevent contact between piston dome and ground wire of the spark plugs
- Moroso's "Indexer," designed for both flat and taper-seat 14mm spark plugs, enables selection of spark plugs that will not make such contact
- Once a given plug is selected (placed in a cylinder head and found to have the correct ground wire position), it is placed in the Moroso Plug Indexer and the position of the ground electrode marked on the black anodized surface
- Marking provides a reference for checking other plugs to be used in the same cylinder
- The hex-head design allows it to be held in a vise

PART # DESCRIPTION

62160 Spark Plug Indexer

PART # AVAILABLE OPTIONS

- 71900 Spark Plug Indexing Washers, Tapered Seat, .010", .021", .032"
- 71910 Spark Plug Indexing Washers, Flat Seat, .040", .050", .064"



No. 62160



UNIVERSAL SPARK PLUG HOLE AIR HOSE KIT

- Air hose kit makes it easy to pressurize the cylinder to hold the valve closed when changing a valve spring
- Fits all 14mm and 18mm spark plug holes
- · Includes a 12" hose and 3 spark plug adapters

PART #DESCRIPTION62385•Universal Spark Plug Hole Air Hose Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





POWER SPEED CALCULATOR

Moroso's Power-Speed Calculator is like having a dyno in your back pocket!

Using information such as tire size, gear ratios, horsepower and displacement, this handy slide tool works out the relationship between:

- E.T., M.P.H. and power to weight ratios
- Tire diameter to speed and gear ratio
- · Engine displacement to compression ratio
- · Horsepower measured at flywheel

PART # DESCRIPTION

89650 Power-Speed Calculator





EXHAUST BLOCK OFF STORAGE PLATES

Fits: BBC Mark IV with conventional cylinder heads

- A convenient way to keep engines sealed up from foreign objects during storage or when an engine is getting painted
- Durable aluminum construction, come as pairs

PART # DESCRIPTION

25160 Exhaust Block Off, Storage Plates, BBC Mark IV



IGNITION WIRE TOOLS

ENHANCED IGNITION WIRE STRIPPING TOOL

Made especially for stripping 8mm & 8.65mm Moroso Ignition Wire and others

- An easy way to strip wire without damage, which is more likely to occur using other methods
- Simple and efficient operation: place the end of the wire in the "mouth" of the tool, twist in a circular pattern until the cut is made around the wire, then pull off sheath
- Heavy-duty construction and guality components provide reliable operation after repeated use
- After using this Enhanced Stripping Tool, you will never go back to using manual strippers for assembling wire sets again

DESCRIPTION PART

62272 Enhanced Ignition Wire Stripping Tool, for 8mm & 8.65mm diameter wire



ADJUSTABLE WIRE STRIPPING TOOL

- Strips outer jacket and insulation simultaneously giving a cleaner, precise cut
- · For stripping different diameter cable, use the built in hex key adjuster screws to align the blade for desired results
- The V-Block reverses and indication arrow sets to recommended cable size
- The stripper distance can be changed by removing one of the stripping blades

PART # DESCRIPTION

62271 Adjustable Wire Stripping Tool

marasa

GOOD

No. 62271

WIRE CRIMPING TOOLS

 Crimp a variety of spark plug terminals and other automotive wire hardware

PART # DESCRIPTION

- 62260^o General Purpose Wire Crimper. Made of high carbon steel with black oxide finish and plastic hand grips
- Super-Duty Wire Crimping Tool. Positive ratcheting 62268^o mechanism adjusted for perfect crimps. Supplied with crimping jaws for Moroso (and others) spark plug wire terminals. Hardened steel frame with blue molded cushion grips. Also comes with additional primary wire crimping iaws

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm

No. 62260



IGNITION WIRE STRIPPING TOOL

- Ideal for stripping 8mm Moroso ignition wire without damaging the conductor
- Damage to conductor during stripping can cause interruption of spark and misfire
- Moroso's specially-designed tool uses a hard-edge, razor-sharp blade specially positioned in a plastic holder to cut only the insulation-not the conductor

PART #	DESCRIPTION
62270	Wire Stripping Tool, 8mm



SUSPENSION TOOLS

COIL-OVER SHOCK ADJUSTING TOOL

- Makes adjusting coil-over shocks much easier than the commonly used hammer and screwdriver method
- Works with Moroso, Competition Engineering, Avo, Hal, Koni, Bilstein, Carrera, Monroe and most other coil-over shocks with adjusting nuts up to 3-1/4" diameter
- Manufactured of cast steel with finger indents for sure-grip operation

PART # DESCRIPTION

62030 Coil-Over Shock Adjusting Tool

PINION WRENCH, REAR END

For: Ford 8.8 " & 9.0 ", GM 10 & 12 Bolt, Dana 60 and others

- Steel tool with 24" handle, for Bolt-On security to pinion using U-Joint bolt holes, the two sets of slots are .56" wide by 1.5" long and .34" wide by 1 %" long, used to hold the rear end pinion yoke while tightening or removing the pinion nut
- Quicker and easier way of changing the pinion seal, re-bushing the case or simply torquing the pinion nut

PART # DESCRIPTION

62027 • Wrench Pinion, Bolt-On, Ford 8.8" & 9.0", GM 10 & 12 Bolt, Dana 60

WRENCH, PINION COUPLER

- Used to hold the female pinion coupler while tightening and removing the pinion nut on Chrysler 8-3/4", Ford 9", Mark Williams or Strange style pinion assemblies
- · Can be used on the tool bench or when the assembly is still in the car
- This quality-built, steel tool features a 20-tooth head and an 18" long handle for years of service
- The correct way of changing the pinion seal, re-bushing the case or simply torquing the pinion nut

PART # DESCRIPTION

62026 •• Wrench, Pinion Coupler





No. 62030

This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 62026

No. 71605

QUICK FASTENER SINKING TOOL

- · Ideal for sinking flush-mount quick fasteners
- The two piece steel tool dimples a single metal panel using one end and a double panel using the other
- Zinc-plated
- One tool per package

PART # DESCRIPTION

71605 Quick Fastener Sinking Tool

QUICK FASTENER TRANSFER STUD PUNCH KITS

Place the Transfer Stud Punch in a weld plate or body panel. Then position your panel over top of it and lightly tap the panel with a hammer and you'll be left with a mark in your panel where you drill your hole

• 5 per pack

PART # DESCRIPTION

71601Transfer Stud Punch Kit for $\frac{5}{16}$ " Buttons, 5 per kit**71602**Transfer Stud Punch Kit for $\frac{7}{16}$ " Buttons, 5 per kit





QUICK FASTENER WRENCHES

With Easy Grip Handle

- Allows for faster removal of 1/4-turn fasteners
- Features include a high strength steel shank plated with black zinc for durability
- The slot head blade on **No. 71606** is contoured to fit inside the ¹/₄-turn fastener without stripping the slot
- · One tool per package

PART # DESCRIPTION

- 71606 Quick Fastener Wrench, 3%" Slot Head
- 71607 Quick Fastener Wrench, 3/16" Hex Drive





QUICK FASTENER WRENCH

- This tool fits slot-head ¼-turn fasteners far better than a screwdriver, reducing the possibility of damaged fasteners and body panels
- Manufactured of zinc plated spring steel with three different sized radii to match the slots in various 1/4-turn fasteners
- Includes non-slip, plastic hand grip
- One tool per package

PART # DESCRIPTION

71600 Quick Fastener Wrench

No. 71600

WHEEL & TIRE TOOLS

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

PIT SOCKET

- Thick walled socket with six point surface-contact and large chamfer insures fast, clean engagement on the lug nut
- Manufactured of alloy steel and carefully heat treated for maximum strength and prevention of lug nut damage
- Accepts 1/2" drive, and fits 1" lug nuts

PART # DESCRIPTION

62010 Pit Socket



INSIDE

No. 62010

DIGITAL DUROMETER

Includes Case

In racing where thousandth of a second can count, a durometer is used to check on; whether a tire has gotten too hard as it has aged, compare different tire(s) hardness and softness against each other or how a tire responded to a chemical tire softener.

- Calibrated on a Shore type A scale, the scale used to measure the hardness of race and ultra high performance tires.
- Easy to read Digital readout with 1/2" tall numbers
- Reads to .5 Shore
- Has a hold button to capture the reading on the readout
- · Comes with a foam lined plastic case for storage of the unit when not in use

PART # DESCRIPTION

89585 •• Digital Durometer with Case

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 89585



LOOLS

 $' \Pi$

WHEEL & TIRE TOOLS

TIRE PRESSURE GAUGES, GARAGE SERIES

- A line of gauges that are perfect to check pressures around the garage, where the accuracy of a track air pressure gauge isn't needed and you don't mind your buddies borrowing
- Easy to read 2-1/4" gauge face
- Includes rubber gauge cover
- 16" hose with finger operated air-bleed valve allows you to release pressure quickly
- Hose has easy grip angle chuck end that rotates 360 Deg. for positive valve stem attachment

PART # DESCRIPTION

- 89592. Tire Pressure Gauge, Garage Series, 0-15 psi
- **89593**•• Tire Pressure Gauge, Garage Series, 0-40 psi **89594**•• Tire Pressure Gauge, Garage Series, 0-60 psi
- 89595. Tire Pressure Gauge, Garage Series, 0-100 psi

PART # REPLACEMENT PART

97485. Tire Gauge Replacement Hose

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 89592

No. 89576

DIGITAL TIRE PRESSURE BACK LIT GAUGES

Accuracy 1/2%

- Strong back lighted display is easily read in the darkest of pits
- 2-%" dia. gauge face
- Reads to .1 psi
- · Can be adjusted to read in standard and metric units
- Auto-Off feature to increase battery life
- Battery level on gauge face
- Includes 9 volt battery
- Includes rubber gauge cover
- 16-1/4" hose with finger operated air-bleed valve allows you to release pressure guickly
- · Hose has easy grip angle chuck end

PART # DESCRIPTION

- **89574**•• Digital Tire Pressure Back Lit Gauge, 0-15 psi
- 89575. Digital Tire Pressure Back Lit Gauge, 0-60 psi
- 89576 Digital Tire Pressure Back Lit Gauge, 0-100 psi

PART # REPLACEMENT PART

97485. Tire Gauge Replacement Hose





STRONG BACK LIGHTED DISPLAY IS EASILY READ IN THE DARKEST OF PITS.

TOOL CASE, PLASTIC WITH FOAM INSERT

- •Rugged polyethylene plastic tool case is lined with a medium-density,
- open-cell foam insert to keep tools protected during transportation and storage
- · Case's slide clasps have tabs for small padlocks
- Can also be used as replacement case for Moroso Part Nos. 89552 and 89562 Pro Series Tire Pressure Gauges

PART # DESCRIPTION

97481 Tool Case, Plastic with Foam Insert

WHEEL & TIRE TOOLS

TIRE PRESSURE GAUGES

Accuracy 2%

- 16-1/4" hose with a finger operated air-bleed valve allows you to release pressure quickly
- Individually calibrated for accuracy within 2%
- The large 2-⁵/₈" dia. dial face in ¹/₂ lb. increments is easy to read, while the hardened swivel chuck rotates 360° for positive valve stem attachment

PART # DESCRIPTION

89550 ↔	Tire Pressure Gauge, dial type, 0-15 psi.
89555 ⇔	Radial Tire Pressure Gauge, dial type, 0-40 psi.
89560 ↔	Tire Pressure Gauge, dial type, 0-60 psi.
89570 ↔	Tire Pressure Gauge, dial type, 0-100 psi.
PART #	AVAILABLE OPTION
89590	Tire Pressure Gauge Cover

PART # REPLACEMENT PART

97480 Gauge Head for No. **89550**

97485° Tire Gauge Replacement Hose

PRO SERIES TIRE PRESSURE GAUGES

Accuracy 1/2%

- Long 16-1/4" hose with pressure release valve and hardened steel swivel chuck is perfect for getting into deep-dish wheels
- Premium high-quality instruments with brass internals and bourdon tube pressure element provide full-range accuracy to within ½%
- · Extra-large 4" diameter face and knife-edge pointer eliminate human error
- Adjustable pointer can be calibrated at the race track
- Fiberglass-reinforced thermoplastic housing withstands harsh racing environments
- Rugged polyethylene plastic carrying case is lined with a medium-density, open-cell
- foam insert to keep gauge protected during transportation and storage • Includes protective gauge cover

PART # DESCRIPTION

89552 ⇔	Pro Series Tire Pressure Gauge, 0-15 psi. Major
	increments at 3 psi with minor increments at 0.1 psi.
89562 ↔	Pro Series Tire Pressure Gauge, 0-60 psi. Major
	increments at 10 psi with minor increments at 0.5 psi.

PART # REPLACEMENT PART

97485. Tire Gauge Replacement Hose

TIRE PRESSURE GAUGE COVER

- Protective rubber cover insures long service and continued accuracy of Moroso 2-5%" Tire Pressure Gauges
- Specially designed ribs provide superior protection
- A must for anyone who uses Moroso gauge Nos. 89550, 89560 & 89570 or other 2-5/3" O.D. x 1-1/3" gauges

NOTE: Not required for Moroso's Lighted Tire Pressure Gauges. Will not fit Pro Series or Digital tire gauges.

PART #DESCRIPTION89590•Tire Pressure Gauge Cover

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 89590

TIRE GAUGE, REPLACEMENT HOSE

- Replacement Tire Gauge Hose, fits Moroso Tire Gauges
- The hose is 16 -1/4" long and comes with a finger operated air-bleed valve which allows you to release pressure quickly
- Hose has an easy grip angle check end.

PART #DESCRIPTION97485*Tire Gauge, Replacement Hose

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-





No. 89562

No. 97485



TOOLS

IFFI & THE TRAKE

• MARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

BEST

- Moroso Safety Wire is widely used to secure all kinds of fasteners and controls from nuts and bolts to check valves, switches and modulators where a loose or lost component might mean disaster
- Made of .032" diameter 304 stainless steel; comes in 1-lb. containers

PART # DESCRIPTION 62280 ·· Safety Wire • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

OFFSET ROLL BAR PADDING


Packaged in single 3-foot lengths.

- 3" 0.D. padding is extruded from high-density foam
- Inside diameter of 1-5%" is offset by 7/16" to position extra cushioning towards the driver where it's needed the most
- Available in black, red, blue and orange

PART # DESCRIPTION

80939₀Offset Roll Bar Padding, Black80940₀Offset Roll Bar Padding, Blue80941₀Offset Roll Bar Padding, Red80942₀Offset Roll Bar Padding, Orange

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



ROLL BAR PADDING, SFI 45.1 APPROVED

Meets the requirements of NHRA, IHRA, SCCA and other organizations

- SFI 45.1 Specified approved padding, approval marked on padding
- Comes in 36" lengths; ⁷/₈" thickness fits 1-⁵/₈"-2" bar diameter
- Padding backed with pressure-sensitive adhesive and can be cut to size to make installation easy
- Padding exceeds SFI 45.1 rating for dripping or melting in a fire, and is self-extinguishing
- SFI 45.1 approved Roll Bar Padding is more dense than traditional padding, and is designed to absorb the impact energy

PART # DESCRIPTION

80944 Roll Bar Padding, SFI 45.1 Approved, Black

RACE CAR TIE-DOWNS

Aircraft quality ratchets and super strong 2" wide nylon webbing are combined to offer the ultimate in race car tie-downs

- Capacity of each tie-down is 5000 lbs.
- Simple to operate

PART #	DESCRIPTION
--------	-------------

80740 Race Car Tie-Down, short clamping range, 2'4" to 5'7"
80750 Race Car Tie-Down, long clamping range, 4' to 7'7"

AXLE TIE-DOWN LOOP

This strap provides a strong axle loop to hold the vehicle in place on trucks or trailers using a tie-down like Moroso Nos. 80740 or 80750

- 2" wide, 24" long latex-treated woven polyester strap is rated at 3,335 lbs.
- The strap has D-rings at both ends and is protected by a 12" cordura center sleeve to prevent cuts or chafing against bare metal

PART # DESCRIPTION

80700 Axle Tie-Down Loop



08 N/d (· ·) P/N 80750



No. 80750



No. 62280

Safety wire should

NOT be reused!

CAUTION!







(

SOLID STEEL MOTOR MOUNTS

CHEVROLET MOTOR MOUNTS

- Replace stock, OEM-style rubber mounts to eliminate torque loss and binding linkages, a common result of excessive engine movement
- Eliminates the need for bulky torque straps and chains
- Protective zinc plated finished steel, two per pack
- Refer to Motor Mount chart and dimensional diagram for your specific application



PART #	DESCRIPTION	DIMENSIONS (See diagram, right)	REPLACES
62500	Chevrolet Motor Mounts	A: 1-11/16" B: 2-1/2", 1/4" zinc plated steel	Replaces OEM #3990914
62510	Chevrolet Motor Mounts	A: 2-1/8" B: 2-3/8", 3/16" zinc plated steel	Replaces OEM #3962748
62515	Chevrolet Motor Mounts	A: 2- ⁹ / ₃₂ " B: 2- ³ / ₈ ", ³ / ₁₆ " zinc plated steel	Replaces OEM #332648*
62530	Chevrolet Motor Mounts	A: 1-¾" B: 2-¾", ¾16" zinc plated steel	Replaces OEM #6258154

CHEVROLET MOTOR MOUNT APPLICATION CHART

MODEL	YEAR	ENGINE	PART #	MODEL	YEAR	ENGINE	PART #
FULL SIZE	1958-'60	283, 348	62500	CHEVELLE	1964-'67	283, 327	62500
	1961	283, 348	62500			396, 427	62530
		409	62530		1968-'69	307, 327, 350	62510
	1962-'65	283, 327	62500			396	62530
		396, 409, 427	62530		1970-'72	307, 350, 402, 454	62510
	1966-'67	283, 327	62500*		1973-'88	307, 350, 402, 454	62515
		396, 427	62530	CHEVY II	1964-'67	283, 327	62500
	1968-'69	307 (Exc. Police)	62500	NOVA	1968-'69	327	62500
		307 (Police)	62530			350	62510
		327	62500*			396	62530
	1070 170	396, 427	62510		1970-'72	350 (Exc. Spec. Hi. Perf.)	62500
	1970-'72	350 (w/ 2 bbl. carb.)	62500 62510			350 (Spec. Hi. Perf.)	62510
	1070 200	454	62510			396, 402	62530
048400	1976-'90	307, 350	62515		1973-'79	307, 305	62515
CAMARO	1967-'68	302 327	62530 62500	CORVETTE	1963-'64	327	62530
		350, 396	62530		1965	327, 396	62530
	1969	302	62510		1966-'68	327, 427	62530
	1303	302	62500		1969	327, 350, 427	62530
		350	62510		1970-'74	350, 454	62530
	1970-'73	350 (Exc. Spec. Hi. Perf.)	62500		1975-'82	305, 350	62530
		350 (Spec. Hi. Perf.)	62510	MONTE	1970-'72	350, 402, 454	62510
		396, 402	62530	CARLO	1973-'87	307, 350	62515
	1974-'81	307, 350	62515		1010 01	001,000	22010
	1982-'92	305, 350	62510				

Some models use No. 62510, check dimensions of original mounts. #Use with Moroso Frame Mounts No. 62610

*NOTE: To prevent premature engine mount failure, we recommend using Moroso's Steel Motor Mounts, sold above, with Competition Engineering's Engine Limiter, Part No. C4034, sold on page 415.

MOTOR MOUNT SHIM KIT

- $1\!\!\!/_{16}$ ", $1\!\!\!/_8$ " and $3\!\!\!/_{16}$ " thick, 2 ea.
- Standard Chevrolet bolt pattern
- Works great with Chevy Motor Mounts 62500, 62510, 62515, 62530 & 62550
- Used to make slight adjustments to engine height to compensate for minor oil pan, linkage and header interference
- Great addition to engine swap kits

PART #DESCRIPTION62535Motor Mount Shim Kit



CHEVY SOLID MOTOR MOUNT PAD KITS

- Solid Mount Pads replace soft rubber-cushioned frame mounts supplied as OEM equipment on 1974-'97 Camaro and Firebirds and other GM vehicles
- Control excessive engine movement, prevent linkage binding and eliminate the need for torque straps
- Two per pack

	•
PART #	DESCRIPTION
62610*	Solid Motor Mount Pad Kit. Zinc Finish
	Use with Moroso Motor Mounts No. 62510
	Fits: 1982-'92 Camaro and Firebird, SBC, BBC and
	90° Chevy V6
62630*	Solid Motor Mount Pad Kit, Zinc Finish
	Use with Moroso Motor Mounts No. 62515
	Fits: 1974-'81 Camaro, Firebird; 1973-'88 Chevelle, Malibu,
	Monte Carlo, El Camino; 1973-'79 Nova; 1976-'90 Impala,
	Caprice; Small Block
62635*	Solid Motor Mount Pad Kit. Zinc Finish
	Fits: 1993-'97 Camaro and Firebird V8



No. 62635

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.

CHEVROLET MOTOR MOUNT

Fabricated Chassis

- Designed primarily for oval track or any fabricated chassis application (they do not fit any particular OEM chassis)
- · Allows for quick, easy engine removal and reinstallation
- Manufactured from 1/4" thick steel with zinc plating to resist corrosion

PART # DESCRIPTION

62550 Chevrolet Motor Mounts, ¼" Zinc Finish, Two per pack *Fits: SBC, BBC and 90° Chevy V6 in fabricated chassis*





CHEVY SOLID TRANSMISSION MOUNT

- Replaces stock, OEM-style soft rubber mount to eliminate linkage binding, driveline misalignment and unwanted transmission movement in racing and street performance applications
- Sturdy mount is constructed from $\frac{1}{16}$ " steel and features slotted holes on top for transmission mounting and threaded nuts welded to bottom for crossmember mounting
- Black zinc finish

PART # DESCRIPTION

62600* Solid Transmission Mount

Fits: 1958-'88 Chevy with Powerglide, TH-350, TH-400 and all Borg-Warner, Muncie, Saginaw, Chrysler 4-speed and Doug Nash 5-speed transmissions, except 1982-92 Camaro and Firebird



No. 62600

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.

MOTOR & TRANSMISSION MOUNTS

MOTOR MOUNT ADAPTER PLATES FOR LS SERIES

- · Simple and efficient way to adapt motor mounts to fit LS Series Engines
- Manufactured from 6061 T-6 Aluminum
- Black anodized finish resists corrosion
- Works with G.M. Factory 3-Bolt Mounts and Moroso Solid Motor Mounts Nos. 62500, 62510, 62515, 62530 & most aftermarket polyurethane mounts

PART # DESCRIPTION

62555* Motor Mount Adapter Plates for LS Series, Two per pack, with hardware



No. 62555

DRIVESHAFT LOOPS

Camaro LS, LT, SS, ZL1, 2010-2015

- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- Durable gloss black powder finish
- All hardware included

PART # DESCRIPTION

62640 Driveshaft Loop, Camaro LS, LT, SS, ZL1, 2010-2015, Standard Transmission
62641 Driveshaft Loop, Camaro LS, LT, SS, ZL1, 2010-2015, Automatic Transmission



No. 62640



No. 62641

CHRYSLER MOTOR MOUNTS

PART # DESCRIPTION

DART, VALIANT, DEMON, DUSTER

CORONET, SUPER BEE, BELVEDERE, FURY

ROAD RUNNER, SATELLITE, GTX, POLARA

BARRACUDA, CHALLENGER

MODEL

62520 Chrysler Motor Mounts, ³/₁₆" Zinc Plated Steel. Two per pack. Replaces 0EM #2536121
 62540 Chrysler Motor Mounts, ³/₁₆" Zinc Plated Steel. Two per pack. Replaces 0EM #2806779

DODGE, PLYMOUTH MOTOR MOUNT APPLICATION CHART

YEAR

1967-'72

1967-'69

1970-'74

1966-'72

ENGINE

273, 318, 340, 360

273, 318, 340. 360

All 8 cyl. (exc. Hemi)

All 8 cyl. (exc. Hemi)

PART #

62540

62540

62520

62520



No. 62540



MOTOR & TRANSMISSION MOUNTS

FORD MOTOR MOUNTS

- Extra-thick 3/16" steel Motor Mounts are gusseted for extra strength
- Pre-welded Grade 8 studs withstand the high-torque, high-horsepower loading encountered during hard acceleration
- Reaction and 60-foot times are improved since engine movement in the chassis is eliminated, instantaneously transferring power to the rear wheels
- · Clutch linkage binding is eliminated, ensuring improved shifts
- · Manufactured on computer-controlled equipment for unsurpassed quality and precise fit
- Finished with protective zinc plating
- Solid Motor Mounts must be used in conjunction with Solid Transmission Mounts to prevent breakage of engine block and transmission case due to torsional stress

• Two per pack

PART # DESCRIPTION

- 62544* Ford Motor Mounts, ³/₁₆" Steel *Fits:* 1979-'83 & 1993 Mustang 5.0L Engines
- 62545* Ford Motor Mounts, ³/16" Steel *Fits:* 1984-'92 Mustang Hardtops and 1990-'92 Convertibles with 5.0L Engines







No. 62544

FORD SOLID TRANSMISSION MOUNT

- Replaces stock, soft rubber mount to eliminate linkage binding, driveline misalignment and unwanted transmission movement in racing and street performance applications
- Constructed from rugged 3/16" steel with pre-welded studs and protective zinc finish
- Computer-controlled manufacturing insures precise fit and alignment for easy installation

PART # DESCRIPTION

62602* Solid Transmission Mount

Fits: 1987-'93 Mustang, T-Bird and other Ford Models equipped with A.O.D. 4-Speed Automatic or 5-Speed Manual Transmissions



No. 62602

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.



BILLET ELECTRIC WATER PUMPS

Our durable and popular line of Water Pumps have been redesigned with an ultra-light housing

- · Each Pump plate has been re-profiled and pocketed to remove unnecessary weight
- Average overall pump heights have been shortened by $3\!\!\!/4''$ and up to 2 lbs. weight reduction on average per pump
- Electric motor with heavy-duty windings, precision balancing, long-life brushes, stainless steel shaft and sealed ball bearings is superior in quality and pumps more water through the system during actual operating conditions than competing pumps
- Mounts directly to stock water pump location, includes stainless steel mounting hardware & gasket for simple installation
- Eliminates drive belt and fan to save weight and horsepower, while providing maximum circulation to improve cooling efficiency during all driving conditions, especially while idling
- · Compatible with 12 and 16 volt systems
- High-temperature Viton® seal eliminates leaks
- Machined with -16AN port (except B.B. Mopar) for easier installation of our hose adapters, eliminating the need for teflon tape or pipe sealants
- Pumps can easily accommodate lower radiator hose from either driver or passenger side installations
- Clear anodized 6061-T6 billet aluminum pump housing, impeller, pump plate and motor cap along with powder-coated outer case will provide years of dependable operation
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator





No. 63595

No. 63547

No. 63557

No. 63565

BILLET ELECTRIC WATER PUMPS APPLICATION CHART


PART#	ENGINE	NOTES	HEIGHT (INCHES)	WEIGHT (WITH SPACERS, HARDWARE, BACKING PLATE, ETC.)
63547 ↔	Big Block Chevy		6.375 w/ spacers	7.15 lbs
63557 ↔	Small Block Chevy		6.218 w/ spacers	7.03 lbs
63565↔	Chrysler 273-360		4.600	6.29 lbs
63575 ↔	Chrysler 383-440		3.100	4.54 lbs
63585⇔	Ford 289, 302, 351W Pre-'94 & 351W	Standard Rotation only	4.625	6.23 lbs
63595 ↔	Ford 429-460		4.75	7.00 lbs
PART # 97275	REPLACEMENT FOR 63 Seal kit	This	o <u>WARNING</u> product contains a e state of California	

GM LS BILLET ELECTRIC WATER PUMP

Fits: GM LS Series Patent D645,478

- · Mounts directly to the stock water pump location
- Weighs 8.66 lbs.
- · Eliminates bulky LS water pump with a more compact, cost-effective pump
- Drive belt is eliminated to save horsepower, while providing maximum circulation for cooling efficiency during all driving conditions, especially while idling
- Can be used with Moroso No. 63836 Alternator/Vacuum Pump Mount
- Compatible with 12 and 16 volt systems
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator
- Requires the use of a Remote Thermostat Housing such as Part No. 63425 or 63426


PART # DESCRIPTION





No. 63566

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer-



AOTATES for Easy Plur

WATER PUMP, BILLET ELECTRIC

Remote Mount

- Use as a supplemental pump in remote cooling situations when space limits prohibit use of an engine mounted pump
- Weighs 5.94 lbs. with fittings
- Superior electric motor with heavy-duty windings, precision balancing, long life brushes, stainless shaft and sealed ball bearings pumps more water through the system than competitors' pumps!
- Clear anodized 6061-T6 billet aluminum pump housing, impeller and motor cap with a powder-coated outer case will provide years of dependable operation
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator
- Drive belt is eliminated to save horsepower, while providing efficient circulation for cooling, especially while idling
- · Can be mounted vertically or horizontally
- Features a -16 AN O-ring inlet port, four -12 AN outlet ports, two -12 AN port plugs for different plumbing options
- High-temperature Viton[®] seal eliminates leaks

PART # DESCRIPTION

635700 Water Pump, Billet Electric, Remote Mount

PART # **AVAILABLE OPTION**

63571↔ Stainless Steel Mounting Plate, can be rotated 360° in 45° increments

ELECTRIC WATER PUMP RADIATOR HOSE ADAPTERS



WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer.

birth defects, or reproductive harm-



HOSE ADAPTERS for

Electric Water Pump

PART #

63541

63542

63543 63544

N/A

N/A

N/A

N/A


N/A

Rear impeller

detail (below)

			HOSE ADAPTERS for Electric Water Pump Motor BLACK Finish/Anodized Billet ALUMINUM End Cap	HOSE ADAPTERS for Electric Water Pump Motor - BLACK Finish
63521	63522	DESCRIPTION	PART #	PART #
		1" NPT to -16AN Male	N/A	63541
		1" NPT to $1-\frac{1}{2}$ " hose	N/A	63542
man and		1" NPT to 1-¾" hose	N/A	63543
		1" NPT to $1-\frac{1}{4}$ " hose	N/A	63544
63523	63525	-16AN to -20AN Male	63525	N/A
		-16AN to -16AN Male	22622 (see pg. 153)	N/A
	and the second second	16AN to 1 3/1 hopo	62502	NI/A





63521

ELECTRIC WATER PUMP SPACER KIT

REMOTE WATER PUMP KIT, SMALL BLOCK FORD WITH JESEL DRIVE

-16 AN to 1-1/4" hose

Fits: Ford 289-302 & 351W with JESEL Part No. 34170 & 34175 Front Belt Drives

- Billet Aluminum 1 Inch adapter plate bolts on to where the water pump would normally reside on an engine, allowing the use of a remote water pump
- The adapter plate has two –12 AN female ports
- Includes o-rings and stainless steel socket head cap screws
- Hardware is long enough to accommodate a front motor plate

PART # DESCRIPTION

63519o Remote Water Pump Kit, Small Block Ford with Jesel Front Belt Drive

AVAILABLE OPTION PART#

63570 Remote Mount Electric Water Pump 22620 AN Fitting, -12AN to -12AN, 1 per package

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer-



N/A

COOLING SYSTE

WATER PUMP ADAPTER KIT

Fits: GM LS Series Patent D645,478

- Adapts a BBC style electric or conventional water pump to LS series engines
- Eliminates the bulky LS water pump with a more compact, cost effective pump
- Since BBC water pumps have been around for years, many different drive and pulleys are available and now can be used on a GM LS Series engine
- Kit includes: 2 billet aluminum adapter blocks (right and left), 2-¼ pump adapter plates, fasteners, Viton O-rings, and 4 high flow -12AN fittings
- Requires use of a Remote Thermostat Housing, such as Moroso Part No. 63425, or 63426

PART # DESCRIPTION

63615o Remote Water Pump Adapter Kit, GM LS Series Engines

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer-

Remote Thermostat Housings

on pg. 264

WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer-

No. 63615

REMOTE WATER PUMP ADAPTER KITS, SBC & BBC

- In each kit two clear anodized adapters bolt onto where the water pump would normally reside on an engine. Allows the use of a remote water pump
- Spacers are .700" thick
- The Adapters have a -12AN female port
- Includes 4 gaskets and 8 stainless steel cap screws. The 4 extra screws are to accommodate a front motor plate

PART # DESCRIPTION

- Remote Water Pump Adapter Kit, SBC **63512**↔
- **63513**↔ Remote Water Pump Adapter Kit, BBC

PART # **AVAILABLE OPTIONS**

22620 AN Fitting, -12AN to -12AN, 1 per package

REMOTE WATER PUMP ADAPTER KIT, GM LS Patent 8,424,497

- Remote adapters mount in place of the bulky GM LS series water pump
- Frees up space where normally a water pump would reside in race cars and in LS engine conversions
- Allows the use of a more compact, cost-effective remote electric water pump
- Kit includes: 2 billet aluminum adapter blocks (right and left), fasteners, Viton O-rings, and 4 high flow -12 AN fittings
- Requires use of Moroso Remote Mount Electric Water Pump Part No. 63570, and Remote Thermostat Housing, such as Moroso Part No. 63425 or 63426 and mounting bracket No. 63427

PART # DESCRIPTION

63616o Remote Water Pump Adapter Kit, GM LS Series Engines

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer-

REMOTE WATER PUMP ADAPTER KITS

Fits: Chrysler & Ford


- Billet Aluminum adapter plate bolts on to where the water pump would normally reside on an engine. Allows the use of a remote water pump
- The adapter plate has two -12AN female ports
- Includes a backing plate, gasket and stainless steel socket head cap screws
- Hardware is long enough to accommodate a front motor plate

DESCRIPTION PART

Remote Water Pump Adapter Kit, Chrysler 273-360 63514o 635150 Remote Water Pump Adapter Kit, Ford 289-302 Pre '94 Timing Covers 63516o Remote Water Pump Adapter Kit, Ford 429-460

AVAILABLE OPTIONS PART

22620 AN Fitting, -12AN to -12AN, 1 per package







ELECTRIC WATER PUMP DRIVE KIT

CHEVROLET ELECTRIC WATER PUMPS

Polished Cover - Cast Aluminum

HIGH FLOW RATE!

• Unique impeller design and polished housing operate as an integral unit to pump approximately 19 gallons per minute

ADDS UP TO 20 HP!

- Powerful 12 volt electric motor eliminates V-belt drive
- Draws only 7 amps, allowing the battery to remain more fully charged during racing without an alternator

LIGHTWEIGHT, EASY TO INSTALL!

- Weighs less than conventional mechanical pump with separate electric drive motor
- Mounts to stock location; alternator and power steering drive kits available separately
- Overall pump height similar to stock pump height
- Use with optional Electric Water Pump Hose Adapters
- Water inlet size 1" NPT

PART #	DESCRIPTION	ENGINE	HEIGHT
635390	Electric Water Pump	Small Block Chevy	5"
63546 0	Electric Water Pump	Big Block Chevy	5"
635550	Electric Water Pump	Small Block Chevy	5-1⁄4"
	(Offset housing clears &	" Harmonic Balancers)	
PART #	AVAILABLE OPTION	S	
63840	Alternator Mount Kit	for Electric Water Pun	np No. 63546
63841	Alternator Drive Kit for	or Electric Water Pum	p No. 63546
63842	Alternator Mount Kit	for Electric Water Pun	np No. 63555

63843 Alternator Drive Kit for Electric Water Pump No. 63555



No. 63539

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART #	REPLACEMENT PARTS
97255	Seal Kit, Water Pump Electric
97257	Motor, Water Pump Electric
PART #	AVAILABLE OPTIONS
63541	1" NPT to –16 AN Male Adapte

63541	1" NPT to –16 AN Male Adapter
63542	1" NPT to 1 ½" hose Adapter
63543	1" NPT to 1 3/4" hose Adapter
63544	1" NPT to 1 ¼" hose Adapter

ELECTRIC WATER PUMP DRIVE KIT

ELECTRIC WATER PUMP DRIVE KIT

- Engine dynamometer tests prove that many water pumps produce severe drag on the engines at high RPM, absorbing as much as 15-20 HP
- Universal application fits virtually every American V8 or V6 engine, including Chevy V8 and 90° V6 either "short" or "long" design, Ford 351C, 351W, Ford Big Block and Chrysler Small and Big Blocks
- Comes complete with 12 volt electric motor, all drive pulleys, belt, fasteners, and toggle switch
- Intended for Drag Race applications only
- Use with Moroso Thermostatic Switch No. 63760 and Alternator Mount Drive Kits

PART # DESCRIPTION

63750 Electric Water Pump Drive Kit

PART # REPLACEMENT PARTS

- 97210 12-Volt Electric Motor
- 97220 Water Pump Pulley
- 97230 21" Belt for Electric Water Pump
- 97250 Electric Motor Pulley

PART # AVAILABLE OPTIONS

97252 14-Tooth Pulley (to increase pump speed by 28%)63760 Thermostatic Water Pump Switch



TYPICAL INSTALLATIONS



Small Block and 90° V6 Chevy



MECHANICAL WATER PUMPS AND SPACER KITS

loroso first pioneered the aluminum water pump for racing over 40 years ago. Over the years, continual improvements have resulted in providing the best cooling system components available for competition use. Computer designed housing cast from 356-T6 aluminum and lightweight impellers are engineered to maintain consistent coolant temperature throughout the water jacket, preventing localized boiling, detonation, head warping and cracking, etc.

- Reinforced housing for extra strength
- Lightweight, low drag impeller adds 14HP @ 7,500 RPM
- Includes integral cam stop boss
- Overall length of 5.603" from rear mounting face to hub face

PART # DESCRIPTION

- 63500 Aluminum Water Pump, Small Block and 90° V6 Chevy %" shaft, 1955-68 "short" design
- PART # **AVAILABLE OPTIONS**
- 64035 Water Pump Pulley Shims
- REPLACEMENT PART Gasket and Seal Kit



- PART # 97450

WATER PUMP SPACER KITS

- Converts "short" 1968-earlier design Chevrolet water pumps to longer. 1969-later design No. 63510
- Includes special heat-treated studs and gaskets

DESCRIPTION PART

- Water Pump Spacer Kit, 1-7/32" Long, SBC and 90° V6 Chevy, 63510 Cast Aluminum Converts Nos. 63500 short water pump to the longer late-model design
- 63610 Water Pump Spacer Kit, 1-%16" Long, BBC, Cast Aluminum
- Water Pump Spacer Kit, 1-7/32" Long, SBC and 90° V6 Chevv. 63511 Billet Aluminum Converts Nos. 63500 short water pump to the longer late-model design
- 63611 Water Pump Spacer Kit, 1-9/16" Long, BBC, Billet Aluminum

WATER PUMP GASKETS

WATER PUMP GASKETS, HEAVY DUTY, CHEVROLET

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- · Precision die cut design

PART # DESCRIPTION

- Water Pump Gasket, SBC, 2 pack 93230
- 93231 Water Pump Gasket, SBC, 10 pack
- Water Pump Gasket, BBC, 2 pack 93232
- 93233 Water Pump Gasket, BBC, 10 pack



WATER PUMP GASKETS, HEAVY DUTY, CHRYSLER

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

PART # DESCRIPTION

93234	Water Pump Gasket, Chrysler 273-360, single pack
93235	Water Pump Gasket, Chrysler 273-360, 10 pack
93236	Water Pump Gasket, Chrysler 383-440, single pack
93237	Water Pump Gasket, Chrysler 383-440, 10 pack



WATER PUMP GASKETS, HEAVY DUTY, FORD

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- · Precision die cut design

PART # DESCRIPTION 93238

- Water Pump Gasket, Ford 289, Standard Rotation 302 & 351W, single pack 93239 Water Pump Gasket, Ford 289, Standard Rotation 302 & 351W, 10 pack 93240 Water Pump Gasket, Ford 429-460, single pack
- 93241 Water Pump Gasket, Ford 429-460, 10 pack





COOLING SYSTEM ACCESSORIES

AIR BLEED VALVE

- Bleeds air from any cooling system
- · Resistant to fuels, oil and anti-freeze
- · Brass construction with push button to release pressure
- Fits 1/8" NPT thread
- PART # DESCRIPTION 63765 Air Bleed Valve

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



TEMPERATURE GAUGE FITTING

- Corrosion resistant brass; fits standard 1/2" NPT tapped holes in cylinder heads and manifolds
- 5%" -18 threaded hole in fitting accepts popular sending units

PART # DESCRIPTION

63645o **Temperature Gauge Fitting**

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-



- · Restricting coolant flow leaving the engine lets you control the amount of heat absorbed by the coolant
- Red, gold and blue anodized aluminum restrictor plates are mounted under the water outlet on the intake manifold
- Kit consists of three restrictor plates with 5/4", 3/4" and 1" I.D. holes for optimum coolant flow, 2-1/8" O.D.

PART # DESCRIPTION

63440 Water Outlet Restrictor Kit. GM V8, GM V6, Ford 260-302, 351W





COOLING SYSTEM ACCESSORIES

• AN WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-

DESCRIPTION

Racing Radiator Cap, 19-21 lbs.

Racing Radiator Cap, 23-25 lbs.

Racing Radiator Cap, 27-29 lbs.

Racing Radiator Cap, 31-33 lbs.

THERMOSTATIC WATER PUMP SWITCH

- Provides automatic control of Electric Water Pumps Nos. 63539, 63546, 63547, 63555, 63557, 63565, 63570, 63575, 63585 and 63595 and Electric Water Pump Drive Kit No. 63750
- Eliminates unnecessary battery drain by turning on the electric pump motor when coolant temperature exceeds 160° F (±5°) and turning it off when coolant temperature reaches $140^{\circ} F (\pm 5^{\circ})$
- Toggle Switch has three settings: Automatic, Manual and Off. In the "Manual" position, the motor is constantly on.
- Contact rating of switch is 15 amps at 32 volts; use with 10 amp fuse (not included)

DESCRIPTION PART

63760o Thermostatic Switch, Electric Water

RACING RADIATOR CAPS

Fits: Standard-size radiator filler necks, including Moroso Nos. 63420, 63465, 63466, 63467, 63485, 63486, 63650, 63651, 63655, 63656, 63730, 63740 and 63745

Available with low and high pressure ratings to accommodate the needs of all cooling systems

PART #

63320

63324

63328

63332

- Steel spring maintains accurate pressure setting over time
- Six-sided Cap for easy tightening

DESCRIPTION PART # 63307 Racing Radiator Cap, 6-8 lbs. 63309 Racing Radiator Cap, 8-10 lbs. 63313 Racing Radiator Cap, 12-16 lbs. 63316 Racing Radiator Cap, 14-18 lbs.

RADIATOR HOSE DRAIN

• Cast aluminum drain adapts the 1-1/4" outlet from the popular VW Scirocco radiator to the 1-%16" inside diameter of the standard lower radiator hose found in most Chevys

- Includes petcock for draining engine coolant
- 100% leak tested
- PART # DESCRIPTION
- 63700^o Radiator Hose Drain

RADIATOR BLEED OR DRAINS

- Are spliced into the upper radiator hose to add a bleed or spliced into the lower radiator hose to add a drain
- Constructed out of 356-T6 cast aluminum with a 3/8" brass petcock
- 100% leak tested

DESCRIPTION PART

63731↔ Radiator Bleed or Drain, 1-1/2" to 1-1/2" Hose 63741o Radiator Bleed or Drain, 1-1/2" to 1-1/4" Hose Radiator Bleed or Drain, 1-1/4" to 1-1/4" Hose 63746o

RADIATOR HOSE FILLERS

- 356-T6 cast aluminum Radiator Hose Fillers are spliced into the upper radiator hose to provide more complete cooling system filling
- Standard size radiator cap receptacle is welded to the cast flange (radiator cap not included)
- 100% leak tested

PART # DESCRIPTION

63730 Radiator Hose Filler, 1-1/2" hose to 1-1/2" hose 63740 Radiator Hose Filler, 1-1/2" hose to 1-1/4" hose 63745 Radiator Hose Filler, 1-1/4" hose to 1-1/4" hose



No. 63731

• A WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harm-

No. 63730



No. 63760



IIII:1150

Part No 6332







No. 63740

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 63700





FILLER NECKS

Fits: Small Block, Big Block and 90° V6 Chevy Intake Manifolds

• Features two 3/8" NPT female ports to plumb water to cylinder head for cooling

• Includes stainless steel mounting hardware

PART # DESCRIPTION

- 63461 Water Outlet, Billet Aluminum, Chevy, -16AN fitting and two %" NPT female ports, Black, Gasket
 63475 Water Outlet, Billet Aluminum, Chevy, -16AN Male Fitting,
- 3/" NPT Ports, Clear Anodized finish, O-Ring
- 63476 Water Outlet, Billet Aluminum, Chevy, −20AN Male Fitting, %" NPT Ports, Clear Anodized finish, O-Ring

BOLT-ON, STAMPED ALUMINUM

- Black anodized aluminum
- · Accepts Moroso or standard-size radiator cap (not included)
- Replacement Filler Neck Kit No. 63420
- Includes gasket
- PART # DESCRIPTION
- 63465 Stamped Aluminum Filler Neck, Chevy, Bolt-On

BOLT-ON, BILLET ALUMINUM

- Made from 6061-T6 billet aluminum
- Easily mounts to any Big Block or Small Block Chevy intake manifold, and can be used in all racing and street-performance applications where a heavy-duty filler neck is required
- Includes screw-in 1/8" NPT hose fitting for expansion tanks, and accepts Moroso or standard-size radiator cap (not included)
- Can also be used as a heavy-duty replacement in our Filler Neck Kit No. 63420
- Includes gasket

PART # DESCRIPTION

63466Billet Aluminum Filler Neck, Chevy, Bolt-On63468Billet Aluminum Filler Neck, Chevy, Bolt-On, Black Anodized Finish







WELD-ON, STAMPED ALUMINUM

- Ideal for custom applications
- Accepts Moroso or standard-size radiator cap (not included)
- Multiple applications including race and street performance

DESCRIPTION PART

63485 Stamped Aluminum Filler Neck, Weld-On

WELD-ON, BILLET ALUMINUM

- Made from 6061-T6 billet aluminum
- . This weld-on version can be used wherever a heavy-duty, custom-application filler neck is required
- Includes screw-in 1/3" NPT hose fitting for expansion tanks, and accepts Moroso or standard-size radiator cap (not included)

PART # DESCRIPTION

63486 Billet Aluminum Filler Neck, Weld-On

WELD-ON BILLET ALUMINUM FILLER NECK FOR SAE TYPE B **RADIATOR CAPS**

FILLER NECKS

- Accepts Small Radiator Caps, SAE Type B/43mm
- Made from 6061-T6 billet aluminum
- This weld-on version can be used wherever a heavy-duty, customapplication filler neck is required
- Includes screw-in hose fitting for recovery tanks

DESCRIPTION PART

63488 Billet Aluminum Filler Neck, SAE Type B, Weld-On

EXTENDED WATER FILLER NECK

- Extended filler neck raises water fill point 5-3/4" above manifold: ideal for bleeding off cooling system air
- 60° incline of filler tube clears air scoops to provide guick and accessible filling for between-rounds cool down
- Mounting base, extension tube and neck are all manufactured from rugged 6061-T6 billet aluminum to withstand harsh racing environments and continual cap removal/replacement
- Accepts Moroso or standard-size radiator cap (not included)
- Includes gasket and 1/8" NPT to 3/8" I.D. barbed fitting to plumb expansion tanks
- Includes gasket
- Use with Moroso Manifold Filler Neck Kit No. 63420

PART # DESCRIPTION

63467 Extended Filler Neck, SBC, BBC and 90° V6 Chevy intake manifolds; drag racing and street performance use

FILLER NECK MANIFOLD HOUSING

- · Locates filler neck at highest point on cars with low-mount radiators to bleed off air
- Unit can be flipped 180° for either right or left outlet location
- Includes 1/2" NPT fitting for installing water temperature sending unit and two 1/4" NPT fittings for return lines on popular aftermarket cylinder heads
- Made of 356-T6 cast aluminum; 3-1/4" high
- Includes gaskets, bolts and washers, and standard size radiator cap filler neck

PART # DESCRIPTION

63420 Filler Neck Manifold Housing, Chevrolet V8 & 90° V6

REPLACEMENT PARTS

63465 Filler Neck only (for standard size radiator cap) 63466 Heavy-Duty Filler Neck only (for standard size radiator cap)



No. 63467



Moroso Radiator Caps

on pg. 258



Vn. 63420









FILLER NECK MANIFOLD HOUSING

- Manifold-mounted filler neck base is identical to the one included in Moroso Kit **No. 63420** without the filler neck or mounting hardware
- Allows you to install a variety of bolt-on style filler necks (radiator cap or -AN style) or block-off plates, offering cooling system flexibility for both race and street applications
- 356-T6 cast-aluminum base stands 2-5/16" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- Includes a ½" NPT machined port for installing a water temperature sending unit, and two ¼" NPT machined ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180° for either right or left water hose outlet location

Filler Neck Manifold Housing, Chevrolet V8 & 90° V6 Intake Manifolds

• Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

				J , -				

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with -16AN Port, Billet Aluminum Filler Neck & Hardware, Chevy Pattern, Adaptable Outlet

- -16AN female port is designed to be used with Nos. 22622, 63521, 63522, 63523, 63525
- Black anodized billet aluminum housing with the included bolt-on billet aluminum radiator neck stands 3-1/4" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- The unit can be flipped 180 Deg. for either right or left water hose outlet location
- No need to worry about gaskets because on the top and bottom of the housing are machined O-ring grooves with included O-rings
- Includes a $\frac{1}{2}$ " NPT port for installing a water temperature sending unit and two $\frac{1}{4}$ " NPT ports to plumb return lines on popular aftermarket cylinder heads
- Includes bolts and washers

DESCRIPTION

PART # DESCRIPTION

PART #

63423

63424 Filler Neck Manifold Housing, Billet Aluminum, -16AN Female Port

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with -16AN Port, Chevy Pattern, Adaptable Outlet

- -16AN female port is designed to be used with Nos. 22622, 63521, 63522, 63523, 63525
- Black anodized billet aluminum housing stands 2-5/16" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- No need to worry about gaskets because on the top and bottom of the housing are machined O-ring grooves with included O-rings
- Includes a ½" NPT port for installing a water temperature sending unit and two ¼" NPT ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180 Deg. for either right or left water hose outlet location
- Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

PART # DESCRIPTION

63422 Filler Neck Manifold Housing, Billet Aluminum, -16AN Female Port

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with 1" NPT Port, Chevy Pattern, Adaptable Outlet

- 1" NPT port is designed to be used with Nos. 63541, 63542, 63543 and 63544
- Black anodized billet aluminum housing stands 2-%6" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- Has to be mounted with conventional gaskets or Moroso No. 63469
 Filler Neck O-Ring Gasket
- Includes a ½" NPT port for installing a water temperature sending unit and two ¼" NPT ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180° for either right or left water hose outlet location
- Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

PART # DESCRIPTION

63421 Filler Neck Manifold Housing, Billet Aluminum, 1" NPT



AVAILABLE OPTION

Filler Neck, O-Ring Gasket/Spacer

PART #

63469

No. 63423







No. 63421

0-Ring Seal

WATER NECK BLEEDER KIT

Cast Aluminum Fits: Chevrolet

- A guick and easy way to remove air from the cooling system
- Design allows the body to be flipped so that the 1-1/2" hose outlet can face right or left
- Features a 1/2" NPT rear port for temperature senders and two 1/4" NPT ports for plumbing return lines to cylinder heads
- Includes filler neck housing with 1-1/2" hose outlet, bleeder, bleeder plate, hardware and gaskets
- Can be used with Moroso Expansion Tank Part Nos. 63650, 63651, 63655 and 63656

PART # DESCRIPTION

63430**·** Water Neck Bleeder Kit, Cast Aluminum

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

WATER NECK BLEEDER KIT

Billet Aluminum Fits: Chevrolet

- A guick and easy way to remove air from cooling system
- Allows the use of steel reinforced hose or lightweight hose to be used in cooling system
- Includes anodized billet water neck with 1" NPT outlet, bleeder, bleeder plate, hardware and gaskets
- 1" NPT machined port is designed to use with popular hose adapters (including -AN) sizes, Moroso Nos. 63541, 63542, 63543 and 63544
- Can be used with Moroso Expansion Tank Nos. 63650, 63651, 63655 or 63656

PART # DESCRIPTION

Water Neck Bleeder Kit, Billet Aluminum 63431**

• /!\ WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

WATER NECK BLEEDER PLATE

Fits: Chevrolet

- Allows guick and easy removal of air from the cooling system at it's highest point
- Includes water neck bleeder plate, petcock with hose adapter and one water neck gasket
- Can be used as a replacement part for Moroso Nos. 63430 and 63431

PART # DESCRIPTION

63432o Water Neck Bleeder Plate

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-




No. 63432

WATER NECK BLOCK-OFF PLATE

- 1/4" aluminum plate provides an ideal base to weld-your-own radiator hose fitting to the intake manifold
- Untreated aluminum makes it easy to drill opening and weld any size fitting of your choice
- Perfect for racing and custom applications
- Gasket included

PART # DESCRIPTION

63471 Water Neck Block-Off Plate, Chevrolet V8 & 90° V6



No. 63471



No. 63430

FILLER NECKS

FILLER NECK

O-Ring Gasket/Spacer

- Mounts between filler necks and filler neck manifolds to create a reusable O-ring seal, no need to use gaskets or sealants
- Can also be used as a 1/4" thick spacer when clearance is needed
- Manufactured from billet aluminum with machined O-ring grooves in the top and bottom, anodized finish
- Includes O-rings
- PART # DESCRIPTION

63469 Filler Neck, O-Ring Gasket/Spacer





THERMOSTAT SPACER, BRODIX HV SERIES INTAKES INCLUDING SBC & BBC APPLICATIONS

 Spacer solves the issue of trying to use a thermostat on a Brodix HV Series Intake, can also be used on SBC and BBC applications to add water lines and/or raise thermostat to eliminate potential fitment issues



- Manufactured from billet aluminum with a machined O-ring groove on the intake side and thermostat register on top
- 1" thick spacer has two 3/8" NPT female ports for plumbing water lines to cylinder heads, includes 0-ring

PART # DESCRIPTION

63433 Thermostat Spacer, Brodix HV Series Intakes

PART # AVAILABLE OPTION

63000 Gasket, Thermostat/Water Neck, SBC & BBC





SBC & BBC THERMOSTAT/WATERNECK GASKETS

- · Same gasket that comes with Moroso non-o-ring filler/water neck kits
- Fiber construction
- Use as a replacement for Moroso non-o-ring filler/water neck kits or as a high quality replacement gasket for SBC & BBC thermostat housings
- Available as a single pack or 10 pack

PART # DESCRIPTION

- 63000 Gasket, Thermostat/Water Neck, SBC & BBC
- 63001 Gasket, Thermostat/Water Neck, SBC & BBC, 10 Pack



REMOTE THERMOSTAT HOUSINGS

Allow the street, race or marine enthusiast to have a thermostat in their cooling system away from the engine itself. This could be if the engine has a blower manifold that does not allow the thermostat to be on the engine itself or if Moroso Part **Nos. 63615, 63616** or **63566** water pump adapters for the GM LS series of engines are being used.

- Made from 6061T-6 Billet Aluminum
- The housing has two -12AN female O-ring inlet ports
- Thermostat or restrictor is placed between this housing and a conventional manifold housing such as part No. 63423, where a radiator hose connects it to the radiator
- Can be used with Moroso cooling system accessories, Part Nos. 63420, 63421, 63423, 63430, 63431, 63432, 63461, 63465, 63466 and 63471

PART # DESCRIPTION

- 63425 Remote Thermostat Housing, Inlet ports on bottom
- 63426 Remote Thermostat Housing, Inlet ports on each side

PART # AVAILABLE OPTIONS

- 63427 Mounting Bracket for Remote Thermostat Housings Nos. 63425 and 63426
- 97641 Fittings, -12AN, two pack





MOUNTING BRACKET

- •Mounts Moroso No. 63425 and 63426 Remote Thermostat Housings to the front passenger side GM LS Series cylinder heads
- Manufactured from 1/4" 6061 T-6 Aluminum

PART # DESCRIPTION

63427 Mounting Bracket for Remote Thermostat Housings



FUEL SYSTEM EQUIPMENT

SUPER COOL CAN

For Carbureted and Fuel Injected Applications up to 125 PSI working pressure

- Polvethylene shell has a much higher insulating value than cork, allowing ice to last longer and cooling fuel more efficiently for a denser air-fuel mixture
- The higher insulating value of the shell combined with an advanced heat sink design reduces fuel temperature 20% over other cool cans
- The inlet and outlet are -8AN
- Lid is held on by a wing nut with a closed-cell foam seal between the lid and can
- NHRA approved mounting includes two stainless steel straps with T-bolt clamps and lightweight aluminum mounting bracket
- Spacing of steel straps aligns perfectly with mounting bosses molded into the Super Cool Can housing for strong attachment
- Holds ½ quart of fuel, approximate dimensions: 7-3/4" x 7-3/4" x 8" tall

DESCRIPTION PART

65127↔ Super Cool Can, -8AN female fittings

PART # **REPLACEMENT PART**

- PART # **AVAILABLE OPTION**
- 97817 Super Cool Can Mounting Kit
- 22604 Fitting, -8AN Male to -8AN Straight O-ring Side

THROTTLE CABLE MOUNTING KIT

Fits: 4500 Series Holley® Dominator 4500 Series and BG King Demon® carburetors

- This unique kit facilitates mounting of throttle cables to a fixed point while providing adjustability to compensate for variances in cable length and cable ends
- Comes complete with Morse-style throttle cable bracket, universal return spring assembly and all necessary installation hardware
- Four-hole under-carb design provides security of a linkage safety plate
- Unlike competitor's products, these accessory brackets bolt to plate separately instead of stacking up on the carb studs
- Separate bolting design allows access for easy carb servicing and the option of additional accessories while providing clearance to linkage
- Designed to be used with Moroso's line of bolt-on brackets and accessories

PART # 650470	DESCRIPTION Throttle Cable Mounting Kit
PART #	REPLACEMENT PARTS
64917	Throttle Return Springs

- PART # **AVAILABLE OPTION** 93310 Carburetor Gasket, 4500/King Demon Open (2 Required)

FUEL REGULATOR MOUNTING BRACKETS

- Lightweight, laser-cut, steel brackets securely mount popular regulators including Holley[®], Aeromotive[™], MagnaFuel[®] and Barry Grant[®]
- Can be used to mount extra regulator for nitrous systems
- · Easily formed for custom installation

PART # DESCRIPTION

- 65052 Fuel Regulator Mounting Bracket for Holley®
- 65062 Fuel Regulator Mounting Bracket for
- MagnaFuel[®] & Barry Grant[®]

SPARK PLUG RACK

- Easy to mount
- Lightweight, laser cut steel bracket
- Ensures spark plugs are installed in the same cylinder

DESCRIPTION PART

65064 Spark Plug Rack



No. 65047

• /!\ WARNING Prop. 65 birth defects, or reproductive harm-

This product contains a chemical known to the state of California to cause cancer,

No. 65062

Carburetor Tools

on pas. 239-240





No. 65127

• 🕂 WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm



THROTTLE KITS & ACCESSORIES

THROTTLE CABLE MOUNTING KIT

Holley® 4150/4160 series Carbs - Morse® Cables

- Lets the racer easily mount Morse® cable to Holley® 4150/4160 carburetors
- Includes a 1/8" anodized aluminum mounting plate, a special 1/4" bore rod end with 10-32 thread, a quick-release cable mount, and all required hardware
- Throttle Return Spring Kit Nos. 64925, 64926 or 64927 recommended

PART # DESCRIPTION

65045* Throttle Cable Mounting Kit, for Holley[®] Carbs with Morse[®] accelerator cables

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MOUNTING KIT

Holley® 4150/4160 series Carbs - Late Model GM

- Includes all necessary hardware to mount a Holley[®] carburetor on a late model GM vehicle
- Comes with a 1/8" anodized aluminum mounting plate and required clips, pivot, nuts and bolts to complete the job
- Throttle Return Spring Kit Nos. 64925, 64926 or 64927 recommended

PART # DESCRIPTION

65050* Throttle Cable Mounting Kit, for Holley® on late model GM cars and trucks

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MOUNT KIT WITH RETURN SPRING

- Designed to less likely bind and hold the throttle open
- Solid rod linkage designs have and will keep the throttle open In certain crash parameters
- Built to take the punishment of Circle Track or Road Racing yet lightweight enough to satisfy the weight conscious Drag Racer
- Manufactured out of thick 12 ga. laser cut steel with a durable E-coat finish
- · Provides throttle cable mount and return spring in one under-carburetor plate
- Complete with quick release cable bracket, light and heavy return springs and mounting hardware
- \bullet Comes with 1/4" rod end with 10-32 threads for Morse style cables

PART # DESCRIPTION

65070↔ Throttle Cable Mount Kit with Return Spring, R4412 Style 2BBL Carburetors **65075**↔ Throttle Cable Mount Kit with Return Spring, 4150 Style 4BBL Carburetors

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MANIFOLD MOUNTED CHEVY V6/ V8

- · Provides positive throttle return required by several sanctioning bodies
- Each kit fits Holley[®] 2 or 4 bbl. single carb applications
- Includes one set of return springs

PART # DESCRIPTION

- 64922 Throttle Return Spring Kit, 18° SBC Cylinder Heads, Manifold Mount, 5-7/16" Tall
- 64925. Throttle Return Spring Kit, SBC and 90° V6 Chevy, Manifold Mount, 1-13/16" Tall
- **64926** Throttle Return Spring Kit, BBC, Manifold Mount, 1-¹³/₁₆" Tall
- 64928↔ Throttle Return Spring Kit, Tall Version to facilitate throttle return on spacer equipped SBC and 90° V6 Chevy engines, Manifold Mount, 4-¾" Tall

PART # AVAILABLE OPTION

64929 •• Throttle Return Springs

• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 64922



No. 65045







No. 65075

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

*Not legal for sale or use on pollution-controlled vehicles.



THROTTLE KITS & ACCESSORIES

• MARNING Prop. 65

to the state of California to cause cancer.

birth defects, or reproductive harm-

THROTTLE RETURN SPACING KIT, 4500 HOLLEY ® SERIES

- · Clears most air cleaner combinations and can be used with dual carbs
- Made from sturdy 14-gauge steel and finished in hand-polished chrome
- Kit includes heavy and light sets of stainless steel return springs, all mounting hardware, and complete installation instructions

PART # DESCRIPTION

Throttle Return Spring Kit, Holley[®] 4500, Carb Mount 64923o This product contains a chemical known

REPLACEMENT PARTS PART

64917o **Throttle Return Springs**

• /!\ WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-



No. 64923

THROTTLE RETURN SPACING KIT, 2300/4100 HOLLEY @ SERIES ROAD, SPEED, RACE DEMON SERIES

- The answer to your throttle return spring linkage problems if you're running a 2300/2305 series two-barrel or 4150/4160 series 4-barrel Holley[®] doesn't include HP Series or Road, Speed, Race Demon[™] carburetor
- Designed and built rugged enough for competition, vet its polished chrome finish is suitable for the finest show car
- Includes one set of heavy and one set of light springs

PART # DESCRIPTION

64927o Throttle Return Spring Kit, 2300/4100 Holley[®] Series, Road, Speed, Race Demon[™] Series Carb Mounts

PART # **REPLACEMENT PARTS**

64917 •• Throttle Return Springs

THROTTLE RETURN SPACING KIT. 4500 **DOMINATOR & KING DEMON**

- Fits a 4500 series and King Demon carburetors
- Made from sturdy 12-gauge steel and finished in (electrostatic paint) E-coat satin black
- Kit includes heavy and light sets of stainless steel return springs, all mounting hardware and complete installation instructions

PART # DESCRIPTION

- 64918o Throttle Return Spring Kit, 4500 Dominator and King Demon Carb Mounts
- PART # **REPLACEMENT PARTS** 64917**o** Throttle Return Springs

THROTTLE RETURN SPACING KIT, 4150 HOLLEY @ SERIES

Including HP Series

- Made to clear low-profile racing air cleaner, Moroso No. 65910
- Manufactured from sturdy 12-gauge steel and finished in (electrostatic paint) E-coat satin black
- · Kit includes heavy and light sets of stainless steel return springs, all mounting hardware and complete installation instructions

PART # DESCRIPTION

64919o Throttle Return Spring Kit, 4150 Holley[®] Series Carb including HP Series

PART # **REPLACEMENT PARTS**

64917o **Throttle Return Springs**









No. 64918

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

THROTTLE RETURN SPRINGS

 Pack of two stainless steel springs can be used as spares or replacements for Moroso Throttle Return Spring Kit Nos. 64925, 64926 and 64928

PART # DESCRIPTION

64929 •• Throttle Return Springs

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

THROTTLE RETURN SPRING

Replacement Kit

- Replacements for Moroso Throttle Return Spring Kit Nos. 64918, 64919, 64923, 64927, 65047, 65070 and 65075
- Kit includes Two 2.5" long and Two 2.75" long springs

Throttle Return Springs, Replacement

PART # DESCRIPTION

64917o

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

CARBURETOR SAFETY PLATE

- Fits Holley[®] Dominator 4500-series Carbs
- · Prevents linkage that may become loose from carburetor from falling into intake
- Steel, plated clear zinc

PART # DESCRIPTION

64935 Carburetor Safety Plate, Dominator

PART # AVAILABLE OPTION

93310 Carburetor Gasket, 4500/King Demon Open (2 Required)

CARBURETOR LINKAGE BUSHING SET

- Steel linkage bushing set allows the fitting of a ¼" fastener to the ½" dia. hole found in the throttle linkage plate of Holley[®] 4 barrel carbs
- Split bushing design permits simple installation and eliminates the sloppiness present when rubber bushings are used
- · Clear zinc finish

PART # DESCRIPTION

64920 Carburetor Linkage Bushing Kit, Holley[®] 4 bbl carbs



No. 64929





No. 64935



No. 64920

THROTTLE STOP FOR HOLLEY @ CARBS

For 4150-Series Carburetors

- Throttle Stop for Holley[®] 4150-style, 4-bbl. racing carburetors provides a very strong and positive stop
- Also prevents excessive side loading on the throttle shaft, which can easily cause the throttle shaft bores to wear out
- Throttle stop is adjustable, and simply mounts to the carb hold-down stud
- Made from rugged 1/8" steel with a clear zinc finish
- Fits both 1:1 and progressive throttle linkages
- Ideal for all types of racing

PART # DESCRIPTION

65042* Throttle Stop, fits 4150-style Holley® Carbs

*Not legal for sale or use on pollution-controlled vehicles.








CARBURETOR SPACERS & ADAPTERS, ALUMINUM

CARBURETOR SPACERS

Billet Aluminum



No. 64965

93310 Carburetor Gasket, 4500/King Demon Open

*Not legal for sale or use on pollution-controlled vehicles.

CARBURETOR SPACERS & ADAPTERS, NON-METALLIC

CARBURETOR SPACERS

Insulating Plastic & Phenolic

- Advanced plastic and phenolic compounds are specially formulated to reduce heat conductivity 10 times greater than aluminum
- · Reducing fuel temperature inside the carburetor results in a denser, more powerful fuel charge to the manifold
- Insulating phenolic spacers come pre-drilled for alignment pins. Moroso Nos. 64930 and 64940 include all mounting hardware
- Gaskets are not included

PART #

64930*


64940*

64943*

64945*

64947*

64941*



DESCRIPTION	THICKNESS	PLENUM
4150/4160	1"	4-Hole Plenum Design with 1.75" dia. bores, Plastic
4150/4160	1"	Open Plenum Design, Plastic
4150/4160	1/2"	4-Hole Plenum Design with 1.75" dia. bores, Phenolic
4150/4160	1/2"	4-Hole Plenum Design with 1.467" dia. bores, Phenolic
4500	1/2"	Open Plenum Design, Phenolic
Quadrajet	1/2"	4-Hole, Phenolic

PART # **AVAILABLE OPTIONS (2 REQUIRED)**

- 93300 Carburetor Gasket, 4150/4160 Open
- 93301 Carburetor Gasket, 4150/4160 4 Hole
- 93310 Carburetor Gasket, 4500/King Demon Open

CARBURETOR SPACERS

Wood Design

- Unique 1/2" spacers are precision machined on state-of-the-art millworking centers, and can be used individually or stacked without the use of gaskets
- . Thin layers of choice laminated hardwood, bonded together with resin form a natural thermal barrier
- · Top-quality hardwood has a sheet of phenolic resin-impregnated paper bonded to both sides
- · Can be easily modified to your particular manifold for optimum performance
- · Gaskets are not included

PART #	DESCRIPTION	THICKNESS	PLENUM			
65015*	4150/4160	1/2"	Open			
65016*	4500	1/2"	Open			
65017*	4500	1/2"	4-Hole			
65018*	Quadrajet	1/2"	Open			
PART #	AVAILABLE OPTIC)NS (2 REQUIRED)				
93300	Carburetor Gasket, 4150/4160 Open					

Carburetor Gasket, 4150/4160 4 Hole

Carburetor Gasket, 4500/King Demon Open







Insulating Phenolic

93301

93310

· Gaskets are not included

PART # DESCRIPTION

64952* Carburetor Adapter, 1" Insulating Phenolic. Adapts Holley® No. 4412, 500 cfm, 2 bbl. Carbs to standard Holley 4661 bolt pattern intake manifold





CARBURETOR ACCESSORIES & PARTS

CARBURETOR WEDGE PLATE

- .830" thick at its thickest point
- To keep carburetor float-bowls "level" during acceleration, some amount of mounted carburetor angle is necessary
- Moroso's wedge plate tilts the carburetor forward 5° to provide the optimum angle during quick acceleration and front-end lift
- Dual bolt pattern
- · Gaskets are not included

PART # DESCRIPTION

65030* Carburetor Wedge Plate, fits standard Holley® Bolt Pattern, Carb AFB/Edelbrock

PART # AVAILABLE OPTIONS

93300 Carburetor Gasket, 4150/4160 Open (2 required)

CLEAR-VIEW SIGHT PLUGS

The Original! For Holley® Carbs

- Clear Sight Plugs are like having a "window" to your float bowl
- Allows you to check float bowl level without removing the plug and spilling fuel
- Includes O-rings
- After setting float bowl level, replace clear sight screws with original bung plugs

DESCRIPTION PART

65226 Clear-View Sight Plugs for Holley® Carbs, Two per pack

CARBURETOR JET EXTENSION KIT

For Holley® Carbs

- Developed by carburetor wizard Gary Williams
- Eliminates fuel starvation during hard acceleration or cornering by extending the fuel pickup point of the jet farther into the float bowl
- Each kit contains three sets of two extensions: 1/2" long for stock float bowls; 3/4" and 1" long which can be cut to fit custom applications

DESCRIPTION PART

65227 Carburetor Jet Extension Kit, fits Holley® 2bbl. & 4bbl. carbs

HOLLEY® JET EXTENSIONS

- Brass Jet Extensions screw into the metering block to reposition jets farther back into the fuel bowl to eliminate fuel starvation - and they won't fall out!
- CNC machined for precise fit and maximum fuel flow
- Must be used in conjunction with Moroso Drag Race Float Kit No. 65228 to clear extensions
- Two per pack

PART # DESCRIPTION

65440* Jet Extensions, 1/4"-32, STD Holley® Jets 65441*• Jet Extensions, 5/16"-32, HP Holley® Jets


*NOTE: For Drag Racing, use Moroso Float No. 65228 modified to fit extensions.

NYLON FLOAT BOWL WASHER KIT

- The ultimate cure for the problem of soft, wet, deteriorating fiber, Holley[®] float bowl washers
- Our nearly indestructible nylon replacement washers are unaffected by fuel. and won't leak or break down under normal usage
- Ten per package

PART # DESCRIPTION

65225 Float Bowl Washer Kit, For Holley® Carbs





No. 65226

No. 65030

Carburetor Tools

on pgs. 239-240





No. 65440

WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-



HEX HEAD FUEL BOWL SCREWS

For Holley® Carbs

- Designed for Holley® 4150-4160 and 4500 model carburetors
- Hex head (rather than screwdriver head) allows for easier removal of the fuel bowl
- Four per package
- Screws are 2-1/2" long


PART # DESCRIPTION

65414 Hex Head Fuel Bowl Screws for Holley[®] Carbs., four per package

HOLLEY® HIGH FLOW SQUIRTER SCREWS

- Allen head design is streamlined for less turbulence and increased airflow
- Enlarged and repositioned slot provides a clear path to the shooter nozzle, eliminating restrictions and improving throttle response
- One per package

PART # DESCRIPTION





HOLLEY® ACCELERATOR PUMP CAM KIT

- Handy kit contains an assortment of color-coded plastic cams to match accelerator pump requirements to individual engine performance needs
- Color coding makes it easy to identify specific cam applications when installed
- Kit includes a helpful tuning chart to assist you in selecting the appropriate accelerator pump cam
- · Contains 8 cams and 2 screws

PART # DESCRIPTION

65531 Holley® Accelerator Pump Cam Kit



HOLLEY® VACUUM SECONDARY SPRING KIT

- Provides springs of various rates to allow the racer to custom tailor the vacuum secondary opening and closing rate to best suit their combination
- · Contains seven springs; color coded from light to heavy

Instructions included

PART # DESCRIPTION

65425* Holley® Vacuum Secondary Spring Kit



No. 65425

1:1 SLIP LINK

- •Replaces the "progressive" stock link to provide simultaneous, 1:1 primary and secondary opening rates
- · Requires drilling of existing primary throttle arm hole
- One per package

PART # DESCRIPTION

65444* Slip Link, 1:1, Holley® 4150



272

EL SYSTEM EQUIPME



HOLLEY® VACUUM SECONDARY DIAPHRAGM

- Replacement diaphragm fits the most popular Holley® vacuum secondary carburetors including:
 0-1849, all 1850, all 3310, 0-4453-1, 0-458,0-6619, 0-6619-1, 0-6909, 0-6919, 0-6979, 0-6979-2, 0-6989, 0-7002, 0-7002-1, 0-7004, 0-7004-1, 0-7004-2, 0-7005, 0-7005-1, 0-7005-2, 0-7006, 0-7006-1, 0-7006-2, 0-7009
 Deplacement light of the provided statement of the
- Replaces Holley[®] diaphragm 135-4

PART #DESCRIPTION65426*Holley® Vacuum Secondary Diaphragm

OVAL TRACK FLOAT KIT

For Holley® Carbs

- Wedge shape compensates for the action of centrifugal force on the fuel and ensures proper needle and seat operation under the most severe left-cornering conditions
- Includes one front and one rear float
- Fits all Holley® center hung float/cathedral bowl carburetors
- Manufactured of Nitrophyl, which doesn't absorb fuel
- Intended primarily for oval track racing, kit can also be used in drag race applications where two Holley® Carbs are mounted sideways on manifold
- Alcohol compatible

PART # DESCRIPTION

65432* Oval Track Float Kit, fits Holley® Carbs

DRAG RACE FLOAT KIT

For Holley® Carbs

- Alcohol compatible
- Float is notched to clear 3/4" long jet extensions
- Fits all Holley[®] carburetors with center hung floats
- Manufactured of Nitrophyl, which doesn't absorb fuel
- · Saves the racer many hours of notching and epoxy coating
- One per package

PART # DESCRIPTION

65228 Drag Race Float Kit, fits Holley® Carbs

HOLLEY® ACCELERATOR PUMP DIAPHRAGMS

• One per package

PART # DESCRIPTION

- 65532 Holley® Standard 30cc Accelerator Pump Diaphragm
- 65534 Holley[®] 50cc Accelerator Pump Diaphragm



*Not legal for sale or use on pollution-controlled vehicles.



CHECKING FLOAT LEVEL

While the engine is running at idle, remove the float-level sight plug. A small amount of fuel should run out from the front half of the carburetor. The level should be slightly higher at the rear. When turned clockwise, the needleand-seat nut will adjust the float down. When turned counterclockwise, the float is adjusted up. To adjust the needle-and-seat, back off the center screw. Make sure that all of the components that have been adjusted are checked for tightness.

NOTE: Use caution whenever working with fuel system components to minimize spillage and avoid fuel contact with extremely high temperature components.

No. 65432



No. 65228

CARBURETOR ACCESSORIES & PARTS

HOLLEY® NEEDLE & SEAT HARDWARE KIT

- Includes all the necessary replacement hardware for Holley® needles and seats
- Kit contains: one needle and seat adjusting screw, one screw gasket, one needle and seat adjusting nut, one nut gasket, one needle and seat o-ring

PART # DESCRIPTION

65413* Holley® Needle and Seat Hardware Kit



HOLLEY® NEEDLES AND SEATS

- The Viton[®] needle design is highly recommended for gasoline-fueled engines because it is resistant to dirt and conforms to the seat for superior sealing
- If you use exotic fuels or additives such as alcohol, benzine, acetone, etc., you must use the steel-needle version
- Two per package

PART # DESCRIPTION

- 65411* Holley[®] Needle and Seat, Viton[®], .110 orifice, carbs up to 735 cfm. Gasoline only
- 65412*
 Holley[®] Needle and Seat, Steel, .130 orifice, 750 cfm and up. Gasoline, exotic fuels or additives

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





HOLLEY[®] POWER VALVE PLUG & GASKET

- Used with Holley[®] carburetors where fuel enrichment via the power valve is not desired. Full-throttle fuel enrichment is achieved by jetting up the carburetor by approximately 10 jet sizes
- Kit includes $\frac{1}{2}$ "-28 threaded plug with gasket

PART # DESCRIPTION

65408* Holley® Power Valve Plug and Gasket



No. 65408



• One valve and gasket per package

PART # DESCRIPTION

65401↔ Holley[®] Power Valve, opens at 3.5" of vacuum • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-


No. 65401

REUSABLE BUNA-N HOLLEY® GASKETS

- Moroso replacement gaskets for Holley[®] 4150-4160 series carbs are made from high grade Buna-N compound with an anti-wicking nylon backing and for use with alcohol or racing gasoline
- Reuse them over and over
- Also fits other Holley[®] carburetors (see the Holley[®] application guide for a complete listing)

PART # DESCRIPTION

- 65222 Reusable Buna-N Holley® Metering Plate Gasket, Replaces Holley® Part No. 108-89-2, Pack of 2
- 65223 Reusable Buna-N Holley® Metering Plate Gasket, Replaces Holley® Part No. 108-90-2, Pack of 2
- 65224 Reusable Buna-N Holley® Float Bowl Gaskets, Replaces Holley® Part Nos. 108-92-2 and 108-83-2, Pack of 2



<u>FUEL LINE & FITTINGS</u>

ALUMINUM FUEL LINE

- Lightweight aluminum tubing replaces small diameter fuel lines used in most production automobiles
- Large diameter, .035" thick wall seamless tubing flows more fuel and eliminates fuel starvation
- · Legal in all classes; tested to 35 PSI

PART # DESCRIPTION

65330	Aluminum Fuel Line, 25' Coil, ³ / ₈ " O.D.
65340	Aluminum Fuel Line, 25' Coil, 1/2" O.D.
65345	Aluminum Fuel Line, 25' Coil, ⁵ / ₈ " O.D.

STREAMLINE FUEL LINE FITTINGS



- 90° streamline fuel line fittings are manufactured of brass and provide a quick, easy fuel hose connection
- Streamline fittings offer the racer improved fuel flow to the carburetor over the right angle fittings more



FUEL SYSTEM EQUIPMENT

ALUMINUM FUEL BLOCK KITS

- Universal, high flow Fuel Block Kits easily solve dual gas line problems assuring equal flow and pressure for twin carb setups or dual pickup gas tanks
- Each has a ¹/₈" NPT provision for a fuel pressure gauge and a socket head pipe plug if a gauge is not used

PART # DESCRIPTION

- **65160** Aluminum Fuel Block Kit, $1/2^{\prime\prime}$ hose inlet with two $3/8^{\prime\prime}$ hose outlets
- **65170** Aluminum Fuel Block Kit, $\frac{1}{2}$ " hose inlet with two $\frac{1}{2}$ " hose outlets

FUEL PRESSURE GAUGE FITTINGS

- Allows easy plumbing up to 1/8" NPT fuel pressure gauge lines
- Saves wear and tear on carb inlet fittings by allowing quick and easy disconnecting of fuel line
- Anodized aluminum

PART # DESCRIPTION

- 65300 Fuel Gauge Fitting, -6AN Male to -6AN Male
- 65310 Fuel Gauge Fitting, 3/8" NPT Female to 3/8" NPT Male
- 65315 Fuel Gauge Fitting, ³/₈" NPT Male to -6AN Male
- **65360** Fuel Gauge Fitting, ³/₈" line with hose fitting

PRESSURE REGULATING FUEL LOG

- Meets the higher fuel delivery demands in today's race engines
- Increases the orifice to nearly twice that of two regulators combined, creating a totally free flowing fuel system that allows the pumps to deliver full capacity at all times
- Standard fuel systems regulate pressure before the fuel reaches the carburetors, while this system regulates pressure after the carburetors have been supplied and requires a return line to the fuel tank
- Shims are included to allow easy pressure adjustment from 6-10 psi, as are complete instructions and tuning tips

PART # DESCRIPTION

65145 Pressure Regulating Fuel Log

IN-LINE FUEL FILTERS

- Removes dirt and debris from fuel systems with minimum restriction
- The aluminum housing is black anodized with O-ringed removable end caps
- Filter Element itself is constructed out of a Stainless Steel fine screen that filters down to 40 Microns and is washable for re-use

PART # DESCRIPTION


- 65230*• In-Line Fuel Filter, -8AN Fittings, 6-1/2" overall length
- 65231*
 O In-Line Fuel Filter, accepts %" NPT Fittings, 5-½" overall length
- 65234 In-Line Fuel Filter, -10AN Male Fittings

PART # REPLACEMENT PARTS

97062 •• 40 Micron Filter Element

• ZIX WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

*NOTE: Not recommended for high-pressure fuel injection systems.









No. 65300





No. 65310

No. 65360









FUEL SYSTEM EQUIPMENT

EFI FUEL RETURN LINE KIT

- Allows EFI conversion without welding a return line fitting to the fuel tank
- Simply cut a 2-¾" section out of any 2" 0.D. fuel tank filler tube and insert the 6061-T6 aluminum adapter; installs on most vehicles without removing the fuel tank
- Includes two Buna-N sleeves and four stainless steel hose clamps to seal the connection on each end of the adapter
- ³/₈" aluminum fuel fitting is factory welded to the adapter for a leak free seal
- \bullet Fuel fitting has a 90° smooth-contour bend inside the adapter to direct return fuel downward into the tank
- Use with Moroso Aluminum Fuel Line **No. 65330** for a return line from the EFI regulator to the fitting located on the filler tube

PART # DESCRIPTION

65385*• EFI Fuel Return Line Kit

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

FUEL PRESSURE GAUGE

With Flutter Guard

- · Vibration controlled dial, not dampened by liquid
- Heavy-duty American made gauge with stainless steel case and bezel will not rust, chip, peel or oxidize like other designs
- · Suited for use with alcohol
- Accurate to within 1%; marked in 1/4-pound increments
- Compact 1.5" dia. gauge can be mounted to fuel regulator or fuel block for convenient fuel pressure tuning
- Includes 1/8" NPT Male Fitting

PART # DESCRIPTION

65370₀Fuel Pressure Gauge, 0-15 psi65372₀Fuel Pressure Gauge, 0-60 psi65374₀Fuel Pressure Gauge, 0-100 psi

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-






VACUUM GAUGE

1.5" Diameter, 0-30" Hg

- Used to determine vacuum in your engine
- Will fit any 1/8" NPT male fitting
- · Excellent vibration and shock resistance

PART # DESCRIPTION

89610. Vacuum Gauge, 1.5" Diameter, 0-30" Hg





nei

No. 65370

No. 89610


OIL PRESSURE GAUGE

1.5" Diameter, 0-120 PSI

- Necessary for racing applications where high oil pressures, above the range of typical oil pressure gauges are used
- Will fit any 1/8" NPT male fitting
- · Excellent vibration and shock resistance

PART # DESCRIPTION

89611. Oil Pressure Gauge, 1.5" Diameter, 0-120 PSI





FUEL PUMP PLUMBING & ACCESSORIES

• 🕂 WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

FUEL PUMP BLOCK-OFF PLATES

- Designed to block off the fuel pump mounting boss when a mechanical fuel pump is not used
- Available in two popular styles
- Made of anodized aluminum or high luster triple chrome plated steel
- Includes gasket

PART # DESCRIPTION

- 65391 Fuel Pump Block-Off Plate, Anodized Aluminum, SBC
- 65392 Fuel Pump Block-Off Plate, Anodized Aluminum, BBC, 273-440 Chrysler and all Fords except 351C, 351M and 400
- Fuel Pump Block-Off Plate, Chrome Plated Steel, SBC 65393o
- 65394o Fuel Pump Block-Off Plate, Chrome Plated Steel, BBC, 273-440 Chrysler, and all Fords except 351C, 351M and 400

BILLET ALUMINUM FUEL PUMP **BLOCK-OFF PLATES**

Includes Gaskets and Stainless Steel Socket Head Screws

 Black Anodized 				
PART #	DESCRIPTION			

- Fuel Pump Block-Off Plate, SBC **65395**↔
- 653960 Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, and all Fords except 351C, 351M and 400





No. 65395

No. 65396

BILLET ALUMINUM EQUALIZING PLATES WITH FITTINGS

- Black anodized, includes 1/8" NPT Fitting and –12AN Fitting
- Allows the vacuum pump and vacuum gauge to be connected
- Can also be used as a drain back location
- Includes Gaskets and Stainless Steel Socket Head Screws

DESCRIPTION PART

- **65397**↔ Fuel Pump Block-Off Plate, SBC
- Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, 65398o and all Fords except 351C, 351M and 400

NOTE: Installation of this product requires pulling vacuum from a valve cover as well.





No. 65397

No. 65398

MECHANICAL FUEL PUMP GASKETS

Available for SBC, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460

- · Same gaskets that comes with Moroso fuel pump block off plates
- Fiber construction
- Use as a replacement for Moroso fuel pump block off plates or as a high quality gasket for mechanical fuel pumps
- Available as a single pack or 10 pack

PART # DESCRIPTION

- 93320 Gasket, Mechanical Fuel Pump, SBC
- 93321 Gasket, Mechanical Fuel Pump, SBC, 10 Pack
- 93322 Gasket, Mechanical Fuel Pump, BBC,
- Chrysler 273-440, Ford 302, 351W, FE, 429-460 93323 Gasket, Mechanical Fuel Pump, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460, 10 Pack



No. 93322



No. 93320

CARBURETOR GASKETS AND MISC.

LIGHTWEIGHT FUEL PUMP PUSH RODS

- Lightweight design with hardened ends reduces reciprocating mass to prevent pump arm "float" and subsequent fuel starvation
- For use in Drag. Oval Track and Street-Performance applications

PART # DESCRIPTION

65750 Lightweight Fuel Pump Push Rod, SBC and BBC 65752 Lightweight Fuel Pump Push Rod, 0.200" longer to fit World Products Merlin and DART Rocket Block

FUEL PUMP SPRING

• This heavy-duty fuel pump spring boosts Holley[®] electric fuel pump pressure from 12 to 19 psi and increases overall fuel volume

PART # DESCRIPTION

65770 Fuel Pump Spring, Holley® Electric Fuel Pumps



No. 65750

No. 65770

CARBURETOR GASKETS, HEAVY DUTY

- An excellent way to seal a Moroso carburetor adapter or spacer to an intake or carburetor
- Race quality carburetor gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design that stands up to pump gasoline, race fuels and alcohol
- One per pack

Part# DESCRIPTION

- 93300 Carburetor Gasket, 4150/4160 Open
- 93301 Carburetor Gasket, 4150/4160 4 Hole
- 93310 Carburetor Gasket, 4500/King Demon Open



No. 93310



VACUUM LINE CAP KITS

- · Convenient kit provides a quick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- Kits consist of soft plastic caps in quantities and inside dimensions as follows: two ¹/₈", six ³/₁₆", six ¹/₄", two ⁵/₁₆", four ³/₈"

PART # DESCRIPTION

- **41090**o Vacuum Line Cap Kit, Color Coated
- **41091**↔ Vacuum Line Cap Kit, Black



INTAKE MANIFOLD SPACER PLATES

- Allows you to bolt on conventional, short deck intake manifolds on GM's Chevy tall deck truck blocks, or any Big Block Chevy-style aftermarket block which is .400" taller than stock
- Precision machined aluminum; mounts between the intake manifold and cylinder head

PART # DESCRIPTION

65090* Intake Manifold Spacers, Fits Tall Deck (+.400") Big Block Chevy




No. 65090

*Not legal for sale or use on pollution-controlled vehicles.

LOW-PROFILE RACING AIR CLEANERS

For years, Moroso Air Cleaners and accessories have set the standard by which all others are judged. Whether in triple process chrome steel, powdercoat or our unique fiber design, Moroso Air Cleaners provide the racer or street performance enthusiast with improved air flow, a lower stacking height, and unequalled fit and finish. Moroso Air Cleaners and accessories are simply the best money can buy!









No. 65904

Back to back dyno testing proves a gain of nearly 10

Available accessories including valve covers, breathers

horsepower over running no air cleaner at all

MORE POWERI

GREAT LOOKSI

and ignition wire setsIncludes matching wing nut

Better Arflow

- Moroso's unique radiused air inlet design equalizes air pressure past the boosters for uniform air flow
- Radiused air inlet is stamped into air cleaner base to reduce overall height

LOW STACKING HEIGHTH

- Air Cleaners with 3" element have an overall stacking height above the carburetor lip of only $2-\frac{1}{2}$ ", while 5" filters have a $4-\frac{1}{2}$ " overall height
- Fits all Holley[®], Carter[®], Rochester[®], and Edelbrock[®] carburetors with 5-1/8" diameter necks & MSD[®] Atomic EFI

PART # DESCRIPTION

- 65904* Racing Air Cleaner, 14" dia. with 3" filter, Powder Coated-Black
- 65905* Racing Air Cleaner, 14" dia. with 3" filter, Powder Coated-Red
- 65906* Racing Air Cleaner, 14" dia. with 3" filter, Powder Coated-Blue
- 65910*• Racing Air Cleaner, 14" dia. with 3" filter, Chrome plated steel, hand polished

PART # REPLACEMENT PARTS

- 370803" x 14" Air Cleaner Element370814" x 14" Air Cleaner Element
- **7330** 5" x 14" Air Cleaner Element (includes stud)
- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

FIBER DESIGN LOW-PROFILE AIR CLEANER

- · Classic Moroso high flow, low stacking height design
- Increased horsepower with great fiber design look
- Includes wing nut and stud
- Fits all Holley[®], Carter[®], Rochester[®], and Edelbrock[®] carburetors with 5-¹/₈" diameter necks & MSD[®] Atomic EFI

PART # DESCRIPTION

55915* Racing Air Cleaner, 14" diameter with 3" filter Gray/Black Fiber Design

PART # REPLACEMENT PARTS

97080 3" x 14" Air Cleaner Element



Air Cleaner Wing Nut

on pg. 284

AIR CLEANERS

• A WARNING Prop. 65

to the state of California to cause cancer,

birth defects, or reproductive harm

AIR CLEANER

Raised bottom for 14" x 3"

- This air cleaner bottom section converts Moroso and other 14" x 3" air cleaner assemblies to the Moroso "Raised Bottom design" that clears Edelbrock® 4 BBL Carburetors and Holley Carburetors with tall throttle return spring brackets
- Features a deep retaining lip that locks the air cleaner element in place
- Aluminum with a raw aluminum finish
- Can be polished, painted, powder coated or chrome painted for a custom look

PART # DESCRIPTION

97090 Air Cleaner, Raised Bottom Section for 14" X 3" Assemblies

No. 97090

FLAT BOTTOM AIR CLEANERS

- Flat bottom design raises installed height of air cleaner for additional sheet metal clearance in race cars such as NASCAR® Modifieds
- 14" diameter Air Cleaners available with 3" or 5" filter elements
- Chrome plated steel
- Fits Holley®, Carter®, Edelbrock® and Rochester® carburetors

PART # DESCRIPTION

- 65911*• Flat Bottom Air Cleaner, 14" dia. with 3" Filter, Chrome. Fits: Holley[®], Thermoquad, Quadrajet and similar carburetors with 5-1/8" dia. neck
- 65945* Flat Bottom Air Cleaner, 14" dia. with 3" Filter, Chrome. Fits: Hollev® 4500 carburetors with 7-5/16" dia. neck This product contains a chemical known
- 65946*o Flat Bottom Air Cleaner, 14" dia. with 5" Filter, Chrome. Fits: Holley® 4500 carburetors with 7-5/16" dia. neck



No. 65911

PART # 97080	REPLACEMENT PARTS 3" x 14" Air Cleaner Element	
	(does not includes stud)	
97330	5" x 14" Air Cleaner Element	
	(includes stud)	

OFFSET AIR CLEANER

- Owners of Small Block Chevy powered cars with 2- and 4-bbl. Holley® carbs with 5-1/8" necks don't have to cut up their air cleaners to make room for large diameter distributors, such as HEI
- Offset forward by 1-1/2" to clear GM HEI distributors
- For IMCA and NASCAR[®] Modifieds that require air cleaners to be mounted above the hood line, the raised bottom (3/8") design provides an overall height above the carburetor lip of 4-3/4"
- For late model stocks that require under-hood air cleaners, the dropped (1-3/4") design provides an overall height above the carburetor lip of 2-3/4"
- Finished in Chrome plated top, clear anodized bottom and comes complete with 4" filter elements, one $\frac{1}{4}$ " -20 and one $\frac{5}{16}$ " -18 offset stud and three $\frac{1}{4}$ " -20 and three $\frac{5}{16}$ " -18 hex nuts

PART # DESCRIPTION

65928* • 14" Offset Air Cleaner with Raised Bottom, 4" element, Chrome Plated Top-Clear, 2- and 4-bbl Holley®

PART # **REPLACEMENT PART**

97081 4" x 14" Air Cleaner Element

• Z WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm







AIR CLEANERS, RAISED BOTTOM

14" X 3", Raised Bottom

- Raised bottom design clears Edelbrock[®] 4 BBL Carburetors and Holley Carburetors with tall throttle return spring brackets
- Air Cleaner top and bottom accept a 14" diameter air cleaner element
- Kits include a Moroso 3" tall element
- Radiused air inlet design equalizes air pressure past the boosters for uniform air flow
- Includes mounting stud, and matching wing nut
- Available with a black powder coat or chrome finish top

PART # DESCRIPTION

65912 Air Cleaner Kit, 14" X 3", Raised Bottom, Black Powder Coat **65913** Air Cleaner Kit, 14" X 3", Raised Bottom, Chrome



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 65913

66304

AIR CLEANERS

11-1/2" and 8-1/2" Diameters

- Available in black, red and blue powdercoat and ultra-high luster, hand polished triple-process, chrome plated steel
- Matching wing nut included
- Fits Holley®, Thermoquad, Quadrajet and similar carburetors with a 5-1/8" diameter neck

PART # DESCRIPTION

66210* ↔			200
66303*	2- $\frac{3}{10}$ " filter, Chrome Plated Steel Race/Street Air Cleaner, 8- $\frac{1}{2}$ " diameter with 2- $\frac{3}{10}$ " filter, Powder Coated-Black		
66304*	Race/Street Air Cleaner, $8^{-1/2}$ " diameter with $2^{-\infty}$ " filter, Powder Coated-Red	• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer.	
66305*	Race/Street Air Cleaner, $8-\frac{1}{2}$ " diameter with $2-\frac{3}{4}$ " filter, Powder Coated-Blue	birth defects, or reproductive harm-	Contraction of the second
66310* ↔	Race/Street Air Cleaner, 8-1/2" diameter with 2-3%" filter, Chrome Plated Steel	10.18.19. m	No.
PART # 97510 97520	REPLACEMENT PARTS Air Cleaner Element. 2-3/4" x 8-1/2" diameter Air Cleaner Element. 2-3/4" x 11-1/2" diameter		





AIR CLEANERS & ACCESSORIES

LOW PROFILE AIR CLEANER

16" O.D.

- 1-¾" dropped base to work on carbs with 7-5%" diameter necks (4500 Series, Dominator, King Demon)
- Filter element for harsh racing environments, including Dirt Tracks
- Works with 3-1/2", 4", 4-1/2" and 5" tall filter elements
- Thick .060" spun aluminum, can be polished, painted or powder coated
- Radiused air inlet for maximum air flow
- Will work with K&N[®] 16- $\frac{1}{8}$ ", 16- $\frac{1}{4}$ " and 16- $\frac{3}{16}$ " 0.D. air filter
- Improved filter element retaining lip on base

PART # DESCRIPTION

65920 16" Low Profile Air Cleaner with Dropped Bottom, 4" Element, for 4500 Series, Dominator, King Demon Carbs

PART # REPLACEMENT PART

97085 4" x 16" Air Cleaner Element



No. 65920

AIR CLEANER BASE GASKET, CHANNELED

11-1/2" and 8-1/2" Diameters

• Fits carburetors with 5-1/8" neck

- Designed for Moroso Air Cleaners and other brands with straight lip
- · Channel provides extra protection against dust and other harmful elements
- · Channel creates a maximum seal for carburetor airflow
- Made from Buna 70 durometer material
- · Can be used conventionally on rolled lip air cleaner bases by flipping over

PART # DESCRIPTION

97331 Air Cleaner Base Gasket, Channeled



REUSABLE FOAM FILTER SHIELD

- When dirt and clay oval tracks turn into "dust bowls", even the best racing air cleaners can become clogged with dirt and dust
- Made of open cell foam to keep large debris out of the filter element without restricting airflow
- Fits snugly around 14" x 5" racing filters
- Can be cleaned in the sink or even in the washing machine
- Excellent for off-road truck applications
- One per pack

PART # DESCRIPTION

65947 Reusable Foam Filter Shield, fits 14" x 5" Filters



No. 65947

<u>AIR CLEANERS & ACCESSORIES</u>

AIR CLEANER WING NUT

- · Can be used with any Moroso Air Cleaner
- They also match our extra long Valve Cover Wing Nuts to add a look of uniformity to engine compartment
- Made to fit only 1/4" -20 studs
- · Fits most popular air cleaners
- One per pack

PART # DESCRIPTION

65820 Air Cleaner Wing Nut, Chrome Plated Steel

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.



CARBURETOR AIR PAN KITS

- Available for either single or dual carb applications
- Unlike other brands, our Air Pan Kits are designed with a smooth radius at the intake area of the carburetor for improved airflow
- Air Pan-to-hood sealing ring is manufactured of fire retardant foam, for added protection
- All Air Pans measure 12" x 24" fire retardant foam measures $1-\frac{1}{2}$ " wide x 4" tall x 60" long

PART # DESCRIPTION

- 65951 Carburetor Air Pan Kit, Dual 4-bbl. Holley® 4500 Dominator Carburetors with 7-5/16" Neck
- 65960 Carburetor Air Pan Kit, Single 4-bbl. Holley[®] Carburetors with 5-1%" Neck
- 65961 Carburetor Air Pan Kit, Single 4-bbl. Holley[®] 4500 Dominator Carburetors with 7-5√16" Neck

PART # REPLACEMENT PART

97070 Sealing Foam, 4" x 60"



AIR CLEANER STUD ADAPTER

- Allows Moroso and other air cleaners with $1\!\!\!/4''$ stud and wing nut to be used on carburetors with a $5\!\!/\!_{16}''$ mounting hole
- One end of the adapter features a $\frac{5}{16}$ " -18 male thread that screws into the carburetor, the other end features a $\frac{1}{4}$ " -20 female thread that accepts a standard air cleaner mounting stud
- Clear zinc plating resists corrosion
- Overall length: 7/8"
- One per pack

PART # DESCRIPTION


66390 Air Cleaner Stud Adapter, Fits: Holley[®] H.P. Series, DEMON and other Carburetors with 5⁄16"-18 Air Cleaner Mounting



EXHAUST SYSTEM EQUIPMENT

I sing advanced gas dynamics and sophisticated noise cancellation acoustics, Moroso engineers have developed the finest and most durable Racing Mufflers for your Exhaust System. Specially engineered spiral baffles divide the exhaust flow into two separate paths, significantly reducing noise levels with minimal backpressure.

MOROSO SPIRAL FLOW RACING MUFFLERS



HIGH FLOW POLISHED STAINLESS STEEL MUFFLERS

- Reduced noise levels with minimal back pressure
- Stainless steel construction makes them durable without compromising the looks

PART # DESCRIPTION

- 940540 Muffler High Flow, Stainless Steel, 2.5" Inlet/Outlet
- Muffler High Flow, Stainless Steel, 3" Inlet/Outlet 940550
- 940560 Muffler High Flow, Stainless Steel, 3.5" Inlet/Outleto



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm

OXYGEN SENSOR BUNGS

- Weld-in bung needed when replacing stock exhaust with aftermarket pipes, headers, etc., not equipped for sensor
- M-18 by 1.5 Thread Size

DESCRIPTION PART

- 227300 Oxygen Sensor Bung, Mild Steel, Single
- **22731**↔ Oxygen Sensor Bung, Mild Steel, 10 per pack
- Oxygen Sensor Bung, Stainless Steel, Single 227320
- 227330 Oxygen Sensor Bung, Stainless Steel, 10 per pack



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

No. 22732

PLUG, O2 SENSOR

- Used to plug Oxygen Sensor Bung
- M-18 by 1.5 Thread Size
- · Plated steel to match stainless headers

PART # DESCRIPTION

227340 Plug, steel with 17mm hex head, M-18 thread size by 1.5 Thread Size

PART # ACCESSORIES

- 22730 Oxygen Sensor Bung, Mild Steel, Single
- 22731 Oxygen Sensor Bung, Mild Steel, 10 per pack
- 227320 Oxygen Sensor Bung, Stainless Steel, Single
- 227330





HEADER FLANGE KIT

- Aluminum plates simplify the task of matching exhaust ports to large tube, dual flange headers on Small Block Chevy engines
- Only 3/8" thick to save weight

• Includes six plates, enough for one engine

PART # DESCRIPTION

67650 Header Flange Kit, Small Block Chevy



HEAT BARRIER BLANKET

- ½" thick, 18" x 24" non-asbestos blanket can be easily cut to any shape with scissors, and wrapped around fuel lines, brake lines, dry sump lines, power steering lines, etc; withstands up to 2300°F
- May also be used on firewalls and floor boards to reduce in-car temperature
- Made from a silica-based formula that contains no asbestos

PART #DESCRIPTION80805 ··Heat Barrier Blanket

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer-



INSULATING HEADER WRAP

- Increases exhaust cycle efficiency
- Protects crew members from burns, and prevents starter wires and plug wires from coming into contact with hot header pipes
- Reduces engine compartment temperature
- Highly pliable for a nice, tight wrap
- Made from a silica-based formula that contains no asbestos

PART # DESCRIPTION

80807. Insulating Header Wrap, 2" x 1/16" x 100' Roll

80808. Insulating Header Wrap, 2" x 1/16" x 50' Roll

80809. Insulating Header Wrap, 1" x ¹/₁₆" x 50' Roll

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerNo. 80807

BAND CLAMP TIGHTENING TOOL

• Feed the clamp through the end of the tool into the "mouth" of tool, use a %" socket or wrench to wind in a circular pattern until the clamp is tight, turn further still, then the tool will snip the end of the clamp and then pull off

PART # DESCRIPTION

62284 Band Clamp Tightening Tool for Band or Boot Clamps

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-








SINGLE BAR STUD GIRDLE FOR CHEVY V8

• Includes all nuts and hardware

PART # DESCRIPTION

- **67250** Stud Girdle, use with ⁷/₁₆" studs and roller rocker arms. *Fits: BBC, also fits aftermarket BBC heads with standard rocker arm stud location*
- PART # REPLACEMENT PARTS FOUR PER PACK
- 67100 U-Bolts, For Stud Girdle, SBC use No. 67050, 67070
- 67300 U-Bolt Assembly, use with No. 67250
- 67320 Slotted Head Adjusting Nuts, use with No. 67250 on Exhaust Studs

NOTE: All Stud Girdles require the use of tall valve covers



No. 67250

No. 67160

HEX HEAD MOROSO STUD GIRDLE ADJUSTING NUTS

- For use with Moroso Stud Girdles
- Hex head design allows easier valve adjustments with a set screw providing a positive lock
- Fits either stock or roller rockers
- Four per pack

PART # DESCRIPTION

67160	Hex Head Adjusting Nuts, fits 7/16" Rocker Studs,
	use with Nos. 67045 and 67205, also fits No. 67295 (Exhaust only)
67170*	Hex Head Adjusting Nuts, fits BBC Intakes,
	use with No. 67295

NOTE: Use SBC Hex Head Adjusting Nuts No. 67160 for BBC exhausts

VALVETRAIN OIL DEFLECTOR

- Redirects oil from pushrod to fulcrum balls, rockers and springs to provide maximum lubrication and cooling
- Extends life of stock valvetrain assembly
- Helps eliminate excessive oil accumulation in breather tank when vacuum pump is used
- Manufactured from lightweight .100" aluminum
- Mounts easily to stock rocker arm studs
- Includes mounting hardware
- Can be easily adapted to many other applications

PART # DESCRIPTION

67700 Valvetrain Oil Deflector, must use with tall Valve Covers, Polylocks not included. *Fits:* all SBC and Ford 289-302 engines with stamped rocker arms



No. 67700

<u>ABOUT MOROSO VALVE COVERS</u>

any Moroso Valve Covers are manufactured in the tall style. Taller covers may not fit some engine compartments. Power brake boosters and air conditioning boxes may interfere in some applications. Check hood clearance before ordering. Moroso stock height valve covers are recommended in cases where hood clearance and/or accessory clearance is a problem. However, any Moroso valve cover described as "stockheight" or with "built-in baffles" will not clear stud girdles or shaft rocker assemblies.

CHEVROLET SMALL BLOCK

CHROME PLATED STEEL

Fits: SBC 3.5" Tall Design

 Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68102*

 Valve Covers, Stamped Steel, Chrome Plated, Tall Design, without Baffles

PART # REPLACEMENT PARTS

68770 PCV Grommet

68772 PCV Grommet with Baffle97340 Breather/Filler Cap Grommets

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68102

CHROME PLATED STEEL

Fits: SBC

3.5" Tall Design with Baffle

 Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68103*
 Valve Covers, Stamped Steel, Chrome Plated, Tall Design. Same as No. 68102 but with a baffle in the oil fill hole. These covers will not clear stud girdles or some shaft rocker assemblies

PART # REPLACEMENT PARTS

- 68770 PCV Grommet
- **68772** PCV Grommet with Baffle
- **97340** Breather/Filler Cap Grommets
- <u>M WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68103

CHROME PLATED STEEL

Fits: SBC

Stock Height with Baffle

• Includes two breather grommets and one non-baffled PCV grommet

PART # DESCRIPTION

68392*o	Valve Covers, Stamped Steel, Chrome Plated,
	Stock Height, baffle in the oil fill hole, with Logo

PART # REPLACEMENT PARTS

68770 PCV Grommet68772 PCV Grommet with Baffle97340 Breather/Filler Cap Grommets

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68392

NOTE: These covers will not clear stud girdles or shaft rocker assemblies.

CHEVROLET SMALL BLOCK

STAMPED VALVE COVERS

Fits: SBC

Powder Coated, 3.5" Tall Design

 Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68003* Valve Covers, Stamped, Powder Coated-Black, Tall Design
68005* Valve Covers, Stamped, Powder Coated-Blue, Tall Design
68006* Valve Covers, Stamped, Powder Coated-Red, Tall Design

PART # REPLACEMENT PARTS

- 68770 PCV Grommet
- 68772 PCV Grommet with Baffle
- 97340 Breather/Filler Cap Grommets









DIE-CAST ALUMINUM

Fits: SBC 3.5" Tall Design

- olo lui Doolyn
- Packaged two to a set with rubber breather grommets and eight 1-3/4" long studs
- Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

- 68401* Valve Covers, Die-Cast Aluminum, Polished Finish with Moroso logo. Tall Design
- 68405* Valve Covers, Die-Cast Aluminum, Polished Finish without Moroso logo, Tall Design
- 68411* Valve Covers, Die-Cast Aluminum, Black Epoxy Finish with Moroso logo, Tall Design

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 97341 Filler Cap Breather Grommet, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut

PART # REPLACEMENT PARTS

- 68770 PCV Grommet
- 68772 PCV Grommet with Baffle
- **97020** Studs, 1-³/₄" long
- 97340 Breather/Filler Cap Grommets







VALVE COVERS

CHEVROLET SMALL BLOCK

DIE-CAST ALUMINUM

Fits: SBC with Welded Breather Tubes 3.5" Tall without Breather

Hooded breathers and studs included

PART # DESCRIPTION

- 68365[★]• Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes, 2-¾" apart, welded to the radiator end of the driver's side valve cover
- 68370*↔ Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes welded to one cover
- 68371*↔ Valve Covers, Filtered Breather Set, Black Epoxy finish with Moroso logo, Die-Cast Aluminum, Tall Design, two breather tubes welded to one cover
- 68374[★]• Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum without Moroso logo, Tall Design, two breather tubes welded to one cover
- 68380[★] •• Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes welded to each cover
- 68381*• Valve Covers, Filtered Breather Set, Black Epoxy finish with Moroso logo, Die-Cast Aluminum, Tall Design, two breather tubes welded to each cover

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 97341 Filler Cap Breather Grommet, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut

PART # REPLACEMENT PARTS

- **68811** •• Filtered Breathers 180°
- **68812** \circ Hood Filtered Breathers (for early No. 68370 with $1-\frac{1}{2}$ " 0.D. tubes) **97020** Studs - $1-\frac{3}{4}$ " long

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



DIE-CAST ALUMINUM

Fits: SBC with Crossover Breather Tube 3.5" Tall without Breather

- Includes crossover breather tube, two breathers with chrome plated hoods, hoses and clamps for a simple, bolt-on installation
- Ideal for Sprint Cars and other Oval Track applications

PART # DESCRIPTION

68385*
 Valve Covers, Die-Cast Aluminum with Crossover Breather Tube, Polished Finish with Moroso logo, Tall Design

PART # REPLACEMENT PARTS

 68811↔
 Filtered Breathers 180°

 97020
 Studs, 1-¾" long

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



*Not legal for sale or use on pollution-controlled vehicles.

FABRICATED ALUMINUM, RIGID RAIL

Fits: SBC cylinder heads including 18°, 23°

4" Tall at peak

- · Fabricated entirely from superior quality aluminum, ultra lightweight
- Tall enough to clear all popular rocker combinations
- Mounting is through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- Mounting fasteners included

PART #	DESCRIPTION
68335*	Valve Covers, Fabricated Aluminum, Rigid Rail,
	fits all SBC cylinder heads

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93020 or 93021 Perm Align V/C Gasket
- **97341** Filler Cap Breather Grommet, .095"





PART #REPLACEMENT PART97346Washers, Stainless with Neoprene Seal

FABRICATED ALUMINUM, BILLET RAIL, POCKETS

Fits: SBC cylinder heads including 18°, 23° 3.38" Tall

- · Fabricated from superior quality aluminum, ultra lightweight
- One-piece billet rail is machined to ensure a precision flat surface for superior sealing
- Tall enough to clear all popular rocker combinations
- Air-tight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for quick installation and removal
- · Mounting fasteners included

PART # DESCRIPTION

- 68326* Valve Covers, Fabricated Aluminum, Logo
- 68328* Valve Covers, Fabricated Aluminum, No Logo

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93020 or 93021 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PART

97035 Nuts, 12 Pt.



No. 68328

CHEVROLET SMALL BLOCK WIT<u>H OILERS</u>

FABRICATED ALUMINUM, BILLET RAIL, POCKETS With Valve Spring Oilers Fits: SBC Cylinder Heads Including 18°, 23° 4" Tall Fabricated entirely from superior guality aluminum, ultra-lightweight Custom-built for Oval Track Racing/Offshore Boat Racing

- Built-in oiling system keeps valve springs running cool for extended life, especially when subjected to long races
- . An oil regulating jet located at the inlet fitting can be drilled to suit individual oil flow requirements
- -4AN male fitting on each cover allows convenient plumbing of oil supply lines
- One-piece billet rail with machined gasket recess and bosses holds gasket captive when installing and eliminates leaks
- · Mounting hardware included

DESCRIPTION PART

68329* Valve Covers, Fabricated Aluminum, With Valve Spring Oilers, Billet Rail. Use Fel-Pro Gasket No. 1644 or Moroso Part No. 93021

SBC VALVE COVERS WITH OILERS, MULTIPLE OIL SUPPLY OBTS

Fits: SBC 13 To 23 Deg. Cylinder Heads with the valves in the conventional location, 3.25" Tall Please Note: Fits best with T&D Rockers, will not fit with All Pro 270-7 cylinder heads

- Fabricated from superior quality aluminum welded to a one-piece billet rail that is machined to ensure a precision flat surface for superior sealing
- Tall enough to clear all popular rocker combinations
- Air-tight sealing allows the engine to pull greater vacuum for improved ring seal and power
- The spring oilers have removable/replaceable .025" jets
- Each spring oiler has multiple oil supply ports that the supplied -4 AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications

PART # DESCRIPTION

68332 * Valve Cover with Oilers, Fabricated Aluminum, Pair, SBC

SBC 2 PIECE BILLET ALUMINUM VALVE COVERS WITH OILERS. **MULTIPLE OIL SUPPLY PORTS**

Fits: SBC 13 To 23 Deg. Cylinder Heads with the valves in the conventional location Please Note: Fits best with T&D Rockers, will not fit with All Pro 270-7 cylinder heads 2-3/4" tall, valve cover and oiler rail

- Billet Aluminum SBC 13 to 23 Deg. Cylinder Head 2 Piece valve covers with valve spring oilers built in to the lower rail. The lower rail bolts to the head with the supplied hardware and the upper portion is removable with an o-ring seal
- Allows you to inspect/maintain valvetrain without spilling oil all over the headers by having to remove the entire cover
- The spring oilers have .025" dia. removable jets
- Each spring oiler has multiple oil supply ports that the supplied -4 AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications
- A single 2 Piece valve cover with valve spring oiler rail,
- fittings and hardware weights 3.10 lbs • MARNING Prop. 65 This product contains a chemical known Anodized finish to the state of California to cause cancer, birth defects, or reproductive harm-

PART # DESCRIPTION

68051o Valve Covers, SBC 2 Piece Billet Aluminum with oilers

PART # **AVAILABLE OPTION**

68825↔ Spring Oiler Jet, .015 Dia. Jets, 16 per pack



WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm





*Not legal for sale or use on pollution-controlled vehicles.

VALVE COVERS



No. 68332

REPLACEMENT PART

Nuts, 12 Pt.

PART #

97035

SBC VALVE COVER SPACER WITH SPRING OILING RAILS

Fits: Small Block Chevv

- · Billet aluminum rail sandwiches between the cylinder head and stamped, cast, fabricated and billet SBC valve covers
- The spring oilers have removable/replaceable .025" jets
- Each spring oiler has multiple oil supply ports that the supplied -4 AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications

DESCRIPTION PART

68330↔ Valve Cover Spacer with Spring Oiling Rails, Pair, SBC




ALL SPRINT CAR STYLE, BILLET ALUMINUM

Fits: SBC, 13 To 23 ° Cylinder Heads

- Fits Small Block Chevy with 13 to 23 Degree cylinder heads with the valves in the conventional location
- Each valve cover is CNC machined from a billet aluminum bar • The end result is that each valve cover weighs 1.69 lbs
- without sacrificing strength
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Black anodized finish
- Designed for Sprint Cars but works in other applications that require strong lightweight valve covers

DESCRIPTION PART



PART # ACCESSORIES

- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt, Nut
- 93020 Perm Align V/C Gasket
- 93021 Perm Align V/C Gasket

FABRICATED ALUMINUM, BILLET RAIL

Fits: SBC center bolt Cylinder Heads 4" Tall

- Fabricated entirely from superior quality aluminum, ultra-lightweight
- Tall enough to clear all popular rocker combinations
- Mounting is through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- One-piece billet aluminum rail is CNC machined to ensure a precision flat surface for superior sealing
- Mounting fasteners included
- Use OEM or aftermarket gaskets

PART # DESCRIPTION

- 68025* Valve Covers, Fabricated Aluminum, Logo
- 68028* Valve Covers, Fabricated Aluminum, No Logo
- 68026*o Valve Covers, Fabricated Aluminum, Logo, two breather tubes welded to driver side cover with Filtered Breather


ACCESSORIES PART

- 68771 PCV Grommet. .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095" 97341
- Filler Cap Breather Grommet, .095"

PART # **REPLACEMENT PARTS**

- 68811o Filtered Breathers 180° Hood **97345**↔ Washers, Stainless with Neoprene Seal
- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







No. 68025



No. 68028



GM LS SERIES, ALL BILLET ALUMINUM VALVE COVERS

GM LS SERIES

Fits: GM LS Series Stock and Aftermarket Cylinder Heads

- Each valve cover is CNC machined from a solid billet aluminum bar
- Available in 4 different versions:
 - 2.5" tall to clear most aftermarket valve trains without coil mounts
 - 2.5" tall to clear most aftermarket valve trains with integral coil
 - pack mounts that accept LS2, LS3, LS7 & L98 style coils 1.5" tall to clear most engine accessories without coil mounts
 - 1.5" tall to clear most engine accessories with integral coil pack mounts that accept LS2, LS3, LS7 & L98 style coils
- Cylinder head mounting area has an O-Ring groove that accepts Moroso No. 93025 or GM gasket
- One cover features a oil fill with a CNC machined cap with O-ring
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look
- Includes mounting hardware

DESCRIPTION PART

- Valve Covers, Billet Alum., GM LS Series, 2.5" tall with OEM coil mounts 68470*
- Valve Covers, Billet Alum., GM LS Series, 2.5" tall w.o. OEM coil mounts 68471*
- 68472* Valve Covers, Billet Alum., GM LS Series, 1.5" tall with OEM coil mounts

68473* Valve Covers, Billet Alum., GM LS Series, 1.5" tall w.o. OEM coil mounts

ACCESSORIES PART

- 68841*• Breather Kit for Moroso GM LS Valve Cover
- **73845**⇔ Wire Set, Ultra 40, Sleeved in Black, for Moroso Part Nos. 68471 and 68473 without 0EM coil mounts
- **73846**↔ Wire Set, Ultra 40, Sleeved in Black, for Moroso Part Nos. 68488, 68470, 68472 and 68493 with OEM coil mounts
- 93025 Valve Cover Gasket, GM LS Series

COIL MOUNT BRACKET KIT, GM LS SERIES FOR MOROSO 68471/68473 VALVE COVERS

- These Coil Brackets can used to relocate LS Coils between the top of the valve cover and the intake
- Designed to be used with Moroso valve covers but can be drilled to be used with other valve covers or to remote mount coils in a different location
- Two versions available: One for LS1/LS6 Coils & the Second for LS2, LS3, LS7, L92, L99 Coils
- When used with Moroso valve covers, the valve cover can be removed and installed without disturbing the coils or brackets
- · Kit includes black anodized aluminum brackets and metric hardware, one kit does one LS engine

PART # DESCRIPTION

72397 Coil Mount Bracket, GM LS Series for 68471/68473, LS1, LS6 Coils 72398 Coil Mount Bracket, GM LS Series for 68471/68473, LS2, LS3, LS7, L92, L99 Coils









No. 72397

No. 72398

V/C ADAPTER, GM LS TO SBC V/C, PAIR

- Adapts cast or stamped Small Block Chevy valve covers to GM LS SERIES stock and aftermarket cylinder heads
- This billet aluminum adapter matches the contour of a typical Small Block Chevy valve cover
- Adapter has an encapsulated O-Ring on the side that mounts to the LS cylinder head and is designed to take a traditional Small Block Chevy valve cover gasket such as Moroso Part No. 93020 between the adapter and the valve cover
- Adapters are 5/8" thick and are machined and gualified, has no through holes which can cause leakage

PART# DESCRIPTION

68995 Valve Cover Adapter, GM LS To SBC Valve Cover, Pair



*Not legal for sale or use on pollution-controlled vehicles.



WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

No. 68472

No. 68471



294

GM LS SERIES

GM LS BILLET ALUMINUM VALVE COVERS, 2.5" TALL, COIL PACK **MOUNTS, OIL FILL EACH COVER**

- Fits GM LS SERIES stock and aftermarket cylinder heads
- Can be used on 2013-up COPO Camaro's* and other applications
- 2-1/2" tall to clear most aftermarket valvetrains
- The integral coil pack mounts accept LS2, LS3, LS7 & L98 style coils
- Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has an o-ring groove that accepts Moroso No.93025 or GM gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68488 Billet Aluminum Valve Covers, Coil Mounts, Oil Fills, GM LS Series

PART # ACCESSORIES

- Breather Kit for Moroso GM LS Valve Cover 68841**
- 68844 Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes
- 93025 Valve Cover Gasket, GM LS Series

* Use Moroso No. 68844 to adapt COPO breather to valve cover

No. 68488

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

VALVE COVER ADAPTER, ADAPTS GM COPO BREATHERS INTO MOROSO BILLET ALUMINUM VALVE COVER FILL HOLES

- Allows 2013-up COPO Camaro valve cover breather assemblies to be screwed into a Moroso GM LS billet aluminum valve cover oil fill hole
- Adapter is machined out of billet aluminum and features an o-ring for sealing

PART # DESCRIPTION

68844 Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes



GM LS BILLET ALUMINUM VALVE COVERS, 2.5" TALL, COIL PACK **MOUNTS, ACCEPTS COPO STYLE BREATHERS**

- Fits GM LS SERIES stock and aftermarket cylinder heads
- Each cover features a port that a Moroso Part No. 68857 breather or COPO breather snaps into, can then be unsnapped to use an oil fill
- 2-1/2" tall to clear most aftermarket valvetrains
- The integral coil pack mounts accept LS2, LS3, LS7 & L98 style coils
- Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has a groove that accepts Moroso Part No. 93025 or GM#12612045 gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART#	DESCRIPTION
68493	Valve Covers, Billet Aluminum,
	For COPO Breathers, GM LS Series

ACCESSORIES PART

68857 V/C Breathers, replacement for GM COPO, 2 pack 93025 Valve Cover Gasket, GM LS Series

V/C BREATHERS, REPLACEMENT FOR GM COPO, 2 PACK

- Replaces damaged COPO Breathers, a good addition to back up engines or for new builds where the goal to is breath the engine the same way as the COPO cars
- Breather screws on to factory COPO breather covers or Moroso Part No. 68493 valve covers that accept COPO breathers
- Breather's fitting accepts a 5/8" hose

PART# DESCRIPTION

68857 V/C Breathers, replacement for GM COPO, 2 pack





GM LTI/LT4/L86 BILLET ALUMINUM VALVE COVERS WITHOUT COIL MOUNTS

GM LS. GM LTI | L86

Fits: GM LTI/LT4/L86 6.2L Cylinder Heads

- 1-1/2" tall to clear most engine accessories and aftermarket valve train assemblies
- Valve covers are designed for the coils to be mounted remotely
- · Each valve cover is CNC machined from a solid billet aluminum bar
- Cylinder head mounting area has an O-Ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68480* Valve Covers, Billet Aluminum, GM LTI/LT4/L86 without Coil Mounts

PART # ACCESSORIES

68832 Valve Cover Hardware Kit for GM LT Billet



No. 68480

GM LTI/LT4/L86 BILLET ALUMINUM VALVE COVERS WITH FACTORY COIL MOUNTS & OIL FILL

Fits: Bolt-On Replacement for Corvette/Camaro and other applications

Fits: Bolt-On Replacement for Corvette/Camaro and other application with LTI/LT4/L86 Cylinder Heads

- 1-1/2" tall to clear most engine accessories and aftermarket valve train assemblies
- · Each valve cover is CNC machined from a billet aluminum bar
- · Have integral coil pack mounts that accept OEM & LS2, LS3, LS7 & L98 style coils
- · Both valve covers have ports to tie into the factory PCV lines
- One valve cover features a oil fill with a CNC machined cap with O-ring and a mounting tab for the factory dipstick tube
- Cylinder head mounting area has an o-ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART# DESCRIPTION

68494 Valve Covers, Billet Aluminum, GM LTI/LT4/L86, Corvette/Camaro

PART # ACCESSORIES

- 73848 Wire Set, Ultra 40, Sleeved In Black, for Moroso Part No. 68494
- **68832** Valve Cover Hardware Kit for GM LT Billet



No. 68494

GM LTI/LT4/L86 BILLET ALUMINUM VALVE COVERS WITH OIL FILL

Fits: GM LTI/LT4/L86 Cylinder Heads

- 1-1/2" tall to clear most engine accessories and aftermarket valve train assemblies
- · Each valve cover is CNC machined from a billet aluminum bar
- One valve cover features a oil fill with a CNC machined cap with O-Ring
- Each valve cover has mounting holes near the intake that can be used to mount Moroso **Nos. 72397** or **72398** Coil Mount Brackets
- Cylinder head mounting area has an O-Ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART# DESCRIPTION

68495 Valve Covers, Billet Aluminum, GM LTI/LT4/L86, with Oil Fill

PART # ACCESSORIES

68832 Valve Cover Hardware Kit for GM LT Billet

*Not legal for sale or use on pollution-controlled vehicles.



No. 68495

CHEVROLET BIG BLOCK

CHROME PLATED STEEL

Tall Design, with & without Baffle Fits: BBC 3.5" Tall

DESCRIPTION

ACCESSORIES

PCV Grommet

· Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet



68112*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design without Baffle 68113*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design with built-in Baffle • MARNING Prop. 65 no This product contains a chemical known PCV Grommet with Baffle to the state of California to cause cancer, birth defects, or reproductive harm-Perm Align V/C Gasket Breather/Filler Cap Grommets

NOTE: No. 68113 will not clear stud girdles or shaft rocker arm assemblies.



CAST ALUMINUM

Fits: BBC 3.5" Tall

PART #

PART #

68770

68772

93040

97340

 Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

- 68425* Valve Covers, Die-Cast Aluminum Polished Finish without Moroso logo, Tall Design
- 68429* Valve Covers, Cast Aluminum, Big Block Chevy **Black Wrinkle Finish**

ACCESSORIES PART

- PCV Grommet, .095" 68771
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 68562 Valve Cover, Acorn Nuts for BBC
- 93040 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"

REPLACEMENT PARTS PART

- 68770 PCV Grommet
- PCV Grommet with Baffle 68772
- 97340 **Breather/Filler Cap Grommets**



No. 68425



CAST ALUMINUM VALVE COVERS - FIBER DESIGN

Fits: BBC 3.5" Tall

- Extra tall design clears most stud girdles and rocker combinations
- · Includes one baffled and one non-baffled PVC grommets
- Sold in pairs

PART # DESCRIPTION

68426* Cast Aluminum Valve Covers, Gray/Black Fiber Design

PART # ACCESSORIES

Valve Covers, Acorn Nuts for BBC 68562

93040 Perm Align V/C Gasket



 \square

VALVE COVERS

CAST ALUMINUM RIBBED VALVE COVERS

Fits: BBC, 3.5" Tall

- Constructed out of cast aluminum with a MOROSO Logo.
- Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet
- Includes mounting hardware

PART # DESCRIPTION

- **68420*** Valve Covers, Ribbed, Cast Aluminum, Big Block Chevy with a Polished Finish
- 68432* Valve Covers, Ribbed, Cast Aluminum, Big Block Chevy with a Black Powder Coat Finish

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- **68776** Breather Grommet/Baffle, .095"
- **68562** Valve Cover, Acorn Nuts for BBC
- 93040 Perm Align V/C Gasket
- **97341** Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PARTS

- 68770 PCV Grommet
- 68772 PCV Grommet with Baffle
- **97340** Breather/Filler Cap Grommets





FABRICATED ALUMINUM, RIGID RAIL

Fits: BBC Cylinder Heads including Bowtie Heads Part No. 10051128 3.385" Tall

- Fabricated entirely from superior quality aluminum, ultra-lightweight
- Tall enough to clear all rocker combinations
- Fasteners are included with each set and mount through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- Call our Technical Services Department for custom applications not listed below

PART # DESCRIPTION

68333* Valve Covers, Fabricated Aluminum, 3.5" Tall, Rigid Rail, Weight: 3.5 lbs. each

*Not legal for sale or use on pollution-controlled vehicles.



ACCESSORIES PCV Grommet, .095" PCV Grommet/Baffle, .095" Breather Grommet/Baffle, .095" Perm Align V/C Gasket Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PARTS

97345 Washers, Stainless with Neoprene Seal

Ste MORE PUT OUR EXPERIENCE TO WORK

FOR YOU!

CUSTOM MANUFACTURING

PART #

68771

68773

68776

93040

97341

Our state-of-the-art equipment allows Moroso Performance customers the ability to customize the latest in innovative Valve Covers as well as many other products. Moroso's advanced machining capability and experience results in custom products... virtually any race part that can be imagined.

SEE PAGE 104 FOR MORE DETAILS

FABRICATED ALUMINUM, BILLET RAIL

Fits: BBC & Aftermarket Cylinder Heads with stock BBC bolt pattern, clears Jesel, T&D Rocker Shaft Assemblies 3" Tall, clears Jesel style rockers & allows for greater hood clearance

- 3/8" billet rail CNC machined
- Steel inserts pressed into all mounting holes to eliminate galling after removal and installation
- · CNC machined after welding to ensure airtight sealing
- Mating of billet rail to valve cover is done with a smooth transition on exhaust side to eliminate trapped oil
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Will not clear stud girdles

PART # DESCRIPTION

- 68345* Valve Covers, Fabricated Aluminum, 3" Tall, Logo
- 68353* Valve Covers, Fabricated Aluminum, 3" Tall, No Logo 68356* Valve Covers, Fabricated Aluminum, 3" Tall, Logo, Installed with Part No. 22635 –12AN Pos Seal Fitting (included)

PART # ACCESSORIES

- 68771 PCV Grommet. .095"
- 68773 PCV Grommet/Baffle, .095"
- **68776** Breather Grommet/Baffle, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
- 93040 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"



No. 68345



No. 68353



No. 68356

FABRICATED ALUMINUM, MARINE, DIRT LATE MODEL

Fits: BBC, symmetrical-port Bowtie Cylinder Heads and Stock BBC Heads, clears Jesel, T&D Rocker Shaft Assembly 3.5" Tall, clears Jesel style rockers & allows for greater hood clearance

- 3/8" billet rail CNC machined
- Steel inserts pressed into all mounting holes to eliminate galling after removal and installation
- CNC machined after welding to ensure airtight sealing
- Mating of billet rail to valve cover is done with a smooth transition on exhaust side to eliminate trapped oil
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Will not clear stud girdles

PART # DESCRIPTION

68350* Valve Covers, Fabricated Aluminum, Billet Rail, swept back design engineered to clear most marine wet manifolds, Dirt Late Chassis



No. 68350

PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
93040	Perm Align V/C Gasket
97341	Filler Cap Breather Grommet, .095"

FABRICATED ALUMINUM, BILLET RAIL

Fits: Big Block GM and Aftermarket Cylinder Heads with stock GM bolt pattern. Clears Jesel and T&D Rocker Shaft Assemblies

- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover

3" TALL, FOR GREATER HOOD CLEARANCE

PART # DESCRIPTION

- **68457**^{*} Valve Covers, Fabricated Aluminum, pockets on both exhaust and intake sides, Logo
- 68479* Valve Covers, Fabricated Aluminum, pockets on both exhaust and intake sides, No Logo
- 68458* Valve Covers, Fabricated Aluminum, tubes on intake side and pockets on exhaust side, Logo
- 68481* Valve Covers, Fabricated Aluminum, tubes on intake side and pockets on exhaust side, No Logo
- 3.875" TALL

PART # DESCRIPTION

- **68459*** Valve Covers, Fabricated Aluminum, pockets on both exhaust and intake side, Logo
- 68482* Valve Covers, Fabricated Aluminum, pockets on both exhaust and intake side, No Logo
- 68460* Valve Covers, Fabricated Aluminum, tubes on intake side and pockets on exhaust side, Logo
- **68486*** Valve Covers, Fabricated Aluminum, tubes on intake side and pockets on exhaust side, No Logo

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
- 93040 Perm Align V/C Gasket
- 97035 Nuts. 12 Pt
- 97341 Filler Cap Breather Grommet, .095"



No. 68457



No. 68479



No. 68458



No. 68481



No. 68459



No. 68460



No. 68482



No. 68486

VALVE COVERS

CHEVROLET BIG BLOCK

ALL BILLET ALUMINUM

Fits: BBC, symmetrical-port Bowtie Cylinder Heads and Stock BBC Heads, clears Jesel, T&D Rocker Shaft Assembly 3" Tall

- Each valve cover is CNC machined from a solid billet aluminum bar
- The end result is that each valve cover weighs 3.9 lbs with out sacrificing strength
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- 3" Tall, clears Jesel style rockers & allows for greater hood clearance
- Designed with a broad, flat surface for engine builder engraving, the covers can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68469* Valve Covers, BBC Fits symmetrical-port Bowtie and Stock BBC heads



No. 68469

Nut

ACCESSORIES PART

68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut 93040 Perm Align V/C Gasket

AFTERMARKET HEADS

FABRICATED ALUMINUM, BILLET RAIL

- Fits: Dart Big Chief II, 11 Degree and 14 Degree Style Cylinder Heads 3" Tall
- Fabricated entirely from superior guality aluminum, ultra lightweight One-piece billet rail is CNC machined to ensure a precision, flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power

PART # DESCRIPTION

68463* Valve Covers, Fabricated Aluminum, Dart Big Chief II, 11 Degree and 14 Degree Style Cylinder Heads



PART #	ACCESSORIES
68831	Stud Kit, V/C, Bullet Nose, 12 Pt.
93045	Perm Alian V/C Gasket

FABRICATED ALUMINUM, BILLET RAIL

Fits: BBC with Brodix PB2005, Brodix PB1200, Brodix 1202 and Sonny 14.5 Cylinder Heads 3" Tall

- Fabricated entirely from superior guality aluminum, ultra-lightweight
- · One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power

PART # DESCRIPTION

68455* Valve Covers, Fabricated Aluminum, Billet Rail

PART # ACCESSORIES

Stud Kit, V/C, Bullet Nose, 12 Pt. Nut 68831

FABRICATED ALUMINUM, BILLET RAIL

Fits: BBC with Dart Big Chief and Brodix Big Duke Style Cylinder Heads. Does not fit Dart Big Chief II, 11 Deg. Cylinder Heads. Clears Jesel and T&D Rocker Shaft assemblies 3" Tall

- Fabricated entirely from superior quality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- · Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power

DESCRIPTION PART

68456* Valve Covers, Fabricated Aluminum, pockets on intake and exhaust side



No.	68456
-----	-------

PART #	ACCESSORIES
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
93045	Perm Align V/C Gasket

<u>AFTERMARKET HEADS</u>

BRODIX SR20/DART PRO1 20 DEG. FAB. ALUM, BILLET RAIL VALVE COVERS

Fits: Brodix SR20/Dart Pro1 20 Deg. Cylinder Heads 3" Tall

- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving, the covers can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

- 68483* Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 Cylinder Heads, tubes on intake side and pockets on exhaust side, no logo
- 68484* Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 Cylinder Heads, tapered on exhaust side to clear Dirt Late chassis, Moroso Logo
- **68487*** Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 Cylinder Heads, pockets on both intake and exhaust side, no logo
- **68489** Valve Cover, Fabricated Aluminum, Billet Rail for Brodix SR20/Dart Pro1 20 Degree Cylinder Heads, Moroso Logo

PART # ACCESSORIES

68831 Stud Kit, V/C Bullet Nose, 12 Pt. Nut



No. 68483



No. 68484



No. 68487





CHROME PLATED STEEL

Fits: S.B. Chrysler, 273, 318, 340, 360 and W2 Heads 3.375" Tall

· Includes two breather/filler cap grommets

PART # DESCRIPTION

PART #

93050

68161*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # REPLACEMENT PARTS

ACCESSORIES

97340 Breather/Filler Cap Grommets

Perm Align V/C Gasket



.....

FABRICATED ALUMINUM, BILLET RAIL

Fits: S.B. Chrysler, 273, 318, 340, 360 and W2 Heads 3.750" Tall

- Fabricated entirely from one-piece superior quality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Tall enough to clear most rocker combinations
- Fasteners Included

PART # DESCRIPTION

68310* Valve Covers, Fabricated Aluminum, Billet Rail



No. 68310

PART #	ACCESSORIES
--------	-------------

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93050 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"
- PART # REPLACEMENT PART
- 97035 Nuts, 12 Pt.

*Not legal for sale or use on pollution-controlled vehicles.

302

VALVE COVERS

CHRYSLER 5.7 | 6.1 | 6.4 | HEMI

ALL BILLET ALUMINUM

Fits: Chrysler 5.7/6.1/6.2/6.4 Hemi 2.05" Tall

- Make your Hemi engine look like it deserves the Hemi name
- Each 4 lb. valve cover is CNC machined from a 34 lb. solid billet aluminum bar
- Fits both early and late 5.7, 6.1, 6.2 and 6.4 heads
- Must use 2006-up 5.7, 6.1, 6.2 or 6.4 coil packs
- The end result is a lightweight, strong cover that has a precision flat surface for superior sealing
- Covers are designed to work with stock coil packs, gaskets and fasteners
- Taller for aftermarket valve train assemblies
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Available in two finishes; raw machined billet finish or black anodized finish with machined ribs
- Use MOPAR V/C gasket Part No. 5114179AB

PART # DESCRIPTION

68467* Valve Covers, Billet Aluminum, Raw Machined Billet Finish

68468* Valve Covers, Billet Aluminum, Anodized Black with machined ribs







CHROME PLATED STEEL

Fits: B.B. Chrysler, 361, 383, 400, 413, 426 wedge and 440 3.375" Tall with Baffle

• Includes two breather/filler cap grommets

PART # DESCRIPTION

68181*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles

PART # ACCESSORIES

93055 Perm Align V/C Gasket

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68181

REPLACEMENT PARTS

97340 Breather/Filler Cap Grommets

FORD 221, 260, 289, 302, 351W

PART #

CHROME PLATED STEEL

- Fits: Ford 221-302 & 351W 3.5" Tall
- Includes two breather/filler cap grommets and one non-baffled PCV grommet

PART # DESCRIPTION

- 68201* Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles under openings, Moroso Logo
- 68202*↔ Stamped Steel Valve Covers, Chrome Plated, Tall Design without Baffles, Moroso Logo
- 68210*↔ Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles, no logo

PART # ACCESSORIES

68770	PCV Grommet	Thi
97340	Breather/Filler Cap Grommets	to ti
93060	Perm Align V/C Gasket	

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







FORD 221, 260, 289, 302, 351W

POLISHED CAST ALUMINUM

Fits: 260-351W Engines 3.5" Tall

- · Brilliant hand polished finish
- Die-casting process is far more precise and results in a blemishfree surface without porosity
- · Extra tall design clears most stud girdles and rocker combinations
- Inside cover is pilot notched, making it easy to cut out openings for a PCV Valve, breather, or oil filler cap; includes grommets

PART # DESCRIPTION

68450* Valve Covers, Die-Cast Aluminum Ford 221, 260, 289, 302 (5.0L) & 351W

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93060 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"



No. 68450

FABRICATED ALUMINUM, BILLET RAIL

Fits: Ford 302/351W stock and Aftermarket Cylinder Heads 2.75" Tall to clear most popular rocker combinations including Jesel & T&D Shaft rockers

- Replaces Moroso No. 68325
- · Fabricated entirely from superior quality aluminum, ultra-lightweight
- One piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to puller greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Fasteners included

PART # DESCRIPTION

68475* Valve Covers, Fabricated Aluminum, Ford 302/351W with Billet Rail



Fits: Ford 302/351W stock and Aftermarket Cylinder Heads 2.875" tall to clear most popular rocker combinations including Jesel & T&D Shaft rockers

- · Each valve cover is CNC machined from a solid billet aluminum bar
- Precision flat mounting rail surface for airtight sealing allowing the engine to pull greater vacuum for ring seal and power
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Includes oil fill cap, Moroso No. 68485
- The covers can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68474* Valve Covers, Billet Aluminum, Ford 302/351W



No. 68475

ACCESSORIES

PART #

No. 68474

PART #	ACCESSORIES
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
93060	Perm Align V/C Gasket

LVE COVERS

FORD 4.6, 5.4

FABRICATED ALUMINUM, BILLET RAIL

Fits: Ford 4.6 & 5.4 Three Valve Engines 3.971" Tall at Cam Cover, 3.674" Tall at the main body

- Fabricated entirely from superior quality aluminum, ultra-lightweight
- One piece billet aluminum rail is CNC machined for superior sealing
- Bright aluminum finish matches the Moroso tanks and other under hood accessories or can be polished, chrome plated, etc. for a custom look
- These valve covers are a direct bolt in for 2005 2010 Mustangs and feature a oil fill hole with billet aluminum cap, ports for PCV and vent lines
- Features stand offs for factory wiring, coil mounting, and provisions for factory cam timing solenoids
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- 3%" billet rail with machined to accept OEM gasket
- Includes mounting hardware, PCV and fitting

PART # DESCRIPTION

68388* Valve Covers, Fabricated Aluminum, Ford 4.6 & 5.4, Three Valve



No. 68388



FABRICATED ALUMINUM, BILLET RAIL

Fits: Ford 4.6/5.4L 11 Bolt Cylinder Heads 4.225" Tall at Cam Cover, 3.110" Tall main body

- Fabricated entirely from superior quality aluminum, ultra-lightweight
- One piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Tall enough to clear most popular rocker combinations
- Fasteners included
- Comes with knurled billet oil filler cap and uses stock style gaskets



PART # 68389*	DESCRIPTION Valve Covers, Fabricated Aluminum, SBF Modular
PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
97341	Filler Cap Breather Grommet, .095"



FABRICATED ALUMINUM, BILLET RAIL

Fits: Ford FE

3.5" Tall

- · Fabricated entirely from superior quality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power

PART # DESCRIPTION

68461* Valve Covers, Fabricated Aluminum, Billet Rail, 3.5' Tall



PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
97341	Filler Cap Breather Grommet, .095"



FABRICATED ALUMINUM, BILLET RAIL

Fits: Ford 429-460

PART # DESCRIPTION

- **68348*** Valve Covers, Fabricated Aluminum, Billet Rail, 2.5" Tall
- 68349* Valve Covers, Fabricated Aluminum, Billet Rail, 3.5" Tall

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93065 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"



PONTIAC V8

CHROME PLATED STEEL

Fits: Pontiac 301-455

3.5" Tall Design with Baffle

 Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet


PART # DESCRIPTION

68281*
 Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffle

PART # REPLACEMENT PARTS

68770 PCV Grommet68772 PCV Grommet with Baffle

97340 Breather/Filler Cap Grommets






PERM-ALIGN VALVE COVER GASKETS

- Specially designed gaskets are manufactured from 40 durometer silicone, molded over and vulcanized to a rigid steel frame
- The extra-strength design will not leak, blow out or get sucked in like stock or inferior-quality aftermarket gaskets
- Superior quality silicone/steel gaskets outlast cork and rubber composite designs to provide years of dependable service, especially when constantly removing and reinstalling valve covers
- Full 3/16"-thick
- Two per package

PART # DESCRIPTION

- **93020** Perm-Align Valve Cover Gasket *Fits:* SBC, Moroso Fabricated Billet Valve Covers and others of similar design, not for Stamped or Cast Valve Covers
- **93021** Perm-Align Valve Cover Gasket *Fits:* 18,16,15,13.5 & 12° Dart, Brodix, Edelbrock and All Pro cylinder heads
- 93040 Perm-Align Valve Cover Gasket *Fits: BBC, Moroso Valve Covers and others of similar design*
- 93045 Perm-Align Valve Cover Gasket *Fits:* Big Chief (does not fit Dart Big Chief II, 11° Cylinder heads)
- 93050 Perm-Align Valve Cover Gasket *Fits: SB Chrysler*
- 93055 Perm-Align Valve Cover Gasket *Fits: BB Chrysler*
- 93060 Perm-Align Valve Cover Gasket *Fits:* Ford 221, 260, 289, 302 and 351W, Moroso Valve Covers and others of similar design
- 93065 Perm-Align Valve Cover Gasket *Fits: BB Ford*



VALVE COVER GASKETS, GM LS SERIES


Fits: Both Moroso GM LS Series and O.E.M. Valve Covers

• Manufactured out of heavy duty molded rubber

- Quality design and manufacturing meets or exceeds 0.E.M. quality
- Two per package

PART # DESCRIPTION

93025 Valve Cover Gasket, GM LS Series







VALVE COVER HOLD DOWN TABS


VALVE COVER HOLD DOWN TABS

Fits: SBC and 90° V6 Chevy

- Specifically designed to spread the fastener load over a larger area of the valve cover flange to eliminate flange distortion and subsequent oil leakage
- Available in chrome plated steel, black, red and blue powder coated steel

PART # DESCRIPTION

- 68501 Valve Cover Hold Down Tabs, Steel, Powder Coated-Black with Clear Lacquer
- 68505 Valve Cover Hold Down Tabs, Steel, Powder Coated-Red
- 68506 Valve Cover Hold Down Tabs, Steel, Powder Coated-Blue
- **68510**↔ Valve Cover Hold Down Tabs, Steel, Chrome Plated



/ WARNING Prop. 65 This product contains a chemical known

birth defects, or reproductive harm-

/ WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harmNo. 68501 Other Colors Available:



VALVE COVER HOLD DOWN TABS

Fits: BBC

 Set fits one valve cover, includes four 3" tabs and three 4" tabs with 5/16" diameter holes

DESCRIPTION PART

- **68516**↔ Valve Cover Hold Down Tabs, Steel, Chrome Plated
- 68525 Valve Cover Hold Down Tabs, Steel, Powder Coated-Red
 - to the state of California to cause cancer,
- 68526 Valve Cover Hold Down Tabs, Steel,
 - Powder Coated-Blue

VALVE COVER HOLD DOWN TABS

Fits: Chrysler 273-360

- Set fits one valve cover, includes three 4" tabs
- Use 1/4" washer face nuts for the two end holes

PART # DESCRIPTION

68512^o Valve Cover Hold Down Tabs, Steel, Chrome Plated



No. 68516

No. 68512

VALVE COVER HOLD DOWN TABS

Fits: Ford 221, 260, 289, 302, 351W

- Set fits one valve cover, includes three 3" tabs for the shallow recessed bolt holes and one 4" tab for the deep recessed bolt hole
- Use 1/4" washer face bolts for the two end holes

DESCRIPTION

Valve Cover Hold Down Tabs, Steel, Chrome Plated



No. 68519

VALVE COVER HOLD DOWN TABS

Fits: Pontiac 301-455

• Set fits one valve cover, includes four 5" tabs with 3%" diameter holes

PART # DESCRIPTION

68530o Valve Cover Hold Down Tabs, Steel, Chrome Plated

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-



E COVERS

PART # **68519**↔

VALVE COVER ACORN NUTS

Fits: SBC or any Valve Cover using 1/4"-20 hold downs

- Add a decorative touch to engines in cases where long valve cover wing nuts are impractical
- Set includes eight 1-3/8" high nuts and 1/4"-20 x 1-3/8" studs

PART # DESCRIPTION

68561. Valve Cover Acorn Nuts for SBC, Chrome

PART # REPLACEMENT PARTS

97030 Studs ¹/₄"-20 x 1-³/₈"

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68561

VALVE COVER HEX HEAD NUTS

- Use when space is critical or if the valve cover nuts must be snugged down tighter than wing-nut-finger-tight
- Four per package with ¼"-20 x 1-¾" studs included
- . Install and remove with half inch socket wrench with extension or a speed handle

PART # DESCRIPTION

68550. Valve Cover Hex Head Nuts, 1/2" hex head, 4-1/4" long, Chrome Plated Steel

PART # REPLACEMENT PART

97030 Studs 1/4"-20 x 1-3/8"

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68550

EXTRA LONG VALVE COVER WING NUTS

- Available in chrome plated steel or powder coated aluminum colors including red, blue, black and chrome
- Includes matching studs to eliminate gasket alignment problems and to speed up installation
- · Four per pack
- Extra Long Valve Cover Wing Nuts will clear 4-1/2" tall valve cover

PART # DESCRIPTION

- 68603 Extra Long Valve Cover Wing Nuts, 1/4"-20 with 1-%" long studs. Aluminum, Powder Coated-Black
- **68604** Extra Long Valve Cover Wing Nuts, ¼"-20 with 1-%" long studs. Aluminum, Powder Coated-Blue

68605 Extra Long Valve Cover Wing Nuts, ¼"-20 with 1-%" long studs. Aluminum, Powder Coated-Red

- 68610↔ Extra Long Valve Cover Wing Nuts, ¼"-20 with 1-¾" long studs. Steel, Chrome Plated
- **68621** Extra Long Valve Cover Wing Nuts, 5%"-18 with 1-%" long studs. Aluminum, Powder Coated-Black to fit Pontiac 301-455 and Ford 332-428 FE Series and others
- 68630↔ Extra Long Valve Cover Wing Nuts, 5⁄16"-18 with 1-¾" long studs. Steel, Chrome Plated to fit Pontiac 301-455 and Ford 332-428 FE Series and others
- 68640↔ Long Valve Cover Wing Nuts, ¼"-20 with 1-¾" long studs. Steel, Chrome Plated for stock height valve covers

PART # REPLACEMENT PARTS

- 97020 Studs, 1/4"-20 x 1-3/4", 8 per package
- 97030 Studs, 1/4"-20 x 1-3/8", 8 per package

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







NOTE: Wing nut studs 1-3/4" long are packaged with our tall Small Block Chevy die-cast aluminum valve covers to allow for the thicker gasket flange on these covers.

VALVE COVER STUD KIT

Fits: SBC or any Valve Cover using 1/4"-20 hold downs

- These studs were developed primarily for the oval track racer using Moroso Small Block Chevy cast aluminum valve covers where a leaking valve cover caused by a fastener shaking loose from vibration could mean disaster
- Set consists of eight 1/4"-20 x 1-3/4" slotted head studs and eight 1/4"-20 nylon insert lock nuts with washers

PART # DESCRIPTION

68820 Valve Cover Stud Kit

PART # REPLACEMENT PART

97020 8 Studs ¹/₄"-20 x 1-³/₄", Slotted Head

No. 68820

VALVE COVER NUTS

Fits: BBC with Moroso Part Nos. 68420, 68425, 68426, 68429 and 68432 Valve Covers

- Set includes (14) Lock Nuts, (6) ¼"-20 x 3-¼" Studs and (8) ¼"-20 x 1-¾" Studs
- Lock Nuts have a clear zinc finish

PART # DESCRIPTION

68562 Valve Cover Lock Nuts for BBC



No. 68562

BULLET NOSE VALVE COVER STUD KIT

- Bullet nose tip makes it easy to start mounting nuts
- Prevents Small Block Chevy, Big Block Chevy & Small Block Chrysler cast aluminum valve covers from vibrating loose in competition
- \bullet Includes eight 1/4"-20 x 1-1/2" heat-treated studs, nylon-insert lock nuts and washers

PART # DESCRIPTION

- 68830 Bullet Nose Valve Cover Stud Kit
- 68831 Bullet Nose Valve Cover Stud Kit, 12 pt. nut

PART # REPLACEMENT PARTS

97035	Nuts, 12pt.
97040	Studs, 1/4-20 & 28 Bullet Nose

NOTE: Will not work with Stamped Aluminum Valve Covers.





No. 68831

VALVE COVER BREATHER BAFFLE

- Made of 14 gauge 6061-T6 aluminum, this baffle mounts inside Moroso valve covers under the breather hole to keep oil from getting into the breather
- Use with Valve Cover Breathers Nos. 68740, 68741, 68781, 68810, 68813 or 68817
- · Cannot be used with engines equipped with stud girdles
- One per package; includes all necessary fasteners

PART # DESCRIPTION

68790 Valve Cover Breather Baffle



No. 68790

<u>ACCESSORIES</u>

BREATHER GROMMETS

With Integral Baffle

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1.220" diameter hole
- · Ideal for those using aftermarket valve covers without OEM-style oil control baffles
- · Ideally suited for push-in style breather systems
- Will not clear stud girdles
- Made from oil resistant rubber

PART # DESCRIPTION

68775 Breather Grommet/Baffle, 2 per package 68776 Breather Grommet/Baffle, 2 per package (Designed for .090 - .100" material thickness)

PCV GROMMET

With Integral Baffle

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1.220" diameter hole
- · Ideal for those using aftermarket valve covers without OEM-style oil control baffles
- · Works with all popular GM PCV valves
- Special design keeps oil out of the PCV valve
- Will not clear stud girdles, made from oil resistant rubber

PART # DESCRIPTION

- 68772 PCV Grommet/Baffle, 1 per package
- 68773 PCV Grommet/Baffle, 1 per package (Designed for .090 .100" material thickness)

PCV GROMMETS FOR AFTERMARKET VALVE COVERS

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1.220" diameter hole
- Ideal for street enthusiasts using aftermarket valve covers and a positive crankcase ventilation system
- Works with all popular GM PCV valves
- · Made from oil-resistant rubber

PART # DESCRIPTION

- 68770 PCV Grommets, 2 per package
- 68771 PCV Grommets, 2 per package (Designed for .090 .100" material thickness)

BREATHER/FILLER CAP GROMMETS

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1.220" diameter hole
- Replacement Valve Cover Grommets for breathers and oil filler caps; two per pack

PART # DESCRIPTION

- 97340 Breather/Filler Cap Grommets
- 97341 Breather/Filler Cap Grommets (Designed for .090-.100" material thickness)

OIL FILL CAP

Fits: All Moroso and OEM Valve Covers with 1.22" diameter hole

- Push-in design for applications requiring a sealing-type filler plug
- Chrome plated top section

PART #DESCRIPTION68660•Oil Fill Cap

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68660



No. 68776





No. 68770

ONE PIECE PUSH-IN VALVE COVER BREATHERS

4CCESSORIES

• A WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

Fits: Moroso or any Valve Cover with 1.22" hole

- Designed to drain oil trapped in the foam back into the valve cover rather than allow it to drain out the air vents
- Two per package except No. 68741

PART # DESCRIPTION

- 68717* One Piece Push-In Valve Cover Breathers, Aluminum, Powder Coated-Blue, 68718* One Piece Push-In Valve Cover Breathers.
- 68718* One Piece Push-In Valve Cover Breathers, Aluminum, Powder Coated-Red 68719* One Piece Push-In Valve Cover Breathers.
- Steel, Chrome Plated 68741*↔ One Piece Push-In Valve Cover Breathers, Steel, Chrome Plated, for street cars that require a PCV set-up. Contains one breather with valve cover grommet and one PCV valve grommet

PART # REPLACEMENT PART

97340 Breather/Filler Cap Grommets

CRANKCASE EVACUATION SYSTEM

- Reduces crankcase pressure throughout entire rpm range for increased piston ring seal, reduced intake charge contamination, and fewer oil leaks
- Track and dyno tests prove increases in engine performance
- Includes 2 each: Oil Separators/Breathers, Breather/Filler Cap Grommets, One-Way Check Valve and Weld-In Nipple for header collector, use with ⁵/₈" dia. hose

PART # DESCRIPTION

25900* Crankcase Evacuation System

ACCESSORIES

68788 Breather

PART # REPLACEMENT PARTS

- **68780** Oil Separator/Breathers
- 97800 Check Valve for Header Collector
- 97810 Weld-in Nipple for Header Collector

*Cannot be used on cars with mufflers

BREATHER/OIL SEPARATOR

Fits: All Valve Covers with 1.22" holes; includes rubber grommet

- No. 68781 is ideal for plumbing your crankcase ventilation system into the air cleaner, while No. 68780 is a direct breather replacement for No. 25900 Crankcase Evacuation System
- Uses internal foam disc and baffling to prevent oil from entering air cleaner No. 68781

PART # DESCRIPTION

- 68780* Replacement Breather/Oil Separator, for No. 25900 Crankcase Evacuation System, 5%" Hose, Clear Zinc

PART # REPLACEMENT PART

97340 Breather/Filler Cap Grommets

• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







No. 25900

Other Colors Available:





No. 68718

No. 68717



Push-in Fits: All • No. 68 air clea Cranko • Uses in No. 68 PART #

POSITIVE LOCKING BREATHER

Stamped Style

Fits: All Valve Covers with 1.22" holes

- Meets rule requirement for cars running 7.99 E.T. and quicker
- Threaded tube with collar mounts from inside valve cover through 1.22" opening; breather screws into the tube for secure attachment
- Viton gasket resists oil, alcohol and race fuel to form airtight seal
- Jam nuts allow breather to be positioned to suit plumbing requirements
- Internal baffling keeps oil/air separated
- Clear zinc finish resists rust
- Includes all mounting hardware; one per pack

PART # DESCRIPTION

68785* Positive Locking Breather, with Tube for 3/4" hose





POSITIVE LOCKING BREATHER Billet Aluminum

Fits: All Valve Covers with 1.25" holes

- Manufactured from 6061 Billet Aluminum
- · Screws to valve cover for positive fit, does not push on
- Designed in two pieces with a top that unscrews to allow for oil filling and easier cleaning or replacement of oil separator filter
- Slip-on fitting for pan evac system
- O-ring Seal no gaskets (reduces leakage)
- Meets rule requirement for cars running 7.99 E.T. and quicker

PART # DESCRIPTION

68788* Positive Locking Billet Aluminum Filtered Breather



 PART #
 AVAILABLE OPTIONS

 22706
 ½" NPT to -10AN Fitting

 22708
 ½" NPT to -12AN Fitting

BREATHER TANK, TWO 1/2" FEMALE FITTINGS

Vent Valve Cover Breathers into this Tank by running a hose from the Breathers to the Tank using the Optional Fittings

- Use as a remote multi-inlet oil catch/breather for Crankcase Ventilation, Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Can be used to collect from 2 sources
- Features Two 1/2" NPT Female Fittings that are 180 Degrees apart for ease of plumbing
- Aluminum, lightweight tank features internal baffling with mesh media for separation of air and oil
- Includes non-hooded, clamp—on filtered breather, Heavy Duty T-Clamp and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height (without filter or drain), 11-1/2" overall height

PART # DESCRIPTION

85455 Breather Tank, Two 1/2" NPT Fittings

PART # AVAILABLE OPTIONS

227350	Fitting, 1/2" NPT Male to 5/8" Barbed Hose, Straight
227360	Fitting, 1/2" NPT Male to 5/8" Barbed Hose, 90 Deg.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 22735



*Not legal for sale or use on pollution-controlled vehicles.

VALVE COVERS

ACCESSORIES

VALVE COVER ADAPTER, ADAPTS GM COPO BREATHERS INTO MOROSO BILLET ALUMINUM VALVE COVER FILL HOLES

- Allows 2013-up COPO Camaro valve cover breather assemblies to be screwed into a Moroso GM LS billet aluminum valve cover oil fill hole
- Adapter is machined out of billet aluminum and features an o-ring for sealing
- Using Moroso No. 68844 adapters with Moroso No. 68488 GM LS valve covers featuring an oil fill in each cover

PART # DESCRIPTION

Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes 68844

V/C BREATHERS, REPLACEMENT FOR GM COPO, 2 PACK

- Replaces damaged COPO Breathers, a good addition to back up engines or for new builds where the goal to is breath the engine the same way as the COPO cars
- · Breather screws on to factory COPO breather covers or Moroso Part No. 68493 valve covers that accept COPO breathers
- Breather's fitting accepts a 5/8" hose

DESCRIPTION PART#

68857 V/C Breathers, replacement for GM COPO, 2 pack

VALVE COVER FILTERED BREATHERS

- · Available in half-hooded or non-hooded
- Provides maximum protection against dirt and airborne debris without restricting air flow

• A WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

- Also available with completely exposed filter element and chrome plated top
- Available in two types; Push-In or Clamp-On (for existing stacks; includes clamp)
- Cleanable and re-usable; oil before use
- One per pack
- PART # DESCRIPTION
- 68811*• Valve Cover Filtered Breather, half-hood, clamp-on type: for Moroso Covers with welded-in stacks, 1-3/8" I.D.
- 68812* Valve Cover Filtered Breather, half-hood, clamp-on type; for Moroso Covers with welded-in stacks, 1-1/2" I.D.
- 68813* Valve Cover Filtered Breather, half-hood. push-in type; for Moroso Covers with 1.22" punched holes
- 68815* Valve Cover Filtered Breather, non-hooded style, clamp-on type; for Moroso Covers with welded-in stacks, 1-3/8" I.D. 68816* Valve Cover Filtered Breather, non-hooded style,
- clamp-on type; for Moroso Covers with welded-in stacks, 1-1/2" I.D. **68817***↔ Valve Cover Filtered Breather, non-hooded style, push-in type;
- for Moroso Covers with 1.22" punched holes
- 68818*0 Filtered Breather, non-hooded style, clamp-on type; for Moroso Breather Tanks, 2" O.D.

CLAMP ON BREATHER

- Clamps onto a 1" outside diameter tube
- Fits Moroso Billet Aluminum Vacuum Relief Valves Nos. 22633, 22636 and 22637
- Provides maximum protection against dirt and airborne debris without restricting air flow
- Clamp included
- · Cleanable and re-usable: oil before use

PART # DESCRIPTION

68791* • Clamp On Breather, 1" I.D. 68792 Clamp On Breather has a Black Finish, fits 1" I.D. tubes

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm



No. 68792



No. 68811



No. 68815

No. 68817



No. 68791

VALVE COVERS



No. 68857



*Not legal for sale or use on pollution-controlled vehicles.



This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-

WELD-IN FILTERED BREATHER KIT

- Kit contains two aluminum 1-³/₈" O.D. breather tubes with internal baffling, two half-hooded filtered breathers, and two stainless hose clamps
- Designed to be welded to Moroso valve covers and can be adapted to other aluminum covers
 <u>• Marning Prop. 65</u>

PART # DESCRIPTION

68800* Weld-In Filtered Breather Kit

PART # REPLACEMENT PARTS

- 68811* Filtered Breathers, with protective half-hood
- 68812*↔ Filtered Breathers for early No. 68800 with 1-½" tube, half hood

PUSH-IN FILTERED BREATHER KIT

- Kit allows engine builder to install filtered breathers on Moroso steel or aluminum valve covers (or other covers with 1.22" holes) without welding
- · Consists of two filtered breathers with clamps,
- two chrome plated adapter tubes and two valve cover grommets
- Filters must be oiled before use

PART # DESCRIPTION

68810* Push-In Filtered Breather Kit

PART # REPLACEMENT PARTS

68816*• Filtered Breathers Non-Hooded **68812***• Filtered Breathers Half-Hooded

> • <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



- Sprint Car racers can now mount an aluminum tube-style crossover breather kit to their aluminum valve covers and save some money in the process
- Kit comes with all mounting hardware and aluminum bungs which must be welded to the valve covers

PART # DESCRIPTION

68762* Valve Cover Breather Tube Kit, SBC Sprint Cars

PART # ACCESSORIES

68811*• Filtered Breathers, Half Hood **68815***• Filtered Breathers, Non-Hooded • <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-



NOTE: Can only be used with aluminum valve covers. Breathers are not included with the kit and must be purchased separately.

BREATHER KIT

For Sprint Car Engines

- Attaches to the valley pan on a sprint car engine
- Kit includes 1-34" dia. tubing with 8 .5" long legs and a black anodized finish
- · Includes a billet aluminum clamp with mounting holes
- Cleanable and re-usable filter

PART # DESCRIPTION

68850*• Breather Kit for Sprint Car Engines

BULK PART #REPLACEMENT PART68850-004↔Breather


• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 68800

VALVE COVER

INU. 00/02



VALVE COVER BREATHER KITS, NON-WELD

 Includes optional interior baffle and mounting hardware · Cleanable and re-usable filter DESCRIPTION Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish Valve Cover Breather Kit, Non-Weld, No. 68854 1" Breather, Black Finish

• K WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







BREATHER KITS, GM LS MOROSO VALVE COVERS

For Moroso GM LS Valve Covers or any 1-1/4" -12 Female Threaded Bung/Opening

- Provides an easy way of adding a breather to Moroso LS valve cover with an oil fill bung
- Remove knurled cap on valve cover to screw in the Part Nos. 68848 and 68841 Breather Kits
- Features a billet aluminum baffled screw in adapter with a 1" breather
- Cleanable and re-usable filter

PART #DESCRIPTION68841*•Breather Kit for Moroso GM LS Valve Cover68848Breather Kit for Moroso Valve Covers,

Breather has a Black Finish

PART# REPLACEMENT PART 68791 ↔ Clamp on breather. 1" I.D.



No. 68848



No. 68841

BREATHER KITS, GM LS O.E.M. VALVE COVERS

• Provides an easy way of adding a breather to GM LS O.E.M. valve cover with an oil fill bung

• A WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm

- Remove oil fill bung on valve cover, screw in breather kit and tighten down with built-in hex
- All kits feature a baffled billet aluminum screw in adapter with a 1" breather



ACCESSORIES

-12AN FITTING KITS, GM LS O.E.M. VALVE COVERS

- Provides an easy way of adding a -12AN Male fitting to GM LS 0.E.M. valve cover with an oil fill bung
- Remove oil fill bung on valve cover, screw in -12AN fitting kit and tighten down with built-in hex

Part#	DESCRIPTION
68843	Fitting Kit, -12AN for O.E.M. GM
	LS Double Tab Valve Cover
68845	Fitting Kit, -12AN for O.E.M. GM
	LS Single Tab Valve Cover

DOUBLE TAB SINGLE TAB





No. 68843

-12AN FITTING KIT, MOROSO GM LS VALVE COVERS

- Provides an easy way of adding a -12AN Male fitting to MOROSO GM LS valve cover with an oil fill bung, or any 1-1/4"-12 Female Threaded Bung/Opening
- Remove oil fill bung on valve cover, screw in -12AN fitting kit and tighten down with built-in hex

PART# DESCRIPTION

68856 Fitting Kit, -12AN for Moroso GM LS Valve Cover



VALVE COVERS

-10AN MALE FITTING

Non-Weld

- Non-weld kit, makes it easy to add a leak proof fitting to oil pans for oil returns. valve covers etc., without having to actually weld the fitting
- Perfect for adding a fitting to steel or aluminum with up to a 1/8" max. wall thickness
- O-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld

-12AN MALE NON-WELD, BAFFLED FITTING KIT

- Provides an easy way of adding a -12AN male fitting to a steal or aluminum flat surface without welding
- Since no welding is required then there is not the possibility of heat damage to the surface or the need to take the piece to get welded
- · Billet aluminum mounting plate features an o-ring and hardware for leak free sealing
- Includes optional interior baffle and mounting hardware
- -12AN fitting screws into base plate and can be tightened down with built-in hex

DESCRIPTION PART

22754 Fitting Kit, -12AN Male, Non-Weld Baffled

FILL CAP KITS, UNIVERSAL

- Cap Kit No. 85280 and No. 85282 are knurled
- Cap Kit No. 85283 is designed with contoured grip
- These universal kits, available with steel or 6061-T6 aluminum bung, can be used on valve covers and other locations to replenish fluid, or serve as an inspection port
- Bungs can be welded to any suitable tank, valve cover or plate
- Manufactured from 6061-T6 aluminum, includes 0-Rings for leak-free sealing

DESCRIPTION PART

- 85280 Fill Cap Kit, Universal, Steel Bung, 1-1/4" -12UNF Threads, 1.5" OD
- 85282 Fill Cap Kit, Universal, Aluminum Bung, 1-1/4" -12UNF Threads, 1.5" OD
- 85283 Fill Cap Kit, Universal, Aluminum Bung, Black Anodized with logo, 1-3/3" -12UNF Threads, 2.6" OD

NOTE: For steel applications, use Rear End Fill Cap No. C9085

FILL CAP KITS, UNIVERSAL, NON-WELD, WELD

- Provides an easy way of adding an oil fill to a valve cover, tank, rear end and other locations
- Available in two versions:
 - Non-Weld, for aluminum or steel, since no welding is required then there is not the possibility of heat damage to chrome or powder coat
 - Weld On, for steel (Steel Bung)
- Finger Grip cap manufactured from 6061-T6 billet aluminum with a black anodized finish, Moroso logo, includes O-Ring for leak free sealing

DESCRIPTION PART

- 68485 Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D.
- 85284 Fill Cap Kit, Weld, Steel, 1-1/4"-12UNF Threads, 1.5" O.D.

VALVE COVER WELD-IN BUNGS

- Can be welded to aluminum valve covers, holding tanks, cylinder heads, oil pans, etc. or wherever an NPT fitting is needed
- Made of 6061-T6 aluminum and fit a 1" diameter hole
- Two per pack

PART # DESCRIPTION

68900 Aluminum Weld-In Bungs, 3/8" NPT Fitting 68910 Aluminum Weld-In Bungs, 1/2" NPT Fitting





No. 68900

IVE COVERS





No. 85283



No. 22754

No. 22753



318

11



Adapted from DRAG RACING ACTION Magazine by JOHN DiBARTOLOMEO

Spark plug wire used to be nothing more than a solid core length of wire with some type of insulation. Suppression wire was later developed to combat radio interference, otherwise known as RFI (radio frequency interference) or EMI (electro-magnetic interference). For suppression wire to work, it must contain a certain amount of electrical resistance. Because of this resistance, it was never useful in race applications, where every bit of spark energy is beneficial to lighting an adequate fire within the engine's cylinders. For that reason, racers always choose a solid core plug wire, which had no suppression capabilities, but offered very little resistance to the spark generated by modern era ignition boxes.

That changed in the mid-'80's when data loggers became standard issue on race cars. The capabilities of those early loggers were very susceptible to RFI noise, which could disrupt the timing functions of the delay/throttle stop boxes, as well as the recording ability of data loggers. Though most manufacturers installed some filtering, RFI became a big issue in the racing industry.

The engineers at Moroso realized the need for enhanced suppression plug wire that would alleviate or reduce the amount of RFI. A spark voltage that exceeds 50,000-volts through a plug wire would inevitably find its way through the outer core of the wire and into the airwaves. So, it became optimal for racers to install suppression plug wires but the requirement to have a very low resistance wire was a necessity.

Moroso Wire Technology led the development of modern ignition wire, designed with a Kevlar core, nickel copper alloy wire wrapped around the Kevlar and ferrite-impregnated outer sleeve. Moroso high performance Ignition Wire, manufactured at our facility in Philadelphia, protects against heat, chaffing, contaminants and results in a resistance of only 40-ohms per foot.





The wire travels 250 feet through these long tubes on the right in order to cure and cool the wire after manufacturing.





An optical laser measuring device keeps constant measurement on the completed wire as it comes to the end of the line. The machine operator must maintain the measurement within a specified amount and adjust as necessary.

The rubber cover material for the center conductor starts out in this ribbon-like form. It's fed into a tube that heats and feeds it through a series of collets to form it around the center conductor.



The outer silicone material is fed through the machine in the same fashion as the center core cover, eventually making it's way onto the wire and completing the forming process.



These print wheels are laser engraved with the Moroso and Ultra 40 Race Wire logos. At the end of the forming line, the wheels pick up ink and print on both sides of the wire.



This automatic machine cuts the wire from the bulk spools to specified lengths and strips back the insulation on both ends prior to the terminal end crimping process.



Before a plug boot is installed, each wire undergoes testing to ensure the quality of the crimp and the wire's conductivity. The plug boot is then installed, the wire is packaged and is ready for delivery.



In the last step in the manufacturing process, completed wire is rolled onto wooden spools. Each spool holds 5,000-feet of wire awaiting the final steps to complete a length of spark plug wire.



Each wire is hand fed into a crimping machine that automatically feeds terminal ends through it, while an operator feeds the previously stripped back wire in, finally ending up with a crimped terminal on the end.



Moroso Ultra 40 Race Wire Sets receive a fiberglass reinforced silicone outer sleeve which requires a heat shrink sleeve at the boot in order to seal off the whole assembly.



The manufacture of Ignition Wire requires several different steps: first, the center conductor (1) has EPDM (Ethylene Propylene Diene Monomer) rubber material formed around it (2). The wire is then re-fed into the machine where the outer silicone covering is formed and printed with the type of wire it is (3). The completed wire is then stripped back (4) and the terminal ends are crimped on (5). The plug boot is installed (6) and finally, for race applications, a silicone-jacketed fiberglass sleeve is slipped over the assembly and a shrink sleeve installed (7).

ULTRA 40 RACE WIRE SETS

ULTRA 40 UNIVERSAL WIRE SETS, UNSLEEVED

The most powerful wire for any race application!

- Moroso Ultra-40 Race Wire is the standard in high performance ignition wire
- Optimized EMI/RFI resistance
- Used in the highest level of racing applications, from dual mag Top Fuel Cars thru NASCAR Sprint[®] Cup Series
- 7mm or 8.65mm diameter wire with 40 ohms of resistance per foot
- Incorporates a highly engineered spiral wound conductor
- Maximizes energy transfer and minimizes electro magnetic interference (EMI) and radio frequency (RF)interference noise
- Includes appropriate hardware

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-



						NO.	7381	4			1000 - a	ted of been		
BUYER'S	GUIDE	E FOR I	ULTRA	40 UN	IIVE	RSA	L W	/IRE	SE	rs,	UNS	SLEE	VED	
APPLICATION/ DISTRIBUTOR CAP STYLE	V BLUE	VIRE COLO Red Part #	IR Black	WIRE DIA. <i>(mm)</i>	SI	PARK 2	PLUG 3	WIRE 4	LENG	THS (6	INCHE 7	ES) 8	PLUG BOOT	COIL WIRE LENGTH <i>(inches</i>)
UNIVERSAL FIT				,										
90° Universal	73800 0	73810 0	73814 0	8.65	35	35	39	39	46	50	53	53	90°	36
Straight Universal	73801 0	73812 0	738150	8.65	35	35	39	39	46	50	53	53	STR.	36
135º Universal	73802 0	73836 0	73816 0	8.65	35	35	39	39	46	50	53	53	135°	36
IEMI														
Mopar/Chrysler OEM Style Insulators	73840 0	N/A	73841 0	8.65	28	32	38	42	51	56	61	66	Hemi	36
BAE-AJPE/8.5" Insulators	N/A	N/A	738040	8.65	38	42	48	52	56	61	66	71	Hemi	41
Hemi, AJPE, BAE, MBE, VOONAN Style Heads, 9" Long Hemi Insulators, HEI Boots & Terminals	N/A	N/A	73805↔	8.65	38	42	48	52	56	61	66	71	Hemi	41
BAE-AJPE/7" Insulators	73808 0	N/A	N/A	8.65	28	32	38	42	51	56	61	66	Hemi	36
GM Pro Stock, Brodix PB201, CFE, Ford, Yates/ 5" Long Straight Pro Boot	73813 0	N/A	73839 ↔	8.65	41	41	46	46	56	56	66	66	STR.	38
GM LS SERIES														
Coil-on Plug	73811 0	738370	738280	7	48	48	48	48	48	48	48	48	STR.	N/A
urra in and a solar urra an an urra indian urra an an urra indian urra an an ura indian urra and an ura indiana urra and ura indiana ur		AILABLI	E			Hiç Wi	h-Temper Instand H F W O	ature Sili eat up to l old Over (on't vibra ther core-	d under hi cone Boo 600 Degre Crimping te loose I crimped I crimped I heat, taminants	ike prands	WIRE W A			SEE HAT'S NSIDE
	BLA	, RED O	Nicke	provide: dielectri di Copper Alloy - uctor transfers ghest spark end nated Core pression	ick Silicoi s even gre ic strength ergy	ater					30	de l		TRA

No. 73814

Aramid Center Core offers ultra-high tensile strength

n Pull Ta

Conductive Polymer Coating protects conductor, provides terminal contact

ULTRA 40 RACE WIRE SETS

ULTRA 40 CUSTOM FIT WIRE SETS, UNSLEEVED

- Cost-effective version of our race proven Ultra 40 Race Wire, without heat sleeving
- \bullet 7 or 8.65mm diameter wire with 40 ohms of resistance per foot
- Complete, ready-to-install sets available for specific engines
- \bullet Wire for each cylinder is labeled



• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

BUYER	rs gl	JIDE I	FOR U	LTR/	40	CUS	БТО	M FI	T WI	re s	ETS	, UN	SLE	EVE	D	
APPLICATION/ DISTRIBUTOR)r Black	WIRE DIA.	SPARK PLUG WIRE LENGTHS (INCHES) CYLINDER #										PLUG BOOT	COIL WIRE LENGTH		
CAP STYLE		PART #		(MM)	1	2	3	4	5	6	7	8	9	10	0001	(INCHES)
SBC																
Over VC/Non-HEI	73663 0	736830	737060	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Over VC/HEI	73664 0	73684 0	73707 ↔	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Over V/C, HEI	N/A	N/A	737250	8.65	29	33	35	27	25	27	25	24	N/A	N/A	135º	36
Under Header/Non-HEI	73665 0	736850	737080	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Under Header/HEI	736660	736860	737090	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Under Header, HEI	N/A	N/A	73726↔	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	135°	36
Sprint Car, HEI, Rear Drive	73677 0	73699 0	73722↔	8.65	39	38	36	34	28.00	27	25	24.00	N/A	N/A	90°	18
Sprint Car Front Magneto Drive Kit, Non-Raised Cam	N/A	N/A	737230	8.65	26.25	20.25	28	25.50	33	30	30.50	33.50	N/A	N/A	90°	48
Sprint Car Front Magneto Drive Kit, Raised Cam	N/A	N/A	737240	8.65	26.75	20.75	28.50	26	33.50	30.50	31	34	N/A	N/A	90°	48
GM LS SERIES																
Coil-On Plug, Short	736600	73680 0	737030	7	8	8	8	8	8	8	8	8	N/A	N/A	STR.	N/A
Coil-On Plug, Med.	73662 0	73682 0	73705 ↔	7	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	N/A	N/A	STR.	N/A
Coil-On Plug, Med.	N/A	N/A	73727 ↔	7	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	N/A	N/A	135°	N/A
Coil-On Plug, Med., Alum. Shielded	73659 0	73679 ↔	73730↔	7	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	N/A	N/A	SHLD.	N/A
Coil-On Plug, Long	73661 0	73681 0	737040	7	12	12	12	12	12	12	12	12	N/A	N/A	STR.	N/A
BBC																
Over VC/Non-HEI Style Cap	73667 0	73687 °	73710∘	8.65	31	39	35	30	29	28	26	27	N/A	N/A	STR.	36
Over VC/HEI Style Cap	73668 0	73688 0	73711 ∘	8.65	28.75	34.75	34.25	28.75	27.25	28.50	26	25	N/A	N/A	STR.	36
Over VC/HEI Style Cap	N/A	N/A	73728⇔	8.65	28.75	34.75	34.25	28.75	27.25	28.50	26	25	N/A	N/A	135°	36
Under Header/Non-HEI Style Cap	73670 °	73690 ↔	73713 ∾	8.65	39	42	37	25	29.5	31	22	29	N/A	N/A	90°	36
Under Header/HEI Style Cap	73669 ↔	73689 0	73712 ↔	8.65	41.5	44.5	37.5	37	31	31	26.5	31	N/A	N/A	90°	36
Under Header/HEI Style Cap	N/A	N/A	73729⇔	8.65	41.5	44.5	37.5	37	31	31	26.5	31	N/A	N/A	135º	36
Under Header/ Non-HEI Crab	73671 0	73691 ∘	73714 ↔	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
Under Header, HEI Crab	73672 ↔	73692 0	73715∘	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
DODGE/CHRYSLER																
Hemi Truck 2003-2005	73657 ∘	N/A	N/A	7	34.5	36.5	36.5	37.75	35.5	34.5	37.75	35.25	N/A	N/A	STR.	N/A
5.7 Hemi 2005 Magnum, 300, Jeep	73658 0	N/A	N/A	7	44	36.5	37.5	35	39	44	35	40	N/A	N/A	STR.	N/A
FORD 289-302																
Non-HEI	736760	73696 0	7371 9∾	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135°	38
HEI	73675 ↔	73695 0	73718 ↔	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135°	36
FORD 351W																
HEI	73673 ↔	73693 0	73716∘	8.65	29	29	32	32	28	26	34	36	N/A	N/A	135°	36
FORD 429-460																
HEI	736740	73694 0	737170	8.65	27	27	29	29.5	24	32.5	27	32.25	N/A	N/A	135°	36

LTRA 40 RACE WIRE SETS

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

ULTRA 40 CUSTOM FIT WIRE SETS, SLEEVED

Exterior sleeving offers improved dielectric strength for added resistance to outside pulses while protecting wire against heat, chafing and contaminants

- 7mm or 8.65mm diameter wire with 40 ohms of resistance per foot
- Sleeving adds extra dielectric strength
- · Sleeving extends spark plug wire life and protects against exhaust header heat, chaffing and contaminants
- · Complete, ready to install sets available for specific engines



APPLICATION/ DISTRIBUTOR	WIRE (BLUE	COLOR Black	WIRE DIA. (MM)			SPA	rk plu		LENGTH DER #	IS (INCI	HES)			PLUG BOOT	COIL Wire Length
CAP STYLE	PAF	RT #	()	1	2	3	4	5	6	7	8	9	10		(INCHES)
SBC															
Over VC/Non HEI	73600 0	73824 ↔	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Over VC, HEI	73602 0	73817 ↔	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Under Header, Non HEI	73605 0	73825 ⇔	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Under Header, HEI	73607 0	73818 ↔	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Jesel Front Drive Distributor	N/A	73842 ↔	8.65	23	23	24	24.50	36	29.50	33	37.50	N/A	N/A	90°	48
GM LS SERIES															
Coil-On Plug, Short	73535 0	73823 ↔	7	8	8	8	8	8	8	8	8	N/A	N/A	STR.	N/A
Coil-On Plug, Medium	73537 0	73827 ↔	7	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	N/A	N/A	STR.	N/A
Coil-On Plug, Long	73536 0	73826 0	7	12	12	12	12	12	12	12	12	N/A	N/A	STR.	N/A
Coil-on Plug, Coils on Valve Covers	N/A	73846 0	7	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	N/A	N/A	90°	N/A
Coil-On Plug, Remote coils	N/A	73845 ↔	7	15	15	15	15	15	15	15	15	N/A	N/A	90°	N/A
GM LT SERIES															
Coil-On Plug, Medium NEW	W/N/A	73848 0	7	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	N/A	N/A	135°	N/A
Coil-On Plug, Long	N/A	73731 ↔	7	13	13	13	13	13	13	13	13	N/A	N/A	135°	N/A
BBC															
Over VC, Non HEI	73614 0	N/A	8.65	31	39	35	30	29	28	26	27	N/A	N/A	STR.	36
Over VC, HEI	73615 0	73819 ₀	8.65	28.75	34.75	34.25	28.75	27.25	28.5	26	25	N/A	N/A	STR.	36
Under Header, Non HEI	73617 0	73821 0	8.65	39	42	37	25	29.5	31	22	29	N/A	N/A	90°	36
Under Header, HEI	73616 0	73820 ↔	8.65	41.5	44.5	37.5	37	31	31	26.5	31	N/A	N/A	90°	36
Under Header, Non HEI Crab	73621 0	N/A	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
Under Header, HEI Crab	73622 0	73832 0	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
Jesel Front Drive Distributor	N/A	73843 0	8.65	27	26	31.75	31.75	36	34	38	43	N/A	N/A	90°	48
DODGE/CHRYSLER															
Dodge Viper '08-'17	N/A	73512 ↔	7mm	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	135°	N/A
FORD															
289-302															
HEI	73630 0	73833 0	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135°	36
Non HEI	73631 0	738340	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135°	38
351W															
HEI	73626 0	73822 0	8.65	29	33	32	32	28	26	34	36	N/A	N/A	135°	36
429-460															
HEI	73628 0	73835 ↔	8.65	27	27	29	29.5	24	32.5	27	32.25	N/A	N/A	135°	36


ULTRA 40 WIRE - SPOOL

• 100 ft. of 8.65mm Ultra 40 wire on a spool


PART # DESCRIPTION 738300 Ultra 40 Wire Spool, 100 ft, Blue **73838**0 Ultra 40 Wire Spool, 100 ft, Black

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-






SPARK PLUG INSULATORS, HEMI 8.2" LONG, 8 PACK



324




Conductive Polymer Coating protects conductor, provides terminal contact

- Available in popular 8mm and extra-thick Super Max[™] 11mm
- Universal and Custom Fit Sets
- Optimized combination of capacitance, inductance and resistance provides more spark energy and EMI protection than any other 8mm Spiral Core Wires in their class
- Eliminates interference with on-board electronics and provides static-free sound quality for car audio systems


INDEPENDENT TESTING CONFIRMS...BLUE MAX *** TOPS ALL OTHER WIRE

More Spark Energy vs. **Comparative Brands!**




Note: No correlation between Resistance and Spark Energy Elite Electronics Laboratories, a leading automotive electronics test facility, tested Moroso Blue Max[™] against 14 other brands. Their results confirm that Blue Max™ transmitted more spark energy than any of the others.

Greater EMI/RF Suppression!



Elite Electronic Laboratories confirms, using SAE's CISPR test, that Blue Max™ suppresses more electro-magnetic interference than any other brand of "high-performance" spiral core wire.






The chart illustrates the break-through voltage of sample wires tested in a waterfilled tank (per SAE's approved test). Even at the maximum test output of 60,000 volts, Moroso Blue Max[™] does not break down or arc through.

 \square

GNITION WIRE



TAKE THEM OUT OF THE BOX, PLUG THEM IN, AND GO RACING!

Moroso **Blue Max[™] Sleeved Wire Sets** come complete with our famous 8mm, 800 ohm Spiral Core Wire pre-terminated at both ends with the correct terminals and boots, insulating sleeve that runs the entire wire length, shrink tubing to seal the boots, and numbered ID tags.

- Complete, ready-to-install sets available for your specific engine application
- Each wire is individually tested for continuity and resistance after termination to ensure race-ready performance

In the boots, and numbered ID tags. BUYER'S GUIDE for Blue Ma						Cus	tor	This proc to the sta birth d	luct contai te of Califi efects, or	ornia to ca reproductiv	ical known use cancer, ve harm-	ire S	ate
PART #	APPLICATION	DISTRIBUTOR CAP STYLE	WIRE DIA. (mm)	1			G WIRE	LENGT IDER #			8	SPARK Plug Boot	COIL WIRE LENGT (inches
SMALL BLO	OCK CHEVY		<u> </u>										•
72402 ↔	Over Valve Covers	HEI Style	8	29	33	35	27	25	27	25	24	90°	36
72405 0	Under Headers	Non-HEI	8	45	45	40	40	27.75	28	27	26.75	90°	36
72407 0	Under Headers	HEI Style	8	45	45	40	40	27.75	28	27	26.75	90°	36
BIG BLOCK	CHEVY												
72415 ↔	Over Valve Covers	HEI Style	8	28.75	34.75	34.25	28.75	27.25	28.5	26	25	STR.	36
72416 ↔	Under Headers	HEI Style	8	41.5	44.5	37.5	37	31	31	26.5	31	90°	36
FORD													
351W, V-8													
72426 ⇔	Over Valve Covers	HEI Style	8	29	33	32	32	28	26	34	36	135°	36
289-302													
72430 0	Over Valve Covers	HEI Style	8	27.75	28	26.6	29	24.5	25	28	28.5	135°	36

BLUE MAXTM SPIRAL CORE WIRE SPOOL

PART # DESCRIPTION

73230. Spiral Core 8mm, 800 ohm Wire Spool, 100 ft.

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





BLUE MAX™ SPIRAL CORE COIL REPLACEMENT WIRE KIT

- 36" Long
- All the parts necessary to make a coil wire to fit virtually all popular coils and distributor cap combinations
- Kit contains three feet of Blue Max[™] Spiral Core 8mm suppression wire, a wire stripping tool, and a 13-piece boot and terminal kit

PART # DESCRIPTION

73235• Spiral Core 8mm, 800 ohm Coil Wire Kit, Blue 73236• Spiral Core 8mm, 800 ohm Coil Wire Kit, Black • WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

BLUE MAX™ SPIRAL CORE TWO WIRE SET

- · Moroso offers a two-piece Spiral Core Wire Set to replace individual wires
- Each wire is 55" long and terminated with a straight plug terminal at one end, and a 90° plug terminal at the other
- Simply cut wire to length and use the two distributor boots and two distributor terminals supplied with the kit to complete each wire

PART # DESCRIPTION

72475 Blue Max™ Spiral Core 8mm, 800 ohm Two Wire Set

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 72475


STREET DRESS-UP KITS

Complete Pre-Terminated Kits for Header-Equipped Engines

- Kits contain one set of Moroso Blue Max[™] Spiral Core 8mm, 800 ohm Spark Plug Wire, four two hole wire looms, four chrome loom brackets, six spark plug wire separators, and a chrome distributor hold down
- Designed to route the plug wires over the top of the valvecover and down to the spark plug on engines equipped with exhaust headers







Includes boots for both HEI and Non-HEI distributors Moroso Wire Stripping Tool removes insulation without damaging the conductor Each set includes enough terminals for either HEI or Non-HEI distributors

FOR UNIVERSAL IGNITION WIRE APPLICATIONS, THESE SETS ARE THE WAY TO GO!

Moroso **Blue Max[™] Universal Fit Wire Sets** are terminated at the plug end only, and include enough wire length and terminals to fit HEI or Non-HEI distributors. A coil wire is included when required. There's even a wire stripping tool to simplify the termination. And like all Moroso Blue Max[™] wire, each is individually tested for unsurpassed quality control.

- Comes complete with everything you need
- Available in 8mm, 800 ohm
- Includes Moroso Wire Stripping Tool for quick and easy installation

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

BUYE	R'S GUIL	DE for	Blue	Ma	XTM	Sp	ira	I Co	ore	Un	ive	rsal Fi	t Wire Sets
			WIRE	S	PARK	PLUG	WIRE	LENG	rhs (II	NCHES	5)	SPARK	COIL WIRE
PART #	DISTRIBUTOR CAP STYLE	WIRE Color	DIA. <i>(mm)</i>	1	2	3	4	5	6	7	8	PLUG BOOT	LENGTH (inches)
4 CYLINDE	ER ENGINES												
73229 0	HEI & Non-HEI	Blue	8	32	32	44	44					STR.	18
8 CYLINDE	ER ENGINES												
73210 0	LT-1	Blue	8	40	40	40	40	40	40	40	40	90°	18
73214 0	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	135°	36
73215 ↔	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	135°	36
73216 ↔	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	STR.	36
73217 0	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	90°	36
73218 ↔	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	STR.	36
73219 ↔	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	90°	36
73220 \$	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	135°	36
732250	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	90°	36
732260	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	STR.	36
73231 0	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	90°	36
732320	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	STR.	36
732330	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	135°	36

BLUE MAX™ SPIRAL CORE CUSTOM FIT WIRE SETS

e have taken our race-proven Blue MaxTM 8mm, 800 ohm Spiral Core Wire and packaged it in pre-terminated sets for most popular applications. This is the very same wire used by professional racers and engine builders to deliver maximum spark energy and provide the greatest protection against electro-magnetic interference (EMI). The result is superior ignition performance and excellent sound quality from your car's audio system.



Includes coil wire where applicable

AMERICAN MOTORS

All Models	s - V8 Engines	
YEAR	ENGINE	PART #
1984-67	All 8 Cylinders	725500
1984-67	All 8 Cylinders	72550 ↔
BUICI	K	
All Models	s - V8 Engines	
YEAR	ENGINE	PART #
1982	4.4L 267 (E)	72520 ↔
1981	4.4L 267, 5.0L 305	72560 \$
1980-78	350 (X)	72520 \$
1977	305, 350 (L)	72521 ↔
	350 (H) (J)	72560 \$
1976-74	350, 400 with HEI	72560 \$
1992-83	5.0L 307 (Y) (E) (7)	72565 ↔
1982	5.0L 307	72565 ↔
1981-77	260, 307, 350 (R), 403	72565 ↔
1976-74	260	72565 ↔
CADII	LLAC	
All Models	s - V8 Engines	
VEAD	ENGINE	DART #

YEAR	ENGINE	PART #
1991	5.0L (E) (7) Brougham	72538 0
1990-86	5.0L, 307 (Y) (9)	72565 \$
1980-79	5.7L 350 Eldorado, Seville	72565 \$
1978-75	350	72565 0

CHEVROLET

Full Size/B	Full Size/Bel Air/Caprice/Impala - V8 Engines						
YEAR	ENGINE	PART #					
1996-94	5.7L 350 LT-1	72529 \$					
1992-90	5.0L 305 (E) (F), 5.7L 350 (7)	72538 \$					
1989	5.0L 305 (E) (F), 5.7L 350 (7)	72538 \$					
	5.0L 307 (Y)	72565 ↔					
1988-87	5.0L 307 (Y)	72565 ↔					

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

CHEVROLET, continued

All Models	- V8 Engines	
YEAR	ENGINE	PART #
1981	4.3L 265	72570 0
	4.4L 267, 5.0L 305, 5.7 350	72520 0
1979	5.0L 305, 5.7 350	72522 0
1978	5.0L 305, 5.7 350	72522 0
1977	305, 350, 400	72521 0
1976-74	305, 350, 400 with HEI	72521 ↔
	454 with HEI	72528 0
1974-71	307, 350, 400 without HEI	72510 0
	396, 402, 427, 454 without HEI	72550 0
1970-65	283, 307, 327, 350, 400	72500 ↔
	396, 402, 427, 454	72550 0
1964-55	265, 283, 327	72500 0
1992-83	5.0L 307 (Y) (E) (7)	72565 0
1982	4.4L 267 (E)	72520 0
	5.0L 307	72565 0
1981	4.3L 265, 5.0L 301	72570 0
	4.4L 267, 5.0L 305	72520 0
	260, 307, 350 (R), 403	72565 0
1980-79	301	72570 0
	350 (R), 403	72565 ↔
	350 (X)	72560 0
1978	301	72570 0
	305 Skylark	72522 \$
	305 Century, Regal	72523o
	350 (L)	72522 0
	350 (X)	72560 0
1977	350 (R), 403	72565 0
	301	72570 \$
	350 (R), 403	72565 \$
	305, 350 (L)	72521 ⇔
	350 (H) (J)	72560 \$
1976-74	260	72565 \$
	350, 400 with HEI	72560 ↔

BLUE MAX ** SPIRAL CORE CUSTOM FIT WIRE SETS

CHEVROLET, continued

Camaro Z28	- V8 Engines	
YEAR	ENGINE	PART #
2000-98	5.7L 350 LS-1	72535 0
1997-96	5.7L 350 LT-1	725270
1995-93	5.7L 350 LT-1	72526 0
1992-88	5.0L 305, 5.7L 350	72538 0
1987	5.0L 305	72538 0
	5.7L 350	72525 0
1984-83	5.0L 305	72520 0
1982	5.0L 305 with 4-Bbl. Carb.	72520 0
1980	267, 305, 350 excludes California	72522 0
1979-78	305, 350	72522 \$
1977-74	305, 350 with HEI	72521 0
1974-67	283, 302, 327, 350 without HEI	72510 0
1972-67	396, 402, 427, 454	72550 0
Chevelle/El (Camino, Monte Carlo/Malibu - V8	Enaines
1986-83	5.0L 305	725200
1982-81	4.4L 267, 5.0L 305	72520 \$
1977-74	305, 350, 400 with HEI	72521 ↔
1974-73	307, 350, 400 without HEI	72510 ↔
1972-65	283, 307, 327, 350, 400	72510 ↔
	396, 402, 427, 454	72550 ↔
1964	283, 327	72510 ↔
	a - V8 Engines	
1979-78	305, 350	72522 ↔
1977-74	305, 350, 400 with HEI	72521 ∘
1974-71	305, 350, 400 without HEI	72510 0
1970-68	307, 327, 350	72500 ↔
	396, 402	725500
1967-64	283, 327	72510 ↔
Corvette - Va		
2000-97	5.7L 350 LS-1	725350
1996-92	5.7L 350 LT-1, LT-4	725240
1991-85	5.7L 350	725250
1982-74	5.0L 305, 5.7L 350 with HEI	<u>72561</u> ↔
1974-65	327, 350 without HEI	<u>72510</u> ↔
1004 55	396, 427, 454 without HEI	<u>72550</u> ↔
1964-55	265, 283, 327	725000

CHEVROLET/GMC TRUCK

All Series - V8 Engines

All Ochos	VO LIIGIIICS	
YEAR	ENGINE	PART #
1992-87	7.4L 454 (N) C/K	72542 \$
1989	5.0L 305 (H) C/K, G	72540 \$
	5.7L 350 (K) C/K, R/V	72542 \$
	7.4L 454 (N) C/K, R/V	72542 \$
1988-87	5.0L 305 (H) C/K, G	72540 \$
	5.7L 350 (K) C/K, R/V	72542 \$
	5.7L 350 (K) G/P	72540 \$
	5.7L 350 (M) C/K, R/V	72522 0
	7.4L 454 (N) C/K, R/V, G	72542 ↔
1986	5.7L 350 (K) G/P	72522 \$
	7.4L 454 (N) C/K, P	72530 0
1985-83	5.0L 305, 5.7L 350 C/K	72520 0
	5.0L 305, 5.7L 350 G/P	
	excludes Motor Home	72522 \$
	7.4L 454 (N) C/K, P	72530 0
1982	5.0L 305, 5.7L 350 C/K 30, 35	72522 ↔
	5.0L 305, 5.7L 350 G/P	72522 ↔
	7.4L 454 (N) C/K, P	72530 0
1981	4.3L 265	72565 0

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

CHEVROLET/GMC TRUCK, continued

YEAR	ENGINE	PART #
	5.0L 305, 5.7L 350 G/P	72522 ↔
	7.4L 454 (N) C/K, P	72530 ↔
1980-78	305, 350	72522 ↔
	454	72530 ↔
1977	305, 350, 400	72521 ↔
	454	72530 0
1976-75	305, 350, 400 with HEI	72521 ↔
	305, 350, 400 without HEI	72500 0
	454	725280
1974-73	307, 350, 400	72510 ↔
	396, 402, 454	72550 0
1972-65	396, 402, 454	725500
	283, 307, 327, 350, 400	72500 0
1964-55	265, 283, 327	725000

All Models - V8 Engines

All WOUEIS	- VO EIIYIIIES	
YEAR	ENGINE	PART #
1989-79	5.2L 318, 5.9L 360	72650 ↔
1978-73	318, 360	72650 ↔
	400, 440	72655 ↔
1972-71	360	72650 ↔
	400, 440 with Electronic Ignition	72656 0
	400, 440 excludes Electronic Ignition	72660 0
1970-59	361, 383, 413, 440	72660 ↔

DODGE

All Models - V8 Engines

YEAR	ENGINE	PART #
1989-79	5.2L 318, 5.9L 360	72650 ↔
1978-73	318, 340, 360	72650 ↔
	400, 440	72655 ↔
1972-62	273, 318, 340, 360	72650 ↔
	361, 383, 400, 440	72656 0
1961-60	318	72650 \$

DODGE TRUCK

All Models - V8 Engines

Year	Engine	PART #
1991-79	5.2L 318, 5.9L 360	726500
1978-73	318, 360	726500
	400, 440 with Electronic Ignition	726560
1972-60	318, 360	72650 0

FORD

Full Size, Custom/Galaxie/LTD Crown Victoria - V8 Engines

YEAR	ENGINE	PART #
1987-86	5.8L 351W	72645 0
1985-84	5.8L 351W	72645 0
1979	5.0L 302 California only	72645 0
	5.8L 351W California only	72645 ↔
1974-73	351C, 400	72605 ↔
1972-71	302, 390	72600 ↔
	351, 400, 429	72605 ↔
1970	302	72600 ↔
	351, 390, 427, 428, 429	72605 ↔
1969-68	302, 351	72600 ↔
	390, 427, 428, 429	72605 ↔
1967-61	221, 260, 289, 292	72605 ↔

BLUE MAX[™] SPIRAL CORE CUSTOM FIT WIRE SETS

FORD, continued

FORD,	continued	
YEAR	ENGINE	PART #
	All 8 Cylinder excludes	
	221, 260, 289, 292	72600 \$
1960-58	All 8 Cylinder excludes 292	72600 \$
Fairlane -	V8 Engines	
1970-66	289, 302, 351	72600 0
	390, 427, 428	726050
1965-62	All 8 Cylinder	72600 \$
Falcon - V8	•	
1970-63	All 8 Cylinder	72600 0
LTD II/Torii	no/Ranchero - V8 Engines	
1985-84	All 8 Cylinder	72645 \$
1974-73	351C, 400	72605 \$
1972-70	302	72600 0
	351, 429	72605 \$
1969-68	302	72600 0
	390, 428	72605 \$
Mustana -	V8 Engines	
1998-96	4.6L SOHC V8	72646 \$
1994-86	5.0L 302	72645 0
1985	All 8 Cylinder with EEC IV	72645 0
1984	5.0L 302	726450
1973	351	726050
1972-70	302	72600 ↔
	All 8 Cylinder excludes 302 cid	72605 ↔
1969-67	All 8 Cylinder	72605 ↔
1965-66	All 8 Cylinder	72600 ↔
	rd - V8 Engines	
1993-91	5.0L 302	72635 0
1972-69	All 8 Cylinder	72605 ↔
1968-58	All 8 Cylinder excludes 429 cid	72600 ↔
	429	72605 ↔
FORD	TRUCK	
Bronco - V		DADT #
YEAR 1994-88	ENGINE	PART #
1994-00	5.0L 302 5.8L 351	72645↔
1984-83		<u>72635</u> ↔ 72645↔
	5.8L 351	
1982	5.8L 351 California only	<u>72645</u> ↔
1972-66	All 8 Cylinder	72600↔
	V8 Engines	70046.
1994-91	5.0L 302 5.8L 351	72645↔ 72635↔
1990	5.0L 302	726350 726450
1990	5.8L 351	
1989-88	5.0L 302 with EEC IV	72635↔ 72645↔
1202-00	5.8L 351	
1987	5.8L 351 with EEC IV	<u>72635</u> ↔ 72645↔
		72645°
1986	5.8L 351 with EEC IV 5.8L 351 with EEC IV	
1985	5.8L 351 with EEC IV	72645↔ 72645↔
1984 1982	5.8L 351 with EEC IV	<u>72645</u> ↔
		120430
- 301105 -	V8 Engines	

1994-91

1990-88

1987-86

1985

5.0L 302

5.8L 351

5.8L 351

5.8L 351

5.0L 302 with EEC IV

5.0L 302 with EEC IV

5.0L 302 with EEC IV

726450

726350 **72645**0

726350

726450

726450

726450

FORD TRUCK, continued

	/	
YEAR	ENGINE	PART #
1984-83	5.8L 351	72645 ↔
1982	5.8L 351	72645 ↔
1973	360, 390 Engs	72600 ↔
F Series -	V8 Engines	
1972-71	302 F-100	72600 ↔
	330 MD, 360, 390	72600 \$
	352	72605 ↔
1970-69	302 F-100	72600 ↔
	330 MD	72600 ↔
	352, 360, 390	72605 ↔
1968-67	330 MD	72600 \$
	352, 360, 390	72605 0
1966-65	352, 360, 390	72605 \$
1964	All 8 Cylinder	72605 ↔
1.000		

LINCOLN

Continental - V8 Engines

YEAR	ENGINE	PART #
1972-69	All	72605 ↔
1968-58	All	72600 ↔
Mark III/IV/	V/VI/VII - V8 Engines	
1992	5.0L 302 LSC	72645 0
1984	5.0L 302 LSC	72645 0
1976-69	All	72605 0
Town Car -	V8 Engines	
1988-86	302	72645 0
MEDO		

MERCURY

YEAR ENGINE PART # 1987-86 5.8L 351 72645∞ 1985 5.8L 351W 72645∞ 1984 5.8L 351W 72645∞ 1979 5.8L 351W 72645∞ 1979 5.8L 351W 72605∞ 1974-73 351, 400 72605∞ 1972 429 Interceptor 72605∞ 1971 400, 429 72605∞ 1970-69 390, 400, 428, 429 72605∞ 1968 390, 428 72605∞ 1964 390, 427 72600∞ 1963 390 72600∞ 1962-61 All 8 Cylinder excludes 292 cid 72600∞ 1960-58 383, 430 72600∞ 1960-58 383, 430 72600∞ 1970 302 72600∞ 1971 302 72600∞ 1970 302 72600∞ 1970 302 72600∞ 1969-66 289, 302 72600∞ 1969-66 289, 302 72605∞	Full Size Grand Marquis, Montery/Etc V8 Engines		
1985 5.8L 351W 72645∘ 1984 5.8L 351W 72645∘ 1979 5.8L 351W 72605∘ 1971 351, 400 72605∘ 1972 429 Interceptor 72605∘ 1971 400, 429 72605∘ 1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All 8 Cylinder 72600∘ 1963 390 72600∘ 1962-61 All 8 Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1986-84 All 8 Cylinder 72600∘ 1971 302 72600∘ 1971 302 72600∘ 1971 302 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All 8 Cylinder 72600∘ 1965-62 All 8 Cylinder 72600∘ 1967-68<	YEAR	ENGINE	PART #
1984 5.8L 351W 72645∘ 1979 5.8L 351W 72605∘ 1974-73 351, 400 72605∘ 1972 429 Interceptor 72605∘ 1971 400, 429 72605∘ 1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All 8 Cylinder 72600∘ 1963 390 72600∘ 1962-61 All 8 Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1986-84 All 8 Cylinder 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All 8 Cylinder 72605∘ 1965-62 All 8 Cylinder 72605∘ 1974 351, 400 72605∘ 1973-7	1987-86	5.8L 351	72645 0
1979 5.8L 351W 72645₀ 1974-73 351, 400 72605₀ 1972 429 Interceptor 72605₀ 1971 400, 429 72605₀ 1970-69 390, 400, 428, 429 72605₀ 1968 390, 428 72605₀ 1964 390, 427 72600₀ 1963 390 72600₀ 1962-61 All 8 Cylinder 72600₀ 1960-58 383, 430 72600₀ 1960-58 383, 430 72600₀ 1960-58 383, 430 72600₀ 1960-58 383, 430 72600₀ 1970 302 72600₀ 1971 302 72600₀ 1970 302 72600₀ 1970 302 72600₀ 1970 302 72600₀ 1970 302 72600₀ 1969-66 289, 302 72600₀ 1965-62 All 8 Cylinder 72605₀ 1965-62 All 8 Cylinder 72605₀	1985	5.8L 351W	72645 0
1974-73 351, 400 72605∘ 1972 429 Interceptor 72605∘ 1971 400, 429 72605∘ 1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All 8 Cylinder 72600∘ 1963 390 72600∘ 1963 390 72600∘ 1962-61 All 8 Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1970 302 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All 8 Cylinder 72	1984	5.8L 351W	72645 0
1972 429 Interceptor 72605∘ 1971 400, 429 72605∘ 1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All 8 Cylinder 72600∘ 1963 390 427 72600∘ 1963 390 72600∘ 1963 390 1962-61 All 8 Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1970 302 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All 8 Cylinder 72600∘	1979	5.8L 351W	72645 0
1971 400, 429 72605∘ 1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All & Cylinder 72600∘ 1964 390, 427 72600∘ 1963 390 72600∘ 1962-61 All & Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1966-84 All & Cylinder 72645∘ Comet/Meteor - V8 Engines 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1965-62 All & Cylinder 72605∘ 1965-62 All & Cylinder 72600∘ 1965-62 All & Cylinder 72605∘ 1993-91 5.0L 302 72635∘ 1974 351, 400 72605∘ 1973-70 All & Cylinder 72605∘ 1969-68 302 72605∘ 1969-68 302 72605∘	1974-73	351, 400	72605 0
1970-69 390, 400, 428, 429 72605∘ 1968 390, 428 72605∘ 1967-65 All & Cylinder 72600∘ 1963 390, 427 72600∘ 1963 390 72600∘ 1963 390 72600∘ 1962-61 All & Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ Capri- V8 Engines 1986-84 All & Cylinder 1986-84 All & Cylinder 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1965-62 All & Cylinder 72605∘ 1965-62 All & Cylinder 72600∘ 1993-91 5.0L 302 72635∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1973-70 All & Cylinder 72605∘ 1969-68 302 72600∘ 351, 390, 427, 428	1972	429 Interceptor	72605 0
1968 390, 428 72605₀ 1967-65 All 8 Cylinder 72600₀ 1964 390, 427 72600₀ 1963 390 72600₀ 1962-61 All 8 Cylinder excludes 292 cid 72600₀ 1960-58 383, 430 72600₀ 1960-58 383, 430 72600₀ Capri- V8 Engines 1986-84 All 8 Cylinder 72645₀ 1986-84 All 8 Cylinder 72600₀ 1971 302 72600₀ 1971 302 72600₀ 1970₀ 302 72600₀ 1970 302 72600₀ 351, 429 72605₀ 1969-66 289, 302 72600₀ 390, 427, 428 72605₀ 1965-62 All 8 Cylinder 72605₀ 1965-62 All 8 Cylinder 72605₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1974 351, 400 72605₀ 1969-68 302 72600₀ 1969-68 302 72600₀ 351, 390, 427, 428	1971	400, 429	72605 0
1967-65 All & Cylinder 72605∘ 1964 390, 427 72600∘ 1963 390 72600∘ 1962-61 All & Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1960-58 383, 430 72600∘ 1962-61 All & Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ 1966-84 All & Cylinder 72645∘ Comet/Meteor - V8 Engines 1971 302 72600∘ 1970 302 72600∘ 351, 429 72605∘ 1969-66 289, 302 72600∘ 390, 427, 428 72605∘ 1965-62 All & Cylinder 72605∘ 1965-62 All & Cylinder 72605∘ 1993-91 5.0L 302 72635∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1969-68 302 72600∘ 1969-68 302 72600∘ 351, 390, 427, 428 72605∘<	1970-69	390, 400, 428, 429	72605 0
1964 390, 427 72600∘ 1963 390 72600∘ 1962-61 All 8 Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ Capri- V8 Engines 1986-84 All 8 Cylinder 72645∘ Comet/Meteor - V8 Engines 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All 8 Cylinder 72600∘ 1993-91 5.0L 302 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1973-70 All 8 Cylinder 72605∘ 1969-68 302 72600∘ 351, 390, 427, 428 72605∘ 1967 428 72600∘	1968	390, 428	72605 0
1963 390 72600∘ 1962-61 All & Cylinder excludes 292 cid 72600∘ 1960-58 383, 430 72600∘ Capri- V8 Engines 72645∘ 1986-84 All & Cylinder 72600∘ 1971 302 72600∘ 1970 302 72600∘ 1970 302 72600∘ 1969-66 289, 302 72600∘ 1965-62 All & Cylinder 72600∘ 1965-62 All & Cylinder 72600∘ 1993-91 5.0L 302 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1973-70 All & Cylinder 72605∘ 1973-70 All & Cylinder 72605∘ 1969-68 302 72605∘ 1967 428 72600∘	1967-65	All 8 Cylinder	72605 0
1962-61 All & Cylinder excludes 292 cid 72600∞ 1960-58 383, 430 72600∞ Capri- V8 Engines 72645∞ 1986-84 All & Cylinder 72600∞ 1971 302 72600∞ 1970 302 72600∞ 1970 302 72600∞ 1969-66 289, 302 72600∞ 1965-62 All & Cylinder 72605∞ 1965-62 All & Cylinder 72605∞ 1993-91 5.0L 302 72605∞ 1974 351, 400 72605∞ 1974 351, 400 72605∞ 1974 351, 400 72605∞ 1969-68 302 72605∞ 1969-68 302 72605∞ 1967 428 72605∞	1964	390, 427	72600 0
1960-58 383, 430 72600₀ Capri- V8 Engines 72645₀ 1986-84 All 8 Cylinder 72645₀ Comet/Meteor - V8 Engines 72600₀ 1971 302 72600₀ 1970 302 72600₀ 351, 429 72605₀ 1969-66 289, 302 72600₀ 390, 427, 428 72605₀ 1965-62 All 8 Cylinder 72600₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1974 351, 400 72605₀ 1969-68 302 72600₀ 390, 427, 428 72605₀ 1967 428 72600₀	1963	390	72600 \$
Capri- V8 Engines 1986-84 All 8 Cylinder 72645• Comet/Meteor - V8 Engines 72600• 1971 302 72600• 1970 302 72600• 351, 429 72605• 1969-66 289, 302 72600• 390, 427, 428 72605• 1965-62 All 8 Cylinder 72600• 1993-91 5.0L 302 72635• 1974 351, 400 72605• 1974 351, 400 72605• 1974 351, 400 72605• 1969-68 302 72605• 1969-68 302 72605• 1967 428 72600•	1962-61	All 8 Cylinder excludes 292 cid	72600 \$
1986-84 All 8 Cylinder 72645₀ Comet/Meteor - V8 Engines 72600₀ 1971 302 72600₀ 1970 302 72600₀ 351, 429 72605₀ 1969-66 289, 302 72600₀ 390, 427, 428 72605₀ 1965-62 All 8 Cylinder 72600₀ 1993-91 5.0L 302 72635₀ 1993-91 5.0L 302 72605₀ 1974 351, 400 72605₀ 1973-70 All 8 Cylinder 72605₀ 1969-68 302 72605₀ 1967 428 72605₀	1960-58	383, 430	72600 0
Comet/Meteor - V8 Engines 1971 302 72600• 1970 302 72600• 351, 429 72605• 1969-66 289, 302 72600• 390, 427, 428 72605• 1965-62 All 8 Cylinder 72600• Cougar - V8 Engines 72605• 1993-91 5.0L 302 72635• 1974 351, 400 72605• 1969-68 302 72605• 1969-68 302 72605• 1967 428 72600•	Capri- V8 En	gines	
1971 302 72600∘ 1970 302 72600∘ 351, 429 72605∘ 1969-66 289, 302 72600∘ 390, 427, 428 72605∘ 1965-62 All 8 Cylinder 72600∘ Cougar - V8 Engines 72605∘ 1974 351, 400 72605∘ 1974 351, 400 72605∘ 1973-70 All 8 Cylinder 72605∘ 1969-68 302 72605∘ 1967 428 72605∘	1986-84	All 8 Cylinder	72645 0
1970 302 72600₀ 351, 429 72605₀ 1969-66 289, 302 72605₀ 1965-62 All 8 Cylinder 72600₀ 1965-62 All 8 Cylinder 72600₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1973-70 All 8 Cylinder 72605₀ 1969-68 302 72605₀ 1967 428 72605₀	Comet/Mete	or - V8 Engines	
351, 429 72605₀ 1969-66 289, 302 72600₀ 390, 427, 428 72605₀ 1965-62 All 8 Cylinder 72600₀ Cougar - V8 Engines 72605₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1973-70 All 8 Cylinder 72605₀ 1969-68 302 72605₀ 1967 428 72600₀	1971	302	72600 0
1969-66 289, 302 72600₀ 390, 427, 428 72605₀ 1965-62 All 8 Cylinder 72600₀ Cougar - V8 Engines 72635₀ 1974 351, 400 72605₀ 1974 351, 400 72605₀ 1979-70 All 8 Cylinder 72605₀ 1969-68 302 72605₀ 1967 428 72600₀	1970	302	72600 0
390, 427, 428 72605₀ 1965-62 All & Cylinder 72600₀ Cougar - V8 Engines 72635₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1973-70 All & Cylinder 72605₀ 1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀		351, 429	72605 0
1965-62 All & Cylinder 72600₀ Cougar - V8 Engines 72635₀ 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1973-70 All & Cylinder 72605₀ 1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀	1969-66	289, 302	72600 0
Cougar - V8 Engines 1993-91 5.0L 302 72635₀ 1974 351, 400 72605₀ 1973-70 All 8 Cylinder 72605₀ 1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀		390, 427, 428	72605 0
1993-91 5.0L 302 72635• 1974 351, 400 72605• 1973-70 All 8 Cylinder 72605• 1969-68 302 72600• 351, 390, 427, 428 72605• 1967 428 72600•	1965-62	All 8 Cylinder	72600 0
1974 351, 400 72605₀ 1973-70 All 8 Cylinder 72605₀ 1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀	Cougar - V8	Engines	
1973-70 All 8 Cylinder 72605₀ 1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀	1993-91	5.0L 302	72635 0
1969-68 302 72600₀ 351, 390, 427, 428 72605₀ 1967 428 72600₀	1974	351, 400	72605 0
351, 390, 427, 428 72605↔ 1967 428 72600↔	1973-70	All 8 Cylinder	72605 0
1967 428 72600 ↔	1969-68	302	726000
		351, 390, 427, 428	72605 0
	1967	428	72600 0

MERCURY, continued

	-			
Montego - V8 Engines				
YEAR	ENGINE	PART #		
1974-73	351, 400	72605 ↔		
1972-70	302	72600 ↔		
	351, 400	72605 ↔		
1969-68	302	72600 ↔		
	351, 390, 427, 428	72605 ↔		
Marquis -	V8 Engines			
1985-84	5.0L 302	72645 ↔		
	MOBILE			

OLDSMOBILE

Full Size Delta 88/98/Toronado - V8 Engines

run Size Dena 00/90/ Iurunauu - vo Engines		
YEAR	ENGINE	PART #
1991	5.0L (E) Custom Cruiser	72538 ↔
1990-86	5.0L 307(9)(Y) Custom Cruiser	725650
1985-84	5.0L 307(9)(Y)	72565 ↔
1983	4.3L 260, 5.0L 307(Y)	72565 ↔
1982-81	4.3L 260, 5.0L 307(Y), 5.7 350	72565 ↔
	4.4L 267	72520 ↔
1980	4.3L 260, 5.0L 307(Y), 5.7 350	72565 ↔
1979	260, 5.0L 307(Y), 5.7 350	72565 ↔
	4.9L 301	72570 ↔
1978-74	260, 350, 403 with HEI	72565 ↔
1974-65	All 8 Cylinder without HEI	72650 ↔
Cutlass F85/	442 V8 Engines	
1988-87	5.0L 307 (Y) (9)	72565 ↔
1986-85	5.0L 305 (H)	72520 ↔
	5.0L 307 (Y) (9)	72565 ↔
1984-83	5.0L 305 (H)	72520 ↔
	4.3L 260, 5.0L 307 (Y)	72565 ↔
1982-81	4.3L 260, 5.0L 307 (Y), 5.7 350	72565 ↔
1980-79	260, 350	72565 ↔
1978	260, 350	72565 ↔
1977	260, 350 (R), 403	72565 ↔
	301	72570 ↔
	305, 350 (L)	72521 ⇔
1976-74	260, 350, 403 with HEI	72565 ↔
1974-65	330, 350, 400, 455 without HEI	72650 ↔
Omega - V8		
1979-77	305, 350 (L)	72522 ↔
1976-75	260	72565 ↔
	350	72560 ↔
1974-73	350	72565 ↔

PLYMOUTH

All Models - V8 Engines		
YEAR	ENGINE	PART #
1989-79	5.2L 318, 5.9L 360	72650 ↔
1978-73	318, 340, 360	72650 ↔
	400, 440	72655 ↔
1972-62	273, 318, 340, 360	72650 ↔
	361, 383, 400, 440	72656 ↔
1961-60	318	72650 ↔

PONTIAC

Bonneville/Catalina/Parisienne - V8 Engines

YEAR	ENGINE	PART #
1989-88	5.0L 307 (Y)	72565 0
1987	5.0L 307 (Y)	72565 ↔
1986	5.0L 305 (H), 5.7L 350 (6)	72520 0
	5.0L 307 (Y)	72565 ↔

PONTIAC ,	continued
------------------	-----------

PONTIA	C, continued	
YEAR	ENGINE	PART #
	5.0L 307	72565 0
1980-79	265, 301	72570 0
	307, 350 (R), 403	72565 0
	350 (X)	72560 0
1978-77	301, 350 (P), 400	72570 0
	350 (R), 403	725650
1976-74	350, 400, 455 with HEI	72570 0
1974-68	350, 400, 455 without HEI	72550 0
Firebird/Tran	s Am - V8 Engines	
2000-98	5.7L 350 LS-1	725350
1997-96	5.7L 350 LT-1	725270
1995-93	5.7L 350 LT-1	725260
1992-88	5.0L 305, 5.7L 350	725380
1987	5.0L 305	72538 0
	5.7L 350	72525 0
1984-83	5.0L 305	72520 0
1982	5.0L 305 with 4-Barrel Carburetor	72520 0
1981	4.9L 301 excludes Turbo	72570 0
1980-78	301, 400	72570 0
	305, 350 (L) excludes California	72522 0
	403	72565 0
1977	301, 350 (P), 400	72570 0
	350 (R), 403	72565 0
1976-74	350, 400, 455 with HEI	72570 0
1974-67	All 8 Cylinder without HEI	72550 0
Grand Prix -	V8 Engines	
1982-81	4.4L 267, 5.0L 305	72520 0
1977	301, 350 (P), 400	725700
	350 (R), 403	72565 0
1976-74	350, 400, 455 with HEI	72570 0
1974-62	All 8 Cylinder without HEI	725500
Phoenix - V8	Engines	
1979-77	305, 350 (L)	72522 0
Tempest/Len	nans/GTO - V8 Engines	
1981	4.4L 265, 4.9L 301	72570 0
1980	4.4L 265, 4.9L 301	72570 0
1979	301	72570 0
1978	301	72570 0
	305, 350 (L)	72523 0
1977-74	All 8 Cylinder with HEI	72570 0
1974-64	All 8 Cylinder without HEI	72550 0
Ventura - V8		
1977	301	72570 0
	350 (R)	725650
	305, 350 (L)	725210
1976-74	260 with HEI	725650
	350 with HEI	72570 ↔
1974-71	All 8 Cylinder without HEI	725500
<u>^</u>		

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



BLUE MAX™ SPIRAL CORE CUSTOM FIT WIRE SETS

BUYE	R '	5 G	U	DE	; fo	or E	3lu	e Ma	nx™ Spiral	Core Custo	m Fit Wire Sets
PART #	SF	PARK	PLUG				IS (IN	CHES)	SPARK PLUG	HEI OR NON-HEI	COIL WIRE LENGTH
	1.	2	2		INDE		7	0	BOOTS	I	(INCHES)
72535 ↔	1 8	2 8	3 8	4	5 8	6	7	<i>8</i> 8	STR.	NA	N/A
72500↔	0 28			8		8	8		90°	Non-HEI	
72500↔ 72510↔		28	32	32	45 34	49	49 38	49	90°	HEI	10
725100 725200	26 20	26 28	28 36	30 36	<u> </u>	34 40	<u> </u>	38 44	90°	HEI	15 N/A
72521↔	20	20	22	26	40 32	40 32	40 32	44 40	90°	HEI	
725220	22	22	22	20	<u>32</u> 26	32 32	<u>32</u> 32	40 40	90°	HEI	10 N/A
72523o	22	32	36	36	40	32 40	<u>32</u> 40	40	90° & STR.	HEI	N/A
72524o	25	23	25	23	40 33	40 34	33	34	90° & STR. 90°	HEI	16
725250	25	23	25	23	32	<u> </u>	<u> </u>	44	90° & STR.	HEI	N/A
72526¢	15	19	18	20	23	27	38	32	90° & 31N.	HEI	12
72527¢	16	18	18	21	23	27	36	32	90°	HEI	10
725280	22	22	28	28	36	36	36	36	STR.	HEI	N/A
72529 0	13	15	15	17	19	23	25	35	90°	HEI	9, 11
72530o	26	28	28	28	28	32	36	40	STR.	HEI	N/A
725380	22	28	32	32	32	32	36	40	90° & STR.	HEI	8
725400	26	26	26	32	32	36	40	40	90°	HEI	10
725420	26	28	32	32	32	36	40	40	STR.	HEI	10
72550 ↔	26	26	28	28	32	32	34	38	STR.	Non-HEI	12
72560 ↔	26	27	29	30	30	32	35	37	STR.	HEI	N/A
72561 \$	22	26	28	28	44	48	56	56	90°	HEI	N/A
72565 ↔	22	22	24	24	28	36	40	40	STR.	HEI	N/A
72570 ↔	18	20	22	26	28	28	36	40	135° & STR.	HEI	N/A
72600 ↔	28	28	28	28	28	31	31	34	STR.	Non-HEI	17-1/2
72605 ↔	28	28	28	28	31	31	31	34	STR.	Non-HEI	18
72635 ↔	18	19	22	22	24	29	30	30	135°	Non-HEI	17
72645 \$	20	20	21	25	28	31	32	32	135°	Non-HEI	18, 23
72646 ↔	18	39	26	53	35	32	23	29	130°	Non-HEI	N/A
72650 ↔	22	24	24	28	28	28	30	34	STR.	Non-HEI	12
72655 ↔	19	26	32	38	44	48	52	55	90°	Non-HEI	9
72656 ↔	16	26	32	32	32	36	38	52	90°	Non-HEI	10
72660 \$	22	27	33	46	56	41	51	56	90° & STR.	Non-HEI	15
		DII	IE I		TM	SZ		n co	DE MIDE SE	TS - SDADT (CARDACT

BLUE MAX™ SPIRAL CORE WIRE SETS - SPORT COMPACT

- Every wire is cut to the correct length and factory terminated at each end with locking, corrosion resistant steel terminals
- Terminals are protected by high-temperature OEM style silicone boots, bonded to the wire to seal out moisture, fuel and oil
- Includes color matched high-temperature plastic wire separators where necessary to keep wires evenly spaced

BUYER'S GUIDE for Blue Max™ Spiral Core Sport Compact <u>Wire Sets</u>

	SPAR	K PI IIG	WIRE L	FNGTH	S CYLINE	DFR #			HUN
	01741							COIL WIRE LENGTH	YEAR
PART #	1	2	3	4	5	6	SPARK PLUG BOOT	(inches)	1995-90
726730	33	28	26	20	N/A	N/A	OEM style	14	1995-92
726740	32	30	24	21	N/A	N/A	OEM style	N/A	1991-88
120141	-						,.		1998-94
726800	33	28	26	20	N/A	N/A	OEM style	14	2000-99
726820	32	30	24	21	N/A	N/A	OEM style	N/A	1995-92

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

ACURA


	YEAR	MODEL	BLUE	RED
	1998-94	Integra VTEC	72674 0	72682 0
	1998-90	Integra (excl VTEC)	72673 0	72680 0
	HON	DA		
	YEAR	MODEL	BLUE	RED
	1995-90	Accord DX, LX	72673¢	72680 0
	1995-92	Civic CX, DX, LX	72674 0	72682 0
-	1991-88	Civic, CRX	72674 0	72682 ↔
_	1998-94	Civic/Del Sol VTEC	72674 0	72682 0
	2000-99	Civic Si	72674 0	72682 0

Prelude

726730 726800

<u>BLUE MAX ^m SOLID CORE WIRE SETS</u>


Solid Core Performance!




Engineered for Maximum Spark Energyi

High Tensile Strength!


lid Core



Highest Conductivity!



Highest Dielectric Strength!



<u>BLUE MAX " SOLID CORE WIRE SETS</u>

BLUE MAX™ SOLID CORE UNIVERSAL FIT WIRE SETS

- Pre-terminated at the plug end with either straight or 90° boots
- Sets contain both HEI and Non-HEI terminals and boots to terminate-your-own distributor/magneto wire ends
- Sets can also be used in part for 2-, 4- and 6-cylinder applications
- For a professional installation use with Moroso insulating Sleeve Nos. 72000, 72002 or 72004 Shrink Sleeve Nos. 72030 or 72031, Spark Plug looms and wire separators

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 72820

BUYER'S GUIDE for Blue Max™ Solid Core Universal Wire Sets

PART # 1 2 3 4 5 6 7 8 BOOT (inches) PART # PLUG DIST. 700001 05 05 00 10 50 50 50 10						SPARK									
	WIRE COLOR			PART #			8	7	6	5	4	3	2	1	PART #
72800 *0 35 35 39 39 46 50 53 53 518 36 72800*0 Straight HELX Non-HEL	Blue	HEI & Non-HEI	Straight	72800* \circ	36	STR.	53	53	50	46	39	39	35	35	72800*o
72820* 35 35 39 39 46 50 53 53 90° 36 72820* 90° HEI & Non-HEI	Blue		0												

BLUE MAX™ SOLID CORE COIL WIRE KIT

8mm

 Kit contains all the parts necessary to make a coil wire fit virtually all popular coils and distributor cap combinations

PART # DESCRIPTION

72855*• Solid Core Coil Wire Kit Wire Looms and Wire Separators

Includes 3 feet of Blue Max[™] Solid Core Wire, terminals and boots



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 72855

BLUE MAX™ SOLID CORE WIRE SPOOL

8mm

PART # DESCRIPTION

72830* Solid Core Wire Spool, 8mm, 100 ft

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 72830

*Not legal for sale or use on Street vehicles per F.C.C. regulations



IGNITION WIRE





BLUE MAX™ DISTRIBUTOR BOOT & TERMINAL KIT

Fits: Moroso, Ford, MSD Distributors and others

- High dielectric strength EPDM provides excellent insulation
- Stainless HEI terminals provide maximum corrosion resistance, high conductivity
- · Positive, locking HEI terminals won't fall off under racing conditions

PART # DESCRIPTION

72040 HEI Distributor Boot Kit, 8mm. Includes 9 Boots & Terminals

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 72040

No. 72075



UNIVERSAL WIRE ACCESSORIES

SELF-VULCANIZING TAPE, BLACK


- High dielectric strength, high-temperature silicone tape wraps around ignition
- wire, boots and connectors to provide added insulation
 Extra insulation keeps spark energy contained within the wire, prevent-
- ing high-voltage leaks and resulting misfire
- Also seals out moisture, while protecting the wire from the harmful effects of oil and excessive heat
- Specially formulated silicone rubber vulcanizes automatically, providing adhesion when tape surfaces make contact
- An excellent alternative to applying shrink sleeves and insulated wire sleeving
- One-inch wide tape packaged in 12-foot rolls

PART # DESCRIPTION

72038 Self-Vulcanizing Tape, Black

SPARK PLUG MARKERS

- Fits 8mm -8.65mm only
- · Plastic, clip-on style
- 8 per package
- PART # DESCRIPTION 72023 Spark Plug Markers



No. 72038

GNITION WIRE

• Z WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

WIRE CRIMPING TOOLS

 Must have tools to crimp a variety of spark plug terminals and other automotive wire hardware

PART # DESCRIPTION

- 62260^o General Purpose Wire Crimper. Made of high carbon steel with black oxide finish and plastic hand grips
- 62268o Super-Duty Wire Crimping Tool. Positive ratcheting mechanism adjusted for perfect crimps. Supplied with crimping jaws for Moroso (and other) spark plug wire terminals. Hardened steel frame with Blue molded cushion grips. Also comes with additional standard wire crimping jaws for electrical insulated terminals.



ENHANCED IGNITION WIRE STRIPPING TOOL

Made especially for stripping 8mm & 8.65mm Moroso Ignition Wire and others

- An easy way to strip wire without damage, which is more likely to occur using other methods
- Simple and efficient operation: place the end of the wire in the "mouth" of the tool, twist in a circular pattern until the cut is made around the wire, then pull off sheath
- Heavy-duty construction and quality components provide reliable operation after repeated use
- After using this Enhanced Stripping Tool, you will never go back to using manual strippers for assembling wire sets again

DESCRIPTION PART

Enhanced Ignition Wire Stripping Tool, for 8mm & 8.65mm diameter wire 62272



No. 62272



ADJUSTABLE WIRE STRIPPING TOOL

- Will strip the outer jacket and insulation in one easy operation giving a cleaner precise cut
- For stripping different diameters of cable, use the built in hex key adjuster screws to align the blade for desired results
- The V-Block can be reversed and the indication arrow set to recommended cable size
- The stripper distance can be changed by removing one of the stripping blades

DESCRIPTION PART

62271 Adjustable Wire Stripping Tool



No. 62271

WIRE STRIPPING TOOL

- Ideal for stripping 8mm Moroso ignition wire without damaging the conductor
- Damage to conductor during stripping can cause interruption of spark and misfire
- Moroso's specially-designed tool uses a hard-edge, razor-sharp blade specially positioned in a plastic holder to cut only the insulation – not the conductor

PART # DESCRIPTION 62270 Wire Stripping Tool, 8mm







INSULATED WIRE SLEEVE

- Available in Black, Blue and Red
- Closely woven fiberglass impregnated with high voltage, leak resistant silicone which adds up to 8,000 volts of extra insulation
- Extend spark plug wire life by adding insulation against exhaust header heat
- For best results, we recommend that the sleeve cover the full length of wire from spark plug boot to distributor boot and sealed with Shrink Sleeve **No. 72030** or **No. 72031**
- Nos. 72000, 72002, 72004 fits 7 & 8mm wire; Nos. 72011, 72012, 72013 fits 8.65mm Ultra 40 Wire
 Declaration 251 logother

Packaged in 25' lengths

PART # DESCRIPTION

 72000₀
 Insulated Spark Plug Wire Sleeve, Blue
 This protote to the state

 72002₀
 Insulated Spark Plug Wire Sleeve, Red
 This protote to the state

 72004₀
 Insulated Spark Plug Wire Sleeve, Black
 This protote to the state

 72011₀
 Ultra 40 Insulated Spark Plug Wire Sleeve, Black
 This protote to the state

 72012₀
 Ultra 40 Insulated Spark Plug Wire Sleeve, Black
 This protote to the state

 72013₀
 Ultra 40 Insulated Spark Plug Wire Sleeve, Red
 This protote to the state



Shrink Sleeve (blue), sold below.

NUMBERED SHRINK SLEEVES

- Simplifies spark plug wire identification and installation
- Pre-numbered from 1 through 8; sets include two sleeves of
- each number to identify both ends of each spark plug wire

PART # DESCRIPTION

72020 Numbered Shrink Sleeves



No. 72020

NOTE: Use No. 72030 or 72031 Shrink Sleeves to complete the seal between boots and spark plug wire at ends.

MOROSO SHRINK SLEEVES

- Insures a complete seal between spark plug, distributor boots, and spark plug wire sleeve Nos. 72000, 72002, 72004, 72011, 72012 or 72013
- Packaged 18 shrink sleeves to a set

PART # DESCRIPTION

- 72030 Moroso Shrink Sleeve, Blue
- 72031 Moroso Shrink Sleeve, Black



No. 72031

HIGH-TEMPERATURE BOOT SLEEVES

• Have "Dual Wall" construction, which assures protection from spark plug and ignition wire burnout

to the state of California to cause cancer-

- Protects up to 1200 Deg. F.
- Wires and Boots stay cooler in exhaust area
- Porous/breathable to reduce "Oven Effect"
- Non-flammable, will not react with petroleum based products
- 1" I.D., 5-1/2" Long
- Expands and stretches over regular surfaces, will work with 135 Deg. and 90 Deg. Spark Plug Boots
- Sold in pairs

PART # DESCRIPTION

- 71992 High-Temperature Boot Sleeves, Blue
- 71993 High-Temperature Boot Sleeves, Red
- 71994 •• High-Temperature Boot Sleeves, Black
- 71995. High-Temperature Boot Sleeves, Natural

products ork with

UNIVERSAL LOOM KITS

- Includes four 2-hole looms, two 3-hole looms, and four chrome plated brackets which secure to valve cover bolts
- One kit per engine

PART # DESCRIPTION

Universal Loom Kit, Blue, 7-9mm **72150**o 72151o Universal Loom Kit, Red, 7-9mm 721530 Universal Loom Kit, Black, 7-9mm

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 72168




SHOW CAR LOOM KITS

 Includes eight 2-hole looms, two 4-hole separators, and four chrome plated brackets which secure to valve cover bolts One kit per engine

PART # DESCRIPTION 721700 Show Car Loom Kit, Blue., 7-9mm Show Car Loom Kit, Red, 7-9mm 721680 721670 Show Car Loom Kit, Black, 7-9mm

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

BIG BLOCK CHEVY LOOM KITS



PART # DESCRIPTION

721710 Super Loom Kit, Blue, 7-9mm Super Loom Kit, Red, 7-9mm 721720 Super Loom Kit, Black, 7-9mm 721740

• <u>/!</u> WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

No. 72172

SMALL BLOCK FORD LOOM KITS

 Includes: three 4-hole wire looms, one 3-hole wire loom, one 2-hole wire loom, one 1-hole wire loom, two 4-hole wire separators, one 3-hole wire separator, one 2-hole wire separator, and six chrome plated brackets

One kit per engine

PART # DESCRIPTION

- Ford Loom Kit, Blue, 7-9mm 72130o **72131**o Ford Loom Kit, Red, 7-9mm
- **72133**0 Ford Loom Kit, Black, 7-9mm
- This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

WARNING Prop. 65


No. 72133




UNIVERSAL WIRE ACCESSORIES

SMALL BLOCK CHEVY CENTERBOLT LOOM KITS

• Includes two right-side and two left-side chrome plated brackets that mount to engine, two 4-hole wire looms, six 2-hole looms, two 4-hole wire separators, and two 2-hole separators





FOUR HOLE SPARK PLUG WIRE LOOM KITS

- · Includes two chrome plated brackets and two 4-hole looms
- One kit per engine

PART # DESCRIPTION

72180 ↔	Four Hole Loom Kit, Blue, 7-9mm
72181 ↔	Four Hole Loom Kit, Red, 7-9mm
72182 ↔	Four Hole Loom Kit, Yellow, 7-9mm
72183 ↔	Four Hole Loom Kit, Black, 7-9mm





SBC HIGH-TEMP UNDER HEADER LOOM KIT

- Designed for routing wires under headers on old and new style Small Block Chevy engines
- Includes four chrome plated brackets,two
 4-hole looms, two 2-hole looms, two 4-hole separators, two
 2-hole separators, two
 2-hole separators and mounting bolts
- One kit per engine

PART # DESCRIPTION

72195. Under Header Loom Kit, Black, 7-9mm



REPLACEMENT WIRE LOOMS

- · Direct replacement looms 7-9mm used in Moroso Loom Kits, also fits other brands' loom brackets
- High-temperature injection molded polyester for extended durability
- Not for use with Part No. 72195
- Packaged two per card

PART # DESCRIPTION

97830	Wire Loom, 2-Hole, Blue, 7-9mm
97832	Wire Loom, 4-Hole, Blue, 7-9mm
97833	Wire Loom, 2-Hole, Red, 7-9mm
97835	Wire Loom, 4-Hole, Red, 7-9mm







LOOM KITS

Triple-process chrome plated brackets with high-temperature plastic separators keep plug wires away from exhaust manifolds, headers and other trouble spots. Prevents ignition crossfire by keeping wires evenly spaced. Available with Blue, Red, Yellow and Black looms/separators to give your engine a neat and orderly look.

SPARK PLUG WIRE SEPARATORS

- Protect against heat damage by preventing contact with hot engine components
- Prevent crossfiring by firmly holding plug wires away from one another
- Can be used for routing wires over valve covers or under headers
- Wires "snap" into place with slight pressure
- Sets include two 2-hole separators, two 3-hole separators and two 4-hole separators
- Available in Blue, Red, Yellow and Black

PART # DESCRIPTION

- 72160 Spark Plug Wire Separators, Blue, 7-9mm
- 72161 Spark Plug Wire Separators, Red, 7-9mm
- 72162 Spark Plug Wire Separators, Yellow, 7-9mm
- 72163 Spark Plug Wire Separators, Black, 7-9mm
- **73160** Spark Plug Wire Separators, Blue, 11mm or sleeved wire
- 73163 Spark Plug Wire Separators, Black, 11mm or sleeved wire



No. 72163

WIRE SEPARATOR KIT, 2 EACH OF 2, 3 & 4 SEPARATORS, BLACK

Fits: up to 8.65mm Non-Sleeved Ignition Wire

- Separators are constructed out of plastic and are a split design with center retaining hardware
- Kit includes an Allen Wrench
- Two kits would be needed for a typical SBC V-8 engine

PART # DESCRIPTION

72166 Wire Separator Kit, 2 each of 2, 3, & 4 hole separators including allen wrench



No. 72166

OUR BEST SPEAKS FOR ITSELF!

n most catalogs, a manufacturer will showcase their top-of-the-line product, whether sold in larger numbers or not. Unfortunately, we can't show you our **Premier Circle Track Distributors** because of proprietary agreements.

We can tell you how extraordinarily well our distributors perform—in Circle Track's top racing series—by both the leader and the majority of the top ten series cars. In addition to racing, Moroso distributors are also utilized on one of the largest fleet of delivery vehicles in the United States.

Even though you might not be racing 500 miles or picking up 500 packages a day, Moroso's line of distributors give our customers the same **performance**, **quality and reliability** that racing and industry leaders have come to depend on.

DISTRIBUTOR REPLACEMENT PARTS

Refer to chart below for specific replacement parts for your distributor model.

• 🕂 WARNING Prop. 65	MODEL OF DISTRIBUTOR							
This product contains a chemical known to the state of California to cause cancer.			MOROSO					
birth defects, or reproductive harm.		MOROSO	DURABILLET	JESEL®	CRANE			
	MOROSO	PREMIER	ONE-PIECE	FRONT	PRO			
DESCRIPTION	MULTIPHASE	BLUE BELL	BLACK HOUSING	DRIVES	SERIES			
Cap	97852 ↔	97852 ↔	97855 ↔	97855 ↔	97855↔			
Cap, Non Wire Retainer	97850 ↔	97850 ↔	97856 ↔	97856 ↔	97856↔			
Rotor	97848 ↔	97848 ↔	97848 \$	97860 ↔	978490			
Adapter Ring	N/A	N/A	97854	97861	97854			
Wire Retainer	97853	97853	97853	97853	97853			
Moroso Race Pickup 11"	97862	97862	97862	N/A	N/A			



DURAFIRE DISTRIBUTORS

COMPLETE BOLT-IN REPLACEMENTS FOR HEI CHEVROLET V8 ENGINES

Now there's no need to build your own high-output distributor that you can tune for non-computerized HEI Chevy V8's. The ignition experts at Moroso have done it for you! Moroso's **DuraFire Distributor** come equipped with everything needed to customize

the ignition timing curve for your particular street/strip application. They feature several high-output components including Moroso's **ProCoil** that provides more complete combustion for easier starts, smoother idle, improved acceleration and more horsepower!

Included: High-Output Module, Mechanical Advance Curve Kit, HEI Cap & Rotor, High-Output **ProCoil** & Cover

- Improved weight and advance cam pin retention by TIG welding the pin backside to prevent them from coming loose
- Upgraded strength of the plastic wire harness plug so that the two lock tabs do not break off when unplugging the harness from the distributor cap

PART # DESCRIPTION

72231 • DuraFire Distributor, GM HEI, V8, w/out Vacuum Advance


PART #REPLACEMENT PARTS97857, 97858, 97859Distributor Repl, Parts (see pg.344)

72355• ProCoil Ignition Coils (see pg. 349)

CHECK OUT THE FEATURES

- **A.** One-piece aluminum housing is cleanly machined for neat appearance; steel shaft and gear provide concentric operation
- **B.** HEI Distributor Cap and Rotor are precision molded from advanced polymers with solid brass contacts and low-resistance center coil brush
- **C.** Mechanical Advance Curve Kit with extra springs allow you to recurve your distributor for full advance at optimum RPM; precision stamped weights, welded pins and center plates with smooth edges eliminate erratic timing
- **D.** Moroso's ProCoil combines low oxygen, high-conductivity magnet wire, high-silicon core material, and non-porous epoxy impregnation to produce extremely high current and extended duration for increased spark energy
- E. High-Output Module delivers high spark output and extended reliability

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







DURAFIRE DISTRIBUTOR, PASSENGER CAR, TRUCK, '87 -'95

Moroso's DuraFire Distributors are now available for GM '87-'95 passenger cars, trucks with GM "H" and "K" code engines with external coils

- · Heavy duty billet aluminum body, machined for durability and looks
- · Hardened steel shaft and gear provide concentric operation
- Cap and rotor are precision molded from advanced polymers with solid brass contact and inserts on the cap and rotor
- · High-output module delivers high spark output and extended reliability
- PART # DESCRIPTION
- 72251 DuraFire Distributor.

PART # REPLACEMENT PARTS

27043 Ignition Module

- **97866** Cap
- 97867 Rotor

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 72251

DURAFIRE DISTRIBUTOR, GM VORTEC, '95 -'01

Moroso's DuraFire Distributors are now available for GM '95-'01, "R" and "M" code V-8 Vortec, "LT" Engines

- Heavy duty aluminum body is stronger than O.E.M. plastic housing
- Hardened steel shaft and gear provide concentric operation
- Caged needle roller bearings for smooth operation
- Flat cap like 0.E.M.
- Cap and rotor are precision molded from advanced polymers with solid brass contacts and inserts on the cap and rotor
- This distributor does not use a module (it only has a HAL Effect Sensor)

PART # DESCRIPTION

72252 DuraFire Distributor



CHEVROLET V8 SUPER HEI IGNITION KIT

8mm

- Includes HEI Distributor Cap and Rotor, Coil Cover, Blue Max[™] high-performance Wire Set, and Super Loom Kit
- Developed for racing, all ignition components engineered to improve ignition accuracy, fuel economy, starting, and throttle response
- HEI Distributor Cap & Rotor precision molded from advanced polymers with solid brass contacts to provide high dielectric strength & unsurpassed timing accuracy
- Custom-Fit Blue Max[™] 8mm, 800 ohm Spiral Core Wire Set is factory terminated in the correct lengths with numbered I.D. tags, corrosion-resistant locking plug terminals and high-temperature silicone boots
- Wire Loom Kit with separators and show quality chrome brackets routes wires over the valve covers to keep them away from hot exhaust manifolds or headers
- Emissions legal in all 50 states

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # DESCRIPTION 72280 Super HEI Ignit

 Super HEI Ignition Kit
 Fits: 1974 and newer Chevy V8's with HEI ignition (without centerbolt valve covers)







REPLACEMENT IGNITION MODULE

Moroso/GM HEI Distributors

- Fits Moroso DuraFire Distributors Nos. 72231 and any 4-pin GM HEI Distributor for 4, 6 and 8 cylinder engines
- High-output module delivers consistent dwell, accurate timing, extended durability and high spark output

PART # DESCRIPTION

97857 Replacement Ignition Module. Fits: GM-style HEI Distributors

ADJUSTABLE VACUUM ADVANCE KIT

- Allows you to change the amount of ignition vacuum advance for maximum part-throttle performance while preventing harmful effects of spark knock (detonation)
- Dial in as much spark advance as conditions permit—add more advance under light load conditions to improve throttle response and fuel economy, or limit spark advance in high compression engines and high load conditions to eliminate knock
- · Built-in stop prevents the adjustment screw from "backing out" like other designs
- Perfect companion to Moroso HEI Advance Curve Kit No. 72300, below

DESCRIPTION PART

Adjustable Vacuum Advance Kit. Fits: 1975-'81 GM HEI Distributors 72315

ADVANCE CURVE KITS

- "Recurve" your distributor for full spark advance at the optimum RPM
- Three sets of advance springs allow you to adjust the rate of spark advance
- Weights and centerplates precision stamped with smooth edges eliminate erratic timing
- · Comes with complete installation instructions

PART # DESCRIPTION

- 72300 HEI Advance Curve Kit, special design centerplate eliminates over-centering of the centrifugal weights. Designed by Nelson Crozier. Fits: All GM HEI Distributors
- Advance Curve Kit. Fits: All 1957-'75 GM/Delco Non-HEI 72310



Moroso/GM HEI Distributors

- Fits Moroso DuraFire Distributors No. 72231 and any GM HEI Distributor
- Precision molded from advanced polymers for longer life and protection

PART # DESCRIPTION 97858 Distributor Coil Cover, GM HEI V8





Moroso/GM HEI Distributors

Fits Moroso DuraFire Distributors No. 72231 and any GM HEI Distributor

PART # DESCRIPTION 978590 Distributor Cap, Rotor & Brush Kit, GM HEI V8

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

DISTRIBUTOR REPLACEMENT PARTS







No. 72315



No. 72300

• K WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

ROTOR, DISTRIBUTOR

Short Drive Lug Fits: Jesel®, Mallory® and Crane® Distributors

- Designed specifically for each manufacturers' distributor for better fit, tip positioning and balance
- Made with high performance plastic for longer life and greater durability
- The brass tip and heavy duty stainless steel spring provides and maintains great electrical performance
- Features designed into the tip, plastic body and screw provide superior tip retention

PART # DESCRIPTION

97849↔ Rotor, Distributor, Short Drive Lug. *Fits: Crane* 97860↔ Rotor, Distributor, Short Drive Lug. *Fits: Jesel, Mallory*



No. 97849

No. 26140

No. 26150



- Allows precise adjustment of distributor shaft end play to improve timing accuracy and reduce gear wear
- \bullet Works with Moroso, GM®, Accel®, Chrysler® and other distributors with $1\!/\!2''$ diameter shaft
- Includes two .010" shims, two .020" shims and one .053" shim

PART # DESCRIPTION

26140 Distributor Gear Shim Kit

DISTRIBUTOR HOUSING SHIM KIT

Fits: Small Block, Big Block, and 90° V6 Chevy engines

- Eliminates oil pump bind and spark scatter when using a distributor in an engine with resurfaced heads or decks
- Made from high impact nylon to exact GM[®] gasket specs
- Kit insures leak-free operation and contains one each .030", .060" and .100" shims

PART # DESCRIPTION

26150 Distributor Housing Shim Kit, 1.290 I.D. & 1.830 O.D

SPARK PLUG INDEXING WASHERS

- Designed for use on all 14mm spark plugs with 5%" hex
- With three thicknesses in each package, one will correct the electrode placement on any plug and simplify the time-consuming task of spark plug indexing
- The washers are precision stamped from copper for perfect sealing and heat transfer
- 30 per pack, 10 each size

PART # DESCRIPTION

- 71900 Spark Plug Indexing Washers, Tapered Seat, .010", .021", .032"
- 71910 Spark Plug Indexing Washers, Flat Seat, .040", .050", .064"



No. 71900

DISTRIBUTOR HOLD DOWN CLAMPS

- Extra-thick and heavy-duty to ensure adequate retention of distributor housing
- · Stud mounted to eliminate thread wear in intake manifold
- Slotted for guick distributor removal
- · Includes stud, washer, nut

PART # DESCRIPTION

26200	Distributor Hold Down Clamp.
	Fits: All V8 and 90° V6 Chevrolet engines, Clear-Zinc Steel
26210 0	Distributor Hold Down Clamp.
	Fits: All V8 and 90° V6 Chevrolet engines, Chromed Steel
26211 0	Distributor Hold Down Clamp.
	Fits: All Small Block Ford engines, Chromed Steel



No. 26200

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

ADJUSTABLE DISTRIBUTOR COLLAR

Fits: Small Block, Big Block, and 90° V6 Chevrolet

- Precision machined steel collar can be positioned on distributor housing to adjust installed height for dead-center gear alignment
- Also aligns the distributor's lubrication grooves with oil passages in the block
- · Socket-head cap screw tightens collar to housing, while two cupped-point hardened steel set screws grip housing to eliminate any movement
- Specially designed for Moroso's Billet Distributors (also fits MSD Distributors and others) 1.25" O.D. lower distributor housing
- Distributors with fixed collars can be machined smooth to accept Adjustable Collar

PART # DESCRIPTION

26217 Adjustable Distributor Collar



No. 26217

BILLET DISTRIBUTOR HOLD DOWN

- Machined from sturdy steel billet to eliminate deflections
- Secures distributors firmly while allowing easy timing changes
- Specially designed for Moroso's Billet Distributors
- Also fits MSD and Accel distributors with a 1.850" O.D. flange or a 1.25" O.D. lower distributor housing using a Moroso No. 26217 Adjustable Collar

PART # DESCRIPTION

26215 Billet Distributor Hold Down. Fits: Small Block, Big Block, and 90° V6 Chevrolet



HIGH OUTPUT IGNITION COIL

- Provides high output ignition for any 12V points-equipped car or truck
- Plated with beautiful show-quality chrome for great looks and extended durability
- 40,000 volt rating

PART # DESCRIPTION

72350* High Output Ignition Coil, Chrome-Plated, Points-triggered Ignitions • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



*Not legal for sale or use on pollution-controlled vehicles.

BALLAST RESISTOR

- Absolutely required for point-triggered ignitions equipped with coils that do not feature a built-in resistor such as Moroso Coil No. 72350, Accel Super Coil 140001, Super Stock High Vibration 8140HV, Racing Coils 140108, 140205 and 140305; Crane PS20 and PS40, Jacob's 380672T and MSD Blaster 2 - 8200, 8202, and 8203, Blaster 3 - 8223
- Ceramic base supports resistor to eliminate the possibility of electrical shorts and to dissipate heat
- Includes built-in mounting boss; must be mounted to firewall or other metallic surface to further dissipate heat
- 1/4" spade terminals facilitate wiring to battery side of the coil

PART # DESCRIPTION

72390 Ballast Resistor, 1.82 ohms





IGNITION SYSTEI

 $|\Pi|$

GM LS COIL ACCESSORIES

REMOTE COIL MOUNTING BRACKET KIT

Fits: LS Series

- · Relocates ignition coils from valve cover
- Fits 0.E.M. and larger aftermarket coils with 2-%16" bolt spacing
- Use with Moroso Ultra 40 Wire Sets Nos. 73811 & 73828
- Two Mounting Brackets per kit (for 8 coils)

PART # DESCRIPTION

72395 Remote Coil Mounting Bracket with Spacers



REMOVEABLE COIL MOUNTING BRACKET Fits: LS Series

- Hinged to provide quick access to valve cover fasteners
- · Coil pack mounting bracket removes with two fasteners
- Coils nested toward back of motor to free up area on front of valve cover for breathers, vacuum pump fittings, fill caps, etc.
- Drivers' side assembly shown
- Fits 0.E.M. and larger aftermarket coils with 2-%16" bolt spacing
- Use with Moroso Ultra 40 Wire Sets Nos. 73661, 73681 or 73704

PART # DESCRIPTION

72396 Coil Mounting Bracket, Hinged, Removable





COIL MOUNT BRACKET KIT, GM LS SERIES FOR MOROSO 68471/68473 VALVE COVERS

- These Coil Brackets can used to relocate LS Coils between the top of the valve cover and the intake
- Designed to be used with Moroso valve covers but can be drilled to be used with other valve covers or to remote mount coils in a different location.
- Two versions available; One for LS1/LS6 Coils & the Second for LS2, LS3, LS7, L92, L98, L99 Coils
- When used with Moroso valve covers, the valve cover can be removed and installed without disturbing the coils or brackets
- Kit includes black anodized aluminum brackets and metric hardware, one kit does one LS engine

PART # DESCRIPTION

- 72397 Coil Mount Bracket, GM LS Series for Moroso Nos. 68471/68473, LS1, LS6 Coils
- 72398 Coil Mount Bracket, GM LS Series for Moroso Nos. 68471/68473, LS2, LS3, LS7, L92, L98, L99 Coils





No. 72397

No. 72398









STEM

TION SV

348

PLASMA PULSE IGNITION COIL

The Ultimate In Ignition Coil Technology!

- For Racing Only
- Ultra-High Spark Current
- Maximum Horsepower & Combustion Efficiency

We've taken our years of ignition experience and engineered an extremely powerful Racing Coil for both Capacitive Discharge (CD) and Inductive Discharge (breaker points, HEI, etc.) ignitions.

Moroso Plasma Pulse Coils feature a unique winding and core design that generates ultra-high spark current for maximum horsepower and combustion efficiency! In addition to delivering exceptional ignition power, Plasma Pulse Coils are loaded with durability features that include double-layer insulation, corrosion-resistant connectors and a durable alkyd case.


The blue anodized extruded aluminum housing not only gives the coil a distinctive appearance, but cooling fins dissipate damaging heat quickly. In fact, the entire coil can withstand continuous operation without overheating! A high-temperature epoxy filling allows you to mount the coil in any direction.



• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

PART # DESCRIPTION

72380 Plasma Pulse Ignition Coil, Inductive Discharge. For use with Chevy HEI and Ford DuraSpark ignitions



PROCOIL IGNITION COILS

Increased Spark Energy! Bolt In Replacement!

Finally, a coil design that gives your ignition system real power. Real ignition power that provides more complete combustion for easier starts, better idle, snappier acceleration, and more horsepower. Real ignition power that eliminates the "6000 RPM barrier" inherent with stock systems. We've combined low oxygen, high-conductivity magnet wire, high-silicon core material, and non-porous epoxy impregnation to produce extremely high current and extended duration for increased spark energy. And our expert workmanship gives you the reliability needed for hard-core racing or daily street use.

REFER TO FOLLOWING PAGES FOR PROCOIL APPLICATION CHARTS:

PART #	DESCRIPTION
723550	ProCoil HEI, 1975-93 GM
723580	ProCoil F, 1985-96 GM
72360 0	ProCoil H.O, 1982-97 Ford,
	DuraSpark

PAGE NUMBER	łS
pgs. 350-353	
pgs. 350-353	
pas. 352-353	





 $\left| 1 \right|$

IGNITION COILS

Check out the features that make moroso's procoil Superior to all other brands:

PRIMARY WINDING

Large diameter, high temperature magnet wire allows high current for maximum energy storage

EFFICIENT MAGNETIC CORE

High silicon M36 magnetic steel specifically tuned for maximum spark energy

SECONDARY WINDING

High turns ratio, low oxygen, extra fine copper wire for maximum spark output

DURABLE ALKYD CASE *Eliminates energy loss*

from carbon-tracking

DOUBLE-LAYER INSULATION Allows ultra-high voltage without arc-thru

HIGH-TEMPERATURE EPOXY Filled under vacuum for void-free impregnation

HEI PROCOIL APPLICATION CHART

BUICK YEAR ENGINE PART# 723580 1988-87 122 2.0K. 2.0M. 4 cvl. Skyhawk (with Dist. 1103710) 112 1.8-0, 1.8J, 4 cyl. Skyhawk 1986 723580 1986 121 2.0P, 4 cyl. Skyhawk 723580 1986 151 2.5R, 4 cyl. Century (with Dist. 723580 1103634) 1986 151 2.5U, 4 cyl. Somerset 723580 723580 1985 121 2.0P, 4 cyl. Skyhawk 1985 151 2.5R, 4 cyl. Century, Skylark 723580 1985 151 2.5U, 4 cyl. Somerset, Regal 723580 151 2.5L, 4 cyl. Skylark (Can. Only) 723550 1981-80 1986 173 2.8X, 6 cyl. Century 723580 1985 173 2.8W, 6 cyl. Skylark 72358o 1985 173 2.8X, 6 cyl. Century, Skylark 723580 1985 173 2.8X, 6 cyl. Century, Skylark 723580 (Can., Export with Dist. 1103619, 1103704) 1982 723550 173 2.8L, 6 cyl. 1981-80 173 2.8L, 6 cyl. Skylark 723550 1981-80 252 4.1L, 6 cyl. 723550 350 5.7P, 8 cyl. Roadmaster 1995-94 723580 1993-92 350 5.7, 8 cyl. Roadmaster 723580 1992-91 305 5.0E, 8 cyl. Roadmaster 723580 1987-84 305 5.0L, 8 cyl. (Can. Only) 723550 1980-83 267 4.4L, 305 5.0L, 8 cyl. **72355**0 1979-77 305 5.0L, 350 (L) 5.7L, 8 cyl. 723550

CADILLAC

YEAR	ENGINE	PART#
1986-85	121 2.0P, 4 cyl. Cimarron	72358 0
1986-85	173 2.8W, 6 cyl. Cimarron	72358 0
1995-94	350 5.7P, 8 cyl. Brougham, Com. Chassis, (MFI Dist. 1103916)	72358 ↔
1993	350 5.7, 8 cyl. Fleetwood Brougham (with Dist.1103953)	72358 ↔

CADILLAC, continued

YEAR	ENGINE	PART #
1992	350 5.7, 8 cyl. Brougham	72358 ↔
1991-92	305 5.0E, 8 cyl. Brougham, Fleet- wood	723580
1991	350 5.7, 8 cyl. Brougham, Fleet- wood (with Dist.1103880)	72358 ↔
1990	350 5.7, 8 cyl. Fleetwood (with Dist. 1103749, 827)	72358 ↔
1988-90	273 (5) 4.5L, 8 cyl. Allante, Fleet- wood, DeVille	72355 ∘
1987	250 (7) 4.1L, 8 cyl. Allante with Dist. 1103747	72355 ∘
1986-87	252 4.1L, 8 cyl. Fleetwood, DeVille FWD	72355 ↔
1984-85	252 4.1L, 8 cyl. Eldorado, Seville	72355 0
1983-82	252 4.1L, 8 cyl. Eldorado, Seville	72355 0
1980-85	368 6.0L, 8 cyl. DeVille, Eldorado, Fleetwood, Seville	72355 ∘
1980-85	368 6.0L, 8 cyl. Comm. Chassis, Limousine	72355 ↔
1978-79	425 7.0L, 8 cyl. Comm. Chassis, Limousine	72355 ⇔
1978-79	425 7.0L, 8 cyl. DeVille, Fleetwood	723550
1977-74	500 8.2L, 8 cyl. with HEI	723550
1977-74	425 7.0L, 8 cyl. with HEI	72355 ↔

CHEVROLET

YEAR	ENGINE	PART#
1987-88	92 1.5-9, 4 cyl. Spectrum (with Dist. 1103674) Turbo	72358 ↔
1985-87	98 1.6C, 4 cyl. Chevette	72358 ↔
1985-86	121 2.0P, 4 cyl. Cavalier	72358 ↔
1985-1986	151 2.5-2, 2.5R, 4 cyl. Camaro, Celebrity	72358 ↔
1981	151 2.5L, 4 cyl. Citation (Can. Only)	72355 0

HEI PROCOIL APPLICATION CHART

CHEVROLET, continued

YEAR	ENGINE	PART #
1980	151 2.5L, 4 cyl. Citation, Monza	72355 0
1979-78	151 2.5L, 4 cyl. Monza	72355 0
1993-94	189 3.1D, 6 cyl. Lumina APV	72358 0
1993	262 4.3Z, 6 cyl. Caprice	72358 \$
1992-93	262 (Z) 4.3L, 6 cyl. Caprice	72355 ⇔
1992	189 3.1D, 6 cyl. Lumina APV	723580
1992	189 3.1T, 6 cyl. Camaro	72358 ↔
1992	262 4.3Z, 6 cyl. Caprice	72358 ↔
1991	189 3.1D, 6 cyl. Lumina APV-A.T. (with Dist. 1103864)	72358 ↔
1991	189 3.1T, 6 cyl. Camaro (with Dist. 1103704, 1103900)	72358 ↔
1991	262 4.3Z, 6 cyl. Caprice	72358 ⇔
1990	189 3.1D, 6 cyl Lumina APV (with Dist.1103644)	72358 ↔
1990	189 3.1T, 6 cyl. Camaro (with Dist. 1103704)	72358 ↔
1990	262 4.3Z, 6 cyl. Caprice	72358 ↔
1987-89	173 2.8S, 6 cyl. Camaro (with Dist. 1103704)	72358 ↔
1987-89	262 4.3Z, 6 cyl.	72358 0
1986	173 2.8X, 6 cyl. Celebrity A.T.	72358 ↔
1986	173 2.8S, 6 cyl. Camaro	72358 ↔
1986	173 2.8W, 6 cyl. Cavalier, Celebrity	72358 ↔
1986	262 4.3Z, 6 cyl.	72358 ↔
1985	173 2.8W, 6 cyl. Cavalier, Celebrity, Citation	72358 0
1985	173 2.8X, 6 cyl. Celebrity, Citation- Can., Export, Fed.	72358 0
1985	173 2.8S, 6 cyl. Camaro	72358 ↔
1985	262 4.3Z Eng, 6 cyl.	72358 ↔
1984-82	229 3.8L, 6 cyl.	72355 ↔
1981	173 2.8L, cyl.	72355 ↔
1981	229 3.8L, 6 cyl.	72355 ↔
1980	173 2.8L, 6 cyl.	72355 ↔
1979	200 3.3L , 6 cyl.	72355 ↔
1978	200 3.3L, 6 cyl.	72355 ↔
1995	265 4.3W, 8 cyl.	72358 ↔
1995	350 5.7P, 8 cyl. Camaro, Caprice, Corvette	72358 0
1994	265 4.3L, 8 cyl.	72358 ↔
1994	350 5.7P, 8 cyl. Camaro, Caprice, Corvette	72358 0
1993	305 5.0E, 8 cyl.	72358 ↔
1993	350 5.7, 8 cyl.	72358 0
1993	350 5.7P, 8 cyl. Camaro, Corvette	72358 ↔
1992	305 5.0E, 8 cyl. Caprice, Camaro	72358 ↔
1992	305 5.0F, 8 cyl. Camaro	72358 ↔
1992	350 5.7, 8 cyl. Camaro	72358 ↔
1992	350 5.7, 8 cyl. Caprice	72358 ↔
1992	350 5.7P, 8 cyl. Corvette	72358 ↔
1991	305 5.0F, 8 cyl. Caprice, Camaro	72358 ↔
1991	305 5.0E, 8 cyl. Camaro, Caprice	72358 ↔
1991	350 5.7, 8 cyl. Caprice	72358 0
1991	350 5.7, 8 cyl. Camaro	72358 ↔

	ROLET, continued	
YEAR	ENGINE	PART #
1990	305 5.0E, 5.0F, 8 cyl. Camaro	72358 ↔
1990	350 5.7L, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1990	350 5.7, 8 cyl. Camaro (with Dist.	72358 ↔
	1103838, 880)	
1989	305 5.0E, 8 cyl. Camaro	72358 ↔
1989	350 5.7, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1989	350 5.7, 8 cyl. Camaro	72358 ↔
1988	305 5.0E, 5.0F, 5.0G, 5.0H, 8 cyl.	72358 ↔
1988	350 5.7, 8 cyl. Camaro.	72358 ↔
1988	350 5.7L, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1987	305 5.0F, 5.0G, 5.0H, 8 cyl (with	72358 ↔
	Dist. 1103698, 749)	
1987	350 5.7L, 8 cyl. Caprice Fed. (with	72358 ↔
	Dist 1103698, 749) Police Car	
1987	350 5.7 8 cyl. Camaro	72358 ↔
1987	305 (H) 5.0L, 8 cyl. (Can. Only)	72355 ↔
1986	350 5.7L, 8 cyl. Caprice Fed. (with	72358 ↔
	Dist 1103698, 749) Police Car	
1986	350 5.7L, 8 cyl. Caprice, Police Car	72355 ↔
	(Can. Only)	
1986	305 (F), (G), (H) 5.0L, 8 cyl.	72355 ↔
1986	350 5.7L, 8 cyl. (Exc. Corvette)	723550
1985	305 (F), (G), (H) 5.0L, 8 cyl.	72355 ↔
1985	350 5.7L, 8 cyl. Caprice, Impala,	72355 ↔
	Police Car	
1984	305 5.0L, 8 cyl.	723550
1984	350 5.7L 8 cyl. (Exc. Corvette)	723550
1983	305 5.0L, 8 cyl. (Can. Only)	723550
1983	350 5.7, 8 cyl. Caprice, Impala, Police Car	72355 ↔
1982-81	267 4.4L, 8 cyl.	72355 ⇔
1982-81	305 5.0L, 8 cyl. (Can. Only)	72355 ⇔
1982-81	350 5.7L, 8 cyl. (Exc. Corvette)	72355 ⇔
1980-77	All 8 Cyl. Engs.	72355 ↔
1976	350 5.7L, 8 cyl. with 4 Bbl. Carb.	72355 ↔
	(Cal. Only)	
1976	350 5.7L , 8 cyl. with 2 Bbl. Carb.	72355 ↔
1976	262 4.3L, 305 5.0L, 400 6.6L, 454	72355 ↔
	7.4L, 8 cyl.	
1975	350 5.7L, 8 cyl. Camaro with 4 Bbl.	72355 0
1975	Carb. Exc. Z-28, 8 cyl. (Cal. Only)	72355 ↔
1975	350 5.7L, 8 cyl. Camaro Z-28	723550 723550
1975	350 5.7L, 8 cyl. with 2 Bbl. Carb.	723550 723550
1975	262 4.3L, 305 5.0L, 400 6.6L, 454	
1970	262 4.3L, 305 5.0L, 400 6.6L, 454 7.4L, 8 cyl.	723550
1974	All 8 cyl. Engs. with HEI	72355 ↔

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PROCOIL H.O. APPLICATION CHART

CHEVROLET/GMC TRUCK

YEAR	ENGINE	PART#
1985-89	151 2.5E, 4 cyl. S10, S15, Astro, Safari	72358 ↔
1996	262 4.3Z, 6 cyl. G-1, 2, 3	72358 0
1995	262 4.3W, 6 cyl. Pick-up -A.T. with out Module Powertrain Control	72358 ⇔
1994-95	262 4.3 B, W, Z , 6 cyl.	72358 0
1992-93	173 2.8 R, 6 cyl. Sonoma, S10, S15	72358 0
1992-93	262 4.3 B, W, Z, 6 cyl.	72358 0
1991	262 4.3 B, W, 6 cyl. Astro, Safari, S10, S15	72358 ↔
1991	262 4.3Z, 6 cyl.	72358 0
1986-90	292 4.8L, 6 cyl.	72355 ↔
1986-90	262 4.3Z, 6 cyl. All incl. Safari (with Dist. 1103655)	72358 ↔
1985-86	262 4.3L, 6 cyl. C-10/K-10 Pickup, Suburban, Blazer, Jimmy	72355∘
1985-86	262 4.3L, 6 cyl. G-10, -20, -30 Van	72355 0
1985-91	173 2.8B, 6 cyl. S10, S15	72358 0
1984	250 4.1L, 292 4.8L, 6 cyl. Caballero	72355 0
1980-84	229 3.8L, 6 cyl. El Camino, Caballero	72355 ↔
1979-78	200 3.3L, 6 cyl. El Camino, Caballero	72355 ↔
1978-84	250 4.1L, 6 cyl.	72355 0
1987-95	305 5.0H, 8 cyl.	72358 0
1987-95	350 5.7K, 8 cyl.	72358 0
1987-95	454 7.4N, 8 cyl.	72358 0
1989	454 (W) 7.4L, 8 cyl. P-30, R-30, V-30	72355∘
1989	350 (K) 5.7L, 8 cyl. P-30, R-30, V-30	72355 ⇔
1988	350 (M) 5.7L, 8 cyl. G-30, P-20, P-30, R-30, V-30	72355 ⇔
1987	305 (H), 8 cyl. El Camino (Can. Only)	72355 0
1987	350 (M) 5.7L, 8 cyl. G-30, P-20, P-30, R-30, V-30	72355 ↔
1987	454 (W) 7.4L, 8 cyl. with 4 Bbl. Carb.	72355 ⇔
1975-86	All 8 Cyl. Engs. (Exc. 1978 403 cid G-30)	72355 ∘

FORD

YEAR	ENGINE	PART#
1993-95	122 2.0L, 4 cyl. Probe	72360 ↔
1986-91	153 2.5L, 4 cyl. Taurus	72360 ↔
1985-90	116 1.9L, 4 cyl. Escort, EXP	72360 ↔
1984-94	140 2.3L, 4 cyl. Tempo, Exc. LPG	72360 ↔
1984-90	140 2.3L, 4 cyl. EFI, Mustang	72360 \$
1983-85	98 1.6L, 4 cyl. Escort with EFI	72360 \$
1983-84	140 2.3L (Turbo), 4 cyl. EFI, Mustang, Thunderbird	72360 ↔
1982	98 1.6L, 4 cyl. Escort with Distr. Mounted Module	72360 0
1992-94	183 3.0L, 6 cyl. Tempo	72360 ↔

FORD, continued

YEAR	ENGINE	PART #
1987-93	232 3.8L, 6 cyl. Thunderbird Exc. S/C	72360 ↔
1986-95	183 3.0L, 232 3.8L, 6 cyl. Taurus Exc. FFV, SHO	72360 ↔
1990-92	183 3.0L, 6 cyl. Probe	72360 ↔
1984-91	302 5.0L, 351W 5.8L, 8 cyl. Crown Victoria, LTD	72360 ↔
1984-95	302 5.0L, 8 cyl. Mustang	72360 0
1984-93	302 5.0L, 8 cyl. Thunderbird	72360 0

FORD TRUCKS

YEAR	ENGINE	PART#
1988	122 2.0L, 4 cyl. Ranger	72360 ↔
1987-89	140 2.3L, 4 cyl. Aerostar, Ranger	72360 0
	with Dist. Mounted Module	
1985-86	140 2.3L, 4 cyl. Aerostar, Bronco II,	72360 0
	Ranger	
1986-96	171 2.8L, 183 3.0L, 6 cyl. Aerostar	72360 ↔
1986-95	177 2.9L, 183 3.0L, 6 cyl. Bronco	72360 ↔
	II, Ranger	
1984-96	300 4.9L, 6 cyl. E, F Series, Module	72360 0
1000.00	on Distributor	70000
1990-96	302 5.0L, 8 cyl. Bronco	72360 ^o
1990-96	302 5.0L, 8 cyl. E-150/E-250	72360 ↔
1990-96	302 5.0L, 8 cyl. F-150/F-250	72360 ↔
1990-96	351 5.8L, 8 cyl. Bronco (Exc.	72360 ↔
	Calif. Remote Mtd Module) Module	
	#E8PF-12A199-AB	
1990-96	351 5.8L, 8 cyl. E-150/E-250/350	72360 0
1990-96	351 5.8L, 8 cyl. F-150/F-250/350	72360 ↔
1990-96	460 7.5L, 8 cyl. E-250/350	72360 ↔
	Super-Duty, F-250/350 Super-Duty	
	Module #E8PF-12A199-AB	
1984-89	302 5.0L, 8 cyl. EEC-IV with Bolt-On	72360 ↔
1004.00	Rotor	
1984-89	351 5.8L, 8 cyl. EEC-IV with Bolt-On Rotor	72360 ↔
1984-89	460 7.5L, 8 cyl. EEC-IV with Bolt-On Rotor	72360 ↔

GEO

YEAR	ENGINE	PART#
1992-93	144 1.8-8, 4 cyl. Storm	72358 0
1990-93	98 1.6-6, 4 cyl. Storm	72358 ↔

LINCOLN

YEAR	ENGINE	PART#
1988-94	232 3.8L, 6 cyl. Continental	72360 ↔
1992	302 5.0L, 8 cyl. Mark VIII	72360 0
1991	302 5.0L, 8 cyl. Mark VII, Town Car	72360 ↔
1990	302 5.0L, 8 cyl. Town Car	72360 ↔
1985-89	302 5.0L, 8 cyl. All	72360 ↔
1984	302 5.0L, 8 cyl. Continental EEC-IV, Mark VII, TownCar	72360 ↔

PROCOIL F APPLICATION CHART

MERCURY

YEAR	ENGINE	PART#
1986-91	153 2.5L, 4 cyl. Sable	723600
1985-87	116 1.9L, 4 cyl. LN7, Lynx	72360 ↔
1984-94	140 2.3L, 4 cyl. Topaz	72360 ↔
1984-86	140 2.3L, 4 cyl. EFI, Capri	72360 ↔
1983-85	98 1.6L, 4 cyl. LN7, Lynx with EFI	72360 ↔
1983-84	140 2.3L (Turbo), 4 cyl. EFI, Capri, Cougar	72360 ↔
1982	98 1.6L, 4 cyl. Lynx with Distr. Mounted Module	72360 ↔
1992-94	183 3.0L, 6 cyl. Topaz	72360 ↔
1987-93	232 3.8L, 6 cyl. Cougar Exc. S/C	72360 ↔
1986-95	183 3.0L, 232 3.8L, 6 cyl. Sable	72360 ↔
1984-91	302 5.0L, 351W 5.8L, 8 cyl. Grand Marquis	72360 ↔
1984-86	302 5.0L, 8 cyl. Capri	72360 ↔
1984-93	302 5.0L, 8 cyl. Cougar	72360 ↔

MERKUR

YEAR	ENGINE	PART#
1985-89	140 2.3L (Turbo), 4 cyl, XR4TI	72360 ↔
1988-89	177 2.9L, 6 cyl. Scorpio	72360 ↔

OLDSMOBILE

YEAR	ENGINE	PART#
1985-88	112 1.8, 121 2.0, 122 2.0, 4 cyl. Firenza	72358 ↔
1985-86	151 2.5R, 2.5U, 4 cyl. Calais, Ciera	72358 0
1981	151 2.5L, 4 cyl. Omega (Can. Only)	72355 ⇔
1978-80	151 2.5L, 4 cyl. Starfire	72355 ↔
1990-95	189 3.1D, 6 cyl. Silhouette (with Dist. 1103644 or 1103864)	72358 ⇔
1991-93	262 4.3Z, 6 cyl. Bravada	72358 0
1985-86	173 2.8W, 6 cyl. Ciera, Firenza	72358 0
1986	173 2.8X, 6 cyl. Ciera (with Dist. 1103643, 619)	72358 ↔
1985	173 2.8X, 6 cyl. Ciera Can., Export	72358 0
1980-82	173 2.8L, 181 3.0L, 6 cyl.	72355 ↔
1992	350 5.7, 8 cyl. Custom Cruiser	72358 ↔
1991	305 5.0E, 8 cyl. Custom Cruiser (with Dist. 1103852)	72358 ↔
1983-87	305 (H) 5.0L, 8 cyl.	72355 ↔
1983-86	267 4.4L, 8 cyl. (Can. Only)	723550
1983-86	305 (H) 5.0L, 8 cyl.	72355 0
1981	267 4.4L, 305 5.0L, 8 cyl.	72355 ↔
1977-80	305 5.0L, 350 (L) 5.7L, 8 cyl.	72355 ↔
1977-78	403 6.6L, 8 cyl. Toronado	72355 ↔
1975-76	455 7.5L, 8 cyl. Toronado	72355 0

PONTIAC

YEAR	ENGINE	PART#
1988-93	98 1.6, 4 cyl. LeMans (with Dist. 1103766)	72358 0

PONTIAC, continued

YEAR	ENGINE	PART#
1990	122 2.0K, 4 cyl. Sunbird, LeMans	72358 0
1989	122 2.0K, 4 cyl. LeMans (with Dist. 1103774)	72358 ↔
1988-91	122 2.0K, M, 4 cyl., Grand AM, Sunbird	72358 ↔
1987	122 2.0K, 4 cyl. J2000	72358 ↔
1987	122 2.0M, 4 cyl. Grand AM, J2000	72358 ↔
1985-86	112 1.8-0, 1.8J, 4 cyl. J2000	72358 ↔
1985-86	121 2.0P, 4 cyl. J2000	72358 ↔
1985-86	151 2.5U, 2.5-2, 4 cyl. Firebird, Grand AM	72358 ↔
1985-86	151 2.5R, 4 cyl.	72358 ↔
1985-87	98 1.6C, 4 cyl. T1000	72358 ↔
1985	151 2.5U, 4 cyl.	72358 ↔
1981	151 2.5L, 4 cyl. Phoenix (Can. Only)	72355 0
1977-80	151 2.5L, 4 cyl. Starfire with HEI	72355 ↔
1991-95	189 3.1D, 6 cyl. Trans Sport	72358 ↔
1990-92	189 3.1T, 6 cyl. Firebird	72358 0
1990	189 3.1D, 6 cyl. Trans Sport (with Dist. 1103644)	72358 ↔
1987-89	173 2.8S, 6 cyl. Firebird (with Dist. 1103704)	72358 ↔
1987-88	173 2.8-9, 6 cyl. Fiero	723580
1986	173 2.8S, 2.8W, 6 cyl.	72358 0
1986	173 2.8X, 6 cyl. Can., Export, Fed	72358 0
1985-86	173 2.8-9, 6 cyl. Fiero	72358 0
1985-87	262 4.3Z, 6 cyl.	72358 0
1985	173 2.8S, 2.8W, 6 cyl. U.S.	72358 0
1985	173 2.8X, 6 cyl. 6000	72358 0
1985	262 4.3Z, 6 cyl.	72358 ↔
1983	229 (9) 3.8L, 6 cyl. Parisienne	72355 0
1982	173 2.8L, 6 cyl. 6000, Phoenix	72355 0
1980-81	229 3.8L, 6 cyl.	72355 0
1980	173 2.8L, 6 cyl.	72355 0
1993-95	350 5.7P (H.O.) Eng. Firebird	72358 0
1988-92	305 5.0E, 5.0F	72358 0
1988-92	350 5.7-8 Eng. Firebird	72358 0
1987	305 5.0F, 5.0H Eng. Firebird, exc. Canada	72358 ↔
1987	305 5.0H Eng. Grand Prix, exc. Canada	72358 ↔
1987	350 5.7-8 Eng. Firebird (with Dist. 1103698)	72358 ↔
1987	305 (H) 5.0L, 8 cyl. Firebird, Grand Prix (Can. Only)	72355 ↔
1986	305 (F), (G), (H) 5.0L, 8 cyl.	72355 0
1983-85	305 (F), (G), (H) 5.0L, 8 cyl.	723550
1977-83	267 4.4L, 305 5.0L, 350 (L) 5.7L, 403 6.6L, 8 cyl.	72355 ↔
1975-76	350 5.7L, 400 6.6L Chevrolet, 8 cyl.	72355 ↔

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

CRANK TRIGGER ULTRA SERIES KIT

Bia Block Chevrolet

Fits: O.E.M., Fluidampr, ATI, Fischer, JEGS and other BBC 8.0" or smaller diameter damper cases with 4.749" mounting registers

- Crank Trigger Kit is based on the popular, flying magnet-style kits
- Compact adjuster arm for better fitment with two-piece oil pans and containment devices
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings, while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up.
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan or a diaper
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications
- Has two sensor locations for non-motorplate applications
- Includes all necessary hardware

DESCRIPTION PART

60008*• Crank Trigger Ultra Series Kit for Big Block Chevrolet, Passenger 60012*• Crank Trigger Ultra Series Kit for Big Block Chevrolet, Mounts to driver's side of block for mechanical fuel pumps, Procharger clearance

CRANK TRIGGER ULTRA SERIES KIT Small Block Chevrolet

Fits: O.E.M., Fluidampr, ATI, Fischer, JEGS and other SBC 7.0" or smaller diameter damper cases with 4.749" mounting registers

- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- . The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- · Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block only, and has two sensor locations for non-motorplate applications
- Includes all necessary hardware

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # DESCRIPTION

60009*• Crank Trigger Ultra Series Kit, Small Block Chevy

REPLACEMENT CRANK TRIGGER TRANSDUCER

"Magnet-In Wheel" Style


- High-quality transducer with zinc-plated, cold-rolled steel body reduces unwanted signal interference and improves triggering accuracy
- Special, non-hardening epoxy impregnates pickup for shock and vibration isolation
- Built-in strain relief prevents wire from pulling out of potting compound

PART # DESCRIPTION

60055* • Replacement Crank Trigger Transducer, Magnet-in-Wheel Style

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-





000

0000





No. 60008





354

TSVS NOIT

CRANK TRIGGER ULTRA SERIES, ADJUSTABLE TIMING POINTER KIT

Small Block Ford, 302 - 351W

Fits: O.E.M., Fluidampr, ATI, Jegs and other S.B.F. 7.0" or smaller diameter by 3.35" long 4-bolt dampers

- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- Built-in adjustable timing pointer
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block or on motorplate applications
- Includes all necessary hardware

PART # DESCRIPTION

60010o Crank Trigger Ultra Series Kit, Small Block Ford

PART # **AVAILABLE OPTION**

63853 Oil Pump and Vacuum Pump Drive Kit with Pulleys, 4-Bolt 63885 Oil Pump and Vacuum Pump Drive Kit without Pulleys, 4-Bolt







No. 60016

CRANK TRIGGER ULTRA SERIES UNIVERSAL KIT, NO WHEEL

• WARNING Prop. 65

- Moroso has designed the aduster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- To be used with dampers that have built in crank trigger shells or EFI trigger wheels
- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- The trigger arm is constructed out of billet aluminum with a black anodized finish for long lasting good looks
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso crank trigger sensor comes with a more common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block only, and has two sensor locations for non-motorplate applications
- Includes all necessary hardware

PART # DESCRIPTION

60016*• Crank Trigger Ultra Series Kit, No Wheel

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

REPLACEMENT CRANK TRIGGER TRANSDUCER

Older "Lug Type" Style

- High-guality, non-magnetic stainless steel body
- · Precision-wound low impedance winding and rare earth magnet for consistent output signal
- Special, non-hardening epoxy impregnates pickup for shock and vibration isolation

PART # DESCRIPTION

60355* • Replacement Crank Trigger Transducer, "Lug Type" Style

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

No. 60355

*Not legal for sale or use on Pollution-controlled vehicles.

IGNITION SYSTEM EQUIPMENT

DRIVE MANDREL SPACER KIT **SBC**

- For use with Moroso Nos. 63857 & 63859 drive mandrels
- Maintains register of mandrel when using a 1/4" thick crank trigger
- Comes with a 1/4" longer crankshaft bolt
- · Constructed out of stress-proof steel with a black oxide finish

DESCRIPTION PART

63861 Drive Mandrel Spacer Kit, SBC, for 1/4" Thick Crank Trigger Wheels



TIMING POINTERS FOR SBC AND BBC

- Designed to hug the damper so it is easier to line up the damper and the pointer for more accurate timing
- Up to 4 degrees of adjustment are possible
- · Constructed of billet aluminum with a black anodized finish
- · Stainless steel mounting hardware included

DESCRIPTION PART

601000	Timing Pointer, SBC, 6.250"
60105 ↔	Timing Pointer, SBC, 6.375"
60110 ↔	Timing Pointer, SBC, 6.750"
60115 ⇔	Timing Pointer, SBC, 7"
60120 ⇔	Timing Pointer, SBC, 7.250"
60125 ⇔	Timing Pointer, SBC, 8"
60130 ↔	Timing Pointer, BBC, 6.250"
60135 ⇔	Timing Pointer, BBC, 7"
60140 ↔	Timing Pointer, BBC, 7.250"
60145 ↔	Timing Pointer, BBC, 8"



No. 60110

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 60145

TIMING POINTERS FOR FORD 289/302/351W

- Designed to hug the damper so it is easier to line up the damper and the pointer for more accurate timing
- Up to 4 degrees of adjustment are possible
- Fits 6.125" to 6.250" balancers
- · Constructed out of billet aluminum with a black anodized finish
- Stainless steel mounting hardware included

PART # DESCRIPTION

601500 Timing Pointer, Ford 289/302/351W, 11 O'clock TDC **60155**↔ Timing Pointer, Ford 289/302/351W, 10 O'clock TDC

> · / WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





No. 60150

TION SVSTE

BATTERY CHARGERS & ACCESSORIES





Jack Roush depends on the Moroso Power Charger to keep his Drag Racing Team ready for their next round of competition!

MOROSO POWER CHARGER

Includes a list of features that will make all other chargers obsolete!

With this versatile charger you have at your disposal one you can use on your race car, your towing vehicle, your street car or a battery you had to buy in an emergency at the racetrack. The **Power Charger** not only charges your everyday 12-volt battery but will also charge 16-volt batteries. Plus, it will also charge any type of battery including Gel Cell, Sealed, Lead Acid, Wet/Deep Cycle, "Reactor" batteries and even (AGM) Absorbed Glass Mat type batteries.

If you're looking for speed, you can be sure your battery is ready for the next round of competition. Featuring a near full charge recovery in about 14 minutes, it also has a maintain mode for batteries in storage. The large handle makes it easy to carry or the unit can be mounted on a wall or workbench.

- Made in USA, approved by U.L., E.T.L., C.S.A. and CE
- Dual Voltage charges both 12 and 16 volt batteries
- 30 amp rating makes for fast recharge
- Solid state LED Ammeter shows battery condition is charging at 80% or READY
- Battery Type "dip" switches can be accessed and changed to charge ANY type battery
- Hibernate mode is perfect for long storage, automatically shuts down to zero output after 24 hours, applying a maintenance charge cycle once every thirty days

PART # DESCRIPTION

74016 Moroso Power Charger, 12/16 Volts at 30 Amps

- Low Start Voltage for deeply discharged batteries, will begin charging a battery that has only .02 of a volt
- Short and reverse polarity connection shutdown
- External ambient temperature compensation
- Works with (AGM) batteries without need for adjustment; calibrated not to exceed 19 volts charge when in the 16 volt mode

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

SEALED BATTERY BOX

- Ideal for relocating a battery to the rear of any race, street or show vehicle with or without a rear firewall
- Holds a Series 21, 24, 26, 34, 42, 54, 55, 56, 61, 62, 63, 85, 86, 96R battery with either top-post or side-post terminals
- Outside Dimensions: 13-1/8" W, 11-1/8" D, 11-1/8" T
- Inside Dimensions: 10-1/2" W, 8-1/4" D, 8-1/2" T
- Fully approved for racing by NHRA, IHRA and SCCA
- Includes grommets and all mounting hardware
- Does not include battery cable; use with Moroso Battery Cable Kit No. 74055

PART # DESCRIPTION

74051. Sealed Battery Box, Black

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer-



Competition Engineering Battery/Weight Box on pg. 452

BATTERY CABLE KITS

- High-grade 2 gauge copper cable provides unrestricted current flow
- Rugged PVC insulation resists most car fuels, oils and under hood cleaners
- · Available with and without battery terminals
- Ideal for relocating a battery to the rear for improved weight transfer

PART # DESCRIPTION


- 74005. Battery Cable Kit, 20' with 4 terminals
- 74055∞ Battery Cable Kit, 20' with 4 terminals, 8' with top-post terminals and 6" 12 gauge leads with butt connectors*, rubber-lined clamps, grommets and shrink sleeving. Use with Sealed Battery Box No. 74051.

*Terminated at both ends. Cut in two to desired length.



No. 74055

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reoroductive harm-



- posts be covered, and are a tidier looking solution than tape
- Molded to fit over most non-disconnect top terminals
- · Works with 4-0 gauge and larger battery cables
- Designed to be slipped on cable before terminal is installed, or can be slit and wire-tied over cable
- When the battery needs to be charged or jumped, simply fold back the boot for access to the post; when done, just unfold and recover

PART # DESCRIPTION

74114 Battery Post Boots, one each in black and red per package



No. 74114

<u>ELECTRICAL SYSTEM EQUIPMENT</u>

REMOTE BATTERY JUMPER TERMINALS

- Allows battery to be placed anywhere in the car allowed by rules and still be completely accessible for between-rounds charging
- Connect to battery with a high amperage battery cable such as Moroso No. 74005 or No. 74055 or for use with Moroso Power Charger No. 74016
- Universal for 6-36 volt DC applications
- Two per pack with color-coded caps

PART # DESCRIPTION

74140 ·· Remote Battery Jumper Terminals

PART # REPLACEMENT PART

97545 Terminal Cap Kit one red, one black

PART # AVAILABLE OPTION

- **74149** Battery Jumper Terminal Mounting Bracket
- MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



BATTERY JUMPER TERMINAL BRACKET, FOR MOROSO PART NO. 74140

- "L" shaped bracket makes mounting and aligning Moroso Part **No. 74140** or similar battery disconnect switches easier than previous methods
- Made out of 1/8" thick steel
- Can be bolted and/or welded into place
- Finish of the bracket can be painted, polished or left as is

PART # DESCRIPTION

74149 Battery Jumper Terminal Mounting Bracket



QUICK-DISCONNECT FLUSH MOUNT BATTERY CABLE CONNECTORS

Complete Pre-Terminated Kits for Header-Equipped Engines

- · Ideal for heavy-duty battery cable connection through firewalls or body panels
- A quick release half-turn lock provides easy charger hook-ups
- Black and red color-coded for easy identification
- Two per pack

PART # DESCRIPTION Quick-Disconnect Flush Mount Battery Cable Connectors 741550 PART # **REPLACEMENT PARTS** 975500 Male End, Black • KARNING Prop. 65 **97551**↔ Male End, Red This product contains a chemical known **97552**↔ Female End, Black to the state of California to cause cancer. birth defects, or reproductive harm-975530 Female End. Red



QUICK-DISCONNECT FLUSH MOUNT BATTERY CABLE CONNECTOR KIT

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

- Kit contains one black male and female lug, one red male and female lug
- Ideal for heavy-duty battery cable connections through firewalls or body panels
- A guick release taper lock provides easy charger hook-ups
- Features brass connections for full contact
- Accommodates 1 or 2 gauge wire

PART # DESCRIPTION

74156• Quick-Disconnect Flush Mount Battery Cable Connectors, Red & Black (Male and Female)



BATTERY QUICK-CONNECT PLUG



- Instantly connects your vehicle's electrical system to an auxiliary power source, either to start the car or for fast battery charges
- Also useful on tow vehicles and 4 x 4's as a power plug for winches, jumper cable connection, or battery chargers
- Made of tough polycarbonate with springloaded copper contacts
- Will connect up to 175 amps using #1/0 AWG wire

PART # DESCRIPTION

74200 Battery Quick-Connect Plug

No. 74200

BATTERY QUICK-CONNECT, MINI

- To save space this is a smaller version of Moroso No. 74200
- Will connect up to 50 amps, using #6 wire
- Instantly connects your vehicle's electrical system to an auxiliary power source, either to start the car or for fast battery charges
- Also useful on tow vehicles and 4 x 4's as a power plug for winches, jumper cable connections, or battery chargers
- Made of tough polycarbonate with spring-loaded copper contacts

PART # DESCRIPTION

74201 Battery Quick Connect, Mini



THRU-PANEL BATTERY CONNECTOR

- Can be used wherever a battery cable goes through a firewall or other similar panel
- Connector fits through 1-1/4" hole
- Use Battery Cable Remote Fitting End Kit Nos. 74170 or 74172 to complete installation

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• One per pack

PART # DESCRIPTION

74144• Thru Panel Battery Connector, Red 74145• Thru Panel Battery Connector, Black



No. 74145

ELECTRICAL SYSTEM EQUIPMENT

BATTERY DISCONNECT SWITCHES

- · Easy to install Disconnect Switch required by many sanctioning bodies
- A quick twist of the non-slip handle or a quick push of the knob (**No. 74106**) shuts off all electrical current to the electric fuel pump, electric water pump, ignition, instruments, etc.
- For drag racing vehicles, the switch should be mounted on the vehicle's rear panel for easy accessibility
- For oval track and road racing applications, the switch should be mounted so that it can easily be reached by the driver or service personnel from outside the vehicle
- In street applications, the switch can be hidden to thwart car thieves
- Use Push/Pull Switch Kit No. 74105 for remote installation for Nos. 74100 & 74101
- 2-3/8" Studs included

PART # DESCRIPTION

- 74100 Battery Disconnect Switch, Twist, Limited-Service, i.e. Drag Race applications without alternators. Rating: 125 amps @ 6-36 volts DC
- 74101↔ Battery Disconnect Switch, Twist, Heavy-Duty, Street Race Cars with alternators, multiple battery applications, etc. Rating: 175 amps @ 6-36 volts DC
- **74106** Battery Disconnect Switch, Push On/Off, Heavy-Duty, Street or Race Applications with alternators, multiple battery applications, etc. Rating: 250 amps @ 6-24 volts DC

BATTERY DISCONNECT SWITCH, SUPER-DUTY

- Moroso's Super-Duty switch with rating of 2,000 amps intermittent and 300 amps continuous is perfect for engines with large starter draw, RVs, Drag Cars with alternators and other applications (20 amps on small terminals)
- Two pairs of copper studs (1/2" -20 & 10 -32) make it ideal for disconnecting alternator (or other electrical device) in addition to the battery
- · Sealed shaft keeps out moisture and debris
- Indexing pin aligns switch with mounting panel and prevents rotation; fits mounting panels up to ¹/₄" thick
- Includes switch position face plate; also includes decal to indicate switch location during emergencies
- Use with Moroso Push/Pull Kit No. 74105 for remote installations and Moroso Battery Cable Fitting End Kit with ½" opening No. 74172 and Moroso No.74107 if using with alternator

PART # DESCRIPTION

74102 ·· Battery Disconnect Switch, Super-Duty

BATTERY & ALTERNATOR DISCONNECT SWITCH

- As race cars have gotten more complicated so has sanctioning bodies rules in making sure that a racecar's electrical power can be completely shut off
- This 4-Pole switch makes installing a "Master Disconnect" switch much simpler. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays.
- Can be mounted in the same locations as traditional On/Off switches with the added security of being able to interrupt the alternator circuit
- Four %" -24 Terminals, rated at 125A continuous/ 750A intermittent, up to 36V DC max., Two Terminals marked "Terminal A" for the battery circuit and Two Terminals marked "Terminal B" for the alternator circuit
- Indexing pin aligns switch with mounting panel and prevents rotation: fits mounting panels up to ¼" thick

birth defects, or reproductive harm-

- Includes switch position decal and switch location decal for the exterior of the car
- Use with Moroso Push/Pull Kit No. 74105 for remote installations and Moroso Battery Cable Fitting End Kit with ³/₈" opening No. 74170

PART # DESCRIPTION

74108 Battery & Alternator Disconnect Switch





• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm




No. 74102

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reoroductive harm-



BACK

No. 74108



ELECTRICAL SYSTEM EQUIPMENT

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

ALTERNATOR SHUTDOWN RELAY KIT

- Designed to stop engine run-on when electrical master disconnect is turned off by stopping electrical feedback in malfunctioning or high amperage alternators
- More and more racing sanctioning bodies are recommending that this type of device be used
- Compliments Battery Disconnect switches such as Moroso Nos. 74100, 74101, 74102 and 74106
- Kit includes; Heavy Duty Solenoid rated at 225 Amps, mounting hardware, wiring harness and terminal

PART # DESCRIPTION

74107 Alternator Shutdown Relay Kit



No. 74107

BOOTS FOR BATTERY DISCONNECT SWITCHES

Meets sanctioning body requirement that terminals on the master electrical cut-off switch be covered

- Perfect compliment to Moroso Part Nos. 74100, 74101, 74102 and 74106
- Prevents the shorting out of exposed terminals
- When installed, creates a finished "clean look" to disconnect switch wiring
- Constructed out of high quality, pliable, race environment friendly rubber
- Accommodate 2 to 4 gauge wire and $1\!\!/_2$ " to $3\!\!/_8$ " terminal studs
- · Can be installed before or after termination of remote fitting ends

PART # DESCRIPTION

74110 Boots for Battery Disconnect Switches, Two per pack (1 ea. Black/Red)



No. 74110

BATTERY DISCONNECT SWITCH BRACKET

- "L" shaped bracket makes mounting and aligning Moroso Part Nos. 74100, 74101 & 74108 or similar battery disconnect switches easier than previous methods
- Made out of 1/8" thick steel
- Can be bolted and/or welded into place

PART # DESCRIPTION

74116 Battery & Alternator Disconnect Switch Bracket



No. 74116


<u>ELECTRICAL SYSTEM EQUIPMENT</u>

REMOTE PUSH/PULL BATTERY DISCONNECT SWITCH KIT

- "Push/Pull" Style of remote battery disconnect switch allows you to mount the Battery Disconnect Switch a roll cage tube with a weld-on bracket, then actuate it with this T-handle kit protruding through the rear panel
- Included switch Moroso Part No. 74100 is for applications without alternators, Rating: 125 amps @ 6-36 volts DC
- Includes switch, brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings, fasteners, switch position decal and switch location decal for the exterior of the car

PART #	DESCRIPTION	
74109 0	Remote Push/Pull Battery	
	Disconnect Switch Kit	

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



REMOTE PUSH/PULL BATTERY & ALTERNATOR DISCONNECT SWITCH KIT

- "Push/Pull" Style of remote battery disconnect switch allows you to mount the Battery Disconnect Switch a roll cage tube with a weld-on bracket, then actuate it with this T-handle kit protruding through the rear panel
- Included is Moroso Part No. 74108 "Master Disconnect" 4-Pole switch. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays
- Includes switch, brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings, fasteners, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

74111• Battery & Alternator Disconnect Switch Kit • 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



ELECTRICAL SYSTEM

PUSH/PULL BATTERY DISCONNECT MOUNTING KIT

- Allows you to mount a Battery Disconnect Switch Nos. 74100, 74101 74102 or 74108 (not included) to a roll cage tube with a weld-on bracket, then actuate it with this T-handle kit protruding through the rear panel
- Comes with brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings,
- fasteners and complete instructions Actuator Link Switch Not Included · Aluminum parts are black anodized Switch Arm PART # DESCRIPTION 741050 Push/Pull Battery Disconnect Mounting Kit Mounting Bracket WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

ELECTRICAL SYSTEM EQUIPMENT

REMOTE BATTERY DISCONNECT SWITCH KIT. **MORSE CABLE ACTUATED**

- . This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Included is Moroso Part No. 74100 Battery Disconnect switch for applications without alternators. Rating: 125 amps @ 6-36 volts DC
- Kit includes brackets, fasteners, handle, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

Remote Battery Disconnect Switch Kit, Morse Cable Actuated 741180

> WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

REMOTE BATTERY & ALTERNATOR DISCONNECT SWITCH **KIT, MORSE CABLE ACTUATED**

- This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Included is Moroso Part No. 74108 "Master Disconnect" 4-Pole switch. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays
- · Kit also includes brackets, fasteners, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

741190 Remote Battery & Alternator Disconnect Switch Kit, Morse Cable Actuated

Mounting

Bracke

000

No. 74118

Switch Arm

Installed For Nos. 74118 OR 74119

Cable/Rod End

(Not Included)

Cable Clamp

BACK



REMOTE BATTERY DISCONNECT SWITCH MOUNTING KIT. **MORSE CABLE ACTUATED**

- This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Kit also includes brackets, fasteners, switch position decal and switch location decal for the exterior of the car
- Use with Moroso Part Nos. 74100, 74101, 74106 & 74108 Battery Disconnect Switches or other similar switches

PART # DESCRIPTION

74117 Remote Battery Disconnect Switch Mounting Kit. Morse Cable







ELECTRICAL SYSTEM EQUIPMENT

PUSH BUTTON STARTER SWITCH

- Waterproof and dustproof with neoprene cap for in-car or under hood mounting
- 35 amp rated @ 12 volts

PART # DESCRIPTION

74120. Push Button Starter Switch

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 74120

UNIVERSAL MOMENTARY SWITCH CABLE

- · Heavy-duty spiral cable has 15 amp rating
- · Ideal for transbrakes, brake line locks and nitrous systems
- The cable features two 16-gauge wires enclosed in a protective PVC outer layer
- Spiral cable stretches to 4 feet and "springs" back when relaxed
- Use with 15 amp Momentary Push Button Switch No. 74123

PART # DESCRIPTION

74115. Heavy-Duty Universal Cable, 15 amp DC

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



UNIVERSAL MOMENTARY SWITCH & CABLE

- Precision high-quality momentary switch with a coiled flex cable
- Used on roll control devices, nitrous oxide systems, as a push-to-talk button on radios, or in any other application where an instant on/off switch is needed
- The normally open, snap action, short throw switch mounts in a 1/4" dia. hole
- Rated at 6 amps @ 28 volts DC or 125 volts AC

PART # DESCRIPTION

74122. Universal Momentary Switch and Cable

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



ADJUSTABLE UNIVERSAL MOMENTARY SWITCH

- · Heavy-duty switch has 15 amp rating; ideal for operating a transbrake on drag race cars
- Adjustable collar allows the plunger travel to be preset from .020" to .219", making the switch "fast" or "slow" to suit individual reaction time requirements
- · Screw-on type terminals
- · Can be mounted through-panel or anywhere using the two mounting holes provided

Use with Universal Momentary Cable No. 74115

PART # DESCRIPTION

74123 Adjustable Universal Momentary Switch, 15 amp DC

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





<u>ELECTRICAL SYSTEM EQUIPMENT</u>

TOGGLE SWITCHES

- Momentary Switches ideal for starting engines
- On-Off Single Throw Switches control accessories such as lights, pump, fan, etc.
- Rated at 20 amps lamp load
- ON/OFF faceplate included

PART # DESCRIPTION

- 74124. Toggle Switch Momentary On, Long Handle, 1-1/2"
- 74125. Toggle Switch On/Off, Long Handle, 1-1/2"
- 74126 Toggle Switch On/Off, Short Handle, 11/16"

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 74124

No. 74126

TOGGLE SWITCH COVER

- Fits over Moroso No. 74126 and other short handle 11/16" shaft-mounted toggle switches
- · Features flip up lid that prevents switch from accidentally being turned on
- Protects switch from dirt
- Helps denote different toggle switches from each other

PART # DESCRIPTION

74129 •• Toggle Switch Cover

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-



No. 74129

STARTER HEAT SHIELDS

- Engineered to protect starters against damaging heat from exhaust manifolds or headers
- Ideal for extending starter life in both race and street applications, including tow vehicles and RVs
- High-temperature insulating material (Non-Asbestos) sandwiched between two sheets of aluminum

PART # DESCRIPTION

74299. Starter Heat Shield. *Fits*: Most passenger-side small Tilton-style starters
 74300. Starter Heat Shield. *Fits*: SBC and BBC engines with Delco starters

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer-





No. 74299

No. 74300

SWITCH PANELS

TOGGLE SWITCH PANELS

- Make custom wiring of your vehicle much easier and professional
- Face constructed of rugged .050" thick aluminum and black anodized to prevent corrosion. Fiber Design versions available for enhanced styling
- Power indicator lights and front mounted, E-Z access fuse holders with pigtails attached, features not found on other manufacturer's switch panels (except No. 74136)
- · Heavy-duty on/off switches are 12 volt single-pole, single-throw with screw terminals rated at 20 amps lamp load
- Heavy-duty fingertip starter controls on Nos. 74130, 74131 and 74135 are waterproof and dustproof, and include screw terminals rated at 12 volts and 35 amps
- A selection of custom labels is included so you can customize each Switch Panel to your individual needs
- Black anodized finish prevents corrosion, Fiber Design available for enhanced styling

PART # DESCRIPTION

- **74130**0 Oval Track Switch Panel, 4" x 5", includes: Starter button, two on/off switches
- **74131**⇔ Drag Race Switch Panel, 4" x 7.75", includes: Starter button, five on/off switches
- 741320 Cage-Mount Switch Panel, Includes: five on/off switches without starter button, Steel bracket to be welded to roll cage, length: 5.5"
- 741330 Dash-Mount Street Switch Panel, 2" x 5.5", includes: five on/off switches, a separate 7-station fuse panel for remote mounting
- Accessory Switch Panel, 4" x 6.75", includes: five on/off switches without starter button 741340
- 741350 Cage-Mount Switch Panel, includes: five on/off switches with starter button, Steel bracket to be welded to roll cage, length: 7"
- 741360 Econo-Switch Panel, 2.5" x 5", includes: four on/off switches to control various electrical functions, one momentary long handle switch for engine starting
- 741390 Switch Panel, Grey/Black, Fiber Design, Dash Mount, 4" x 7-3/4", Starter Button, 1/2" LED
- 741430 Switch Panel, Grey/Black, Fiber Design, Dash Mount, 2" x 5-1/2", 1/4" LED
- 741480 Switch Panel, Grey/Black, Fiber Design, 6-3/4" x 4", 1/2" LED



No. 74135



No. 74136



No. 74134



No. 74143

· /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 74130



No. 74131



No. 74132



No. 74133



No. 74139



No. 74148

PART # REPLACEMENT PARTS


- 74120 Push Button Starter Switch 74124. Toggle Switch, Momentary On, Long Handle, 1-1/2" 74125. Toggle Switch, On/Off, Long Handle, 1-1/2"
- 74126 Toggle Switch, On/Off, Short Handle, 11/16"
- 97542 Switch Panel Replacement Label Sheets

ROCKER LED SWITCH PANELS

- High-tech rocker style switches are dust and water resistant and feature a wide-profile face for use with racing gloves
- Aluminum panel versions feature laser-etched Moroso logo are black anodized to withstand years of constant use
- Fiber Design versions available (No. 74193) for enhanced styling
- All switches are single pole, single throw rated at 20 amps
- Switches feature heavy-duty springs for positive engagement, orange LED indicator lamps, and 1/4" spade terminals to simplify wire connections
- Five resetable 20 amp circuit breakers (except No. 74186) eliminate the need for fuses and make it easy to reactivate the circuit while driving
- Switches and circuit breakers simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

- **74180** Flat Surface Mount, five on/off lighted switches with momentary start switch, 3.388" x 8", five circuit breakers, 20 amps ea.
- **74181**↔ Flat Surface Mount, five on/off lighted switches without momentary start switch, 3.375" x 8", five circuit breakers, 20 amps ea.
- 74183∞ Flat Surface Mount, five on/off lighted switches,
 2.488" x 6.695", separate panel for five circuit breakers 20 amps each,
 1.350" x 6.695"
- **74186** Flat Surface Mount, four on/off lighted switches, with momentary start switch, no breakers, 2.488" x 6.695"
- 74190. Cage Mount, five on/off switches with momentary start switch, 3.750" x 8"
- 74193 Rocker Switch Panel, Grey/Black, Fiber Design, 8" x 3-13/32", Dash Mount





No. 74180

PART # REPLACEMENT PARTS

97535 or Replacement Circuit Breaker97542 Switch Panel Replacement Label Sheets97543 or ON/OFF Switch



No. 74181



No. 74183



No. 74186



No. 74190



No. 74193

ROCKER LED SWITCH PANEL, USB PORTS

As more racers use Action Cameras to record the in car action of a race, smart phones with timer apps. and tablets, there is a greater need to have a convenient, efficient solution to power these devices.

- High-tech LED rocker style switches are dust, weather resistant and feature a wide-profile face for use with racing gloves
- Panel face is constructed out of aluminum and are black anodized to withstand years of constant use
- LED switches are single pole, single throw rated at 20 amps, feature a heavy duty spring for positive engagement, 3 switches have orange LED indicator lamp, 1 switch has a blue LED indicator lamp which can be used for a cooling function, all of the switches have 1/4" spade terminals to simplify wire connections
- · Momentary Start switch with a red cover for easy identification
- Dual USB charging ports with dust cover
- Switches and USB Ports simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

74195 Flat Surface Mount, five on/off lighted switches with momentary start switch, 2.488" x 7.855", USB Ports



No. 74195

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

ROCKER LED SWITCH PANEL, CIRCUIT BREAKER, USB PORTS

As more racers use Action Cameras to record the in car action of a race, smart phones with timer apps. and tablets, there is a greater need to have a convenient, efficient solution to power these devices. This is why we designed these Switch Panels with a built in USB port.

- High-tech LED rocker style switches are dust, weather resistant and feature a wide-profile face for use with racing gloves
- Panel face is constructed out of aluminum and are black anodized to withstand years of constant use
- LED Switches are single pole, single throw rated at 20 amps, feature a heavy duty spring for positive engagement, 4 switches have orange LED indicator lamp, 1 switch has a blue LED indicator lamp which can be used for a cooling function, all of the switches have 1/4" spade terminals to simplify wire connections
- Momentary Start switch with a red cover for easy identification
- Dual USB charging ports with dust cover
- 6 resetable 20 amp circuit breakers eliminate the need for fuses and make it easy to reactivate the circuit while driving
- Switches, USB Ports and circuit breakers simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

74194. Flat Surface Mount, five on/off lighted switches with momentary start switch, 3.388" x 9.150", 6 circuit breakers, 20 amps ea., USB Ports



No. 74194

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

ACCESSORIES

FORD 9" DIFFERENTIAL SHIM & REPLACEMENT PARTS KITS

• Kits include hard-to-find items needed to assemble Ford 9" center sections

PART # DESCRIPTION

- **84750** Drag Race Kit Contains: housing gasket; pinion shaft seal; nine pinion support shims consisting of one each .005", .006", .0075", .0082", two .004", and three .0105"; eight pinion pre-load shims for use with aftermarket aluminum pinion supports consisting of one each .005", .006", .0075", .0082", .009" and three .0105"; one pinion housing 0-ring; and one ¾" -20 Ford pinion nut
- 84751 Oval Track Kit Contains: nine pinion retainer shims consisting of one each .005", .006", .0075", .0082", two .004", and three .0105"; twelve pinion pre-load shims consisting of one each .005", .006", .0075", .0082", .009", .020", .030", two .050" and three .010"; one pinion spacer .375" thick; and one ¾" -20 Ford pinion nut



No. 84751

REAR AXLE SPRING PERCHES, 2-1/2" WIDE Fits: Ford 9", Dana 60 and other 3" diameter axle housings

- Precision stamped for easy weld-on installation
- Two per package

PART #DESCRIPTION85090Rear Axle Spring Perches, 2-1/2" Wide





No. 85090

DANA 60 U-BOLTS

• Moroso has an agreement with Dana Corporation to market hard-to-get replacement parts for the Dana 60, a popular rear axle in the Competition Eliminator and Super Stock classes

PART # DESCRIPTION

85080 U-Bolts, Dana 60, also Fits: Ford 9" with 1350 series yoke



GM 12 BOLT REAR END COVERS

- · Heavy duty steel stamping
- Hand polished chrome plated finish
- · Includes chrome fasteners and gasket

PART # DESCRIPTION

85330. Rear End Cover, Chevy 12-bolt, Chrome-Plated Steel

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



REAR AXLE EQUIPMENT

ACCESSORIES

U-JOINT GIRDLES

- Unique design provides more bearing surface for the universal joint bearing cap, for increased strength
- Manufactured from 7075-T6 aluminum with anodized finish
- Comes complete with fasteners
- One set per package

PART # DESCRIPTION

Use with 1-1/6" dia. cap and 1.415" bolt centers, gold anodized.
Fits: 1955-82 Chevy with U-Bolts; Dana 60 with U-Bolts
Use with 1-1/6" dia. cap and 1.595" bolt centers, red anodized.
Fits: 1965-82 GM 12-Bolt with straps
Use with 1-1/8" dia. cap and 1.540" bolt centers, dark blue anodized.
Fits: Dana 60 with straps. Also fits Chrysler 8-3/4"
ring gear with large yoke (Type 7290 driveshaft)
Use with $1-3_{16}$ " dia. cap and 1.668 " bolt centers, black anodized.
Fits: 1350 Series race yokes including Mark Williams Ford 8.8,
9" Ford Series with 9" ring gear
Use with $1-\frac{1}{16}$ " dia. cap & 1.505" bolt centers, silver anodized.
Fits: Chrysler 8-3/4" ring gear w/ small yoke (Type 7260 driveshaft)
Use with 1-1/8" dia. cap and 1.575" bolt centers, light blue anodized.
Fits: Ford 9"



• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer-

FILLER CAP KIT, STEEL APPLICATIONS, UNIVERSAL

- This kit comes with a 1-¼" steel female bung that can be welded to steel; rear ends, tanks, valve covers, filler neck plates and other locations to replenish fluid or serve as an insection port
- . The included filler cap is knurled for easy grip removal and replacement
- Filler cap is machined from 6061-T6 aluminum and includes an O-ring for leak free sealing

Filler Cap Kit, Universal, Steel Bung, 1-1/4"-12UNF Threads, 1.5"0.D.



No. 85280

FILLER CAP KITS. ALUMINUM APPLICATIONS. UNIVERSAL

- These kits comes with an aluminum female bung that can be welded to aluminum, tanks, valve covers, filler neck plates and other locations to replenish fluid or serve as an insection port
- Three kits are available, Knurled Filler Cap with 1.5" OD Female weld bung Contoured grip for easy removal and installation with either Moroso or Competition Engineering logo, 2.6" OD weld bung
- Filler caps are machined from 6061-T6 aluminum and include an O-ring for leak free sealing

PART # DESCRIPTION

- **85282** Filler Cap Kit, Universal, Aluminum Bung, Black Anodized with Moroso logo 1-1/4"-12UNF Threads, 1.5"0.D.
- 85284 Fill Cap Kit, Universal, Steel Bung ,Black Anodized with Moroso logo, 1-1/4"-12UNF Threads, 1.5" O.D.
- **85283** Filler Cap Kit, Universal, Aluminum Bung, Black Anodized with Moroso logo, 1-%" -12UNF Threads, 2.6" 0.D.

E Competition E Sendineering

PART #

85280

DESCRIPTION

C9085 Filler Cap Kit, Universal, Steel Bung, Black Anodized with Competition Engineering logo, 1-3/8" -12UNF Threads, 2.6" 0.D.



<u>SHEETMETAL & BODY</u>

UNIVERSAL REAR SPOILER KIT

- Provides downforce to rear wheels for improved high speed stability
- Comes complete with support struts, mounting brackets, hardware and detailed instructions
- · Can be trimmed to fit most applications
- Untrimmed dimensions: 57" length, 12" width and 24" struts
- Made from .050" 3003-H 14 Aluminum sheet

PART # DESCRIPTION

78740 Universal Rear Spoiler Kit

No. 78740

ACCESS DOOR

- .050" aluminum door is hinged to frame, providing quick and easy access to fuel cells, dry sump tanks or any other component
- · Comes with natural finish so customer can anodize or paint to match car color
- Door held securely closed with self-ejecting, flush-head Dzus fastener
- Includes all mounting hardware
- 6" x 6" door, 8-1/8" x 8-1/8" overall

PART # DESCRIPTION

85700 Access Door

No. 85700





FLOOR PAN BRACE Bolt-On Design Fits: Camaro 2010-'15

- Like all high performance Pony Cars, 2010-'15 Camaro's suffer from having a flexible chassis; which affects acceleration, handling, long term rattles and traction
- The first step in fortifying a Camaro 2010-'15 chassis is to use this Floor Pan Brace, which replaces the factory stamped steel piece
- · Brace stiffens the floor pan and drive shaft tunnel area
- Constructed out of 1-1/2" x 2-1/2" x .120 wall rectangular tubing
- · Easy to install bolt-on design that uses the existing mounting points
- Use with optional Part No. 78010, Frame Connectors for the ultimate in tying the front and rear subframes together and triangulating the chassis side to side
- Durable gloss, black powder coat finish

PART # DESCRIPTION

78000 Floor Pan Brace, Bolt-on, for Camaro, 2010-'15



HOOD SCOOP PLUG

- Available for "Aero" series scoops
- Specially formed to fit snugly without falling out
- Bonding technology eliminates part separation
- Open cell foam allows engine to breathe while idling, preventing airborne debris from entering hood scoop

PART # DESCRIPTION

99430 Hood Scoop Plug, fits 3-1/2" x 12-1/2" to 13-3/4" openings



No. 99430

SHEETMETAL & BOD

STEERING JOINTS, DRAG RACE

- Available in splined & unsplined configurations to fit a variety of steering shafts
- Drag Race Applications only
- PART #DESCRIPTION80110Steering Universal Joint Unsplined.Fits: steering columns with ¾" 0.D. shafts, 1-¼" 0.D.80120Steering Universal Joint Unsplined.
- Fits: steering columns with ⁵/₄" 0.D. shafts, 1-¹/₄" 0.D.
 80131 Steering Universal Joint, ³/₄-36 spline to ³/₄" 0.D. shafts, 1-¹/₄" 0.D.
 Fits: Ford power rack and GM manual, 1976 and up



No. 80120

QUICK RELEASE HUB & ADAPTER

SFI APPROVED QUICK RELEASE STEERING WHEEL HUB AND ADAPTER

- Meets NHRA, IHRA, SCCA, NASA and other sanctioning body criteria for SFI (Safety Foundation Inc.) requirement #42.1 concerning steering wheel attachment and release
- · Hub manufactured from lightweight billet aluminum with anodized finish
- 5/16" -18 threaded bolt holes for mounting
- Spring loaded quick release pin is integral with the hub and features a large diameter engagement surface for use with bulky racing gloves
- Includes steering shaft adapter manufactured from 1018 steel for extra strength and ease of welding

PART # DESCRIPTION

80160 SFI Approved Quick Release Steering Wheel Hub and Adapter. *Fits:* ³/₄" 0.D. steering shafts and steering wheels with a 3 hole, 1-³/₄" diameter bolt pattern



No. 80160

FIVE HOLE STEERING WHEEL ADAPTER

- Allows racers to continue to use Moroso's Quick Release Steering Wheel Hub **No. 80160** or similar aftermarket hubs with 3 hole bolt pattern when converting to steering wheels with a 5 hole bolt pattern
- Billet aluminum adapter includes all mounting hardware (steering wheel to adapter and adapter to hub)

PART # DESCRIPTION

C5078 Five Hole Steering Wheel Adapter





11:1141

DS-2™ FRONT TIRES

- Aircraft inspired tread design offers reduced weight, minimal rolling resistance and high-speed stability
- Asymmetrical tread pattern improves high-speed stability by reducing the tire's tendency to "walk" at the top end
- 4-ply nylon construction with high-strength bead provides added durability, especially during mounting and dismounting
- Ozone-resistant tire compound withstands the harmful effects of the sun and other environmental conditions
- Tested to 225 MPH with 1,000 lb. load
- Bias ply style tires

MORDSD No. 17040

SPECIFICATIONS: DS-2								
PART #	SIZE (INCHES)	APPROX. Weight	DIA.	TREAD WIDTH	RECOMMENDED RIM WIDTH	OPERATING PRESSURE	SECTION WIDTH	CIRCUMFERENCE
17023	23.0 x 5.0 x 15	11 lbs.	23"	5"	3-1⁄2"-6-1⁄2"	30 psi.	6.2" on 5" Rim	72-7/16"
17040	24.0 x 5.0 x 15	11 lbs.	24"	5"	3-1⁄2"-6-1⁄2"	30 psi.	6.8" on 5" Rim	76-7⁄16"
17025	25.0 x 4.5 x 15	12 lbs.	25"	4.5"	3-1⁄2"-5"	30 psi.	6.4" on 5" Rim	78-¼"
17026	26.0 x 4.5 x 15	12 lbs.	26"	4.5"	3-1⁄2"-5"	30 psi.	7.1" on 5" Rim	81"
17028	28.0 x 4.5 x 15	13 lbs.	28"	4.5"	3-1⁄2"-5"	30 psi.	7.7" on 5" Rim	86-¾"
17029	26.2 x 5 x 17	13.5 lbs.	26.2"	5"	4-1⁄2" -5-1⁄2"	30 psi.	6.12" on 4-½" Rim	82-5⁄16"

DRAG SPECIAL FRONT TIRES

- Tubeless construction and 2-ply nylon cord helps to reduce unsprung weight
- High cord angle and unique tread design reduce rolling resistance for increased speeds
- Shallow tread depth increases stability at high speeds
- Stronger mounting bead withstands higher pressures when adjusting for roll-out
- Bias ply style tires



No. 17050

SPECIFICATIONS: DRAG SPECIAL								
PART #	SIZE (INCHES)	APPROX. WEIGHT	DIA.	TREAD WIDTH	RECOMMENDED RIM WIDTH	OPERATING Pressure	SECTION WIDTH	CIRCUMFERENCE
17050	5.50 x 15	10 lbs.	25-¼"	3-1/2"	3-1⁄2"-4"	30-35 psi.	5.7" on 4" Rim	78"
17100	7.10 x 15	11 lbs.	27-¾"	4- ¹ / ₈ "	3-1⁄2"-5"	30-35 psi.	7.4" on 5" Rim	87-¾"
17600	7.60 x 15	13 lbs.	29-1⁄4"	4-5/8"	3-1⁄2"-5"	30-35 psi.	8.0" on 5" Rim	90-¾"

RACING QUALITY TIRE PRESSURE GUAGES

DIGITAL TIRE PRESSURE BACK LIT GAUGES

Accuracy 1/2%

- Strong back lighted display is easily read in the darkest of pits
- 2-1/8" dia. gauge face
- · Reads to .1 psi
- Can be adjusted to read in standard and metric units
- Auto-Off feature to increase battery life
- Battery level on gauge face
- Includes 9 volt battery
- Includes rubber gauge cover
- 16-1/4" hose with finger operated air-bleed valve allows you to release pressure guickly
- Hose has easy grip angle chuck end

PART # DESCRIPTION

895740 Digital Tire Pressure Back Lit Gauge, 0-15 psi 895750 Digital Tire Pressure Back Lit Gauge, 0-60 psi 895760 Digital Tire Pressure Back Lit Gauge, 0-100 psi



• /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

REPLACEMENT PART PART # **97485**↔

No. 89576

BETTER

Tire Gauge Replacement Hose

TIRE PRESSURE GAUGES

Accuracy 2%

- 16-1/4" hose with a finger operated air-bleed valve allows you to release pressure quickly
- Individually calibrated for accuracy within 2%
- The large $2-\frac{5}{8}$ " dia. dial face in $\frac{1}{2}$ lb. increments is easy to read, while the hardened swivel chuck rotates 360° for positive valve stem attachment

PART # DESCRIPTION

- 895500 Tire Pressure Gauge, dial type, 0-15 psi. 895550 Radial Tire Pressure Gauge, dial type, 0-40 psi.
- Tire Pressure Gauge, dial type, 0-60 psi. 895600
- 895700 Tire Pressure Gauge, dial type, 0-100 psi.

PART # **AVAILABLE OPTION**

- 895900 **Tire Pressure Gauge Cover**
- PART # **REPLACEMENT PART**
- 97480 Gauge Head for No. 89550
- 974850 **Tire Gauge Replacement Hose**

PRO SERIES TIRE PRESSURE GAUGES

Accuracy 1/2%

- Long 16-1/4" hose with pressure release valve and hardened steel swivel chuck is perfect for getting into deep-dish wheels
- Premium high-guality instruments with brass internals and bourdon tube pressure element provide full-range accuracy to within 1/2%
- Extra-large 4" diameter face and knife-edge pointer eliminate human error
- Adjustable pointer can be calibrated at the race track
- Fiberglass-reinforced thermoplastic housing withstands harsh racing environments
- Rugged polyethylene plastic carrying case is lined with a medium-density, open-cell foam insert to keep gauge protected during transportation and storage
- Includes protective gauge cover

PART # DESCRIPTION

- 895520 Pro Series Tire Pressure Gauge, 0-15 psi. Major increments at 3 psi with minor increments at 0.1 psi. 895620 Pro Series Tire Pressure Gauge, 0-60 psi. Major
- increments at 10 psi with minor increments at 0.5 psi.

REPLACEMENT PART PART

974850 **Tire Gauge Replacement Hose**



• <u>VIN WARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer.

birth defects, or reproductive harm-





No. 89555

No. 89562

375

11

TIRE COVERS

- Moroso Tire Covers keep tire pressures consistent by blocking hot rays
- Made from a rugged 6 mil vinyl reflecting outer surface laminated to an insulating backing of polyscrim
- Completely washable and available in two different styles
- No. 99410 fits right over the tire and is held securely in place by a 4"rear flap
- No. 99421 uses suction cups and hangs like a curtain against the body

PART # DESCRIPTION

99410 Tire Cover, fits over tires up to 33.5" x 17.5" x 15"

99421. Tire Cover, universal design with suction cups, 42" x 36"

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

DRAG RACING TIRES & ACCESSORIES

No. 99421

No. 99410

DIGITAL DUROMETER

Includes Case

In racing where a thousandth of a second can count, a durometer is used to check on; whether a tire has gotten too hard as it has aged, compare different tires hardness and softness against each other or how a tire responded to a chemical tire softener.

- Calibrated on a Shore type A scale, the scale used to measure the hardness of race and ultra high performance tires
- Easy to read Digital readout with 1/2" tall numbers
- Reads to .5
- . Has a hold button to capture the reading on the readout
- Comes with a foam lined plastic case for storage of the unit when not in use

PART # DESCRIPTION

89585 Digital Durometer with Case

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 89585





NHRA TIRE CONTINGENCY RULE (

NHRA's contingency rule for the Professional Categories states that the "vehicle must be equipped with all four tires bearing the same tire manufacturer's brand name" to be eligible for contingency awards. Please note that this rule applies only to the Pro classes. All other classes can use Moroso DS-2TM or Drag Special Front Tires and still be eligible for tire contingencies posted by any rear tire manufacturer.



376



APPAREL	377
PRODUCT INDEX	379
SUSPENSION BASICS	382
CHOOSING THE RIGHT EQUIPMENT	385
REAR FRAME KITS	389
FRAME RAILS	392
FRAME CONNECTORS	394
LADDER BARS	395
TRACTION DEVICES	397
4-LINKS	399
REAR AXLE	400
ANTI-ROLL BARS	409
ROD ENDS	410
DRIVESHAFT LOOPS	411
TRANSMISSION MOUNTS	413
SHOCKS	414
SPRINGS	422
WHEEL-E-BARS™	423
ROLL BARS	426
CHASSIS COMPONENTS	433
SHEET METAL	436
STEERING COMPONENTS	437
BUSHINGS	440
ENGINE MOUNTING	441
TABS & BRACKETS	447
MISCELLANEOUS	452
TIE DOWN / TOW HOOKS	453
REPLACEMENT PARTS	454
NUMERICAL PRODUCT INDEX	455-464

В

C

S

MOROSO PRO	омоті	ONAL	T-SHIRTS		
Limited Edition Designs					
DESCRIPTION	COLOR	PART #	SIZE		
A. DISTRESSED VINTAGE	Natural	99551	Medium		
Vintage & antiqued Mo-		99552	Large		
roso arrow logo in black		99553	X-Large		
& red (front design only).		99554	XX-Large		
		99555	XXX-Large		
B. RETRO LOGO STRIPE	Black	99546	Medium		
Vintage Moroso arrow		99547	Large		
logo with silver racing		99548	X-Large		
stripe.		99549	XX-Large		
		99550	XXX-Large		
		99557	4X-Large		
C. SINCE '68	Charcoal	99534	Medium		
Limited edition design for	onarooar	99535	Large		
Moroso's 40th Anniver-		99536	X-Large		
sary! Black, white & red		99537	XX-Large		
flag logo on front & back.		99538	XXX-Large		
E. GRUMPY'S TOYS	Off-White	99615	Medium		
Vintage Moroso arrow	UII-WIIILE	99015 99616			
logo on front with vintage		99010 99617	Large		
illustration on back, front		99017 99618	X-Large XX-Large		
pocket.		99010 99619	XX-Large		
F. DICK'S DRIVE-IN	Off-White	99610	Medium		
Vintage Moroso arrow		99611	Large		
logo on front with vintage		99612	X-Large		
illustration on back, front pocket.		99613	XX-Large		
		99614	XXX-Large		
G. 50TH ANNIVERSARY	Gray	99520	Small		
Celebrating 50 years!		99521	Medium		
Features our traditional		99522	Large		
logo with a golden/red		99523	X-Large		
logo on front & back with		99524	XX-Large		

99525

flag emblem. Thank you

for your loyalty!

WURUSO Α (FRONT) (BACK)

APPAREL

E





XXX-Large

Detail of Competition Engineering logo on arm



MOROSO PERFORMANCE POLOS

- · Richly embroidered logos on front and arm
- 100% Poly with stay-cool moisture wicking technology

DESCRIPTION	COLOR	PART #	SIZE
1. OGIO [®] POLO	Grey/Black	99581	Medium
Features colorblocked rib		99582	Large
knit panels and angled		99583	X-Large
zippered pocket		99584	XX-Large
2. SPORT POLO	Black	99586	Medium
Fine poly jacquard knit		99587	Large
with classic 3-button		99588	X-Large
placket		99589	XX-Large

MOROSO BUTTON DOWN CAMP SHIRT

- Richly embroidered logos on front and arm
- Classic, button down camp shirts

DESCRIPTION	COLOR	PART #	SIZE
3. BUTTON DOWN	Black	99591	Medium
CAMP		99592	Large
Easy care poly-rayon		99593	X-Large
blend fabric with		99594	XX-Large
side vents			

MOROSO AND COMPETITION ENGINEERING ADJUSTABLE CAPS

- Richly embroidered logos
- Fully adjustable for a custom fit
- Stay-cool vent holes for air circulation





MOROSO SWEATSHIRTS, HOODIE

- Thick cotton blend, preshrunk pullover hoodie
- Black with Moroso logo, front and rear
- Front "Through" pockets





B

 Moroso arrow logo embroidered

MOROSO

JACKET

- on chest and "original" Moroso logo patch on back • Fitted,
- retro-style silhouette
- Charcoal grey, heavyweight poly/ cotton twill with nylon quilted lining

MOR

- Solid brass zippered closure
- Two lower, inset on-seam pockets plus utility pocket on left sleeve

PART #	COLOR	SIZE
99620	Charcoal	Medium
99621		Large
99622		X-Large
99623		XX-Large

С

Cage Kit, Funny Car

NUMBERED

2° Wedge Plates 402 9" Ford Axle Housing Braces 400 90/10 Drag Shocks 414-418 90/10 Drag Struts 418 8-Point Roll Bars 380, 426 **10-Point Conversion Kits** 428 **10-Point Roll Cages** 429 12-Point Roll Cages 430

A

A-Arm Bushings	440
Accelerator Pedal Kit	433
Access Door	436
Adjustable Drag Shocks	414-418
Adjustable Panhard Bar	404
Adjustable Pinion Snubber	408
Aluminum, Body Mounts	440
Aluminum Fenderwells	436
Aluminum Fuel Line (Moroso)	275
Aluminum Spring Eye Bushings	440
Angle Finder	452
Anti-Roll Bars	409
Apparel	377-378
Axle Bearing Conversion Kit	402
Axle Housing Braces	400
Axle Housing Ends	401

B

Battery Box (Moroso)	355
Battery Cable Kits (Moroso)	356
Battery/Weight Box	452
Body Mounts, Aluminum	440
Bolt-On Diagonal Link	403
Bolt-On Driveshaft Loops	411-412
Bolt-On Floating Housing Mounts	396
Bolt-On Frame Connectors	394
Bolt-On Traction Devices	397-398
Bolt-On Wheel-E-Bars™	425
Brace, Seat Back	431
Brace, Ford 9" Rear Axle	400
Brackets	419, 447-451
Bumpsteer Adjuster Kit	439
Bushings, A-Arm	440
Bushings, Control Arm	407-408, 440
Bushings, Slide-A-Link™	398
Bushings, Spring Eye	440
Bushings, Transmission Crossmember	413

oago mi, runny oar	101
Carrier Stud Kit	402
Chassis Brackets and Tabs	447-451
Chassis Brackets, 4 –Link	449
Chassis Brackets, Ladder Bar	450-451
Choosing the Right Equipment	385-388
Clevis Brackets	447
Coil-Over Housing Brackets	419, 451
Coil-Over Mount Kits	421
Coil-Over Shock Adjusting Tool	420
Coil-Over Shock Kits	419-422
Coil-Over Shock, Lower Mounting Bracket	419, 451
Coil-Over Shock, Magnum Series	418
Coil-Over Shock Mounting Brackets	419, 451
Coil-Over Shock Mount Kits	419-422
Coil-Over Springs, Rear	422
Coil Spring Traction Bars	397
Competition Ladder Bars	395
Control Arms and Accessories	405-407
Conversion Kits, 10 Point Roll Cage	428
Crossmember, Ladder Bar	393
Crossmember 2" x 3" Dropped	393
Crossmember, Transmission Bushings	413
Crossmember, Transmission Universal	413

431

D

Diagonal Link	403
Door, Access	436
Door Bar Kits, 6-8 & 10-12 pt.	432
Door Handle Linkage Kit	434
Door Hinge Linkage Kit	434
Door Limiter Strap	434
Dragster Rear End Housings	400
Drag Shocks, Adjustable	414-417
Drag Struts	418
Driveshaft Loops	411-412

E

Engine Limiter Kit	441
Engine Torque Link	441

F

Fabricated Rear Axle Housings	400
Fenderwells, Aluminum and Steel	436
Firewall, Kit Rear for Mustang 2005-10	436
Floating Housing Mounts	396
Floor Pan Brace	393

E.

441 401 392-393 428 449-450

390-391 392

399

448 448

394 389-391

433

433 432

F (CON'T)

Flywheel Shims
Forged Rear Axle Housing Ends
Formed Rear Frame Rails
Formed Rear Struts, 8 Point Bar
Four-Link, Chassis Brackets
Four-Link, Frame Kits
Four-Link, Frame Rails
Four-Link Kits
Four Link Mounting Brackets
Frame Brackets, Universal
Frame Connectors
Frame Kits, rear
Frame Rails & Components
Front Down Strut Upgrate Kit
Front End Travel Limiter
Front Motor Plates
Front Suspension Components
Fuel Line, Aluminum (Moroso)
Fuel Tank Sump Kits
Funny Car Cage Kit

G

Gas Pedal Kit
Gas Pedal Linkage Kit
Gussets, Roll Bar

Η

Housing Brace, 9" Ford	400
Housing Brackets, Coil-Over	451
Housing Ends, Axle	401
Housing Mounts, Floating	396
Housing Vent, Rear Axle	402

L

Ladder Bars	395
Ladder Bar, Chassis Brackets	448-451
Ladder Bar, Crossmember	392
Ladder Bar Crossmember Brackets	450-451
Ladder Bar Frame Kits	389-391
Ladder Bar Frame Rails	392
Ladder Bar Housing Bracket	448-451
Ladder Bar Spring Chart	391
Ladder Bars & Accessories	395-396
Ladder Link	395
Locating Devices, Rear Axle	403-408
Ladder Link	395
Lower Rear Control Arm Bushings	407-408
Lower Shock Mount, Universal	419

M

Mid Mount Plates	442-443
Motor Plates	444-446
Motor Plate Mounting Kit	441
Mounting Brackets, 4-Link	447-449
Mounting Bracket, Shock	451

0

Offset Spring Hangers 422

P

Panhard Bars	404
Panhard Bar Frame Brace	404
Parachute Anchor Mount	435
Parachute Pack Mount	435
Parachute Release Cable Clamp	435
Parachute Release Cable Kit	435
Pedal Kit, Accelerator	433
Pinion Snubber, Adjustable	408
Progressive Rate Springs, Rear	422

R

Radiator Mounting Kit	434
Rear Axle Housings & Components	400-402
Rear Axle Housing Brace	400
Rear Axle Housing Ends	401
Rear Axle Housing Fill Cap Kit	402
Rear Axle Housing Vent	402
Rear Axle Locating Devices & Components	403-405
Rear Axle Spring Perches	401
Rear Coil-Over Shock Kit	419-421
Rear Coil-Over Springs	422
Rear Control Arms & Accessories	406-408
Rear Control Arm Spherical Bearing Kit	408
Rear Fenderwells	436
Rear Firewall Kit	436
Rear Frame Kits	389-391
Rear Frame Rails, Formed	392
Rear Shocks	414-417
Rear Shock Crossmember	421
Rear Shock Mounts	419-421
Replacement Bushings	398, 407-
	408, 440
Replacement Brackets	447-451
Replacement Parts	423, 454
Rod Ends	410, 437
Roll Bars & Cages	380, 426-432
Roll Bar Bolt-In Conversion Kit	428
Roll Bar Door Bar Kits 6-8 & 10-12 pt.	432

R (CON'T)

Roll Bar Fill Plates	381, 427
Roll Bar Formed Struts	428
Roll Bar Gussets	432
Roll Bar Mounting Plates	380, 427
Roll Bar Padding	432
Roll Bar Rear Struts, 8 point	428
Roll Cage Upgrade Kit	429
Roll Cage Swing Out Door Kit	432
Roll Cage X-Brace Kit	430

S

Coat Dools Droom	401
Seat Back Braces	431
Seat Belt Harness Tabs	447 436
Sheetmetal	
Shims, Flywheel	441
Shock Absorbers & Components	414-421
Shock Adjusting Tool, Coil-Over	420
Shocks, Coil-Over, Magnum Series	418
Shock Crossmember	421
Shock Kits, Coil-Over	419-421
Shock Mount Kits, Coil-Over	419-421
Shock Mounting Brackets, Coil-Over	451
Springs, Coil-Over Rear	422
Slide-A-Links™	398
Slide-A-Link™, Bushings	398
Slide-A-Link [™] Wrenches	398
Snubber, Adjustable	408
Solid Aluminum Body Mounts	440
Solid Replacement Bushings	440
Spoiler, Rear Universal (Moroso)	372
Sport Compact Roll Bars & Cages	426
Spring Chart, Ladder Bar	391
Spring Eye Bushings, Aluminum	440
Spring Hangers, Offset	422
Spring Perches, Rear Axle	401
Springs, Progressive Rate	391, 422
Springs, Rear Coil Over	422
Stabilizer Bars, Anti-Roll	409
Stabilizer Bars, Diagonal Link	403
Stabilizer Bars, Panhard Bar	404
Steering Column Kits	437
Steering Column Mounting Kit	437
Steering Shaft Support Rod End	437
Steering Wheel Adapter	438
Steering Wheel Hub and Adpater	438
Strut Upgrade Kit, Front Down	431
Struts, Drag Race	418
Struts, Roll Bar Formed	428
Stud Kit, Carrier	402
Swing Out Door Kit	432
-	

Т	

Tabs, Brackets	447-451
Throttle Linkage Rod Kit	433
Tie Down Hooks, Universal	453
Torque Box Reinforcement Plates	407
Torque Link, Engine	441
Tow Hook, Universal	453
Tow Hook, Folding, Universal	453
Traction Bars, Coil Spring & Leaf Spring	397
Traction Devices, Bolt-On	398
Transmission, Crossmember Bushings	413
Transmission Crossmember Mount Kit	413
Transmission, Universal Crossmember	413
Travel Limiter, Front End	439
Two Degree Wedge Plates	402

U

U-Bend Universal Mount Understanding Suspension Basics	452 382-384
Universal Brackets & Tabs	447-451
Universal Crossmembers	392-393
Universal Driveshaft Loops	411-412
Universal Door Window Frame Kit Universal Frame Rails	433 392
Universal Lower Shock Mounts	392 419-420
Universal, Tow Hook	453
Universal Window Frame Kit	433
Upper, Rear Control	406-408
Upper A-Arm Bushings	440
Universal Wheel-E-Bars™	423-425

W

Wedge Plates, Two Degree	402
Weight/Battery Box	452
Weld In, Frame Connectors	394
Wheel-E-Bars™, Bolt-On	425
Wheel-E-Bars™, Universal	423-425
Wheel Tubs, Aluminum and Steel	436
Window Frame Kit	433
Window Install Kit	433
Wishbone Housing Locators	403
Wrenches, Slide-A-Link™	398

E

G etting more power from an engine is something all racers are familiar with. Getting that power to the ground, however, is a science that few racers really understand. For those of you just starting out in drag racing, we've put together a basic overview of how chassis and suspension systems are affected by sudden acceleration. The Chassis People[™] at Competition Engineering want you to understand the relationship between engine power and the chassis, suspension and driveline systems of your car. By doing so, you will be in a better position to select equipment that allows you to hook up and lower ET's!

Without the right chassis and suspension setup, all the horsepower in the world will only go up in tire smoke!

As you're trying to understand how modifications to the chassis and suspension systems improve traction, it helps to keep one thing in mind. Power produced by your engine must take a direct path to "planting" the tires and "launching" your car forward. Any power that gets absorbed by the chassis and suspension is power that can't be used to get you to the finish line as quickly as possible.

There's a basic law of physics that states "for every action there is an equal and opposite reaction." Relating this principle to a game of billiards is relatively easy. But applying it to chassis and suspension systems on a drag race car is more complex. When trying to understand how chassis and suspension setups affect traction, keep the "action/reaction" concept in mind. It will make things much easier to understand.


While race cars are designed for racing, street cars are designed primarily for carrying passengers safely and comfortably. From the factory, passenger cars are not equipped to handle high rpm launches from a standing start. This instant release of power places great strain on stock suspension systems and usually results in unwanted wheel hop, tire spin and parts breakage. Controlling this unwanted reaction is the job of a traction device, which limits the rotation of the rear axle housing and transfers forces to the track surface.

For example, the installation of traction bars is a popular way of limiting rotation of the rear axle housing. Traction bars mount directly to each side of the axle housing and extend forward like long arms or levers. When the housing begins to rotate during initial launch, the traction bars stop this action, holding the housing in place and converting some of the applied torque to a force which pushes the rear tires into the track surface. By stabilizing the axle housing, wheel hop is virtually eliminated, acceleration is smoother and parts breakage is minimized.

HOW "WHEEL HOP" OCCURS


REAR AXLE HOUSING ROTATION WITHOUT TRACTION CONTROL

When horsepower is suddenly delivered to the differential, whether from a clutch or a torque converter, the pinion attempts to "climb" the ring gear. This sudden shock of torque causes the entire rear axle housing to rotate backwards in a counter-clockwise direction. This causes the springs to distort, resulting in severe driveshaft/U-joint misalignment.



Spring Reaction Unloads Suspension, Gausing "Wheel-Hop"


The axle housing is allowed to continue its rotation until it meets resistance from the suspension/springs, which then try to "snap" the housing back to its original position. As power continues to the differential, the housing is once again allowed to rotate back against the springs. This action/reaction of the suspension, commonly known as "wheel hop," continues much like a tug-of-war. Instead of launching your car forward, you sit there bouncing around and spinning your wheels.



<u>UNDERSTANDING SUSPENSION BASICS</u>

COMPETITION ENGINEERING TRACTION BAR LIMITS AXLE ROTATION

The bolt-on "Slapper Bar" is one of the most basic traction devices available. Originally pioneered by Bill "Grumpy" Jenkins in the mid-sixties, it gets its name from the way it works. One end of the Traction Bar replaces the stock spring pad and is clamped to the rear axle housing. The front end of the bar is suspended just below the spring eye. When the housing begins to rotate during launch, the bar also rotates until it contacts or "slaps" the spring. (Unlike other brands, Competition Engineering Traction Bars make contact directly below the front spring eye, preventing spring damage). When contact occurs, the Slapper Bar becomes a lever trying to push the axle housing down and planting the tires in the process.





SLIDE-A-LINKM

A revolutionary, patented, completely bolt-on traction device, the Slide-A-Link[™], designed for both street and strip use is track tested and competition proven to outperform conventional "Slapper" bars. A solid mounted front plate is installed inside the original front spring pocket and clamps to the leaf spring to provide a positive displacement for the torque that is transmitted from the rear axle through the telescoping bar and special durometer shock pad. These forces, along with improved instant center geometry, provide better weight transfer for increased traction. Free travel and pre-load adjustments are made on the vehicle by adjusting the jack screw at the rear of the bar.

How Ladder Bars Work


The Ladder Bar is a more sophisticated traction device because it serves as an extremely rigid, bridge-type truss that locates the rear axle housing directly to the chassis. With the axle housing held firmly in place, the torque applied to the differential is now transferred immediately through the Ladder Bars and into the chassis. By using the Ladder Bar to carry power to the chassis, the front end reacts by rising. As the front of the car travels upward, rapid weight transfer is created which "plants" the rear tires and propels the car forward.





HOUSING FLOATERS ELIMINATE SUSPENSION BIND

When using Ladder Bars with a leaf spring rear suspension, the axle housing cannot be rigidly attached to the springs. If it were, severe binding of the rear suspension would occur because the Ladder Bar and the leaf spring both travel in separate competing arcs. By allowing the housing to rotate and glide on the leaf spring, the Floating Housing Mount eliminates the bind and allows the Ladder Bars to work the way they were designed.



E.

Traction devices are only half the story. When used properly to transfer the torque action created in the differential into the chassis, other aspects of the car must also be enhanced. Since the chassis is the backbone of the car, the "action" of transferring power into it must not result in the "reaction" of twisting and flexing. Therefore, the chassis must be as rigid as possible. Frame Connectors are used to connect front and rear unibody subframes, effectively making them one piece. This eliminates unwanted flex in the chassis and prevents it from absorbing the power needed for acceleration. Solid Body Mounts, Solid Motor Mounts, Engine Torque Links and Solid Transmission Mounts contribute to forming a rigid structure and help eliminate unwanted twisting and power loss.

Large-diameter Tubular Control Arms, which are much stronger than stock units, also add rigidity, eliminate flex and help direct power to the ground. Finally, Roll Bars and Roll Cages help make the chassis and body solid while providing an extra measure of safety.

The suspension also contributes to overall performance. It serves as a flexible connection to the track, providing mechanical and hydraulic damping to control unwanted body and chassis movements. The suspension must remain flexible enough to offer a sufficient level of comfort and safety, while contributing to traction when subjected to sudden acceleration. Installation of Competition Engineering's Adjustable Drag Shocks are one of the first steps taken to help stabilize suspension movement. In race applications, the front shocks play a dual role. When the front end lifts, they extend freely to increase weight transfer. When the front end begins to lower, these same shocks provide resistance to maximize the duration of weight transfer. Complementing the action of the shocks are Front Drag Springs, specially engineered for each application to hold a great amount of stored energy for instantaneous weight transfer. Rear Coil Springs are also available for specific vehicle weights to obtain the correct ride height, and provide full suspension travel for optimum weight transfer and traction. Stabilizer Bars are used in conjunction with both Ladder Bars and 4-Links. They center the rear axle housing within the chassis. This prevents lateral movement between the body and the suspension, which helps to provide high speed stability.


We hope that our introduction to chassis, suspension and traction systems has been helpful. From our simplified explanations you should realize that horsepower, while important, is not the only factor contributing to elapsed time results. A properly tuned chassis and suspension will convert engine power into traction. Our next section will help you to determine the level of equipment needed to obtain that traction.


WHEEL-E-BARS™ HELP CONTROL WEIGHT TRANSFER

Although Ladder Bars and 4-Links provide lift to the front end by transferring weight to the rear, too much lift detracts from the forward motion and reduces overall performance. Installation of Wheel-E-Bars™ helps to maintain the correct amount of lift and controls weight transfer to maximize traction.

LADDER BARS VS. 4-LINKS

4-Links offer more adjustment over Ladder Bars and can handle higher torque loads. With two bars per side, one on top and one on the bottom, you basically have an open ended Ladder Bar. You can adjust the suspension for different track conditions by manipulating the mounting positions in the frame and axle housing brackets. This gives you the option of making the intersection point, or point of "instant center," as far forward or rearward to suit your particular needs. The point of instant center is the location where the upper and lower links would intersect if imaginary lines extended from the front of the 4-Link bars. Unlike a Ladder Bar where the point of instant center is always located at the bar's front mounting point, the instant center on a 4-Link changes quickly as the car is launched.





CHOOSING THE RIGHT EQUIPMENT

Selecting chassis components is something that should not be taken lightly. It's just as important as choosing the right camshaft or gear ratio. Making the right chassis setup decision wins races. Making the wrong one leaves you with a car that doesn't perform as expected and usually ends up wasting a lot of your hard earned money. Before purchasing a single chassis component, you must first make some very important decisions concerning your car and the level of competition you plan to achieve. First, determine what you want out of your car. Are you looking for better performance from your street machine; do you want a dedicated race car that will never see the street; or do you want a performance street machine that can do occasional track time? If you are going racing, become familiar with all rules and guidelines established by your sanctioning body. Determine the horsepower level you want the engine to make.

Decide if you want to use bolt-on or weld-in components. Once you have addressed all of these important issues, you will be in a better position to choose the chassis components that are correct for your car.

To help both the beginner and seasoned racer select chassis equipment, we've grouped cars in four stages beginning with street performance and mild bracket cars, and ending up with "Outlaw" Pro Street and Pro Modified type race cars. In our **Blueprint for Performance**, we've built each of the four stages around the three most important factors concerning component selection:

- 1) Intended Use
- 2) Horsepower Level
- 3) Installation Complexity

Following along stage by stage will help you select equipment that best suits your performance requirements.

STAGE ONE


Street Performance & Mild Bracket Cars

Our first stage is our entry level stage intended for those looking to get more performance from their street machine that may see some track time occasionally as a mild bracket racer. In this stage, horsepower levels are stock or slightly modified. All of the equipment can be easily installed with simple hand tools. No welding is required. All of the bolt-on equipment included in Stage One is intended to strengthen the chassis, suspension, body and drivetrain. By making the car more rigid, power is transferred directly to the wheels for improved traction.

To control wheel hop on older cars with leaf or coil springs, Competition Engineering offers **Bolt-On Traction Bars**. These bars limit rear housing rotation, thereby eliminating wheel hop and improving rear wheel traction. As a step up from the traditional Traction Bar, we now offer the **Slide-A-Link™** traction device. This revolutionary, patented bolt-on piece provides you with the ultimate bolt-on traction system for leaf spring cars. For better handling and improved traction in rear coil spring equipped street cars, we offer **Tubular Rear Control Arms.** These rugged control arms are direct replacements for flimsy stock units, and serve to strengthen the suspension for quick launches and stable cornering.

The Mustang and GM A&G Body versions have three adjustment settings to suit changing track conditions. Additional components for this stage include Competition Engineering's **Solid Aluminum Body Mounts** that help eliminate chassis twist, and **Solid Motor Mounts** and **Transmission Mounts** to keep the engine from wasting torque by twisting in the chassis. For uni-body cars, **Bolt-On Subframe Connectors** create a rigid structure for direct transmission of power.

3-Way Adjustable



Solid Motor Mounts

The Chassis People

E.

<u>CHOOSING THE RIGHT EQUIPMENT</u>

STAGE TWO

Borderline Street Legal & Bracket Racing Cars


As horsepower levels start to increase, so does the need for stronger traction control. The components that make up Stage Two, along with the other stages that follow, will require skills in both welding and fabrication. Installation of this equipment will also cause street driveability to be affected. Stage Two cars may need to be trailered to the track.

An **8-point Roll Bar** and **Bolt-On Driveshaft Loop** should be among the first components added when deciding to build more horsepower and go faster. A properly installed roll bar not only offers increased protection in the event of a crash, but also adds rigidity to the chassis which results in quicker E.T.'s.

The rear suspension also needs to be reinforced in order to handle the higher torque loads produced by the engine. The installation of **Weld-In Ladder Bars** and a **Tubular Crossmember** will help control the transfer of power to the rear wheels. If you're retaining leaf springs, you'll also need a **Housing Floater** (see **page 396**) to keep the springs from working against the Ladder Bars. To provide additional suspension adjustment without going through the trouble of installing a **4-Link**, Competition Engineering offers the **Ladder Link**[™]. This popular traction device gives you more adjustability over standard Ladder Bars. Its 33-1/2" length is ideal for most applications.

More power also requires larger rear tires. To fit larger rear tires into a passenger car body, you'll need to enlarge the wheel housings and move the rear springs inboard. This can be accomplished by installing a set of our **Rear Fenderwells**, available in either steel or aluminum, and using our **Offset Spring Hangers** (see **page 422**) to relocate the leaf springs. You'll also need **Weld-In Subframe Connectors** to tie the front and rear subframes together in a uni-body car. For maximum strength on uni-body vehicles, our **Formed Rear Frame Rail Kits** provide a solid base for mounting a variety of traction components.

Additional components that make Stage Two complete include computer-designed **Trick Front Springs** for maximum front end lift and weight transfer, **Rear Drag Springs** that provide full suspension travel to take advantage of that weight transfer; **3-Way Adjustable Drag Shocks** to control suspension movement, and **Front End Travel Limiters** to prevent the front end from rising too high.




Stage Three

Pro-Street & Sportsman Class Cars

Stage Three includes all-out race cars that require fabrication skills to complete. Higher horsepower and larger tires also require that a dedicated racing suspension be installed. Installation of components included in this stage mandates that the car be "back-halved" to accept a fabricated rear frame and 4-Link rear suspension. The backbone of this stage is the 2" x 3" mandrel bent Rear Frame Rails and the 2" x 3" Dropped Crossmember.

This will give you a sturdy base in which to install our 4-Link Kit and Coil-Over Shock Mounts. In addition to this setup, an Axle Locating Device is required to keep the rear housing centered in the chassis. The installation of a 10-Point Roll Cage is mandatory to support the new back half, as well as to help protect the driver at increased speeds.



E.


The Chassis People

CHOOSING THE RIGHT EQUIPMENT

STAGE FOUR

Pro-Street & Pro-Modified Type Race Cars We have designed this final stage for the **professional racer**. Hard core components for Stage Four include our **12-Point Roll Cage** for maximum protection and chassis rigidity and our **Magnum Series 4-Link** to handle brute force horsepower levels. Our Wishbone Rear Axle Locator improves chassis stability. To locate the engine in tube chassis cars, **Aluminum Motor Plates** and **Steel Mid-Mount Plates** are computer machined for precise

fit and alignment. Fabricated Rear Axle Housings and 43" and 46" Monster Wheel Tubs are designed exclusively for Funny Car size slicks. To keep everything on a level attitude we strongly suggest our Universal 60" Wheel-E-Bars[™] or 80" Single Wheel-E-Bar[™]. Additional components include Fabricated 9" Ford Housing, Steering Column Kit and Rack and Pinion Steering Units for the front end.



pages 449-450

E.

C ompetition Engineering complete **Rear Frame Kits** with custom suspension options will save you hours of fabrication time. Each kit is individually welded on precise jigs for unmatched accuracy...getting you hooked up and winning, right out of the box!

When you choose a Competition Engineering **Rear Frame Kit** you know it's built with quality. Each and every component is manufactured with the finest American craftsmanship and materials, ensuring a perfect fit and years of dependable service.

Design your own rear clipp

Widths - Frame Kits are offered in three widths: 24", 26" and 28". Welded or Unwelded - Frame Kits are available in your choice of welded or unwelded. The unwelded option is available only on the 28" Kit. This allows the chassis builder to cut to their desired width.

Suspension Designs - Four different are available: Single Adjustable Ladder Bar, Part No. C2006; Ladder Bar Double Adjustable Part No. C2005 (page 395); Standard 4-Link and Magnum Series 4-Link (page 399). Best of all, our efficient manufacturing processes make these built-to-order **Rear Frame Kits** available at a great price!


We've expanded our line of **Rear Frame Kits** to better meet the needs of our customers. Now, each Frame Kit has its own part number to make it easier to find and order exactly what you are looking for!



Shocks Options - Available with three different shock options: *3-Way Adjustable Drag Shocks* (pages 414-418), *Magnum Series Rear Coil Over Shocks* (page 418).

Spring Rate Options - Seven different spring rates are offered: 85, 100, 125, 150, and 200 lb., plus Progressive Rate Springs are available.

E




- Ladder Bar Frame Rails Specially engineered profile clears suspension and axle components, while accommodating low ride height and wide tires.
- 2" x 3" Crossmember Mandrel formed for uniform profile;
 3.5" drop center makes it adaptable to virtually any chassis design; 60" wide.
- 3. *Diagonal Link* 3/4" O.D. DOM steel with 1/2" Spherical Rod Ends for easy, in-chassis adjustment.
- **4.** *Driveshaft Loop* 1-¹/₈" 0.D. mandrel formed Round Tube contains driveshaft during U-joint failure.
- 5. *Shock Crossmember* Tubular design provides high strength with light weight.
- Upper & Lower Shock Mounts Provides 6" of ride height adjustment.

- 7. Available With 3-Way Adjustable Shocks or Coil-Over Shocks - Single, externally adjustable Coil-Over Shocks with CNC machined billet aluminum body and 1" wide top/bottom bearings or economical 3-Way Adjustable Shocks with Spring Kit.
- 8. Available With Competition Single Adjustable or Double Adjustable Ladder Bars. (see page 395)
- **9.** *Springs* Matched to your specific rear vehicle weight. 2.5" I.D. x 12" long, premium-grade chrome silicone steel, powder coated for durability. Progressive Ladder Bar Rate Springs available.

The Chassis People

2 – LINK REAR FRAME KITS



EAGH 4-LINK REAR FRAME KIT INGLUDES:

- 4-Link Frame Rails Specially engineered profile clears suspension and axle components while accommodating low ride height and wide tires; Rugged 2" x 3" construction makes them strong without adding unnecessary weight.
- 2. 2"x 3" Crossmember Mandrel formed for uniform profile;
 3.5" drop center makes it adaptable virtually any chassis design; 60" wide.
- **3.** *Diagonal Link* ³/₄" 0.D. DOM steel with ¹/₂" Spherical Rod Ends for easy, on-chassis adjustment.
- **4.** *Driveshaft Loop* 1-1/8" O.D. mandrel formed Round Tube contains driveshaft during U-joint failure.
- 5. *Shock Crossmember* Tubular design provides high strength with light weight.

- Upper & Lower Shock Mounts Provides 6" of ride height adjustment.
- Available With 3-Way Adjustable Shocks or Coil-Over Shocks – Single, externally adjustable Coil-Over Shocks with CNC machined billet aluminum body and 1" wide top/bottom bearings or economical 3-Way Adjustable Shocks with Spring Kit.
- 8. Available With Standard or "Magnum" Series 4-Link Kits Rod Ends included. (see page 410)
- Springs Matched to your specific rear vehicle weight.
 2.5" I.D. x 12" long, premium-grade chrome silicone steel, powder coated for durability. Progressive Rate Springs are also available.



REAR FRAME KITS

LADDER BAR FRAME KITS

						PROGRESSIVE RATE SPRING		
SPRING RATE	85 LB	100 LB	125 LB	150 LB	200 LB	1,900 LBS TO	2,901 LBS TO	
24" WIDTH						2,900 LBS	3,900 LBS	
12 WAY ADJ. COIL-OVER SHOCK	C0411↔	C0412↔	C0413↔	C04140	C04150	C04160	C04170	
3 WAY ADJ. SHOCK	C0421↔	C0422 ↔	C0423 ↔	C0424 \$	C0425↔	C0426↔	C0427 ↔	
26" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	C0611↔	C0612 ↔	C0613 ↔	C0614↔	C0615↔	C06160	C0617↔	
3 WAY ADJ. SHOCK	C0621↔	C0622 ↔	C0623 ↔	C0624 ↔	C0625↔	C06260	C0627 ↔	
28" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	C08110	C0812 ↔	C0813 ↔	C08140	C08150	C08160	C0817 ↔	
3 WAY ADJ. SHOCK	C0821↔	C0822 ↔	C0823 ↔	C0824 ↔	C0825↔	C0826↔	C0827 ↔	
	LADE	DER LI	NK FF	RAME	KITS			
24" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	C2422 ↔	C2423 ↔	C2425 ↔	C2426 ↔	C2427↔	C2428↔	C2436↔	
3 WAY ADJ. SHOCK	C2429 ↔	C2430 ↔	C2431 0	C2432 ↔	C2433 0	C24340	C2437↔	
26" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	C2611↔	C2612↔	C2613↔	C2614 0	C26170	C2618↔	C2619↔	
3 WAY ADJ. SHOCK	C2621 0	C2622 ↔	C2623 ↔	C2624 ↔	C2625 ↔	C26260	C2627↔	
28" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	C2811↔	C2812↔	C2813↔	C2814∘	C28150	C28160	C2817↔	
3 WAY ADJ. SHOCK	C2821↔	C2822 ↔	C2823 ↔	C2824 ↔	C28260	C28270	C2828↔	
	4	-LINK	FRAM	E KIT	S			
24" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK			C1413↔			C1416o	C1417º	
3 WAY ADJ. SHOCK	C1421↔	C1422↔	C1423↔	C1424↔	C14250	C14260	C1427↔	
26" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK			C1613↔			C16160	C16170	
3 WAY ADJ. SHOCK	C16210	C16220	C1623↔	C16240	C16250	C16260	C1627↔	
28" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK					C18150		C18170	
3 WAY ADJ. SHOCK					C1825↔		C18270	
MAGNUM SER	IES 4	LINK	FRAM	E KIT	'S - (1/4")	BRACKET WITH 5/8"	HOLES)	
24" WIDTH								
12 WAY ADJ. COIL-OVER SHOCK	04404		01400	C1/2/4	C1435↔	C1/260	C14670	
3 WAY ADJ. SHOCK					C1441↔		C14680	
3 WAY ADJ. SHOCK 26" WIDTH	C1437↔	C1438∘	C1439↔	C1440 ↔	C1441ø	C1442 ↔	C1468↔	
3 WAY ADJ. SHOCK 26" WIDTH 12 WAY ADJ. COIL-OVER SHOCK	C14370 C14430	C14380 C14440	C14390 C14450	C1440° C1446°	C1441• C1447•	C1442.0 C1448.0	C1468↔ C1469↔	
3 WAY ADJ. SHOCK 26" WIDTH 12 WAY ADJ. COIL-OVER SHOCK 3 WAY ADJ. SHOCK	C14370 C14430	C14380 C14440	C14390 C14450	C1440° C1446°	C1441ø	C1442.0 C1448.0	C1468↔	
3 WAY ADJ. SHOCK 26" WIDTH 12 WAY ADJ. COIL-OVER SHOCK	C14370 C14430 C14490	C1438• C1444• C1450•	C1439• C1445• C1451•	C1440• C1446• C1452•	C1441• C1447• C1453•	C14420 C14480 C14540	C1468• C1469• C1470•	
3 WAY ADJ. SHOCK 26" WIDTH 12 WAY ADJ. COIL-OVER SHOCK 3 WAY ADJ. SHOCK	C1437•) C1443• C1449•) C1455•	C1438• C1444• C1450• C1456•	C1439• C1445• C1451• C1457•	C1440• C1446• C1452• C1458•	C1441• C1447•	C1442• C1448• C1454• C1450•	C1468↔ C1469↔	

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm**E**

FORMED REAR FRAME RAIL KITS

- Replaces the stock rear rails in subframe equipped cars
- Engineered to move the leaf springs and frame rails inboard to provide additional tire clearance
- · Designed to fit stock floor contours with minor fabrication
- Requires use of a fuel cell, Rear Fenderwells and an Upper Shock Crossmember (see Available Options)
- Eliminates stock sheet metal rear frame rails
- Increases chassis strength for quicker vehicle reaction times
 Manufactured from mandrel formed 2" x 3" x .083" wall mild
- Two rails and tube sleeves

PART # DESCRIPTION

- **C3031** Formed Rear Frame Rail Kits, 1967-'69 Camaro, Firebird
- **C3032** Formed Rear Frame Rail Kits, 1970-'81 Camaro, Firebird
- C3034 Formed Rear Frame Rail Kits, 1962-'67 Chevy II, Exc. Wagon
- C3035 Formed Rear Frame Rail Kits, 1968-'76 Nova, Ventura II



PART #AVAILABLE OPTIONSC3002-C3011Rear FenderwellsC3012-C3048Weld-In Subframe ConnectorsC2046Upper Shock CrossmemberC2047Lower Shock Mount

UNIVERSAL FRAME RAILS KITS

- Available for both 4-Link and Ladder Bar suspensions
- Narrows the rear chassis to accept extra-wide racing tires
- Universal design for any car Pro Street to Drag Race
- Manufactured from mandrel formed 2" x 3" x .083" rectangular steel
- Use with **No. C3061** 2" x 3" crossmember for a solid mounting point for our suspension components
- Two rails and hardware per kit

PART # DESCRIPTION

C3060*	4-Link Frame Rails, Universal
C3062*	Ladder Bar Frame Rails, Universal

PART # AVAILABLE OPTIONS

- C3061 Universal Dropped Crossmember
- C3421 Magnum Series 4-Link Bracket
- C3408 Standard 4-Link Bracket
- C3411 Ladder Bar Bracket



NOTE: Installation of this product requires stock rear floor pan be substantially modified or removed. The addition of a full roll cage is also required for proper installation.

CROSSMEMBER KIT

Ladder Bar

- Convenient kit includes components needed to install a Ladder Bar Crossmember on a Pro Street or Drag Race car
- Kit includes: 2" x 3" x .083", 60" long Dropped Crossmember, four Ladder Bar Crossmember Brackets and all hardware
- 60" length and full 3.5" drop-center profile makes this sturdy,mandrel bent Crossmember an ideal front attachment point on virtually any chassis design
- The ladder bar mounting holes are stamped on a 33" radius to allow quicker adjustments when used with Competition Engineering's Ladder Bars

PART #DESCRIPTIONC3059Crossmember Kit - Ladder Bar



E

2" X 3" DROPPED CROSSMEMBER

Makes fabricating a rear frame on a Pro Street or Drag Race car easier and more professional

- Sturdy 2" x 3" x .083" steel is mandrel formed on computer-controlled equipment, providing uniform wall thickness and exact profile dimensions
- 60" length and full 3.5" drop-center profile makes this crossmember an ideal front attachment point on virtually any chassis design
- Use with Competition Engineering's Formed Rear Frame Rails Nos. C3060, C3062 or any other suitable frame rail kit

DESCRIPTION PART

C3061 Dropped Crossmember, 2" X 3"

No. C3061

AVAILABLE OPTIONS PART # 03060 Universal A-Link Frame Bails

Universal 4-Link Frame Rails
Universal Ladder Bar Frame Rails
Ladder Bar Brackets

LADDER BAR CROSSMEMBER

- Designed to provide a sturdy mounting point for the front Ladder Bar rod end
- Manufactured from 1-3/4" x .134" wall mandrel formed steel tubing
- Capable of withstanding the abuse of a racing suspension while adding strength to the chassis
- 54" wide bar serves double duty as both a locating device for the Ladder Bars as well as a rear driveshaft loop
- Kit includes 3/16" stamped steel brackets with 360° thru-mounting holes for increased strength
- Mounting holes stamped on a 33" radius to allow guicker settings without added adjustments
- Includes mounting hardware
- Welding required

PART # DESCRIPTION



PART #	AVAILABLE OPTIONS
C2005	Ladder Link™
C2006	Competition Ladder Bar

PART #	REPLACEMENT PARTS
C3418	Ladder Bar Brackets

FLOOR PAN BRACE

Easy To Install Bolt-On Design Uses Existing Mounting Points Fits: Camaro 2010-'15

- Even though 2010-'15 Camaros have a stiffer chassis than earlier models, they still suffer from flexibility; which affects acceleration, handling, long term rattles and traction
- Fortify your Camaro 2010-'15 chassis with this Brace, which replaces the factory stamped, steel piece to stiffen the floor pan and drive shaft tunnel area
- Durable, gloss black powder-coat finish

PART # DESCRIPTION

C3065 Floor Pan Brace, Bolt-on Design, 1-1/2" x 2-1/2" x .120 wall rectangular tubing



393

FRAME CONNECTORS



FRAME CONNECTORS

Bolt-On & Weld-In

- Eliminates bending,flexing and cracking of spot-welded sheet metal panels in unibody cars
- Ties the front and rear frames together creating a solid platform for increased performance levels
- Legal for all classes of Drag Racing
- Bolt On Frame Connectors available in black powder coat finish
- Weld-in frame connectors available in Raw Steel



connectors and weld them in

for added strength.

APPLICATION	ATTACH. Method	PART NUMBER	STEEL TUBE DIMENSIONS	STOCK FLOOR PAN MODIFICATION REQUIRED	INSTALLATION NOTES		
Camaro, Firebir	Camaro, Firebird						
1967-1969	Weld-In	C3012	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails		
1967-1969	Bolt-On	C3112	2" x 1-1/2" x .083" wall	Yes			
1970-1981	Weld-In	C3013	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails		
1970-1975	Bolt-On	C3113	2" x 1-1/2" x .083" wall	Yes			
1976-1981	Bolt-On	C3114	2" x 1-1/2" x .083" wall	No			
1982-1992	Weld-In	C3046	2" x 2" x .083" wall	Yes	Without Ladder Bar Crossmember		
1982-1992	Bolt-On	C3111	2" x 1-1/2" x .120" wall	No	Factory exhaust/catalytic converter can't be used		
1982-1992	Bolt-On	C3120	2" x 1-1/2" x .083" wall	No	Fits factory exhaust/catalytic converter		
1993-2002	Bolt-On	C3108	2" x 1-1/2" x .083" wall	No	Fits factory exhaust/catalytic converter		
Chevy II/Nova							
1962-1967	Bolt-On	C3118	2" x 1-1/2" x .083" wall	No			
Nova, Omega, V	entura, Apo	llo					
1968-1979	Weld-In	C3016	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails		
1968-1979	Bolt-On	C3116	2" x 1-1/2" x .083" wall	No			
Mustang							
1964-1973	Weld-In	C3040	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails		
1964-1970	Bolt-On	C3140	2" x 1-1/2" x .083" wall	No	_		
1979-1993	Weld-In	C3048	2" x 2" x .083" wall	No	_		
1979-1993	Bolt-On	C3141	2" x 1-1/2" x .083" wall	No	_		
2005-2014	Bolt-On	C3142	2"x 1-1/2" x .083" wall	No	_		
Chrysler "B" Bo	dy				Our Weld-In Subframe		
1966-1974	Weld-In	C3047	2" x 2" x .083" wall	Yes	- Connectors require the		
1966-1974	Bolt-On	C3117	2" x 1-1/2" x .083" wall	No	floor pan in most cars		
Duster, Demon ((108" Whee	l Base Only)			to be channeled and		
1970-1976	Bolt-On	C3115	2" x 1-1/2" x .083" wall	No	the floor to be welded to the		
Barracuda					side of the connector. Installing		
1967-1969	Bolt-On	C3115	2" x 1-1/2" x .083" wall	No	 subframe connectors this way utilizes the shear strength of 		
1970-1974	Weld-In	C3043	2" x 2" x .083" wall	Yes	the floor pan, resisting loads		
Challenger					in all directions. If you don't		
1970-1974	Weld-In	C3043	2" x 2" x .083" wall	Yes	_ wish to cut the floor pan, you can use our bolt-on subframe		

E

LADDER BARS & ACCESSORIES

LADDER LINKTM DOUBLE ADJUSTABLE LADDER BARTM

Competition Engineering's Ladder Link[™] Double Adjustable Ladder Bar[™] is designed so that the user can adjust preload and pinion angle without removal of Part No. C2005. This is accomplished by adjusting the front rod end and/or rear rod ends of the Ladder Bar itself. Includes two unique one-piece brackets which get welded to the rear end housing, cutting down on installation time and errors.

Comes with two Ladder Bars, NHRA Approved Safety Brackets

Adjuster allows quick on-vehicle preload adjustments for

• Contains two one piece 3/16" steel mounting brackets make

• 1" dia. x .156" wall DOM steel tube construction

• Rod ends, Front - Chrome Moly Spherical,



No. C2005



	Double Adjustable Ladder Bar		
PART #	RELATED COMPONENTS	PART #	REPLACEMENT PARTS
C2019	Ladder Bar Crossmember	C6011	Front Rod Ends
C2030	Floating Housing Mount	C6156	Rear Rod Ends-Right Hand Thread
C6152	Polyurethane Rod End	C6157	Rear Rod Ends-Left Hand Thread

SINGLE ADJUSTABLE LADDER BAR

Competition Ladder Bar provides solid connection between rear axle housing and chassis, preventing rear suspension damage from wheel hop

- 33-1/2" overall length
- Contains two, one piece, 3/16" steel mounting brackets
- 1" dia. x .156" wall DOM steel tube construction
- Forged steel rear rod ends
- Welding required

and hardware

installation easier • 33 1/2" overall length

Welding required

PART # C2005

Black powder coat finish

Rear – Fully Machined Solid

• For use with 3" 0.D. Axle Tubes DESCRIPTION

Ladder Link[™]

changing track conditions

- Rod end safety brackets installed
- Mounting bracket gussets included
- High quality alloy spherical front rod ends
- Black powder coat finish
- For use with 3" 0.D. Axle Tubes

PART # DESCRIPTION

C2006 Competition Ladder Bar

PART # **AVAILABLE OPTIONS**

Ladder Bar Crossmember C2019 C2030 Floating Housing Mount C6152 Polyurethane Rod End

PART # REPLACEMENT PARTS

C6011 Front Rod Ends

- C6156 Rear Rod Ends - Right hand thread
- C6157 Rear Rod Ends - Left hand thread



No. C2006



*NOTE: Competition Engineering's Ladder Bars are legal for all sanctioning bodies and include the mandatory front rod end safety brace at no additional charge. Additional gusseting material is also included in the kit to allow the rear brackets to be boxed for added strength.

GOOD



LADDER BARS & ACCESSORIES

FLOATING HOUSING MOUNT

Bolt-On

- Eliminates the bind that occurs when Ladder Bars are installed on leaf spring equipped cars
- The Ladder Bars travel in one arc while the leaf springs travel in a separate, opposing arc
- Isolates the leaf springs from Ladder Bar system making it work properly without unwanted bind
- For use with 3" 0.D. Axle Tubes


PART # DESCRIPTION


C2030 Floating Housing Mount, Bolt-On


INSTALLATION IMAGES





No. C2030














LADDER BARS

C ompetition Engineering offers a variety of bolt-on traction devices to meet the needs of both the street enthusiast and the entry level racer. Bolt-on traction devices allow you to handle moderate levels of horsepower without having to weld and fabricate.

Unlike some other brands, our "bolt-on" components fit perfectly for a hassle-free installation. Each part is custom designed for the specific application. Instead of rushing to production, we spend a great deal of engineering time on each product, hand-fitting prototype parts on test cars to ensure proper fit and alignment.

In addition, our bolt-on products are manufactured on sophisticated computer controlled equipment to ensure that all parts are made to extremely close tolerances. The result is a bolt-on traction device that fits perfectly out of the box. This eliminates the additional fabrication and struggling often required when installing so-called "bolt-on" products offered by others.

COMPETITION LEAF SPRING TRACTION BARS

Fits: 1967-69 Camaro, Firebird; 1962-79 Chevy II, Nova; 1973-76 Buick Apollo; 1973-79 Olds Omega; 1971-79 Pontiac Ventura II

- Designed especially for Stock Eliminator and Bracket Race Cars with leaf springs
- · Eliminates wheel hop and improves traction by directing force downward where the tire meets the pavement
- Sturdy 2.5" x 1.5" x .120" wall steel tubing handles horsepower levels up to 450 hp
- · Fixture welded to ensure a perfect fit for each application
- Bar length designed so that snubber locates under spring eye for maximum traction
- · Complete installation hardware included, nothing else to buy
- 1/2" J-Bolts included in kits where required, 1/2" U-Bolts supplied to replace stock hardware
- · Square U-Bolt bracket on front designed to keep from rotating downward during hard braking
- Available in black powder coat or triple process chrome finishes
- · Legal in all sanctioning bodies

PART # DESCRIPTION

- **C2101** Competition Leaf Spring Bars, Black Powder-Coated. *Fits:* 1967-'69 Camaro, Firebird; 1962-'79 Chevy II, Nova; 1973-'76 Buick Apollo; 1973-'79 Olds Omega; 1971-'79 Pontiac Ventura II
- C2201. Competition Leaf Spring Bars, Chrome. *Fits:* 1967-'69 Camaro, Firebird; 1962-'79 Chevy II, Nova; 1973-'76 Buick Apollo; 1973-'79 Olds Omega; 1971-'79 Pontiac Ventura II
- C2103 Competition Leaf Spring Bars, Black Powder-Coated *Fits:* 1970-'81 Camaro, Firebird
- C2109* Competition Leaf Spring Bars, Black Powder-Coated *Fits: 1965-'73 Mustang*
- PART # AVAILABLE OPTION
- C7025 Two Degree Wedge Plates

*NOTE: U-bolts instead of J-bolts

BOLT-ON TRACTION DEVICES

COMPETITION COIL SPRING TRACTION BARS

This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-

Effectively eliminates wheel hop and associated parts breakage

- Designed to provide a high performance alternative to stock factory 4-link suspensions
- Rugged 2" x 2" x .120" wall steel tubing construction withstands power levels found in racing and eliminates flex found in other bars
- Computer-controlled stamping and mandrel-formed brackets ensure a perfect fit
- Adjustable threaded link design allows for fine tuning and infinite adjustability
- Includes all hardware and brackets necessary to complete the installation

PART # DESCRIPTION

C2111[↔] Competition Coil Spring Traction Bars, Black Powder-Coated *Fits:* 1968-'77 *GM Intermediate: Chevelle, GTO, Cutlass, 442, Skylark, Gran Sport,* 1970 Tempest, LeMans, etc.,

PART #	AVAILABLE	OPTION
--------	-----------	--------

C7025 Two Degree Wedge Plates	
-------------------------------	--

- PART # REPLACEMENT PART
- C7024 Rubber Bumpers. 2" diameter base. Two/card



PART # REPLACEMENT PARTS

C7024 Rubber Bumpers. 2" diameter base. Two/card
C7030 U-bolts, 3" Radius w/ washers & lock nuts. Two/card
C7031 U-bolts, Square w/ washers & lock nuts. Two/card
C7032 J-bolt Kit. Incl. 2-1/2" J-bolts w/ all necessary standard lock nuts & washers. Two/card

No. C220



No. C2111

• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

E

BOLT-ON TRACTION DEVICES



SLIDE-A-LINK™

- Patented (No. 6,386, 565) design for both street and strip' outperforms conventional "Slapper" bars
- Solid mounted front plate installed inside original front spring pocket and clamps to the leaf spring
- Provides a positive displacement for the torque from the rear axle through telescoping bar and special durometer shock pad
- Includes replacement lower axle mount pads, 1/2" U-bolts, aluminum front spring eye bushings, hardware and instructions
- Offers the adjustability of a 4-link, allowing you to tune for better 60-foot time
- Unlike rigid bars, adjustable link makes on-car pinion angle and preload changes quick and easy
- · Mounts to factory locations with no welding required
- · Special durometer polyurethane bushing stores energy for more consistent E.T.'s
- Sold in pairs

PART # DESCRIPTION

C2093 Slide-A-Link™. *Fits:* 1967-'71 Chrysler B-Body
 C2096 Slide-A-Link™. *Fits:* 1970-'81 Camaro, Firebird
 C2100 Slide-A-Link™.

Fits: 1967-'69 Camaro, Firebird, 1968-'79 Nova
Slide-A-Link™.
Fits: 1962-'67 Chevy II w/ monoleaf rear springs
Slide-A-Link™. Fits: 1964-'76 Dodge Duster,
Demon, Scamp & Valiant

PART # DESCRIPTION

- C2090 Slide-A-Link[™]. *Fits:* 1982-'00 Cheverolet S-10, GMC Sonoma Pickup Truck
 C2094 Slide-A-Link[™]. *Fits:* 1964-'83 AMC, 1965-73
- Ford Mustang,1968-'74 Javelin **C2097** Slide-A-Link[™]. *Fits:* 1982-'00 Chevrolet S10/ S15 Lowered

SLIDE-A-LINK™ WRENCHES

- Two wrenches of correct size to fit Competition Engineering Slide-A-Link[™] adjustment nuts
- Can fit under vehicle for easy adjustments in staging lanes
- Manufactured from billet aluminum with large grip handle
- Black anodized for corrosion resistance

PART # DESCRIPTION

C2199 Slide-A-Link[™] Wrenches



SLIDE-A-LINKTM REPLACEMENT BUSHING

For Use With Slide-A-Link[™] Traction Devices

- Sturdy Polyurethane
- Two per package

PART # DESCRIPTION

C9700 Bushing, Replacement for Slide-A-Link™



E

TRACTION DEVICES

398



STANDARD SERIES 4-LINK KIT

Offers enhanced adjustability over a ladder bar suspension for increased performance

By locating the bars with the various mounting holes in the brackets, you can create an instant center that is correct for your application.

Kit Includes:

- 17-1/4" long, 1" dia. x .156" direct threaded links
- Adjusting nuts for quick tuning
- 3/16" thick mounting brackets stamped from cold rolled steel
- Includes 4 left and 4 right hand chrome moly spherical rod ends
- ¾" Grade 8, Fasteners and Jam Nuts Included
- Includes complete hardware and instructions
- Welding required
- For 3" Axle Tubes
- · Sold in pairs

PART # DESCRIPTION

C2017 Standard Series 4-Link Kit

PART # AVAILABLE OPTIONS

C3408 4-Link Chassis Bracket

C2052 Diagonal Link





BET

MAGNUM SERIES 4-LINK KIT

Designed for ultra-high horsepowered race cars

Includes ¼" thick housing & frame brackets (most competitors kits have $\frac{3}{16}$ " brackets) with $\frac{5}{6}$ " mounting holes on a 21" radius, with mounting holes for Wheel-E-BarsTM, sway bar and shock mounting as well as $1-\frac{1}{4}$ " holes for additional tube gusseting. We use $1-\frac{1}{4}$ " 0.D. x .095" wall top tube and a $1-\frac{3}{6}$ " 0.D. x .095" wall bottom tube to handle the shock loads without flexing.

Kit Includes:

- All hardware and mounting instructions to ensure an effortless installation
- 1/4" thick Axle Bracket w/ integral shock mounting holes saves fabrication time by eliminating separate shock brackets
- Heavy Duty chrome moly steel link tubes and threaded tube inserts for added strength
- 21" mounting radius
- Computer machined threaded tube ends
- 1-1/4" holes provided in brackets for additional gusseting
- For 3" Axle Tubes
- Includes 4 left & 4 right-hand chrome moly spherical rod ends
- Welding required
- Sold in pairs

PART # DESCRIPTION

C2028 Magnum Series 4-Link Kit

PART # AVAILABLE OPTIONS

- C3421 Magnum Series Front Bracket
- C2031 Magnum Series Diagonal Link
- C2024 Magnum Series Wishbone

ULTRA MAGNUM 4-LINK KIT

Design offers additional adjustment over standard or traditional style 4-Link Kits for ultra-high horsepower race cars

This innovative Ultra-Magnum 4-Link Suspension Kit provides increased adjustability by incorporating a system of multi-hole brackets that weld to the chassis and bolt-on chassis brackets. Substantial gains in chassis tuning can be obtained with this Ultra Magnum 4-Link Kit.

Kit Includes:

- $\frac{3}{4}$ " x $\frac{1}{2}$ " Chrome Moly rod ends
- 4130 Chrome Moly tubes (.095" wall thickness)
- 1/2" NAS quality, flare head bolts & nuts
- Housing brackets with integral anti-roll bar mounts (1/4" plate)
- For 3" Axle Tubes
- Sold in pairs



PART # DESCRIPTION C2029 Ultra Magnum 4-Link Kit

REAR AXLE COMPONENTS

11 25"

FABRICATED REAR AXLE HOUSINGS

- Triangulated design offers increased strength over three piece stock housings
- CAD designed and CNC manufactured in-house
- Offered in 4130 Chrome Moly or Mild Steel
- Exterior welds ground smooth to eliminate stress risers
- 1/4" face plate for added strength
- Face plates accepts 3/8" press-in studs
- Includes drain plug and filler plug
- Carrier Stud Kit No. C9006 available separately

PART # DESCRIPTION

C9100 Full bodied car with cut-to length 3" dia. axle tubes, Chrome Moly, 60.75" overall length (Mild Steel tubes)

C9200 Full bodied car with cut-to length 3" dia. axle tubes, Mild Steel, 60.75" overall length

DRAGSTER REAR AXLE HOUSINGS

- Stronger .125" thick sheet metal shell is more accurately produced than any other rear end housings on the market
- Designed with overlapping joints that provide two weld seams to greatly improve strength compared to butt-welded housing shells
- Housing comes in standard 26.00" flange to flange width
- Withstands advanced E.T. applications: internal bulkheads stiffen the shell to the face plates preventing movement and adding strength around the housing mounting brackets
- ³/₈" thick face plate is CNC machined after the housing is welded to ensure proper axle alignment to center section
- Includes a –6 AN drain plug, $1\!\!\!/ \!\!/''$ NPT fitting for a vent, and an aluminum o-ring filler cap
- · All housings have machined symmetrical housing ends
- Carrier Stud Kit No. C9006 available separately

PART # DESCRIPTION

C9004 Dragster Housing, Drag, Mild Steel

PART # REPLACEMENT PARTS

C9085 Rear End Cap, Black Anodized with Logo

9" FORD AXLE HOUSING BRACES

Fits: 9" Ford Heavy-Duty Housings and Competition Engineering Fabricated Housings

9" Ford rear axles are very popular in drag racing because of their light weight and the ability to change gears easily. The only disadvantage to this design is the tendency to flex and bow under hard acceleration. As the pinion rotates, it tries to climb the ring gear. This force tends to flex the rear housing out of shape. To combat this flex, Competition Engineering has designed the 9" Ford Axle Housing Brace. This two piece brace welds directly to the rear housing, triangulating the main housing with the axle tubes to eliminate any flex. By eliminating the flex, you increase the amount of power applied to the tires and improve your ET's as well.

- Eliminates housing flex
- Two piece design makes it easier to install
- · CAD designed, CNC manufactured
- · Contoured to fit for easier welding
- Made from 1/8" material
- Welding required

PART # DESCRIPTION

C3405 9" Ford Axle Housing Brace, Mild Steel

C9105 Competition Engineering Fabricated Housing Brace, Fits CE No. C9100 Chrome Moly

C9205 Competition Engineering Fabricated Housing Brace, Fits **CE No. C9200** Mild Steel







Front View

flex, your

No. C9105

REAR AXLE

No. C9100 (Chrome Moly)

No. C9200

(Mild Steel)

REAR AXLE SPRING PERCHES

When installing a spring perch in a leaf spring car or moving the leaf springs inboard, these Moroso Axle Spring Perches are a necessity.

- Precision stamped for easy weld-on installation
- Fits Ford 9", Dana 60 and other 3" diameter axle housings
- Two per package
- PART # DESCRIPTION
- 85090 Rear Axle Spring Perches



[[[]]]

FORGED AXLE HOUSING, HEAVY DUTY

Whether narrowing a rear axle housing for bigger tires or just building a new housing for your race or street car, you will need housing ends to complete the project. You could re-use the old housing ends but most of the time they are either too rusty or damaged from the removal process.

Axle Housing Ends feature:

- Extra thick flange
- For 3" Axle Tubes
- Sold in pairs
- Welding required
- Forged
- Fully CNC machined


PART # DESCRIPTION

- **C9505** Axle Housing Ends, Big Ford w/ .515 dia. bolt holes, Nominal 3.15" Bearing Bore
- **C9510** Axle Housing Ends, Dana 60 Mopar 8-¾", ¾" -24 Threaded, Nominal 2.875" Bearing Bore

NOTE: For use with aftermarket axles and bearings.



No. C9507



No. C9510

No. C9505

E

REAR AXLE COMPONENTS

REAR END FILL CAP KIT

- Comes with steel weld bung and O-ring
- Manufactured from 6061-T6 Aluminum, with contoured grip
- Universal kit can be used on rear end housings and steel tanks to replenish fluids

PART # DESCRIPTION

C9085 Rear End Fill Cap Kit, Black Anodized, 1-3/8" -12UNF Threads, 2.6" OD



No. C9085

AXLE BEARING CONVERSION KIT

Fits: Dana 60 and Chrysler 8-3/4"

- Converts original tapered roller axle bearings to precision ball bearings
- · Improves reliability and eliminates the stock load adjuster
- Includes retaining ring and gasket
- One per package

PART # DESCRIPTION

C8008 Axle Bearing Conversion Kit

CARRIER STUD KIT FOR REAR AXLE HOUSINGS

- Designed for our Rear Axle Housings (pg. 400), similar sheet metal housings, or stock-style Ford 9" housings
- Heat treated, Grade 8 steel studs provide solid mounting points for the center section differential
- Manufactured with splined ends, the press-in studs are pulled through from inside the housing
- Includes nuts and copper sealing washers far superior than steel to prevent seepage and leakage
- Packaged in sets of 10 studs, nuts, and washers

0000 00 O

No. C8008

DESCRIPTION PART #

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harm-

C9006↔ Carrier Stud Kit

REAR AXLE HOUSING VENT

- Reduces internal housing pressure while preventing dirt from entering housing
- Superior quality vent features 1/8" NPT Nickel Plated Steel threads and sintered bronze element for years of dependable service
- Protected low-profile element is recessed, preventing it from being knocked out like stock plastic designs
- Can be used as a replacement for stock vents or adapted to any rear axle housing; ideal for use on narrowed or fabricated housings

PART # DESCRIPTION

C3406o Rear Axle Housing Vent



Rear End Fill Cap on

Moroso page 371

2 DEGREE WEDGE PLATES

 Used to adjust pinion angle or change traction bar angle on leaf spring equipped cars and trucks

- Allows pinion angle change in 2° increments
- Made from 6063-T5 aluminum, they won't crack like cast zinc
- Interlocking ribs allow plates to be stacked without sliding and eliminate unwanted pinion angle change
- Two per package

PART # DESCRIPTION°

C7025 2º Wedge Plates



No. C3406

No. C7025



E

No. C9006

E.

REAR AXLE LOCATING & COMPONENTS

No. C2024 No. C2035

WISHBONE REAR AXLE HOUSING LOCATORS

Eliminates sway in Ladder Bar and 4-Link suspension systems

- Positively locates rear axle housing for super straight launches without binding
- Offered in two different styles: Mild Steel (No. C2035) or Magnum Series Chrome Moly (No. C2024)
- Mild Steel version manufactured from 1" 0.D. x .156" wall DOM steel tubing with $\frac{3}{4}$ " forged solid steel rod ends
- Magnum Series version has overall mounting width of 25" and an overall length of 31-7/16" making it perfect for most Sportsman and Pro Street applications
- Designed with the pro chassis builder in mind, Magnum Series Kit coordinates with our **No. C2028** Magnum Series 4-Link
- Magnum Series features chrome moly tubing, precision machined 4130 tube inserts, 5%" bolt mounting brackets and a centerless ground sliding link with machined wrench flats to ensure a precise fit
- Magnum Kit also includes a high strength ³/₄" spherical rod end for the front pivot and high mis-alignment rod ends for the side pivots. The sliding link is black oxide plated to eliminate corrosion and binding.
- Universal design offers you the ability to tailor the overall width and length for your specific application
- Kits include all hardware and all bracketry to complete installation
- Welding required for all kits

PART # DESCRIPTION

C2024 Wishbone Rear Axle Housing Locator Kit, Unwelded, Magnum Series, Chrome Moly, %" hole (use No. C3423 for ¾" mounting)
 C2035 Wishbone Rear Axle Housing Locator Kit, Unwelded, Universal, ¾" hole

DIAGONAL LINKS

Eliminates side-to-side housing movement

- Superior to the Panhard Bar for eliminating sway in Ladder Bar and 4-Link suspensions
- Are available in 4 different versions:
 - Bolt-On Diagonal Link, Part **No. C2045** is constructed from 3/4" x .156" wall, 36.5" overall length, mild steel tubing with 1/2" hole mounting brackets
 - Bolt-On Diagonal Link, Part **No. C2052** is constructed from 3/4" x .156" wall, 36.5" overall length, mild steel tubing with 3/4" hole mounting brackets
 - Weld-On Diagonal Link, Part **No. C2031** is constructed from 1" x .065" wall 36" overall length, chrome-moly tubing with weld-in tube adapters and %" hole mounting brackets
 - Weld-On Diagonal Link, Part **No. C2053** is constructed from 1" x .065" wall 36" overall length, chrome-moly tubing with weld-in tube adapters and ½" hole mounting brackets
- Length can be shortened to accommodate a narrow chassis
- Left and right hand rod ends allow for on-car adjustments
- Kits include all rod ends and mounting hardware

PART # DESCRIPTION

- $\textbf{C2031} \qquad \text{Diagonal link, for $\%$ " rod ends, weld-on}$
- $\textbf{C2045} \qquad \text{Diagonal link, for $1\!/2" rod ends, bolt-on. Works with current style \textbf{C2005 & C2006}}$
- C2052 Diagonal link, for ¾" rod ends, bolt-on
- $\textbf{C2053} \qquad \text{Diagonal link, for $1\!\!/2"$ rod ends, weld-on. Works with current style $\textbf{C2005 \& C2006}$}$

PART # REPLACEMENT PARTS

- $\textbf{C3422} \qquad \texttt{\%"} \text{ Clevis Bracket for } \textbf{No. C2031}$
- C3423 ¾" Clevis Bracket for No. C2052
- **C3431** 1/2" Clevis Bracket for **No. C2045, No. C2053**



403



PANHARD BAR KIT

- Eliminates side-to-side housing movement of the rear axle housing within chassis
- Keeps your tires from rubbing the wheel openings, making sure you get down the track in a straight line
- Perfect for street driven vehicles
- Includes gusseted mounting brackets and spherical rod ends
- 30" tube length can be trimmed to fit
- Hardware and instructions included to ensure a trouble-free installation
- Welding required

PART #	DESCRIPTION
C2037	Panhard Bar Kit
PART #	AVAILABLE OPTIONS
C2017	4-Link
C2006	Ladder Bar



PANHARD BAR, STREET/STRIP

Fits: Mustang, 2005 - '14

- Bolt-in Panhard Bar perfect for Street/Strip vehicles
- Constructed from tubular steel for light weight and strength
- · Polyurethane ends provide less deflection than stock rubber bushings
- Black powder coat finish for long-lasting looks





No. C2137

PANHARD BAR FRAME BRACE

Fits: Mustang, 2005 - '14

- Much stiffer than stock stamped piece
- Constructed of 1.25" dia. steel tubing for strength
- Black powder coat finish for long-lasting looks

E



LOWER CONTROL ARMS

For Drag/Road Racing Fits: Mustang, 2005-'14

- Constructed from 4130 (.120" wall) chrome moly tubing
- Adjustability for pre-load, squaring chassis and wheel base
- Eliminates the flex of the factory control arms
- ³/₄" Chrome moly rod ends on both ends to increase strength and adjustability
- · Comes with high grade 12.9 hardware
- · Helps reduce wheel hop, improve traction, cornering and E.T. times
- Durable, glossy, black powder-coated finish
- Instructions included

PART # DESCRIPTION

C8010 Lower Control Arms, Drag/Road Racing, Adjustable

No. C8010

E.

REAR AXLE

405

BEST



LOWER CONTROL ARMS, REAR

- Fits: 1978-'88 G Body GM Intermediates incl. Cutlass, El Camino, Grand National, Grand Prix, Malibu, Monte Carlo, Regal
- Mounting brackets for additional strength and easy install
- · Brackets included are for mounting OEM sway bar and most aftermarket sway bars
- Direct bolt-on replacement for stock units
- Controls wheel hop and improves handling
- Improves 60 foot times
- 3-Way adjustable for changing track conditions
- Computer designed and CNC stamped 3/16" thick axle brackets
- High durometer polyurethane bushings with grease fittings for quiet operation
- Finished in black powder-coat
- Sway bar brackets are zinc plated for durability
- Includes all mounting hardware
- Legal for Stock Eliminator Racing
- Welding required

PART # DESCRIPTION

C8003 Lower Control Arms, Rear

UPPER CONTROL ARM MOUNTING PLATE

For Drag/Road Racing Fits: Mustang, 2005-'14

- Mounting Plate Bolts in place of factory upper control arm mounting plate
- Plates are constructed from 1/4" thick steel, so does not flex like factory mounting plate
- Has two upper control arm mounting positions on each plate for instant center adjustment and pinion angle adjustment
- Durable, glossy, black powder-coated finish

PART # DESCRIPTION

Upper Control Arm Mounting Plate C8016



No. C8016

COMPETITION ENGINEERING PRODUCT DEVELOPED AT:





REAR AXLE

REAR AXLE LOCATING COMPONENTS

UPPER CONTROL ARM, NON-ADJUSTABLE

For Street Use Fits: Mustang, 2005-'14

- Constructed from 4130 .120" wall chrome moly tubing
- Polyurethane bushings on both ends
- Grease fittings to eliminate squeaks
- Much stronger than stock components to eliminate flex
- · Helps reduce wheel hop, improve traction and E.T. times
- Durable glossy black powder coated finish
- Instructions included

PART # DESCRIPTION

C8019 Upper Control Arm





UPPER CONTROL ARM BUSHING KIT

Fits: Mustang, 2005 - '14

- 88 Durometer Polyurethane bushing and steel sleeves for single upper control arm
- · Improves attachment of the upper control arm to the rear end
- · Less energy loss by reduced distortion compared to factory soft rubber bushing
- Use with Competition Engineering Upper Upper Control Arm Kit, Street/Strip, Non-Adjustable **No. C8019**

PART # DESCRIPTION

C8017 Upper Control Arm Bushing Kit



No. C8017

TORQUE BOX REINFORCEMENT PLATES, LOWER

Fits: Mustang, 1979-'04

- Designed to tie lower torque boxes together for increased strength and durability
- Kit includes two stamped steel lower torque box reinforcement plates
- Welding required

PART # DESCRIPTION

C8015 Torque Box Reinforcement Plates, Lower



REAR AXLE LOCATING COMPONENTS

REAR UPPER CONTROL ARM SPHERICAL BEARING-BUSHING KIT

Fits: Mustang, 1979-'04

- Constructed from billet aluminum
- Fits Ford 8.8 axle housing
- Eliminates flex and binding, improves handling
- · Provides positive location of rear axle housing

E

PART # DESCRIPTION

C3168 Arm Bearing-Bushing Kit, Spherical, Rear Upper Control



ADJUSTABLE PINION SNUBBER

Fits: Mustang, 1979-'04

- Controls wheel hop in mildly modified 1979-'04 Mustangs and similar Fox bodied cars
- Replaces stock pinion snubber, can be adapted to earlier models without factory snubber
- Easily adjustable in 1/4" increments for different driving situations
- Zinc plated for extended durability

PART # DESCRIPTION

C2112 Adjustable Pinion Snubber



MUSTANG LOWER CONTROL ARMS

Fits: Mustang 1979-'04, Drag Race/Road Race

- · Reduced weight with increased strength
- · Adjustable length for squaring axle to chassis
- Spherical rod ends for precise axle control while eliminating suspension bind
- · Perfect for drag racing or road racing
- Rear end brackets allow 3-way adjustment for improved performance
- Bolt in installation, includes all hardware

PART # DESCRIPTION

C8007 Mustang Lower Control Arms



No. C8007

REAR AXLE

"MAGNUM SERIES" ANTI-ROLL BAR

Universal Application



E.

ANTI-ROLL BAR

409

Fits: Tube Frame, Purpose Built and Modified Chassis Drag Race Cars

- Includes a formed, heavy gauge frame mounts, enabling you to install the torsion tube through the frame rails for increased strength
- · Billet aluminum arms incorporate special splines to prevent arms from slipping on torsion tube
- Can be adapted to fit any type of race or street application
- Makes it possible to preload the chassis, elimination body roll during hard launches
- Allows the Drag Race car to drive straighter off the starting line, helping to improve 60-foot times
- Features ball bearing pivot point, which makes for smoother functioning and the unit can be disassembled for maintenance
- *Kit includes:* 1-4130 Chrome Moly torsion tube, 2-Adjustable splined billet aluminum arms, 2-Mounting brackets, 2-Adjustable links, 4-Rod Ends, 4-Weld in threaded adjusters, 2-Bearings flange mounted & hardware
- Welding required

PART # DESCRIPTION

C2027 "Magnum Series" Anti-Roll Bars, Universal Application, Rebuildable

MUSTANG ANTI-ROLL BAR

ANTI-ROLL BAR



Fits: Mustang, 1979-'04, Drag Race

- Includes a tubular style mount enabling you to install the torsion tube through the frame rails for increased strength
- Can be adapted to fit any type of race or street application
- Makes it possible to preload the chassis, eliminating body roll during hard launches
- Allows the car to drive straighter off the starting line, helping to improve 60-foot times
- *Kit includes:* 4130 Chrome Moly torsion tube, 6061-T6 Billet Aluminum arms, threaded adjuster links, mounting tabs and hardware
- Welding required

PART # DESCRIPTION

C2021 "Magnum Series" Anti-Roll Bars, Ford Mustang, Spherical Bearings - Rebuildable

	Bar Suspension Kits; Polyurethane	exclusively in our 4-Link Rod Ends for street	and	No. C6150	2
applicati	ons using Ladder Bars MATERIAL DESCRIPTION	THREAD	SHANK & Hole	STATIC RADIAL	
6003	Low Carbon Steel	1/4" Right Hand	1/4" x 1/4"	2,225 lbs.	
6004	Low Carbon Steel	3/4" Right Hand	⁷⁴ X ⁷⁴ ³ /8" X ³ /8"	5.100 lbs.	
6007	Low Carbon Steel	¹ / ₂ " Right Hand	1/2" X 1/2"	8,386 lbs.	
6009	Low Carbon Steel	%" Right Hand	5%" X 5%"	9.813 lbs.	
6010	Low Carbon Steel	%" Left Hand	5/8" X 5/8"	9,813 lbs.	
6011	Low Carbon Steel	3/4" Right Hand	3⁄4" x 3⁄4"	14,290 lbs.	
6012	Low Carbon Steel	³ ⁄ ₄ " Left Hand	³ ⁄4" x ³ ⁄4"	14,290 lbs.	
6130	Chrome Moly Steel	3/4" Right Hand	3⁄4" x 3⁄4"	28,090 lbs.	
6131	Chrome Moly Steel	3/4" Left Hand	³ ⁄4" x ³ ⁄4"	28,090 lbs.	M .
6160	Extra-Heavy-Duty Chrome Moly	3/4" Right Hand	3⁄4" x 5⁄8"	40,590 lbs.	AAORE
6161	Extra-Heavy-Duty Chrome Moly	3/4" Left Hand	³ ⁄4" x ⁵ ⁄8"	40,590 lbs.	SEE MIG.
6150*	Forged Steel	3/4" Right Hand Solid	3⁄4" x 3⁄4"	26,000 lbs.	Clevis Bracke
6151*	Forged Steel	3/4" Left Hand Solid	3⁄4" x 3⁄4"	26,000 lbs.	on page 447
6152	Polyurethane Bushing	3/4" Poly	3⁄4" x 3⁄4"	18,500 lbs.	
6156*	Forged Steel	3/4" Right Hand	3⁄4" X 1⁄2"	18,500 lbs.	
	Forged Steel	3/4" Left Hand	3⁄4" X 1⁄2"	18,500 lbs.	

- Self-lubricating, self-sealing Rod Ends have increased thickness for greater tensile strength
- Perfect for demanding Motorsports applications
- When loaded, creates metal to metal contact for unsurpassed strength yet when unloaded, the Rilsan[®] AZM30 injected liner will not rattle or squeak like standard two or three piece rod ends
- Jam nut included

ROD ENDS

PART #	DESCRIPTION	THREAD	SHANK & HOLE	LOAD CAPACITY	
C6014	Chrome Moly Rod Ends	¾" R/H	3⁄8" x 3⁄8"	9,500 lbs.	No. C6014
C6017	Chrome Moly Rod Ends	%" L/H	3⁄8" X 3⁄8"	9,500 lbs.	
C6019	Chrome Moly Rod Ends	½" R/H	1⁄2" x 1⁄2"	12,696 lbs.	
C6020	Chrome Moly Rod Ends	½" L/H	1⁄2" X 1⁄2"	12,696 lbs.	
C6021	Chrome Moly Rod Ends	%" R/H	5⁄8" x 5⁄8"	14,480 lbs.	
C6132	Chrome Moly Rod Ends	%" L/H	5⁄8" x 5⁄8"	14,480 lbs.	
C6133	Chrome Moly Rod Ends	¾" R/H	3⁄4" x 1⁄2"	23,256 lbs.	
C6153	Chrome Moly Rod Ends	¾" L/H	3⁄4" x 1⁄2"	23,256 lbs.	
C6154	Chrome Moly Rod Ends	¾" R/H	3⁄4" x 5⁄8"	23,256 lbs.	No. C6019 No. C6154
C6155	Chrome Moly Rod Ends	¾" L/H	³ ⁄4" x 5⁄8"	23,256 lbs.	
C6162	Chrome Moly Rod Ends	¾" R/H	3⁄4" X 3⁄4"	23,192 lbs.	No. C6021 No. C6162
C6163	Chrome Moly Rod Ends	¾" L/H	³ ⁄4" X ³ ⁄4"	23,192 lbs.	



IS THERE A MAINTENANCE PROCEDURE FOR ROD ENDS?

Yes. Before each race, rod ends should be examined for excessive play by moving the bar back and forth and noting any excessive ball movement. Visually inspect the rod ends for any signs of wear, cracks or metal filings. Replace any rod end that exhibits any one of these characteristics.

SHOULD ROD ENDS BE CLEANED PERIODICALLY?

Yes. Routine rod end maintenance should include cleaning and re-oiling. This can be accomplished by removing the rod ends, cleaning them with a solvent (for example, mineral spirits), and allowing them to air dry. Once dry, lubricate the rod ends with good quality 30-weight motor oil. For High Heat Applications, use Synthetic Grease.

E

-

BOLT-ON DRIVESHAFT SAFETY LOOP

Universal

- Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- · Simple bolt-together design allows easier installation
- Mounts to the floor pan with four fasteners per side offering increased strength over competitor's loops
- Manufactured from CNC formed 1/4" thick, 2" wide mild steel
- · Finished in durable clear zinc plating





PART #DESCRIPTIONC3028Bolt-on Driveshaft Safety Loop, Universal



- · Offers a lightweight, weld-in alternative to the bolt-on driveshaft safety loop
- Can be used in two locations on your vehicle to contain both the front and rear of the driveshaft—highly recommended in vehicles with fabricated sheet metal interiors
- Tubing is mandrel formed from 1.25" O.D. x .083" wall mild steel tubing that is 54" long with a 4" drop center profile
- Kit features a bolt-on loop for easier driveshaft access in cars with removable transmission tunnels
- Removable loop for easy driveshaft removal
- Welding required

PART # DESCRIPTION

C3029 Driveshaft Loop Kit, Tubular

DRIVESHAFT LOOP KIT

Fits: 1997-'04 Ford Lightning & F-150 Trucks

- · Bolt-on design allows easy installation with no modification
- Removable loop for easy driveshaft removal
- Meets the requirements of all sanctioning bodies of racing
- Fits 2-wheel drive trucks w/ steel or aluminum driveshafts
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Made from 1.25" O.D. x .083" wall DOM mild steel tubing
- · Finished in durable gloss black powder coating

PART # DESCRIPTION

C3090 Driveshaft Loop Kit, includes all hardware

DRIVESHAFT LOOPS

Camaro LS, LT, SS, ZL1 2010-'15

- · Bolt-on design allows easy installation with no modifications required
- · Removable loop for easy driveshaft removal
- · Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- Durable gloss black powder finish
- All hardware included

PART # DESCRIPTION

- C3174 Driveshaft Loop, Standard Transmission
- C3175 Driveshaft Loop, Automatic Transmission



No. C3090



411

E

DRIVESHAFT LOOPS

<u>DRIVESHAFT LOOPS</u>

DRIVESHAFT LOOP

Fits: Mustang 2005-'14

- · Bolt-on design allows easy installation, driveshaft removal unnecessary
- · For large diameter aftermarket and O.E.M. driveshafts
- Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Includes quality hardware for loop halves
- · Manufactured from mild steel with a long-lasting black powdercoat finish

PART # DESCRIPTION

C3160 Driveshaft Loop, Bolt-on. Fits: Mustang 2005-'14



10.05100

DRIVESHAFT LOOP

Fits: Chrysler LX, Automatic Transmission Only, 2005-'18

- For Chrysler chassis cars-Challenger, Charger, Magnum and 300C
- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- · Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from 1.25" O.D. x .095" wall DOM mild steel tubing
- Finished in durable gloss black powder coating
- All hardware included

PART # DESCRIPTION

C3161 Driveshaft Loop. Fits: Chrysler LX, Automatic Transmission Only



No. C3161

DRIVESHAFT LOOP

Fits: Dodge Challenger SRT8®, 2009-'11, Standard Transmission

- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- Durable, gloss black powder finish
- All hardware included

PART # DESCRIPTION

C3162 Driveshaft Loop



No. C3162

E

412

TRANSMISSION CROSSMEMBERS

- · Allows quick and easy transmission installation and removal
- Includes 42" x 1-5%" x .134 wall EWT tube, four mounting tabs (flat) and four mounting tabs (concave) with all hardware

PART # DESCRIPTION

- C3600 Transmission Crossmember, Universal, Un-welded
- C3601 Transmission Crossmember, Universal, Un-welded with 3-1/2" offset



TRANSMISSION CROSSMEMBER BUSHINGS

Fits: Mustangs, 1979-'93

- The solid aluminum bushings act as a chassis stiffening device, helping to increase E.T. consistency
- They replace rubber bushings in factory crossmember
- · No modifications or welding required

PART # DESCRIPTION

C3610 **Transmission Crossmember Bushings**



No. C3610




C ompetition Engineering's 3-Way **Adjustable Drag Shocks** are designed to allow the racer to dial-in the race car to meet changing track conditions. Shock valving plays a very important role in the way your car will perform both during initial launch and throughout the quarter mile.

The principle behind our shock absorber design is to allow the front end of the race car to rise rapidly upon initial launch, creating greater weight transfer and better traction to the rear tires. As the car travels down the track, the front end will gradually descend to its ride height without unloading the rear tires which is a major cause of wheel spin. Our rear shocks work in conjunction with our front shocks making the transition from initial launch to top end charge as smooth as possible.

Competition Engineering's **Rear Drag Shocks** can be adjusted for changing track conditions by simple compressing and turning the shock. For slick tracks, set to the 50/50 adjustment; on good tracks, set to the 70/30 for better weight transfer.

Competition Engineering's **Front Drag Shocks** are adjustable in three ratios: 90/10, 80/20 and 60/40. These ratios reflect the percentage of force required to extend and compress the shock absorber. You can quickly change the valve setting by simply compressing the shock fully and rotating the shaft until the indexing notch mates with the desired setting on the body. **It's as simple as twist and click.**

Our **Rear Drag Shocks** are also adjustable in three ratios: 70/30, 60/40 and 50/50. These ratios also represent the percentage of force required to compress and extend the shock unit. Only this time, the first number is compression and the second extension. These shocks also adjust by compressing them fully and rotating to the desired setting on the body.



• 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

NOTE: These shocks are designed for DRAG RACE use only! Not for street use.

		FRONT	REAR			FRONT	REAR
MAKE & MODEL	YEAR	SHOCKS	SHOCKS	MAKE & MODEL	YEAR	SHOCKS	SHOCKS
AMERICAN MOTORS				FORD			
Ambassador,				Mustang II / Pinto	1978-74	C2639↔	
Classic,	1978-70	C2640↔	C2700o	Ranchero	1979-72	C2610↔	C2700↔
Matador, Rebel	1969-62		C2700o		1971-60	C2640↔	C2740↔
American, Rambler	1969-64		C27000	Ranger	2005-99	C2647↔	
AMX	1980-78	C2640↔			1998-90	C2646↔	
AMX, Javelin	1974-70	C2640o	C2700o		1989-83	C2645↔	
	1969-68		C2700o	Thunderbird	1988-87	C2806*~	
Concord, Gremlin,					1979-67	C2610↔	C2700
Hornet, Spirit	1983-70	C2640↔		MERCURY	•	·	
Eagle	1988-80	C26400	C2700↔	Capri	1986-79	C2806*~	C2750
CHRYSLER/DODGE		02010		Comet	1977-71	C26300	
	1074 70	00000	00720		1969-60	C2640o	C2740
Challenger Charger, Coronet	1974-70 1978-73	C2620↔	C2730↔	Couraar	1982-80	C2806*o	C2750
unarger, coronet			00700	Cougar		C2806 [°] ∾ C2610↔	C2750«
Osudah s	1972-65	C2620↔	C2730↔	_	1979-74		
Cordoba	1976-75	00000	C2730↔		1973-71	C2640↔	C2740
Dakota	1992-87	C26000	00000	5 11 01	1970-67	C2630*	C2740
Dart, Demon, Swinger	1976-64	C2620↔	C2735↔	Full Size	1986-65	C26100	C2700
Dodge Truck, Ram 50	1992-79	C2600↔		Montego	1976-72	C26100	C2700«
Full Size	1978-74		C2730↔		1971-68	C2640o	C2740
	1964-57		C2730↔	GENERAL MOTORS			
Lancer, Monaco 1978-62 C2620 C2730		BUICK					
	1962-61		C2730o	Apollo	1980-74	C2600	C2720
Magnum XE	1979-77	C26200	C2730o	without H.D. Suspension	1973	C2600↔	C2720
	1919-11	020200	027300	with H.D. Suspension	1973	C2600↔	02120
PLYMOUTH	1		1		1972-68	C26000	C27204
Barracuda	1974-70	C2620↔	C2730↔				
	1969-64	C2620↔	C2735∘	Century	1981-73	C26000	C2720
Belvedere, Fury, Savoy	1970-62	C2620↔	C27300	Full Size	1984-71	C2610↔	
Belvedere, Satellite	1974-73		C27300	Full Size Wagon	1986	C2610↔	C2700
	1972-65	C2620↔	C27300		1985-71		C2700¢
Valiant, Duster, Sport Scamp	1976-64	C2620↔	C27350	Regal	1987-73	C2600↔	C2720
GTX	1970-67	C2620↔	C2730o	Riviera	1978-71	C2600↔	C2720
Road Runner	1975-68	C26200	C27300	Skyhawk	1980-75	C2600↔	
FORD				Skylark, Special	1979-68	C2600↔	C2720
Elite, Fairlane, LTD II, Torino	1979-72	C2610↔	C2700↔	_	1967-64	C2610∘	C2720
LINE, I AIHANE, LID II, IOHNO	1979-72	C2640	C2700≎ C2740≎		1307 04	020104	02120
				CHEVROLET			
Falcon	1970-66	C2640↔	C2700↔	S-10 Blazer 2WD, S-10 Pickup	2004-82	C2600*	C2720«
Full Size	1986-65	C2610↔	C2700o	Caballero, El Camino	1987-68	C2600↔	C2720
	1959-57	C2610↔	C2740o		1967-64	C2610o	C2720
Granada	1982-81	C2806*↔	C2750↔	Camaro	2002-93		C2700«
	1980-75	C2640↔			1992-82		C2700«
Maverick	1977-70	C26300		1	1981-70	C2610o	C2710
Mustang, Fairmont	2004-79	C2806*~	C2750o	1	1969-67	C2600	C2700
	1973-71	C2640	C2740↔	Chevelle, Malibu	1983-68	C2600	C2720
	1970-65	C26300	C2740↔		1967-64	C2610	C2720
	1.0.0.00		1		1007 04	02010	10-1-0

SLIDCK ADDI ICATIONI CLIADT

*90/10 Drag Strut - Not Adjustable This product contains a chemical known to the state of California to cause cancer,

• MARNING Prop. 65

birth defects, or reproductive harm-



HAVE YOU BEEN EXPERIENCING BAD WHEEL HOP WITH YOUR LEAF SPRING OR COIL OVER STREET/STRIP VEHICLE?

While there are many factors in determining why your car may be experiencing excessive wheel hop, we have found that weak springs and old, worn out shocks play a key role. Check your springs and shocks at least once a year for excessive wear. Worn out springs and bad shocks do not supply

enough dampening to counter act the effects of spring wind up or weight transfer upon initial launch to effectively plant your tires. In turn they will cause wheel hop.

SHOCKS

SHOCK APPLICATION CHART. CONTINUED

		FRONT	REAR			FRONT	REAR
MAKE & MODEL	YEAR	SHOCKS	SHOCKS	MAKE & MODEL	YEAR	SHOCKS	SHOCKS
CHEVROLET (CON'T)				PONTIAC			
Chevy II, Nova	1979-74	C2600↔		Astre	1977-75	C26000	
without H.D. Suspension	1973	C2600↔		Bonneville	1986-82	C26000	C2700o
with H.D. Suspension	1973	C2600o	C2720↔	Firebird	2002-93		C2700o
with Monoleaf Rear Springs	1972-68	C2600↔			1992-82		C2700↔
with Multileaf Rear Springs	1972-68	C2600o	C2720↔		1981-70	C2610↔	C27100
	1967-62	C2605↔	C2705↔		1969-67	C2600↔	C2700↔
Corvette	1982-63	C2610↔	C2700↔	Full Size	1986-63	C2610↔	C2720↔
	1962-53			Grand Am	1981-68	C2600↔	C2700↔
Full Size	1986-65	C2610↔	C2720↔	Grand Prix	1987-69	C2600↔	C2720↔
	1957-55	C2610↔			1968-62	C2610↔	C2700↔
Monte Carlo	1988-70	C2600↔	C2720↔	GTO	1973-67	C2600↔	C2720↔
Monza	1980-75	C2600o		LeMans, Tempest-1970	1981-67	C2600↔	C2720↔
Truck, Full Size	2007-88	C2616↔		Sunbird	1992-76	C2600↔	
	1987-73	C2615↔					
Vega	1977-72	C2600↔					
OLDSMOBILE				Ventura II	1977-71	C26000	C2720↔
Cutlass, F85	1988-68	C26000	C27000	with H.D. Suspension	1973		C2720↔
without H.D. Suspension	1967-64		C2720↔	with Multileaf Rear Springs	1972-71		C2720↔
with H.D. Suspension	1967-64		C2700o	ISUZU			
Full Size	1986-71	C26100	C2720↔	Impulse	1989-83		C2700↔
Full Size Wagon	1992-77	C2610↔		ΤΟΥΟΤΑ			
	1990-65	C2610↔	C2720↔	Corolla	1983-77		C2700↔
Omega	1979-73	C2600↔	C2720↔	Corona Mark II	1976-72	C26000	C27000
Starfire	1980-75	C2600↔		Corona	1978-74		C27000
Toronado	1978-71		C2720↔		1973-65	C2600↔	
			G Prop. 65		1964-61		C27200
*90/10 Drag Strut - Not Adj		s product contains a ne state of California		Celica	1977-73		C2700↔

This product contains a chemical known to the state of California to cause cancer, Celica birth defects, or reproductive harmwww.P65Warnings.ca.gov



HOW TO ADJUST COMPETITION ENGINEERING DRAG RACING SHOCKS

PLEASE NOTE: Before installation Competition Engineering Shocks need to have their shock ratio adjustment set.

The Shock Ratio represents the percentage of force required to compress the shock compared to the force required to extend it.

BEFORE INSTALLATION FOR THE FIRST TIME OR BEFORE ADJUSTMENT THE FOLLOWING PROCEDURE SHOULD BE FOLLOWED:

- 1. Upon removal of the shock from its packaging, it is important to "purge" the shock of any air that may be trapped inside during shipment. Skipping this step can make the shock feel as if it is not functioning properly. To purge the shock, simply hold it so that it points up and down and completely cycle it 12-15 times.
- 2. To begin making adjustment changes once the shock has been purged, you must compress the shock completely. On the inside of the shock, at the bottom of the adjuster is a small pawl. This pawl must make contact with the bottom of the shock body or it will not turn, and in doing so not change the settings of the shock. Keep in mind that you must have the shock pointed straight up while making adjustments to avoid aerating it.
- 3. With the shock still compressed and in the upright position, begin turning the shaft in the clockwise direction. This is where you will notice a series of clicks. Pay attention to these clicks and you will notice that one is more pronounced that the others. This is the key to properly setting the shock adjustment. This louder, more pronounced click is the beginning of the settings and should be considered the "R" or regular setting. The following series of softer clicks will be the "F" or firm setting, and finally the "XF" or extra firm setting. When turning the shaft to make adjustments, remember that you can only go clockwise. If you feel like you have missed the setting you were looking for do not worry, just keep turning the shaft until you hear the loudest click and you will be back to the default setting and can begin making shock adjustments.

As an example:

If you wanted to find the XF setting, you would go through all the steps mentioned and while listening for the clicks, you would hear a loud click and then two softer clicks.

This would be similar for the F setting, the loudest click and then one soft click.

Something else to keep in mind when making adjustments:

Trying to gauge the setting of the shock by compressing it in your hand and feeling the difference in Compression is not advised. Though you can compress the shock, you will not be able to simulate the weight of a vehicle or the speed at which it can cycle the shock. If you continually try to check adjustment by hand, it can cause the shock to aerate and feel inconsistent.

FRONT CHOOKS

The only true way to verify adjustment of the settings is to record the vehicle at the track or to test the piece on a shock dynamometer

Adiustment	Chart -	Shock Ratio	


SETTINGS	FRUNT SHUCKS	REAR SHUCKS
R	60/40	50/50
F	80/20	40/60
XF	90/10	30/70

DK	RAG S	SHOCK	L SPEC	CIFICA	TIONS

PART NUMBER	EXTENDED LENGTH	COLLAPSED LENGTH	DIAMETER	UPPER MOUNT	LOWER MOUNT
C2600↔	14.10"	9.00"	1.63"		
C2610↔	15.34"	9.62"	1.63"	П П	
C2616↔	17.31"	12.56"	2.0"	H H	그
C26470	20.7"	15.9"	2.0"	<u>ц</u>	
C2605o	16.50"	11.00"	1.63"	8	
C2640	14.34"	9.24"	1.63"	Ц	
		0.2.		<u> </u>	u u
C26200	16.84"	10.37"	1.63"	-	
C2639↔	13.86"	10.56"	1.53"	П П	ы Ъ
C2645↔	17.22"	12.22"	2.0"	I M	╘╢╌╌╶╢╛
C2646↔	16.96"	12.21"	2.0"	<u>ц</u>	<u> </u>
C2630↔	15.02"	9.80"	1.63"	203	₽₽₽
C26150	14.73"	9.63"	2.0"		
				to t	• MARNING Prop. 65 s product contains a chemical kn he state of California to cause ca

PART NUMBER	EXTENDED LENGTH	COLLAPSED LENGTH	DIAMETER	UPPER MOUNT	LOWER MOUNT
C2700↔ C2705↔	21.69" 19.50"	12.84" 12.35"	1.63" 1.63"	Î	
C2710»	22.43"	13.21"	1.63"		
C2720°	22.87"	13.65"	1.63"] =];==
C2730↔ C2755↔	23.62" 16.41"	14.15" 10.44"	1.63" 1.63"		
C2735∘	24.50"	14.50"	1.63"		
C2740↔	20.16"	11.81"	1.63"	Î	Ţ
C2750↔	21.65"	13.29"	1.63"	Ê	
			The Chassis	People	

SHOCKS



MAGNUM SERIES REAR COIL-OVER SHOCK

"MAGNUM SERIES" REAR COIL-OVER SHOCK ABSORBER

Competition Engineering's Rear Coil-Over Shocks are a part of our Magnum Series, a line of professional-grade products engineered for maximum performance and durability. They feature 12 settings, allowing you to tune the suspension from soft to firm with a simple turn of the knob.

- All-aluminum billet housing is CNC machined with a black anodized body
- Spring seats are adjustable for preload and accept 2-1/2" I.D. springs
- 5%" hardened chrome piston rod provides superior strength
- Advanced sealing reduces drag for faster reaction
- Includes two 1" wide spherical mounting bearings with locking snap rings
- 17" extended height; 13-3/4" to 14-5/8" recommended ride height; 11-3/4" compressed height
- One per package
- Springs not included

PART # DESCRIPTION

C2770o "Magnum Series" Rear Coil-Over Shock Absorber

> • KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





No. C2770

SHOCKS



COIL-OVER SHOCK KIT

Adjustable

- *Kit includes:* 3-Way Adjustable Shocks, Upper Mounts, Adjustable Lower Mounts, Threaded Sleeve, Spring Cap, Seat and Hardware
- · Universal design allows installation on a variety of chassis
- 3-Way Adjustable shocks provide controlled squat at the rear for improved weight transfer and traction
- Lower shock mounts have 6" of adjustment in one-half inch increments to suit ride height requirements
- Lower shock mounts are zinc plated and the threaded sleeve, spring cap and seat are anodized for corrosion resistance
- Fits housings with 3" 0.D. axle tubes
- · Springs not included
- · Adjustable spring seat with locking set screw allow the spring rate to be finely tuned
- Use with Competition Engineering Rear Coil-Over Springs depending on specific rear-end weight, accepts 2.5" I.D. Spring
- Sold in pairs

PART #DESCRIPTIONC2765**Coil-Over Shock Kit, Adjustable

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



UNIVERSAL LOWER SHOCK MOUNTS

- · Created for relocating non coil-over shocks when the rear frame rails have been moved inboard
- Manufactured from .25" mild steel
- Fits housings with 3" 0.D. axle tubes
- 1/2" bolt hole
- Four per package
- Accepts "eye" shock mount
- · Welding required
- Fits all axle tube diameters

PART # DESCRIPTION

C3170 Universal Lower Shock Mounts



No. C3170

MORE TABS & BRACKETS

Are on pages 447-452 to help you create your own shock mounting options!



Lower Coil-Over Shock Mounting Brackets **No. C3417**



Coil-Over Housing Bracket **No. C3414**



Shock

Mounting Bracket

No. C3413





No. C2765

Heavy Duty Flat Chassis Brackets **No. C3434**

SHOCKS AND COMPONENTS

REAR COIL-OVER SHOCK KIT

- Universal design allows installation on a variety of chassis
- Complete kit includes 3-Way Adjustable Shocks, Upper Mounts and Adjustable Lower Mounts
- 3-Way Adjustable Shocks provide controlled squat at the rear for improved weight transfer and traction
- Lower Shock Mounts have 6" of adjustment in 1/2" increments to suit ride height requirements
- Lower Spring Perches and Shock Mounts are zinc plated for corrosion resistance
- Fits housings with 3" 0.D. axle tubes
- Use with Competition Engineering Rear Coil-Over Springs depending on specific rear-end weight, accepts 2.5" I.D. Spring
- Sold in pairs; replacement shocks sold separately

PART # DESCRIPTION

C2051 •• Rear Coil-Over Shock Kit

PART # REPLACEMENT PARTS

C2755. Replacement Shock Absorber, each

C3420 Replacement Shock Mounts

NOTE: Coil Springs not included.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. C2051



LOWER COIL-OVER SHOCK MOUNT KIT

- Designed to be used either by itself or in conjunction with our Upper Coil-Over Shock Mount Kit
- Provides a solid, adjustable mounting point for racing coil-over shocks
- Fits housings with 3" 0.D. axle tubes
- Allows 6" of height adjustment in 1/2" increments
- $\frac{1}{4}$ " thick housing brackets, $\frac{3}{16}$ " thick shock brackets
- · Fits most popular coil-over shocks
- · Includes Grade 8 hardware and spacers for mounting two shocks
- Welding required

PART # DESCRIPTION

C2047 Lower Coil-Over Shock Mount Kit

PART # REPLACEMENT PARTS

- C3417 Coil-Over Shock Bracket, Right
- C3419 Coil-Over Shock Bracket, Left
- C3414 Coil-Over Housing Bracket



No. C2047

COIL-OVER SHOCK ADJUSTING TOOL

- Makes adjusting coil-over shocks much easier than the commonly used hammer and screwdriver method
- Works with Moroso, Avo, Hal, Koni, Bilstein, Carrera, Monroe and most other coil-over shocks with adjusting nuts up to 3-1/4" diameter
- · Manufactured of cast steel with finger indents for sure grip operation

PART # DESCRIPTION

62030 Coil-Over Shock Adjusting Tool



REAR COIL-OVER MOUNT KIT

Fits: 1979-'04 Mustang, Without Shocks & Springs

- Designed specifically to improve traction and handling
- · Upper and lower shock mounts to fit stock rear locations
- Bolt-in design with no welding or fabricating needed
- Includes all hardware and spacers

PART # DESCRIPTION

C2056 Rear Coil-Over Mount Kit



No. C2056

No. C3019

E.

REAR SHOCK CROSSMEMBER

Fits: 1967-'69 Camaro, Firebird

- Required with **No. C2032** Offset Spring Hanger installation
- Ties rear subframe together for increased strength
- Relocates shocks inboard of frame
- · Provides solid mounting point for rear shocks
- Welding required

PART # DESCRIPTION

C3019 Rear Shock Crossmember

NOTE: Crossmember may be shortened 1" to fit 1968-72 Nova, 1971-72 Ventura and 1970-81 Camaro, Firebird.

UPPER COIL-OVER SHOCK MOUNT KIT

- Works in conjunction with our Lower Coil-Over ShockMount Kit No. C2047 to provide a solid mounting point
- Designed to mount between the rear frame rails on any Drag Race, Pro Street or Street Rod application
- Lightweight, tubular design makes it perfect for mounting shocks when "back-halving" a vehicle
- Includes one 40" long x 1.625" dia. mounting tube, ¼" thick mounting brackets, 4 shock mount tabs, 4 shock spacers for older style coil-over shocks and all mounting hardware
- Fits most popular coil-over shocks
- Welding required

PART # DESCRIPTION

C2046 Upper Coil-Over Shock Mount Kit





REAR COIL-OVER SPRINGS

- Each spring is computer designed for specific rear end weights to establish the correct ride height and to allow the full range of suspension travel
- Maximizing the full potential of the springs based on vehicle weight provides optimum weight transfer, rear axle control and traction
- Manufactured on precise CNC equipment for superior accuracy and uniform spring rate from one spring to another
- Premium grade chrome silicon steel extends durability and maintains correct spring rate and ride height after repeated hard launches
- · Powder coating provides an attractive finish and helps extend spring life
- Spring dimensions: 2.5" I.D. x 12" long
- Sold in pairs

-	-
F	

No. C2550

REAR COIL-OVER SPRINGS APPLICATION CHART				
PART NUMBER	SPRING RATE LBS./INCH	TOTAL WEIGHT ON REAR WHEELS		
C2550	85	Under - 1050 lbs.		
C2555	100	1050 - 1150 lbs.		
C2560	125	1150 - 1250 lbs.		
C2565	150	1250 - 1450 lbs.		
C2570	200	1450 - 1800 lbs.		

PROGRESSIVE WOUND REAR SPRINGS, 12", 100-200 LBS.

An excellent choice for multiple applications

- For vehicles of unspecified weight (under 3,400 lbs. total)
- Progressive design reduces rate of compression, making it less likely for vehicle to "drive up" on the tire during violent wheel stands — as the vehicle pitch rotates the weight to the rear wheels, this compresses the spring making it more conducive to lifting the front end
- Progressive springs compensate for added rear weight in Street Rods and Pro-street Cars using a back seat
- · Sold in pairs

PART # DESCRIPTION

C2575 Progressive Wound Rear Springs, 12", 100-200 Lb.



No. C2575

OFFSET SPRING HANGERS

Fits: 1967-'69 Camaro, Firebird; 1962-'67 Chevy II; 1968-'74 Nova; 1971-'72 Ventura

- Created for Super Stock classes, designed to relocate the rear of the leaf springs inboard 4" for additional tire clearance
- An additional 2-1/2" of tire clearance can be had by relocating the front of the leaf springs inboard and modifying both the axle mounting pads and the inner fenderwell
- Allows you to accommodate a 13"-14" racing slick
- OEM gas tank needs to be narrowed 2", or use a fuel cell

PART # DESCRIPTION

C2032 Offset Spring Hangers, Two per package

NOTE: Some welding required. Not for use with weld-in frame connectors.



No. C2032



UNIVERSAL 80" SINGLE WHEEL-E-BAR™ KIT

Competition Engineering has designed a single wheel Wheel-E-Bar[™] kit that is perfect for both the professional and amateur chassis builder. The lower tube and wheel pocket are fixture welded in house for perfect alignment while still allowing the builder to trim it to any desired length. The 1" 0.D. x .065" wall chrome moly tube is strong yet lightweight, while the two hi-misalignment rod ends allow the bar to adjust to any rear axle housing without the need for a tubing bender. Each kit comes with all the necessary hardware and a detailed set of instructions.

- Extra Long Bar Improves Chassis Reaction Times
- Designed to Fit Any Application
- Includes All Necessary Hardware

PART # DESCRIPTION

C2148 Universal 80" Single Wheel-E-Bar™ Kit

- Strong, Lightweight Chrome Moly Construction
- Hard Plastic Wheel with Steel Bearings for Long Life
- Welding Required
- PART # REPLACEMENT PART
- C7060 Replacement Wheel

UNIVERSAL 60" WHEEL-E-BAR™ KITS

These Universal Wheel-E-Bar[™] Kits allow the professional chassis builder to fabricate bars to fit a specific vehicle. Each kit is available in mild steel with a choice of sprung or unsprung versions. The 60" long tubes can be cut to the desired length to suit individual needs. As an added feature, each kit includes the necessary material to install an upper crossbrace for increased strength. Wheel-E-Bars[™] are designed to mount to existing 4-Link or Weld-On Housing Brackets.

 Mild st Design Hard p Materia Weldin 	bar improves chassis reaction times eel tubing ed for 28" housing mounting width lastic wheels with steel bearings for long al included for x-brace installation g required g Brackets sold separately No. C7048	life
PART #	DESCRIPTION	
C2140	Universal 60" Wheel-E-Bar™ Kit, Unsprung, Seamless Steel Tubes	
C2145	Universal 60" Wheel-E-Bar™ Kit, Sprung, Seamless Steel Tubes	No. C2145
PART # C7048	AVAILABLE OPTIONS Axle Housing Mounting Bracket, qty.1	
PART # C7060 C7051 90430	REPLACEMENT PARTS Replacement Wheel Replacement Spring Wheel-E-Bar™ Quick Release Pins	No. C7048

	REPLACEMENT PARTS FOR DISCONTINUE	D WHEEL-E-BARS™
PART #	DESCRIPTION	FITS DISCONTINUED WHEEL-E-BAR™
C7051	Wheel-E-Bar™ Professional Springs. One per package	C2015, C2038
C7052	Wheel-E-Bar™ Professional Spring Adjusting Mechanism. One per package	C2015, C2038, C2039, C2155
C7058	Wheel-E-Bar™ Replacement Wheel. Natural rubber w/ ball bearing center, ½" hole. One per package	C2015, C2038, C2039
C7060	Wheel-E-Bar™ Replacement Wheel. Synthetic rubber w/ ball bearing center, %" hole. One per package	C2042, C2130, C2140, C2150, C2155
C7066	Strut, Lower. Polished and Buffed Aluminum. One per package	C2015, C2045
90430	Wheel-E-Bar™ Quick Release Pin. Two per package	C2015, C2038, C2039

The Chassis People

E

<u> PROFESSIONAL WHEEL-E-BARS ***</u>

Wheelstands may look spectacular but they can actually hurt performance. Although some front end lift is beneficial to weight transfer, excessive lift can hurt. When a car wheelstands upon initial launch, it uses up power that could propel the vehicle forward. This results in slower ET's. As tire technology and horsepower levels progressed over the years, racers experimented with different ways to combat the wheelstanding problem. Most of the original designs consisted of merely bars or leaf springs that were welded directly to the rear end housing, hoping that they would prevent the front of the car from rising too high. One of the major problems with these early designs is that they caused the rear tires to unload resulting in a loss of traction.

Competition Engineering recognized this problem long ago and developed a series of Wheel-E-Bars[™] designed to limit and control big wheelstands without unloading the rear tires. We accomplish this by utilizing an axle housing mounted bracket that allows the Wheel-E-Bar[™] to react instantaneously with rear housing movement. As the rear housing rotates, the natural rubber wheels come in contact with the track. The shock of this contact is absorbed by both the lower aluminum struts and the coil spring upper struts which keep the tires from unloading. As the housing continues to rotate more and the front end begins to lift, the coil springs on the upper struts start to compress. The more that the springs are compressed, the more force they exert against the housing rotation, eventually overcoming the rising force of the front end and gently pushing it back down. This converts the rotational energy into forward motion, resulting in quicker ET's.



Designed to withstand the abuse of drag racing, the Competition Engineering Professional Wheel-E-Bar[™] Series is the choice of more racers than any other design when quality and premium materials count.

Each bar features lower spring adjusters made from 7075-T6 aluminum to allow for ease in preload adjustment. The lower struts are made from high strength 6061-T6 aluminum, enabling them to handle the forces applied to them without fatiguing. Each kit includes all the required fasteners as well as quick release pins to allow access to the rear end housing for jacking. 44" overall length, $22-1\frac{1}{16}$ " center to center mounting bracket distance.

• Fits 3" Axle Tube

PART # DESCRIPTION

	DESCRIPTION
	Professional Wheel-E-Bars [™] , Chrome plated with natural finish aluminum components
	Professional Wheel-E-Bars [™] , Chrome plated with black anodized aluminum components
	Professional Wheel-E-Bars [™] , Chrome plated with blue anodized aluminum components
C20400	Professional Wheel-E-Bars [™] , Chrome plated with red anodized aluminum components
PART #	REPLACEMENT PARTS
C7046	Conversion Kit, Bolt-on. Converts weld-in Wheel-E-Bars TM to bolt-on style

- C7046 Conversion Kit, Bolt-on. Converts weld-in Wheel-E-Bars[™] to bolt-on style
 C7047 Conversion Kit, Weld-In. Converts bolt-on Wheel-E-Bars[™] to weld-in style
- C7051 Replacement Springs
- C7052 Professional. Spring Adjusting Mechanism. One per package
- $\textbf{C7058} \qquad \text{Replacement Wheel. Natural rubber w/ ball bearing center, $1\!/2"$ hole}$
- C7066 Replacement Lower Strut, Aluminum with natural finish
- **90430** Quick Release Pins. Two per package

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. C7047



E

<u>BOLT-ON WHEEL-E-BARS ^m</u>

Competition Engineering has designed a bolt-on version of our famous Wheel-E-Bars[™] specifically for street enthusiasts. Utilizing similar components as our Professional Wheel-E-Bars[™] we were able to adapt them for street use by replacing the weld-in mounting brackets with bolt-on brackets.

BOLT-ON CHROME ROUND TUBE WHEEL-E-BAR™

- Bolt-On design, no welding required
- Round tube design, for 3" Axle Tubes
- Triple process, show quality, chrome plated finish
- Available in sprung and unsprung versions
- 44" overall length
- 18-%" center to center mounting bracket distance
- Includes all hardware and mounting instructions
- Synthetic Rubber Wheels

PART # DESCRIPTION

C2043 •• Bolt-On Chrome Round Tube Wheel-E-Bar™, Sprung

PART # REPLACEMENT PARTS

- **C7051** Professional Springs. One per package
- **C7052** Professional Spring Adjusting Mechanism. One per package
- **C7060** Replacement Wheel. Synthetic rubber w/ ball bearing center, ³/₈" hole



No. C2043

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

INSTALLATION ON REAR AXLE HOUSING

With car on level surface, locate Bolt-on Wheel-E-Bar[™] under the car with the brackets up against the housing and prop up the Wheel-E-Bar[™] wheels to a height of about 6" off the ground for street use (3-½" for strip use). In this position, fasten the Housing Saddle Brackets over the rear end housing and attach to Rear Housing Brackets using the hardware provided. If the Rear Housing Brackets are too big for your particular housing so that they cannot be bolted securely, The Housing Bracket Saddle can be welded to the housing and the Rear Housing Bracket bolted to it, thereby allowing the Wheel-E-Bar[™] to be removed.

STATE AND LOCAL ORDINANCES

May prohibit the Bolt-on Wheel-E-Bars[™] from extending beyond the rear bumper. If this situation exists and you wish to shorten the Wheel-E-Bars[™], the upper and lower struts can each be shortened and re-drilled. Care must be taken to insure that the Bolt-on Wheel-E-Bars[™] will clear driveways, etc., without being severely loaded. If the bars are to be used for street use, it is recommended that they be loosely bolted to the housing while backing out of and pulling into a driveway (for example) until the bars "adjust" to the required height. Once this height is determined, the bars can be secured to the housing.

GAN I USE A BOLT-ON STYLE WHEEL-E-BAR™ FOR RAGING?

Although our Bolt-On Wheel-E-Bars[™] are intended for a Pro Street look, they contain many of the same components used in our Weld-On Wheel-E-Bars[™] for racing. In fact, the only difference is the bracketry which in its bolt-on configuration is not strong enough to control the vehicle in a wheelstand. By removing the clamp bracket and welding the axle bracket directly to the housing, you have a Wheel-E-Bar[™] suitable for both street and strip use.

Dompetition Engineering offers a variety of Roll Bars and Roll Cages to meet the different requirements of most racers. Countless hours were spent developing and perfecting these kits to offer the utmost in strength and fit without adding unnecessary weight. All tubing used in our kits exceeds the requirements of racing sanctioning bodies and is mandrel formed on computer controlled equipment for uniform wall thickness. Every Competition Engineering Kit has been designed to fit the specific application with only minor modifications necessary for installation.

- Manufactured from 1-³/₄" 0.D. x .134" wall mild steel or 1-³/₄" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Increases chassis strength
- Provides added safety
- Mandrel formed, model-specific main hoop
- NHRA and IHRA approved
- Tube ends notched for better fit and easier installation
- Strut Kits include two rear struts, two front door bars, main hoop crossbrace, two diagonal hoop supports, six weld joint gussets and eight floor plates are 6"x 6", 10 gauge (.134" thick)
- · Complete instructions are included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 8-Point Roll Bar Kit!

- You must order both A) the appropriate 8-Point Main Hoop Kit and
- B) Strut Kit No. C3000 for Mild Steel OR Strut Kit No. C3100 for Chrome Moly (unless otherwise noted)*



RUT KITS

from image shown) DECORIDITION

FANI#	DESCRIPTION
C3000	8-Point Strut Kit, Mild Steel
C3100	8-Point Strut Kit, Chrome Moly
PART #	ADDITIONAL OPTIONS

C3181 Roll Cage X-Brace Kit, Mild Steel

C3191 Roll Cage X-Brace Kit, Chrome Moly

8-POINT ROLL BARS APPLICATION CHART - A) MAIN HOOPS

PART #		APPLICATION	PART #		APPLICATION	
MILD STEEL	CHROME MOLY		MILD STEEL	CHROME MOLY		
AMC			GENERA	L MOTORS, a	continued	
C3039	C3151	1970-'83 Hornet, Concord, Sprint	C3124	C3152	1964-'72 Chevelle, GTO, Tempest, Cutlass, Skylark, LeMans	
CHRYSLE			C3127	C3139	1955-'57 Chevrolet	
C3129	C3159	1970-'74 Barracuda, Challenger	- C3023	C3137	1966-'67 Chevy II, Sedan/Wagon	
C3123	C3158	1970-'76 Duster, Demon, Sport, Scamp, 1968-'69 Dart, Barracuda, Valiant	- C3122	C3149	1978-'87 Malibu, Monte Carlo, Grand Prix, Regal, Grand National,	
C3128	C3157	1968-'74 Roadrunner, GTX, R/T, Satellite, Super Bee, Coronet, Belvedere		03149	Cutlass, 442	
	00107		C3024	C3136	1962-'65 Nova	
C3135*	C3150*	2008 - '19 Challenger, Complete Kit	C3022	C3144	1968-'79 Nova, Apollo, Omega, Ventura	
FORD			C3026	C3146	1971-'77 Vega 1975-'80 Monza, Astro, Skyhawk,	
C3025	C3154	1979-'93 Capri, Mustang			Starfire	
C3124	C3152	1968-'72 Fairlane, Torino, Montego	SPORT COMPACT			
C3039	C3151	1967-'73 Mustang, 1971-'77 Maverick 1977-'81 Fairmont	HONDA	HONDA		
			C9402	C9412	1992-'00 Honda Civic Coupe, Hatchback	
C3126	C3153	1974-'78 Mustang II	C9401	C9410	1988-'91 Honda CRX	
00105	00455	1971-'80 Pinto, Bobcat	MAZDA			
C3125	C3155	1994-'04 Mustang Hardtop	C9408	C9418	1979-'85 Mazda RX-7	
C3132*	C3156*	2005 - '14 Mustang, Complete Kit	MITSUBI	SHI		
GENERAL	MOTORS		C9405		1990-'94 Mitsubishi Eclipse	
C3021	C3138	1967-'69 Camaro, Firebird	TRUCKS	(See footnote	e below for appropriate Strut Kit)	
C3121	C3145	1970-'81 Camaro, Firebird	C3134**		1982-'00 GM S-10. S-15	
C3130	C3147	1982-'92 Camaro, Firebird	C3042*		1973-'87 GM Pickup	
C3131	C3148	1993-'02 Camaro, Firebird	C3044*		1988-'98 GM Pickup	
+71		and the old of the state of the			·	

*These part numbers ONLY come complete, Strut Kit included.

**Strut Kits for Trucks include 2" x 3" box tubing to connect rocker panel to the frame. Order No. C3001 Mild Steel or No. C3101 Chrome Moly

E


ROLL BAR BOLT-IN CONVERSION KIT

Fits: Any Uni-Body Race Vehicle, Domestic or Import, using an 8-Point Roll Bar

- Universal application allows installation of 8-Point Roll bar (mild steel or chrome moly) to meet sanctioning body rules without welding base plates to the floor
- 6" x 6" x 1/8" steel plates get positioned under the floor and are used with the existing roll bar plates to "sandwich" the floor pan
- Includes %"-16 x 1" Grade 8 bolts and Nylock nuts for mounting
- Requires drilling floor pan and forming mounting plates to match under-floor contours

PART # DESCRIPTION

C3020 Roll Bar Bolt-In Conversion Kit






E.

ROLL BAR FILL PLATES, SLOTTED, 2 PACK

- These plates are designed to fill gaps around roll bar tubing that pass through sheet metal such as firewalls or rear parcel shelves
- They can also be used to tie roll bar tubing into rockers, A and B Pillars
- If switch panels, disconnect switches, fire system pulls or anything else is going to be mounted off the roll bar tubing these plates will simplify the process
- These steel fill plates are 5" x 10" and are constructed out of 18 gauge (.050" thick)

PART # DESCRIPTION

- C3176 Roll Bar Fill Plates, Slotted, 1-5/8" Diameter
- C3177 Roll Bar Fill Plates, Slotted, 1-³/₄" Diameter





ROLL BAR MOUNTING PLATES, 6 INCH X 6 INCH, 10 GAUGE, 4 PACK

- These are the same plates that are included in Competition Engineering 8 Point Roll Bar, 10 Point and 12 Point Roll Cage Kits
- Based on customer requests, they are now available separate as a 4 pack
- These steel mounting plates are 6" x 6", 10 gauge (.134" thick)

PART # DESCRIPTION

C3178 Roll Bar Mounting Plates, 6" X 6", 10 Gauge, 4 Pack




No. C3178

ROLL BARS & COMPONENTS

FORMED REAR STRUTS

8-Point Roll Bar

- Designed to allow roll bar installation in most vehicles without permanently removing or modifying the rear seat
- Manufactured from 1-¾" 0.D. x .134" wall mild steel or 1-¾" 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing with 50° bend
- NHRA and IHRA approved
- Welding and fabrication required
- Two per kit



No. C3185

PART #DESCRIPTIONC3185Formed Rear Struts, Mild SteelC3195Formed Rear Struts, Chrome Moly

E.

10-POINT CONVERSION KITS

- Eliminates the hassle of replacing your existing bar with a new cage
- Designed to convert a legal 8-point roll bar into a legal 10-point roll cage
- Kit includes top hoop and two forward downstruts that tie into your existing 8-point roll bar
- Manufactured from 1-5/" 0.D. x .134" wall mild steel or 1-5/4" 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing
- Mandrel formed on computer controlled equipment
- Meets NHRA requirements for cars running 10.99 or quicker
- Custom fit applications
- Welding required



No. C3325

(Actual product may vary from image shown)

10-POINT CONVERSION KIT APPLICATION CHART						
MILD Steel Part #	CHROME Moly Part #	DESCRIPTION				
FORD						
C3325	C3345	10-Point Conversion Kit, 1979-'93 Mustang, Capri				
C3328	C3348	10-Point Conversion Kit, 1994-'04 Mustang				
GENERAL MOTO	RS					
C3320	C3340	10-Point Conversion Kit, 1967-'69 Camaro, Firebird				
C3323	C3343	10-Point Conversion Kit, 1970-'81 Camaro, Firebird				
C3324	C3344	10-Point Conversion Kit, 1968-'72 GTO Chevelle, Cutlass, LeMans, Tempest				
C3321	C3341	10-Point Conversion Kit, 1968-'79 Nova, Ventura, Omega, Apollo				
C3322	C3342	10-Point Conversion Kit, 1966-'67 Nova, Chevy II				

10-POINT ROLL CAGES

- Bridges the gap between an 8-Point Roll Bar and a 12-Point Roll Cage
- Meets NHRA & IHRA requirements for cars running 10.99 or quicker with modified firewalls and/or floorboards
- Provides increased driver protection in rollover
- Increases chassis rigidity for better reaction times
- Main Hoop Kit consists of one mandrel formed main hoop, one top hoop, two front downstruts, one main hoop crossbrace and two diagonal hoop supports designed specifically for your application
- Strut Kit consists of two door bars, two rear struts, ten floor plates are 6"x 6", 10 gauge (.134" thick) and twelve weld joint gussets
- Manufactured from 1 ⁵/₈" 0.D. x .134" wall mild steel or 1 ⁵/₈" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- All bends mandrel formed on CNC equipment
- Tube ends notched for better fit and easier installation
- · Complete instructions included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 10-Point Roll Bar Kit! You must order both A) the appropriate 10-Point Main Hoop Kit and B) Strut Kit No. C3310 for Mild Steel OR Strut Kit No. C3250 for Chrome Moly (unless otherwise noted)



10-Point Roll Cage

(Actual product may vary from image shown)

B) STRUT KITS

PART # C3310 C3250	DESCRIPTION 10-Point Strut Kit, Mild Steel 10-Point Strut Kit, Chrome Moly
PART #	ADDITIONAL OPTIONS
C3181	Roll Cage X-Brace Kit, Mild Steel
C3191	Roll Cage X-Brace Kit, Chrome Moly
C3184	Roll Cage Upgrade Kit
C3194	Roll Cage Upgrade Kit, Chrome Moly

DADT "		OINT ROLL CAGES A			
PART #		APPLICATION	PART #		APPLICATION
MILD STEEL	CHROME MOLY		MILD STEEL	CHROME MOLY	
CHRYSLE	R/DODGE		GENERAL	MOTORS	
C3227	C3287	1968-'69 Barracuda,	C3220	C3260	1967-'69 Camaro, Firebird
UULL!	00207	1970-'76 Duster	C3222	C3262	1970-'81 Camaro, Firebird
C3235*	C3285*	2008-'19 Challenger, Custom Fit	C3226	C3266	1982-'92 Camaro, Firebird
FORD			C3231	C3267	1993-'02 Camaro, Firebird
C3225	C3275	1979-'93 Capri, Mustang		C3263	1968-'72 Chevelle, GTO, Tempest,
C3229	C3279	1994-'04 Mustang	C3223		Cutlass, Skylark, LeMans
C3240*	C3270*	2005-'14 Mustang, Complete Kit	C3221	C3261	1966-'67 Chevy II, Nova
*NOTE: These part numbers ONLY come complete,		C3224	C3264	1968-'79 Nova, Apollo, Ventura, Omega	
Strut Kit included.				1978-'87 Malibu, Monte Carlo,	
			C3233	C3265	Grand Prix, Regal, Grand National,
					Cutlass, 442
			TRUCKS		

C3234

ROLL CAGE UPGRADE KIT

- Designed to upgrade your existing roll cage to meet NHRA requirements when the firewall, floor pan, or rocker panels have been modified or replaced with aluminum panels
- Manufactured from 1-%" 0.D. x .134" wall mild steel or 1-%" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Comes complete with one dash bar, two door diagonals, two rocker bars and six gussets
- Welding and fabrication required

PART # DESCRIPTION

- C3184 Roll Cage Upgrade Kit
- C3194 Roll Cage Upgrade Kit, Chrome Moly



1982-'00 GM S-10, S-15

No. C3184

E.

C3268

<u>12-POINT ROLL CAGES</u>

12-POINT ROLL CAGES

- Designed to provide the utmost in chassis strength and superior 360° driver protection with proper installation
- Design ties the front frame to the roll cage making it one solid unit, eliminating chassis flex and decreasing vehicle reaction time
- Hoop Kit includes one main hoop, one top hoop, two front downstruts, one main hoop crossbrace and two forward struts
- Strut Kit consists of two door struts, two rear struts, two diagonal hoop supports, one rear X-brace, ten floor plates are 6"x 6", 10 gauge (.134" thick) and twelve weld joint gussets
- Manufactured from 1 ⁵/₈" 0.D. x .134" wall mild steel or 1 ⁵/₈" 0.D. x .083" wall aircraft-guality AMS-T-6736 chrome moly tubing
- Pre-notched tube ends provide for a better installation
- Meets NHRA and IHRA requirements
- All tubes mandrel formed in-house on CNC equipment
- · Complete instructions are included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 12-Point Roll Bar Kit! You must order both A) the appropriate 12-Point Main Hoop Kit and B) Strut Kit No. C3000 for Mild Steel OR Strut Kit No. C3350 for Chrome Moly (unless otherwise noted)*



12-Point Roll Cage (Actual product may vary from image shown)

B) STRUT KITS

PART #	DESCRIPTION
C3300	12-Point Strut Kit, Mild Steel
C3350	12-Point Strut Kit, Chrome Moly
PART #	ADDITIONAL OPTIONS
C3184	Roll Cage Upgrade Kit
C3194	Roll Cage Upgrade Kit, Chrome Moly

12-POINT ROLL BARS APPLICATION CHART - A) MAIN HOOPS				
	APPLICATION	PART #		APPLICATION
HROME Oly		MILD STEEL	CHROME MOLY	
DODGE		GENERAL	. MOTORS, ca	ontinued
3361	1968-'69 Barracuda 1970-'76 Duster	C3311	C3383	1968-72 Chevelle, GTO, Tempest, Cutlass, Skylark, LeMans
3373*	2008 -'19 Challenger, Complete Kit	C3312	C3371	1978-'87 Malibu, Monte Carlo, Grand Prix, Regal, Grand National, Cutlass, 442
		C3306	C3384	1975-'80 Monza
3370	1979-'93 Mustang, Capri			1971-'77 Vega, Starfire, Skyhawk
IOTORS		C3313	C3385	1968-'79 Nova, Apollo, Omega, Ventura
3380	1967-'69 Camaro, Firebird	-		
3381	1970-'81 Camaro, Firebird	TRUCKS		
3382	1982-'92 Camaro, Firebird	C3314	C3372	1982-'00 GM S-10, S-15
	BOOME DODGE 3361 3373* 3370 IOTORS 3380 3381	APPLICATION BODGE 3361 1968-'69 Barracuda 1970-'76 Duster 3373* 2008 -'19 Challenger, Complete Kit 3370 1979-'93 Mustang, Capri IOTORS 3380 3380 1967-'69 Camaro, Firebird 3381 1970-'81 Camaro, Firebird	APPLICATION PART # MILD STEEL DODGE GENERAL 3361 1968-'69 Barracuda 1970-'76 Duster C3311 3373* 2008 -'19 Challenger, Complete Kit C3312 3370 1979-'93 Mustang, Capri C3306 3380 1967-'69 Camaro, Firebird C3313 3380 1967-'69 Camaro, Firebird TRUCKS	APPLICATION PART # INCOME MILD STEEL CHROME MOLY DODGE GENERAL MOTORS, cd 3361 1968-'69 Barracuda 1970-'76 Duster C3311 C3383 3373* 2008 -'19 Challenger, Complete Kit C3312 C3371 3370 1979-'93 Mustang, Capri C3306 C3384 1070RS C3313 C3385 3380 1967-'69 Camaro, Firebird TRUCKS


*NOTE: These part numbers ONLY come complete, Strut Kit included.

ROLL BARS, CAGES & CHASSIS ACCESSORIES

ROLL CAGE X-BRACE KIT

Available In Mild Steel or Chrome Moly Finish

- Designed to increase the strength of your chassis by eliminating side to side twist and uneven suspension loading
- Use in conjunction with the rear struts found in our Roll Bar and Roll Cage Kits to create a solid racing chassis
- Kit includes one 60" long tube and two 30" long tubes; manufactured from 1-5%" 0.D. x .134" wall mild steel or 1-5%" 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing
- Welding required



C3191 Roll Cage X-Brace Kit, Chrome Moly


E

FRONT DOWN STRUT UPGRADE KIT

- Tie the front frame to the roll cage making it one solid unit, eliminating chassis flex and decreasing vehicle reaction time
- Front Down Struts have the same specifications as the Front Struts that are included in Competition Engineering 12-Point Roll Cage Kits
- Combine with Competition Engineering Nos. C3181 or C3191 to convert 10-Point Roll Cages to 12-Point Roll Cages
- Pre-notched tube ends provide for better installation
- Meets NHRA and IHRA requirements
- All tubes mandrel formed in-house on CNC equipment
- Welding required
- · Sold as a pair

PART # DESCRIPTION

C3186Front Down Strut Kit, Mild SteelC3196Front Down Strut Kit, Chrome Moly



No. C3186



Note: Funny Car Cage Kit is the tubing highlighted in red on the image

- Available in 1-5/8" O.D. x .134" wall mild steel or 1-5/8" O.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Upgrades 10 point or more point cage kit to have Funny Car cage protection
- Kits contain 10 pieces of pre-bent 1-%" 0.D. x .134" wall or 1-%" 0.D. x .083" wall tubing and 2 pieces of 1" 0.D. x .118" wall mild steel or 1" 0.D. x .058" wall chrome moly head/helmet guards
- Tubing is left long and un-notched so kit can be custom fitted to the application
- Meets NHRA and IHRA requirements
- All tubes mandrel formed in-house on CNC equipment
- Welding required

PART # DESCRIPTION

- **C3187** Funny Car Cage Kit, Mild Steel
- C3197 Funny Car Cage Kit, Chrome Moly



SEAT BACK BRACES

- Designed to meet different sanctioning body rules on bracing non-FIA rated seats
- Non-FIA seats can be attached to the brace's 3" x 6" plate, 18 square inches
- On FIA approved seats this brace can be used as an additional support
- Adjustable back and forth with a locking collar
- No welding is required for installation
- Available for 3 different diameters of roll bar tubing

PART # DESCRIPTION

C4905	Seat Back Brace, Adjustable for 1 3/4" Dia. Tubing
C4906	Seat Back Brace, Adjustable for 1 5/8" Dia. Tubing
C4907	Seat Back Brace, Adjustable for 1 1/2" Dia. Tubing



E

OFFSET ROLL BAR PADDING

- Our popular Roll Bar Padding is now packaged in single 3-foot lengths for improved convenience and pricing
- 3" 0.D. padding is extruded from high-density foam for maximum safety and protection
- Inside diameter of 1-5%" is offset by $7\!/_6$ " to position extra cushioning towards the driver where it's needed the most
- Available in black, red, blue and orange

PART # DESCRIPTION

E

ROLL BARS

- 80939 Offset Roll Bar Padding, Black
- **80940** Offset Roll Bar Padding, Blue
- 80941 Offset Roll Bar Padding, Red
- 80942 Offset Roll Bar Padding, Orange

ROLL BAR PADDING, SFI 45.1 APPROVED

Meets the requirements of NHRA, IHRA, SCCA and other organizations

- SFI 45.1 Specified approved padding, approval marked on padding
- Comes in 36" lengths; $\frac{7}{8}$ " thickness fits 1- $\frac{5}{8}$ "-2" bar diameter
- Padding backed with pressure-sensitive adhesive and can be cut to size to make installation easy
- Padding exceeds SFI 45.1 rating for dripping or melting in a fire, and is self-extinguishing
- SFI 45.1 approved Roll Bar Padding is more dense than traditional padding, and is designed to absorb the impact energy

PART # DESCRIPTION

80944 Roll Bar Padding, SFI 45.1 Approved, Black

ROLL BAR GUSSETS

These lightweight, stamped plate gussets provide additional strength to welded tube joints

- Available in mild steel or chrome moly
- Measures 1-1/4" x 2-1/4"
- 25 per package
- Welding required

PART # DESCRIPTION

- **C3172** Roll Bar Gussets, ¹/₈" Mild Steel
- C3173 Roll Bar Gussets, 4130 Chrome Moly



No. C3172



No. 80944

No. C3173

SWING OUT DOOR BAR KITS

For 6, 8, 10 or 12 Point

- Meets NHRA Sanctioning rule for OEM full body cars 7.50 E.T. and slower
- No. C3182 is manufactured for 1-¾" steel tubing and No. C3183 is manufactured for 1-½" steel tubing
- One kit does one door bar
- Includes release pin and hinge bracket
- Welding required


PART # DESCRIPTION

- C3182 8-Point Swing Out Door Bar Kit, 1-¾" tube
- C3183 10 & 12-Point Swing Out Door Bar Kit, 1-5/8" tube






No. C3182



<u>433</u>





DOOR LIMITER STRAP

- \bullet Kit is complete with (2) Door Limiter Straps and
- all hardware necessary to complete one car
- Installation instructions included

PART # DESCRIPTION

C4931 Door Limiter Strap



No. C4931

DOOR HINGE KIT

- For Race vehicles with fiberglass doors
- Longer hinge pins on bottom mounts facilitates quick removal and installation of doors
- Kit includes two door hinges and mounts (enough for 1 car)
- Lightweight design
- Welding required

PART #	DESCRIPTION
C4930	Door Hinge Kit



RADIATOR MOUNTING KIT

- Radiator Mount for Scirocco style radiators
- For race cars with tube front ends
- Facilitates quick removal and installation of radiator
- Includes radiator mounting bracket, frame mount and hardware
- Welding required

PART # DESCRIPTION

C4925 Radiator Mounting Kit



No. C4925

E



PARACHUTE ANCHOR MOUNT

For attaching parachute anchor strap to chassis

- Accepted by NHRA and IHRA
- Manufactured from 1-5%" dia. DOM tubing
- Includes mount and support tubes, anchor strap bracket and aluminum bushing
- For use with Competition Engineering's Parachute Pack Mount No. C3451
- Welding and fabrication required

PART # DESCRIPTION

C3450 Parachute Anchor Mount





PARACHUTE PACK MOUNT

Mounts Parachute Pack to Parachute Anchor Mount

- Includes pack mounting plate, mounting tube, weld bung and quick release pin
- Quick release mount for removal when working on car
- Manufactured from mild steel for extra strength
- For use with Competition Engineering's **No. C3450** or similar kits
- Welding and fabrication required

PART # DESCRIPTION

C3451 Parachute Pack Mount



PARACHUTE RELEASE CABLE KIT

- Kit consists of 18' of Teflon lined Felsted cable
- Mounting Bracket and Rod End on one end of the cable
- Full handle

PART # DESCRIPTION

C3452 Parachute Release Cable Kit



No. C3452

PARACHUTE RELEASE CABLE CLAMP

- Complies with NHRA General Regulations requiring the cable clamp to be attached within 12" of the parachute pack edge
- Works with Competition Engineering Parachute Mount Nos. C3451, C3452 and can be used with other mounts
- Manufactured from 1/8" thick aluminum bracket with steel clamp and mounting hardware

PART # DESCRIPTION

C3453 Parachute Release Cable Clamp



E.

FUEL TANK SUMP KITS

• Factory gas tank pickups located in the front of tanks allow fuel pumps to ingest air during acceleration causing a momentary loss of fuel pressure

SHEET METAL

- Installed in the lowest portion of the rear of the fuel tank, to guarantee consistent fuel pressure under the hardest acceleration
- Designed to fit stock steel fuel tanks
- Manufactured from 18-gauge cold rolled steel for easy welding with two pre-welded %" or $1{\!\!/}2"$ NPT bungs to ensure adequate fuel flow
- I.D. 7-%" wide x 11" long x 3" tall
- Installation instructions include a template for baffling the tank
- Welding required

PART # DESCRIPTION

- $\textbf{C4040} \qquad \mbox{Fuel Tank Sump Kit, Two $\%$" NPT weld bungs}$
- $\textbf{C4041} \qquad \mbox{Fuel Tank Sump Kit, Two $\frac{1}{2}"$ NPT weld bungs}$

ACCESS DOOR

- .050" aluminum door is hinged to frame, providing quick and easy access to fuel cells, dry sump tanks or any other component
- Comes with natural finish so customer can anodize or paint to match car color
- Door held securely closed with self-ejecting, flush-head Dzus fastener
- Includes all mounting hardware
- 6" x 6" door, 8-1/8" x 8-1/8" overall
- PART # DESCRIPTION

85700 Access Door

ALUMINUM & STEEL REAR FENDERWELLS

- 24-gauge steel or .032" thick aluminum
- Pittsburgh locking seam for easy assembly
- Different widths to accommodate a variety of tire sizes
- Available in six diameters
- Bead rolled reinforcing ribs for strength
- Two Fenderwell/Wheel Tubs per Kit

PART #		DIMENSIONS
STEEL	ALUMINUM	LENGTH X HEIGHT X WIDTH
C2998	C2999	30" (L) x 15" (H) x 23.25" (W)
C3006	C3007	36" (L) x 18" (H) x 23.25" (W)
C3008	C3009	38" (L) x 19" (H) x 23.25" (W)
C3010	C3011	40" (L) x 20" (H) x 23.25" (W)
C3002	C3004	43" (L) x 21.5" (H) x 23.25" (W)
N/A	C3005	46" (L) x 23" (H) x 23.25" (W)

REAR FIREWALL KIT, CUSTOM FIT FOR 2005-'10 MUSTANG

Makes it easy to install a firewall between the passenger compartment and trunk mounted fuel cell and/or battery **Fits:** 2005-'10 Mustang



- Pre-cut and bent, only a small amount of trimming may be necessary
- Constructed out of .032" thick aluminum, which meets NMRA and other sanction bodies requirements
- Can be used with or without the factory rear seat

PART #DESCRIPTIONC4990Rear Firewall Kit, 2005-'10 Mustang

SHEET METAL



No. C3006

No. C4040





E

STEERING COMPONENTS & ACCESSORIES

STEERING COLUMN KITS, UNIVERSAL DESIGN

Two versions available; Drag Race Only which has a strong yet light weight ¾" x .058" wall chrome moly shaft and the NEW Circle Track, Road Race and Street version that has a ¾" x .156" wall mild steel shaft which is stronger and heavier for the rigors of Circle Track, Road Racing and the Street.

- Can be used in new car construction or used to replace a heavy bulky OEM steering column
- Kit contains a stop collar to prevent the steering shaft from entering the driver's compartment in the event of an impact.
- Inner shaft rides in two flanged polymer bushings that mount to the column tube
- Features unique grease fittings to keep the bushings lubricated
- Includes "SFI" Approved Quick Release Steering Wheel Hub and Shaft to Hub Adapter, Moroso part No. 80160
- Also includes a precision needle bearing U-joint and complete installation instructions
- Welding and Fabrication required

PART # DESCRIPTION

- C5073 Steering Column Kit, Circle Track, Road Race, Street
- C5074 Steering Column Kit, Drag Race Only

PART # AVAILABLE OPTIONS

- **C5076** Steering Column Mount Kit
- C9609 Steering Shaft Support Rod End

STEERING COLUMN MOUNTING KIT

- Mounts Steering Column Kit Nos. C5073 or No. C5074 into tube chassis vehicle
- Compact design allows column to be mounted rigidly to the chassis while keeping weight to a minimum
- Includes two split clamps that secure 1-1/2" 0.D. steering tube firmly in place and two lengths of tubing to mount column to chassis
- Split clamp mounting system makes it easy for the column tube to be removed or repositioned without cutting or re-welding
- Can be adapted to other steering column kits that use a 1-1/2" dia. column tube
- Kit includes complete installation instructions

• Welding & fabrication required

PART # DESCRIPTION

C5076 Steering Column Mounting Kit

STEERING SHAFT SUPPORT ROD END

- · Rod end serves as both bearing and support for steering shaft
- Inside diameter of .757" is specially sized to allow steering shaft to pass through and rotate with a precise fit
- ¾"-16 right hand threaded shank mounts to steering support bracket
- Includes two jam nuts for securing rod end in place
- Static radial load capacity of 11,518 lbs.
- One per package

PART # DESCRIPTION

C9609 Steering Shaft Support Rod End



00

No. C5074

No. C5076



No. C9609

E.

The Chassis People

STEERING COMPONENTS & ACCESSORIES

FIVE HOLE STEERING WHEEL ADAPTER

- Allows racers to continue to use Moroso's Quick Release Steering Wheel Hub No. 80160 or similar aftermarket hubs with 3 hole 1-¾" diameter bolt pattern when converting to steering wheels with a 5 hole bolt pattern
- Billet aluminum adapter includes all mounting hardware (steering wheel to adapter and adapter to hub)

PART # DESCRIPTION

C5078 Five Hole Steering Wheel Adapter



SFI APPROVED QUICK RELEASE STEERING WHEEL HUB AND ADAPTER

Fits: 3/4" O.D. steering shafts and steering wheels with a 3 hole, 1-3/4" diameter bolt pattern

- Meets NHRA, IHRA and other sanctioning body criteria for meeting SFI (Safety Foundation Inc.) requirement #42.1 concerning steering wheel attachment and release
- · Hub is manufactured from lightweight billet aluminum with anodized finish
- 5/16" -18 thread bolt holes
- Spring loaded quick release pin is integral with the hub and features a large diameter engagement surface for use with bulky racing gloves
- Includes steering shaft adapter manufactured from 1018 steel for extra strength and ease of welding

PART # DESCRIPTION

80160 SFI Approved Quick Release Steering Wheel Hub and Adapter. *Fits:* ³/₄" 0.D. steering shafts and steering wheels with a 3 hole, 1-³/₄" diameter bolt pattern



No. 80160



POWER STEERING TANKS

POWER STEERING TANKS

Fits: Universal Panel Mount

- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- · Built in bracket allows convenient mounting on a panel
- -6 AN inlet and -10AN outlet with an internal baffle
- Includes a heavy duty vented screw on cap

PART # DESCRIPTION

- 63506 Power Steering Tank, Universal Panel Mount, Inlet left side
- 63507 Power Steering Tank, Universal Panel Mount, Inlet right side





No. 63506

No. 63507



C can affect the way your race car reacts. OEM-style front suspension components can saddle your race car with excess weight. All Competition Engineering front suspension components are designed to be both lightweight and strong to provide you with the utmost in reliability and quicker ET's.



FRONT END TRAVEL LIMITER

Cable Style

- Designed to fit both A-arm and strut front suspensions
- 7-position adjuster for fast, between round changes
- Adjuster enables you to fine tune front-end separation, improving 60 foot times as well as vehicle reaction time
- Kit includes weld-on mounting tabs, cable assemblies, mounting hardware and detailed instructions
- · Limits front suspension separation on launch
- Welding required

PART # DESCRIPTION

C2025 Front End Travel Limited

FRONT END TRAVEL LIMITER

Bolt-On

- · Designed for race cars with factory upper A-arm suspensions
- Installs easily by removing the factory upper snubber and threading the adjuster bolt through the stock hole
- Threaded design allows you to quickly dial-in the right amount of front end lift without wasting power on high wheelstands
- Replaces rubber snubber in factory control arms
- Bolt-On, no welding requires
- Increases weight transfer

PART # DESCRIPTION

C2026 Front End Travel Limiter

PART # REPLACEMENT PART

C7024 Rubber Bumpers. 2" diameter base. Two/card



MUSTANG BUMPSTEER ADJUSTER KITS

- Corrects "Bumpsteer" that occurs when the Mustang's front end is lowered or raised from stock
- Fully adjustable kit replaces non-adjustable stock components with precision, aircraft-quality components that bolt into place with common hand tools
- Does not require the front spindles to be modified or drilled out
- Can also be used for easy, on-car toe adjustments
- Includes 6061-T6 billet aluminum adjuster tubes with anodized finish to resist corrosion, 5/4" rod ends and an assortment of adjustment shims

PART # DESCRIPTION

C2408 Bumpsteer Adjuster Kit, Mustang '79-'93

C2409 Bumpsteer Adjuster Kit, Mustang '94-'04



E

The Chassis People

C ompetition Engineering offers solid aluminum replacement bushings for stock factory bushings that improve chassis/ suspension control. By swapping solid bushings for the stock pieces, you increase vehicle reaction in both acceleration and cornering, as well as improve overall feel. Ride quality will be sacrificed due to the elimination of the factory bushing deflection.

SOLID ALUMINUM BODY MOUNTS

Fits: 1967-'81 Camaro, Firebird, 1968-'79 Nova; 1971-'77 Ventura, Apollo, Omega

- · Replacement for the factory subframe bushings
- Eliminates deflection and twisting commonly found on GM unibody equipped vehicles
- CNC machined from 6061-T6 aluminum for a perfect fit and black anodized to eliminate corrosion
- · Complete set of six for one car with complete instructions

PART # DESCRIPTION

C3027 Body Mounts, Solid Aluminum

GM A&G BODY REAR CONTROL ARM BUSHINGS

Fits: 1982-'02 Camaro, Firebird; 1964-'88 Chevelle, Malibu; 1964-'77 Skylark, Gran Sport; 1964-'77 LeMans, GTO, Tempest; 1966-'77 Cutlass 442; 1966-'70 Pontiac full-size; 1964-'70 Olds full-size

- Eliminates the twist and play found in the factory rear control arms
- CNC machined from 6061-T6 aluminum and black anodized for corrosion resistance
- Designed to replace the stock bushings on the lower control arms only
- · Four to a package

PART # DESCRIPTION

C3165 Arm Bushings, GM A&G Body Rear Control

ALUMINUM SPRING EYE BUSHINGS

Fits: 1967-'81 Camaro, 1968-'79 Nova

- Solid Aluminum Bushings replace stock bushings and provide positive housing positioning, eliminating wheel-hop and excessive pinion angle
- Eliminates the deflection of stock bushings
- · Packaged in pairs

PART # DESCRIPTION

C2022 Spring Eye Bushings, Aluminum, Front, 2" 0.D. x 3-%" long for $\frac{1}{2}$ " bolt **C2023** Spring Eye Bushings, Aluminum, Rear, 1-%" 0.D. x $3-\frac{1}{4}$ " long for $\frac{6}{6}$ " bolt

UPPER A-ARM BUSHINGS

Fits: 1965-'70 Chevrolet Full Size, 1967-'69 Camaro, Firebird; 1968-'79 Nova; 1963-'82 Corvette; 1964-'72 Chevelle, Tempest, LeMans, GTO; 1973-'74 Omega, Apollo, Skylark; 1971-'74 Ventura; 1971-'72 Monte Carlo; 1965-'72 F-85, Cutlass, 442

The stock upper control arm bushings found on most cars have a rubber bushing material that is bonded to the inner sleeve and the outer housing. Bonding the rubber bushings makes them resistant to rotation and suppresses front end lift and hinders weight transfer.

Competition Engineering's **Upper A-Arm Bushings** are a non-bonded design, which lets the bushing material rotate. This allows the A-Arm to pivot freely on the cross shaft, resulting in rapid front end lift and increased weight transfer. The superior polyurethane material comprising our Bushings doesn't flex or break down like stock conventional rubber bushings with exposure to oils, chemicals and ozone.

- Quicker front end rise produces quicker ETs
- · Superior polyurethane bushing material is better performing and last longer

PART #DESCRIPTIONC3166Upper A-Arm Bushings



No. C3027

No. C3165



No. C2022



PART # AVAILABLE OPTIONS C2026 Front End Travel Limiter

ENGINE LIMITER KIT

- Mounts diagonally between the engine block and the frame rail preventing the forward and rearward movement of the engine/ transmission assembly during launch and braking conditions
- Without this kit, the movement of the engine within the chassis would cause the front and rear motor plates to flex and eventually crack
- The use of two kits positioned on either side of the engine is highly recommend for high horsepower race cars
- misalignment rod end, an engine mounting tube and complete instructions
- Improves reaction times
- Fabrication & welding required

PART # DESCRIPTION

C4034 Engine Limiter Kit

ENGINE TORQUE LINK, MUSTANG

- The benefits of a solid motor mount for racing with the comfortable ride of a stock motor mount for street use
- Removable Torque Link is installed with supplied pins and clips, limiting engine movement for racing use
- Torgue Link can then be removed for street use
- Includes two zinc plated brackets, all hardware and complete installation instructions

PART # DESCRIPTION

C4010 Engine Torque Link. Fits: Mustang 1979-'95 5.0L

MID-MOUNT PLATE REPLACEMENT MOUNTING KIT

- Recommended when more than one mounting kit is required
- Manufactured from 1/8" mild steel with four triangular gussets
- Includes mounting hardware
- Welding required

PART # DESCRIPTION

C4032 Mid-Mount Plate Replacement Mounting Kit

SHIM KITS, FLYWHEEL

- Replacement flywheel shims for Competition Engineering and other mid-mount motor plates
- Can be used anytime that the spacing of the torgue converter to the transmission pump needs adjustment
- Manufactured from .090" Steel
- 3 per pack

PART # DESCRIPTION

- C4047 Shim Kit. Fits: GM LS Series
- C4048 Shim Kit. Fits: Chevy V-8, 2 piece seal & 90 Deg. V-6
- C4049 Shim Kit. Fits: Ford 289-302
- C4050 Shim Kit. Fits: Ford 351M, 400, 429, 460
- C4051 Shim Kit. Fits: Mopar 426 or others with an 8 bolt aftermarket crankshaft
- C4052 Shim Kit. Fits: Mopar 273-440 with a 6 bolt crankshaft






No. C4010



No. C4051







No. C4050

No. C4047

No. C4052

The Chassis People





No. C4034

MID MOUNT PLATES

MID MOUNT PLATES

Available In Steel and Aluminum

- · Provides a solid connection between the transmission and the chassis
- Eliminates torsional chassis stress, block twisting and broken transmission cases
- Steel versions include flywheel shims to ensure accurate torque converter to front pump engagement, (except No. C4024)
- Allows easier transmission swaps and aids clutch operation
- Universal frame mounts included
- Designed on CAD equipment for a precise fit and easy installation
- Universal Frame Mounts Included, welding required




	MID MOUNT PLATES	MID MOUNT PLATES APPLICATION CHART				
PART #	APPLICATION	MATERIAL DESCRIPTION	DIMENSIONS			
UNIVERSAL FIT						
C4033*	Universal Fit	6061-T6 Aluminum	30" x 20" x .188" thick			
GENERAL MO	OTORS					
OLDSMOBILE	E/PONTIAC					
C4025*	301-345 Engines	6061-T6 Aluminum	24" x 14-%" x .188" thick			
CHEVROLET						
C4027*	LS Series	6061-T6 Aluminum	29-1/4" x 14-13/16" x .188" thick			
C4028	LS Series	Steel	29-1/4" x 14-13/16" x .090" thick			
C4030*	SBC, BBC, V8 & 90° V6 Engines	6061-T6 Aluminum	29-1/4" x 13-1/2" x .188" thick			
C4031	SBC, BBC, V8 & 90° V6 Engines	Steel	29-1/4" x 13-1/2" x .090" thick			
FORD						
C4022*	Ford FE 352 - 428	6061-T6 Aluminum	27" x 13 1/2" x .188" thick			
C4024	Modular 4.6, 5.4 & 6.8L	Steel	34" x 12 ¾6" x .090" thick			
C4035	289-302, 351C, 351W Engines	Steel	30" x 9-1⁄4" x .090" thick			
C4053*	289-302, 351C, 351W Engines	6061-T6 Aluminum	30" x 9-1/4" x .188" thick			
C4037	351M, 400, 429, 460 Engines	Steel	30" x 10-13/16" x .090" thick			
C4054*	351M, 400, 429, 460 Engines	6061-T6 Aluminum	30" x 10-13/16" x .188" thick			
CHRYSLER						
C4036	383-440 Engines	Steel	30" x 11-15/16" x .090" thick			
C4055*	383-440 Engines	6061-T6 Aluminum	30" x 11-15/16" x .188" thick			
C4038	273-360 Engines with 727 & A904 Transmissions	Steel	30" x 15" x .090" thick			
C4056*	273-360 Engines with 727 & A904 Transmissions	6061-T6 Aluminum	30" x 15" x .188" thick			

* Flywheel shims not included, see optional flywheel shims on page 441


PART # REPLACEMENT PARTS

C4032 Mid-Mount Plate Replacement Mounting Kit



E

MID MOUNT PLATES



STEERING COMPONENTS

E


FRONT MOTOR PLATES

Make sure your motor stays in place!

- Provides a solid connection between the engine and the chassis
- Improves reaction and 60-foot times
- Eliminates twisting of the chassis caused by engine torque and ensures that the power gets to the rear wheels
- Computer designed and machined for accuracy
- Used by leading chassis builders as a positive method of locating the engine in the chassis
- · Perfect for performing engine swaps or setting motor back in chassis for increased weight transfer


	FRONT MOTOR PI	LATES APPLICATIO	ON CHART	
PART #	APPLICATION	MATERIAL DESCRIPTION	DIMENSIONS	
UNIVERS	AL FIT			
C4014	Universal Fit	6061-T6 Aluminum	36" x 12" x .25" thick	
GENERA	L MOTORS			
SMALL B	BLOCK CHEVROLET			
C3995	LS Series, 2-piece	6061-T6 Aluminum	15" x 12" x .25" thick	
C4003	SBC and 90°, V6 2 Piece Seal Engines, Pre- trimmed	6061-T6 Aluminum	27-1/2" x 13" x .25" thick	
C4004	SBC and 90°, V6 2 Piece Seal Engines	6061-T6 Aluminum	36" x 10-1/2" x .25" thick	
C4006	SBC and 90°, V6 Piece Seal Engines, 2-piece	6061-T6 Aluminum	10-1/2" x 8-1/2" x .25" thick	
BIG BLO	CK CHEVROLET			
C3997*	Gen. V & Gen. VI Engines	6061-T6 Aluminum	36" x 11" x .25" thick	
C4005	BBC, 1-piece	6061-T6 Aluminum	36" x 10-15/16" x .25" thick	
C4007	BBC, 2-piece	6061-T6 Aluminum	9" x 8-1⁄4" x .25" thick	
FORD				
C3990	351C Engines	6061-T6 Aluminum	36" x 11" x .25" thick	
C3991	2 & 3-Valve Modular, 4.6L Engines, 2-piece	6061-T6 Aluminum	15-1/2" x 7-3/4" x .25" thick	
C3992	4-Valve Modular, V8, 4.6L Engines, 2-piece	6061-T6 Aluminum	15-1/2" x 7-3/4" x .25" thick	
C3993	4-Valve Modular, V8, 5.4L Engines, 2-piece	6061-T6 Aluminum	15-1/2" x 7-3/4" x .25" thick	
C4001	289-302, 351W Engines, 1970-93	6061-T6 Aluminum	36" x 10-1/2" x .25" thick	
C4002	429-460 Engines	6061-T6 Aluminum	36-1/2" x 9-1/2" x .25" thick	
C4011	Ford, FE 352-428	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick	
C4015	Ford, 289-302, 351W Engines, 1979-93	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick	
CHRYSLER				
C4000	318-360 Engines	6061-T6 Aluminum	36" x 9-1⁄2" x .25" thick	
C4008	383-440, 426 Hemi Engines, 2-piece	6061-T6 Aluminum	11-¾" x 13-¾" x .25" thick	
C4009	383-440, 426 Hemi Engines	6061-T6 Aluminum	36" x 10" x .25" thick	
C4012	5.7 / 6.1/6.4 Engines	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick	

* NOTE: Chevrolet Gen. V & Gen VI will need modifications.




No. C3990


FRONT MOTOR PLATES



The Chassis People

FRONT MOTOR PLATES







E

ENGINE MOUNTING


Competition Engineering offers several different types of brackets and tabs to help make it easier for you to mount and install accessories to your chassis. We also offer mounting brackets for our Ladder Bars and 4-Links that enable you to replace bent and damaged brackets or when updating your rear end housing.

REPLACEMENT CLEVIS BRACKETS

- Replaces Clevis Brackets found in Nos. C2031, C2045, C2052 & C2053 Diagonal Links
- Also allows No. C2024 Magnum Series Wishbone Locator or other locating devices to be converted to ³/₄" mounting as needed
- Stamped from 3/16" mild steel
- $\frac{1}{2}$ " rod end mounting holes
- Inside dimension 1.160"
- One per package

PART # DESCRIPTION

C3422	Replacement Clevis Bracket, 5%
C3423	Replacement Clevis Bracket, 3/4"
C3431	Replacement Clevis Bracket, 1/2"





No. C3422




No. C3423

UNIVERSAL LARGE CHASSIS BRACKETS

- 13/16" radius accepts 1-5%" tube
- 1/2" mounting hole
- Stamped from 1/8" cold rolled steel
- Four per package

PART # DESCRIPTION

C3424 Universal Large Chassis Bracket






No. C3424

SEAT BELT HARNESS TABS

- Provides a professional and simple way of installing a 5-Point Safety Harness
- Rugged 1/4"-thick steel mounting tabs can be welded to roll bars, seat anchors or other locations to provide secure attachment points
- Includes 1/2" center holes for attaching harness
- · Five tabs per package; enough to install a complete harness
- Welding required

PART # DESCRIPTION


C3425 Seat Belt Harness Tabs





No. C3425

E.



1_7/6

TABS & BRACKETS

UNIVERSAL BELLCRANK TABS

- · Provides convenient mount for linkages
- Gusseted for strength
- Stamped from 1/8" cold rolled steel
- ³/₈" mounting hole
- · Four per package

PART # DESCRIPTION

C3430 Universal Bellcrank Tabs

UNIVERSAL GUSSETED CHASSIS TABS

- 13/16" radius accepts 1-5%" tube
- Gusseted for strength
- ³/₈" mounting hole
- Stamped from 1/8" hot rolled steel
- Two per package

PART # DESCRIPTION


C3432 Universal Gusseted Chassis Tabs

HEAVY-DUTY FLAT CHASSIS BRACKETS

- · Great for mounting suspension components
- Stamped from 3/16" cold rolled steel
- ³/₄" mounting hole
- · Available with straight or radiused bottom
- Four per package

DESCRIPTION PART

C3434 Heavy-Duty Flat Chassis Brackets, Straight





No. C3434


No. C3432

UNIVERSAL 4-LINK CHASSIS BRACKETS

- Replaces chassis brackets found in No. C2017 4-Link Kit
- Stamped from 3/16" cold rolled steel
- ³/₄" rod end mounting holes
- Two per package; four Brackets required per car

PART # DESCRIPTION

C3410 Universal 4-Link Chassis Brackets







No. C3410

E.








3/4" R

PART # C3428




4-LINK REAR END BRACKETS

- Replaces chassis brackets found in No. C2017 4-Link Kit
- Stamped from 1/4" cold rolled steel
- 3" dia axle mounting hole
- ³/₄" rod end mounting holes
- Two per package; four Brackets required per car

PART # DESCRIPTION

C3412 4-Link Rear End Brackets





MAGNUM SERIES 4-LINK BRACKET

- Radiused bracket replaces the universal, square-end brackets found in our Magnum Series 4-Link to mate perfectly with our 4-Link Frame Rails
- Radiused profile simplifies welding and saves hours of fabrication time
- Rugged 1/4"-thick steel construction eliminates bending in ultra high horsepower cars
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- Nine mounting holes provide a wide range of chassis adjustments; accepts 5%" hole, 34" shank rod ends
- One per package; four brackets required per car

PART # DESCRIPTION

C3421 Heavy-Duty Flat Chassis Brackets, Straight

4-LINK CHASSIS BRACKET


- Bracket radius is shaped to provide an exact fit when welding to our 4-Link Formed Frame Rails
- Entire profile, including the nine rod end mounting holes, is stamped from 3/16" hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- ¾" rod end mounting holes
- Can also be used as replacements for the chassis brackets found in our 4-Link Rear Frame Kits
- · One per package; four brackets required per car

PART # DESCRIPTION

C3408 4-Link Chassis Bracket



No. C3408




MAGNUM SERIES 4-LINK BRACKET

Without Integral Shock Mounting Holes

- Designed for use on 3" dia. Axle Tubes
- Radiused profile simplifies welding and saves hours of fabrication time
- 5/8" dia. rod end holes
- Rugged ¼"-thick steel construction eliminates bending in ultra high horsepower cars
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- One per package; four brackets required per car
- Use with two Competition Engineering Magnum Series 4-Link Brackets No. C3427

PART # DESCRIPTION C3429 Magnum Series 4-Link Bracket




TABS &

BRACKETS

No. C3421

100




No. C3429

TABS & BRACKETS

"MAGNUM SERIES" 4-LINK BRACKET

With Integral Shock Mounting Holes

- Designed for 3" diameter Axle Tubes
- · Radiused profile simplifies welding and saves hours of fabrication time
- Rugged 1/4" thick steel construction eliminates bending in ultra high horsepower cars
- 5/8" dia. rod end holes
- Mounting holes for Wheel-E-Bars™, Sway Bar and Shock Mounting
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- One per package; four brackets required per car
- Use with two Competition Engineering Magnum Series 4-Link Brackets No. C3429





No. C3427


PART # DESCRIPTION

C3427

"Magnum Series" 4-Link Bracket

LADDER BAR 2" X 3" CROSSMEMBER BRACKET

- Pre-notched to simplify welding and provide a neat installation
- Stamped from ³/₁₆" mild steel
- Three ³/₄" mounting holes in a 33.5" radius for chassis adjustments
- One per package; four Brackets required per car
- PART # DESCRIPTION
- C3409 Ladder Bar 2" X 3" Crossmember Bracket





No. C3409


SHOCK MOUNTING BRACKET

For Use With Housing Back Brace

- Designed to work with Housing Brace Nos. C3405, C9105, C9205 and other 2" tall back braces
- Stamped from 1/4" steel
- Eight 3/8" dia. mounting holes, spaced 1" apart
- Welding required
- One per package, two brackets required per car
- Designed for use with Shock Bracket Nos. C3417 and C3419

DESCRIPTION PART

C3413 Shock Mounting Bracket






No. C3413

LADDER BAR CHASSIS BRACKET

- Bracket is radiused to mate perfectly with our Ladder Bar Frame Rails to simplify welding
- Provides a front mounting location for Ladder Bars with ³/₄" rod ends
- Entire profile, including the three rod end mounting holes, is stamped from 3/16" hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- · Can also be used as replacement for the brackets found in our Ladder Bar Rear Frame Kits
- One per package; four brackets required per car

PART # DESCRIPTION

C3411 Ladder Bar Chassis Bracket





No. C3411


E

COIL-OVER HOUSING BRACKET

- \bullet Replaces weld-in axle brackets found in $Nos.\ C2047\ \&\ C2051$
- Lower Coil-Over Shock Mount Kit
- \bullet 1-1/2" radius accepts 3" dia axle tube
- $\frac{3}{8}$ " shock bracket mounting holes
- \bullet Stamped from ${}^{1\!\!/}_{4}{}^{\shortparallel}$ hot rolled steel
- One per package; two brackets required per car
- PART # DESCRIPTION
- C3414 Coil-Over Housing Bracket

PART # AVAILABLE OPTIONS

- C3417 Lower Coil-Over Shock Mounting Bracket, Right
- C3419 Lower Coil-Over Shock Mounting Bracket, Left






No. C3414

LOWER COIL-OVER SHOCK MOUNTING BRACKETS

- Replacement bracket, also used in **Nos. C2047 & C2051** Lower Coil-Over Shock Mount Kit
- Stamped from 3/16" cold rolled steel
- 3/8" bracket mounting holes
- 1/2" shock mounting hole
- One per package; two of each bracket required per car

PART # DESCRIPTION

- C3417 Lower Coil-Over Shock Mounting Bracket, Right
- C3419 Lower Coil-Over Shock Mounting Bracket, Left






No. C3417

LADDER BAR CROSSMEMBER BRACKETS

- Replaces brackets found in No. C2019 Ladder Bar Crossmember
- Stamped from ³/₁₆" hot rolled steel
- $1-\frac{25}{32}$ " bar mounting hole
- ²⁵/₃₂" rod end mounting holes
- Two per package; four brackets required per car
- PART # DESCRIPTION
- C3418 Ladder Bar Crossmember Brackets





WELDING TABS AND BRACKETS

Before welding any tabs and brackets permanently, tack weld them in place first to check the final alignment. It's much easier to realign a tab or bracket with a temporary tack weld.

E.

TABS & BRACKETS

"MAGNUM SERIES" LADDER BAR HOUSING BRACKET KIT

Universal

- Innovative, four-piece housing bracket design allows for easy axle upgrades
- Creates a 360° housing bracket that can be tack welded in half the time of older systems – no more safety straps and individual plates!
- Kit allows you to adjust preload and pinion angle without bind
- Complete with two large, formed 180° housing brackets; two small, formed 180° housing brackets and four gussets
- For 3" axle tubes
- PART # DESCRIPTION
- C7212 "Magnum Series" Ladder Bar Housing Bracket Kit



U-BEND UNIVERSAL MOUNT

- This kit can be used in different applications; battery mount, shifter mount, drive shaft loop, etc.
- Comes complete with weld tube for mounting and safety pins to make removing it a snap
- U-Bend is 1-1/8" x .045" wall

PART # DESCRIPTION C3030 U-Bend Universal Mount



No. C3030

ALIGNMENT & LEVEL TOOL

PROFESSIONAL ANGLE FINDER & LEVEL

- Handy, easy-to-read gauge face
- · Perfect for setting pinion angle or determining level
- Accurate to ½ of 1°
- Angle and grade chart on back of gauge
- Made from ABS plastic with convenient grooved base to sit flat

PART # DESCRIPTION

C5020 Professional Angle Finder & Level



ELECTRICAL COMPONENTS

BATTERY/WEIGHT BOX

- · Bolts together for easy installation
- Bottom flange for secure attachment
- Holes provided for battery cables
- Constructed from 1/8" thick mild steel
- Includes 3/8" hold down rod and grommets
- Fits "Series 24" batteries
- Meets sanctioning body requirements for weight box and battery containment in cars with rear firewall
- Inside dimensions: 12-3/8" long x 9-3/4" wide x 10" high
- Weighs approximately 28 pounds

PART # DESCRIPTION

C4029* Battery/Weight Box



No. C4029

*NOTE: Check your rule book for specific mounting requirements

E.

TIE DOWN HOOKS, UNIVERSAL

- Are available in three angles and come as a pair
- Constructed out of 1/4" thick steel with a zinc finish
- 1.5" opening accepts standard race car tie-down straps, such as Moroso Nos. 80740, 80750
- The hooks mounting hole measures ¹¹/₁₆" or 17.5mm which accommodates most factory shock and suspension bolts or the hooks can be welded on

PART # DESCRIPTION

- C3437 Tie Down Hook, Universal, Pair, Flat
- C3438 Tie Down Hook, Universal, Pair, 45 Degree
- C3439 Tie Down Hook, Universal, Pair, 90 Degree



E.

TIE DOWNS / TOW HOOKS



No. C3437



No. C3439

TOW HOOK, FOLDING, UNIVERSAL

- 2" opening meets sanctioning bodies rules about Tow Hooks
- Constructed out of $\frac{1}{4}$ " thick steel with a zinc finish
- Grade 8 hinge hardware
- · Bolt-on or weld-on
- PART # DESCRIPTION
- C3435 Tow Hook, Universal, Folding



No. C3435



TOW HOOK, UNIVERSAL

- Steel, zinc plated
- 3/16" Universal with 2" opening
- Bolt-on or weld-on
- Can be used for trailer tie-down points

PART # DESCRIPTION

C3440 Tow Hook, Universal



The Chassis People



PART # PAGE #

REPLACEMENT PARTS

PART # PAGE #



COMPETITION ENGINEERING REPLACEMENT PARTS

For a list and descriptions of replacement parts for discontinued Wheel-E-Bars™, please refer to page 423

PARI #	PAGE #	PART #	PAGE #
97000	107	97530	145
97001	107	97535	368
97002	107	97542	367-368
97003	107	97543	368
97005	108	97545	359
97006	107, 208	97550	359
97010	108	97551	359
97011	108	97552	359
97015	151	97553	359
97020	309-310	97570	454
97030	309	97571	185-186
97035	291, 310	97580	189
97036	218	97590	154
97037	218	97641	154-155
97040	310	97644	158
97050	150	97690	454
97062	276	97730	229
97070	284	97731	229
97080	280-281	97732	229
97081	280-281	97751	185-186
97085	283	97800	151, 312
97090	281	97810	151, 312
97170	170, 173,	97817	265
07170	177, 179	97830	340
97172	177	97832	340
97180	158	97833	340
97181	158	97835	340
97200	180, 182,	97848	342
07010	187-190	97849	342, 345
97210	255 255	97850	342
97220 97230	255	97852	342
97250	255	97853	342
97252		97854	342
	255 255	97855	342
97255	255 255	97856	342
97257 97275	255	97857	342, 344
		97858	342, 344
97290	211 211	97859	342, 344
97291		97860	342, 345
97319	66	97861	342
97321 97322	138-139	97862	342
	138	97866	343
97323	138	97867	343
97324	138		
97325	138		
97330	280-281		
97331 97340	283		
97340 97341	311-312 311		
97345 97346	298 291		
97346 97450			
97450 97485	256 245-246, 375		
	,		
97500 97510	236 282		
97520	282		

PAGE #
420
451
451
451
451
451
447
447
410
410
410
397
397
397
397
424
424
454
423
423
423
423
423
423
398
423

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE		PART#	PAGE
17023	374	20201	27	20535	74	20967	98	21553	36		22162	120
17025	374	20205	26	20536	78	 20968	100	21554	36		22163	37, 53-
17026	374	20206	27	20546	83	20969	98	21555	36			65, 115
17028	374	20211	28	20548	83	 20970	103	21556	36		22164	37, 53-
17029	374	20212	28	20549	82	20971	103	21581	62		00107	65, 115
17040	374	20230	29	20554	82	 20975	99	21592	66		22167	61, 115
17050	374	20372	65	20555	83	20976	99	21597	66		22171	25-30, 114
17100	374	20376	61	20557	81	 21015	8, 29	21598	9, 66	۰ı	22175	53-65,
17600	374	20385	59	20558	81	21017	29,	21600	61			116
20032	60	20401	54	20569	84	 21019	37	21631	92		22185	53-65,
20043	70	20403	54	20570	84	21047	57	21811	32	ι.		116
20044	70	20405	57	20571	85	 21048	58	21812	32	·	22186	53-65, 116
20045	70	20406	56	20572	85	21049	58	21813	31		22187	57-58,
20049	71	20408	53	20573	84	 21149	9, 42	21814	31		22107	117
20054	72	20409	64	20574	86	21150	41	21815	31		22195	52, 116
20055	71	20411	63	20575	10, 85	21151	43	21816	32		22241	135
20105	8, 39	20412	55	20576	10, 85	 21152	48	22000	153		22243	135
20138	45	20413	63	20577	10, 86	 21153	44	22010	153		22244	135
20139	42	20416	55	20606	87	 21154	51	22016	153		22245	135
20140	39	20420	62	20607	88	 21155	49	22017	153		22251	135
20141	40	20421	65	20608	88	 21156	49	22018	153		22253	135
20142	46	20431	56	20609	87	 21157	44	22045	153		22254	135
20143	47	20433	64	20612	91	 21158	43	22050	153		22255	135
20144	50	20449	52	20614	90	 21159	48	22070	125		22300	147
20145	41	20451	52	20616	90	 21161	68	22072	125		22305	147
20146	45	20460	53	20620	89	 21166	10,68	22074	125		22311	12, 128
20147	40	20480	92	20625	89	 21234	30	22077	125		22312	12, 128
20148	46	20485	59	20710	67	 21240	30	22080	125		22313	12, 128
20149	47	20486	60	20730	67	 21247	38	22082	125		22315	13, 129
20150	40	20490	93	20760	69	21248	38	22090	125		22320	147
20151	50	20492	93	20766	69	 21308	32	22099	119		22321	127
20155	51	20500	93	20901	94	 21312	35	22101	120		22323	130
20160	26	20501	78	20910	94	 21314	35	22109	119		22324	130
20165	26	20502	73	20010	94	 21315	35	22111	120		22325	130
20170	25	20502	73	20912	95	21316	33	22120	120		22326	130
20171	25	20505	74	20912	96	21317	33	22124	25-30,		22335	134
20172		20507		20916	9, 95	21317	34		23-30, 116		22341	127
20172	31	20507	75	20910	9, 95 95	21310	34	22134	25-30,		22342	13, 129
20179	25	20520	79	20917	96	21313	33		116		22343	130
20180	25	20520	75	20919	101	21320	33	22139	25-29, 117		22344	130
20181	25	20521		20930	101	21322	33	00144	117		22345	130
20182	31	20522	79	20935	102	21323	33	22144	25, 116		22346	130
20185	26	20525	76	20930	102	21324	34	22146	25-29, 117		22361	127
20190	20	20527	76	20937	97	21325	34 34	22147	34-35,		22362	129
20191	37	20528	80	20940	97 97	21326	34 34		117		22362	132
20193	27	20529	82	20942	97 98	21327	34 36	22149	119		22303	132
	28	20530	82 77				36	22150	120		22365	132
20196				20965	100	21551		22159	119		22365	132
20200	26	20534	80	20966	100	21552	38	22160	120		22000	102

MOROSO NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
22367	14, 133	22636	161	22724	156	23036	110	23695	140	24010	94, 124
22400	147	22637	161	22725	156	23040	112	23698	140	24011	94, 124
22405	14, 133	22640	158	22726	156	23045	113	23699	140	24012	95, 124
22411	12, 128	22641	158	22727	156	23143	70	23700	142	24050	39-42,
22412	12, 128	22642	159	22728	156	23144	70	23701	139		46-48,
22413	12, 128	22643	159	22729	156	23210	113	23703	140	04050	121
22414	14, 133	22644	159	22730	285	23520	173, 175,	23705	16, 140	24052	45, 121
22415	14, 133	22645	158	22731	285		179	23710	142	24100	118
22421	136	22646	158	22732	285	23523	173, 175, 179	23711	141	24101	34-36, 119
22423	136	22649	163	22733	285	23528	179	23712	141	24103	34-36,
22424	136	22651	163	22734	285	23532	170, 177	23750	142		119
22425	136	22652	15, 134,	22735	17, 188,	23332	170, 177, 179	23760	142	24104	34-36,
22435	134		160		313	23533	178	23763	143	04400	119
22441	127	22654	15, 134, 160	22736	17, 188, 313	23534	178	23764	143	24120	28, 118
22443	131	22674	187	22737	156	23535	178	23766	143	24122	28, 118
22444	131	22677	186	22738	108	23540	178	23767	142	24144	25, 50, 121
22445	131	22678	186	22730	16, 187	23541	178	23770	138	24150	26, 118
22446	131	22679	187	22741	129,	23542	178	23775	138	24153	43, 121
22459	148	22681	185	22741	132-136	23543	178	23782	138	24154	11, 44
22460	148	22682	185	22742	129,	23544	178	23790	138	24161	68, 122
22461	148	22683	185		132-136	23545	178	23820	139	24162	68, 122
22462	148	22684	185	22743	129, 132-136	23546	178	23840	139	24166	11, 68,
22463	51, 148	22686	185	22744	129,	23547	178	23845	150		122
22470	148	22687	185	22144	132-136	23548	178	23850	150	24170	25-30,
22515	13, 129	22688	185	22749	154	23556	178	23860	150	04171	38, 118
22517	13, 129	22689	185	22753	108, 162,	23558	178	23870	150	24171 24181	37, 118 25-30,
22518	13, 129	22691	186		316	23560	173	23875	146	24101	25-30, 38, 118
22521	136	22697	16, 186	22754	156	23561	173	23900	145	24185	25, 31,
22523	136	22698	16, 186	22840	158	23562	173	23901	145		118-119
22524	136	22699	187	22842	159	23675	139	23902	145	24212	25, 31,
22525	136	22701	16, 187	22843	159	23676	139	23903	145	04010	118-119
22604	16, 155	22703	155	22850	,	23677	139	23905	146	24213	25, 31, 118-119
22605	155	22704	155	22912	109	23678	139	23907	146	24308	32, 118
22606	155	22706	155	22928	112	23679	139	23908	146	24314	34-35,
22610	156	22708	155	22930	111	23681	141	23920	145		119
22620	155	22709	155	22933	112	23682	140	23921	145	24315	34-35,
22622	155, 253	22710	151	22934	109	23683	140	23960	156	04010	119
22624	16, 162	22711	156	22935	111	23684	140	23961	156	24316	33, 119
22625	155	22712	156	22936	15, 86, 112	23685	140	23962	156	24317	33, 119
22626	155, 158, 162	22713	156	22939	111	23686	140	23963	156	24318	34-35, 119
22627	16, 162	22714	156	22940	112	23687	141	23965	150	24320	25-29,
22629	161	22715	156	22941	110	23688	141	23970	108		38, 118
22630	161	22716	156	22943	111	23689	142	23980	154	24325	36, 119
22631	161	22717	156	23000	110	23690	139	23990	154	24330	118,
22632	162	22718	156	23010	110	23691	140	23991	154	24340	26, 118
22633	161	22719	156	23020	110	23692	140	23995	154	24350	25-30,
22634	162	22720	156	23030	110	23693	140	23996	154	04054	38, 118
22635	162	22722	156	23035		23694	140	23997	154	24351	37, 118

NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART	# PAGE		PART#	PAGE	F	Part#	PAGE
24360	25-29,	24579	11,85-	26215	346	38415	109		42025	207-209		47195	231-23
	118		86, 123	26217	346	38420	219		42030	207-209		47200	231-23
24430	52, 56, 121	24601	68, 122	27043	343	38541	217		42031	207-209		47205	231-23
24440	53-65,	24602	68, 122	27264	92	38542	217	_	42040	208		47210	231-2
	121	24608	88, 123	27293	106	38550	218		42050	208		47215	231-2
24441	53-65,	24609	87, 123	27336	91	38551	219		42060	208		47220	231-2
	121	24700	67, 122	27601	68	38555	218		42080	208		47230	231-2
24446	60, 121	24750	69, 122	27862	72	38560	218		42090	208		47500	232
24448	52, 121	24766	69, 122	34800	212	38590	219		44050	227		47510	232
24450	53, 121	24800	69, 122	35000	212	38710	219		44052	227		47520	232
24460	92, 122	24811	32,	35500	213	38755	220		44056	227		49500	151
24463	92, 122	24813	25, 31,	35520	213	38760	220		46140	229		60008	354
24480	93, 122	04014	118-119	35560	212	38764	211, 219		46150	228		60009	354
24482	93, 122	24814	32, 119	35570	213	38765	211, 219		46151	228		60010	355
24501	123	24817	32, 119	35571	213	38770	220		46160	228		60012	354
24504	91, 123	24819	32, 119	35581	213	38772	220		46180	228		60016	22, 35
24505	90, 123	24840	124	37800	214	38775	220		46185	228		60055	354
24507	77-78,	24861	124	37810	214	39000	220		46190	228		60100	356
	123	24862	124	37812	214	39005	221		46200	229		60105	356
24508	89, 123	24865	124	37900	214	39010			46220	228		60110	356
24509	89, 123	24866	124	37920	214	39015	221		46240	228		60115	356
24511	90, 123	24890	49	37930	214	39016	221		46241	228		60120	356
24515	81, 123	24936	102, 124	37932	215	39020			46245	228		60125	356
24516	75-76,	24964	125	37934	215	39021	221		46247	19, 228		60130	356
04517	122	24965	124-125	37936	215	39022	221		46300	230		60135	356
24517	74, 122	24976	99, 124	37938	215	39023			46310	230		60140	356
24518	74, 122	25000	150	37950	216	39025			46320	228		60145	356
24520	73, 122	25001	150	37955	216	39050			46330	228		60150	356
24522	90, 123	25025	152	37960	216	39152			46340	228		60155	356
24523	73-74, 122	25026	150	37961	216	39153			46345	228		60200	137
24527	76-77,	25050	152	38150	215	39154			46420	228		60201	137
	122	25100	152	38191	215	41060			46440	228		60205	137
24528	76-77,	25150	152	38192	216	41090			46445	228		60205	137
	122	25160	19, 241	38192	216	41090			46445	228		60355	355
24530	82, 123	25177	152	38193	216	41091			46460	228		60460	226
24532	79-80,	25178	152	38194	216	41100			46480	228		60460	226
04504	123	25179	237										226
24534	80, 123	25180	237	38310	215	41201			46485	228		60462	
24547	82, 123	25800	109	38315	109	41205			46490	228		60464	226
24548	82, 123	25830	109	38350	217	41221			47130	231-232		61740	233
24558	81, 123	25900	151, 312	38356	217	41300			47135	231-232		61741	233
24570	54, 123	25970	106	38360	217	41301			47140	231-232		61742	233
24573	84, 123	25971	107	38361	218	41302			47150	231-232		61743	233
24574	86, 123	25973	107	38366	217	41303			47160	231-232		61744	233
24576	11, 84- 85, 123	26140	345	38385	218	41305			47165	231-232		61745	233
24577	85, 123 11, 84-	26150	345	38387	218	42000			47170	231-232		61746	233
24577	11, 84- 85, 123	26200	346	38390	218	42001			47175	231-232		61755	234
24578	11, 85,	26210	346	38400	219	42010			47180	231-232		61756	234
	123	26211	346	38410	219	42020	207-209		47190	231-232		61757	234

240	6	63422	261	
240	6	63423	261	

=	00.00
250	63466
248	63467
248	63468
250	63469
251	63471
251	63473
249	63474
250	63475
249	63476
251	63477
249	63485
249	63486
249	63488
250	63490
250	63491
237	63492
237	63493
237	63494
237	63495
21, 263	63496
21, 263	63497
258	63498
258	63499
258	63500
258	63501
258	63502
258	63503
258	63506
258	63507
191	63508
191	63509
191	63510
260	63511
261	63512
261	63513
261	63514
261	63515
264	63516
264	63519
264	63521
262	63522
262	63523
262	63525
21, 263	63530
257	63531
259	63539

PART# PAGE

K/OF	L IIVUE		
PART#	PAGE	PART#	PAGE
63542	253	63783	199
63543	253	63784	206
63544	253	63785	205
63546	255	63786	199
63547	252	63787	196
63555	255	63788	196
63557	252	63791	203
63565	252	63793	203
63566	252	63795	206
63570	253	63796	197
63571	253	63797	203
63575	252	63800	198
63585	252	63801	198
63595	252	63802	198
63610	256	63803	198
63611	256	63804	201
63615	254	63805	201
63616	254	63806	199
63645	257	63808	196
63650	193	63809	197
63651	193	63810	168
63655	193	63811	203
63656	193	63812	197
63657	192	63813	195
63660	192	63814	205
63700	258	63815	168
63730	258	63817	166
63731	258	63818	166
63740	258	63819	166
63741	258	63820	201
63745	258	63821	167
63746	258	63822	167
63750	255	63823	167
63760	258	63824	167
63765	257	63825	168
63766	193	63827	165
63767	199	63828	165
63768	199	63829	165
63769	194	63832	165
63771	194	63833	165
63772	194	63834	165
63773	193	63836	166
63777	204	63837	166
63778	204	63838	166
63779	204	63839	165
63780	204	63840	169
63781	204	63841	169
63782	199	63842	169

PART#	PAGE
63843	169
63844	170
63845	170
63846	170
63847	171
63848	170
63849	171
63852	18, 198
63853	171
63854	196
63856	196
63857	171
63858	171
63859	171
63860	171
63861	171, 356
63865	166
63866	166
63867	166
63870	165
63871	18, 205
63880	172
63881	172
63882	172
63883	172
63884	172
63885	172
63886	172
63887	17, 173
63890	171
63895	169
63897	169
63909	164
63910	164
63911	164
63916	164
63917	164
63918	164
63921	164
63922	164
63923	164
63924	164
63950	196
64030	174
64031	173
64035	173
64050	174
64051	175

PART# PAGE

242, 337

242, 337

242, 337

242, 337

242, 337

230, 244

PART# PAGE

WAREWON

PART#	PAGE	PART#	PAGE	PART#	PAGE	PAR	f# PAGE		PART#	PAGE	PART#	FAC
64060	174	64985	269	65374	277	659	2 282		68332	22, 292	68482	300
64070	174	64991	269	65375	275	659	3 282	_	68333	298	68483	302
64100	174	64996	269	65380	275	659	5 280		68335	291	68484	302
64110	174	65000	269	65381	182, 275	6592	0 283	_	68345	299	68485	31
64111	175	65015	270	65382	182, 275	6592	8 281		68348	306	68486	30
64120	174	65016	270	65385	277	6594	5 281		68349	306	68487	30
64200	174	65017	270	65388	182, 275	6594	6 281		68350	299	68488	29
64201	175	65018	270	65389	182, 275	6594	7 283		68353	299	68489	30
64210	174	65030	271	65390	275	659	1 284		68356	299	68493	29
64211	175	65042	268	65391	278	6596	0 284		68365	290	68494	29
64550	174	65045	266	65392	278	6596	1 284		68370	290	68495	29
64551	175	65047	265	65393	278	662 ⁻	0 282		68371	290	68501	30
64700	174	65050	266	65394	278	6630	3 282		68374	290	68505	30
64800	174	65052	265	65395	278	6630			68380	290	68506	
64860	175	65062	265	65396	278	6630			68381	290	68510	
64870	176	65064	265	65397	163, 278	663			68385	290	68512	
64885	176	65070	266	65398	163, 278	6639			68388	305	68516	
64886	170	65075	266	65401	274	671			68389	305	68519	
64887	176	65090	200	65401	274	6710			68392	288	68525	
					274							
64888	177	65127	20, 265	65411		6717			68401	289	68526	
64917	267-268	65130	275	65412	274	672			68405	289	68530	
64918	267	65131	182, 275	65413	274	6730			68411	289	68550	
64919	267	65140	275	65414	272	6732			68420	298	68561	
64920	268	65141	275	65425	272	676			68425	297	68562	21 31
64922	266	65144	275	65426	273	6770	0 153, 287	7	68426	297	68603	
64923	367	65145	276	65432	273	6800	3 289		68429	297	68604	
64925	266	65146	275	65440	271	6800	5 289		68432	298		
64926	266	65160	276	65441	271	6800	6 289		68450	304	68605	
64927	267	65170	276	65442	272	6802	5 293		68455	301	68610	
64928	266	65222	274	65443	272	6802	6 293		68456	301	68621	
64929	268	65223	274	65444	272	6802	8 293		68457	300	68630	
64930	270	65224	274	65531	272	680	0 293	_	68458	300	68640	
64935	268	65225	271	65532	273	680	1 292		68459	300	68660	
64940	270	65226	271	65534	273	6810	2 288		68460	300	68717	
64941	270	65227	271	65750	279	6810	3 288		68461	306	68718	
64943	270	65228	273	65752	279	681	2 297		68463	301	68719	
64945	270	65230	276	65770	279	681	3 297		68467	303	68740	
64947	270	65231	276	65800	240	6816	1 302	_	68468	303	68741	31
64950	269	65234	276	65801	240	6818	1 303		68469	301	68762	31
64951	269	65300	276	65802	240	6820	1 303		68470	294	68770	31
64952	270	65310	276	65803	240	6820	2 303		68471	294	68771	31
64960	269	65315	276	65805	240	682 ⁻	0 303		68472	294	68772	31
64964	269	65330	275	65820	284	6828	1 306		68473	294	68773	31
64965	269	65340		65904	280	683			68474	304	68775	31
64966	269	65345		65905	280	6832			68475	304	68776	31
64970	269	65360		65906	280	6832			68479	300	68780	15
64980	269	65370		65910	280	6832			68480	296	68781	31
64981	269	65372		65911	281	6833			68481	300	68785	31
0-301	203	00012	L11	03911	201	003	-0 <u>2</u> 30		00401	000	68788	15

NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART	# PAGE	PART#	PAGE	PART#	PAGE
68790	311	71279	222	71376	223	7191) 345	72180	340	72561	329-333
68791	160, 314	71280	222	71377	223	7199	2 338	72181	340	72565	329-333
68792	314	71290	222	71378	223	7199	3 338	72182	340	72570	329-333
68800	315	71291	222	71379	223	7199	4 338	72183	340	72600	329-333
68810	315	71293	222	71380	223	7199	5 338	72195	340	72605	329-333
68811	314	71294	222	71381	223	7200) 338	72231	342	72635	329-333
68812	314	71295	222	71382	223	7200	2 338	72251	343	72645	329-333
68813	314	71296	222	71383	223	7200	4 338	72252	343	72646	329-333
68815	314	71297	222	71400	223	7201	1 338	72280	343	72650	329-333
68816	314	71298	222	71410	223	7201	2 338	72300	344	72655	329-333
68817	314	71299	222	71420	223	7201	3 338	72310	344	72656	329-333
68818	187, 314	71300	222	71425	223	7202) 338	72315	344	72660	329-333
68820	310	71301	222	71430	223	7202	3 336	72350	347	72673	333
68825	292	71302	222	71440	223	7203) 338	72355	342,	72674	333
68830	310	71310	222	71441	223	7203	1 338		349-353	72680	333
68831	310	71311	222	71450	223	7203	3 336	72358	349-353	72682	333
68832	18, 217	71312	222	71451	223	7204) 336	72360	349-353	72751	327
68839	316	71325	222	71460	223	7204	1 324	72380	349	72752	327
68840	316	71327	222	71470	223	7205) 324	72390	347	72753	327
68841	316	71329	222	71490	224	7206) 336	72395	348	72754	327
68843	316	71330	222	71495	224	7206	1 324	72396	348	72792	327
68844	295, 315	71331	222	71500	223	7207) 336	72397	294, 348	72800	335
68845	316	71332	222	71501	223	7207	1 324	72398	294, 348	72820	335
68846	316	71333	222	71502	223	7207	5 336	72402	326	72830	335
68847	316	71340	222	71505	223	7207	5 324	72405	326	72855	335
68848	316	71341	222	71506	223	7208	1 324	72407	326	73160	341
68849	318	71345	222	71507	223	7213) 339	72415	326	73163	341
68850	314	71346	222	71510	223	7213	1 339	72416	326	73210	328
68851	318	71349	222	71530	223	7213	3 339	72426	326	73214	328
68852	318	71350	222	71531	223	7214) 340	72430	326	73215	328
68853	318	71351	222	71532	223	7214	1 340	72475		73216	328
68854	318	71352	222	71540	223	7214	3 340	72500	329-333	73217	328
68855	318	71353	222	71550	224	7215) 339	72510	329-333	73218	328
68856	317	71354	222	71551	224	7215	1 339	72520	329-333	73219	328
68857	295, 313	71355	222	71552	224	7215	3 339	72521	329-333	73220	328
68900	317	71356	222	71553	224	7216) 341	72522	329-333	73225	328
68910	317	71358	222	71554	224	7216	1 341	72524	329-333	73226	328
68995	294	71359	222	71555	224	7216	2 341	72525	329-333	73229	328
71161	67	71360	222	71556	224	7216	3 341	72526	329-333	73230	327
71162	49	71361	222	71557	224	7216	5 341	72527	329-333	73231	328
71260	222	71362	222	71559	224	7216	7 339	72528	329-333	73232	328
71270	222	71363	222	71600	225, 244	7216	3 339	72529	329-333	73233	328
71271	222	71364	222	71601	225, 243	7217) 339	72530	329-333	73235	327
71272	222	71365	222	71602	225, 243	7217	1 339	72535	329-333	73236	327
71274	222	71370	223	71605	225, 243	7217	2 339	72538	329-333	73237	324
71275	222	71371	223	71606	225, 244	7217	4 339	72540	329-333	73238	324
71276	222	71372	223	71607	225, 244	7217	5 339	72542	329-333	73240	324
71277	222	71373	223	71610	225	7217	6 339	72550	329-333	73241	324
71278	222	71375	223	71900	345	7217	3 339	72560	329-333	73512	323

NUMERICAL INDEX

				M	0R050	NUN	MERICI	4L INT	DEX				
Part#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
73535	323	73690	322	73818	323	74119	364	74240	196	85461	190	85521	183
73536	323	73691	322	73819	323	74120	365	74241	196	85462	190	85522	184
73537	323	73692	322	73820	323	74122	365	74246	195	85463	190	85523	184
73600	323	73693	322	73821	323	74123	365	74247	195	85464	190	85524	183
73602	323	73694	322	73822	323	74124	366	74248	195	85465	187	85530	183
73605	323	73695	322	73823	323	74125	366	74253	202	85466	189	85531	180, 18
73607	323	73696	322	73824	323	74126	366	74254	202	85467	188	85532	183
73614	323	73699	322	73825	323	74129	366	74255	202	85468	188	85600	184
73615	323	73703	322	73826	323	74130	367	74256	202	85469	188	85601	184
73616	323	73704	322	73827	323	74131	367	74258	195	85470	187	85602	183
73617	323	73705	322	73828	321	74132	367	74299	366	85471	180, 190	85603	183
73621	323	73706	322	73830	323	74133	367	74300	366	85472	183	85604	184
73622	323	73707	322	73832	323	74134	367	78740	372	85473	188	85605	184
73626	323	73708	322	73833	323	74135	367	78000	372	85474	180, 184	85606	184
73628	323	73709	322	73834	323	74136	367	80110	373	85475	187	85607	184
73630	323	73710	322	73835	323	74139	367	80120	373	85477	184	85608	184
73631	323	73711	322	73836	321	74140	359	80131	373	85478	183	85609	184
73657	322	73712	322	73837	321	74143	367	80160	373	85479	183	85610	184
73658	322	73713	322	73838	323	74144	360	80700	247	85481	183-184	85611	184
73659	322	73714	322	73839	321	74145	360	80740	247	85482	184	85612	183
73660	322	73715	322	73840	321	74148	367	80750	247	85483	184	85613	183
73661	322	73716	322	73841	321	74149	359	80805	286	85484	184	85616	184
73662	322	73717	322	73842	323	74155	359	80807	286	85485	184	85617	184
73663	322	73718	322	73843	323	74156	359	80808	286	85486	184	85626	184
73664	322	73719	322	73845	294, 323	74170	358	80809	286	85487	183	85627	184
73665	322	73722	322	73846	294, 323	74172	358	80939	247	85488	184	85628	184
73666	322	73723	322	73848	22, 296,	74173	358	80940	247	85489	184	85629	184
73667	322	73724	322		323	74174	358	80941	247	85491	184	85632	183
73668	322	73725	322	74005	358	74175	358	80942	247	85492	184	85633	183
73669	322	73726	322	74016	357	74180	368	80944	247	85493	183	85634	183
73670	322	73727	322	74051	357	74181	368	84750	370	85494	184	85635	183
73671	322	73728	322	74055	358	74183	368	84751	370	85495	180, 184,	85636	184
73672	322	73729	322	74100	361	74186	368	85080	370	00400	190, 104, 190	85637	184
73673	322	73730	322	74101	361	74100	368	85090	370	85496	181, 184	85638	184
73674	322	73731	323	74102	361	74190	368	85280	317, 371	85497	181, 184	85639	184
73675	322	73800	323	74103	358	74193	369	85282	317, 371	85498	184	85640	183
73676	322	73800	321	74104	358	74194	369	85282	317, 371	85499	183	85641	183
	322	73801	321	74105	363			85283	317, 371	85500	188	85642	
73677				74106	361	74200	360			85505	192		183
73679	322	73804	321	74107	362	74201	360	85330	370	85510	184	85643	183
73680	322	73805	321	74108	361	74220	202	85390	17, 189	85511	184	85644	184
73681	322	73808	321	74109	363	74221	202	85400	187	85513	184	85645	184
73682	322	73810	321	74110	362	74222	202	85402	187	85514	184	85646	184
73683	322	73811	321	74111	363	74224	202	85404	187	85515	184	85647	184
73684	322	73812	321	74114	358	74225	202	85406	187	85516	183	85648	183
73685	322	73813	321	74115	365	74226	198	85450	189	85517	184	85649	183
73686	322	73814	321	74116	362	74228	202	85455	17, 188	85518	184	85650	184
73687	322	73815	321	74110	364	74229	202	85456	187	85519	184	85651	184
73688	322	73816	321			74230	202	85458	187	85520		85652	183
73689	322	73817	323	74118	364	74231	206	85459	187	05520	184	85653	183

NOTE: Part Nos. in RED are New Products

PART#		PART#	PAGE	PART#									
85654	184	89576	245, 375	93150	106	97010	108	97200	180, 182,	97641	154, 155,	99538	377
85655	184	89585	244, 376	93151	106	97011	108	07010	187-190		158, 162, 264	99541	377
85660	184	89590	246, 375	93152	106	97015	151	97210	255	97642	158	99542	377
85661	184	89592	245	93153	106	97020	309-310	97220	255	97644	158	99543	377
85664	183	89593	245	93154	106	97030	309	97230	255	97690	454	99544	377
85665	183	89594	245	93156	106	97035	291, 310	97250	255	97730	229	99545	377
85666	184	89595	245	93160	106	97036	218	97252	255	97731	229	99546	377
85667	184	89600	236	93161	106	97037	218	97255	255	97732	229	99547	377
85668	184	89602	236	93162	106	97040	310	97257	255	97751	185-186	99548	377
85669	184	89603	236	93163	106	97050	150	97275	252	97800	151, 312	99549	377
85670	184	89610	160, 277	93164	106	97062	276	97290	211	97810	151, 312	99550	377
85671	184	89611	151, 160,	93166	106	97070	284	97291	211	97817	265	99551	377
85672	184	_	277	93167	106	97080	280-281	97300	182	97830	340	99552	377
85673	184	89650	241	93174	106	97081	280-281	97301	181, 182	97832	340	99553	377
85674	184	90100	230	93175	106	97085	283	97319	66, 454	97833	340	99554	377
85675	184	90110	230	93200	106	97090	281	97321	138-139	97833	340	99555	377
85676	184	90366	226	93230	20, 256	97092	21, 198	97322	138	97835	340	99557	377
85677	184	90367	226	93231	20, 256	97105	179	97323	138	97848	342, 345	99581	378
85678	183	90368	226	93232	20, 256	97110	173, 179	97324	138	97849 97850	342, 345 342	99582	378
85679	183	90369	226	93233	20, 256	97113	179	97325	138			99583	378
85680	184	90370	226	93234	20, 257	97120	173, 179	97330	280-281	97852	342	99584	378
85681	184	90371	226	93235	20, 257	97123	179	97331	283	97853	342	99586	378
85682	181	90372	226	93236	20, 257	97125	179	97340	311-312	97854	342	99587	378
85683	181	90373	226	93237	20, 257	97130	173, 179	97341	311	97855	342	99588	378
85684	184	90374	226	93238	20, 257	97133	179	97345	298	97856	342	99589	378
85685	184	90375	226	93239	20, 257	97135	179	97346	291	97857	342, 344	99591	378
85686	183	90376	226	93240	20, 257	97136	179	97450	454	97858	342, 344	99592	378
85687	183	90377	226	93241	20, 257	97138	179	97480	246, 375	97859	342, 344	99593	378
85696	183	90378	226	93300	266, 270,	97140	173, 179	97481	19, 245	97860	342, 345	99594	378
85697	183	90770	227		279	97141	179	97485	245-246,	97861	342	99601	378
85699	181	93020	307	93301	270, 279	97142	179		375	97862	342	99610	377
85700	372	93021	307	93310	270, 279	97143	179	97500	236	97866	343	99611	377
85702	183	93025	307	93320	21, 278	97144	179	97510	282	97867	343	99612	377
85703	183	93040	307	93321	21, 278	97146	179	97520	282	99400	235	99613	377
85800	371	93045	307	93322	21, 278	97147	179	97530	145	99401	235	99614	377
85810	371	93050	307	93323	21, 278	97149	179	97535	368	99406	239	99615	377
85820	371	93055	307	94050	285	97151	179	97542	367-368	99410	376	99616	377
85830	371	93060	307	94051	285	97152	179	97543	368	99421	376	99618	377
85850	371	93065	307	94052	285	97154	179	97545	359	99430	372	99619	377
85860	371	93100	208-209	94054	285	97157	179	97550	359	99520	377	99620	378
89550	246, 375	93102	208-209	94055	285	97159	179	97551	359	99521	377	99621	378
89552	246, 375	93103	208-209	94056	285	97164	179	97552	359	99522	377	99622	378
89555	246, 375	93104	208-209	97000	107	97170	170, 173,	97553	359	99523	377	99623	378
89560	246, 375	93105	209	97001	107	0/1/0	177, 179	97570	454	99524	377	99625	378
89562	246, 375	93106	209	97002	107	97171	177	97571	185-186	99525	377	99626	378
89570	240, 375	93107	208-209	97003	107	97172	177	97580	189	99534	377	99627	378
89570	246, 375	93108	209	97005	108	97180	158	97590	154	99535	377	99628	378
89575	245, 375	93110	208-209	97006	107, 208	97181	158			99536	377	99629	378
00010	2-10, 070									99537	377	33029	510

NUMERICAL INDEX

MOROSO NUMERICAL INDEX

			COMP	571710	N ENC	AINEE	RING	NUME	RICAL	INDE	X		
Part#	PAGE	PART#	PAGE	PART#	PAGE								
C0411	391	C1417	391	C1471	391	C2036	424	C2550	422	C2815	391	C3046	394
C0412	391	C1421	391	C1473	391	C2037	404	C2555	422	C2816	391	C3047	394
C0413	391	C1422	391	C1611	391	C2039	424	C2560	422	C2817	391	C3048	394
C0414	391	C1423	391	C1612	391	C2040	424	C2565	422	C2821	391	C3059	392
C0415	391	C1424	391	C1613	391	C2043	425	C2570	422	C2822	391	C3060	392
C0416	391	C1425	391	C1614	391	C2045	403	C2575	422	C2823	391	C3061	393
C0417	391	C1426	391	C1615	391	C2046	421	C2600	414-417	C2824	391	C3062	392
C0421	391	C1427	391	C1616	391	C2047	420	C2605	414-417	C2826	391	C3065	393
C0422	391	C1431	391	C1617	391	C2051	420	C2610	414-417	C2827	391	C3090	411
C0423	391	C1432	391	C1621	391	C2052	403	C2611	391	C2828	391	C3100	426
C0424	391	C1433	391	C1622	391	C2053	403	C2612	391	C2998	436	C3101	426
C0425	391	C1434	391	C1623	391	C2056	421	C2613	391	C2999	436	C3108	394
C0426	391	C1435	391	C1624	391	C2090	398	C2614	391	C3000	426	C3111	394
C0427	391	C1436	391	C1625	391	C2091	398	C2615	414-417	C3001	426	C3112	394
C0611	391	C1437	391	C1626	391	C2093	398	C2616	414-417	C3002	436	C3113	394
C0612	391	C1438	391	C1627	391	C2094	398	C2617	391	C3004	436	C3114	394
C0613	391	C1439	391	C1811	391	C2096	398	C2618	391	C3005	436	C3115	394
C0614	391	C1440	391	C1812	391	C2090	398	C2619	391	C3005	437	C3116	394
C0615	391	C1441	391	C1813	391	C2099	398	C2620	414-417	C3007	436	C3117	394
C0616	391	C1442	391	C1814	391	C2100	398	C2621	391	C3008	436	C3118	394
C0617	391	C1443	391	C1815	391	C2100	397	C2622	391	C3009	436	C3120	394
C0621	391	C1443	391	C1816	391	C2101	397	C2623	391	C3010	436	C3120	426
C0622	391	C1445	391	C1817	391	C2103	397	C2624	391	C3011	436	C3122	426
C0623	391	C1446	391	C1821	391	C2111	397	C2625	391	C3012	394	C3123	426
C0623	391	C1440	391	C1821	391	C2112	408	C2626	391	C3012	394 394	C3123	420
C0625	391	C1447	391	C1823	391	C2112	400	C2627	391	C3013	394 394	C3124	420
C0626	391	C1449	391	C1824	391	C2137	404	C2630	414-417	C3014	394 394	C3125	426
C0627	391	C1450	391	C1825	391	C2139	404	C2639	414-417	C3019	421	C3120	420
C0027	391	C1450	391	C1825	391	C2140	423	C2039	414-417	C3019	421	C3127	420
C0812		C1451		C1827	391	C2143	423	C2645	414-417	C3020	426	C3120	420
C0812	391	C1452	391	C2005	395	C2140	398	C2646	414-417	C3021		C3129	420
	391				395	C2201			414-417		426		420
C0814		C1454	391	C2006			397	C2647		C3023	426	C3131	
C0815	391	C1455	391 201	C2016	424	C2408 C2409	439	C2700	414-417	C3024	426	C3132	426
C0816 C0817	391 391	C1456 C1457	391 391	C2017	399 393	C2409	439 201	C2705	414-417 414-417	C3025 C3026	426 426	C3133 C3134	426 426
				C2019			391 201	C2710					
C0821	391 301	C1458	391 301	C2021	409 440	C2423	391 391	C2720 C2730	414-417	C3027	440	C3135	426 426
C0822	391 301	C1459	391 301	C2022		C2425			414-417	C3028	411	C3136	
C0823 C0824	391 391	C1460	391 301	C2023 C2024	440	C2426	391 301	C2735	414-417	C3029	411	C3137	426
		C1461	391		403	C2427	391	C2740	414-417	C3030	452	C3138	426
C0825	391 201	C1462	391 201	C2025	439	C2428	391 201	C2750	414-417	C3031	392	C3139	426
C0826	391	C1463	391	C2026	439	C2429	391	C2755	420	C3032	392	C3140	394
C0827	391	C1464	391	C2027	409	C2430	391	C2765	419	C3034	392	C3141	394
C1411	391	C1465	391	C2028	399	C2431	391	C2770	418	C3035	392	C3142	394
C1412		C1466	391	C2029	399	C2432	391	C2806	418	C3039	426	C3144	426
C1413	391	C1467	391	C2030	396	C2433	391	C2811	391	C3040	394	C3145	426
C1414	391	C1468	391	C2031	403	C2434	391	C2812	391	C3042	380, 426	C3146	426
C1415	391	C1469	391	C2032	422	C2436	391	C2813	391	C3043	394	C3147	426
C1416	391	C1470	391	C2035	403	C2437	391	C2814	391	C3044	380, 426	C3148	426

Œ

COMPETITION ENGINEERING NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	P	PART#	PAGE	PART#	PAGE	F	PART#	PAGE
C3149	426	C3233	429	C3361	430	C	C3600	413	C4052	441		C6162	410
C3150	426	C3234	429	C3370	430	C	C3601	413	C4053	442-443		C6163	410
C3151	426	C3235	429	C3371	430	С	C3610	413	C4054	442-443	1	C7024	397
C3152	426	C3240	429	C3372	430	C	23990	444-446	C4055	442-443		C7025	402
C3153	426	C3250	429	C3373	430	C	C3991	444-446	C4056	442-443		C7030	397
C3154	426	C3260	429	C3380	430	C	23992	444-446	C4900	433		C7031	397
C3155	426	C3261	429	C3381	430	C	23993	444-446	C4901	433	1	C7032	397
C3156	426	C3262	429	C3382	430	C	23995	444-446	C4902	433		C7046	424
C3157	426	C3263	429	C3383	430	C	C3997	444-446	C4905	431		C7047	424
C3158	426	C3264	429	C3384	430	C	C4000	444-446	C4906	431		C7048	454
C3159	426	C3265	429	C3385	430	C	C4001	444-446	C4907	431		C7051	423
C3160	412	C3266	429	C3405	400	C	C4002	444-446	C4925	434		C7052	423
C3161	412	C3267	429	C3406	402	C	C4003	444-446	C4930	434		C7058	423
C3162	412	C3268	429	C3408	449	C	C4004	444-446	C4931	434		C7060	423
C3165	440	C3270	429	C3409	450	C	C4005	444-446	C4935	434		C7066	423
C3166	440	C3275	429	C3410	448	C	C4006	444-446	C4990	436		C7212	452
C3168	408	C3279	429	C3411	450	C	C4007	444-446	C5020	452		C8003	405
C3170	419	C3285	429	C3412	449	C	C4008	444-446	C5073	437		C8007	408
C3172	432	C3287	429	C3413	419, 450	C	C4009	444-446	C5074	437		8008	402
C3173	432	C3300	430	C3414	419, 451	C	C4010	441	C5076	437		C8010	405
C3174	411	C3302	430	C3417	419, 451	C	C4011	445-446	C5078	373, 438		C8015	407
C3175	411	C3303	430	C3418	451	C	C4012	444-446	C6003	410		C8016	406
C3176	381, 427	C3305	430	C3419	451	C	C4014	444-446	C6004	410		C8017	407
C3177	381, 427	C3306	430	C3420	420	C	C4015	444-446	C6007	410		C8019	407
C3178	381, 427	C3307	430	C3421	449	C	C4022	442-443	C6009	410		C9004	400
C3181	430	C3308	430	C3422	447	C	C4023	442-443	C6010	410		C9006	402
C3182	432	C3309	430	C3423	447	C	C4024	442-443	C6011	410		C9020	375
C3183	432	C3310	429	C3424	447	C	C4025	442-443	C6012	410		C9085	371, 402
C3184	429	C3311	430	C3425	447	C	C4027	442-443	C6014	410		C9100	400
C3185	428	C3312	430	C3427	450	C	C4028	442-443	C6017	410		C9105	400
C3186	431	C3313	430	C3428	448	C	C4029	452	C6019	410		C9200	400
C3187	431	C3314	430	C3429	449		C4030	442-443	C6020	410		C9205	400
C3191	430	C3320	428	C3430	448		C4031	442-443	C6021	410		C9401	426
C3194	429	C3321	428	C3431	447			441	C6130	410		C9402	426
C3195	428	C3322	428	C3432	448		24033	442-443	C6131	410		C9405	426
C3196	431	C3323	428	C3434	419, 448	C	24034	441	C6132	410		C9408	426
C3197	431	C3324	428	C3435	381, 453		C4035	442-443	C6133	410		C9410	426
C3220	429	C3325	428	C3437	381, 453		C4036	442-443	C6150	410		C9412	426
C3221	429	C3328	428	C3438	381, 453		C4037	442-443	C6151	410		C9415	426
C3222	429	C3340	428	C3439	381, 453		C4038	442-443	C6152	410		C9418	426
C3223	429	C3341	428	C3440	453		C4040	436	C6153	410		C9505	401
C3224	429	C3342	428	C3450	435		C4041	436	C6154	410		C9507	401
C3224	429	C3343	428	C3450	435		C4047	441	C6155	410		C9510	401
C3225	429	C3343	428	C3451	435		C4048	441	C6155	410		C9609	401
C3220	429	C3345	428	C3452	435			441	C6150	410		C9700	398
C3227		C3345	428	C3453			C4050	441		410		09700	330
	429				433				C6160				
C3231	429	C3350	430	C3465	433	Ľ	C4051	441	C6161	410			