

TABLE OF CONTENTS

Racing Restraints

Latch & Link SFI 16.1	2-7
Ratchets SFI 16.1	
Kam Locks SFI 16.1	
Junior Belts SFI 16.2	12

UTV-Sandcar Off Road

Latch & Link Pro-Adjusters SFI 16.1, 16.213
3X3 UTV Type Sand Car Restraint14
2X2 UTV Type Sand Car Restraint15-16

Individual Restraint Components

Lap Belts, Harne	esses, Sub belts	& Sternums17
Pads, Mounting	Hardware	

Jr. Racer Apparel

Suits, Gloves, Neck	Collars, Shoes,	
Jr. Arm Restraints,	Gloves	9

Adult Racer Apparel

Single Layer Suits, Jacket & Pants	
Flame Retardant Underwear	20
2-Layer Suits, Jacket & Pants	21
Shoes, Neck Collars, Helmet Skirts	
Gloves	

<u>Accessories</u>

Ad	lult	Arm	Restraints,	Window	Nets	24
----	------	-----	-------------	--------	------	----

Miscellaneous

Sprint Car Axel Tethers	25
Gear Bag	
Tie Downs, Engine Slings, Drag	
Limiter Strap, Tiedowns	

RV/Experimental Aviation Restraints

Latc	h &	Link,	Kam	Lock20	6
------	-----	-------	-----	--------	---

Mounting Lap Belt Questions

- See illustration page 27
- Clip in lap belts use eyebolts to mount to the stock lap belt location. The bolt size is 7/16-20 and fits most model cars.
- Harness and anti-submarine belt bolt-in ends can be removed to change to wrap around.

QUICK ADJUST LATCH & LINK WITH **BUILT-IN LATCH GUARD** Page **Restraints for Stock Cars/IMCA Modifieds/ Dwarf Cars** ST APPROVED SFI-16.1 Part #11062B All harnesses Racer Net 52" end to end. CROW! • 60" lap belt. **Special lengths** available. • All points bolt in. • Harness bolt in ends may be removed to change to wrap around. All black hardware. CROW-11062B (Red) **Dog Bone Harness** 11063B (Blue) available. Add DB to 11064B (Black) part number when 11065B (Purple) ordering. 11066B (Gray) Sewn in pads can be added to any 2" or 3" harness, \$26.00, excluding dog bone style. Part #11064 Racer Net • 60" lap belt. • All points bolt in. • Harness bolt in ends may be removed to change to wrap around. 11062 (Red) **Dog Bone Harness** 11063 (Blue) available. Add DB to 11064 (Black) part number when 11065 (Purple) ordering. = 11066 (Gray)



STANDARD LATCH & LINK CLIP IN MODELS

Restraints for Off Road Racing/ Stock Car Type

Part #11043

Racer Net

- 52" lap belt clip in.
- Individual harness clip in.
- Harness clip in ends may be removed to change to wrap around.
- Anti-sub belt bolt in.
- 4 eye bolts included.

CROW-

- = 11042 (Red)
- = 11043 (Blue)
- = 11044 (Black)
- 11045 (Purple)
- = 11046 (Gray)
- LATCH & LINK CLIP IN MODELS

Restraints for Off Road Racing/Stock Car Type

<u>Part #11044B</u>

Racer Net

- 52" lap belt clip in.
- Individual harness clip in.
- Harness clip in ends may be removed to change to wrap around.

- Anti-sub belt bolt in.
- 4 eye bolts included.
- 11042B (Red)
- 11043B (Blue)
- 11044B (Black)
- 11045B (Purple)
- 11046B (Gray)

QUICK ADJUST LATCH & LINK WITH BUILT-IN LATCH GUARD

CROW!

Restraints for Off Road Racing/ Stock Car Type/Jeep

<u>Part #11053</u>

Racer Net

- 55" lap belt clip in.
- Individual harness clip in.
- Harness clip in ends may be removed to change to wrap around.
- Anti-sub belt bolt in.
- 4 eye bolts included.

Dog Bone Harness available. Add DB to part number when ordering.

STI APPROVED

SFI-16.1

ST APPROVED

SFI-16.1

- 11052 (Red)
 11053 (Blue)
- = 11054 (Black)
- 11055 (Purple)
- = 11056 (Gray)

PROSERIES

Part #11043PRB

Racer Net

- 52" lap belt clip in.
- Dog Bone harness clip in.
- Harness clip in ends may be removed to change to wrap around.
- 3" Pro aluminum
- adjusters. • Anti-sub belt bolt in.
- Ann-sub ben built in
- 4 eye bolts included.

CROW-

Clip in restraints use eyebolts to mount to the stock lap belt location. The bolt size is 7/16-20 and fits most model cars.

ST APPROVED


SFI-16.1

STI APPROVED SFI-16.1

- 11042PRB (Red)
- 11043PRB (Blue)
- = 11044PRB (Black)
- = 11045PRB (Purple)
- = 11046PRB (Gray)

CROW ENTERPRIZES









KAM LOCK BOLT IN MODELS

CROWL

Restraints for Stock Car/Sedans

Part #11102

Racer Net

- 5-way restraint kam lock.
- 52" lap belt.
- All 5 points bolt in.
- Harness & sub belt bolt in ends may be removed to change to wrap around.

ST APPROVED SFI-16.1

Restraints for Stock Cars/Import/Mazda Miata/Mustang/Porsche/Corvette

Part #11144

Racer Net

- 5-way kam lock.
- 52" clip in lap belt.
- Harness wrap around.
- Anti-sub belt bolt in.
- 11142 (Red)
- 11143 (Blue)
- 11144 (Black)
- 11145 (Purple)
- 11146 (Gray)

- 11102 (Red)
- 11103 (Blue)
- 11104 (Black)
- 11105 (Purple)
- = 11106 (Gray)

RIES Part #11106PRB

• 5-way kam lock. • 52" lap belt.

• Dog bone harness,

• All 5 points bolt in.

Harness & sub belt bolt

Pull down adjustment.

11102PRB (Red) 11103PRB (Blue)

11104PRB (Black)

11105PRB (Purple)

11106PRB (Gray)

in ends may be removed

to change to wrap around.

• 3" Pro aluminum

adjusters.

anti-sub belt.

Racer Net

Dog Bone Harness available. Add DB to part number when ordering.

Dog Bone Harness available. Add DB to part number when ordering.

Clip in restraints use eyebolts to mount to the stock lap belt location. The bolt size is 7/16-20 and fits most model cars.

STI APPROVED

SFI-16.1

KAM LOCK BOLT IN MODELS

Restraints for Stock Car/Sedans

Part #11102B

Racer Net

ST APPROVED

SFI-16.1

- 5-way kam lock.
- 52" lap belt.
- All 5 points bolt in.
- Harness & sub belt bolt in ends may be removed to change to wrap around.

11102B (Red)

11103B (Blue)

= 11104B (Black)

11105B (Purple) = 11106B (Gray)

Dog Bone Harness available. Add DB to part number when ordering.

ST APPROVED SFI-16.1

CRAFTED IN THE USA


KAM LOCK CLIP IN MODELS



KAM LOCK BOLT IN MODELS


CROW ENTERPRIZES

10



JUNIOR DRAGSTER 2" 5-WAY KAM LOCK BOLT IN MODELS

JUNIOR DRAGSTER 2" 5-WAY LATCH & LINK BOLT IN MODELS




COMPETITION UTV & OFF ROAD SFI 16.1 RESTRAINTS





CROW ENTERPRIZES




CROW.1

CRAFTED IN THE USA

Restraints are NOT for competition use. NOT to be used for persons under 70 lbs.

Part #30154 2X2 UTV Restraint with Automotive Buckle Racer Net • 2" Automotive lap belt bolt in. • 2" individual H-type harness, sewn-in lap belt, harness pads & plastic sternum buckle, harness wrap around.	Part #30144 2X2 UTV Restraint with Automotive Buckle *No photo, same as #30154, no pads. Racer Net • 2" Automotive lap belt bolt in. • 2" individual H-type harness, sewn-in lap belt, harness wrap around.	Part #32094 2X2 UTV Restraint with Push Button Side Release Racer Net • 2" lap belt bolt in. • 2" individual H-type harness, sewn-in lap belt with harness pads & plastic sternum buckle, harness wrap around.	Part #32084 2X2 UTV Restraint with Push Button Side Release *No photo, same as #32094, no pads. Racer Net • 2" lap belt bolt in. • 2" individual H-type harness, sewn-in lap belt, harness wrap around.
 30152 (Red) 30153 (Blue) 30154 (Black) 30155 (Purple) 30156 (Gray) Part #11174RP Racer Net 2" lap belt bolt in. 2" Y-type harness with pads, bolt in. Anti-submarine belt bolt in.	Rac. • 2 • 2 p • A	 32092 (Red) 32093 (Blue) 32094 (Black) 32095 (Purple) 32096 (Gray) t #11186RP er Net " lap belt bolt in. " individual harness with ads, wrap around or bolt in nti-submarine belt bolt in.	 32082 (Red) 32083 (Blue) 32084 (Black) 32085 (Purple) 32086 (Gray)
 11172RP (Red) 11173RP (Blue) 11174RP (Black) 11175RP (Purple) 11176RP (Gray) Part #11204 Racer Net 3" lap belts bolt in. 2" Y-type harness without pads, bolt in. 11202 (Red) 11203 (Blue) 11204 (Black) 11205 (Purple) 11206 (Gray) 	= = Part #11204P Racer Net	 11182RP (Red) 11183RP (Blue) 11184RP (Black) 11185RP (Purple) 11186RP (Gray) Part #11212 Racer Net 3" lap belt bolt in. 2" individual harness without pads, wrap around. 11212 (Red) 11213 (Blue) 11214 (Black) 11215 (Purple) 11216 (Gray) 	 Part #11212P Racer Net 3" lap belt bolt in. 2" individual harness with sewn-in pads, wrap around. 11212P (Red) 11213P (Blue) 11214P (Black) 11215P (Purple) 11216P (Gray)



HARNESS PADS

Part #11563A2

2" harness pads.

hook and loop

Made with Nylon

11562A2 (Red)

11563A2 (Blue)

11564A2 (Black)

11566A2 (Gray)

CROW T

CROW-

CROW-

CROW-

Attaches with

Material.

Racer Net

Part #11563A

Racer Net

- 3" harness pads.
- Attaches with hook and loop
- Made with Nylon Material.
- 11562A (Red)
- 11563A (Blue)
- 11564A (Black)
- 11566A (Gray)

Part #11563

Racer Net

- 3" harness pads. Attaches with hook
- and loop
- Made with Flame-**Retardant Material**
- 11562 (Red)
- 11563 (Blue)
- 11564 (Black)

Sewn In Harness Pads

Racer Net

pads can be added 🕼 when ordering.



- 2" or 3" sewn in harness

MOUNTING HARDWARE

Part #11546

Racer Net

- Clip in with eye bolt, nut & washer.
- 1 each per set.

Part #11547 Racer Net

- 3" 3-bar slide.
- 2 each per set.

Part #11548

- **Racer Net**
- Eye bolt nut & washer.
- 2 each per set.
- Thread size 7/16 x 20.

Part #11549

Racer Net

CERON

Part #11549A

- **Racer** Net
- Bolt in bracket.
- 2 each per set.

Part #11551

- **Racer Net**
- 2" 3-bar slide.
- 2 each per set.



GEAR BAG Part #20175

Racer Net

- Nylon bag.
- Detachable, padded shoulder straps with quick-release buckles.
- Easy-grip handles with wrap closures.
- Roomy, zippered pockets on ends and front provide lots of room.
- Embroidered Crow logo on both sides.
- Measures 26" x 12" x 14".

CROW ENTERPRIZES













JUNIOR **DRIVING SUITS**

Single-Layer SFI 3.2A/1 Suits Child Sizing 6-8, 10-12, 14-16



1-PIECE SUIT

Racer Net

• Features straight leg with inside cuff, inset pockets, and high rise collar.

JUNIOR JACKET

Racer Net

• Features high rise collar. JUNIOR PANTS

Racer Net

• Features straight leg with inside cuff and inset pockets.

	1-Piece	Junior Suit	
Size:	6-8	10-12	14-16
Red	24062	24072	24082
Blue	24063	24073	24083
Black	24064	24074	24084
	2-Piece Jun	ior Suit: Jac	ket
Size:	6-8	10-12	14-16
Red	25112	25122	25132
Blue	25113	25123	25133
Black	25114	25124	25134
	2-Piece Jun	ior Suit: Pa	nts
Size:	6-8	10-12	14-16
Red	26112	26122	26132
Blue	26113	26123	26133
Black	26114	26124	26134

JUNIOR RACER ACCESSORIES

STANDARD DRIVING GLOVES

Racer Net

- Two layers of Nomex[®]
- Sewn with Nomex[®] thread.
- Extra padding on palm and knuckle area.
- Junior racer gloves have a shorter finger length than adult sizes.
- Available in black only.
- 11674 (Medium)
- 11684 (Large)

See page 23 for glove sizing information and instru-

JUNIOR MID TOP DRIVING SHO

Part #22000

Racer Net

- Satin suede with flame-retardant interior.
- Available in sizes 1 through 6. Also available in adult sizes (see page 22).

Colors available:

		ENTERPRIZES
nation and instructions		V
VING SHOES	Junior Sho Children 6-10	
Sfi Approved	Shoe Size	Inches
SFI-3.3/5	1	7
	2	7.5
rior.	3	8
	4	8.5
	5	9
	6	9.5
GROW	Calify and when the	

ng

11575A2 (Purple)

D

ST APPROVED SFI-3.3/5

	NECK COLLARS Racer Net
	 For neck sizes 12" and under. 360° neck collar. Manufactured in knitted flame- retardant material.
1	= 20162K (Red) = 20163K (Blue)
	= 20164K (Black) ARM RESTRAINTS GROW
	Racer Net • 2" individual arm restraint. • Attach around arms with hook and loop closures vee straps attach via hooks.
1	 11572A2 (Red) 11573A2 (Blue) 11574A2 (Black)

Red Blue Black

SINGLE-LAYER PROBAN® SUITS

SFI-3.2A/1

<u>2-PIECE SUIT:</u> JACKET

Racer Net

- Features high rise collar.
- Sizes S-XL, (XXL and XXXL available for an additional charge).

2-PIECE SUIT: PANTS

Racer Net

- Features straight leg with inside cuff and inset pockets.
- Sizes S-XL, (XXL and XXXL available for an additional charge).

FLAME-RETARDANT UNDERWEAR & ACCESSORIES

(Not Available in Junior Sizes)

HEAD SOCK

Racer Net 29100 One size White TURTLE NECK SHIRT

Racer Net 29101 Medium White

29102 Large White 29103 XL White

29104 XXL White

UNDERWEAR BOTTOMS

Racer Net 29105 Medium White 29106 Large White 29107 XL White 29108 XXLarge White NOMEX[®] SOCKS Racer Net 29116 Medium White (6-8½) 29117 Large White (9-11)

20

29117 Large white (9-11)29118 XL White $(11\frac{1}{2}-13\frac{1}{2})$

1-PIECE SUIT

Racer Net

- Features straight leg with inside cuff, inset pockets and high rise collar.
 Sizes S. YL (XYL and
- Sizes S-XL, (XXL and XXXL available for an additional charge).

1	Single-Layer Proban® Driving Suit Colors/Size							
	Size:	Small	Medium	Large	XL	XXL	XXXL	
	1-Piece Driving Suit							
	Red	24002	24012	24022	24032	24042	24052	
	Blue	24003	24013	24023	24033	24043	24053	
	Black	24004	24014	24024	24034	24044	24054	
		1	2-Piece D	riving S	uit: Jacl	ket		
	Red	25002	25012	25022	25032	25042	25052	
	Blue	25003	25013	25023	25033	25043	25053	
	Black	25004	25014	25024	25034	25044	25054	
	2-Piece Driving Suit: Pants							
	Red	26002	26012	26022	26032	26042	26052	
	Blue	26003	26013	26023	26033	26043	26053	
-	Black	26004	26014	26024	26034	26044	26054	

SFI-3.3

HEAD SOCK

Racer Net = 29100B One size Black **TURTLE NECK SHIRT**

Racer Net

- = 29101B Medium Black
- = 29102B Large Black
- = 29103B XL Black
- = 29104B XXL Black

UNDERWEAR BOTTOMS

Racer Net

- = 29105B Medium Black
- 29106B Large Black
- **29107B XL Black**

= 29108B XXL Black

NOMEX[®] SOCKS

Racer Net

- = 29116B Medium Black (6-8¹/₂)
- = 29117B Large Black (9-11)
- = 29118B XL Black (11½-13½)

QUILTED **MULTI-LAYER NOMEX® SUITS**

26

FPP




1-PIECE SUIT

Racer Net

- Nomex[®] exterior with knit Nomex[®] interior.
- Features box quilting, straight leg cuff with stirrups, inset pockets and high rise collar.
- Back waist gusset and 180 degree shoulder gussets in back of arms.

Multi-Layer Nomex® **1-Piece Driving Suit** (Available in Black ONLY) Large Medium XL 30014 30024 30034



1-Piece Driving Suit								
Small Medium Large XL XXL XXXL								
Red 27002 27012 27022 27032 27042								
Blue 27003 27013 27023 27033 27043 N/								
Black	Black 27004 27014 27024 27034 27044 27054							
XXX-Large available in black only								

2-Piece Driving Suit: Jacket									
	Small Medium Large XL XXL XXXL								
Red	28002	28012	28022	28032	28042	N/A			
Blue	28003	28013	28023	28033	28043	N/A			
Black 28004 28014 28024 28034 28044 28054									
XXX-Large available in black only									

2-Piece Driving Suit: Pants							
	Small	Medium	Large	XL	XXL	XXXL	
Red	Red 29002 29012 29022 29032 29042 N/A						
Blue 29003 29013 29023 29033 29043 N							
Black 29004 29014 29024 29034 29044 29054							
XXX-Large available in black only							

QUILTED **MULTI-LAYER PROBAN® SUITS** ST APPROVED

1-PIECE SUIT

SFI-3.2A/5

- **Racer Net** Features box guilting, straight leg
- cuff with stirrups, inset pockets, high rise collar.
- Back waist gusset and 180° shoulder gussets in back of arms.
- Sizes S-XL, (XXL and XXXL available for an additional charge).

22

FPP

STI APPROVED SFI-3.2A/5

2-PIECE SUIT: JACKET & PANT

JACKET: Racer Net \$140.00 Jacket features box quilting and high rise collar. • Sizes S-XL, (XXL & XXXL available for an additional

PANTS:

charge).

Racer Net \$127.00 • Pants feature box quilting, straight leg cuff with stirrups and inset pockets. • Sizes S-XL, XXL available for an additional

charge.

Driving Suit Measurement Chart

	Chest	Waist	Inseam	Neck	Height	Weight
Small	30"-34"	26"-30"	31"	14.5"	5'5"-5'7"	115-130
Medium	34"-38"	30"-34"	32"	15.5"	5'7"-5'10"	140-165
Large	38"-44"	34"-38"	33"	16.5"	5'10"-6'2"	175-200
X-Large	44"-46 "	38"-40"	34"	17.5"	5'11"+	200-225
XX-Large	46"-48"	40"-42"	35"	18.5"	5'11"+	225-240
XXX-Large	48"-50"	42"-44"	35"	19"+	5'11"+	240-255



(RO)

SHOES

Junior Racer shoes available. See page 19.

MID TOP DRIVING SHOES

- <u>Part #22000</u>
- Racer Net

• Satin suede with SFI-3.3/5

ST APPROVED

- flame-retardant interior. • Available in sizes 7 through 13
- in half-size increments. Colors available:

colors available

Red Blue Black

HIGH TOP DRIVING SHOES

<u> Part #21000</u>

Racer Net

- Satin suede with flame-retardant interior.
- Available in sizes
 7 through 13 in
 half-size
 increments.

Colors available:

Black only

HELMET SKIRTS

000

<u>Part #20174</u>

- **Racer** Net
- 20172 (Red)
 20173 (Blue)

CROW-

• Proban[®] Helmet skirt. = 20174 (Black)



<u> Part #20176</u>

Racer Net

- Knitted Nomex® helmet skirt with hook and loop attachment.
- Available in black only.

22



GROW

SFI-3.3/5

SPRINT CAR HIGH TOP DRIVING SHOES

<u>Part #23000</u>

Racer Net

SFI-3.3/5

CROW-

CROW

CROV

CROW

- Black leather with
 SF
 flame-retardant interior.
- Features covered laces with hook and loop closure.

CROW

• Available in sizes 8 through 13 in half-size increments.

Colors available:

SFI-3.3

Black only

NECK COLLARS

Part #20162

Racer Net

- 360° neck collar.
- Manufactured in knitted flame-retardant material.
- Junior racer neck collars see page 19.
- = 20162 (Red)
- = 20163 (Blue)
- = 20164 (Black)

TAPERED NECK SUPPORT

<u> Part #20162A</u>

Racer Net

- Manufactured in Proban[®] flame-retardant material.
- Tapered from 1¾ inches in front to 2¼ inches in back.
- hook and loop closure.
- **20162A (Red)**
- **20163A (Blue)**
- = 20164A (Black) CROW

CROW ENTERPRIZES

SFI-3.3

GROW

CROW

GLOVES

THE NEW ALL-STAR GLOVE, The ULTIMATE Racing Glove



SFI-3.3/5

SFI-3.3/5

Racer Net

- Light weight, comfortable double-layer Nomex[®].
- Pre-curved fingers with outside seams for comfort and dexterity.
- Palm & fingers reinforced with performance leather grip points.
- Elastic at wrist for a more secure feeling.
- SFI-3.3/5 approved.

Colors and Sizes Available:

	Small	Medium	Large	Extra Large
Red	11802	11812	11822	11832
Blue	11803	11813	11823	11833
Black	11804	11814	11824	11834

WINGS GLOVES RACING GLOVE

Racer Net

- Double layer Nomex[®].
- This is a long gauntlet glove.
- Extra padding on palm and knuckle area.
- Adjustable hook and loop wrist closure.
- SFI-3.3/5 approved.

Color and Sizes Available:

LargeExtra LargeBlack1177411784

THE STANDARD RACING GLOVE

Racer Net

- Double layer Nomex[®].
- Extra padding on palm and knuckle area.
- Adjustable hook and loop wrist closure.
- SFI-3.3/5 approved.
- **Colors and Sizes Available:**

Extra Si	nall Small	Medium	Large	Extra Large
Red	11702	11712	11722	11732
Blue	11703	11713	11723	11733
Black 1169	4 11704	11714	11724	11734

Glove)
Sizing	/
o find	
love size,	
nake a	
oose fist,	-11-11-
vrap a tape	006
neasure ove	
round the lo	
of hand, excl	uding thu

CROW

CROW


Jr. Mediun	n* 4.5" - 5.5 "
Jr. Large*	5.5" - 6. 5"
X-Small	6.0" - 6.5"
Small	7.5" - 8.0"
Medium	8.0" - 9.0"
Large	9.5" - 10.5"
X-Large	10.5" - 11.5"
*Junior gloves ł	nave short finger lengths

Junior Racer gloves available. See page 19.

he	06	<i>y</i> -
over kn	uckles	;
ie large	st par	t
excludii	ng thu	mbs
ium*	4.5"	- 5
e*	5.5"	- 6
	6.0"	- 6

ARM RESTRAINTS

WINDOW NETS



TIE DOWNS

Part #11584

Racer Net

• Heavy duty tie down. Length: 2" x 8'.

• Available in black only.

Part #11588

Racer Net

• Heavy duty tie down with axle strap built in. Length: 2" x 8'.

• Available in black only.

AXLE, DRAG LINK & TOW STRAPS

<u>Part #11594</u>

Racer Net

- Axle straps 24" long.
- Available in black only.

Part #11646

Racer Net

• Sprint car drag link strap.

Part #11600

Racer Net

- Limiter Straps.
- Available in most sizes 10" to 30". Over 26" add \$2.00.

Racer Net

TENSION SPRINGS

Part #11550 Part #11550A

Racer Net

- Tension springs for 3" seat belts & harnesses.
- Sold in sets of four.
- Tension springs for 2" . seat belts & harnesses.

CROW

• Sold in sets of four.

SPRINT CAR TETHERS Part #SP-54

Racer Net \$125.00

- Wing Sprint Car Tethers 54" end-to-end.
- Axel 50" Tether 54".
- Kingpin Stud Kit-2 each.
- 27" Radius Rod Tethers & Heim Kit.

Part #SP-57

Racer Net

- Non-Wing Sprint Car Tethers 57" end-to-end.
- Axel 52" 54" Tether 57".
- Kingpin Stud Kit-2 each.
- 27" Radius Rod Tethers & Heim Kit.

<u>Part #11645</u>

SPRINT CAR

ENGINE SLING

Racer Net \$28.95 • 24" end to end.

_24" end to end

- 7/16" diameter
- hole.

CRAFTED IN THE USA

RESTRAINTS FOR VANS RV EXPERIMENTAL AIRCRAFT ONLY

Part #R40004P

RV6–7–9–10–14 Racer Net

- 5-way 2" kam lock restraint.
- 50" lap belt bolt in.
- Y-type harness with shoulder pads, bolt in.
- Anti submarine belt bolt in.
- Pull up adjustment.
- R40002P (Red)
- R40003P (Blue)
- R40004P (Black)
- R40006P (Gray)

Part #R40052P

RV10

Racer Net

- 5-way 2" latch & link restraint.
- 50" lap belt bolt in.
- Y-type harness with shoulder pads, bolt in.
- Anti submarine belt bolt in.
- Pull up adjustment.
- Front seat harness mount on canopy with bent 45 degree bolt in ends.

- R40052P (Red)
- R40053P (Blue)
- R40054P (Black)
- R40056P (Gray)

Part #R41006P

RV6–7–9–10–14 Racer Net

- 5-way 2" kam lock restraint.
- 50" lap belt bolt in.
- Y-type harness with shoulder pads and black aluminum adjusters, bolt in.
- Anti submarine belt bolt in.
- Pull up adjustment.
- Black hardware.
- R41002P (Red)
- R41003P (Blue)
- R41004P (Black)
- R41006P (Gray)

Part #R40016P

RV4–8 Racer Net

- 5-way 2" kam lock restraint with shoulder pads.
- 50" lap belt bolt in.
- Individual harness bolt in.
- Anti submarine belt bolt in.
- Pull up adjustment.
- Front seat harness wrap around. Back seat harness bolt-in.
- **R40012P (Red)**
- **R40013P (Blue)**
- R40014P (Black)
- R40016P (Gray)

Part #R40042P

RV4–8 Racer Net

- 5-way 2" latch & link restraint with shoulder pads.
- 50" lap belt bolt in.
- Individual harness bolt in.
- Anti submarine belt bolt in.
- Pull up adjustment.
- Front seat harness wrap around. Back seat harness

📲 🕨 bolt-in. 🗠 🚺 📰 📰 🚺 🔛 🔤 🖬 🕅

- R40042P (Red)
- R40043P (Blue)
- R40044P (Black)
- R40046P (Gray)



All restraints available with aluminum adjusters and all black hardware for an additional charge.

Aluminum adjuster available in 2" or 3".

al conve

Bolt-in ends available: 1/4", 5/16", 3/8", 7/16" & 1/2".



INSTALLATION TIPS

Driver Restraint Systems: Sub Belt

1. Lap belt must be anchored to the frame rail or roll cage as close to the hip as possible at an angle of 45 degrees, but no greater than 60 degrees to the ground.

2. 5-Point Anti-Submarine Belt should be anchored on or slightly behind the Chest Line.

6-Point Anti-Submarine Belt

should be anchored at an angle of 20 degrees behind the Chest Line as measured from the intersection of the Chest Line and the lap belt buckle. Mounts should be approximately 8 to 12 inches apart (approximately located under each hip and as close to the body as possible).

MOUNTING BRACKETS

Mounting brackets should be installed at an angle that is compatible with the direction of pull on the webbing under full load. Preferred mount is in a double shear with allowance for the bolt-in bracket to pivot and align toward the direction of the load as shown in Figure 1.




FIGURE 1 AND FIGURE 2

All mounting brackets should be attached directly to the frame or chassis of the car and installed to limit the driver's body travel both upward and forward. Do not weld around or near belts or belt hardware.

Minimum specification for bolts and washers to attach the lap belts, harnesses and anti-submarine belt hardware are Grade 8.

"LOCKING" the 3-bar Slide Adjuster shown in Steps 1 through 4 is VERY IMPORTANT. The 3-Bar Slide Adjuster must be located as close as possible to the Bolt-in bracket or Roll Bar (In Wrap Around design).



STEP 1: Insert strap through tightening buckle.



STEP 2: Pull strap to 8"–10" beyond buckle, fold edges and insert into mounting bracket.



STEP 3: Fold back strap and reinsert through buckle as shown.



STEP 4: Fold back strap again and insert through bottom portion of buckle.

Discover other automotive seats on our website.