

HIGH PERFORMANCE, DRAG RACING, OVAL TRACK RACING





Dynatech

WHO WE ARE Dynatech[®] continues to be the exhaust leader in all forms of racing and high performance applications. Advances in racing, engineering, and design have automakers bringing a whole new breed of cars and trucks to the streets and tracks. This same excitement and new wave of technology is apparent at Dynatech[®] as you view the pages of our latest catalog. We continue to be focused on new products and award-winning designs.





WORLD CLASS DESIGN & ENGINEERING

Virtual reality exhaust design systems allow engineers to design the exhaust system in virtual space that will meet all necessary design criteria. Key interference and mounting points are captured and then transferred into engineering computer stations. Tube routings, lengths, and diameters can all be manipulated for proper fit and function. These processes cut design time by 90% and produce a much more efficient and powerful design.



TECHNOLOGY & MANUFACTURING

At Dynatech[®], we strive for 100% perfection on all of the products that we manufacture. Everything we manufacture goes through proven assembly steps and procedures to provide the end user with a product that we stake our reputation on. We have instituted numerous fitment and quality control inspections. All high performance systems are 100% tested to be leak free and 100% jig tested for fitment.



UNMATCHED SALES & CUSTOMER SERVICE

Our team members are more than welders, machinists, engineers and salespeople. We are racers and enthusiasts just like you. We understand the needs of our customers and respond accordingly with outstanding technical support and customer service. In some cases, the very people that build the product speak with the end user. Fast and friendly service before, during and after the sale all come standard when you purchase Dynatech[®] products.

CONTENTS 2019 DYNATECH[®] CATALOG

★★★★★ SUPERIOR PRODUCTS

Dynatech[®] products provide superior performance and fit for a wide range of exhaust applications. One thing that you can always count on regardless of what Dynatech[®] product you buy is excellent fit, function and performance. We understand the value of offering no hassle, maintenance-free products to our customers.

DRAG RACING

5

leaders	
Dragster / Strut Front Headers	06
Weld-up / Strut Front Header Kits	09
Camaro / Nova Headers	10
Standard / Tall Deck Headers	
Mustang K-Member Headers	11
Become a Dealer	12
Mufflers & Collectors	13
Exhaust Accessories	15

19 MUSCLE CAR Headers

Ì

30 HIGH PERFORMANCE Headers

aders	
'18 Mustang GT	33
'15-'17 Ford Mustang Shelby GT350 Headers	34
'11-'17 Ford Mustang 5.0	35
'07-'14 Ford Mustang Shelby GT500 Headers	36
'05-'10 Ford Mustang GT Headers	37
'05-'17 Challenger / Charger / Magnum Headers	38
'14-'18 C7 / ZO6 Chevy Corvette Headers	39
'05-'13 C6 / Z06 Chevy Corvette Headers	40
'97-'04 C5 Chevy Corvette Headers	41
'09-'15 Cadillac CTS-V Headers	42
'16-'17 Chevy Camaro SS / ZL1 Headers	43
'10-'15 Chevy Camaro Headers	44
'98-'02 Chevy Camaro / Trans Am	45
Exhaust Accessories	46

49 TRUCK / SUV Headers

aders	
'15-'17 Ford F-150	52
'11-'14 Ford F-150	53
'04-'08 Ford F-150 Truck Headers	54
'99-'03 Ford F-150 Truck Headers	55
'99-'04 Ford Lightning / Harley	55
'14-'18 Chevy / GMC Truck / SUV Headers	56
'07-'13 Chevy 1500 Truck / SUV Headers	57
'99-'06 Chevy 1500 Truck / SUV Headers	58
'00-'09 Hummer H2 Headers	59
'04-'05 Dodge 1500 Truck Headers	60
Exhaust Accessories	61

63 OVAL TRACK Headers

eaders	
Crate Modified Headers	65
Modified Headers	67
Chevy Street Stock Headers	69
Dirt Late Model Headers	71
Pavement Late Model Headers	73

Apparel & More

AFCO Performance Group Apparel

FEATURES & BENEFITS

WHAT IS IN A QUALITY SYSTEM?



CNC LASER-CUT FLANGES



EQUAL LENGTH PRIMARY TUBES



FIBER GASKETS



360° GUSSET SUPPORTS

PERFECT, DIRECT BOLT-ON FIT

100% JIG ASSEMBLED AND CHECKED FOR AN EXCELLENT FIT




CERAMIC COATED FINISH








We have taken out all the guess work when it comes to selecting the right header for your race car. Dynatech[®] Drag Racing Headers are purpose-built to fit your specific application.







- Large radius, CNC mandrel bent, equal length primary tubes.
- Equal length for superior acceleration.
- 360° gusset supports increased durability.
- CNC laser-cut flanges for superior quality and accuracy.
- Broader performance range with a combination of two tube sizes.
- A great combination of low end Tg and high end Hp over a non-stepped header.





1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.

APPLICATION	TUBE SIZE	PART #
CHROME DRAGSTER W/ STANDARD 4.500" COLLECTORS (2 STEP)*	2.250"- 2.375"	750-96410
CHROME DRAGSTER W/ STANDARD 4.500" COLLECTORS (2 STEP)*	2.375"- 2.500"	750-98410
CHROME DRAGSTER W/ 4.500" MERGE COLLECTORS (2 STEP)	2.250"- 2.375"	750-97410
CHROME DRAGSTER W/ 4.500" MERGE COLLECTORS (2 STEP)	2.375"- 2.500"	750-99410



Prices Subject to Change Without Notice

LONG TUBE BIG BLOCK CHEVY SIDE EXIT HEADER KIT

These Long Tube Big Block Chevy Header kits are designed with ease of assembly and performance in mind. The tubes are tack welded together to make it easy to completely assemble or make changes. Collectors are sold separately and come in a variety of sizes in standard or merge style configurations. Optional ceramic coating is available once you assemble your kit. After assembly, the 16 gauge steel construction and CNC laser-cut, surfaced flanges make this a durable header for multiple racing seasons.

- ·0.375" thick CNC laser cut and surfaced flanges.
- · Stepped tube sizes to optimize torque and horsepower.
- · Designed to run out the side fender of a tube chassis
- door car with a BBC.
- $\cdot 28.000"$ primaries.
- Collectors sold separately (page 14).



APPLICATION	TUBE SIZE	PART #
SIDE EXIT HEADER KIT	2.250"- 2.375"	760-42410
SIDE EXIT HEADER KIT	2.375"- 2.500"	760-44410
SIDE EXIT HEADER KIT (14° HEAD)	2.250"- 2.375"	760-46410
SIDE EXIT HEADER KIT (14° HEAD)	2.375"- 2.500"	760-47410



HEADERS SLIP-ON COLLECTORS

1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.

DRAGSTER, BIG BLOCK CHEVY, STRUT FRONT & DOOR SLAMMER

- CNC laser cut flanges feature raised port location for increased power.
- Unique port gussets eliminate cracking caused by tire shake and muffler applications.
- Jig located U-tabs for hassle free, bolt-on collectors.
- Five models in straight or stepped header tubes.
- 28.000" equal length design.
- High-temp., silver ceramic coated inside and out. Ceramic coating comes with a three year limited warranty.





*Pan E-vac/O2 Kit included with all Standard Ceramic Collectors. (Collectors sold separately)

		HEADERS ONLY	STANDARD COLLECTOR (COATED)*
			PART # / OUTLET SIZE
APPLICATION	TUBE SIZE	PART #	PART # / OUTLET SIZE
STRUT TYPE, DRAGSTER	2.250"	750-91410	783-71241 (4.000")
	2.250"- 2.375"	750-92410	783-81241 (4.000")
STRUT TYPE, DRAGSTER	2.250"- 2.375" 2.375"	750-92410 750-93410	783-81241 (4.000") 783-81246 (4.500")
STRUT TYPE, DRAGSTER			

WELD-UP HEADER KITS **BIG BLOCK CHEVY STRUT FRONT AND DRAGSTER HEADERS**

Designed specifically for strut type front end cars and dragsters, this kit allows you to fabricate your own headers to save money or make changes to the kit to fit your specific needs. These kits are assembled in the same jig we use for our finished headers. Then, we simply tackweld all connections. If needed, you can cut a tack-weld to reposition the tube, or you can simply finish weld the kit and have the same header offered by Dynatech[®].

BIG BLOCK DRAGSTER/STRUT TYPE HEADERS

TUBE SIZE	HEADER KIT
2.250"	760-91410
2.250"- 2.375"	760-92410
2.375"	760-93410
2.375"- 2.500"	760-94410
2.500"	760-95410

SMALL BLOCK DRAGSTER/STRUT TYPE HEADERS TUBE SIZE **HEADER KIT**

1.875"- 2.000"	762-91510




STANDARD COLLECTOR TUBE SIZE	OUTLET SIZE	PART#	
2.000"	3.500"	783-51235	
2.250"	4.000"	783-71240	
2.375"	4.500"	783-81245	
2.500"	4.500"	783-91245	
2.500"	5.000"	783-91250	






Note: Does not include O2 bungs. To purchase separately please order: 785-10097 (pg. 17).



MERGE COLLECTOR TUBE SIZE

OUTLET SIZE PART# 2.000" 3.500" 780-00516 2.250" 4.000" 780-02518 4.500" 2.375" 780-03519 2.500" 4.500" 780-03510





Same exact header as a Dynatech[®] finished header.

• Optimum port exit angle for added power.

• Tack-welded to make it easy to change or finish weld.


CNC laser-cut flanges, gaskets, gussets and bolts included.

• Collectors must be purchased separately (see below.)

• Star Plugs must be purchased separately (see page 14.)

DRAG RACING EXHAUST BIG BLOCK CHEVY STD. & TALL DECK "572"

1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.





- Painted headers come with collectors installed.
- Reducer kit included.
- · Built for use with the factory subframe.
- Fits around Manual and Power Steering boxes as well as factory A/C boxes and factory power brake booster.
- Fits Automatic or 4 speed.

10

· Ceramic coating services are available. Call for details.

	and the sea	0
		Black Painted
		750-91910 shown
		5
5		

	TUBE SIZE	DADT #	OUTLET
APPLICATION	IUBE SIZE	PART #	SIZE
BBC GM 572 TALL DECK (PAINTED) 10.2" DECK HEIGHT	2.125"	750-91910	3.500"
BBC GM STANDARD DECK (PAINTED) 9.8" DECK HEIGHT	2.125"	740-59310	3.500"

MUSTANG K-MEMBER HEADERS '79 - '04 MUSTANGS

- For use with AJE, TEAMZ, and P.A. Racing K Members.
- Fits with factory starter, master cylinder, brake booster & proportioning valve (SBC, SBF, LSX only).
- Designed to be used with a wide variety of transmissions.
- '79-'93 requires after market steering shaft.
- May require a "cable style" shifter linkage.
- Not designed for use with motorplate.

1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.



'79 - '93 w/ LS Based Chevy: 1.875" Tube w/ 3.000" Collector '94 - '04 w/ LS Based Chevy: 1.875" Tube w/ 3.000" Collector

23010

715-91410 715-91310



SBC

SMALL BLOCK CHEVY:	
1.750"- 1.875" Tube	
3.000" Collector	701-

BBC

 BIG BLOCK CHEVY:

 2.125" Tube

 3.500" Collector
 750-91110

SBF

 351 WINDSOR & 302*:

 1.750"- 1.875" Tube

 3.000" Collector
 704-23010

*Will work with 302 by spacing engine up 0.625" between engine block and motor mount.



BECOME A DYNATECH[®] DEALER

INTERESTED IN BECOMING A DYNATECH° DEALER?

Dynatech[®] is always looking for new dealers to represent our product line.

MUFFLERS Auger Style Muffler

- 11.000" long fits inside 3.000" or 3.500" 0.D. pipe.
- Weighs only 1.000 lb.
- 6-7 dB reduction.

And in case of the local division of the loc	and the second division of the	and the second second	Statement of the local division in the local		
The other Designation of the local division of the local divisiono	and the second se	the second second	1000	1	
-		e had	100	7.4	

APPLICATION	SIZE	PART #
AUGER STYLE MUFFLER	3.000"	776-24302
AUGER STYLE MUFFLER	3.500"	776-24352



The Split-Flow[®] racing muffler is the "hot topic" among racers, and for good reason. The straight-thru design can handle big power. The exclusive dual pattern core reduces dB levels while maintaining a powerful sound. The all-aluminized, fully welded construction makes it a top choice for racing and high performance applications.

- Straight-thru design for maximum flow.
- Dual-pattern core for reduced sound levels.
- All-aluminized materials and welded construction.
- Stainless steel sound absorbing material for no burnout.
- Lightweight design.
- Meets or exceeds dB requirements at most muffler-required sanctioned events.

SPLIT-FLOW[®] ROUND SPLIT-FLOW[®] ROUND



◀ 14.000″				
	OVAL (14.000"L X 7.000"W X 4.500"H DIA.)	INLET I.D.	OUTLET I.D.	PART #
	SPLIT-FLOW [®] OVAL	2.500"	2.500"	776-14252
	SPLIT-FLOW [®] OVAL	3.000"	3.000"	776-14302
Weighs 7.200 lbs. 8-10 dB reduction	SPLIT-FLOW [®] OVAL	3.500"	3.500"	776-14352
6.000" Weighs 3.800 lbs.				DADT #
	ROUND (6.000"L X 5.000" DIA.)	INLET I.D	. OUTLET I.D.	PART #

3.000"

3.500"

3.000"

3.500"

776-06302

776-06352

STANDARD COLLECTORS

Dynatech® slip-on race collectors offer great performance at an affordable price. All collectors come race-ready right out of the box. They are available in a wide variety of primary tube and collector outlet sizes for all popular applications.



PAINTED MILD STEEL SLIP-ON COLLECTORS					
OUTLET SIZE	LENGTH	PART#			
3.000"	12.000"	783-31230			
3.000"	12.000"	783-41230			
3.500"	12.000"	783-41235			
3.500"	12.000"	783-51235			
3.500"	12.000"	783-61235			
4.000"	12.000"	783-61240			
4.000"	12.000"	783-71240			
4.500"	12.000"	783-81245			
4.500"	12.000"	783-91245			
5.000"	12.000"	783-91250			
	OUTLET SIZE 3.000" 3.000" 3.500" 3.500" 3.500" 4.000" 4.000" 4.500"	OUTLET SIZELENGTH3.000"12.000"3.000"12.000"3.500"12.000"3.500"12.000"4.000"12.000"4.000"12.000"4.000"12.000"4.000"12.000"4.500"12.000"			



TUBE SIZE	OUTLET SIZE	LENGTH	PART#
2.125"	3.500"	12.000"	783-61236
2.125"	4.000"	12.000"	783-61241
2.250"	4.000"	12.000"	783-71241
2.375"	4.000"	12.000"	783-81241
2.375"	4.500"	12.000"	783-81246
2.375"	5.000"	12.000"	783-81251
2.500"	4.500"	12.000"	783-91246

CERAMIC COATED MILD STEEL SLIP-ON COLLECTORS



*Pan E-vac/O2 Kit included with all Standard Collectors.



14



SMALL UP TO 1.875" TUBE SIZE 794-000 SMALL UP TO 2.250" TUBE SIZE 794-000 X-LARGE 2.375" TUBE SIZE AND UP 794-000	12



Collector	Spike/	Goile

Collector Spike

CTAD DI IICC


PART# 550000620

MERGE COLLECTORS

In order to understand how the merge collector works, you must first know why one exhaust system can generate more torque and horsepower than another. The ability of a header/exhaust system to maintain exhaust gas velocity has a tremendous impact on realizing maximum torque and horsepower. Any significant changes in the system, such as baffles (mufflers) or collectors, will have an impact on exhaust gas velocity. The large area change seen at the transition from the primary tube to the collector causes an immediate reduction in exhaust gas speed. This reduction in speed decreases the efficiency of the system, thereby reducing scavenging ability. Scavenging ability is the key factor by which an exhaust system is evaluated. The more efficient the system, the more air/fuel mixture that can be pulled into the combustion chamber. Obviously, the greater quantity of air/fuel mixture that can be burned, the more torque and power potential the engine has.

The construction of a merge collector is such that the change in area at the primary tube to collector transition point is minimized. This gradual transition allows the exhaust gas to maintain as much velocity as possible. Maintaining gas velocity is the key to allowing the exhaust system to reach its efficiency potential.

Merge collectors significantly improve the efficiency of the exhaust system. If your combination has been optimized to a header with standard collectors, it's possible to over-scavenge when adding merge collectors. Over-scavenging will normally decrease torque and horsepower when compared to your optimized, previous setup. We recommend dyno testing to arrive at the final camshaft combination when using this style of collector. If you need that last little edge and are willing to do the testing required to realize the potential gains, merge collectors are one of the most economical ways to gain significant amounts of torque and horsepower in the entire engine combination.



- 100% TIG-welded.
- Optimum reduction angle.
- Increases torque and horsepower.
- Sold Individually.

Note: Does not include O2 bungs. To purchase separately please order: **785-10097** (pg. 17).

Mild Steel Merge Collectors

SLIP OVER	OUTLET	PART #
2.000″	3.500″	780-00516
2.250″	4.000"	780-02518
2.375″	4.500"	780-03519
2.500"	4.500"	780-03510

INSERT CONES VORTEX® INSERT CONE

- 100% T-304 stainless steel construction.
- Ultra-lightweight, less than .500 lbs. each.
- Little or no power loss.
- Easy bolt-in installation.

HOW IT WORKS:

The Vortex[®] Insert Cone, installed near the exit of the header collector or muffler outlet, provides a large friction area to reflect and dissipate sound energy, thus reducing the dB level. The open area of the cone is actually greater than the area of the collector or exhaust pipe, thus reducing a back pressure condition. Because no significant back pressure has been introduced, the engine is still able to use the scavenge ability of a good header to create horsepower and torque. Dyno and track testing show significant noise reduction with little or no power loss.

Vortex	e A		
TUBE SIZE	Α	В	PART #
3.000"	3.750"	1.000"	772-32520
3.500"	4.750"	1.000"	772-32510
4.000"	6.250"	1.000"	772-32530

1.000"

TUBE SIZE

A

Weighs less than 1/2 lbs. 1-3 dB reduction.

772-32540

PART #

TURN DOWNS WITH CONES

6.750"

The Vortex[®] Turn Down is expanded to slip over collector outlets or tail pipes. Greater sound reduction can be achieved by directing the outlet away from the meter or sound test point. U-tab mounting hardware is included.

DESCRIPTION

4.500'

TURN DOWN WITH 3.000" CONE INSTALLED	3.000"	780-01100
TURN DOWN WITH 3.500" CONE INSTALLED	3.500"	780-01200

CONES ARE SOLD INDIVIDUALLY, TWO REQUIRED PER V-8 ENGINE.





Mild Steel Flanges

A great exhaust system starts at the beginning — the flange. One of Dynatech[®]'s biggest advantages is our wide selection of port matched flanges. All of our flanges are CNC laser cut for unparalleled quality and fit.



Fiber

Gasket



4.000"

D	Γr	FLANGE (single)	PORT	X	Y	THICKNESS	GASKET (pair)	
	DESCRIPTION							
	SMALL BLOCK CHEVY 23°	796-00613	1.750"	1.485"	1.880"	.375"	794-00001	
	SMALL BLOCK CHEVY 23°	796-00622	1.625"	1.485"	1.685"	.375"	794-00001	
Ð	SMALL BLOCK CHEVY 23°	796-00022	1.625"	1.485"	1.685"	.250"	794-00001	
_	SMALL BLOCK CHEVY 23°	796-00013	1.750"	1.485"	1.880"	.250"	794-00001	
\mathbf{O}	SMALL BLOCK CHEVY 18°	796-00564	1.875"	1.839"	1.697"	.3125"	794-03001	
\mathbf{O}	LS1 GM	796-60514	1.875"	1.946"	1.946"	.3125"	794-20001	
Ø	STAHL ROUND PATTERN	796-01514	1.875"	1.944"	1.944"	.3125"	-	
•	SPREAD PORT CHEVY	796-00534	1.875"	1.950"	1.950"	.3125"	794-00000	
Q	SPREAD PORT CHEVY	796-00535	2.000"	2.070"	2.070"	.3125"	794-00000	
	SPREAD PORT CHEVY	796-00536	2.125"	2.196"	2.196"	.3125"	794-00000	
	BIG BLOCK CHEVY	796-31536	2.125"	2.224"	2.224"	.3125"	794-50011	
\sim	BIG BLOCK CHEVY	796-21637	2.250"	2.350"	2.350"	.375"	794-50001	
C	BIG BLOCK CHEVY	796-21638	2.375"	2.476"	2.476"	.375"	794-50001	
	BIG BLOCK CHEVY	796-21639	2.500"	2.600"	2.600"	.375"	794-50001	

CERAMIC COATING

All headers purchased with this option are coated inside and outside. The coating will significantly reduce the underhood temperature of your car which translates into horsepower gain. **Headers purchased with this ceramic coating come with a 3 year warranty and a customer satisfaction guarantee.**

DESCRIPTION	PART#
CERAMIC COATING FOR HEADERS	790-00100
CERAMIC COATING FOR X & Y PIPES	790-00101
CERAMIC COATING FOR ELBOWS	790-00102
CERAMIC COATING FOR COLLECTORS	790-00103

Note: Ceramic coating not available for Catalytic converters.



These clamp collar kits allow you to connect extension pipes, Y-pipes, X-pipes, and mufflers without welding. The clamps also allow you to quickly disconnect if needed.

DESCRIPTION	TUBE SIZE	PART#	
CLAMP COLLAR KIT	2.500"	794-90250	
CLAMP COLLAR KIT	3.000"	794-90200	
CLAMP COLLAR KIT	3.500"	794-90350	
CLAMP COLLAR KIT	4.000"	794-90400	

02/PAN E-VAC KIT

Complete kit w/ weld-on bung.

• Increase horsepower.



- Reduce crankcase pressure.

This kit has been dyno-proven to pull as much as 3 inches of vacuum on your typical bracket engine. The U-weld kit features an 18mm threaded bung that will also accept a standard 02 sensor found on EFI applications. Threaded adapter has standard .500" mpt for typical valve cover plumbing installation. 1-kit required per collector.

DESCRIPTION	PART#
02 SENSOR/PAN E-VAC COMPLETE KIT	785-10095
18MM WELD ON BUNG	785-10097
02/E-VAC MALE ADAPTER	785-10096
18MM PLUG	785-10094
18MM SEALING WASHER	785-10093

.....


V-CLAMP KITS



Kit includes two weld-on v-clamp rings and stainless steel v-band clamp. Models for 2.500", 3.000", or 3.500" pipe sizes.

DESCRIPTION	PART#
V-CLAMP COLLAR ASSEMBLY 2.500"	794-91225
V-CLAMP COLLAR ASSEMBLY 3.000"	794-91230
V-CLAMP COLLAR ASSEMBLY 3.500"	794-91235


HEADER BOLT KITS



DESCRIPTION	THREAD	PART#
12 POINT HEAD	3/8-16	794-00120
HEX BOLTS (16 PACK)	3/8-16	794-00118

MANDREL BENT J-BENDS

Dynatech[®] stocks a complete inventory of mandrel bent J-bends. These are made from premium grade mild steel tubing.



		MILD STEEL		STAINLESS
SIZE	CLR	PART#	PRICE	PART#
1.625"	2.625"	794-60202		794-60302
1.750"	2.625"	794-60203		-
1.875"	2.813"	794-60204		794-60304
2.000"	3.000"	794-60205		794-60305
2.125"	3.188"	794-60206		-
2.250"	3.375"	794-60207		-
2.325"	3.563"	794-60208		-
2.500"	3.750"	794-60209		794-60309
		1		1

U-TAB KIT

These are the same U-tabs we use on all Dynatech[®] headers and collectors. Kit includes: U-tabs and hardware.

DESCRIPTION	PART#	
U-TAB KIT (2 TABS, 1 BOLT)	794-00310	
U-TAB KIT (4 TABS, 2 BOLTS)	794-00313	
U-TAB KIT (8 TABS, 4 BOLTS)	794-00320	


R

EXTENSIONS



- Manufactured from mild steel.
- Designed to slip over 3.000" or 3.500" outer diameter on one end.
- Ideal for finishing your exhaust system.

"A"	"B"	PART#	
3.000"	48.000"	780-00250	
3.500"	48.000"	780-00300	
3.500"	24.000"	780-00301	
3.000"	24.000"	780-00302	



3.500" 30° 6.000" 7.000" 780-30351 3.000" 42° 6.000" 12.000" 780-42301 3.500" 42° 6.000" 12.000" 780-42351 3.500" 60° 6.000" 6.000" 780-60351 3.500" 70° 6.000" 6.000" 780-70351 3.000" 80° 2.000" 5.875" 780-80301	" A "	"B"	"C"	"D"	PART#
3.000" 42° 6.000" 12.000" 780-42301 3.500" 42° 6.000" 12.000" 780-42301 3.500" 42° 6.000" 12.000" 780-42351 3.500" 60° 6.000" 6.000" 780-60351 3.500" 70° 6.000" 6.000" 780-70351 3.000" 80° 2.000" 5.875" 780-80301	3.000"	30°	6.000"	6.000"	780-30301
3.500" 42° 6.000" 12.000" 780-42351 3.500" 60° 6.000" 6.000" 780-60351 3.500" 70° 6.000" 6.000" 780-70351 3.000" 80° 2.000" 5.875" 780-80301	3.500"	30°	6.000"	7.000"	780-30351
3.500" 60° 6.000" 6.000" 780-60351 3.500" 70° 6.000" 6.000" 780-70351 3.000" 80° 2.000" 5.875" 780-80301	3.000"	42°	6.000"	12.000"	780-42301
3.500" 70° 6.000" 6.000" 780-70351 3.000" 80° 2.000" 5.875" 780-80301	3.500"	42°	6.000"	12.000"	780-42351
3.000" 80° 2.000" 5.875" 780-80301	3.500"	60°	6.000"	6.000"	780-60351
	3.500"	70°	6.000"	6.000"	780-70351
3.500" 80° 2.000" 5.750" <mark>780-80351</mark>	3.000"	80°	2.000"	5.875"	780-80301
	3.500"	80°	2.000"	5.750"	780-80351

STEPPED BAND **CLAMPS**



PART#

Smooth transition taper allows proper fit to seal expanded slip-fit connections. Great for muffler/tail pipe connections.

DESCRIPTION

BAND CLAMP FOR 2.500" JUNCTION 789-70250 BAND CLAMP FOR 2.750" JUNCTION 789-70275 BAND CLAMP FOR 3.000" JUNCTION 789-70300 BAND CLAMP FOR 3.500" JUNCTION 789-70350

Models for 2.500", 2.750" 3.000" or 3.500" pipe sizes. 1 clamp/pkg.

EXHAUST TIPS

With their unique insert design, TQ Tips[®] allow for a flush fit with the outside diameter of your exhaust's tail pipe. This makes for a smooth, clean look that doesn't take away from your car's appearance like bulky, clamped-on tips tend to do. Another quality feature of these tips is the billet aluminum construction, giving them unmatched strength and function.







DESCRIPTION	PART#
TQ TIP FOR 2.500" OUTLET (SINGLE TIP)	794-93025
TQ TIP FOR 3.000" OUTLET (SINGLE TIP)	794-93030
TQ TIP FOR 2.500" OUTLET (2 PACK)	794-93026
TQ TIP FOR 3.000" OUTLET (2 PACK)	794-93031

TURNDOWNS	<i>I.D.</i> ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓		
INNER DIAMETER	Α	PART#	
3.000"	10.000"	780-00100	_
3.500"	10.000"	780-00200	
4.000"	11.000"	780-00050	
•••••••			

ADAPTER PLATE KIT



DESCRIPTION	OPENING SIZE	PART#
SBC STD. 23° TO STAHL PATTERN	1.125" X 1.125"	796-00100
(0.625" THICK)	Includes	plates and hardware for both heads.

Designed to be machined to size, to port match Head port.



.375" thick, laser-cut, surfaced flanges for an excellent seal.

Unique port design accommodates Std. 23 Degree Chevy, "D" Port, and many other Std. Chevy Bolt pattern heads (aluminum and cast iron).

Long tube headers for maximum torque and horsepower across the power range.

Clears 600 Series and all factory steering boxes, power and manual styles.

Ceramic Coating INSIDE AND OUT with a three year warranty on the coating.



Unique "Ball & Socket" designed reducer cones, included with every set.

- Designed with excellent ground clearance in mind, when using standard Small Block Chevy Engine Mounts and Factory Front Subframe.
- Using Big Block Engine Mounts / Stands and Aftermarket Subframes typically set the engine lower which will result in ground clearance issues.
- LSX Conversion Models must use specified mounts described in the installation manual.
- Available in multiple sizes, depending on application.

FEATURES & BENEFITS

WHAT IS IN A QUALITY SYSTEM?





0.375" THICK CNC LASER-CUT FLANGES

4-BOLT BALL & SOCKET COLLECTOR FLANGES



FIBER GASKETS



3.000" WIDE / 2-BOLT BAND CLAMPS

PERFECT, DIRECT BOLT-ON FIT

100% JIG ASSEMBLED AND CHECKED FOR AN EXCELLENT FIT



CERAMIC COATED FINISH







HEADER TUBE SIZE	2.500" REDUCER	3.000" REDUCER	
1.625"- 1.750" X 3.000" (SBC)	740-19210	740-29210	
1.750"- 1.875" X 3.000" (SBC)	740-19310	740-29310	
*1.875" X 3.000" (LS SERIES)	715-19410	715-29410	

Transmission Cross member: Stock OEM Subframe: OEM Factory Original GM * Aftermarket plug wires required for fuel injected applications. * Engine Mounts: Speedway Motors part# 910-18012 (DO NOT use Big Block Chevy engine mount brackets. They are approximately .250" narrower and will lower the engine, causing ground clearance issues.) Use 916-7081 Kit, or 910-18012 Mount & 910-18016 LS Adapt Plates.




STAINLESS STEEL. CERAMIC COATED & PAINTED HEADERS

FITS: **LSX** / SBC / BBC

1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.

- 0.375" thick, laser-cut flanges to provide the ultimate leak-free seal.
- SBC flanges specifically designed to fit: 23 deg. standard port, D-port, Fast Burn, LT1 and crate engines.
- CNC laser-cut flanges feature raised port location for increased power.
- BBC headers come painted standard ceramic coating is optional.
- LSX & SBC headers comes in high-temp, silver ceramic coating inside and out.
- Race-proven stepped tube design for maximum street/ strip performance.
- New design clears the following steering boxes: 600, 700, 800 & factory manual/power with 23° aluminum/factory heads/ straight or angle plugs.
- Includes bolts and gaskets.
- Direct bolt-on fit.
- 794-03006 Bracket Set is needed for all MuscleMAXX® Camaro & Chevelle headers for factory air compressor mounting.





HEADER TUBE SIZE	2.500" REDUCER	3.000" REDUCER	
*1.875" (LS SERIES)	715-11410**	715-21410	
2.125"- 3.500" (BBC STD) PAINTED	-	740-59310	
2.125"- 3.500" (BBC TALL) PAINTED	-	750-91910	
1.875" STAINLESS (LS SERIES)	715-31425***	715-31430***	

EXHAUST SYSTEM

EXHAUST KIT 3.000"

***793-91130

_

 *** Designed around: Muscle Rods Engine Mount Kit #106-1302-00, Detroit Speed Engine Mount Kit #DSE-060401,
 ** Engine Mounts: Detroit Speed Motor Mount Kit #DSE-060401,
 Muscle Rods Sure Fit Crossmember Kit #106-2200-00,
 4LSOE transmission, factory AC, power brakes, and factory subframe.
 Steering boxes 600 series/factory manual/power will clear factory LS style plug wires.
 Designed for maximum ground clearance.
 If using with Exhaust System 793-91125).
 ** Aftermarket plug wires required for fuel injected applications.
 **** On convertible Camaro models, the 3.000" system cannot be used.
 The 2.500" system and use of Hotchkis Performance X-Brace is required. Hotchkis Part# 1404.
 Subframe: OEM Factory Original GM - Using these headers with any combination other than what is specified may cause fitment issues.






1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.

- 0.375" thick, laser-cut flanges to provide the ultimate leak-free seal.
- Flanges fit most 23° SBC standard port heads including: D-Port, Fast Burn, LT1, LS and crate engines.
- CNC laser-cut flanges feature raised port location for increased power.
- BBC headers comes painted standard ceramic coating is optional.
- LSX & SBC headers comes in high-temp, silver ceramic coating inside and out.
- Race-proven stepped tube design for maximum street/strip performance.
- New design clears the following steering boxes: 600 & factory manual/power with 23° aluminum / factory heads / straight or angle plugs.
- Includes bolts and gaskets.
- Direct bolt-on fit.



STAINLESS STEEL



HEADER TUBE SIZE	2.500" REDUCER	3.000" REDUCER	
*1.875" (LS SERIES)	715-11410**	715-21410	
2.125"- 3.500" (BBC STD) PAINTED	-	740-59310	
2.125"- 3.500" (BBC TALL) PAINTED	-	750-91910	
*1.875" STAINLESS (LS SERIES)	715-31425***	715-31430***	

EXHAUST SYSTEM

Exhaust Kit 3.000"

*** Designed around: Muscle Rods Engine Mount Kit #106-1302-00, Detroit Speed Engine Mount Kit #DSE-060401, Muscle Rods Sure Fit Crossmember Kit #106-2200-00, 4LSOE transmission, factory AC, power brakes, and factory subframe. Steering boxes 600 series/factory manual/power will clear factory LS style plug wires. Designed for maximum ground clearance. If using with Exhaust System 793-91125 some modification will be required (modification of the 793-91125). * Aftermarket plug wires required for fuel injected applications.
 ** Engine Mounts: Detroit Speed Motor Mount Kit # DSE-060401.
 Transmission Cross Member: BPT-1002 (Fit up with a 4L60 Transmission). Subframe: OEM Factory Original GM - Using these headers with any combination other than what is specified may cause fitment issues.

_

***793-91130



'68- '72 CHEVELLE CERAMIC COATED HEADERS

FITS: SBC

1 YEAR LIMITED WARRANTY MADE IN THE U.S.A.

- 0.375" thick, laser-cut flanges to provide the ultimate leak-free seal.
- Flanges fit most 23° SBC standard port heads including: D-Port, Fast Burn, LT1, and crate engines.
- Comes in high-temp. silver ceramic coating inside and out.
- CNC laser-cut flanges feature a raised port location for increased power.
- Race-proven stepped tube design for maximum street/strip performance.
- Includes bolts and gaskets.
- Direct bolt-on fit.
- 794-03006 Bracket Set is needed for all MuscleMAXX® Camaro & Chevelle headers for factory air compressor mounting.





Reducer cone kit included w/ all headers.



HEADER TUBE SIZE	2.500" REDUCER	3.000" REDUCER
1.625"- 1.750" (SBC)	740-13210	740-23210

STAINLESS STEEL **PRO CRUISER** BLOCK HUGGER HEADERS FITS: SBC 23°

1 YEAR LIMITED WARRANTY

For applications where space is a primary concern, sometimes a short header is the only solution. For these cases, we offer our all-stainless Pro Cruiser Series block hugger header. They feature the same exceptional levels of quality, fit, and finish in a compact package.

- SBC Standard 23° 6-bolt pattern.
- 0.375" flange.
- 1.625" primaries.
- 2.500" collector.
- 2.000" reducer cones.
- 100% stainless steel construction.
- Includes bolts & gaskets.

DESCRIPTION

BLOCK HUGGER HOT ROD HEADERS (Fits Straight Head Plugs Only)



PART#

730-10010



Machined flange is flat ground for proper fit and leak-free performance.



Machined flange features unique bevel that adds a quality look.



High-flow contoured collector for increased power.



Finished welds offer smooth exhaust flow and excellent seal.



FLANGES & GASKETS MUSCLE CAR APPLICATIONS

Mild Steel

A great exhaust system starts at the beginning — the flange. One of Dynatech®'s biggest advantages is our wide selection of port matched flanges. All of our flanges are CNC laser cut for unparalleled quality and fit.



Fiber

Gasket



0	Γr	FLANGE (single)	PORT	X	Y	THICKNESS	GASKET (pair)
	DESCRIPTION						
	SMALL BLOCK CHEVY 23°	796-00613	1.750"	1.485"	1.880"	.375"	794-00001
`	SMALL BLOCK CHEVY 23°	796-00622	1.625"	1.485"	1.685"	.375"	794-00001
צ	SMALL BLOCK CHEVY 23°	796-00022	1.625"	1.485"	1.685"	.250"	794-00001
	SMALL BLOCK CHEVY 23°	796-00013	1.750"	1.485"	1.880"	.250"	794-00001
\mathbf{r}	SMALL BLOCK CHEVY 18°	796-00564	1.875"	1.839"	1.697"	.3125"	794-03001
)	LS1 GM	796-60514	1.875"	1.946"	1.946"	.3125"	794-20001
	STAHL ROUND PATTERN	796-01514	1.875"	1.944"	1.944"	.3125"	-
٥	SPREAD PORT CHEVY	796-00534	1.875"	1.950"	1.950"	.3125"	794-00000
)	SPREAD PORT CHEVY	796-00535	2.000"	2.070"	2.070"	.3125"	794-00000
	SPREAD PORT CHEVY	796-00536	2.125"	2.196"	2.196"	.3125"	794-00000
	BIG BLOCK CHEVY	796-31536	2.125"	2.224"	2.224"	.3125"	794-50011
b	BIG BLOCK CHEVY	796-21637	2.250"	2.350"	2.350"	.375"	794-50001
7	BIG BLOCK CHEVY	796-21638	2.375"	2.476"	2.476"	.375"	794-50001
	BIG BLOCK CHEVY	796-21639	2.500"	2.600"	2.600"	.375"	794-50001



4.000"

PREMIUM EXHAUST TIPS

TQ Tips® allow for a flush fit with the outside diameter of your exhausts's tail pipe for a smooth, clean look. Put the finishing touch on your new SuperMAXX® or MuscleMAXX® system.

DESCRIPTION	PART#
TQ TIP FOR 2.500" OUTLET (SINGLE)	794-93025
TQ TIP FOR 3.000" OUTLET (SINGLE)	794-93030
TQ TIP FOR 2.500" OUTLET (2 PACK)	794-93026
TQ TIP FOR 3.000" OUTLET (2 PACK)	794-93031

PART#

MANDREL BENT J-BENDS

Dynatech[®] stocks a complete inventory of mandrel bent J-bends. These are made from premium grade mild steel tubing.



		MILD STEEL	STAINLESS
SIZE	CLR	PART#	PART#
1.625"	2.625"	794-60202	794-60302
1.750"	2.625"	794-60203	-
1.875"	2.813"	794-60204	795-60304
2.000"	3.000"	794-60205	794-60305
2.125"	3.188"	794-60206	-
2.250"	3.375"	794-60207	-
2.325"	3.563"	794-60208	-
2.500"	3.750"	794-60209	795-60309
		I	I

V-CLAMP KITS



Kit includes two weld-on v-clamp rings and stainless steel v-band clamp. Models for 2.500", 3.000", or 3.500" pipe sizes.

DESCRIPTION	PART#
V-CLAMP COLLAR ASSEMBLY 2.500"	794-91225
V-CLAMP COLLAR ASSEMBLY 3.000"	794-91230
V-CLAMP COLLAR ASSEMBLY 3.500"	794-91235

CERAMIC COATING

All headers purchased with this option are coated inside and outside. The coating will significantly reduce the underhood temperature of your car which translates into horsepower gain. Headers purchased with this ceramic coating come with a **3 year warranty** and a customer satisfaction guarantee.

STEPPED BAND CLAMPS

Smooth transition taper allows proper fit to seal expanded slip-fit connections. Great for muffler, tail pipe and merge pipe connections.



DESCRIPTION

BAND CLAMP FOR 2.500" JUNCTION	789-70250
BAND CLAMP FOR 2.750" JUNCTION	789-70275
BAND CLAMP FOR 3.000" JUNCTION	789-70300
BAND CLAMP FOR 3.500" JUNCTION	789-70350
Models for 2 500" 2 750" 3 000" or 3 500" pipe sizes 1 c	lamp/pka

Models for 2.500", 2.750", 3.000" or 3.500" pipe sizes. 1 clamp/pkg

BALL & SOCKET KIT

Unlike common metal to metal connections, Dynatech®'s unique "4-Bolt, Ball and Socket" connection uses a

0.500" thick, tapered donut gasket, which allows for expansion and contraction while maintaining a long lasting leak free seal. We also use four bolts instead of two or three for added durability. For use with any 3.000" O.D. collector and 100% stainless steel.



∢1.000″**→**

DESCRIPTION	TUBE SIZE	PART#	
STUB KIT	2.500"	791-09025	
STUB KIT	3.000"	791-09030	

HEADER BOLT KITS

	· · · · · · ·		
DESCRIPTION	THREAD	PART#	
HEX HEAD (16 PACK)	3/8-16	794-00118	
HEX BOLTS (12 PACK)	M8 X 1.250mm	794-50112	

DESCRIPTION	PART#
CERAMIC COATING FOR HEADERS	790-00100
CERAMIC COATING FOR X & Y PIPES	790-00101
CERAMIC COATING FOR ELBOWS	790-00102
CERAMIC COATING FOR COLLECTORS	790-00103



HIGH PERFORMANCE

- Perfect, direct bolt-on fit.
- 0.375" Thick CNC laser-cut flanges.
- 4-Bolt ball & socket collector flanges.
- All flanges machine surfaced after welding.
- 3.000" Wide, 2-bolt band clamps.

- Optimized tube length for H.P. and torque.
- 100% jig assembled and checked for an excellent fit.
- Triple layer stainless steel gaskets.
- T304 stainless steel construction.
- Detailed instructions & all hardware included.

HOW TO PURCHASE YOUR DYNATECH® EXHAUST SYSTEM



The headers consist of a long tube set of headers with all of the required hardware included for the installation. The headers alone cannot be installed as a "Bolt In" to your factory catalytic converters and system.

2 INTERMEDIATE SECTION

The intermediate section consists of the required components to connect the headers to your factory or aftermarket "Cat-Back" exhaust system. In most cases, you have two choices when it comes to selecting your intermediate section. You can choose either the "Catted" or "Non Catted" version.



HIGH PERFORMANCE QUICK GUIDE

FORD



APPLICATION	YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
MUSTANG GT	2018	5.0L	722-44310	722-75320	722-75330	32	5-7 hrs	33
MUSTANG SHELBY GT350	ʻ15 - ʻ17	5.0L	722-65310	722-65320	722-65330	26	5-6 hrs	34
MUSTANG GT 5.0	ʻ11 - ʻ14	5.0L	722-74310	722-74320	722-74330	32	5-7 hrs	35
MUSTANG GT 5.0	ʻ15 - ʻ17	5.0L	722-74310	722-75320	722-75330	32	5-7 hrs	35
MUSTANG SHELBY GT500	ʻ07 - ʻ10	ALL	722-64310	722-54320	722-54330	15	6-8 hrs	36
MUSTANG SHELBY GT500	ʻ11 - ʻ14	ALL	722-84310	722-74420	722-74330	15	6-8 hrs	36
MUSTANG GT	ʻ05 - ʻ10	4.6L	722-54310	722-54320	722-54330	30	5-7 hrs	37

DODGE				0				P	
APPLICATION		YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
CHALLENGER, MAGI CHARGER, 300C	NUM,	ʻ05 - ʻ17	5.7L HEMI	724-73310	724-73320	724-73330	30	5-7 hrs	38

CHANGEN, 3000								
CHALLENGER, MAGNUM, CHARGER, 300C	ʻ05 - ʻ17	SRT-8 6.1L & 6.4L HEMI	728-73310	728-73320	728-73330	30	5-7 hrs	38



			- 30		Va		0	
APPLICATION	YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
CORVETTE C7	ʻ14 - ʻ18	V8	715-63810	715-63820	715-63830	25	6-8 hrs	39
CORVETTE C7 Z06	ʻ14 - ʻ18	V8	715-63810	715-63920	715-63830	25	6-8 hrs	39
CORVETTE C6	'05 - '08	V8	715-63510	715-63520	715-63530	25	4-6 hrs	40
CORVETTE C6	ʻ09 - ʻ13	V8	715-63510	715-63540	715-63550	25	4-6 hrs	40
CORVETTE C6 Z06	ʻ05 - ʻ13	V8	715-63510	715-63620	715-63630	25	4-6 hrs	40
CORVETTE C5	'97 - '00	V8	715-73610	715-73720	715-73730	30	4-6 hrs	41
CORVETTE C5	ʻ01 - ʻ03	V8	715-73710	715-73720	715-73730	30	4-6 hrs	41
CORVETTE C5	'04	V8	715-74710	715-74720	715-74730	30	4-6 hrs	41
CADILLAC CTS-V 1.875"	ʻ09 - ʻ15	6.2L	715-75010	715-75020	715-75030	64	4-6 hrs	42
CADILLAC CTS-V 2.000"	ʻ09 - ʻ15	6.2L	715-75210	715-75040	715-75050	64	4-6 hrs	42
CAMARO SS/ZL1 1.875"	ʻ16 - ʻ17	6.2L	715-75510	715-75520	715-75530	28	4-6 hrs	43
CAMARO SS/ZL1 2.000"	ʻ16 - ʻ17	6.2L	715-76010	715-75520	715-75530	28	4-6 hrs	43
CAMARO (5TH GEN.) 1.875"	ʻ10 - ʻ15	6.2L	715-74010	715-73920	715-73930	36	4-6 hrs	44
CAMARO (5TH GEN.) 2.000"	ʻ10 - ʻ15	6.2L	715-74110	715-74020	715-74030	36	4-6 hrs	44
CAMARO, FIREBIRD, F-BODY	'98 - '99	V8	715-73210	715-73220	715-73230	19	4-6 hrs	45
CAMARO, FIREBIRD, F-BODY	'00 - '02	V8	715-73310	715-73220	715-73230	19	4-6 hrs	45

FEATURES & BENEFITS

WHAT IS IN A QUALITY SYSTEM?



CNC LASER-CUT **FLANGES**

DONUT GASKET



TRIPLE LAYER **STAINLESS** STEEL GASKETS

3.000" WIDE / 2-BOLT BAND CLAMPS

PERFECT, DIRECT BOLT-ON FIT

100% JIG ASSEMBLED AND CHECKED FOR AN FXCFI I FNT FIT



100% **T304**

32







MACHINE SURFACED AFTER WELDING





DFTAIL FD **INSTRUCTIONS** & HARDWARE INCLUDED






Ceramic Coating Services are Available. Call Dynatech® for Details.

Dyno Chart

Stock SuperMAXX®







TUBES W/O CATS


FEATURES

PRIMARY TUBE SIZE: 1.750"-1.875" Stepped COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 3.000" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 5-6 hours



Ceramic Coating Services are Available. Call Dynatect[®] for Details.









APPLICATION	HEADERS ONLY	ß	INTERMEDIATE TUBES W/ CATS	OR	INTERMEDIATE TUBES W/O CATS	OR	SUPERCHARGED SUPERCATTED 3.000"
15 - 17 MUSTANG 5.0/CONVERTIBLE	722-74310		722-75320		722-75330		722-75420
'11 - '14 MUSTANG 5.0	722-74310		722-74320		722-74330		722-74420



SUPERMAXX. **'07 - '14 MUSTANG SHELBY GT500** STAINLESS STEEL HEADERS



FEATURES

3.000"

PRIMARY TUBE SIZE: 1.875" COLLECTOR SIZE: 3,000" SYSTEM TUBE SIZE: 2.500" or


MATERIAL: T304 Stainless **TRANS:** Manual & Automatic **INCLUDED:** Detailed instructions

O.E. size aftermarket cat back. **INSTALL TIME:** 6-8 hours

and all needed hardware.



LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



Ceramic Coating Services are Available. Call Dynatech® for Details.

DESCRIPTION	'07 - '10 SHELBY GT500	'11 - '14 SHELBY GT500
HEADERS ONLY	722-64310	722-84310
- 2.500" INTERMEDIATE TUBES W/ CATS	722-54320	-
- 2.500" INTERMEDIATE TUBES W/O CATS	722-54330	-
- 3.000" INTERMEDIATE TUBES W/ CATS (SUPER CATTED)	-	722-74420
- 3.000" INTERMEDIATE TUBES W/O CATS	-	722-74330

HIGH PERFORMANCE



'05 – '10 MUSTANG GT STAINLESS STEEL HEADERS




FEATURES

PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 5-7 hours



Ceramic Coating Services are Available. Call Dynatect[®] for Details.

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.







SUPERMAX. '05 - '17 CHALLENGER / LIMITED LIFETIME WARRANTY MADE IN THE U.S.A. CHARGER / 300C / MAGNUM

STAINLESS STEEL HEADERS

MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or O.E. size aftermarket cat back. INSTALL TIME: 5-7 hours







5.7 Hemi

PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500"

+30 HORSEPOWER +30 FT-LBS TORQUE

SRT-8 (6.1 & 6.4 Hemi)

PRIMARY TUBE SIZE: 1.875" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.750" & 3.000"

+30 HORSEPOWER +24 FT-LBS TORQUE



Ceramic Coating Services

are Available.

Call Dynatech® for Details.

Port Matched Flange

Max Power: 207.98 / Max Tanque: 305.06 Mex Power: 302.57 / Mex Tanque: 330.5	
350	350
35	
300	300
275	275
	250 1
225 225	250 To que 174 by
200	2005
175	175
150	150
325 35 350 375 400 425 450 475 500 526 55	0 550
325 35 350 350 375 4,00 425 450 475 5.00 5.25 55 Engre Speed (RM x 1000)	u 550
Dyno Chart 🛛 🗖 Stock 🗖 Supe	ermaxx ®
-,	

DESCRIPTION	5.7 HEMI
HEADERS ONLY	724-73310
INTERMEDIATE TUBES W/ CATS	724-73320
INTERMEDIATE TUBES W/O CATS	724-73330

DESCRIPTION	SRT-8
HEADERS ONLY	728-73310
INTERMEDIATE TUBES W/ CATS	728-73320
INTERMEDIATE TUBES W/O CATS	728-73330
3.000" INTERMEDIATE TUBES W/ CATS	728-73340
3.000" INTERMEDIATE TUBES W/O CATS	728-73350



SUPERMAX '14 -'18 CORVETTE C7/Z06 STAINLESS STEEL HEADERS


FEATURES

PRIMARY TUBE SIZE: 1.875" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 3.000" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions, and all needed hardware. FIT: Direct Bolt-Up to any factory or O.E. size aftermarket cat back. INSTALL TIME: 6-8 hours



Ceramic Coating Services are Available. Call Dynatech for Details.

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



APPLICATION	HEADERS ONLY	•	INTERMEDIATE TUBES W/ CATS	OR	INTERMEDIATE TUBES W/O CATS
'14 - '18 CORVETTE C7	715-63810		715-63820		715-63830
'14 - '18 CORVETTE ZO6	715-63810		715-63920		715-63830






PRIMARY TUBE SIZE: 1.875" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500" or 3.000" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+25 HORSEPOWER +25 FT-LBS TORQUE

Ceramic Coating Services are Available. Call Dynatech® for Details. LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



APPLICATION	HEADERS ONLY	INTERMEDIATE TUBES W/ CATS	INTERMEDIATE TUBES W/O CATS
'05 - '08 CORVETTE C6	715-63510	715-63520	715-63530
'09 - '13 CORVETTE C6	715-63510	715-63540	715-63550
'05 - '13 CORVETTE Z06	715-63510	715-63620	715-63630






PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. Works with convertible models. INSTALL TIME: 4-6 hours



Ceramic Coating Services are Available. Call Dynatect[®] for Details.

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



APPLICATION	HEADERS ONLY	INTERMEDIATE TUBES W/ CATS	INTERMEDIATE TUBES W/O CATS
'97 - '00 CORVETTE C5	715-73610	715-73720	715-73730
'01 - '03 CORVETTE C5	715-73710	715-73720	715-73730
'04 CORVETTE C5	715-74710	715-74720	715-74730






ENGINE: 6.2L PRIMARY TUBE SIZE: 1.875 or 2.000" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500" or 3.000" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Some cutting required for any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+64 HORSEPOWER +58 FT-LBS TORQUE Ceramic Coating Services are Available. Call Dynatech® for Details.

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



DESCRIPTION	PART #	
HEADERS ONLY (1.875")	715-75010	
HEADERS ONLY (2.000")	715-75210	
2.500" INTERMEDIATE TUBES W/ CATS	715-75020	
- 2.500" INTERMEDIATE TUBES W/O CATS	715-75030	
— 3.000" INTERMEDIATE TUBES W/ CATS	715-75040	
└─ 3.000" INTERMEDIATE TUBES W/O CATS	715-75050	



SUPERMAX '16 - '17 CAMARO SS/ZL1 STAINLESS STEEL HEADERS


INTERMEDIATE TUBES KIT (sold separately)





FEATURES

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.




TUBES W/ CATS	R TUBES W/O CATS OR	POWERCAT PLUS
715-75520	715-75530	715-76020 715-76020
		715-75520 715-75530




+36 HORSEPOWER

+25 FT-LBS TORQUE

PRIMARY TUBE SIZE: 1.875" or 2.000" COLLECTOR SIZE: 3,000" SYSTEM TUBE SIZE: 2.500", 2.750" or 3.000" MATERIAL: T304 Stainless TRANS: Manual & Automatic **INCLUDED:** Detailed instructions and all needed hardware. **FIT:** Direct Bolt-Up to any factory or O.E. size aftermarket cat back. **INSTALL TIME:** 4-6 hours



LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



DESCRIPTION	Z28 CAMARO	'10 - '15 Camaro	ZL1 + SUPERCHARGED	
HEADERS ONLY (1.875")	715-74010	715-74010	715-74010	
HEADERS ONLY (2.000")	715-74110	715-74110	715-74110	
2.500" INTERMEDIATE TUBES W/ CATS	•	715-73920		
- 2.500" INTERMEDIATE TUBES W/O CATS	•	715-73930	• ·	
- 2.750" INTERMEDIATE TUBES W/ CATS	715-75120			
2.750" INTERMEDIATE TUBES W/O CATS	715-74230		1. A	
- 3.000" INTERMEDIATE TUBES W/ CATS		715-74020	• • • • • • • •	
- 3.000" INTERMEDIATE TUBES W/O CATS	715-74330	715-74030	•	
- CAT-BACK EXHAUST SYSTEM ('10-'15)*		793-73925		
2.500" SUPERCATTED INTER. SECTION	•	•	715-74120	
3.000" SUPERCATTED INTER. SECTION	•	•	715-74220	

Ceramic Coating Services

are Available.


Call Dynatech® for Details.



PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 3.000" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or O.E. size aftermarket cat back. INSTALL TIME: 4-6 hours



Ceramic Coating Services are Available. Call Dynatect[®] for Details.



APPLICATION	HEADERS ONLY	 INTERMEDIATE TUBES W/ CATS	INTERMEDIATE TUBES W/O CATS
'98 - '99 4TH GENERATION F-BODY	715-73210	715-73220	715-73230
'OO - 'O2 4TH GENERATION F-BODY	715-73310	715-73220	715-73230





Delivers Up To 54% Increase In Exhaust Flow!

POWERCAT CONVERTER AIR FLOW COMPARISON

11.500"

POWERCAT CATALYTIC CONVERTERS

- Premium metallic substrate.
- Superior strength and durability.
- Stainless steel housing.
- Quicker lightoff due to higher thermal conductivity.
- Low pressure drop.
- Higher flow rates compared to stock and most after-market converters.

NOTE: These products are intended for racing and off-road applications. Not legal for sale or use in the state of California, nor in states which have adopted California emission standards.

DESCRIPTION	PART#
POWERCAT 2.250" INLET AND OUTLET	779-40022
POWERCAT 2.500" INLET AND OUTLET	779-40025
POWERCAT 3.000" INLET AND OUTLET	779-40030

POWERCAT PLUS CATALYTIC CONVERTERS

- Designed for supercharged & higher horsepower applications.
- Premium metallic substrate.
- Superior strength and durability.
- Stainless steel housing.
- Quicker lightoff due to higher thermal conductivity.
- Low pressure drop.


46

• Higher flow rates compared to stock and most after-market converters.

NOTE: These products are intended for racing and off-road applications. Not legal for sale or use in the state of California, nor in states which have adopted California emission standards.

DESCRIPTION	PART#
UNIVERSAL POWERCAT PLUS 2.500" INLET / OUTLET	779-50025
UNIVERSAL POWERCAT PLUS 3.000" INLET / OUTLET	779-50030





BALL & SOCKET KIT



Unlike common metal to metal connections, Dynatech[®]'s unique "4-Bolt, Ball and Socket" connection uses a 0.500" thick, tapered donut gasket, which allows for expansion and contraction while maintaining a long lasting leak free seal. We also use four bolts instead of two or three for added durability. For use with any 3.000" O.D. collector and 100% stainless steel.

DESCRIPTION	TUBE SIZE	PART#	
STUB KIT	2.500"	791-09025	
STUB KIT	3.000"	791-09030	

STEPPED BAND CLAMPS

Smooth transition taper allows proper fit to seal expanded slip-fit connections. Great for muffler, tail pipe, and merge pipe connections.



DESCRIPTION	PART#
BAND CLAMP FOR 2.500" JUNCTION	789-70250
BAND CLAMP FOR 2.750" JUNCTION	789-70275
BAND CLAMP FOR 3.000" JUNCTION	789-70300
BAND CLAMP FOR 3.500" JUNCTION	789-70350

Models for 2.500", 2.750", 3.000", or 3.500" pipe sizes. 1 clamp/ pkg.


V-CLAMP KITS



Kit includes two weld-on v-clamp rings and stainless steel v-band clamp. Models for 2.500", 3.000", and 3.500" pipe sizes.

DESCRIPTION	PART#	
V-CLAMP COLLAR ASSEMBLY 2.500"	794-91225	
V-CLAMP COLLAR ASSEMBLY 3.000"	794-91230	
V-CLAMP COLLAR ASSEMBLY 3.500"	794-91235	

.....



SIZE	CLK	STAINLESS PART#	
1.625"	2.625"	794-60302	
1.875"	2.813"	794-60304	
2.000"	3.000"	794-60305	
2.500"	3.750"	794-60309	

FLANGES & GASKETS HIGH PERFORMANCE APPLICATIONS

A great exhaust system starts at the beginning - the flange. One of Dynatech's biggest advantages is our wide selection of port matched flanges. All of our flanges are CNC laser cut for unparalleled quality and fit.



⊢X I	Stainless Steel Flanges			Stai		Steel Gasket	\bigcirc
		FLANGE (single)	PORT	X	Y	THICKNESS	GASKET (pair)
	LS1	796-13000	1.750"	1.820"	1.820"	.375"	794-30001
	LS1	796-16061	1.875"	1.940"	1.940"	.375"	794-30001
	LS1	796-16062	2.000"	2.070"	2.070	.375"	794-30006
9 - 9 - 9 - 9	4.6 FORD	796-18061	1.750"	1.824"	1.824"	.375"	794-70001
	4 VALVE COBRA 4.6L	796-16071	1.875"	2.243"	1.465"	.375"	794-70004
0,000	6.1L HEMI	796-10661	1.875"	2.082"	1.508"	.375"	794-20002
00000	5.7L HEMI DRIVERS SIDE	796-10761	1.750"	1.820"	1.820"	.375"	794-10001
	5.7L HEMI PASS. SIDE	796-10762	1.750"	1.820"	1.820"	.375"	794-10001
	5.4L TRITON FORD 3 VALVE	796-18062	1.625"	1.696"	1.696"	.375"	794-70001
0.0.0.0	5.4L FORD (PRE 2004)	796-19061	1.625"	1.696"	1.696"	.375"	794-90001
	5.0L FORD	796-17070	1.750"	1.815"	1.815"	.375"	794-70005
OPOR040	5.0L FORD	796-17071	1.875"	1.940"	1.940"	.375"	794-70005
	5.3/6.2L CHEVY LT	796-13010	1.750"	1.980"	1.560"	.375"	794-30007
·O.O.O.O.	5.3/6.2L CHEVY LT	796-13011	1.875"	2.100"	1.680"	.375"	794-30007
	5.3/6.2L CHEVY LT	796-13012	2.000"	2.216"	1.796"	.375"	794-30007

These products are intended for racing and off-road applications. Not legal for sale or use in the state of California, nor in states which have adopted California emission standards.

HIGH PERFORMANCE



- Perfect, direct bolt-on fit.
- 0.375" Thick CNC laser-cut flanges.
- 3-Bolt ball-&-socket collector flanges.
- All flanges machine surfaced after welding.
- 3.000" Wide, 2-bolt band clamps.

- Optimized tube length for Hp and torque.
- 100% jig assembled and checked for an excellent fit.
- Triple layer stainless steel gaskets.
- T304 stainless steel construction.
- Detailed instructions & all hardware included.

HOW TO PURCHASE YOUR DYNATECH[®] EXHAUST SYSTEM



The headers consist of a long tube set of headers with all of the required hardware included for the installation. The headers alone cannot be installed as a "Bolt In" to your factory catalytic converters and system.



The intermediate section consists of the required components to connect the headers to your factory or aftermarket "Cat-Back" exhaust system. In most cases, you have two choices when it comes to selecting your intermediate section. You can choose either the "Catted" or "Non Catted" version.



TRUCK / SUV





APPLICATION	YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
F-150	'15-'17	5.0L	722-55210	722-54220	722-54230	30	5-7 hrs	52
F-150	'11-'14	5.0L	722-52210	722-52220	722-52230	31	5-7 hrs	53
F-150 2WD	'04 - '08	5.4L	722-62210	722-62320	-	14	4-6 hrs	54
F-150 4WD	'04 - '08	5.4L	722-62210	722-62220	722-62230	14	4-6 hrs	54
F-150 LIGHTNING / HARLEY EDITION	ʻ99 - ʻ04	5.4L	722-84210	722-84320	722-84330	20	4-6 hrs	55
F-150 2WD & 4WD	ʻ99 - ʻ03	5.4L	722-84210	722-84220	-	15	4-6 hrs	55



GM

APPLICATION	YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
	'14 - '18	5.3L & 6.2L	715-34110	715-34120	715-44120	32	4-6 hrs	56
SILVERADO, AVALANCHE,	ʻ07 - ʻ13	6.2L	715-14110	715-14620	-	15	4-6 hrs	57
TAHOE, YUKON, DENALI, ESCALADE	ʻ07 - ʻ13	4.8, 5.3 & 6.0L	715-14110	715-14420	715-14430	15	4-6 hrs	57
	'99 - '06	6.0L	715-84110	715-84220	715-84230	15	4-6 hrs	58
	ʻ99 - ʻ06	4.8 - 5.3L	715-84110	715-84120	715-84130	25	4-6 hrs	58
H2 HUMMER	ʻ07 - ʻ09	6.0L	715-14110	715-14320	715-14330	25	4-6 hrs	59
H2 HUMMER	'00 - '06	6.0L	715-84110	715-84220	715-84230	25	4-6 hrs	59



DODGE

APPLICATION	YEAR	ENGINE	HEADERS	CATTED	NON-CATTED	HP GAIN	INST. TIME	PAGE
DODGE RAM HEMI 2WD	ʻ04 - ʻ05	5.7L HEMI	724-84310	724-84520	-	17	4-6 hrs	60
DODGE RAM HEMI 4WD	'04 - '05	5.7L HEMI	724-84410	724-84620	-	17	4-6 hrs	60

FEATURES & BENEFITS

IT'S ALL IN THE DETAILS





0.375" THICK **CNC LASER-CUT** FI ANGES

3 & 4-BOLT BALL & SOCKET COLLECTOR **FLANGES**





3.000" WIDE / 2-BOLT **BAND CLAMPS** STEEL GASKETS

PERFECT, DIRECT BOLT-ON FIT











MACHINE SURFACED AFTER WEI DING





DETAILED INSTRUCTIONS & HARDWARE INCLUDED



DESCRIPTION	PART #
1.875" HEADERS	722-55210
INTERMEDIATE SECTION W/CATS	722-54220
INTERMEDIATE SECTION W/O CATS	722-54230





PRIMARY TUBE SIZE: 1.750" & 1.875" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Some cutting required for any factory or O.E. size aftermarket cat back. INSTALL TIME: 5-7 hours

+31 HORSEPOWER +27 FT-LBS TORQUE


LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

Ceramic Coating Services are Available. Call Dynatech® for Details.

DESCRIPTION	PART #
1.750" HEADER SET	722-52210
1.875" HEADER SET	722-53210
CATTED SECTION	722-52220
NON-CATTED SECTION	722-52230









PRIMARY TUBE SIZE: 1.625" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+14 HORSEPOWER +9 FT-LBS TORQUE

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

Ceramic Coating Services are Available. Call Dynatech® for Details.

DESCRIPTION	'04 - '08 2WD (5.4L)	'04 - '08 4WD (5.4L)	
HEADERS ONLY	722-62210	722-62210	
INTERMEDIATE TUBES W/ CATS	722-62320	722-62220	
INTERMEDIATE TUBES W/O CATS	•	722-62230	





PRIMARY TUBE SIZE: 1.625" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+20 HORSEPOWER +14 FT-LBS TORQUE

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

Ceramic Coating Services are Available. Call Dynatech® for Details.







DESCRIPTION	'99 - '03 F-150 2WD/4WD (5.4L)	'99 - '04 LIGHTNING '02 - '03 HARLEY	
HEADERS ONLY	722-84210	722-84210	
INTERMEDIATE TUBES W/ CATS	722-84220	722-84320	
INTERMEDIATE TUBES W/O CATS	•	722-84330	
CAT BACK SYSTEM: X-PIPE W/ DUAL 4.000" MUFFLERS		722-84231	



'14 - '18 CHEVY/GMC 1500 TRUCK & SUV

STAINLESS STEEL HEADERS



LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.



+32 HORSEPOWER



PRIMARY TUBE SIZE: 1.750" or 1.875" COLLECTOR SIZE: 2.500" Ceramic Coating Services SYSTEM TUBE SIZE: 2.500" are Available. **MATERIAL:** *T304 Stainless* Call Dynatech® for Details. **TRANS:** Manual or Automatic **INCLUDED:** Detailed instructions and all needed hardware. **FIT:** *Direct Bolt-up to any factory or O.E. size aftermarket cat back.*

INSTALL TIME: 4-6 hours

INTERMEDIATE TUBES W/ CATS

HEADER PRIMARY TUBE SIZE	PART #	ENGINE	
1.750"	715-34110	5.3L & 6.2L	
1.875"	715-44110	5.3L & 6.2L	

DESCRIPTION	PART #	ENGINE	CATS	
INTERMEDIATE TUBE SECTION	715-34120	5.3L	W/CATS	
INTERMEDIATE TUBE SECTION	715-34130	5.3L	W/O CATS	
INTERMEDIATE TUBE SECTION	715-44120	6.2L	W/ CATS	
INTERMEDIATE TUBE SECTION	715-44130	6.2L	W/O CATS	

INTERMEDIATE

TUBES W/O CATS



INTERMEDIATE TUBES W/ CATS

INTERMEDIATE TUBES W/O CATS

SUPERMAX '07 - '13 CHEVY 1500 TRUCK / SUV STAINLESS STEEL HEADERS





PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or O.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+15 HORSEPOWER +38.5 FT-LBS TORQUE

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

Ceramic Coating Services are Available. Call Dynatech® for Details.

<u>'07 - '13 (4.8L, 5.3L, & 6.0L) / DESCRIPTION</u>	PART#
HEADERS ONLY	715-14110
INTERMEDIATE TUBES W/ CATS ('07-'08)	715-14120
INTERMEDIATE TUBES W/O CATS ('07-'08)	715-14130
INTERMEDIATE TUBES W/ CATS ('09-'13)	715-14420
INTERMEDIATE TUBES W/O CATS ('09-'13)	715-14430

<u>'07 - '13 (6.2L) / DESCRIPTION</u>	PART#
HEADERS ONLY	715-14110
INTERMEDIATE TUBES W/ CATS ('07-'10)	715-14220
INTERMEDIATE TUBES W/O CATS ('07-'10)	715-14230
INTERMEDIATE TUBES W/ CATS ('11-'13)	715-14620



'99-'06 CHEVY 1500 TRUCK / SUV STAINLESS STEEL HEADERS



SUPERMAXX.

PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

MADE IN THE U.S.A.

LIMITED LIFETIME WARRANTY




Ceramic Coating Services are Available. Call Dynatech® for Details.



DESCRIPTION	'99 - '06 CHEVY TRUCK (4.8L & 5.3L)	'99 - '06 CHEVY TRUCK (6.0L)	
HEADERS ONLY	715-84110	715-84110	
INTERMEDIATE TUBES W/ CATS	715-84120	715-84220	
INTERMEDIATE TUBES W/O CATS	715-84130	715-84230	





LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

SUPERMAXX.

DESCRIPTION	'00 - '06 HUMMER H2	'07 - '09 HUMMER H2
HEADERS ONLY	715-84110	-
HEADERS ONLY	-	715-14110
INTERMEDIATE TUBES W/ CATS	715-84220	715-14320
INTERMEDIATE TUBES W/O CATS	715-84230	715-14330

'04 – '05 DODGE 1500 2WD/4WD STAINLESS STEEL HEADERS

FEATURES

SUPERMAXX.

PRIMARY TUBE SIZE: 1.750" COLLECTOR SIZE: 2.500" SYSTEM TUBE SIZE: 2.500" MATERIAL: T304 Stainless TRANS: Manual & Automatic INCLUDED: Detailed instructions and all needed hardware. FIT: Direct Bolt-Up to any factory or 0.E. size aftermarket cat back. INSTALL TIME: 4-6 hours

+17 HORSEPOWER +15 FT-LBS TORQUE

LIMITED LIFETIME WARRANTY MADE IN THE U.S.A.

Ceramic Coating Services are Available. Call Dynatech® for Details.


DESCRIPTION	HEADERS (5.7L HEMI)
2WD HEADERS ONLY	724-84310
4WD HEADERS ONLY	724-84410
2WD INTERMEDIATE TUBES W/ CATS	724-84520
4WD INTERMEDIATE TUBES W/ CATS	724-84620

60

FIT 5.7L HEMI ENGINE ONLY



- Premium metallic substrate.
- Superior strength and durability.
- Stainless steel housing.
- Quicker lightoff due to higher thermal conductivity.
- Low pressure drop.
- Higher flow rates compared to stock and most after-market converters.



Delivers Up To 54% Increase In Exhaust Flow!

POWERCAT CONVERTER AIR FLOW COMPARISON

POWERCAT CATALYTIC CONVERTERS



TUBE SIZE	PART#
POWERCAT 2.250" INLET AND OUTLET	779-40022
POWERCAT 2.500" INLET AND OUTLET	779-40025
POWERCAT 3.000" INLET AND OUTLET	779-40030

NOTE: These products are intended for racing and off-road applications. Not legal for sale or use in the state of California, nor in states which have adopted California emission standards.

POWERCAT PLUS CATALYTIC CONVERTERS

Designed for supercharged & higher horsepower applications.



TUBE SIZE	PART#
POWERCAT PLUS 2.500" INLET / OUTLET	779-50025
POWERCAT PLUS 3.000" INLET / OUTLET	779-50030

NOTE: These products are intended for racing and off-road applications. Not legal for sale or use in the state of California, nor in states which have adopted California emission standards.

STEPPED BAND CLAMPS

Smooth transition taper allows proper fit to seal expanded slip-fit connections. Great for muffler, tail pipe and merge pipe connections.



DESCRIPTION	PART#			
BAND CLAMP FOR 2.500" JUNCTION	789-70250			
BAND CLAMP FOR 2.750" JUNCTION	789-70275			
BAND CLAMP FOR 3.000" JUNCTION	789-70300			
BAND CLAMP FOR 3.500" JUNCTION	789-70350			
Models for 2.500", 2.750", 3.000" or 3.500" pipe sizes. 1 clamp/ pkg.				

STAINLESS STEEL MANDREL BENT J-BENDS

Dynatech[®] stocks a complete inventory of mandrel bent J-bends. These are made from premium grade mild steel tubing.



SIZE	CLR	STAINLESS PART#	
1.625"	2.625"	794-60302	
1.875"	2.813"	794-60304	
2.000"	3.000"	794-60305	
2.500"	3.750"	794-60309	

FLANGES & GASKETS HIGH PERFORMANCE APPLICATIONS

A great exhaust system starts at the beginning - the flange. One of Dynatech®'s biggest advantages is our wide selection of port matched flanges. All of our flanges are CNC laser cut for unparalleled quality and fit.



×	Stainless Steel Flanges			Stai		Steel Gasket	
		FLANGE (single)	PORT	X	Y	THICKNESS	GASKET (pair)
	LS1	796-13000	1.750"	1.820"	1.820"	.375"	794-30001
	LS1	796-16061	1.875"	1.940"	1.940"	.375"	794-30001
	LS1	796-16062	2.000"	2.070"	2.070	.375"	794-30006
	4.6 FORD	796-18061	1.750"	1.824"	1.824"	.375"	794-70001
0.0.0.0	4 VALVE COBRA 4.6L	796-16071	1.875"	2.243"	1.465"	.375"	794-70004
0,020,0	6.1L HEMI	796-10661	1.875"	2.082"	1.508"	.375"	794-20002
	5.7L HEMI DRIVERS SIDE	796-10761	1.750"	1.820"	1.820"	.375"	794-10001
	5.7L HEMI PASS. SIDE	796-10762	1.750"	1.820"	1.820"	.375"	794-10001
	5.4L TRITON FORD 3 VALVE	796-18062	1.625"	1.696"	1.696"	.375"	794-70001
0.0.0.0	5.4L FORD (PRE 2004)	796-19061	1.625"	1.696"	1.696"	.375"	794-90001
	5.0L FORD	796-17070	1.750"	1.815"	1.815"	.375"	794-70005
OPOR040	5.0L FORD	796-17071	1.875"	1.940"	1.940"	.375"	794-70005
	5.3/6.2L CHEVY LT	796-13010	1.750"	1.980"	1.560"	.375"	794-30007
·O.O.O.O.	5.3/6.2L CHEVY LT	796-13011	1.875"	2.100"	1.680"	.375"	794-30007
	5.3/6.2L CHEVY LT	796-13012	2.000"	2.216"	1.796"	.375"	794-30007

OVAL TRACK



602 CRATE ENGINES:

602 Crate Engines have a unique cylinder head port design. A common misconception is that a special flange is required on the header in order for the header to work. With some brands of headers, this is a true statement. However with Dynatech[®]headers, a special flange is not required because with our unique design, the flange works with both standard Chevy and 602 Crate Engine heads. As a result, our customers will see added savings by not having to buy another set of headers when switching to or from a 602 Crate Engine. Be sure to look for the 602 Crate logo beside our header listings.



604 CRATE ENGINES:

604 Crate Engines have a unique cylinder head port design that, unlike the 602 Crate engines, has a much higher port ceiling. This requires a special flange to obtain maximum exhaust flow. Dynatech® has responded to these demands by offering a flange specifically designed for the 604 Crate Engines. This flange is currently offered on a number of our headers. If you find an application in our catalog that does not offer this unique flange on the header, please contact us and request it. We are always looking for more ways to satisfy our customers.





FEATURES & BENEFITS

OVAL TRACK EXHAUST



ALWAYS CHECK YOUR SANCTIONING BODY'S RULE BOOK FOR COMPLIANCE BEFORE MAKING A PURCHASE.

1/2 SET CRASH REPLACEMENTS AVAILABLE





17 GAUGE STAINLESS & MILD STEEL CONSTRUCTION

CNC LASER CUT FLANGES

ALL FLANGES MACHINE SURFACED AFTER WELDING



High Temperature Ceramic Coating

Inside & Outside · Available Upon Request

WHY SETTLE FOR LESS?

All Dynatech[®] header flanges are machine surfaced after final welding to prevent leakage.



Dynatech

OTHERS

CRATE MODIFIED

MADE IN THE U.S.A.



ALIEN • HARRIS • TAYLOR • BMS • SKYROCKET • GRT • DIRT BOSS

- Accommodates raising the engine 1.500".
- High quality stainless steel for increased header life and exhaust velocity vs. mild steel.
- Fully TIG-welded construction improves weld quality.
- 9.000" long collector for IMCA rules.
- Laser cut flanges w/ 604 crate port design.
- 3.000" inch collector outlet diameter.
- Triple-step long tube design optimized on "in-house" engine dyno.
- · Gaskets and bolts included.
- Accommodates raised & offset engine positions.
- 1/2 sets are available for crash replacement.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	PART #
604 CRATE - STAINLESS STEEL	1.625"-1.750"-1.875"	3.000"	604 CRATE	701-17210



2010-2014 SHAW CHASSIS

- Accommodates raising the engine 1.000".
- High quality stainless steel for increased header life and exhaust velocity vs. mild steel.
- Fully TIG-welded construction improves weld quality.
- 9.000" long collector for IMCA rules.
- Laser cut flanges w/ 604 crate port design.
- Three inch collector outlet diameter.
- Triple-step long tube design optimized on "in-house" engine dyno.
- Gaskets and bolts included.
- Accommodates raised & offset engine positions.
- 1/2 sets are available for crash replacement.
- Ceramic coating services are available. Call Dynatech® for details.
- 1 Year Limited Warranty.

DESCRIPTION	TUBE SIZE	COLL.	H.P.	PART #
604 CRATE - STAINLESS STEEL	1.625"-1.750"-1.875"	3.000"	604 CRATE	701-17310

MADE IN THE U.S.A.

CRATE MODIFIED



CRATE ENGINE EXHAUST

2010-2015 JET CHASSIS 2015 KAZZBUILT CHASSIS

- Accommodates raising the engine 1.250".
- High quality stainless steel for increased header life and exhaust velocity vs. mild steel.
- Fully TIG-welded construction improves weld quality.
- 9.000" long collector for IMCA rules.
- Laser cut flanges w/ 604 crate port design.
- Three inch collector outlet diameter.
- Triple-step long tube design optimized on "in-house" engine dyno.
- Gaskets and bolts included.
- Accommodates raised & offset engine positions.
- 1/2 sets are available for crash replacement.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.



MADE IN THE U.S.A.

DESCRIPTION	TUBE SIZE	COLL.	H.P.	PART #
604 CRATE - STAINLESS STEEL	1.625"-1.750"-1.875"	3.000"	604 CRATE	701-17410



66

Prices Subject to Change Without Notice

MODIFIED

HARRIS • SKYROCKET • HUGHES • VICTORY • BMS • JET

- Fits standard Chevy engines with angle or straight plug heads.
- Gaskets and bolts included.
- 1/2 sets available.
- Ceramic coating services are available. Call Dynatech® for details.
- 1 Year Limited Warranty.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
STANDARD CHEVY	1.750"	3.500"	350-450	11629H	701-16510

DIRT WORKS • IMPRESSIVE • LIGHTNING • HOFFMAN • SHAW

- Fits standard Chevy engines with angle or straight plug heads.
- Gaskets and bolts included.
- 1/2 sets available.
- Slip on collectors.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
STANDARD CHEVY	1.750"	3.500"	300-450	172 & 172CM	701-19810

DIRT WORKS • BMS • JET • SMILEY'S • PIERCE • HOFFMAN • VICTORY • LAZER

- Fits angle or straight plug heads.
- Gaskets and bolts included.
- Longer primaries for maximum torque and horsepower.
- 1/2 sets available.
- Ceramic coating services are available. Call Dynatech® for details.
- 1 Year Limited Warranty.

DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
STANDARD CHEVY	1.750"- 1.875"	3.500"	450+	1186V	701-10610



MODIFIED

2010-2014 SHAW CHASSIS

MADE IN THE U.S.A.

- Accommodates raising the engine 1.000".
- 9.000" long collector for IMCA rules.
- 3.000" inch collector outlet diameter.
- 1-5/8" Straight through design for crate motors and classes that require 1-5/8" tubes.
- Gaskets and bolts included.
- Accommodates raised & offset engine positions.
- 1/2 sets are available for crash replacement.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
SPORT/ B MOD	1.625"	3.000"	300-400	1185V	701-17610

TORQUE BOOSTERS

The Dynatech[®] Torque Booster is a great way to pick up some low end torque on many engines. The gains are usually between 2500 and 4200 rpm, which is an excellent benefit for restarts. This device is a simple way to quickly add that well needed torque on the low end without sacrificing any power on the top end.

- Easy install.
- Excellent add-on for crate engines.
- Increased torque on restarts.
- Promotes torque gains of 10% or more.



APPLICATION	MATERIAL	INLET SIZE	OUTLET SIZE	PART #
TORQUE BOOSTER (602 & 604 Engines)	MILD STEEL	3.000"	3.000"	772-06312
TORQUE BOOSTER (500-600 HP Engines)	MILD STEEL	3.000"	3.500"	772-06302
TORQUE BOOSTER (600+ HP Engines)	MILD STEEL	3.500"	3.500"	772-06352
TORQUE BOOSTER (602 & 604 Engines)	STAINLESS STEEL	3.000"	3.000"	772-06322

CRATE CHEVY STREET STOCK

CHEVY CHASSIS HEADERS

- Special Flange fits Standard Chevy and 602 Crate.
- Engineered for 602 Crate engines.
- Gaskets and bolts included.
- Fits GRT, NASCAR LMS, Shaw, Sport Mods IMCA Sport Mods and most IMCA Modifides.
- Number 1 spark plug should be at least 1.000" behind ball joint.
- 1/2 sets available.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.

MADE IN THE U.S.A.



Sportmod Legal

DESCRIPTION	TUBE SIZE	COLL.	INTERCHANGE #	PART #
STANDARD CHEVY & 602 CRATE	1.625"	3.000"	151 & 151CM	701-10010

CHEVY STOCK CLIP HEADERS

- Fits standard Chevy engines with angle or straight plug heads.
- Gaskets and bolts included.
- Collectors exit over rails on stock front clip cars.
- 1/2 sets available.
- Ceramic coating services are available. Call Dynatech[®] for details.
- 1 Year Limited Warranty.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
STANDARD CHEVY & 602 CRATE	1.625"	3.000"	350-400	155 & 155CM	701-19210
STANDARD CHEVY	1.625"- 1.750"	3.000"	400-450	155V & 155VCM	701-29210

CHEVY STREET STOCK

CAMARO ('70 - '81) • MALIBU, MONTE CARLO, GRAND PRIX, CUTLASS, BUICK REGAL ('72 - '87)

- Fits standard Chevy engines with angle or straight plug heads.
- Gaskets and bolts included.
- Engine must be in stock location.
- Won't clear stock manual clutch linkage ball, factory air conditioner box, rear or side engine mounts.
- Must use short oil filter.
- 1/2 sets available.
- Ceramic coating services are available. Call Dynatech® for details.
- 1 Year Limited Warranty.

MADE IN THE U.S.A.



DESCRIPTION	TUBE SIZE	COLL.	H.P.	INTERCHANGE #	PART #
STANDARD CHEVY	1.625"- 1.750"	3.000"	400-450	185V & 185VCM	701-31910
STANDARD CHEVY	1.750"	3.500"	450+	186 & 186CM	701-22010

CRATE DIRT LATE MODEL

BARRY WRIGHT • MORRIS • ROCKET • SWARTZ • OTHERS W/ 2.625" OFFSET & 6.000" SETBACK

- Unique flange design fits standard Chevy and 602 Crate heads with a single part number.
- 604 Crate available in port matched mild steel or Stainless Steel.
- Increase Torque with Extension Kits and Torque Boosters sold in kits. (see p.72)
- Machine surfaced flanges no leaks.
- 1/2 sets available.
- 1 year limited warranty.



DESCRIPTION	TUBE SIZE	COLL.	PART #
604 CRATE - STAINLESS STEEL ULTIMATE TORQUE PACKAGE**	1.625"-1.750"	3.000"	711-65810
604 CRATE - STAINLESS STEEL HEADERS / EXTENSION KIT*	1.625"-1.750"	3.000"	711-55810
604 CRATE - STAINLESS STEEL HEADERS	1.625"-1.750"	3.000"	711-45810

**Includes Headers, Extension Kit, and Torque Boosters *Includes Headers, 80° Elbow & 14.000" Extension Pipe.

FAST • GRT • SHAW • TRAKSTAR

- OTHERS W/ 0.625" OFFSET & 6.000" SETBACK
- Unique flange design fits standard Chevy and 602 Crate heads with a single part number.
- 604 Crate available in port matched mild steel or Stainless Steel.
- Increase Torque with Extension Kits and Torque Boosters sold in kits. (see p.72)
- Machine surfaced flanges no leaks.
- 1/2 sets available.
- 1 year limited warranty.



DESCRIPTION	TUBE SIZE	COLL.	PART #
604 CRATE - STAINLESS STEEL ULTIMATE TORQUE PACKAGE**	1.625"-1.750"	3.000"	711-66410
604 CRATE - STAINLESS HEADER / EXTENSION KIT*	1.625"-1.750"	3.000"	711-56410
604 CRATE - STAINLESS HEADER	1.625"-1.750"	3.000"	711-46410

**Includes Headers, Extension Kit, and Torque Boosters *Includes Headers, 80° Elbow & 14.000" Extension Pipe.

CRATE DIRT LATE MODEL

BERNHEISEL • LAZER • MASTERSBILT • RAYBURN • WARRIOR

• Unique flange design fits standard Chevy and 602 Crate heads with a single part number.

- 604 Crate available in port matched mild steel or Stainless Steel.
- Increase Torque with Extension Kits and Torque Boosters sold in kits below.
- Machine surfaced flanges no leaks.
- 1/2 sets available.
- 1 year limited warranty.

MADE IN THE U.S.A.



DESCRIPTION	TUBE SIZE	COLL.	PART #
604 CRATE - STAINLESS STEEL ULTIMATE TORQUE PACKAGE**	1.625"-1.750"	3.000"	711-65910
604 CRATE - STAINLESS STEEL HEADERS / EXTENSION KIT*	1.625"-1.750"	3.000"	711-55910
604 CRATE - STAINLESS HEADER	1.625"-1.750"	3.000"	711-45910

*Includes Headers, 80° Elbow & 14.000" Extension Pipe. **Includes Headers, Extension Kit, and Torque Boosters.

COLLECTOR EXTENSIONS

14" EXTENSIONS

with 80° elbow.

• Designed for use with crate engines.

Equalizes crate engine exhaust system when used



80° ELBOW EXTENSION

- Designed for use on driver's side dirt late model headers.
- Used to route exhaust toward rear of car.

- PURCHASE 604 CRATE ACCESSORIES INDIVIDUALLY -

APPLICATION	PART #	APPLICATION	PART #	
14.000" EXTENSION	780-00314	80° ELBOW	780-80301	
14.000" STAINLESS EXTENSION	780-01314	80° ELBOW STAINLESS STEEL	780-80311	

TORQUE BOOSTERS

The Dynatech[®] Torque Booster is a great way to pick up some low end torque on many engines. The gains are usually between 2500 and 4200 rpm, which is an excellent benefit for restarts. This device is a simple way to quickly add that well needed torque on the low end without sacrificing any power on the top end.



• Easy install.

- Excellent add-on for crate engines.
- Increased torque on restarts.
- Promotes torque gains of 10% or more.

APPLICATION	INLET SIZE	OUTLET SIZE	PART #	
TORQUE BOOSTER (602 & 604 CRATE)	3.000"	3.000"	772-06312	
TORQUE BOOSTER (500-600 HP Engines)	3.000"	3.500"	772-06302	
TORQUE BOOSTER (600+ HP Engines)	3.500"	3.500"	772-06352	
TORQUE BOOSTER STAINLESS STEEL (604)	3.000"	3.000"	772-06322	

PAVEMENT LATE MODEL

ECONOMY CHEVY CROSSOVER HEADER

- Non-equal length design gives flat torque curve for slick tracks.
- Valve covers can be removed with header installed.
- 21.000"-28.000" primary length.
- Excellent economy header.
- Ceramic coating services are available. Call Dynatech[®] for details.
- Gaskets & bolts included.



TUBE SIZE	COLLECTOR	H.P	PART #
1.625"- 1.750"	3.000"	400-550	701-24510

TORQUE BOOSTERS

The Dynatech[®] Torque Booster is a great way to pick up some low end torque on many engines. The gains are usually between 2500 and 4200 rpm, which is an excellent benefit for restarts. This device is a simple way to quickly add that well needed torque on the low end without sacrificing any power on the top end.



- Easy install.
- Excellent add-on for crate engines.
- Increased torque on restarts.
- Promotes torque gains of 10% or more.

APPLICATION	INLET SIZE	OUTLET SIZE	PART #
TORQUE BOOSTER (602 & 604 CRATE)	3.000"	3.000"	772-06312
TORQUE BOOSTER (500-600 HP Engines)	3.000"	3.500"	772-06302
TORQUE BOOSTER (600+ HP Engines)	3.500"	3.500"	772-06352

