

THE CHOICE **OF PROFESSIONALS**

2019 NASCAR® Xfinity® Series. courtesy of JR Motorsports and Harold Hinson Photography.

I Said

OP26

CONTENTS 2019 LONGACRE® CATALOG

3 FEATURED PRODUCTS

SCALES & ACCESSORIES

- 8 Computerscales[®]
- 11 Computerscales[®]: DX3[™] & DX2[™]
- 12 Computerscales®: Karting
- 13 Computerscales[®]: AccuSet II[™]
- 14 Computerscales®: Dual Load Cell
- 15 Scale Storage
- 16 Coil Spring Tester
- 17 Spring Rubber
- 18 Chassis Height Measurement
- 19 SideSliders[™]
- 20 Platen Setup & Turnplates
- 21 Billet Levelers
- 22 Leveling Accessories

25 CHASSIS SETUP EQUIPMENT

- 25 Caster/Camber Digital Gauges
- 26 Caster/Camber Digital Gauge Adapters
- 27 Caster/Camber Billet Gauges
- 28 Caster/Camber Accessories
- 29 Toe-In Plates & Accessories
- 31 Bump Steer Gauges & Accessories
- 32 Stagger Gauges

33 TIRE MANAGEMENT

- 33 Tire Pressure Gauges Quick Guide
- 34 Tire Pressure Gauges: Digital
- 37 Tire Pressure Gauges: Pro & Magnum™
- 38 Tire Pressure Gauges: Liquid & Deluxe
- 39 Tire Pressure Gauges: Basic & Quick Fill
- 40 TIRELIEFS[™] & Accessories
- 41 Durometers
- 42 Pyrometers
- 44 Air Tanks & Accessories

45 GAUGES, TACHS, PANELS, & ELECTRICAL

- 45 Stepper Motor & Sportsman™ Gauges 46 Memory Tachs & Tach Panels
- 47 SMi[™] Panels & Accessories
- 49 Sportsman[™] Gauges Panels
- 51 Switch Panels
- 52 Switches: 40 Amp
- 54 Switch Accessories

56 SPECIALTY TOOLS

56 Air Density Gauge57 Leak Down Testers & Shock Inflators58 Digital Levels59 Extra Tools

60 STEERING WHEELS

60 Aluminum Wheels62 Steering Accessories

63 MISCELLANEOUS

- 63 Timers & Stopwatches
- 64 Padding
- 66 Helmet Hooks, Brackets, Radio Box, Drink Holder
- 67 Mirrors & Accessories
- 68 Brake Lines & Accessories
- 69 Carb Linkage Kits & Accessories
- 70 Remote Starter Button, Spark Plug Viewer, & Accessories
- 71 Spoiler & Fender Accessories
- 72 Insulation & Apparel
- 73 Car Covers & Silver Cases





10" TABLET WITH SIDE-BY-SIDE NOTES

- 10" Tablet scale system with new app.
- Note-taking feature, side-by-side with weights and percentages.



NOTE-TAKING SCREEN ON A 7" TABLET

See p.8-15



3" Backlit graphic display. Recall segment times in pits and compare laps.



- Track mapping.
- Divide the track into segments.
- See where you are fast and where you are losing time.
- Compare laps.







COMPUTERSCALES[®]



PRO WIRED HYBRID™ MODEL

10" TABLET

- Huge high resolution 7.75" x 5.75" backlit color display.
- · Easily customizable.
- Note-taking and 50 set named memory stores weights and percentages.
- Includes high contrast display for bright sunlight.



See p.11

COMPUTERSCALES®



7" TABLET

- Large high resolution 6" x 3.75" backlit color display.
- · Easily customizable.
- Note-taking and 10 set named memory stores weights and percentages.







OMPUTER**SCALES**® WIRELESS 10" TABLET XLi™ 3000 lbs DUAL LOAD CELL

- 10" Android™ tablet with high resolution screen, case, screen protector, and stylus included
- Ready to use right out of the box.
- · Secure wireless connection from the pads directly to the tablet.
- · Free app updates.
- · Customizable display: change the main screen display order to suit your preferences, show only what you want to see, rotate or change the car icon, change the partial weight percentage resolution or weight units.
- Alternate background skins.

- · Side-by-side note taking / named memory: note taking on the same screen as weights and percentages.
- · Name your memory locations title, date, track, etc.
- Keep a record of the changes made and the results - notes are tied to the memory location.
- · Add, edit, or delete notes as needed, virtually unlimited space available.
- · Save to file: save all your stored weights and notes with the tap of a button, easily email or connect to PC for download.







· Drive onto your turn plates

See p.24





- · 2 Velcro straps hold the radio securely in place.
- Internal padding prevents damage.
- · 3 Sided for easy access.
- · Adjustable brackets mount to your roll-bar at multiple angles.
- Available for 1-3/4" or 1-1/2" bar.

5

See p.66

FEATURED PRODUCTS

MEMORY TIRE PYROMETER

- Large high resolution display shows all 12 temps at the same time. Shows memory temperatures on the main screen. Scroll up and down to compare to current temperatures. Stores up to 99 sets.
- Ultra fast response for quick temperatures or use exclusive "Anticipation Mode" that uses a precision algorithm to predict the ultimate temperature.
- Fast response tire probe with adjustable tip length, adjust the probe depth to your preference or type of tire - indicator light lets you know when the temperature has recorded and you can move to the next location.
- Computes averages for all your tire temperatures: LF, LR, RR, RF, Left side, Right side, Front and Rear.

- Alternate "Bright Sunlight Display" screen mode for easier viewing outdoors. Swipe to the right to view your temperatures on the high contrast bright sunlight display.
- Note taking right on the tablet, tied to the memory slot. Type notes with on-screen keyboard or by voice.
- Named memory locations: Give your memory locations names for easier recall - title, date, track, etc.
- Save your current or all your stored temperatures to a file. The file includes all temperatures and any notes you have entered. Downloads to a comma-delimited file for easy editing in a spreadsheet.
- Reads temperatures in degrees Fahrenheit or Celsius. Easily switchable from the setup screen.



ULTIMATE DIGITAL GAUGE 0-100 PSI • 3.5" FACE

- Accurate to 0.1%, reads to 0.1 psi.
- 3.5" Face.
- Saves all 4 tire pressures on the display.
- Back light for night use.
- Swivel angle chuck and 17" hose for ease of use.
- 3 High volume bleed-off buttons for fast setting on pit stops.
- · Includes Silver case.
- · Ball chuck included.
- Comes with a rubber bumper for gauge protection.





- Easy-to-use tester checks ring seal, valves, and head gaskets.
- Quickly tell from the outside when your engine needs an overhaul.

See p.57



6

ACCURATE SETUPS NOW MADE REALLY EASY



WIRELESS CONVENIENCE.



Everything you need is included:

Complete systems include a tablet (7" or 10") with protective enclosure, and Silver case, screen saver, stylus, universal charger and USB cable, and 4-15" or 12" pads with wireless modules built in.



10" Tablet



- The cables are gone, nothing to trip over.
- Easily converts to metric.Display just the information
- you want, nothing you don't.
- Easy to upgrade.
- Download the latest app free and keep your system stateof-the-art.
- New app with Notes Screen shown together with weights and partials, side-by-side. See everything at the same time. (On 10" tablet only.)

COMPUTERSCALES®XLi TABLET XLI™ SINGLE LOAD CELL

DESCRIPTION	PART #
Computerscales [®] Wireless 7" Tablet	52-72715
Computerscales [®] Wireless 10" Tablet	52-72717
Computerscales [®] Wireless Without Tablet	52-72718

COMPUTERSCALES®XLi TABLET XLI™ DUAL LOAD CELL

DESCRIPTION	PART #
Computerscales [®] Wireless 7" Tablet	52-72726
Computerscales [®] Wireless 10" Tablet	52-72728
Computerscales [®] Wireless Without Tablet	52-72729

COMPUTERSCALES® XLi

TABLET XLI™ 12" PADS

DESCRIPTION	PART #
Computerscales [®] Wireless 7" Tablet 1100lbs./Pad	52-72691
Computerscales [®] Wireless 7" Tablet, 400lbs./Pad	52-72630

*Kart, Quarter Midget, Legends, Bandeleros, etc.

7 Sciences Sciences

TABLET SCALE FEATURES



CURRENT WEIGHTS MEMORY WEIGHTS

Shown at the same time for easy comparison. Makes hitting your target setup simple and hassle free.

Exclusive Tablet Scale Features

- An easy-to-use "Setup Page" lets you customize the partial percentage display if you wish. Change to metric readout here if needed.
- Battery condition for pads and tablet is shown on the display.
- Special high contrast screen for very bright sunlight conditions.
- 7" Tablet and smartphone automatically work in both horizontal ('landscape') and vertical ('portrait') orientation.
- Charger for tablet is included. Pads use replaceable AA Alkaline batteries.

For the car icon on the display you can select any of the below car options.



You can even have a picture of YOUR car as the icon to personalize your system. Call for details.

CAR ICON AND ALL WEIGHTS CAN BE ROTATED ON THE DISPLAY.

Easy viewing from any position around the car. Just tap the button above the car. Wheel weights 'follow' rotation.



Best when standing on the left side of the car





Best when standing

Best when standing in front of the car.





DURABILITY

The tablet has a protective enclosure that helps prevent damage, a Silver case, and a screen saver to protect the display.

COMPARE OUR PADS TO OTHERS

Other 'billet' pads

.5" Thick flat

plate

1.1" Tall reinforcing ribs

Longacre®

pads

Our pads use elaborate computer-designed reinforcing ribs to add rigidity that's not available with simple flat plate style 'billet' pads. The more rigid your pads are, the lower the deflection and the more accurate your setup.

8

FOR THE LOWEST DEFLECTION

Longacre[®] Dual Load Cell pads give you the lowest deflection. The design allows the dispersal of stress over a much larger area of the pad to minimize platform deflection. You get the least deflection and the most accurate and consistent setups possible. Best for scaling cars with high camber.



SCALE SYSTEM APP

Note-taking right on the tablet, linked to the memory number. Keep a permanent record of the changes you've made and the results you got. Type notes with the on-screen keyboard or take them by voice. You can add, edit, or delete as needed. Virtually unlimited space is available. This app can be downloaded to your current tablet scales at no cost. Just go to our website or the Google Play[™] Store. Google Play[™] is a trademark of Google Inc.

2 BACKGROUND GRAPHICS 'SKINS'

- Customize your app background with different skins. Pick the one you prefer, they are easily switched. Weights and numbers are crisp and easy to read. 710 673 673 There's a "High Contrast Display" for very bright sunlight. It makes the 576 576 display very readable outdoors. 1343 SAMSUNG emory: 1 Standard Red Skin Industrial Black Skin Bright Sunlight Skin e & Not COMPUTERSCALES'XL Total Memory: 1 673 3 4 5 8 46 €. 846 576 al strong to 121 TAB . BATT RF 320 LF 350 RR 175 LR 200 Cross 54.15% 1519 LE 18 RR 25 LR 14 Total 2805 Bite 270 NOTE-TAKING SCREEN 50.69 7422 Rear Front 49.31 1383 Tablet with Grase Notes Zero 3 1 5 Save Side-By-Side Notes
- Note-taking right on the tablet, tied to the Memory number.
- Show notes on the screen with the current wheel weights and percentages. See everything at the same time.
- Store race notes and chassis setup data (caster/camber, spring rates, tire pressures, etc.)
- Store your pre-race check list. Check the jobs off as they're done. Don't miss anything.
- Easily build a customized template for all the info you need, just fill in the blanks.
- Keep a permanent record of the changes made and the results.
- Type notes with on-screen keyboard or by voice.
- Add to, edit, or delete as needed. Recall anytime.
- Virtually unlimited space available. Scroll as needed.
- Download to a PC or e-mail.

COMPUTERSCALES® dx3" dx2"





.....

Computerscales [®] Hybrid DX3™	52-72617
Computerscales [®] Hybrid DX3 [™] Dual Load Cell	52-72653



SEMI PRO d×2[°] WIRED HYBRID™ MODEL

- Tablet shows all wheel weights and all partial percentages. Can be easily customized to your preference. Show just what you want, nothing you don't.
- 10 Set memory stores weights and percentages, shows on the display at the same time as current weights for quick comparison.
- A handy note-taking feature lets you keep notes right on the tablet screen. Memory slots can be used for scaling notes or named to organize complete setup specs: caster/camber, stagger, toe-in, tire pressures, shocks, etc. Notes may be entered by typing or voice command and recalled at any time for reference.
- Wheel weights and percentages can be rotated on the display to make viewing from anywhere around the car easier.
- Controller tablet has rechargeable battery (charger included). Pad board runs 100+ hours on replaceable alkaline batteries. Low battery indication for both.
- · Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] Hybrid DX2™	52-72613
Computerscales [®] Hybrid DX2 [™] Without Tablet	52-72615

6" x 3.75" DISPLAY



SCALES & ACCESSORIES 10

SCALES FOR KARTING



COMPUTERSCALES® XLi WIRELESS SCALES

Everything you need is included: Complete systems include a 7" tablet with protective case, screen saver and stylus, Silver case, universal charger and USB cable, and 4–12"x12" pads with wireless modules built in. Easily converts to metric.

DESCRIPTION

Computerscales[®] with 7" Tablet XLi™ Karting 400 lbs Computerscales[®] with 7" Tablet XLi™ 1100 lb 12" Pads



COMPUTERSCALES® WIRED SCALES AccuSet II[™]

- 4 Line display shows all 4 wheels and all partial percentages.
- CNC machined dead flat low deflection pads for the best accuracy, 400 lbs. capacity.
- Easy to use.

DESCRIPTION Computerscales[®] AccuSet II™ Karting

- 1/10 Percent accuracy.
- 2 Year limited warranty.
- · Easily converts to metric.
- Silver carrying case and red polysilicone cables.



BILLET ALUMINUM KART SETUP FIXTURE

- · Optimum rigidity for accurate setups.
- Lightweight with detachable legs for compact storage.
- · Can be used with other size kart pads (Call factory.)

DESCRIPTION Kart Setup Fixture - 12" CNC Kart Pads Kart Setup Fixture - 15" CNC Kart Pads

11 SCALES & ACCESSORIES

Prices Subject to Change Without Notice

COMPUTERSCALES[®] AccuSetII[™]

COMPUTERSCALES[®] AccuSet II™ 1500 Ib/PAD

Store your baseline setup in memory. Then recall it instantly to compare to the current setup. Saves time writing it down – always handy. This 1 slot memory is really helpful and is super easy to use.

- Shows all 4 wheel weights plus cross weight.
- Push one button for all partial percentages and weights.
- · Slanted for easier viewing.
- Includes deluxe Silver carrying case for electronics and cables.
- DESCRIPTION Computerscales[®] AccuSet II™ 1500 lb/Pad
- Low profile pads with satin finish, flat to within .01" for accurate setups.
- 15" x 15" x 2.5", 1500 lbs/pad capacity.
- Easily converts to metric.
- 2 Year limited warranty.

PART #

52-72593



NEW - Baseline Memory Recall

COMPUTERSCALES[®] AccuSet II™ 1100 Ib/PAD

- · Display shows all 4 wheel weights plus all percentages.
- 12" x 12" x 1100 lbs. capacity powder coated pads.
- Great for IMCA cars, Legends, Dwarf, Mini Cup, Bandeleros, Road Racing Formula classes, Quads, etc.
- · Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] AccuSet II™ 1100 lb/Pad	52-72582



.....









COMPUTERSCALES[®] WIRELESS 10" TABLET XLi™ 3000 lbs DUAL LOAD CELL

- Wireless 10" tablet included.
- Shows 4 individual wheel weights plus all partial percentages.
- App available to use Android[™] phone as controller.
- 3,000 lbs / Pad.
- 15" x 15" x 2.5" Pads.
- · Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] Wireless 10" Tablet XLi™ Dual Load Cell, 3,000 lbs / Pad	52-72675
Computerscales [®] Hybrid DX3™ Dual Load Cell, 3,000 lbs / Pad*	52-72673
	*Cables still connected to nads





COMPUTERSCALES® WIRED

- 15" x 15" x 4" (5" on #52-72668) tall HD pads.
- · AA Battery powered.
- · Control box shows 4 individual wheel weights plus all partial percentages.
- Extra long 24' HD Hi-Flex cables with lock ring connectors.
- · Easily converts to metric.

DESCRIPTION	PART #
Computerscales® Wired System, w/ 4"T x 3500 lb. Powder Coated Pads	52-72663
Computerscales® Wired System, w/ 4"T x 3500 lb. CNC Machined Pads	52-72667
Computerscales® Wired System, w/ 5"T x 5000 lb. Pads	52-72668

STORAGE BOXES FOR 15" & 12" LOW PROFILE PADS

• Padded lining keeps pads protected.

- · Heavy duty aluminum frame with scuff-resistant sides.
- · Could also be used for radios or other equipment.

DESCRIPTION	PART #
15" Scale Pads Storage Box	52-72292
12" Scale Pads Storage Box	52-72280





- · Convenient storage at the track or in the shop.
- Cart holds the control box at just the right height.
- Rolls around the shop and pits with ease.
- Pads slide in on a steep angle, are easier to get in and out, and won't come out in transit.
- Durable powder coated finish.

DESCRIPTION	PART #
Scale Cart	52-72304



GAS CAN SCALE

- Reads to 1/10 lb., 350 lbs. capacity.
- Weigh gas can during a pit stop to determine fuel used.
- 12" x 12" Platform.

DESCRIPTION	PART #
Gas Can Scale	52-72330





BILLET ALUMINUM ELECTRONIC COIL SPRING TESTER

- 0-3000 lbs. by 1 lb.
- 8.5" Space between posts.
- Digital travel to .001".
- 6" to 20" tall springs.
- 5" and 5.5" coil springs, square and 6" diameter 'pigtail' ends and coil-overs.
- Includes easy-to-use digital indicator to measure spring travel and a digital load readout.

DESCRIPTION Billet Aluminum Electronic Coil Spring Tester

PART # 52-73505



VALVE SPRING TESTER 1400 lbs.

- Spring pressure from 0 to 1400 lbs. by 1 lb. increments.
- Spring travel from 0.000" to 4.000" in .001" increments.
- 1/10 of 1% accuracy on both spring pressure and travel.
- · Positive stop to make repeated spring checks at the same height.
- · Check springs with or without retainer.
- · Spring travel and pressure can be zeroed at any point.
- · Quick and easy to use.
- Runs on battery or 110 volt (220V available.)

DESCRIPTION	PART #_
Valve Spring Tester to 1400 lbs. by 1 lb.	52-73511

NEW HD rigid design like a machine tool for more accurate readings makes this the best valve spring tester available!



SPRING RUBBER LARGE SPACING COIL-OVER

Many front running teams are using the new style coil-over springs that have fewer coils and wider spacing, giving more spring travel before coil bind. With these spring rubbers, you can now fill that larger gap between coils to fine-tune your set-up.

DESCRIPTION	PART #
Orange Soft 1-1/4"	52-61016
Red Medium 1-1/4"	52-61041
Blue Hard 1-1/4"	52-61051

SPRING RUBBER STANDARD COIL-OVER & BIG SPRING

• 0.75" Thick (coil-over.)

• 1.25" Thick (5" or 5.5".)

DESCRIPTION	RUBBER	PART #
Yellow 5 – Soft*	Coil-Over Spring Rubber	52-61005
Clear 10*	Coil-Over Spring Rubber	52-61010
Orange 15*	Coil-Over Spring Rubber	52-61015
Red 40*	Coil-Over Spring Rubber	52-61040
Blue 50*	Coil-Over Spring Rubber	52-61050
Black 70 – Hard*	Coil-Over Spring Rubber	52-61070
Red 5/5.5" - Soft	Deep Grove Spring Rubber	52-61140
Blue 5/5.5" – Medium	Deep Grove Spring Rubber	52-61150
Black 5/5.5" - Hard	Deep Grove Spring Rubber	52-61170

*For relative compression only.



.....





LASER CHASSIS HEIGHT CHECKER & LASER LEVEL

- Check actual chassis height when the car is on scales or on a leveler. Don't get your setup 'just right' only to find out the car is too low or too high once you get it back on the ground.
- Includes an easy to set-up self-leveling beam laser, 4 easy to read targets that are held to the frame with magnets, and a separate pad leveling target for leveling the scale pads and establishing the 'ground plane' to measure chassis heights.


DESCRIPTION	PART #_
2" to 6" Range	52-72983
2" to 8" Dirt Cars	52-72985
1" to 4.5" Range	52-72981



CHASSIS HEIGHT CHECKER

- With the car on the ground, it measures chassis height directly, accurate to .0625".
- With the car on scale pads, it measures from top of pads to frame directly (no subtracting needed.)
- Measures chassis height dynamically, as you work on car. Magnet holds tape to frame. Indicator shows height as car moves up and down. Use set of 4 to quickly see height at all 4 corners.
- 2 Lengths 24" for perimeter frames, 36" for straight rail cars on right side.
- Measures height from 2"-10" on 24" and 2"-15" on 36".

DESCRIPTION	PART #
Chassis Height Checker - Short 24" Model (1)	52-78320
Chassis Height Checker - Short 24" Model (set of 4)	52-78322
Chassis Height Checker - Long 36" Model (1)	52-78325
Chassis Height Checker - Set of 4 - (2) 24" & (2) 36"	52-78326




MINI CHASSIS HEIGHT CHECKER

Great for quick, accurate checks of chassis height. Push it under the car, raise the tape with the knob, pull it out, and read the height. Range is 2"-8", accurate to .0625". This is a shortened and simplified version of the Chassis Height Checker above. Quick, accurate, and easy-to-use. It's a great replacement for 'step' type tools, more accurate, more versatile, and easier to use.

DESCRIPTION	PART #
Mini Chassis Height Checker	52-78318
Mini Chassis Height Checker for Scale Pads	52-78319

SIDESLIDERTM FOR BIND-FREE SETUPS CHASSIS ROLLER SLIP PLATE

You use ball bearing A frame pivots, low friction ball joints, greaseable Heim joints, and even ceramic bearings all to eliminate suspension friction. Don't set up your car with even a small bind at the scale pads.



See how the LF pad slides sideways, relieving camber bind.

ECONOMY SIDESLIDER™



When you lift your car to put it on scales the front wheels camber in at the bottom. As you let it down the wheels must be allowed to freely camber back out or there will be a small residual bind in the chassis. This will make your wheel weights (and your setups) less than perfect. To avoid this, the front wheels must be able to easily move sideways. With SideSlider[™] your front wheels can move sideways effortlessly to relieve any camber-induced bind. This will assure you the most accurate, consistent setups possible.

- Rollers are made from a tough, low friction polymer.
- Install under Left Front wheel (it has the most camber change.)
- · 3 Spacers are included to re-level your setup.
- · Use on any smooth floor surface.

DESCRIPTION	PART #
Economy SideSlider™ Single with 3 Spacers	52-72870
Economy SideSlider™ Set with 2 Spacers	52-72872

"3D" BALL ROLLER SIDESLIDERS™

These SideSliders[™] move in 3 directions: sideways, front and back, and they

rotate. They are great for checking wheel weights with wheels turned. See

what happens to your wheel weights with different caster settings.

- Install under both front wheels.
- Must be used under scale pads.
- 2 Spacers are included to re-level your setup.
- Use on any smooth floor surface.

PART #

52-72875







Friction free ball bearing roller. 3 Way slip plates for bind-free setups with wheels turned.

DESCRIPTION

polymer.

"3D" Ball Roller SideSliders™ 2 Plates and 2 Spacers

SCALES & ACCESSORIES 18

BILLET ALUMINUM MODULAR SETUP PLATEN BEST RIGIDITY FOR ACCURATE SETUPS



ASSEMBLES IN 15 MINUTES OR LESS AND DISASSEMBLES EVEN QUICKER.



OPTIONAL VERSION:

SideSliders[™] allow the pads to float effortlessly sideways to relieve any chassis bind caused by camber change. Great for IRS cars.

52-72865

DESCRIPTION	PART #
Adjustable Scale Platen Setup Fixture with Billet Pad Levelers	52-72860
Adjustable Scale Platen Setup Fixture with 2 SideSliders™	52-72865

EASY TO ASSEMBLE. EASY TO TRANSPORT.

The entire Platen is leveled, not just the scale pads as with hi-density foam racks. Modular components assemble quickly, then break down for efficient transportation.

- Four Billet Scale Pad Levelers with pop-out feet (24 total.)
- Two adjustable spanners.
- Two ramps.
- Two horizontal locator bars.
- Billet T6 aluminum scale pad levelers with a full floor for the best rigidity and the most accurate setups.
- Swivel adjusting feet pop out for quick and easy storage.
- Spanners are attached to levelers and are flush with the top of scale pad.
- For 15" x 15" x 2.5" scale pads, wired or wireless.
- Fully adjustable for wheelbase (90" 110") and track width.



OPTIONAL TURNPLATE ROLL-OFF

OPTIONAL FRONT ROLL-OFF

This new setup platen uses the best design, engineering, and fabrication. The billet aluminum scale pad levelers are rigid for accurate setups and the formed spanners and ramps are strong, yet lightweight. Just set up the billet levelers and clip on the spanners and ramps.

Set caster and camber right on the platen. These attach quickly and easily to the front levelers and come with pop-out adjusting feet.

DESCRIPTION	PART #
Modular Roll-off Platforms for Turnplates - Set of 2	52-72856
Aluminum Turn Plates (Pair)	52-79800
Modular 18" Roll-offs only - Set of 2	52-72851
Modular 30" Roll-offs only - Set of 2	52-72853

ADD TO YOUR PLATEN'S FUNCTIONALITY WITH THESE SPECIAL PURPOSE ROLL-OFFS.

Prices Subject to Change Without Notice

19

BILLET LEVELERS MODULAR SCALE PAD LEVELING FIXTURES

BILLET SCALE PAD LEVELERS FOR 2.5" PADS

- CNC machined T6 aluminum.
- · Leveling feet "pop in and out" for easy setup and storage. They're held in place with "Rare Earth" magnets.
- Full floor for best pad support and rigidity.

DESCRIPTION	PART #_
Levelers for 2.5" Pads (Set of 4)	52-72840



MODULAR DESIGN GIVES YOU ADDED FLEXIBILITY.



MODULAR 18" ROLL-OFFS SET OF 4

- With pop-out feet.
- · Shown with Billet Levelers (not included.)
- · Attach easily.

DESCRIPTION Modular 18" Roll-Offs (Set of 4)

PART # 52-72850

BILLET SCALE PAD LEVELERS WITH 2 BUILT-IN SIDESLIDERS™

- To relieve camber-induced chassis bind for the most accurate setups.
- · Same specs as above, including pop-out feet.

DESCRIPTION

PART # Billet Scale Pad Levelers 2 Built-in SideSliders™ for 2-1/2" Pads (Set of 4) 52-72844 (For cars with independent rear suspension.)



LEVELING ACCESSORIES FOR NEW STYLE SCALE PAD





Pop-out feet stored in sturdy case. 4 Adjuster tools included.

1 PIECE BILLET ROLL-OFF LEVELER FOR 2.5" PADS - SET OF 4

- Full floor for best pad support.
- · CNC machined for accurate setups.
- · Includes 2 sets of wheel stops.
- · Use with wired or wireless scales.
- · Includes 24 pop-out feet, 6 per leveler, for best support.

DESCRIPTION	PART #
Set of 4 with 18" Roll-Off Area	52-72831
Set of 4 with 2 SideSliders™	52-72845



FULL FLOOR FOR BEST PAD SUPPORT.



SHOWN WITH TURNPLATE ROLL-OFF.

MODULAR ROLL-OFF PLATFORMS FOR TURNPLATES

Most other roll-off fixtures only have 12" to 14" of roll-off area. Sometimes that's not quite enough. If you start with low tire pressures, the "contact patch" can be long. Set your caster and camber right on the fixture. Roll-offs for turnplates attach to front of levelers. Includes 2 pop-out leveling feet for convenient storage. (Billet pad levelers not included.)

DESCRIPTION	PART #
Modular Roll-Off Platforms For Turnplates (Set of 2)	52-72856



BILLET SCALE PAD LEVELERS AND 18" ROLL-OFFS - SET OF 4

DESCRIPTION	PART #
Billet Scale Pad Levelers & 18" Roll-Offs (Set of 4)	52-72830
Modular 18" Roll-Offs Only (Set of 2)	52-72851



Shown with Modular Billet leveler. Works with 1 piece Billet leveler or Modular leveler. Roll-offs for turnplates – attach to front of levelers – includes 2 pop-out leveling feet for convenient storage.



SCALES & ACCESSORIES

FOR 2.5" SCALE PADS

- Roll car off scale pads then back on again to eliminate camber bind.
- Rigid formed and welded aluminum construction.
- Wheel stops on 2 roll-offs for safety.

Roll-Off Levelers for 2.5" Scale Pads

- 6 HD swivel feet for easy leveling on most any surface (not pop-out style.)
- New design lightweight and more rigid.

PART #

52-72905



NOTE: These devices are not for use with our dual cell low deflection scale pads. See billet levelers and roll-offs.

INDIVIDUAL SCALE PAD LEVELERS

.....

- For a quick, accurate setup anywhere.
- 4 HD swivel feet (not pop-out style.)
- · Formed and welded.

DESCRIPTION

DESCRIPTION Pad Levelers (Set of 4)





BUDGET ROLL-OFFS FOR 2.5" PADS ON GROUND

DESCRIPTION Budget Roll Offs PART # 52-72904



.....



.

22



ALUMINUM TURN PLATES

- Low profile only 1" tall.
- Reads to 0.5° Indicator can be zeroed with the car on.
- · Free floating in 2 directions eliminates bind.
- · Can be used on top of scale pads.


DESCRIPTION	PART #
Aluminum Turn Plates (Pair)	52-79800
Single Aluminum Turnplate with Spacer	52-79805
Turn Plate Spacers with Slip Plates (Pair)*	52-79751
To loval roar of car when	using turnplates on ground

of car when using turnplates on ground.

TURN PLATE RAMPS

Roll on to avoid camber bind.

DESCRIPTION PART # Turn Plate Ramps - Set of 4 52-79753 Turn Plates not included.



MINUM RAMPS 36" LONG (SET OF 4)

- To get your car on the scales easier.
- Car rolls up on scales much easier than shorter ramps and is quicker than using a jack.
- · Formed aluminum, strong, lightweight, and durable.
- Set of 4 for 2.5" scale pads.

DESCRIPTION Aluminum Ramps - 36" Long (Set of 4)

PART # 52-72537



PLACEMENT FEET SCREW-IN & POP-OUT

- · Screw-in or pop-out swivel feet sold in pairs (not interchangeable).
- Screw-in feet for formed levelers and pop-out feet for billet levelers.
- Screw-in feet are 1/2"-13 thread.
- 8" Legs are made from premium SAE 4140, rolled threads and double heat treated for strength.

DESCRIPTION	PART #
Screw-In Swivel Feet 4" (Pack of 2)	52-72894
Screw-In Swivel Feet 8" (Pack of 2)	52-72890
Pop-Out Feet 4" (Pack of 2)	52-72896
Pop-Out Feet 8" (Pack of 2)	52-72893



- AccuLevel[™] Pro Model.
- Super Magnetic adapter.
- Padded carrying case.

THIS IS A MUST HAVE TOOL.

Here's a super accurate digital caster/camber gauge that reads to 0.1° (1/10°) and at a price any serious team can easily justify. It comes with our latest magnetic adapter and a padded Silver carrying case. There is a backlight for dark areas and a "Hold" feature for hard-to-reach places.

DESCRIPTION	PART #
Caster / Camber w/ AccuLevel™	52-78290
Caster / Camber w/ AccuLevel™ Less Adapter	52-78291
Kart Caster / Camber Gauge w/ AccuLevel™	52-78292



NEW: Billet Magnetic adapter now with 8 premium "Rare Earth" magnets for a stronger pull. Installed from the back for protection. Flush face and easy to clean.

Out



AccuLevel[™]

Easily removes from gauge and can be used for other measurements such as spoiler and A frame angles, suspension, driveline, etc.

Great for bump stop cars with high LF camber. Reads as high as you need.

1914

edar

Gehrin



Comes with Silver case.

DIGITAL CASTER/CAMBER GAUGE ACCULEVEL™ & QUICKSET™ ADAPTER

This is the fastest way to check your front end alignment, just hold it against the rim for easy, accurate readings. No spindle adapters required here. Made from CNC machined billet aluminum. Works on most race cars, up to a 17" wheel. Three point design squares up to your wheel, folds up for easy storage. Uses most caster/camber gauges. Billet aluminum fully CNC machined. Rigid for accurate readings Three-leg design squares gauge to your wheel.

- Billet aluminum fully CNC machined. Rigid for accurate readings. 3-Leg design squares gauge to your wheel.
- · Comes with Silver case.
- Reads to 0.1°.
- · Will work on most cars.
- AccuLevel[™] digital readout can be easily removed and used for other angle measurements on the car.
- Can compensate for unlevel ground and more accurate readings.

- Just hold it against the rim to take a measurement, no adapter needed.
- Digital C/C gauge with AccuLevel™ and QuickSet™ adapter with case and reads to 0.1° camber.
- For wheels 12" to 17".

DESCRIPTION	PART #
Digital C/C Gauge with AccuLevel™ & QuickSet™ Adapter	52-78295
QuickSet™ Adapter Only	52-78428



QUICKSETTM ADAPTER FOR LARGE WHEELS

- Folds up for easy storage.
- For 13" to 24" aluminum wheels.
- · 'Feet' adapt to wheel bead.
- Folds for storage.

DESCRIPTION	PART #
Digital C/C Gauge with AccuLevel™ & QuickSet™ Adapter	52-78298
QuickSet™ C/C Adapter Only	52-78430

VIAL STYLE CASTER/CAMBER GAUGE WITH QUICKSET™ ADAPTER

• No adapter needed - just hold it against the wheel.

- Reads camber +/- 9°, caster + 12° to -4°.
- For wheels 13" to 17".

DESCRIPTION	PART #
Billet Caster / Camber Gauge with QuickSet™ Adapter	52-78274

CHASSIS SETUP EQUIPMENT

25

Prices Subject to Change Without Notice



THIS IS A PROFESSIONAL GRADE TOOL.

BILLET CASTER/CAMBER GAUGE

- Expanded range measures camber to + or 9° and caster + 12° to 4°.
- · Glow-in-the-dark vials, much easier to read.
- CNC machined billet aluminum-polished, Bright Dip anodized, laser etched.
- NEW Super Magnetic adapter, stronger pull. Uses 8 premium "Rare Earth" magnets to hold to your hub better, CNC machined for a dead flat surface and the highest accuracy possible.
- Can measure caster with or without turnplates. Best accuracy if used with turnplates.
- All vials checked for accuracy to 1/4°, assembled on a precision fixture.

DESCRIPTION	PART #
Billet Caster / Camber Gauge with Magnetic Adapter	52-78272
Billet Caster / Camber Gauge Only - Less Adapter	52-78273







Billet Magnetic adapter now with 8 premium "Rare Earth" magnets for an even stronger pull. Installed from the back and recessed for protection. Flush face and easy to clean.



BILLET CASTER/CAMBER

UGES



CASTER/CAMBER GAUGES

- Reads camber from +6° to -6° accurate to 1/4°.
- Caster reads to +12° to -4°.
- All vials are individually checked for accuracy and assembled on a precision fixture.
- All critical surfaces are CNC machined for accuracy.
- New stronger magnetic adapter, dead flat surface for accuracy, won't chip or flake. (On 52-78260)

DESCRIPTION	PART #
Gauge with Magnetic Adapter	52-78260
Gauge with GM Factory Adapter 3/4" – 20	52-78262
Gauge with Wide 5 Adapter 1-13/16" - 16	52-78264
Gauge with Kart Adapter 5/8" – 18	52-78265
Gauge and Case Only – NO ADAPTER	52-78250



Magnetic adapter with 8 premium "Rare Earth" magnets that hold to your hub better. Magnets installed from the back.



All gauges come with a premium Silver case.

Most adapters screw onto spindle, except magnetic and QuickSet[™].

SEPARATE ADAPTERS

Fits all Longacre® Caster/Camber Gauges.

DESCRIPTION	PART #
Wide 5 Spindle Adapter 1-13/16" – 16	52-78405
Factory GM Adapter 3/4" – 20	52-78410
Allison Legacy / Big Ford Adapter 13/16" – 20	52-78412
Ford Pinto Adapter 3/4" – 16	52-78414
Billet Magnetic Adapter – For 52-78272	52-78424
Large Wheel QuickSet™ Billet Caster / Camber Adapter	52-78430
Fine Go-Kart Adapter 5/8" – 18	52-78438
Kart Adapter – (Metric) – 14 mm x 1.5	52-78439
Legend Car – (Metric) – 19 mm x 1.5	52-78445
QuickSet™ Billet Caster / Camber Adapter*	52-78428

*For more info on QuickSet[™] Adapters see p.26



ALUMINUM A-ARM SPACERS

- Won't fall out when setting front end.
- · Lightweight aluminum.
- 6" Bolt centers.

DESCRIPTION	PART #
Kit (all 4) 1 Each of 1/16", 1/8", and 2 Each of 1/4"	52-78512

Prices Subject to Change Without Notice

TOE-IN PLATES DELUXE HD

- Thicker material and deeper bend gives you more rigid plates for better accuracy.
- · Higher kick-out on bottom holds plate against the wheel better. Great for cars with high camber LF wheels (bump stop cars).
- · Magnets on one plate hold the tapes in place.

DESCRIPTION	PART
Deluxe HD Toe-In Plates (Pair)	52-795







Magnets hold tapes in place during use.



Easier to read.

Great for high camber LF wheel.



Magnets hold tapes in place during use.



Magnets hold tapes in place as you work.

TOE-IN PLATES STANDARD

- · Quickest and simplest way to measure toe-in.
- · Rest one of these plates against the tire on each side and measure toe directly using the 2 tapes included.
- · Formed design is rigid for accuracy and stays put against the tire.

DESCRIPTION PART # Standard Toe-In Plates (Pair) 52-79501

QuickToe™ SETTING TOOL

Here's a different way to set your critical toe-in. A pair of three pointed fixtures mount to the wheels (with magnets) for super accuracy. You can even attach a caster/camber gauge to either side. Use tapes included to measure toe directly.

- Includes set of 2 fold-up fixtures, 2 tapes, Silver carrying case.
- Magnets in the legs hold your steel wheel one on each side.
- · Eliminates tire 'bulge' error.

DESCRIPTION	PART #
QuickToe™ Setting Tool	52-79630



Mounts on the wheel for best accuracy.



Makes setting toe a quick 1 person job.



Attaches to steel wheels.



TOE-IN BAR

Similar to our 52-79620 Toe-In Gauge, but this new model measures to the outside of the tire. No scribe line needed. Reads toe to 1/16". Can be done by one person. Billet aluminum. Adjustable up to 88" in width. Great for wide track cars, Corvettes, etc.

DESCRIPTION Toe-In Bar

PART # 52-79622

TOE-IN GAUGE

To get a very accurate toe-in measurement, jack up front wheels and scribe a true running line on the face of the tire. (See Billet Tire Scribe.) Place the gauge in front of the tires and align the pointers with the scribe lines. Then, move the gauge to the rear of the tires and align the fixed end with the scribe line. On the other end, loosen the thumb screws and move the slider until the pointer aligns with the other line. Now read the exact toe-in on the scale.

- An accurate way to measure toe-in to within 1/16".
- Easily done by one person.
- See 52-79610 Billet Tire Scribe.

DESCRIPTION Toe-In Gauge PART # 52-79620



BILLET TIRE SCRIBE

- Use to make a true running line on the face of the tire for measuring toe-in.
- Use with 52-79620 Toe-In Gauge.
- Spring loaded for easy one person use.

DESCRIPTION Billet Tire Scribe

PART # 52-79610

· Folds up for easy storage.



TIRE ROLL OUT FIXTURE

- Wheel spins freely.
- Find leaks, punctures, or tire damage fast.
- Includes 10' stagger tape.

DESCRIPTION Tire Roll Out Fixture

PART # 52-50853



30

POWER TAPES

- 1/4" x 10' for stagger inches only.
- 3/4" x 16' for toe-in, wheelbase, etc. Inches only.

DESCRIPTION	PART #
Power Tape 1/4"x 10'	52-50870
Power Tape 3/4"x 16'	52-50875



DESCRIPTION Chassis Setup / Tire Chart

CHASSIS SETUP CHARTS

- Punched for 3 ring binder.
- Packaged 1 pad, 50 sheets.

PART # 52-22528

PRECISION BUMP STEER GAUGE **BILLET PLATE**

This simplified design uses a single indicator to tell you the exact amount of bump steer within .001". No need to subtract one dial reading from another, less chance for error.

- Precision plate. 3/8" Thick T6 aluminum billet for the ultimate in accuracy. Anodized and laser engraved.
- · Compact frame. More rigid billet and tube design for the best accuracy. Bright Dip anodized.
- · Most accurate, easiest, and quickest way to measure your critical bump steer.
- Extended height design. Check bump steer at ride height or on stands.
- 3/8" Thick wheel plate has mounting holes for most 5 bolt patterns (4-1/2" to 5") and most wide 5 with 4, 5, and 8 bolt flanges.
- · Center hole is 3-1/4".

DESCRIPTION	PART #
Gauge with 5 Bolt, Wide 5 Plate	52-79005
Gauge with Blank Billet Plate	52-79011
Gauge with 4 & 5 Bolt Sport/Compact Plate	52-79003



New dial indicator easier to read, Shows + or - from 0.

DIGITAL BUMP STEER GAUGE BILLET Ρ

- Similar to 52-79005 above, but with precision digital readout.
- Easy to use Push Zero, move suspension, read bump directly to .001".
- · Includes billet plate see above.

DESCRIPTION		
Digital Bump Steer Gauge with Billet Plate		

PART #
52-79015



SNAP CAP HUB MOUNTING **FAND-OFFS**

- · For hubs with no mounting holes. These stand-offs screw on wheel studs (5/8" C.)
- · Set of 2 stand-offs and bolts.

DESCRIPTION PART # Hub Mounting Stand-Offs 52-79121



BILLET PLATE 3/8" THICK

DESCRIPTION	PART #
5 Bolt, Wide 5	52-79020
Blank Plate	52-79022
4 & 5 Bolt Sport Compact	52-79023

STORAGE CASE BUMP STEER GAUGE

DESCRIPTION Storage Case





STAGGER GAUGES CHECK YOUR STAGGER QUICKLY AND ACCURATELY



BILLET ALUMINUM STAGGER GAUGE

- 3/8" Thick T6 billet aluminum arms for extra rigidity and accuracy.
- Tight tolerance square tubes for accuracy. Custom extruded 6061-T6 aluminum.
- . 62" to 110" circumference, in 1/8" increments.

read with tires on the car or flat on the ground. · Bolted together - no welding

distortion.

· Scale on two sides. Easy to

Anodized red.

DESCRIPTION Billet Aluminum Stagger Gauge

PART # 52-50840

DELUXE BILLET STAGGER GAUGE WITH ROL

- Roller on one end makes measurements easier.
- 3/8" Thick T6 billet aluminum arms for extra rigidity and more accurate readings.
- Measures from 62" to 110" in 1/8" increments.
- · Tight tolerance square tube design for accurate results.
- · Extra long billet arms, longer 9-3/4" for wider tires.
- · Scale on two sides easy to read with tires on the car or flat on the ground.
- · Bolted together, no welding, anodized red.

DESCRIPTION	PART #
Deluxe Billet Stagger Gauge with Roller	52-50846



Both models use custom tight tolerance aluminum tubes for more accurate readings.



Both have dual scales on two sides. Easy to read with tires on the car or flat on the ground.



THE PERFECT GAUGE FOR EVERY PREFERENCE.



A TOTALLY NEW KIND OF **TIRE PRESSURE GAUGE**Tire Pressure & Pyrometer Combined

If tire pressures are critical to your car's performance, closer than +/- 1 psi, then you really need what this gauge can do for you. Pressures must be set in the pits, but the tires sitting there can easily vary by as much as 20°. If you want the tire to grow to 38 psi on the track, you set it in the pits at 28 psi. Sounds reasonable. You have been doing it for years.

But what was the temperature in the pits? If it was 80° you are OK. But what if one or two had been in the sun and had crept up to 90°? For every 10° temperature change, there is a 0.8 psi change. So instead of 28 psi (at 90°) you effectively set it at 27.2 psi. (What it would have been at 80° rather than 90°?)

Would this make a difference? If it would, you really need to set all starting pressures at the same temperature, week in and week out. This way, the on-track pressures will be the same. But how do you do that? You will have great difficulty controlling the temperatures, and yet you need to.

A better way is to correct the pressures to what they would have been had you been able to keep the tires at a constant temperature. You could use a pyrometer to measure the tire's temperature, then use a calculator to compute what the pressure should be at that temp rather than just putting in 28 psi.

But you don't have to do that. This "Temperature Compensating Tire Pressure Gauge" will do it for you. It can take the temperature of the tire using a traditional tire temp probe, instantly calculate the correction back to a standard temperature, and show the pressure you should be putting in the tire. It may not be the actual pressure at that moment, but it will be the correct pressure when it counts on the track.

Find more information and compare with other Longacre® Gauges on p.36

With Tire Temperature Probe

- Corrects tire pressures back to a standard temperature.
- Displays an estimate of the pressure at this temperature.
- Reads 0-100 psi by 0.1 psi.
- Will also function as a traditional tire pressure gauge showing actual pressures with all 4 stored on display.
- Works as a precision tire pyrometer, displaying all 12 tire temperatures at the same time.
- · Back light for night use.

DESCRIPTION	PART #
0-100 psi Gauge w/ Pyrometer & Case	52-53050
0-100 psi Gauge w/ Case Only	52-53053





Ultra fast response and displays all 12 temperatures so you don't need to write them down as you go.





Prices Subject to Change Without Notice

33

TEMPERATURE COMPENSATING TIRE PRESSURE GAUGE TO 0.1 PSI

US Pat. #6,983,209



NEW AND IMPROVED ELECTRONICS WITH HIGHER ACCURACY & WIDER TEMPERATURE OPERATING RANGE.

ASPHALT 0-60 PSI • DUAL BLEED BUTTONS

- Accurate to 0.3%, reads to 0.1 psi.
- Rubber bumper protects 2.5" gauge.
- 17" Hose.

- Swivel chuck.
- " gauge. Auto-Off feature to extend battery.
 - Silver case included on all Pro Digital.

PART #

52-53000

DESCRIPTION Gauge with Angle & Ball Chuck

DIRT LATE MODEL, SPRINT, KART 0-25 PSI • DUAL BLEED BUTTONS

- Reads to 0.1 psi.
- 2 Bleed buttons give faster adjustment at low pressures.

DESCRIPTION	PART #
Gauge with Angle & Ball Chuck	52-53010

METRIC DIGITAL TIRE GAUGE METRIC 0-4 BAR BY .01 BAR

DESCRIPTION	
Gauge with Angle & Ball Chuck	

PART # 52-53060

PRO DIGITAL TIRE GAUGE 0-125 PSI • FOR THE HAULER OR TRAILER

Reads to 0.5 psi.

DESCRIPTION	PART #
Gauge with Angle & Ball Chuck	52-53028
Gauge with Foot Valve (No Angle & Ball Chuck)	52-53026



Connect to air line fill and bleed with one gauge. Reads to 0.1 psi.

DESCRIPTION

Gauge with Angle & Ball Chuck







Angle and ball chuck included on most Tire Gauges.

PART #

52-53008








ULTIMATE DIGITAL 0-100 PSI

- Accurate to 0.1%, reads to 0.1 psi.
- 3.5" Face.
- Saves all 4 tire pressures on the display.
- Back light for night use.
- Swivel angle chuck and 17"
 hose for ease of use.



• Comes with a rubber bumper for gauge protection.

buttons for fast setting on pit

• 3 High volume bleed-off



Tire temperature pyrometer probe included with 52-53050 see p.34 for details.

.....

DESCRIPTION	PART #
0-100 psi Gauge w/ Pyrometer & Case	52-53050
0-100 psi Gauge w/ Case Only	52-53053



.

SEMI PRO DIGITAL

- Reads to 0.1 psi 0.5% accuracy (0.5% of 1%.)
- 2.5" Face with larger easy-to-read numbers.
- · Back light for night use.
- Air release button, 17" hose and swivel chuck.

 DESCRIPTION
 PART #

 0-60 psi
 52-53003



BASIC DIGITAL 0-100 PSI • 0-60 PSI

.....

- 2" Face with large numbers.
- Reads to 0.2 psi 0.8% accuracy.
- Air release button, 14" hose.

DESCRIPTION	PART #
0-60 psi	52-53006
0-100 psi	52-53036

PRO PRECISION TIRE GAUGE 4.5" FACE

- 0.5% Accuracy.
- · Gauge bumper.
- Dual button air release.
- · Swivel angle chuck.
- · Holds reading until released.
- Comes with Silver case.



DESCRIPTION	PART #
0-60 psi by 0.5 psi	52-52000



MAGNUM[™] TIRE GAUGE 3.5" FACE

• 3.5" Glow-in-the-dark face for high accuracy and the easiest readability.


 High flow release button, one piece swivel chuck.

Holds pressure until released.

- Internal gauge damper for more consistent, accurate reading.
- 17" Hose with swivel.
- Comes with Silver case.

DESCRIPTION	PART #
0-60 by 0.5 lb.	52-52001
0-40 by 0.5 lb.	52-52011
0-30 by 0.25 lb.	52-52021
0-15 by 0.25 lb.	52-52021






.....

DESCRIPTION	PART #
0-60 psi by 1/2 psi	52-52002
0-45 psi by 1/2 psi	52-52012
0-30 psi by 1/2 psi	52-52022
0-15 psi by 1/4 psi	52-52032

Note: Liquid Filled gauges are filled to 85% to allow for temperature expansion.



DELUXE TIRE GAUGE 2.5" FACE

- 2.5" Glow-in-the-dark face for easy readability.
- High flow release button and one piece swivel chuck.
- · Holds pressure until released.
- · Internal gauge damper for more accurate readings and longer life.
- 17" Hose and angle swivel chuck.

DESCRIPTION	PART #
0-60 by 0.5 lb.	52-52003
0-40 by 0.5 lb.	52-52013
0-30 by 0.25 lb.	52-52023
0-15 by 0.25 lb. Dual Bleed	52-52033
Metric 0-4 BAR by 0.01 BAR	52-52073
0-100 Angle Chuck	52-52053
0-100 With 'Foot' Valve	52-52063



52-52063 Features 'Foot' valve for 'Duallies'.

BASIC TIRE GAUGE 2" FACE

- Air pressure release button.
- Internal gauge damper for more accurate readings and longer life.
- 2" Dial face, 14" hose and swivel chuck.
- · Glow-in-the-dark dial faces.
- Note: Does not hold pressure.

DESCRIPTION	PART #
0-60 by 1 lb.	52-52004
0-30 by 0.25 lb.	52-52024
0-15 by 0.25 lb.	52-52034



QUICK FILL 2.5" & 3.5" FACE

- Connect your air line, press the lever, and fill your tires twice as fast.
- Bleed button for excess pressure.
- 4 Different dial or digital gauges.

DESCRIPTION	PART #
2-1/2" Deluxe Gauge	52-52009
3-1/2" Magnum™ Gauge	52-52007
2-1/2" Liquid Filled Gauge	52-52008
2-1/2" 0-60 PRO Digital Gauge	52-53008









PRO-TEAM TIRELIEFS™ KIT INCLUDES SILVER CASE

- Kit includes: 6 TIRELIEF™ valves, 12 wheel adapters, setting tool, inflation adapter, and carrying case.
- TIRELIEFS[™] are designed only to relieve normal tire pressure build-up on the track. They should not be used as a safety device.

DESCRIPTION Pro-Team TIRELIEFS™ Kit

PART # 52-50100



QUICK CHANGE ADAPTER

- Makes guick work of changing or resetting TIRELIEFS™.
- Unscrew and remove the TIRELIEF™ valve from the rim without losing air pressure.
- · Aircraft alloy aluminum, low profile.
- · Installs in 5/8" hole in rim, use factory valve stem hole or drill a new one.

DESCRIPTION PART # TIRELIEFS™ Kit 52-50240 Replacement Grommets 4* 52-50301

Not for use with 52-50265



.

INFLATION ADAPTER

- Use to air up tires when a quick change adapter is installed in the valve stem hole.
- · Saves drilling a hole in the rim.

DESCRIPTION	PART #
TIRELIEFS™ Kit	52-50220

H	

TIRELIEF™ SETTING TOOL


- Let's you set your TIRELIEFS™ valves before you install them in the rims.
- · Uses compressed air to accurately simulate tire pressure.

DESCRIPTION PART # 0-60 psi 52-50290









- · 3-40 psi range. • 100 Mesh inlet filter,
- to keep dirt inside tire from plugging TIRELIEFS™.
- · Lightweight aluminum, only 9 grams, won't affect wheel balance.
- · To install, drill, and tap a 1/8" NPT thread in rim

DESCRIPTION Set of 4

PART # 52-50000



HI TEMP 400° SILICON VALVE STEM OC GROMMETS

DESCRIPTION TIRELIEF™ QC Grommets* TIRELIEF™ Replacement "O" Rings & Quad Seals - Set of 4

PART # 52-50301 52-50008

*Not for use with 52-50265



- · High temperature grommets.
- · Low profile.
- Set of 4.
- Hole size to be drilled into the wheel: 5/8".

DESCRIPTION	PART #
Brass Set of 4	52-50265



Prices Subject to Change Without Notice

39

DUROMETERS DIGITAL & DELUXE DIAL TYPE

- · Straight edge on base to 'rock' durometer for more consistent results.
- · Dial type reads from 0-100 points.
- · Shore 'A' scale.

- · Non-slip coating for better grip.
- · Dial type calibration test block included.
- · Dial type can be 'Zeroed'.
- · Come with Silver case and pouch.

DESCRIPTION	PART #
Digital Durometer	52-50547
Deluxe Dial Type Durometer	52-50546

BASIC DUROMETER DIAL TYPE

- · Racing tire hardness tester.
- Reads from 0-100 points.
- Dial can be 'Zeroed'. (Shore 'A' scale.)

DESCRIPTION Basic Dial Durometer

PART # 52-50553



50

20

Comes with Silver case and pouch.

70

100

80

ongacre

н OFF ION

TREAD DEPTH GAUGES & PRO DIGITAL

- Dial Type reads in 1/32", accurate to 1/128".
- · Pro Digital is the ultimate in digital accuracy, to 0.001".
- · Quick and easy to use.
- · Precision billet aluminum base.

- · Can be easily field calibrated.

DESCRIPTION	
Digital Tread Depth Gauge with Silver Case	
Dial Tread Depth Gauge with Pouch	

PART #
52-50565
52-50560



ROMETER & EAD DEPTH GAUGE SETS YPE & DIGITAL

DESCRIPTION	PART #
Dial Durometer & Tread Depth Gauge Set	52-50556
Digital Durometer & Tread Depth Gauge Set	52-50557





MEMORY TIRE PYROMETER

Large High Resolution 7" display shows all 12 temperatures at the same time. Memory for 100 sets of temps can be scrolled up or down to compare with current temperature. Includes a lightweight clipboard to hold the tablet and wireless probe.

- Fast response for quick temps use the exclusive "Anticipation Mode" that uses a precision algorithm to predict the ultimate temperature. Makes taking all 12 temps even faster and more accurate.
- · Computes tire temperature averages.
- Fast response tire probe with adjustable tip length.
- · Comes with Silver carrying case.
- Comes with a 7" tablet (52-50650 Only) or use the tablet from your scales (or even a Smartphone). Just download the free app.

DESCRIPTION	TABLET	PART #
Pyrometer with Tablet	7" Included	52-50650
Pyrometer Probe fits 10" Tablet	Not Included	52-50747
Pyrometer Probe fits 7" Tablet	Not Included	52-50745

DELUXE MEMORY TIRE PYROMETER

Memory stores 10 complete sets of temps (120 total) with quick and easy recall. Special software prevents accidental erasure of temps. Take tire temps in the pre-programmed order or select any order you prefer. Computes tire temp averages for temps just taken, recalled from memory, or you can even manually enter temps taken previously to compute averages. Advanced electronics stabilize your readings quickly giving you accurate, consistent results. Pyrometer comes with a built-in night light with auto shutoff, fast response coiled cord adjustable tire probe, and carrying case. It also features a built-in four car stopwatch with 70 lap memory for all 4 cars.

- Displays all 12 tire temperatures at the same time.
- Memory stores 10 complete sets of temperatures.
- Computes tire temperature averages.
- Built-in 4 car 70 lap Memory Stopwatch with interval timing.
- Electronics stabilize readings for consistent results.
- Takes temperatures in any order.
- Carrying case & adjustable probe included.
- Built-in night light.

- Uses 9 volt battery (included).
- Interval Timing: In addition to our 4 car built-in stopwatch function you can now get overall lap times plus 3 different segments within that lap. Check corner exit times, straightaway times, or individual corner times - any partial lap segment time you want.
- Adjust the probe depth to your preference or type of tire.
- Metric Option: Factory switchable to read in °F or °C.

See p.34 for info on our TEMPERATURE COMPENSATING TIRE PRESSURE GAUGE

DESCRIPTION	PART #
Deluxe Memory Tire Pyrometer, Reads °F	52-50690
Deluxe Memory Tire Pyrometer, Reads °C	52-50691





41

INFRARED LASER PYROMETER **STANDARD & HIGH TEMPER**

- · Instant response, non-contact temps.
- 600°F for Standard, 1400°F for High Temp.
- · Reads Fahrenheit or Celsius.
- · Back light for night use.

- · Laser sighting for accuracy.
- · Holds readings longer for easier use.



DESCRIPTION	PART #
Infrared Laser Pyrometer	52-50612
High Temperature Infrared Laser Pyrometer	52-50615

FUNCTION LASER PYROMETER Π TIRE PROBE

- · Use as a probe type pyrometer for tires or as non-contact IR pyrometer.
- · Accurate, fast response in either mode.
- 1400° Range on IR, 500° range with tire probe.

DESCRIPTION

Infrared Laser Pyrometer with Tire Probe

· Reads Fahrenheit or Celsius.

· Includes tire probe and new Silver case.

PART # 52-50620

ΓERS SIC & DELUXE

- · Accurate, fast response.
- · Reads Fahrenheit or Celsius.
- · Low battery indicator and auto shut-off.
- 2000° Range on deluxe, 1400° range on basic (with proper probe.)
- · Can hold highest temperature reached.

DESCRIPTION	PART #
Basic Digital Tire Pyrometer	52-50635
Deluxe Digital Tire Pyrometer & Case	52-50640
Deluxe Digital Tire Pyrometer & Clipboard	52-50642

TIRE TEMPERATURE CHARTS

- · 2 Tire temperatures on front, chassis setup sheets on back.
- 1 Pad of 50 sheets.

DESCRIPTION **Tire Temperature Charts** · Compares one temperature to another with the push of a button.

- · Deluxe comes with coil cord tire probe and carrying case.
- · Basic pyrometer comes with straight cord tire probe.

PART #

52-22528









POLISHED AIR TANKS PORTABLE ULTRA LIGHTWEIGHT

Available with or without filler tire gauge.

LIGHTWEIGHT AIR TANKS

Standard 5 Gallon Tank - No Tire Pressure Gauge

Standard 2 Gallon Tank - No Tire Pressure Gauge

- · Special Inlet valve fills tank in less than 15 seconds with adequate air supply.
- · Filling most tanks can take 90 seconds of precious practice time.
- These tanks include a Universal Air Quick-Change coupler.

DESCRIPTION

DESCRIPTION

Deluxe 5 Gallon Tank - No Tire Pressure Gauge - with Special Inlet Valve	52-50316
Deluxe 5 Gallon Tank w/ Quick Fill Tire Pressure Gauge - Angle Chuck*	52-50315
Deluxe 5 Gallon Tank w/ Digital Quick Fill Tire Pressure Gauge - Angle Chuck*	52-50311
* Cause	

* Gauges read 0-60psi.

PART #



36" Hose, tire chuck, standard fill valve.

COMPACT VALVE CORE TOOL

- Aluminum body, steel tip.
- Put on your key chain, for quick access.

DESCRIPTIONPART #Core Tool52-50272

FULL FLOW AIR FILLER CHUCK

- · For filling tires.
- Not for gauges.
- Fitting not included.

DESCRIPTION PART # Filler Chuck 52-50490

UNIVERSAL AIR TOOL QUICK DISCONNECT

.....

- Connects to all 3 common fittings.
- No more switching fittings to use that new or borrowed tool.

DESCRIPTION	PART #
Pair	52-36013

43

4 WAY VALVE CORE REPAIR TOOL

- R & R valve cores.
- Recuts damaged threads.

DESCRIPTION PART # Core Repair Tool 52-50274

TIRE GAUGE CHUCKS

- · Swivel fitting for easy use.
- "Angle" style chuck.
- "Ball" chuck.

DESCRIPTIONPART #Angle Chuck52-50496Ball Chuck52-50494



BILLET ALUMINUM VALVE CORE STEM TOOL



PART #

52-50305

52-50308

- Anodized billet aluminum with stainless steel tip.
- Includes 3 spare valve cores.
- · Conveniently stores spare valve cores in the handle.

DESCRIPTION	PART #
Core Stem Tool	52-50270

TIRE MARKING STICK



Writes reliably on any surface.

DESCRIPTION	PART #
Single Stick	52-50880
Box of 12 Bulk	52-50881

.....

TIRE MARKING PEN



- · Makes a finer line, easy to read.
- · Mark tire sizes, pressures, etc.
- Silver paint won't come off from heat.

DESCRIPTION	PART #
Single Stick	52-50882
Box of 12 Bulk	52-50883

Prices Subject to Change Without Notice



STEPPER MOTOR GAUGES THE NEXT GENERATION IN INSTRUMENTATION.



52-46540 Oil Pressure 0-100 psi



52-46535 Fuel Pressure 0-15 psi 52-46538 Fuel Pressure 0-100 psi



52-46545 Water Temperature 100°-280° 52-46548 Water Temperature 100°-340°

your engine can tolerate, for example 250°. Next, the



52-46553 Oil Temperature 100°-340° 52-46550 Oil Temperature 100°-280°



52-46555 Volt 8-18 V

- Stepper motor gauges use a small electronic motor that only turns in tiny fractions of a rotation to drive the pointer.
- Built-in warning lights, ultra bright 2 stage LED 2 setpoints are easily adjusted to your needs, critical oil pressure has 3 setpoints. For example set water temperature for just above normal running temperature. If you run 215°, set it at 230°. The LED comes on to let you know the motor is starting to get warm. Set the second one at the max temperature

LED flashes to attract your atter motor damage.	ntion, possibly saving
 Since oil pressure is so critical, You can set the first just below r pressure. At this point, the LED second at 35 psi. The LED flash here, possible damage. Set the 	normal running comes on. Set the les, you need to know


damage is likely here. At this third setpoint the LED continues to flash, also the gauge backlight changes

color and starts to flash. It allows you to get the engine shut down before it blows up.

- Gauges are 2.625" and have a lightweight molded polycarbonate/ABS case.
- Pressure transducers used in electronic measurement (including Longacre[®] SMi[™] sensors) are vulnerable to the harsh vibrations of an engine. For best reliability, keep your SMi[™] Pressure sensors mounted on the firewall using the Longacre[®] Firewall Mount Manifold.

DESCRIPTION	PART #
Oil Pressure 0-100 psi	52-46540
Fuel Pressure 0-15 psi	52-46535
Fuel Pressure 0-100 psi	52-46538
Water Temperature 100°-280°	52-46545
Water Temperature 100°-340°	52-46548
Oil Temperature 100°-340°	52-46553
Oil Temperature 100°-280°	52-46550
Volt 8-18 V	52-46555





DESCRIPTION	PART #_
Oil Pressure 1-100 psi	52-46511
Fuel Pressure 0-15 psi	52-46506
Water Temperature 100°-280°	52-46516
Oil Temperature 100°-280°	52-46521

- Quality built mechanical racing gauges.
- · Viscous damped pointers for steady readings.
- Solid brass CNC machined gears.
- Gauges come complete with back lights, temperature manifold fittings, and brackets.

MEMORY TACHS & TACH PANELS





"STEPPER MOTOR" **SM**i 4.5" MEMORY TACHS

"Stepper Motor" tachs use a small electric motor to drive the pointer. It is more precise than the more common 'aircore' instruments whose accuracy can be affected by the windings.

- **SM**i[™] AccuTech[™] 4.5" Memory Tach.
- · Maximum RPM recall.
- · High RPM Warning light: 2 stage. First warning can be set for just over your normal maximum RPM, the second stage at the redline. You get a warning of too many revs

before you blow an engine. Can also be used as a 2 stage shift light.

- · LED back light shows through the dial face and the pointer is LED illuminated to make this the easiest tach to read.
- · Stepper motor precision tach at an affordable price.

DESCRIPTION	PART #
Tach Only	52-44384
Tach with Panel	52-44477





ILVER FACE **SM**i STEPPER MOTOR MEMORY TACHS

- Much more accurate than traditional 'air core' tachs.
- · Recalls max RPM with one button.
- 4.5" LED backlit face.
- · High RPM warning light to help prevent over revving expensive motors.

DESCRIPTION	PART #
Tach Only	52-44381
Tach with Panel	52-44389

CI (D) (21 (

DIGITAL MEMORY TACH

Accutoch DIGITAL TACH



DCi[®] DATA LOGGING EPPER MOTOR TACHS

- DLi Tach: better than only 3 or 4 highs and lows
- · See all the highs and lows to closely analyze RPM changes.
- · Records RPM all around the track. Replay in the pits.
- to see a full lap quickly.
- · You can record multiple sessions or just highest RPM if that's all you need.
- · Multi-stage progressive shift light for precision shift points or a pit road speed indicator.
- · The 2 stage high RPM warning light will help prevent over-revving expensive motors.
- Playback can be real time, 1/2 speed, or double The numbers are LED backlit and the pointer is illuminated for easy reading.

DESCRIPTION	PART #_
Tach Only	52-44390
Tach with Panel	52-44479

- Accuracy to within 10 RPM
- Ultra lightweight only about 1.5 oz.
- Fast response, easy recall.
- · High RPM warning light, helps prevent accidental over revving of expensive motors.
- Tach function is self powered.
- · Battery lasts 300+ hours, with the option to connect to car's power for back light and warning light.
- · Includes mounting bracket.

DESCRIPTION	PART #
0 - 10,000 RPM Digital Memory Tach	52-44391
0 - 19,000 RPM Digital Memory Tach	52-44402

GAUGES, TACHS, PANELS, & ELECTRICAL

SMi[™] BLACK</sup> ALUMINUM PANELS

NEW *SM*i[®] STEPPER MOTOR GAUGES **BLACK ALUMINUM PANELS**







- · Gauges have built-in multistage warning lights and allow you to set your preference.
- Numbers and pointer are LED backlit for easy viewing, day and night.
- · Panels are completely wired and ready to install. Just connect 4 wires to your car.
- · Includes all sensors.

DESCRIPTION	PART #
2 Gauge – Oil Pressure, Water Temperature	52-44460
3 Gauge – Oil Pressure, Water Temperature, Oil Temperature	52-44461
3 Gauge – Oil Pressure, Water Temperature, Fuel Pressure-15 psi	52-44463
3 Gauge – Oil Pressure, Water Temperature, Fuel Pressure-100 psi	52-44465
4 Gauge – Oil Pressure, Water Temperature, Oil Temperature, FP-15 psi	52-44467



Pre-wired and ready to install. Saves time and hassle. Panels are also available with 100 psi fuel pressure and volt meter gauges. Please call for part numbers and pricing.

NEW SMIT STEPPER MOTOR GAUGES BLACK ALUMINUM PANELS WITH **SM**I[®] STEPPER MOTOR MEMORY TACHS





- · All gauges and tachs have multi-stage built-in warning lights easily set by user.
- · Pre-wired, includes all sensors and ready to install.
- All gauges and tachs are LED backlit for best viewability.

DESCRIPTION	PART #
2 Gauge - Oil Pressure, Water Temperature	52-44470
3 Gauge - Oil Pressure, Water Temperature, Oil Temperature	52-44471
3 Gauge - Oil Pressure, Water Temperature, Fuel Pressure-15 psi	52-44473
4 Gauge - Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure-15 psi	52-44475
4 Gauge Illuminated -Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure-100 psi	52-44485

GAUGES, TACHS, PANELS, & ELECTRICAL 46



ADDITIONAL MANIFOLD SPARE MOTOR FITTINGS FOR TEMP GAUGES



For AccuTech™(Sportsman[™] and SMi[™]) and most other major brands of water and oil temperature gauges.

DESCRIPTION	PART #
1/2" NPT Manifold Fitting	52-46150
3/8" NPT Manifold Fitting	52-46160
1/4" NPT Manifold Fitting	52-46181



GAUGE LINES STEEL BRAIDED

- SS braided Teflon lines.
- · Can be removed and replaced over again without breaking or leaking.

DESCRIPTION	PTION PART #	
24" With Block Fitting	52-45020	
36" With Block Fitting	52-45030	
48" With Block Fitting	52-45040	
60" With Block Fitting	52-45050	



BLOCK FITTINGS FOR OP & FP GAUGES

DESCRIPTION	PART #
1/8" NPT to #4 AN Straight Oil Pressure Block Fitting	52-45240
1/8" NPT to #4 AN 90° Oil Pressure Block Fitting	52-45230



FIREWALL MOUNT MANIFOLD FOR ELECTRIC PRESSURE GAUGE SENSORS

Pressure transducers used in electronic measurement (including Longacre® SMi™ sensors) are vulnerable to the harsh vibrations of an engine. For best reliability, keep your SMi™ Pressure sensors mounted on the firewall using the Longacre® Firewall Mount Manifold.

PART #

52-43541


PART #

DESCRIPTION Manifold Only for OP and/or FP





Sensors are included with all SMi[™] panels.



0-100 psi Oil or Fuel Pressure	52-43520
0-15 psi Fuel Pressure	52-43510
100-280° Water or Oil Temperature	52-43500
100-340° Water or Oil Temperature	52-43505



SMi[®] WIRE HARNESS

	DESCRIPTION	PART #
l	Wire Harness - SMi [™] VOLT Gauge	52-43533
	Wire Harness - OP Gauge	52-43534
	Wire Harness - WT/OT Gauge	52-43536
	Wire Harness - FP Gauge	52-43532
	SMi™ Press Sensor Wire- FP/OP	52-43530



ALUMINUM PANELS WITH SMi[™] STEPPER MOTOR MEMORY TACHS SPORTSMAN™ MECHANICAL GAUGES

- Maximum RPM recall. Just push the "Recall" button.
- High RPM warning light helps prevent over-revving expensive motors.
- Tach has LED back light, shows through the dial face, and the pointer is LED illuminated.
- Sportsman[™] gauges are pre-wired and come with warning lights and all senders.





DESCRIPTION	PART #
2 Gauge Oil Pressure, Water Temperature	52-44440
3 Gauge Oil Pressure, Water Temperature, Oil Temperature	52-44441
3 Gauge Oil Pressure, Water Temperature, Fuel Pressure	52-44443
4 Gauge Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44445




ALUMINUM PANELS SPORTSMAN™ MECHANICAL GAUGES

- Gauges have viscous-damped pointers for steady readings.
- Gauge mechanism uses solid brass CNC machined gears.
- Panels are pre-wired, ready to install, and have all senders.





Wiring is premium fine strand with high temperature silicone insulation, soldered and heat shrunk terminals.



DESCRIPTION	PART #
2 Gauge Oil Pressure, Water Temperature	52-44430
3 Gauge Oil Pressure, Water Temperature, Oil Temperature	52-44431
3 Gauge Oil Pressure, Water Temperature, Fuel Pressure	52-44433
4 Gauge Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44435





SPRINT CAR GAUGE PANEL DESIGNED TO STAY WITH MOTOR

- Ultra lightweight weather resistant aluminum gauges with shock reducing rubber mounting "O" rings and genuine carbon fiber panel.
- Includes mag kill switch and low oil pressure warning light (9 volt battery powered), 52-44423 only.
- Mounts from engine side of firewall, attach with Dzus[™] fasteners, permanently mount.

DESCRIPTION	PART #
Sprint Car Panel	52-44423
Sprint Car Panel Without Light/Switch	52-44421



.....



LIQUID FILLED BRAKE BIAS BLACK ALUMINUM PANELS MINI & FULL SIZED

- Mini panel includes two 1.5" 1500 psi gauges and fittings with bleeders.
- Full size panel includes two 2.5" 1500 psi gauges and fittings with bleeders.
- · See exactly what your balance is.
- Liquid Filled Gauges are not filled to the top.

DESCRIPTION	PART #
Full Size Brake Bias Panel	52-44134
Mini Brake Bias Panel	52-44124

GENUINE CARBON FIBER SWITCH PANELS



- High capacity 40 amp switches (at 12 volts) with rubber switch boots to seal out moisture.
- Red safety flip-up switch covers.
- High insulation wiring with soldered terminals.

DESCRIPTION	PART #	
Ignition & Start	52-44510	
Ignition, Start & 2 Accessory Switches	52-44535	

BOLT-ON SWITCH PANEL MOUNTING BRACKETS



- Mount your switch panel quickly and easily. Switch panels only, not for battery disconnect or gauge panels.
- · Includes 2 brackets.

DESCRIPTION	PART #
1-1/3" Bar-Universal	52-22783
1-1/2" Bar-Universal	52-22787

HEAVY DUTY WIRING HARNESS



- Plugs into all Longacre[®] switch panels.
- Color coded wires match Longacre[®] dash panels.

DESCRIPTION	PART #
Heavy Duty Wiring Harness	52-44930

GAUGES, TACHS, PANELS, & ELECTRICAL

BLACK ALUMINUM SWITCH PANELS

START/IGNITION PANELS

- High capacity (40 amp @ 12 volts DC) ignition switch and starter button with weatherproof covers.
- Plugs into Longacre® wiring harness.
- Great looking Aluminum Panel black anodized with clean, modern graphics.
- Pre-wired with high insulation "Fat" wires and soldered terminals with heat shrunk connections.

DESCRIPTION	PART #
Start/Ignition Panel	52-44861
Start/Ignition Panel with Flip-Up Safety Cover & Pilot Light	52-44863



52-44861

.....

52-44863



All of our switch panels use 12 Volt HD 40 amp ignition switches, HD start buttons, and high capacity wire with soldered and heat-shrunk terminals. They are pre-wired and ready to install.

Most of these switch panels include an optional weatherproof switch cover if you prefer that style. Easy to change.



52-44869






52-45760



52-44865







- SILVER PLATED CONTACTS.
- SOLID BRASS MECHANISMS.
- TOUGH PHENOLIC BODIES.

IGNITION SWITCH





With silicone rubber weatherproof switch cover and 2 terminals.

DESCRIPTION	PART #
Switch, Cover, Terminals	52-45420
Weatherproof Switch	52-45423
3 Terminal Switch	52-45430
Momentary Toggle Start	52-45462

IGNITION/START SWITCH COMBINATION



- Pre-wired with color coded harness and flip-up switch cover.
- 1 Switch does it all.
- Down is off.
- Middle is ignition on.
- · Up is momentary start

DESCRIPTION	PART #
Ignition/Start Switch Combo	52-45490

REPLACEMENT COVERS



51



DESCRIPTION	PART #
Black Weatherproof Cover	52-45300
Red Flip-Up Safety Cover	52-45370



GAUGES, TACHS, PANELS, & ELECTRICAL



- a stuck throttle.
- Prevents accidental turn on of ignition.

DESCRIPTION	PART #
HD Switch, Safety Cover, Terminals	52-45470



MAGNETO SWITCH

- 2 Circuits that kill mag and shut-off accessories.
- Weatherproof cover.

DESCRIPTION	
Switch & Cover	

PART #
52-45440



STARTER BUTTON

Push Button with weather proof rubber cover and 2 terminals.

DESCRIPTION Starter Button PART # 52-45460



- High capacity extra heavy duty metal cased solenoid, wiring harness, and remote starter button.
- Remote start button is great for setting valves, etc.

DESCRIPTION	PART #
Complete Kit	52-45800
Complete Kit with Start Button	52-45803
Solenoid Only	52-45900

Prices Subject to Change Without Notice

BATTERY DISCONNECT SWITCHES

- Battery disconnect switches with a bright red handle.
- Easier to find in an emergency.
- · Prevents battery drain.
- 175 Amp Continuous Rating, 6-36 Volt, 1000 Amps peak alternator circuit 20 amps. (Except 52-45782, 125 amps.)











52-45782

DESCRIPTION	PART #
2 Terminal for Cars without Alternator in Aluminum Panel	52-45760
4 Terminal for Cars with or without Alternator in Aluminum Panel - Alternator Circuit 20 Amps	52-45784
4 Terminal Extra High Capacity - Alternator Circuit 125 Amps with Panel	52-45783
2 Terminal for Cars without Alternator - Switch Only	52-45750
4 Terminal for Cars with or without Alternator – Switch Only, Alternator Circuit 20 Amps Max	52-45780
2 Terminal Push-Pull - Switch Only, Shut Off Entire Electrical System in an Emergency with a Quick 'Hit'	52-45749
Economy Battery Disconnect Switch - Switch Only	52-45748
4 Terminal, Extra High Capacity – Alternator Circuit Carries 125 Amps, Battery Circuit 175 Amps Cont Switch Only*	52-45782

*Needed for cars using very high capacity alternators.

WEATHERPROOF SWITCHES SEALED WITH TOUGH POLYMER COATING

DESCRIPTION	PART #
Battery Disc., Weatherproof 2 Terminal with Panel	52-45760
Battery Disc, Weatherproof 4 Terminal with Panel, Alternator 20 amps MAX	52-45784
Extra High Capacity Weatherproof 4 Terminal with Panel	52-45791
HD 40 amp Ignition Switch	52-45423
Starter Button	52-45466
Battery Disconnect 2 Terminal	52-45753
Battery Disconnect 4 Terminal - Alternator 20 amps MAX	52-45788
Extra High Capacity Battery Disconnect 4 Terminal	52-45789



BATTERY ACCESSORIES

DESCRIPTION	PART #
Remote Battery Positive (Red)	52-45720
Remote Battery Negative (Black)	52-45740
2 Battery Cable Ends	52-45660
Battery Through Panel	52-45700
Universal Battery Terminal	52-45680



Makes it easier to jump start or charge the battery.

Color coded protective boot.

For safely running battery cable through your firewall.

Prevents shorts.



WEATHER PACK CONNECTOR KITS

Seals out dirt and water.

DESCRIPTION	PART #
1 Pin	52-44911
2 Pin	52-44912
3 Pin	52-44913
4 Pin	52-44914
6 Pin	52-44916
Weather Pack Replacement M/F Pins and Seals (10 Each)	52-44919



WEATHER PACK CRIMP TOOL WITH CRIMP DIES

- Use with Weather Pack connector kits.
- · Fast and easy.
- Ratchet style crimper insures a positive connection.

PART #

52-44905

DESCRIPTION Crimp Tool & Dies



REAR BATTERY CABLE KIT

- Ends are factory soldered and include an extra terminal just in case you need to change the length.
- Kit includes high amp battery cable, end terminals, color coded terminal boots to prevent arcing, Firebraid[™] insulation, firewall grommet, Adel[™] clamps, and wire ties.
- The longer your battery cables are, the heavier gauge they need to be.

DESCRIPTION	PART #
13' 1/0 Cable, Battery Behind Differential	52-48050
10' #2 Cable, Battery Behind Driver	52-48000



DELUXE BATTERY CABLE KIT

- Includes solenoid and battery disconnect switch.
- Ends are factory soldered for quick, simple installation.
- Includes ground cable and all cables from battery to switch.
- Starter cable heat protected with Firebraid[™].

DESCRIPTION Deluxe Battery Cable Kit <u>PART #</u> 52-48115

ADEL™ LINE CLAMPS

- High temperature neoprene lining makes a neat and safe installation.
- Keeps lines and wiring where they belong.

DESCRIPTION	PART #
3/16" ID Steel Brake Lines - 10 Pack	52-47000
3/16" ID Steel Brake Lines - 100 Pack	52-47050
5/16" ID #4 An Lines - 10 Pack	52-47100
5/16" ID #4 An Lines - 100 Pack	52-47150
9/16" ID Fuel Line - 10 Pack	52-47200
9/16" ID Fuel Line - 100 Pack	52-47250
13/16" ID #8 An Line - 10 Pack	52-47300
13/16" ID #8 An Line - 100 Pack	52-47350
15/16" ID #10 & 12 Lines - 10 Pack	52-47400
15/16" ID #10 & 12 Lines - 100 Pack	52-47450
1-3/16" ID #16 An Lines - 10	52-47500

PIN EXTRACTION TOOL

Required for safe removal of pins from Weather Pack housing.

DESCRIPTION
Pin Extraction Tool

PART # 52-44909

GROUND STRAP HEAVY DUTY



Braided 14" long to complete the installation.

DESCRIPTION	PART #
Ground Strap Heavy Duty	52-48110

110V FLANGE MOUNT CONNECTION



Great for dry sump oil heaters.

DESCRIPTION 110V Flange Mount Connection PART # 52-45662

Prices Subject to Change Without Notice

GAGELITESTM ENGINE WARNING LIGHT SYSTEMS

DESCRIPTION	COMPLETE KIT PART #	SENDER ONLY PART #
20 psi Oil Pressure 1/8" NPT	52-40000	52-43080
15-50 psi Oil Pressure 1/8" NPT	52-40100	52-43000
230° Water Temperature 1/2" NPT	52-40150	52-43250
230° Water Temperature 3/8" NPT	52-40152	52-43252
250° Water Temperature 1/2" NPT	-	52-43300
270° Oil Temperature 1/2" NPT	52-40350	52-43350
300° Oil Temperature 3/8" NPT	52-40400	52-43400
2-7 psi adj. Fuel Pressure 1/8" NPT	52-40250	52-43020
4 psi Fuel Pressure 1/8" NPT	52-40251	52-43021



Kit includes sender, light, wire, and terminals.

RNING LIGHT KITS **OIL PRESSURE** OW

- · WP Kit: Light comes on if you have sudden loss of coolant pressure.
- WP Kit: Alerts you to a punctured radiator or burst hose, helps prevent expensive engine damage.
- OP Kit: For cars without batteries.
- OP Kit: Includes holder for lightweight 9V battery (not included), low oil pressure switch (20 psi), warning light, heavy duty mag kill switch with weatherproof switch cover, wire, and terminals.

52-40141	52-45624

i

DESCRIPTION	PART #
Water Pressure Warning Light Kit	52-40141
Water Pressure Warning Light Kit - Sender Only	52-43241
Low Oil Pressure Warning Light Kit	52-45624

REPLACEMENT LIGHT ASSEMBLIES

New brighter design same as on panels (install in 3/4" hole).



DESCRIPTION	PART #
Clear	52-41801
Red	52-41802
Amber	52-41803
Green	52-41804
Blue	52-41805

SWITCH PANEL PILOT LIGHT REPLACEMENT

DESCRIPTION	PART
Pilot Light Replacement	52-423

PART #	
52-42300	



.....

LOW OIL PRESSURE **IGNITION OR ELECTRIC FUEL PUMP SHUTOFF** SWITCH

- · Switch shuts off the ignition or electric fuel pump when oil pressure drops below 12 psi.
- Helps prevent engine damage or fire and keeps the motor from starting until the oil pressure is up.
- · Should be used with momentary bypass switch for starting.

:

DESCRIPTION	PART #
Switch	52-43600
Momentary Bypass Switch	52-45462



DIGITAL AIR DENSITY GAUGE

- · Accurate electronic air density measurement with easy-to-read digital display.
- · Shows your baseline so you don't forget.
- · A red LED flashes to let you know if you need to change jets (air density has changed since baseline.)
- Also displays current temp and barometric pressure.

DESCRIPTION	PART #
Digital Air Density Gauge	52-50887

COIL-OVER WRENCH ET ALUMINUM

· Billet aluminum keeps coil-overs undamaged.

DESCRIPTION

DESCRIPTION

Single Track Mat

Set of 2 Track Mats

Coil-Over Wrench

- · Replaceable stainless steel pin.
- · Comfortable handle with rounded edges makes adjustments easy.

PART #

52-22589



LONGACRE[®] TRACK MAT

- Thicker, high density padding for more comfort.
- · Makes work under the car more comfortable.
- · Folds up for easy storage, thick vinyl for durability.
- clean-up.
- · Dirt and oil resistant for quick

PART # 52-11175 52-11180

FILTER CUTTER ALUMINUM

- · Billet anodized aluminum, ball bearings.
- · Cuts smaller filters too, from 2-3/8" to 5" in diameter.

· Cut your old filter open to spot problems before they cost you an engine.

DESCRIPTION PART # **Oil Filter Cutter** 52-77750

55

ENGINE LEAK DOWN TESTER DIAL MODEL

- · Easy-to-use tester checks ring seal, valves, and head gaskets.
- · Quickly tell from the outside when your engine needs an overhaul.

DESCRIPTION	PART #
With 14 mm Spark Plug Fitting	52-73010
With 12 mm Spark Plug Fitting	52-73011
14 mm Replacement Hose for Leak Down Tester	52-73012
12 mm Replacement Hose for Leak Down Tester	52-73013



LEAK DOWN TESTER DIGITAL

- Much more accurate than traditional testers.
- Reads critical leak down to 0.5% (0.5 of 1%.)
- Gauges have back lights for easy readability and low battery indicators.

DESCRIPTION Tester with Silver Case Tester with 12 mm Fitting

- 14mm Spark plug connector included (12 mm and barrel valve available.)
- Control inlet valve avoids shock to gauges when air is turned on, allowing more accurate readings, easier use, and longer gauge life.

	PART #
se .	52-73014
ting	52-73015



DIGITAL SHOCK INFLATORS

- Easy to read and use with controlled flow valves.
- 300 psi Digital gauge easily reads to 0.5 psi.
- Controlled flow inlet and bleed valves makes precision shock settings much easier.
- Special chuck prevents pressure loss and inaccurate settings.

.....

- Extra long hose makes filling shocks on car a snap.
- Fill and bleed quickly and accurately.
- Inlet valve prevents air contamination when not in use, connect directly to nitrogen line.

DESCRIPTION Digital Shock Inflator PART # 52-50473

BASIC SHOCK INFLATORS DIAL MODEL & DIGITAL

· Both models read to 300 psi by 0.5 psi units.

· Digital model includes special chuck that prevents pressure loss.

DESCRIPTION	PART #
Dial Model Shock Inflator	52-50493
Digital Model Shock Inflator	52-50483





AccuLevel[™] DIGITAL LEVELS PRO MODEL

- Back light for dark places under car.
- · Measure suspension and spoiler angles.
- Includes Silver case.
- Reads to 0.1° (1/10°) from 0 to 90°.
- Simple to use, easy to read, accurate.
- · Can be field calibrated to maintain accuracy.
- Used in our Digital Caster/Camber gauges.

DESCRIPTION Pro Model AccuLevel™ Digital Level



PART #

52-78311



Acculevel[™] DIGITAL LEVELS BASIC MODEL

- · Measure suspension and spoiler angles and lots more.
- Reads to 0.1° +/- from 0 to 90°.
- Simple to use, easy to read, accurate.
- Can be quickly field calibrated to maintain accuracy.

DESCRIPTION	PART #
Basic Model AccuLevel™ Digital Level	52-78310



IMPACT PIT GUN SOCKETS

- 1/2" Drive impact grade sockets for 1" lug nuts.
- · 6 Point design.
- 12" Extended design for deep wheels.
- · Spring loaded to pop out lug nuts fast.

DESCRIPTION	PART #
Impact Socket - Extended 12" L	52-68528
Impact Socket - Deep Well 3" L	52-68524



ongacre

CNC IMPACT SOCKETS

- 1/2" Drive impact grade sockets for 1" lug nuts.
- CNC Machined from SAE 4340 alloy billet.
- · Double heat treated for severe service.
- · Special machined socket grabs the flats and instantly kicks out the lug nuts for ultra fast pit stops.

PART # 52-68526 52-68525



CNC Impact Deep Well 3 1/4" L CNC Impact Short Socket 2 1/4" L

DESCRIPTION

ANALOG STYLE ANGLE FINDER

- Use for front & rear suspension, etc.
- Liquid filled.

- · Bind free at any

· Right or left arm.

· Washable.

- · Ball bearing pivot.
 - angle. PART #

DESCRIPTION Angle Finder 52-50815

PLUMB BOB KIT

· Square rear end.

DESCRIPTION	PART #
Plumb Bob Kit	52-50820

HOT SLEEVE

- Protects arms from burns while working around engine.
- Made of Kevlar[®].

DESCRIPTION	PART #
Single Sleeve	52-11230



SAFETY WIRE

• 0.032 Stainless steel wire.

DESCRIPTION PART # Safety Wire 52-22599



SAFETY WIRE PI IFRS

- · Ensures parts stay on your car.
- · Quickly and neatly twists wire.
- A must for all high vibration locations.

DESCRIPTION PART # Safety Wire Pliers 52-22598





3 Hole 5/16" x 1-3/4"

ALUMINUM SPOKES WITH SMOOTH & BUMP GRIP

• These wheels have a high grip polyurethane coating.

DESCRIPTION	PART #
15" Black – Smooth Grip – Dished (2.75")	52-56801
15" Blue – Smooth Grip – Dished (2.75")	52-56803
15" Red – Smooth Grip – Dished (2.75")	52-56805
17" Black – Smooth Grip – Dished (2.75")	52-56811
15" Black – Bump Grip – Dished (2.75")	52-56820
17" Black – Bump Grip – Dished (2.75")	52-56825



ALUMINUM WHEEL "Fat" grip

- Thicker rim for a better grip and less wrist and arm strain.
- Ideal size for long races.

DESCRIPTION

• 15" Dished aluminum wheel.

15" Black - Smooth Grip - Dished (2.75")

PART #		
52-56809		



SUEDE WRAPPED STEERING WHEEL

- · Sports car and open wheel road race.
- Better grip and cushioning for improved steering control and comfort, ergonomic molded grips on rim.
- Premium quality hand sewn with CNC machined aluminum center.

PART #
52-56911
52-56913
52-56906
52-56908



STEEL WHEELS

- Where steel wheels are required.
- Smooth Grip-Dished 2.75".

DESCRIPTION	PART #
15" Steel Wheel - Black Smooth Grip	52-56841
17" Steel Wheel - Black Smooth Grip	52-56851

59

PRO ALUMINUM STEERING WHEELS WITH SUEDE WRAPPED RIM

- Suede gives you an excellent grip for better car control plus reduced wrist and arm strain during the race.
- Lightweight 2.3 lbs.
- · Can be easily cleaned.
- 15" with 2.5" dish.

- Std. 3 bolt mounting (5/16" x 1-3/4".)
- Center has CNC machined beveled edges.
- Red stripe on the rim at the top indicating 'straight ahead'.



DESCRIPTION	PART #
Suede Dished Steering Wheel - 15" Black Center	52-56797
Suede Dished Steering Wheel - 15" Natural Center	52-56800

ULTRA LIGHTWEIGHT ALUMINUM STEERING WHEELS DRILLED OR UNDRILLED

- · These drilled wheels are half the weight of other brands.
- Drilled on 2 sides for additional weight savings.
- Shot peened rim for good grip.
- Holes give even better grip.

DRILLED	PART #
15" Uncoated Black – Dished (2.5")	52-56838
15" Uncoated Aluminum – Dished (2.5")	52-56837
15" Uncoated Black – Flat	52-56867
15" Uncoated Aluminum – Flat	52-56866
14" Uncoated Black – Dished (2.5")	52-56833
14" Uncoated Aluminum – Dished (2.5")	52-56835
UNDRILLED	PART #
	50 50000

15" Uncoated Aluminum – Smooth – Dished (2.5")	52-56836
15" Uncoated Aluminum with Bumps – Dished (2.5")	52-56822
14" Uncoated Aluminum – Smooth – Dished (2.5")	52-56834













All hubs and spuds include a second safety groove for your protection.

FEERING WHEEL QUICK DISCONNECT SPLINED

Any play in the steering, including the hub, takes away control from the driver, letting the car 'wander around'. This Pro hub has a precision machined 4130 spud and a T6 Hard Anodized splined hub for a super tight fit, yet is easy to remove and install. Plus, there are multiple sets of mounting holes so you can 'clock' your wheel 3 times closer. For safety, there are 2 sets of retaining grooves. If you don't get the ring engaged, it will catch on the second safety groove rather than come off on the track. The steel spuds can be installed on either 3/4" or 5/8" shafts. Splined hub - pull ring release with double safety grooves on weld-on SAE 4130 spud.

DESCRIPTION	PART #
Precision Fit Splined Hub	52-56605
Precision Fit Splined Hub SFI™ Approved	52-56609





ERING WHEEL DISCONNECT

· Precision Splined aluminum hub. Pull ring release with double safety grooves.

steering boxes.

· Tapered spud for many sprint car

DESCRIPTION		

Spr

1-3/4" bolt circle (hole distance 1-1/2" center-to-center).

• 3 Mounting holes – 5/16" on a

SCRIPTION	PART #
rint Car Splined Hub Quick Disconnect	52-56603



3 Hole 5/16" x 1-3/4"



EERING WHEEL QUICK DISCONNECTS PUSH BUTTON

- · Hex type.
- Weld to 3/4" or 5/8" (karts) steering shafts.
- · Aluminum hub.
- · Double safety grooves.

DESCRIPTION Hex Hub - Push Button Release

PART # 52-56600



STEERING WHEEL HOOK

- · Hang your wheel out of the way.
- · Bolts on no welding.

DESCRIPTION	PART #
1-3/4" Roll Bar Size	52-22576
1-1/2" Roll Bar Size	52-22577



STEERING WHEEL NOSE PAD

- · Required by most rules.
- · Medium density.
- · Product is 6 inches in diameter.

DESCRIPTION	PART #
Nose Pad	52-56899

STEERING WHEELS

61

Prices Subject to Change Without Notice

GPS TRIGGERED IN-CAR TIMER

- This in-car timing system lets the driver see their lap times as they happen. Try different lines around the track to instantly find the fastest way. The GPS replaces the IR beam.
- Track mapping: divide the track into timed segments and see where you are fast and where you are losing time.
- Recall segment times in pits and compare laps.
- 3" Backlit graphic display.

DESCRIPTION Hot Lap™ GPS Triggered In-Car Timer PART # 52-21730



GPS

STOPWATCHES LONGACRE[®] & ROBIC™

Longacre[®]

- · Lap counter.
- 30 Lap memory.
- Crisp one-button action.
 Counts laps to 999.
- Comes with Silver case. : 50 Lap memory.
- Robic™ SC 505W
 Time every lap plus automatic lap count.

GPS sensor

mounts in car

- 12 Memory recall.
 One button action for
 - simple timing.



DESCRIPTION	PART #
Longacre [®] Memory Stopwatch w/ Case	52-22164
Longacre [®] Memory Stopwatch	52-22162
Robic™ SC 606W Stopwatch	52-22172
Robic™ SC 505W Stopwatch	52-22168

Robic[™] SC 606W

· Clocks every lap.

· Computes average MPH.

STOPWATCH CLIPBOARDS

- · Lightweight aluminum won't break like plastic can.
- · Powder coat finish with edge protectors.
- Professional color lap charts included with practice times on back.
- · Rubber feet prevent sliding and protect car's finish.

DESCRIPTION	PART #
2 Car Stopwatch Clipboard w/ Robic™ SC 505W	52-22324
1 Car Stopwatch Clipboard w/ Robic™ SC 606W	52-22319
2 Car Stopwatch Clipboard w/ Robic™ SC 606W	52-22321
Clipboard Only	52-22314

2 Watch Economy Clipboard With Robic™ SC 505W Watches Times every lap, counts laps, and has 5 lap memory.

Clipboards With Robic™ SC 606W Watches These watches clock every lap, show average MPH, and have a 50 lap dual memory.



LAP TIMES/ CHASSIS SHEETS

- Lap times practice times on back.
- · Chassis setup sheets tire temps on back.
- Punched for 3 ring binder.
- 2 Sided Get added use.

DESCRIPTION	PART #
Chassis Setup – 1 Pad/50 Sheets	52-22528



PADDED STORAGE POUCH

- Black vinyl outside, foam padding inside.
- Keeps clipboard and stopwatches clean and safe.

DESCRIPTION Padded Storage Pouch



PART # 52-22390



SFITM EMBOSSED ROLL BAR PADDING 3' BLACK

- Provides maximum in energy absorption and flame retardation and will not drip or melt in a fire.
- Required in NHRA[®], SCCA[®], and recommended in NASCAR[®].

DESCRIPTION

SFI™ Embossed Roll Bar Padding 3' Black

- Meets new SFi™ spec 45.1.
- Pre-taped for easy installation.
- Fits bars 1-1/2" to 1-3/4" x 36" length.

PART # 52-65169





"MINI" PADDING

REGULAR SIZE

All Longacre[®] HD padding is "pre taped" with adhesive to make installation easier.

HIGH	DENSITY	ROLL	BAR	PADDING
REGL	JLAR & "M	INI" SI	ZE	

- Provides maximum in energy absorption and flame retardation.
- Will not drip or melt in fire.
- Fits bars for 1-1/2" to 1-3/4".
- Self-adhesive (pre-taped) for a quick and clean installation.
- "Mini" padding has a streamlined shape to focus padding where you need it, improve sightlines and reduce blind spots.

DESCRIPTION	PART #
Black - High Density Roll Bar Padding – 3'	52-65162
Blue - High Density Roll Bar Padding – 3'	52-65164
Red - High Density Roll Bar Padding – 3'	52-65166
Black - HD Mini Roll Bar Padding – 3'	52-65182
Blue - HD Mini Roll Bar Padding – 3'	52-65183
Red - HD Mini Roll Bar Padding – 3'	52-65184

ROLL BAR PADDING PROTECTO 180™ MEDIUM DENSIT

- New 180° Design: don't pad the back of your roll bars.
- Easier to install use wire ties or tape
- For 1-3/8" to 1-3/4" bars.
- 1-1/8" Thick at top x 36".

DESCRIPTION Black ProTecto 180[™] Medium Density Roll Bar Padding PART # 52-65692

ROLL BAR PADDING KITS BLACK TAPED

All the padding needed to do most cars in a convenient package. You get a combination of high density full size padding for around your head. Mini HD padding for posts where line-of-sight is important, and new ProTecto 180[™] for arm and leg protection.

Kit includes:

2) Full size high density pad.

- 2) Mini high density.
- 4) New ProTecto 180[™].

DESCRIPTION

Roll Bar Padding Kit - Black Taped

New 1101

PART # 52-65135

PART #

52-65885

TRAILER HITCH PAD

- Uses material similar to our high density roll bar padding for good protection.
- · Easy to install without removing the ball takes less than 1 minute.
- · Doesn't interfere with normal trailer use.
- · Fits most hitches with no modification (many others with only slight modification.)
- · Held on with wire ties (included.)

DESCRIPTION Trailer Hitch Pad



DOOR BAR PADDING MAT

- Protect your left elbow, arm, hand, and wrist.
- Made from fire resistant padding similar to our high density roll bar padding but slightly softer.
- Saves you tons of time, no need to cut and fit several separate pieces.

DESCRIPTION Door Bar Padding Mat

- Mounts quickly with adjustable molded-in straps.
- Sharp-looking with a clean appearance.
- Size: 39-1/2" x 16-1/2" x 1" thick.

PART # 52-65130





COMPACT RADIO BOX

- · For the latest small radios.
- 2 Velcro straps hold the radio securely in place.
- · Internal padding prevents damage.
- 3 Sided for easy access.
- Adjustable brackets mount to your roll-bar at multiple angles Easier to install!
- Available for 1-3/4" or 1-1/2" bar.

DESCRIPTION	PART #
1-3/4" Compact Radio Box	52-22560
1-1/2" Compact Radio Box	52-22562

DRINK HOLDER

- Large capacity insulated bottle with tube.Includes "bite valve" to avoid leaks from tube.
- Bolts onto your roll bar no welding required.
- · Powder coated with anodized bracket.

DESCRIPTION	PART #
1-3/4" Drink Holder	52-22551
1-1/2" Drink Holder	52-22553
Drink Bottle and Hose Only	52-22556
Drink Bottle Replacement Hose Only	52-22552

ADJUSTABLE BRACKETS MOUNT AT MULTIPLE ANGLES, EASIER TO INSTALL, & NO WELDING!

.....



- · Mount your switch panel quickly and easily.
- Lightweight aluminum.
- Includes 2 brackets.

DESCRIPTION	PART #
1-3/4" Switch Panel Bracket	52-22783
1-1/2" Switch Panel Bracket	52-22787



- Protect your helmet.
- Bolts onto roll bar no welding.
- Lightweight billet aluminum black anodized.

DESCRIPTION	PART #
1-3/4" Helmet Hook	52-22570
1-1/2" Helmet Hook	52-22572



- Mount mirror, switch panel, etc.
- Lightweight aluminum.
- Bolts onto your roll bar.

DESCRIPTION	PART #
1-3/4" Short Universal Bracket	52-22755
1-1/2" Short Universal Bracket	52-22757

65 MISCELLANEOUS

WIDE ANGLE MIRROR KITS

- · You can quickly and easily add a wide angle racing mirror to your race car with one of our mirror kits.
- · These mirrors come with bolt on brackets made of anodized black billet aluminum.
- Longacre[®] rear view mirrors fasten onto your roll cage in seconds and won't vibrate loose.
- · Mirror brackets available in two lengths of adjustment to fit 1-1/2" or 1-3/4" roll bars.

PART #

· Mounts on driver's side or

52-22548

52-22549

52-22550

passenger's side.

DESCRIPTION

14" Wide Angle Mirror Kit - Short Brackets - 1-1/2"	52-22535
14" Wide Angle Mirror Kit - Long Brackets - 1-1/2"	52-22537
14" Wide Angle Mirror Kit - Short Brackets - 1-3/4"	52-22534
14" Wide Angle Mirror Kit - Long Brackets - 1-3/4"	52-22536
17" Wide Angle Mirror Kit - Short Brackets - 1-1/2"	52-22531
17" Wide Angle Mirror Kit - Long Brackets - 1-1/2"	52-22533
17" Wide Angle Mirror Kit - Short Brackets - 1-3/4"	52-22530
17" Wide Angle Mirror Kit - Long Brackets - 1-3/4"	52-22532
14" Wide Angle Replacement Mirrors	52-22544
17" Wide Angle Replacement Mirrors	52-22547

Short Brackets: 1/2" to 2-1/2 Range Long Brackets: 2" to 5-1/2" Range

Will not vibrate loose!

SPOT MIRRORS CLAMP ON

• 3-3/4" Spot Mirror with bracket for 1-3/4" or 1-1/2" roll bar.

Replacement Spot Mirror 3-3/4"

· Adjusts easily.

DESCRIPTION Spot Mirror 1-3/4'

Spot Mirror 1-1/2"

 Bolts in place solidly.
PART #



BRACKETS ONLY

- Brackets for Longacre[®] wide angle racing mirrors.
- · No welding bolts to your roll bars.
- · Brackets adjust from 2" to 5-1/2".
- · Brackets CNC machined from billet aluminum.
- · Includes 2 brackets.

DESCRIPTION	PART #
Mirror Bracket Pair - Short - 1-3/4"	52-22538
Mirror Bracket Pair - Short - 1-1/2"	52-22539
Mirror Bracket Pair - Long - 1-3/4"	52-22540
Mirror Bracket Pair - Long - 1-1/2"	52-22541

BILLET REAR END RRFAT

- · Includes vent, hardware, and hose for a complete installation.
- · Clamp on design no welding required.
- 1/4" NPT.

.....

• Available with bracket for either 1-3/4" or 1-1/2" roll bars.

DESCRIPTION	PART #
Billet Rear End Breather Kit 1-3/4"	52-22568
Billet Rear End Breather Kit 1-1/2"	52-22569
Billet Rear End Breather 1-3/4"	52-22564
Billet Rear End Breather 1-1/2"	52-22566





COMPLETE BRAKE LINE KIT

Includes 4 SS braided lines to go from the chassis to the wheels, an assortment of preflared bendable steel chassis lines, fittings, connectors, frame tabs, Adel™ clamps, and wire ties. (Order caliper fittings separately.)

DESCRIPTION Complete Brake Line Kit - #3 AN Complete Brake Line Kit - #4 AN

PART # 52-45215 52-45216

Note: Not for street driven cars minimum bending radius 2".



STEEL BRAIDED BRAKE LINES

Stainless steel braided teflon line with permanently swedged fittings. 2500 psi working pressure. #4 AN fittings on both ends

DESCRIPTION	PART #
Brake Line - 22" #4 AN	52-45150
Brake Line - 22" #3 AN	52-45153
Brake Line - 24" #4 AN	52-45160
Brake Line - 24" #3 AN	52-45163



DESCRIPTION PART # 1/8" NPT to #4 AN Straight 52-45240 1/8" NPT to #4 AN 90° 52-45230 1/8" NPT x #3 AN Straight 52-45243 1/8" NPT x #3 AN 90° 52-45233





- 1/8" NPT 90° with #4 and long leg for extra clearance.
- 7/16"-20 #4 AN 90°. (Fits GM single piston.)

DESCRIPTION	P
1/8" NPT x #4 AN 90°	52
7/16"-20 x #4 AN 90°	52

ART # -45220 -45250



BRAKE FLUID **RIF** Back

- magnet to hold it in place.
- or two bleeders at once.

DESCRIPTION	PART #
Brake Fluid Bleed Bottle Kit	52-45200
Single Brake Fluid Bleed Bottle	52-45202

ED	BOTTL	E
	tle has a	

Split hose - connect to one



CALIPER


• 1/8" NPT, #3, or #4 AN.

· Fits most popular models.

BRAKE LINE FRAME TAB & FITTINGS

• #3 or 4 AN x 3/16" brake line, "bulkhead" style, with jam nut for easy mounting.

DESCRIPTION	PART #
#3 AN Brake Line Frame Fitting	52-45263
#4 Brake Line Frame Fitting	52-45273
#3 Brake Line Frame Fitting w/ Tab & Nut	52-45286
#4 Brake Line Frame Fitting w/ Tab & Nut	52-45288
Frame Tab Pack of 4	52-45284
Frame Tab Pack of 10	52-45285





- Frictionless polymer bearing mount for easy, no-bind adjustments.
- Detents every 90° make precise adjustments easier. "Click" the exact change you want.
- · HD braided flex connector: shorter virtually no 'wrap up'.
- 3/8"-24 or 7/16"-20 connector to your bias bar. (Check before ordering.)

DESCRIPTION	PART #
Billet Aluminum Brake Balance Adjuster - 3/8" - 24	52-44108
Billet Aluminum Brake Balance Adjuster - 7/16" - 20	52-44109
Basic Brake Balance Adjuster - 3/8" - 24	52-44107

RB LINKAGE KITS ED • DEL

- · Includes 2 all metal rod ends, aircraft aluminum tube, Holley® carb bushing, 2 return springs, bolts, and nuts.
- · Just bend to clear air cleaner, cut to length, and thread one end (requires 1/4"-28 tap.)
- Easily forms to any car or use straight.
- · 6061 T6 Heat treated aluminum alloy is tough to bend but stays to shape in use. Won't straighten out and cut throttle travel, costing you precious horsepower.
- Throttle rod length 23-1/4".
- · Only fits small block Chevy.



DESCRIPTION	PART #
Standard Carb Linkage Kit	52-32700
Extended Carb Linkage Kit	52-32702
Deluxe Carb Linkage Kit - Short	52-32720

INUM AIR CLEANER STUD KI

- · Includes aluminum stud and thumb knob, air cleaner lid mounting stop, and jam nut.
- · Mounting stop and jam nut go under air cleaner lid so you can tighten the thumb knob without distorting the lid.
- · Set screw in thumb knob keeps it from coming loose.
- · Built-in rubber seal keeps dust out of your engine.
- Top thread 5/16", bottom carb thread 1/4", or 5/16".



DES

DESCRIPTION	PARI #
Aluminum Air Cleaner Stud Kit - 5/16" Carb Thread - Holley®	52-32750
Aluminum Air Cleaner Stud Kit - 1/4" Carb Thread	52-32752
Replacement Thumb Knob for Air Cleaner Stud Kit	52-32754

QUICK CHECK BRAKE PRESSURE GAUGE SET

- · Check brake pressures at the caliper.
- · Set front-to-rear bias for best braking performance.
- · Temporarily installs in bleeder valve.

C		
(g. ¹) ¹⁰	A	Colored and

DESCRIPTION

DESCRIPTION	PART #
Quick Check Brake Pressure Gauge Set 1/4" - 28	52-44145
Quick Check Brake Pressure Gauge Set GM Metric 10mm	52-44147
Quick Check Brake Pressure Gauge Set 3/4" - 24	52-44149

CARB BUSHINGS

Split bushing for Holley[®] carbs.

DESCRIPTION Replacement Carb Bushings - Aluminum



52-32707

THROTTLE **OP BRACKET**

- · Helps prevent broken throttle arms with a positive stop.
- · Lightweight aluminum won't change in use.

DESCRIPTION	PART #
Primary Throttle Stop Bracket - Holley [®] 4 BBL	52-32730
Primary Throttle Stop Bracket - Holley® 2 BBL	52-32732

THROTTLE TIIRN KITS

- · Lightweight aluminum bracket, 2 springs, Holley® carb bushing, and miscellaneous hardware.
- · Only fits small block Chevy.

DESCRIPTION	PART #
Throttle Return Kit - Short	52-32710
Replacement Throttle Return Springs (Pack of 2)	52-32500



	20_
	$\langle \rangle \rangle$
\mathcal{M}	M
	1.
5	- 0



BILLET REMOTE STARTER BUTTON

· Crank your motor over from the engine compartment.

Cool billet aluminum.

DESCRIPTION PART # Billet Remote Starter Button 52-45795



Ś

SPARK PLUG VIEWER

- · Get your jetting right for maximum power.
- · Batteries included.
- 10X Magnification. Includes spark plug
- holder: 52-50886.

DESCRIPTION	PART #
Spark Plug Viewer with Holder	52-50886
Spark Plug Viewer	52-50884
Spark Plug Holder	52-50885



ENGINE COMPRESSION TESTER

- 14 mm Plug adapter.
- · Check for bent or leaking valves, bad ring seal, even leaking head gaskets.

DESCRIPTION PART # Engine Compression Tester 52-73025



BRAIDED TEFLON FUEL LINE

Smooth bore #8 AN 1/2" teflon fuel line won't collapse at high fuel draw.

- Ends installed and ready-to-use.
- 144" Length for 102" to 114" wheelbase cars.

PART #

52-33900

DESCRIPTION Braided Teflon Fuel Line



MAGNETIC DRAIN PLUG

- · Traps ferrous particles and keeps them from damaging your equipment.
- · Check often to spot developing problems.

DESCRIPTION	PART #
Drain Plug - 1/2"-20	52-33300
Drain Plug - 3/8" Npt	52-33320



HOOD PIN KITS

· Includes pins, jam nuts, scuff plates, and flip style safety pins.

DESCRIPTION	PART #
Aluminum Kit - 1/2"-20 Set of 2	52-23500
Aluminum Kit - 1/2"-20 Set of 6	52-23502
Aluminum Kit - 3/8"-24 Set of 2	52-23510
Steel Kit - 3/8"-24 Set of 2	52-23600
2 Replacement Torsion Clips	52-23550



HYDRAULIC CLUTCH

- SS braided line quickly and easily connects the clutch master cylinder to the slave cylinder.
- · Comes complete with fittings for most applications.
- · 36" For suspended pedals.

DESCRIPTION	PART #
Hydraulic Clutch Line Kit	52-28050



UNIVERSAL AIR TOOL QUICK DISCONNECT

- · Connects to all 3 commonly used fittings.
- · No more switching fittings to use that new or borrowed tool.
- Female only (Sold in pairs).

DESCRIPTION PART # Universal Air Tool Quick Dis. 52-36013



;

HEADER BOLTS CHEVY SMALL BLOCK

• Compact 12 point head – use a 3/8" box wrench to tighten around big tubes.

- · Grade 9 alloy steel.
- 170,000 psi.

DESCRIPTION	PART #
Header Bolts	52-35600

SPOILER & SPLITTER SUPPORTS

- · Lightweight T6 aluminum tube with R & L threads.
- · Can also be used for windshield supports.
- · 6", 8", and 10" in black anodized tubes.
- · Includes both flat top and button head mounting screws.
- Splitter supports have high strength steel pivot ends to help prevent breakage.
- Ultra Lightweight Aluminum: CNC machined billet aluminum, black anodized.
- Ultra Lightweight Aluminum: high strength, lightweight tapered tube.
- Ultra Lightweight Aluminum: Bolts on easily and uses specially built aluminum heim joints to adjust for any angle.

DESCRIPTION	PART #_
Aluminum Support Rod 6"	52-23756
Aluminum Support Rod 8"	52-23758
Aluminum Support Rod 10"	52-23760
Aluminum Splitter Support Rod 6"	52-23776
Aluminum Splitter Support Rod 8"	52-23778
Aluminum Splitter Support Rod 10"	52-23780
Aluminum Spoiler Support 6"	52-23706
Aluminum Spoiler Support 8"	52-23708
Aluminum Spoiler Support 10"	52-23710

FENDER SUPPORT KIT

- Two flexible supports made from lightweight break resistant polymer material.
- · Includes all hardware for a guick and professional installation.
- · Lightweight aluminum mounts.
- · Springs back to shape if bent.

DESCRIPTION	PART #
Fender Support Kit	52-23720
Adjustable Fender Support Kit	52-23740
Replacement Fender Support Rods - 1 Pair	52-23744

LONGACRE® RADIATOR CAPS

DESCRIPTIO	N
Radiator Cap	22 - 24 psi
Radiator Cap	29 - 31 psi

BACKING DISK **R SPOILER** SUPPORT

Use to support Lexan® spoiler or use to fasten spoiler to deck lid.

DESCRIPTION	
Backing Disk for Spoiler	



PART # 52-75260

52-75265

PART #

52-23702

IFTER STICK

- · To replace heavier CNC machined billet aluminum. steel original.
- · Slotted bottom hole Lightweight yet to install easier. strong.

DESCRIPTION

SHIFTER BOO

- mounting plate.
- High temperature liner seals out the heat

DESCRIPTION Shifter Boot



Length shown is the rod. Heim joints add 1" overall, pivot center-to-center. Adjustment is +1.5" beyond this. 6" support will be center-to-center min 7", max 8.5".

Adjustable style fender support bracket comes with 52-23740.





- · New design better heat insulation.
- · 2" Ball: Extra holes are drilled and mounted with a stainless steel bolt (SS transfers heat poorly) or on shifter arm stud.
- · No insert to come out ball won't come off in your hand during the race.
- · One piece CNC machined billet aluminum.

DESCRIPTION	PART #
Shifter Ball 3/8"-16 Thread 2"	52-22601
Shifter Ball 3/8"-16 Thread 1-5/8	8" 52-22607







.

resistant material.

PART # 52-22615



ALUMINIZED **INSULATION CLOTH**

- · Easy to work with just cut shape with scissors.
- · Good insulation for firewall, floor, and tunnel.
- · Max ambient temp: 600°F.
- Aluminized on one side to reflect heat, silicone coated on the other.

DESCRIPTION Aluminized Insulation Cloth 58" x 24"

PART # 52-64150



headers from burning wires.

· Plug wires, battery cables, insulates fuel and oil lines, and will not burn.

 High temp, flexible insulating sleeving. • Maximum Temperature: 500°F.

· Silicon coated fiberglass braid keeps

FIREBRAID™ INSULATION SLEEVING

DESCRIPTION	PART #
Insulation Sleeving - 5/16 in - 36 in	52-49500
Insulation Sleeving - 5/16 in - 10 ft	52-49520
Insulation Sleeving - 3/8 in - 36 in	52-49600
Insulation Sleeving - 3/8 in - 10 ft	52-49620
Insulation Sleeving - 9/16 in - 36 in	52-49700
Insulation Sleeving - 9/16 in - 10 ft	52-49720
Insulation Sleeving - 11/16 in - 36 in	52-49750
Insulation Sleeving - 11/16 in - 10 ft	52-49770
Insulation Sleeving - 13/16 in - 36 in	52-49800
Insulation Sleeving - 13/16 in - 10 ft	52-49820
Insulation Sleeving - 15/16 in - 36 in	52-49850
Insulation Sleeving - 15/16 in - 10 ft	52-49870
Insulation Sleeving - 1-1/8 in - 36 in	52-49900
Insulation Sleeving - 1-1/8 in - 10 ft	52-49920



INSULATING FLOOR MATS

Specially designed · Maximum temp: for use in driver's compartment. · In the middle is a

600°F.

material.

screws.

· Eyelets in the

with rivets or

heavy duty high temp insulation

corners to mount

- Made from fireproof nonasbestos heavy weight cloth.
- Silicon coated on one side and aluminized for heat reflection on the other side.

DESCRIPTION	PART #
Floor Mat - 24" x 18"	52-64320
Floor Mat - 18" x 18"	52-64360
Floor Mat - 24" x 10"	52-64400
Floor Mat - 12" x 8"	52-64420



HEADER INSULATION 'TAPE'

- · Contains exhaust heat for better velocity, scavenging, more power, and cooler under hood temperatures.
- 2" x 1/16".
- 100' Roll will do for most V8 headers.
- Maximum temp: 1,250°F.

DESCRIPTION	PART #
100' Header Insulation 'Tape'	52-64850
50' Header Insulation 'Tape'	52-64870
25' Header Insulation 'Tape'	52-64880
10' x 2" x 1/32" White Insulation 'Tape'	52-64835
50' x 2" 1/32" Insulation 'Tape'	52-64830



STAINLESS STEEL TIES FOR HEADER TAPE, ETC.

- in place.
- Heat resistant
- · Use as a super strong wire tie.
- Maximum temp: 1,250°F.

· Stays tight.

DESCRIPTION	PART #
Header Wrap Locking Ties 8", 8-Ties	52-47840
Header Wrap Locking Ties 8", 12-Ties	52-47843
Header Wrap Locking Ties 8", 24-Ties	52-47846
Header Wrap Locking Ties 14", 4-Ties	52-47842
Header Wrap Locking Ties 14", 12-Ties	52-47845
Header Wran Locking Ties 14" 24-Ties	52-47848



LEXAN™ CLEANER AND POLISH

Header Wrap Locking Ties 14", 24-Ties

• #1 Cleaner removes dirt and leaves a glaze that cuts static and repels dust.

- #2 Polish to remove fine scratches and haze works great for polishing car paint, removing oxide and scuffs.
- #3 Polish for deeper scratches.

DESCRIPTION	PART #
Lexan™ #1 Cleaner	52-63500
Lexan™ #2 Polish	52-63600
Lexan™ #3 Polish	52-63700



APPAREL

DESCRIPTION	PART #
Longacre [®] Black Twill Hat	52-11655
Longacre [®] Pit Gear Bag	52-11911
Longacre [®] Pit Gloves	52-11208

Prices Subject to Change Without Notice

71

MISCELLANEOUS

CAR COVERS PAVEMENT • DIRT LM • OPEN WHEEL MOD

Pavement Late Model & Open Wheel Modified

Heat reflective silver color.

- Soft liner won't scratch paint.
- · Moisture resistant.
- Zippered window to get in and out.
- Will fit most Late Model cars: All Pro, ASA, and SW Series, etc.
- Eyelets along bottom to secure cover from tampering.

DESCRIPTION	PART #
Pavement Late Model Car Cover	52-11150
Dirt Late Model Car Cover	52-11152
Dirt Late Model Rear Car Cover	52-11153
Open Wheel Modified Car Cover	52-11154
Cockpit Car Cover	52-11156

Dirt Late Model

- Custom designed for Dirt Late Model race cars.
- Hood zipper allows engine work without removing cover.

COCKPIT CAR COVER

 Keeps windows & cockpit free of rain & dust.

9/20

- Eyelets along bottom to
- secure cover.
- Storage bag included.
- Soft liner won't scratch windows or paint.



KEEP EVERYTHING IN ORDER AT THE TRACK OR AROUND THE SHOP WITH OUR STURDY CASES.

Sizes are approximate and are subject to minor changes.



- Matches all our other Silver cases.
- Store parts neatly, not rolling around in your tool box.
- Radios, rivets, drills, stopwatches, tire gauges, durometers, etc.

	1	
-	1	

DESCRIPTION	PART #
Storage Box For 15" Low Profile Pads	52-72292
Lined Hard Case 16-3/4" x 13-1/2" x 4"	52-50522
Lined Hard Case 14-3/8" x 11" x 3-1/2"	52-50515
Lined Hard Case 9-1/2" x 7" x 1-3/4"	52-50518
Lined Hard Case 10" x 6" x 3-1/8"	52-50514
Lined Hard Case 8-1/4" x 4-1/8" x 3-1/8"	52-50512
Lined Hard Case 9-1/4" x 3" x 1 1/2"	52-50516
Lined Hard Case 6-5/8" x 2-1/4" x 1-1/2"	52-50513
Lined Hard Case 4-1/8" x 2-5/8" x 1"	52-50511
Bump Steer Gauge Storage Case 22-1/2" x 20-1/2" x 4"	52-79019
Storage Box for 12" Scale Pads	52-72280
Lined Hard Case 4-1/4" x 3" x 1-7/8"	52-50520
Lined Hard Case 2-3/4" x 2-1/8" x 1"	52-50517

AFCO



Rely only on high-grade gauges and dashboards offered on our virtual shelves.