

2015-16 Lee Fishing Catalog



## The Big Picture



12-volt 9-amp Battery 3-Stage Automatic Charger

Built-in DVR

Pre-Record

**EXTRA** 

**FEATURES** 

Snow Shield, Micro SD Card Remote Camera Panner

New Bottom Enhance Capability

Exclusive Dynamic Depth/Range

Target Adjust Image Magnifier

Upgradeable via USB Port Video Playback On-Screen

Patented 12 Level IR

Exclusive Sonar Footprint Display



Snow Shield

Transducer Offset

Patented 12 Level

Interference Rejection

Upgradeable via USB Port

Exclusive Dynamic Depth/Range

Exclusive Sonar Footprint Display Target Adjust Image Magnifier

Adjustable Night-Vis Backlight

	LX-9 SONAR/CAMERA	LX-7 SONAR SYSTEM	LX-6s SONAR SYSTEM
MODEL NO.	LX-9	LX-7	LX-6S
MONITOR	8" Flat Panel Color LCD with 4 color palette options Video Out & In, Built-in DVR	8" Flat Panel Color LCD with 4 color palette options	6" Flat Panel Color LCD with 4 color palette options in NEW reduced footprint
resolution	800 x 600 Pixels	800 x 600 Pixels	640 x 480 Pixels
ZOOM	Selectable (5', 10', 20' and 40') Zoom Windows Bottom Lock or Infinitely Adjust in selected Zoom Window Size	Selectable (5', 10', 20' and 40') Zoom Windows Bottom Lock or Infinitely Adjust in selected Zoom Window Size	Selectable (5', 10', 20' and 40') Zoom Windows Bottom Lock or Infinitely Adjust in selected Zoom Window Size
TARGET SEPARATION	Down to 1/2-inch	Down to 1/2-inch	Down to 3/4-inch
POWER	4800-watts PtP	4800-watts PtP	4800-watts PtP
CONE ANGLE	Switchable Dual Beam 8 or 20 degrees	Switchable Dual Beam 8 or 20 degrees	Switchable Dual Beam 8 or 20 degrees
CAMERA /CABLE	Color - B/W 1/3" Sensor Sony Super HAD II CCD .01 Lux Camera Darkwater LED Lighting 8 ft Transducer Cable 75 ft Camera Cable	8 ft Transducer Cable	8 ft Transducer Cable
ON SCREEN DISPLAY User Defined	All Camera Functions All Sonar (Flasher, Vertical or Graph) Split Screen (HUD) Heads-Up Display/Sonar Overlay Technology	Any Combination of Vertical, Flasher or Graph Sonar Display Options	Any Combination of Vertical, Flasher or Graph Sonar Display Options
ACCESSORIES INCLUDED	Deluxe Padded Softcase and Camera Pack 12-volt 9-amp Battery	Deluxe Padded Softcase 12-volt 9-amp Battery 3-Stage State Charger	Deluxe Padded Softcase 12-volt 9-amp Battery 3-Stage Automatic Charger

Snow Shield

Transducer Offset

Patented 12 Level

Interference Rejection

Upgradeable via USB Port

Exclusive Dynamic Depth/Range

Exclusive Sonar Footprint Display Target Adjust Image Magnifier

Adjustable Night-Vis Backlight



MarCum's digital ice fishing sonar systems have forever changed the game of hunting fish on frozen water. A true breakthrough in "big picture" ice sonar, these systems present anglers with an incredible interactive ice fishing experience in a panoramic LCD environment.

## Enhanced

## LEGENDARY PERFORMANCE IMPROVED

Solid MarCum® Flasher Sonar technology features updated design with larger display, increased viewing angles and no snow buildup.



	LX-5i FLASHER	LX-3tci FLASHER	VX-1i FLASHER
MODEL NO.	LX-5I	LX-3TCI	VX-1I
POWER	2,500-watts	2,000-watts	I,000-watts
DISPLAY	3-Color LED True-Color®	3-Color LED True-Color®	3-Color Blended LED
ZOOM	Patented Moveable Zoom	Patented Moveable Zoom	5 ft. Bottom Lock
TARGET SEPARATION	3/4-inch	I.5-inch I-inch in Zoom Mode	2-inch
CONEANGLE	Dual Beam 8/20 Degree Transducer	20 Degree Transducer	20 Degree Transducer
EXTRA FEATURES	Patented 12-Level Interference Rejection Super Fine Line Deluxe Padded Softcase	Patented 12-Level Interference Rejection Deluxe Padded Softcase	Patented 6-Level Interference Rejection Deluxe Padded Softcase
ACCESSORIES INCLUDED	I 2-volt 9-amp Rechargeable Battery 3-Stage Automatic Battery Charger	12-volt 9-amp Rechargeable Battery 3-Stage Automatic Battery Charger	I2-volt 7-amp Rechargeable Battery 3-Stage Automatic Battery Charger



## Vivid Color

THE BEST UW OPTICS AVAILABLE VIEWED ON SPACIOUS SCREENS

Maximize the ability to find fish, monitor their movements and convert bites into catches.

## VS485C

## MODEL NO. VS485C

7" Widescreen Flat Panel **MONITOR** 

Hi-Res Switchable Color & B/W LCD

Video Out

800 x 480 Pixels RESOLUTION

**CAMERA** 

Sony Super HAD II CCD 1/3" Image Sensor .01 Lux Čamera Darkwater LED Lighting

CABLE

50 ft. Camera Cable

**ON SCREEN DISPLAY**  **Brightness** Contrast Sharpness Color Kill

**ACCESSORIES INCLUDED** 

Soft Pack Shuttle Sun Shield 12-volt 7-amp Rechargeable Battery 3-Stage Battery Charger Down-

**ICONOLOGY** 







## VS825SD

## VS825SD

8" Flat Panel Switchable Color & B/W LCD Video Out

## 800 x 600 Pixels

Sony Super HAD II CCD 1/3" Image Sensor .01 Lux Camera Darkwater LED Lighting

## 75 ft. Camera Cable

Digital Depth Relative Direction Temperature Battery Voltage

Soft Pack Shuttle 12-volt 9-amp Battery 3-Stage Automatic Battery Charger Down-View/Stabilizer Fin

Remote Camera Panner

















MarCu

## MarCum electronics lead in the development and implementation resulting in superior performance and outcome.



Sony Super HAD II CCD, the most powerful low light capable image sensor produces unmatched screen















## lce Trollin'

## PORTABLE. SIMPLE. LOGICAL. FOR SUCCESS, YOU GOTTA MOVE

The Showdown Series offers precise digital performance in a small lightweight package perfect for entry level angler to ice guide.



	SD 5.6	<b>SD TROLLER 2.0</b>	SD TROLLER 2.0 Combo	LXi-Handheld
MODEL NO.	SHWD-5.6	SHWDT-2.0	SHWDT-2.0CMB	LX-I
POWER	8,000-watts	4,000-watts	4,000-watts	LX-i is the size of a
TARGET SEPARATION	I/2-inch	2-inch	2-inch	flashlight, allowing for
MONITOR	Intuitive Vertical Daylight Viewable LCD with Backlight	Intuitive Vertical Daylight Viewable LCD with Backlight	Intuitive Vertical Daylight Viewable LCD with Backlight	easy, one-handed depth reading through the ice. Press the face of the LX-i against wet, clear ice, and digital depth immediately appears on the large LCD display. Comes with padded carrying case. 2500-watts power, 12 degree cone angle & 6-volt Lithium Battery.
ZOOM	Auto Bottom Lock Infinitely Adjustable	Auto Bottom Lock	Auto Bottom Lock	
CONE ANGLE	20 Degree Transducer with 6' Cable	20 Degree Transducer with 6' Cable	20 Degree Transducer with 6' Cable	
EXTRA FEATURES	10-Level Interference Rejection	10-level Interference Rejection	10-level Interference Rejection	
ACCESSORIES INCLUDED	Neoprene Softpack 12-volt 9-amp Rechargeable Battery 3-Stage Automatic Battery Charger	Neck Lanyard Powered by 6 AA Batteries (not included)	Performance Pack Neck Lanyard 12-volt 7-amp Battery & Charger Alternate power by 6 AA Batteries	

(not included)



# Accessorise FOR PEAK PERFORMANCE USE ORIGINAL MARCUM PARTS



## SHOWDOWN TROLLER PERFORMANCE PACK

Performance Pack includes Neoprene Soft Pack, Quick-Connect Sonar Shuttle, Adjustable Transducer Arm and 12-volt wiring harness. Three-stage Auto Battery Charger also included.

Model No. SHWDT-PP

## MARCUM DUAL BEAM TRANSDUCER

Replacement dual beam 8° or 20° ice transducer for MarCum Sonar products. Heavy-duty cable.

For Model No.	Model No.
LX-5, LX-5i,	LXDB
LX-6, LX-6s	
LX-7,LX-9	

SDDBT

SHWD-5.6DB

## MARCUM 20 DEGREE TRANSDUCER

SDT

Replacement 20° ice transducer for MarCum Sonar products. Heavy-duty cable.

For Model No.	Model No.
LX-1, LX-2,	LXD
LX-3, LX-3tci	775-254
All VX Series,	VXD
GSX,VXR	
SHWD-5.6/SHWD	T-2.0 <b>SDT</b>

## REPLACEMENT CHARGERS

MPC

MUC

**NEW** 

General wear and tear or "Hey it was dark, I didn't see it" sometimes chargers need replacing. These three chargers work with all the powered MarCum units available.

Model	Model No.
Universal Charger	MUC
PanCam Charger	MPC
ShowDown Charger	MSC





## **SNOW SHIELD**

Keep Snow, Sleet, Rain, and anything else mother nature can dish out off your screen or flasher

For Model No.	Model No.
LX-5, LX-3tc,	SSI
VX-1P (Round)	
LX-6, LX-6s	SS2
LX-7, LX-9	SS3



## REPLACEMENT TRANSDUCER ARM

Fits all flasher & digital series.

Model No. MDARM



## LX-i 6V REPLACEMENT BATTERY

Six volt replacement battery for the LX-i digital handheld sonar.

For Models	Model No.
LX-i	LXIB



## 12V REPLACEMENT BATTERY

Replacement 12-volt -7 or 9-amp hour batteries for use in MarCum Sonar & Underwater Viewing Systems.

For Models	Model No.
VS825SD VS625SD LX-9,LX-7, LX-5,LX-31	
MCP01, MC SHWD-5.61 SHWD-5.6	CP02
VS385/3850	C 7A - BATT127



## LX SERIES UNIVERSAL OPEN WATER DUAL BEAM TRANSDUCER W/TEMP SENSOR

Dual beam transducer can be mounted to the transom or trolling motor with one universal bracket system.

For Models	Model No.
LX-2, LX-3tc, LX-3tci, LX-5, LX-5i, LX-6, LX-6s, LX-7, LX-9.VX-1i	ULXDBT

(Works with both single beam and Dual beam LX series models)



## VX SERIES TROLLING MOTOR TRANSDUCER KIT

20 degree transducer and everything you will need to convert your ice system over for open water use.



## VX SERIES HIGH SPEED TRANSOM TRANSDUCER KIT

20 degree transducer and everything you will need to convert your ice system over for open water use.

For Models	Model No.
VX-1,VX-1P GSX,VXR	VXP

For Models	Model No.
VX-1,VX-1P GSX,VXR	VXHS

