



PERFORMANCE AUTO



**1979.
MAXIMA
ENTERS
4-WHEEL
MOTORSPORTS
MARKET.**

MAXIMA FOUNDER DICK LECHIEN



**THE 80'S.
MAXIMA
AGGRESSIVELY
DEVELOPMENTS
OFF-ROAD
PROGRAMS.**

SNORTIN' NORTON RICK JOHNSON



**THE 90'S.
MAXIMA
DEVELOPS
FORMAL
ASPHALT
PROGRAMS.**

20 CAR BRIAN SMITH



**THE 2000'S.
MAXIMA
WINS BAJA
AND
STRUCTURES
4-WHEEL LINE-UP.**

MCMILLIN RACING ANDY MCMILLIN

5 DECADES OF RACING HERITAGE


MAXIMA RACING OILS was created for world-class racers, men and women who challenge the limits of possibility. Their demands on equipment drive us to look beyond conventional ideas and to exceed industry standards. It's in our DNA to identify problems, formulate solutions and execute at the highest levels of competition. A simple goal to make things better than ever thought possible.

Maxima believed it could change lubrication and along our 5 decade journey – many others believed in us too. Superior technology transcends sport to enhance the experience of consumers and racers alike. Our market leading products are used in over 50 countries around the globe and include engine oils, suspension fluids, coolants, care products and accessories. These products represent our commitment to excellence and a passion for redefining what is possible.


Maxima is a race-inspired, product driven company. We formulate, develop, manufacture and distribute high performance oils, lubes and ancillary products. The essence of our brand is communicated through hundreds of championships with world class racers, tuners and teams who rely on Maxima for unsurpassed performance in high-stress conditions without fail.

Founded in 1979 and headquartered in Southern California, Maxima is recognized as one of the most coveted brands in the racing industry. Decades of active involvement in professional racing has led to powerful technology and a full array of market leading products. The company continues its heritage by playing an active role in the sport and racing communities. We strive to deliver superior quality for the recreational athlete or World Champion.

Gain back your freedom and **ENJOY THE RIDE!**



**MAXIMA
PERFORMANCE
AUTO LINE
AVAILABLE
WORLDWIDE.**



1979. MAXIMA ENTERS 4-WHEEL MOTORSPORTS MARKET.



THE 80'S. MAXIMA AGGRESSIVELY DEVELOPS OFF-ROAD PROGRAMS.



THE 90'S. MAXIMA DEVELOPS FORMAL ASPHALT PROGRAMS.



THE 2000'S. MAXIMA WINS BAJA AND STRUCTURES 4-WHEEL LINE-UP.



MAXIMA PERFORMANCE AUTO LINE AVAILABLE WORLDWIDE.

2 RACE HERITAGE 5 DECADES FOR RACING HERITAGE 3



39 NHRA PRO STOCK WINS. 2X CHAMP.



78 NHRA PRO STOCK WINS. 4X CHAMP.



KB RACING PARTNERS IN DEVELOPING PSO.



CHAMPIONSHIP WINNING POWER WITHOUT SACRIFICE.



PSO 100% SYNTHETIC FULL RACE GRADE OIL

6 PSO 100% SYNTHETIC FULL RACE GRADE 7



PERFORMANCE ENGINE OILS



PERFORMANCE 2-STROKE OILS



PERFORMANCE GREASES & LUBES

12 PERFORMANCE SERIES PETROLEUM RACE GRADE 13



BREAK-IN OILS



GREASES & LUBES

14 BREAK-IN OILS GREASES & LUBES 15



MAXIMA KART SPC 2-STROKE HERITAGE



MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE



MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE

20 POWER STEERING FLUID KARTING/2-STROKE OILS 21



MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE



MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE

22 AEROSOLS COMPREHENSIVE PRODUCT LINE 23

RS1500
A PROVEN WORKHORSE. BAJA TOUGH.

RS
TESTED AND PROVEN IN ENDURANCE ROAD RACING.

RS
EXCEEDS THE RIGORS OF SHORT COURSE RACING.

MORE POWER. MORE TORQUE. MORE WINS.

RS1500
100% SYNTHETIC FULL RACE GRADE OIL

Oil Grade	SAE	API	ACEA	ISO-LG
RS1500	5W-30	SN	A/B	1000
RS1500	10W-40	SN	A/B	1000
RS1500	15W-50	SN	A/B	1000
RS1500	20W-50	SN	A/B	1000
RS1500	25W-50	SN	A/B	1000
RS1500	30W-50	SN	A/B	1000

8 **RS SERIES** 9
100% SYNTHETIC FULL RACE GRADE

SEMI-SYN
SEMI-SYNTHETIC FULL RACE GRADE OIL

HD DIESEL
HIGH PERFORMANCE HD DIESEL OIL

SEMI-SYN
100% SYNTHETIC FULL RACE GRADE OIL

Oil Grade	SAE	API	ACEA	ISO-LG
SEMI-SYN	5W-30	SN	A/B	1000
SEMI-SYN	10W-40	SN	A/B	1000
SEMI-SYN	15W-50	SN	A/B	1000
SEMI-SYN	20W-50	SN	A/B	1000
SEMI-SYN	25W-50	SN	A/B	1000
SEMI-SYN	30W-50	SN	A/B	1000

10 **SEMI-SYN & HD DIESEL** 11
SEMI-SYNTHETIC & HDDEO

GEAR OILS & AUTO TRANS FLUIDS

GEAR SAVER FORMULAS

GEAR OILS
100% SYNTHETIC FULL RACE GRADE OIL

AUTO TRANS FLUIDS
100% SYNTHETIC FULL RACE GRADE OIL

16 **GEAR OILS & AUTO TRANS FLUIDS** 17
GEAR SAVER FORMULAS

SUSPENSION FLUIDS

ADVANCED PERFORMANCE FORMULAS

SUSPENSION FLUIDS
100% SYNTHETIC FULL RACE GRADE OIL

18 **SUSPENSION FLUIDS** 19
ADVANCED PERFORMANCE FORMULAS

AIR FILTER OILS & CLEANER

PROVEN PROTECTION

AIR FILTER OILS
100% SYNTHETIC FULL RACE GRADE OIL

AIR FILTER CLEANER
100% SYNTHETIC FULL RACE GRADE OIL

24 **AIR FILTER OILS & CLEANER** 25
PROVEN PROTECTION

COOLANTS, FUEL ADDITIVES

BRAKE FLUID & BIOWASH

COOLANTS
100% SYNTHETIC FULL RACE GRADE OIL

FUEL ADDITIVES
100% SYNTHETIC FULL RACE GRADE OIL

BRAKE FLUID
100% SYNTHETIC FULL RACE GRADE OIL

BIOWASH
100% SYNTHETIC FULL RACE GRADE OIL

26 **COOLANTS, FUEL ADDITIVES** 27
BRAKE FLUID & BIOWASH



**39 NHRA
PRO STOCK
WINS.
2X CHAMP.**

KB RACING/SUMMIT RACING JASON LINE



**78 NHRA
PRO STOCK
WINS.
4X CHAMP.**

KB RACING/SUMMIT RACING GREG ANDERSON



**KB RACING
PARTNERS IN
DEVELOPING
PSO.**

MAXIMA PSO FASTEST OIL ON THE PLANET



**CHAMPIONSHIP
WINNING
POWER
WITHOUT
SACRIFICE.**

KB RACING/SUMMIT RACING MULTIPLE NHRA TRACK RECORDS



SUMMIT RACING'S GREG ANDERSON
HOLDS A WALLY IN VICTORY!



PSO HIGH PERFORMANCE
ULTRA-LOW VISCOSITY RACING OIL

PSO 32oz Quarts

OWT PART # 39-03901

PSO 128oz Gallons

OWT PART # 39-039128

PSO 5-Gal Pails

OWT PART # 39-03505

PSO 55-Gal Drums

OWT PART # 39-03055

Maxima PSO is compatible with petroleum and synthetic engine oils. PSO is a fully formulated synthetic race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

NOT RECOMMENDED FOR STREET USE. MAXIMA PSO race-grade formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

PSO
100% SYNTHETIC FULL RACE GRADE OIL
OWT

Maxima PSO is a 100% ester-based synthetic engine oil. Engineered with exotic, ultra-low viscosity synthetic base oils for maximum horsepower gains without sacrificing the integrity of critical engine components. Advanced formula contains surface active chemistry, drastically reducing friction and offering unsurpassed anti-wear/extreme pressure protection from extreme loads generated by high-performance engines. Ester synthetics resist mechanical break-down and viscosity loss of the oil and special additives offer consistently high vacuum. PSO delivers increased horsepower & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- **Ultra-High Zinc Formula**
- **Offers Unsurpassed HP Gains And Consistent Vacuum**
- **Increased Horsepower & Torque**
- **Designed For Use In Pro Stock, Comp Eliminator And Qualifying**





TSCO RACING WEYHRICH BROS.

**RS1550
A PROVEN
WORKHORSE.
BAJA
TOUGH.**



TEAM SAHLEN'S WAYNE AND WILL NONNAMAKER

**RS
TESTED
AND
PROVEN IN
ENDURANCE
ROAD RACING.**



FORTIN RACING TRIAD RACING ENGINE

GENERAL TIRE GENERAL

**RS
EXCEEDS
THE RIGORS
OF SHORT
COURSE
RACING.**



BUSSA POLLARD RACING 2014 SHORT COURSE CHAMP

**MORE
POWER.
MORE
TORQUE.
MORE
WINS.**

RS HIGH PERFORMANCE
TRIPLE ESTER RACING OIL

RS SERIES	32oz Quarts
0W-10	PART # 39-13901
0W-20	PART # 39-14901
5W-20	PART # 39-04901
5W-30	PART # 39-91901
10W-30	PART # 39-01901
10W-40	PART # 39-16901
15W-50	PART # 39-32901

RS SERIES	128oz Gallons
0W-10	PART # 39-139128
0W-20	PART # 39-149128
5W-20	PART # 39-049128
5W-30	PART # 39-919128
10W-30	PART # 39-019128
10W-40	PART # 39-169128
15W-50	PART # 39-329128

RS SERIES	5-Gal Pails
0W-10	PART # 39-13505
0W-20	PART # 39-14505
5W-20	PART # 39-04505
5W-30	PART # 39-91505
10W-30	PART # 39-01505
10W-40	PART # 39-16505
15W-50	PART # 39-32505

RS SERIES	55-Gal Drums
0W-10	PART # 39-13055
0W-20	PART # 39-14055
5W-20	PART # 39-04055
5W-30	PART # 39-91055
10W-30	PART # 39-01055
10W-40	PART # 39-16055
15W-50	PART # 39-32055

Maxima RS is compatible with petroleum and synthetic engine oils. RS is a fully formulated synthetic race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

NOT RECOMMENDED FOR STREET USE. Maxima RS race-grade formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

The RS Series is available in 7 specific viscosities to better match your engine to conditions and needs.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



RS SERIES ENGINE OILS

100% SYNTHETIC FULL RACE GRADE OIL

0W-10 • 0W-20 • 5W-20 • 5W-30 • 10W-30 • 10W-40 • 15W-50

Maxima RS engine oil is a full synthetic, triple ester based race-grade oil. Industry leading additive system offers the ultimate in engine performance and protection. Technologically advanced formula contains special anti-wear/extreme pressure additives to protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Regenerative, high viscosity index, synthetic polymer system resists mechanical breakdown and viscosity loss of the oil. RS delivers increased horsepower & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Excellent For Use In All Crate Engine Applications
- Ultimate Protection Of Critical Engine Components
- Ultra-High Zinc Formula
- Shear-Stable Polymer System Maintains Constant Viscosity






BRIAN MULLINS MULLINS ENGINES



"TWITCO" BLENBRO PRO POWER ENGINES



CRAIG VOHBERGEN JAY DICKENS ENGINES



SEMI-SYN ENGINE OILS

ESTER BLEND RACING OIL

SEMI-SYN 32oz Quarts

10W-40	PART # 39-34901B
20W-50	PART # 39-35901B

SEMI-SYN 128oz Gallons

10W-40	PART # 39-349128B
20W-50	PART # 39-359128B

SEMI-SYN 5-Gal Pails

10W-40	PART # 39-34505B
20W-50	PART # 39-35505B

SEMI-SYN 55-Gal Drums

10W-40	PART # 39-34055B
20W-50	PART # 39-35055B

NOT RECOMMENDED FOR STREET USE. Maxima Semi-Syn is compatible with petroleum and synthetic engine oils. Semi-Syn is a fully formulated race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

SEMI-SYN ENGINE OILS

HIGH PERFORMANCE ESTER BLEND RACING OIL

10W-40 • 20W-50

Maxima Semi-Syn engine oil is a complex blend of synthetic esters and highly refined petroleum base stocks offering protection beyond conventional oils. Technologically advanced additives containing special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down and viscosity loss of the oil. Semi-Syn delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Ester Based Semi-Synthetic
- Shear-Stable Polymer System Maintains Constant Viscosity
- Ultra-High Zinc Formula
- Ultimate Protection Of Critical Engine Components





DIESEL ENGINE OILS

HIGH PERFORMANCE MOTOR OIL

HD DIESEL 128oz Gallons

15W-40 PART # 39-029128

HD DIESEL 5-Gal Pails

15W-40 PART # 39-02505

HD DIESEL 55-Gal Drums

15W-40 PART # 39-02055

Maxima HD Diesel is ideal for use in popular transport trucks including Chevrolet Duramax, Dodge Cummins and Ford Power Stroke.

Available in: 128oz Gallons, 5-Gal Pails & 55-Gal Drums




Meets or exceeds the requirements

of API CI-4 Plus/SL

RECOMMENDED FOR USE IN ENGINES REQUIRING ANY OF THE FOLLOWING:

- ACEA A3/B4-04 (2007)
- ACEA A3/B3-04 (2007)
- ACEA E7-08 (2008)
- API CI-4 Plus
- API CI-4
- API CH-4
- API SL
- CAT ECF-2 I ECF-1-a
- CUMMINS CES 20078
- CUMMINS CES 20077
- CUMMINS CES 20076
- Detroit Diesel DDC 93K214
- Global DHD-1
- Mack EO-N-PP-03
- MAN 3275
- MB-Approval 228.3
- Renault RVI RLD-2
- Volvo VDS-3




HD DIESEL ENGINE OIL HIGH PERFORMANCE PETROLEUM DIESEL OIL 15W-40

Maxima HD Diesel is a fully formulated heavy-duty diesel engine oil. Advanced chemistry blended with high-quality petroleum base stocks offer excellent protection from the stresses of heat, soot and acids – preventing wear from deposits and corrosion. Elevated levels of detergent/dispersant help to eliminate the formation of larger combustion particles – minimizing soot-related viscosity increase – allowing for improved drain intervals.

Maxima HD Diesel maintains excellent film strength during high-temperature operation to ensure dependable protection, performance and fuel efficiency. Highly refined petroleum base stocks provide outstanding lubricity and resist oil loss due to oil volatilization.

Formulated to meet or exceed API CI-4 Plus specifications for heavy-duty diesel applications. HD Diesel is safe for use in modern and older diesel engines. HD Diesel is an excellent choice for light, medium and heavy-duty truck engines for optimum durability.

- API CI-4 Plus
- Meets Or Exceeds OEM specs
- Ultimate Protection Of Critical Engine Components
- Ideal For Use In Duramax, Cummins And Power Stroke Engines






HOT ROD MUSCLE CAR



HIGH HP SPRINT CAR



FACTORY KAHN BRAD SWEET



PERFORMANCE ENGINE OILS
PETROLEUM RACING OIL

PERFORMANCE 32oz Quarts

10W-30	PART # 39-33901
10W-40	PART # 39-34901
20W-50	PART # 39-35901

PERFORMANCE 128oz Gallons

10W-30	PART # 39-339128
10W-40	PART # 39-349128
20W-50	PART # 39-359128

PERFORMANCE 5-Gal Pails

10W-30	PART # 39-33505
10W-40	PART # 39-34505
20W-50	PART # 39-35505

PERFORMANCE 55-Gal Drums

10W-30	PART # 39-33055
10W-40	PART # 39-34055
20W-50	PART # 39-35055

NOT RECOMMENDED FOR STREET USE. Maxima Performance is compatible with petroleum and synthetic engine oils. Performance is a fully formulated race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

PERFORMANCE ENGINE OILS
HIGH PERFORMANCE PETROLEUM RACING OIL
10W-30 • 10W-40 • 20W-50

Maxima Performance engine oil is an exclusive blend of highly refined petroleum base stocks and technologically advanced additives. Special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down and viscosity loss of the oil. Performance delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Ultra-Pure Petroleum Base
- Ultra-High Zinc Formula
- Ultimate Protection Of Critical Engine Components
- Shear-Stable Polymer System Maintains Constant Viscosity






CHRIS CLINE RACING CHRIS CLINE



2X ZINC ULTIMATE PROTECTION



BEAL RACING BRANDON WEICH



PERFORMANCE PETROLEUM STRAIGHT-WEIGHT

PERFORMANCE ENGINE OILS
STRAIGHT-WEIGHT RACING OIL

PERFORMANCE 128oz Gallons

50WT	PART # 39-36128
60WT	PART # 39-37128
70WT	PART # 39-38128

PERFORMANCE 5-Gal Pails

50WT	PART # 39-36505
60WT	PART # 39-37505
70WT	PART # 39-38505

PERFORMANCE 55-Gal Drums

50WT	PART # 39-36055
60WT	PART # 39-37055
70WT	PART # 39-38055

NOT RECOMMENDED FOR STREET USE. Maxima Performance is compatible with petroleum and synthetic engine oils. Performance is a fully formulated race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.


Available in: 128oz Gallons, 5-Gal Pails & 55-Gal Drums

PERFORMANCE STRAIGHT-WEIGHT ENGINE OILS
HIGH PERFORMANCE PETROLEUM DRAG RACING OIL
50WT • 60WT • 70WT

Maxima Performance Straight-Weight engine oil is specifically formulated to meet the demands of Pro Mod, Alcohol and Top Fuel racing engines. It's an exclusive blend of highly refined petroleum base stocks and surface active anti-wear/extreme pressure additives to protect critical engine components from the extreme loads generated by high-performance engines. Optimized formula lubricates engines in high fuel dilution conditions by helping to eliminate fuel separation. Performance delivers increased protection, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Ultra-Pure Petroleum Base
- Ultra-High Zinc Formula
- Ultimate Protection Of Critical Engine Components
- Shear-Stable Polymer System Maintains Constant Viscosity





PERFORMANCE BREAK-IN
2X ZINC FORMULA

BREAK-IN	32oz Quarts
10W-30	PART # 39-10901
15W-50	PART # 39-11901
BREAK-IN	128oz Gallons
10W-30	PART # 39-109128
15W-50	PART # 39-119128
BREAK-IN	5-Gal Pails
5W-16	PART # 39-09505
10W-30	PART # 39-10505
15W-50	PART # 39-11505
BREAK-IN	55-Gal Drums
5W-16	PART # 39-09055
10W-30	PART # 39-10055
15W-50	PART # 39-11055

Performance Break-In Oil is perfectly balanced and requires no other additives. Dyno tests show more efficiency in the break-in phase when using Performance Break-In Oil.

NOT RECOMMENDED FOR STREET USE. Performance Break-In Oil formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

PERFORMANCE BREAK-IN ENGINE OILS
2X ZINC FORMULA REDUCES CRITICAL ENGINE WEAR
5W-16 • 10W-30 • 15W-50

Maxima Performance Break-In Oil is specifically designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. High Zinc/Phosphorous formula is blended with highly refined, pure petroleum base stocks to provide optimum ring seal.

Dual-Temp Zone 2X Zinc structure protects for an extended temperature range, outperforming conventional break-in oils. By combining two different zinc compounds, Performance Break-In Oil activates at lower temperatures and offers more protection at elevated temperatures.

- For Use In The Break-In Of High Performance Race Engines, Including Off-Road, Circle Track, Late Model, Drag, Grand Am, Etc.
- Proven To Deliver Long-Term Benefits Of Improved Ring Seal, Increased Vacuum And Reduced Oil Temperatures.
- Compatible With Petroleum, Semi-Synthetic And Fully Synthetic Engine Oils.
- Ideal For Use In Race Engines, OEM Rebuilds And Crate Motors.





GEAR ASSEMBLY


ASSEMBLY LUBE

ASSEMBLY LUBE 4oz Bottle

LUBE PART # 69-01904

ASSEMBLY LUBE ADVANCED PROTECTION

Maxima Assembly Lube is specially formulated to protect highly loaded, critical engine components during engine assembly and break-in. Special polymers promote good lube adhesion to metal parts without stringiness. Thick, consistent lube minimizes oil migration during assembly. High levels of anti-wear (zinc) and extreme pressure agents provide excellent protection for all metal surfaces during initial engine break-in. Next generation additives preserve metals from corrosion during storage. Assembly Lube completely dissolves in petroleum and synthetic engine oils.



HUBS, LINKAGE & MORE

WATERPROOF GREASE

WATERPROOF GREASE 16oz

GREASE PART # 80916

WATERPROOF GREASE HI-TEMP, TACKY FORMULA

Multi-purpose lithium complex grease has excellent resistance to water washout and clings to metal surfaces under the most severe conditions. Use for assembly, bearing packing, axles and trailer components. Saltwater resistant. Provides excellent protection against high loads, extreme temperatures, moisture, rust & corrosion. Very high temperature grease suitable for disc brake application.



SUSPENSION ASSEMBLY

SG-920 SEAL GREASE

SG-920 1oz Jar

GREASE PART # 95-05901

NEW PRODUCT AVAILABLE 2016

SG-920 SEAL GREASE ADVANCED PROTECTION

Maxima SG-920 Seal Grease is specially formulated to reduce friction, producing a smooth butter-like action to moving surfaces. Excellent for use on shock seals, during break-in and as a light assembly lube. Seal Grease is designed to stay in place and to eliminate stiction. Fully formulated, Seal Grease offers excellent anti-wear and extreme pressure protection for all metal surfaces. Next generation additives preserve metals from corrosion during storage.



MCMILLIN RACING DAN MCMILLIN

ASSEMBLY GREASE

ASSEMBLY GREASE Tube

GREASE PART # 69-02916

NEW PRODUCT AVAILABLE 2016

ASSEMBLY GREASE ADVANCED PROTECTION

Maxima Assembly Grease is specially formulated to protect highly loaded, critical engine components during engine assembly and break-in. Assembly Grease is designed to stay in place, eliminating migration off of parts during assembly and storage. High levels of anti-wear (zinc) and extreme pressure agents provide excellent protection for all metal surfaces during initial engine break-in. Next generation additives preserve metals from corrosion during storage. Assembly Grease completely dissolves in petroleum and synthetic engine oils.



PRO GEAR OILS

FULL SYNTHETIC ESTER GEAR OIL

PRO GEAR 32oz Quarts

75W-90	PART # 49-44901
75W-140	PART # 49-45901
75W-190	NOT AVAILABLE

PRO GEAR 128oz Gallons

75W-90	PART # 49-449128
75W-140	PART # 49-459128
75W-190	PART # 49-469128

PRO GEAR 5-Gal Pails

75W-90	PART # 49-44505
75W-140	PART # 49-45505
75W-190	PART # 49-46505

PRO GEAR 55-Gal Drums

75W-90	PART # 49-44055
75W-140	PART # 49-45055
75W-190	PART # 49-46055

Maxima Pro Gear is compatible with petroleum and synthetic gear oils. Pro Gear is a fully formulated synthetic race oil and does not require the addition of additives. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



PERFORMANCE GEAR OILS

PETROLEUM BASED GEAR OIL

GEAR OIL 128oz Gallons

85W-140	PART # 49-429128
250WT	PART # 49-439128

GEAR OIL 5-Gal Pails

85W-140	PART # 49-42505
250WT	PART # 49-43505

GEAR OIL 55-Gal Drums

85W-140	PART # 49-42055
250WT	PART # 49-43055

Maxima Performance Gear Oil is compatible with petroleum and synthetic gear oils. Performance Gear Oil is a fully formulated petroleum race oil and does not require the addition of additives. No special procedures are required when changing to Maxima Racing Oils.

Available in: 128oz Gallons,

PRO GEAR

FULL SYNTHETIC HIGH PERFORMANCE ESTER GEAR OIL 75W-90 • 75W-140 • 75W-190

Maxima Pro Gear full synthetic, ester based gear oil offers unsurpassed performance and protection. Regenerative, synthetic polymers resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range.

Technologically advanced formula increases horsepower and delivers superior anti-wear and extreme pressure protection from peak loads and elevated temperatures. Pro Gear's surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions.

Maxima Pro Gear oil is recommended for use in front and rear differentials, manual transmissions and lower gear units of marine engines or anywhere an API GL-5 gear oil is specified. Pro Gear oil is formulated with friction modifiers and is safe for use in hypoid gear systems.



PERFORMANCE GEAR OIL

PETROLEUM BASED HIGH PERFORMANCE GEAR OIL 85W-140 • 250WT

Maxima Performance Gear Oil petroleum based gear oil offers unsurpassed performance and protection. Ultra-pure, high quality base oils and thickeners resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range.

Technologically advanced formula delivers superior anti-wear and extreme pressure protection from peak loads and elevated temperatures. Performance Gear Oil's surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions. 250WT gear oil has been proven in the deserts of Baja and in short course racing throughout the USA.

Maxima Performance Gear Oil is recommended for use in front and rear differentials or anywhere an API GL-5 gear oil is specified. Performance Gear Oil is formulated with friction modifiers and is safe for use in hypoid gear systems.





SYN ATF
AUTO TRANS RACING FLUID

SYN ATF 32oz Quarts

20WT	PART # 49-01901
30WT	PART # 49-02901

SYN ATF 128oz Gallons

20WT	PART # 49-019128
30WT	PART # 49-029128

SYN ATF 5-Gal Pails

20WT	PART # 49-01505
30WT	PART # 49-02505

SYN ATF 55-Gal Drums

20WT	PART # 49-01055
30WT	PART # 49-02055

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

SYN ATF
HIGH PERFORMANCE AUTO TRANS RACING FLUID
20WT • 30WT

Maxima SYN ATF is specifically formulated to perform in automatic racing transmissions under high-torque, high-horsepower conditions. SYN ATF is a full synthetic formula with technologically advanced anti-wear and extreme pressure additives, protecting the transmission in high-stress environments. Advanced anti-foam agents minimize air entrapment in the oil and protect critical transmission components at higher speeds seen in racing conditions.

Maxima SYN ATF exhibits excellent wetting properties enabling increased heat transfer and lowering overall operating temperatures. Superior additive package is oxidative and thermally stable – inhibiting the formation of lacquer, varnish and harmful deposits – ensuring clean, trouble-free operation.

No slip formula offers positive shift engagement and reduces clutch drag. Special additives help to minimize clutch burn-in time, aiding in the overall reduction of operating temperatures. Ideal frictional properties help to eliminate wear, while providing smooth, positive shifts in high-stress, high-load environments.

Regenerative, synthetic polymers resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over greater operating temperatures.

SYN ATF is available in standard 20WT and heavy-duty 30WT viscosities.





BUILDING CHAMPIONS ON AND OFF THE TRACK.

SYNERGY ELECTRIC JERETT BROOKS



TOP SUSPENSION TUNERS CHOOSE MAXIMA.

MASON MOTORSPORTS FOX SHOX



MAXIMA DELIVERS POWER TO THE GROUND.

JRI SHOCKS DANNY POPP

SHOCK BUILDERS CHOOSE MAXIMA

JRI • EIBACH • AST • FOX SHOX • PENSKE • FACTORY KAHNE • RE SUSPENSION • COMPETITION SUSPENSION
More OEMs, shock builders, chassis engineers and race teams choose Maxima Shock Fluids due to their unique properties and ever-dependable consistency under high-stress applications. SYN RSF & RSF are top choices for road course, stock car, late model, and off-road racing. Professionals demand the best and Maxima delivers time after time.



WORLD CLASS SUSPENSION FLUIDS

TSCO RACING fields a 2 Trophy Truck off-road team racing for the win in some of the most demanding and unforgiving conditions on Earth. TSCO understands the dedication it takes to win one of the most grueling races in the world and relies on Maxima for proven protection to keep their race trucks on course over the 1000 miles of pure evil we've all grown to love and admire...Baja California, Mexico. Few races test equipment harder than the Baja 1000. Thousands of pre-running miles and a year of preparation are never enough to guarantee a top finish at this prestigious race. Insure your equipment against failure by using what the best in the industry use – Maxima Racing Oils. **ENJOY THE RIDE.**



SYNTHETIC RACING SHOCK FLUID (SYN RSF) FULL SYNTHETIC • ZERO FADE FORMULA ULTRA LIGHT 0WT * LIGHT 3WT

Maxima Synthetic Racing Shock Fluid (SYN RSF) is an ester-based, full synthetic race-grade shock fluid formulated to withstand extreme temperatures and loads. SYN RSF is blended to the tight specifications required by racing professionals. Industry leading additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+, low pour point and friction reducing additives eliminate seal drag and minimize the rate of viscosity change and volumetric expansion under high temperatures. Active molecular technology offers excellent wear and foam control and unsurpassed performance characteristics. SYN RSF will work equally well in aluminum and steel bodied suspension components. SYN RSF is compatible with petroleum and synthetic suspension fluids.

SYN RSF "LIGHT" 3WT

Available in: 32oz Quarts, 5-Gal Pails & 55-Gal Drums

SYN RSF "ULTRA LIGHT" 0WT

Available in: 5-Gal Pails & 55-Gal Drums

SYNTHETIC RSF

FULL SYNTHETIC

SYNTHETIC RSF 32oz Quarts

3WT LIGHT PART # 59-57901

SYNTHETIC RSF 5-Gal Pails


0WT ULTRA LIGHT PART # 59-56505

3WT LIGHT PART # 59-57505

SYNTHETIC RSF 55-Gal Drums

0WT ULTRA LIGHT PART # 59-56055

3WT LIGHT PART # 59-57055



RACING SHOCK FLUID (RSF)

FADE FREE FORMULA

LIGHT 3WT • MEDIUM 7WT • HEAVY 10WT

Maxima Racing Shock Fluid (RSF) contain the latest technology additives for today's high performance shock absorbers. Synthetic, regenerative polymer system offers a very high viscosity index (350+ VI) and extremely low pour point, providing consistent performance over a wide temperature range. Formulated with special slippery agents that reduce friction and eliminate stiction. Advanced additive system contains seal conditioners, anti-foam, anti-oxidants and corrosion inhibitors. Improve the feel of your ride and protect your system from runaway temperatures with Maxima RSF.

Available in: 32oz Quarts, 5-Gal Pails & 55-Gal Drums

RACING SHOCK FLUID

FADE FREE FORMULA

RSF 32oz Quarts

3WT LIGHT PART # 59-58932L

7WT MEDIUM PART # 58901M

10WT HEAVY PART # 58901H

RSF 5-Gal Pails

3WT LIGHT PART # 59-58505L

7WT MEDIUM PART # 58505M

10WT HEAVY PART # 58505H

RSF 55-Gal Drums

3WT LIGHT PART # 59-58055L

7WT MEDIUM PART # 58055M

10WT HEAVY PART # 58055H



HUGHES RACING JASON HUGHES



HOWE STEERING COMPONENTS



TEAM IMOTO PIERRE KLEINUBING



TSCO RACING



SYN PSF
POWER STEERING FLUID

SYN PSF	32oz Quarts
SYN PSF	PART # 89-01901
SYN PSF	5-Gal Pails
SYN PSF	PART # 89-01505
SYN PSF	55-Gal Drums
SYN PSF	PART # 89-01055

Compatible with petroleum and synthetic power steering fluids. Used in Off-Road, Trophy Truck, NASCAR, Grand-Am, Sprint Car, Modified and Performance Street applications. Extend the life of your power steering system.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

SYN PSF
SYNTHETIC POWER STEERING FLUID

Maxima SYN PSF is a high-performance oil engineered to perform under the severe stresses found in modern day racing power steering systems. Racing power steering systems operate under increased loads and elevated temperatures when compared to on-highway systems. Maxima SYN PSF uses technologically advanced additives to prevent wear, thermal breakdown and oxidation – offering unsurpassed protection to pumps, cylinders, valves and gears. Special conditioners keep seals and O-rings pliable under extreme conditions.

Maxima SYN PSF offers smooth, quiet, trouble-free operation. Full synthetic formula delivers consistent steering response and exhibits excellent flow at low temperatures. Lightweight formula reduces initial drag on pump avoiding power losses. High viscosity index fluid offers greater high-temp viscosity than many petroleum based fluids. Advanced ester based synthetics eliminate fading and boil over and exhibit exceptional antifoam characteristics in high-performance, high-temperature environments.

- High-Temperature / Thermally Stable Formula
- Delivers Consistent Steering Response
- Improved Wear Protection
- Lightweight, High VI Fluid Equals Increased HP & Zero Fade
- Unsurpassed Anti-Foam Characteristics
- Compatible With Petroleum And Synthetic Fluids



MAXIMA KART SPEC 2-STROKE HERITAGE

Maxima revolutionized the industry by introducing Castor 927 in the 70's. 927 is still the #1 selling performance 2-stroke oil in most markets around the world. Proven performance, unbeatable protection and the greatest smelling 2-stroke oil on the planet!

MAXIMA ADVANCED FORMULAS Maxima uses the cleanest, strongest components to blend an industry leading line-up of 2-stroke oils. Surface active esters, pure base oils and clean burn technology work in harmony to increase horsepower, reduce wear and to offer smooth, clean, trouble-free operation in high stress operating conditions.



"We don't build oils with a budget in mind, we build them with the racer in mind."

- DICK LECHIEN FOUNDER MAXIMA RACING OILS

FORMULA K2 100% ESTER SYNTHETIC

100% synthetic, polyol ester based high-performance 2-cycle lubricant. High film strength provides superior protection for pistons, cylinder walls, cranks and bearings. Advanced additive system eliminates ring sticking, reduces carbon build-up, prevents rust & oxidation and minimizes power valve maintenance. Suitable for all forms of competition. Safe to use with leaded or unleaded gasoline. Premix only.

Available In: 16oz, Liter, 64oz, 5-Gal Pails & 55-Gal Drums



CASTOR 927 PRO SERIES 2T

The ultimate racing 2-cycle lubricant. Biodegradable formula is fortified with clean-burning additives to reduce power valve maintenance, prevents rust & oxidation, eliminates ring sticking and reduces carbon build-up. Generate more horsepower with improved ring seal and significantly lower friction. Premix only.

Available In: 16oz, Liter, 64oz, 5-Gal Pails & 55-Gal Drums



MTL TRANS LUBE CLUTCH SAVER FORMULA XL - 75WT

Designed for use in high-performance 2-cycle kart transmissions. Helps prevent clutch slippage and keeps wear to an absolute minimum. MTL's special formulation provides exceptional lubrication and wear protection to all critical clutch and transmission components. Safe for use on both aluminum and steel clutch plates.

Available in: Liter, 5-Gal Pails & 55-Gal Drums



QUICK 2 MIX YOUR LIFE JUST GOT A LITTLE EASIER.

This tough polypropylene graduated cylinder takes the work out of premixing. Convenient design allows for ease of measuring at various ratios. Provides gallon, liter, ounce and cc markings for accurate measurements.

Quick 2 Mix comes complete with lid to aid in keeping your next mix dust and contaminant free.

Available in: 20oz

FORMULA K2

100% ESTER SYNTHETIC

FORMULA K2 16oz Bottle

K2 PART # 22916

FORMULA K2 Liter Bottle

K2 PART # 22901

FORMULA K2 64oz Bottle

K2 PART # 22964

FORMULA K2 5-Gal Pails

K2 PART # 22505

FORMULA K2 55-Gal Drums

K2 PART # 22055

CASTOR 927

PRO SERIES 2T

CASTOR 927 16oz Bottle

927 PART # 23916

CASTOR 927 Liter Bottle

927 PART # 23901

CASTOR 927 64oz Bottle

927 PART # 23964

CASTOR 927 5-Gal Pails

927 PART # 23505

CASTOR 927 55-Gal Drums

927 PART # 23055

MTL TRANS LUBE

CLUTCH SAVER FORMULA

MTL - XL Liter Bottle

XL-75WT PART # 42901

MTL - XL 5-Gal Pails

XL-75WT PART # 42505

MTL - XL 55-Gal Drums

XL-75WT PART # 42055

QUICK 2 MIX

GRADUATED CYLINDER

20oz Bottle

Q2MIX PART # 10920



MICROFIBER TOWELS

MICROFIBER TOWELS 3-PACK

3-PACK PART # 10-10013

Size: 13.7" X 13.7" - 35cm X 35cm



SC1 HIGH GLOSS CLEAR COAT

SC1 High Gloss is specifically formulated to protect and beautify multiple surfaces including plastic, vinyl and carbon fiber. Safe for use on plastic, gloss or matte finishes. Excellent for use on plastic fenders, wheel wells and components. SC1 is an outstanding mud and rubber deflector, making the clean-up process easier. Can be applied to surface and left untouched or allowed to setup and buffed to a dry sheen leaving a long-lasting luster without attracting dirt and road debris. Do not use near items ready to be painted. Water resistant.

SC1 CLEAR COAT

SC1 12oz

SC1 PART # 78920

Available in: 12oz Aerosol



SPEED WAX PROFESSIONAL FORMULA

Speed Wax is a specialized detailer. An all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, carbon fiber, windscreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application and removal – Speed Wax is designed to minimize effort and maximize shine and is the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. A single application is all it takes.

SPEED WAX PROFESSIONAL FORMULA

SPEED WAX 15.5oz

SPEED WAX PART # 70-76920

Available in: 15.5oz Aerosol



SUSPENSION CLEAN SUSPENSION CLEAN

Suspension Clean is specifically formulated for the racing industry professional. Suspension Clean's unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue free surface. Professional formula integrates strong industrial cleaners with a powerful spray. Overspray will not harm o-rings or most seal materials. Displaces moisture.

SUSPENSION CLEAN PROFESSIONAL FORMULA

SUSPENSION CLEAN 13oz

SUSPENSION CLEAN PART # 71920

Available in: 13oz Aerosol



CONTACT CLEANER CITRUS SCENTED

The best contact cleaner on the market. Citrus scented, heavy-duty aerosol cleaner is a blend of special cleaning agents that displace moisture and remove grease, oil and other contaminants. Extra heavy propellant charge provides maximum spray pressure for hard to reach areas. Outstanding for use on ignitions, spark plugs, electrical components or when a fast drying cleaner is needed. Environmentally friendly. Non-caustic, No CFC's.

CONTACT CLEANER CITRUS SCENTED

CONTACT CLEANER 13oz

CONTACT CLEANER PART # 72920

Available in: 13oz Aerosol

MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE

With top selling products in all categories, it's hard to overlook the strength of Maxima's aerosol line. Our aerosol product line offers award winning SC1 Clear Coat, with seemingly endless possibilities. SC1 is an addiction. Once you experience the power and luster that SC1 offers, you'll never go without. Our newest offering is destined to become a Top 10 Maxima product, try our new Speed Wax on all your precious equipment. Top tier products for professional tuners, racers and weekend warriors!



CHAIN WAX #1 SELLING CHAIN LUBE

Often imitated - Never duplicated. America's #1 chain lubricant. High-performance chain lubricant for X, Z and O-ring chains. Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film, creating an excellent lube that protects the chain from the elements. Outstanding rust & corrosion protectant. Will not fling-off or attract dirt. For street & off-road use.

CHAIN WAX #1 SELLING CHAIN LUBE

CHAIN WAX 5.5oz
CHAIN WAX PART # 74908

CHAIN WAX 13.5oz
CHAIN WAX PART # 74920

Available in: 5.5oz & 13.5oz Aerosol



SYNTHETIC CHAIN GUARD CRYSTAL CLEAR FORMULA

100% synthetic chain lube. Special crystal clear formula resists fling-off. Advanced technology allows lube to penetrate critical inner pins and rollers, lubricating and protecting them from friction, shock load and high temperatures. Protective boundary guards chain against rust & corrosion while super clean formula minimizes the attraction of dirt. For street & off-road use. Safe for use on X, Z and O-ring chains.

SYNTHETIC CHAIN GUARD CRYSTAL CLEAR FORMULA

SYN CHAIN GUARD 6oz
SYN CHAIN GUARD PART # 77908

SYN CHAIN GUARD 14oz
SYN CHAIN GUARD PART # 77920

Available in: 6oz & 14oz Aerosol



CLEAN UP CHAIN CLEANER

CleanUp is a heavy-duty, emulsion type cleaner designed to thoroughly clean dirt and grime without harming rubber or metal surfaces. Outstanding performance on aluminum – includes corrosion inhibitors to protect metal surfaces. Maxima CleanUp quickly dissolves and removes hard to clean buildup. For best results, use CleanUp with your routine maintenance.

Power Washer In A Can!

CLEAN UP CHAIN CLEANER

CLEAN UP 15.5oz
CLEAN UP PART # 75920

Available in: 15.5oz Aerosol



MPPL MULTI-PURPOSE PENETRANT LUBE

Multi-Purpose Penetrant Lube is a superior, all-purpose spray-on penetrating lubricant. Provides a light lubrication and excellent barrier against rust & corrosion. Great for displacing moisture or loosening rusted nuts and bolts. MPPL forms a protective film on metal and will not harm plastic or painted surfaces. Excellent fogging oil and starting fluid for engines.

MPPL MULTI-PURPOSE PENETRANT LUBE

MPPL 14.5oz
MPPL PART # 73920

Available in: 14.5oz Aerosol



THE ULTIMATE CHAIN CARE KIT FEATURING CHAIN WAX OR SYN CHAIN GUARD

Clean-Up, MPPL and **Chain Wax or Syn Chain Guard** are a winning combination proven to increase horsepower and extend chain and sprocket life. Maxima **CleanUp** is an emulsion-type cleaner excellent for chains, sprockets that easily washes out with water. Maxima **MPPL** (Multi-Purpose Penetrant Lube) is a superior, all-purpose spray-on penetrating lubricant that provides an excellent barrier against rust and corrosion. Great for displacing moisture. Maxima Chain Wax & Syn Chain Guard are America's #1 chain lubricants. Exclusive formulas penetrate and protect your chain from the elements while extending your chain's life. For street & off-road use.

3 PACK WITH CHAIN WAX CONTAINS:

CleanUp 15.5oz, MPPL 14.5oz and Chain Wax 13.5oz

3 PACK WITH SYN CHAIN GUARD CONTAINS:

CleanUp 15.5oz, MPPL 14.5oz and Syn Chain Guard 14oz

CHAIN CARE KIT

WITH CHAIN WAX OR SYN CHAIN GUARD

WITH CHAIN WAX 3 PACK

CHAIN CARE KIT PART # 70-749203

WITH SYN CHAIN GUARD 3 PACK

CHAIN CARE KIT PART # 70-779203



FFT FOAM FILTER TREATMENT

Race proven synthetic foam filter treatment provides unequalled protection against the elements. Unlike other foam filter oils, FFT's time proven formula will not plug foam cells or migrate off of filters. FFT's protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. Water-resistant. The ultimate air filter oil.

FFT FOAM FILTER TREATMENT

FFT	16oz
FFT	PART # 60916
FFT	32oz
FFT	PART # 60901

Available in: 16oz & 32oz Bottles



FAB-1 SPRAY-ON AIR FILTER OIL

Advanced spray-on synthetic filter treatment provides unequalled protection against the elements. Unlike other filter oils, Fab-1's time proven formula will not plug foam cells or migrate off of filters. Fab-1's protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. May be used on foam and fabric filters. Water-resistant. The ultimate air filter oil.

FAB-1 SPRAY ON FILTER OIL

FAB-1	13oz
FAB-1	PART # 61920

Available in: 13oz Aerosol

**AIR FILTER CLEANER
READY-TO-USE**

Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Maxima Air Filter Cleaner will remove oil and dirt from air filter elements and easily washes out with water. Rated #1 by Dirt Rider magazine.

**AIR FILTER CLEANER
READY-TO-USE**

AIR FILTER CLEANER 64oz
AIR FILTER CLEANER PART # 70-79964
Available in: 64oz Bottle



DON'T ROB YOUR ENGINE OF VALUABLE HORSEPOWER



P E A K H O R S E P O W E R

INDEPENDENT DYNO TESTS RUN BY ALBA ACTION.



**AIR FILTER CLEANER
RATED #1
BEST ON THE MARKET**

Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Maxima Air Filter Cleaner will remove oil and dirt from air filter elements and easily washes out with water. Rated #1 by Dirt Rider magazine.

**AIR FILTER CLEANER
RATED #1, BEST ON THE MARKET**

AIR FILTER CLEANER 15.5oz
AIR FILTER CLEANER PART # 79920
Available in: 15.5oz Aerosol



**AIR FILTER CARE KIT
FEATURING MAXIMA
AIR FILTER CLEANER & FAB-1**

A clean and perfectly oiled air filter provides maximum airflow and increased horsepower. Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly remove oil and dirt. Fab-1 spray-on synthetic air filter oil (same proven formula as FFT) provides unequalled protection against the elements. Fab-1's protective coating catches dirt and dust without restricting airflow.

2 PACK CONTAINS: Maxima Air Filter Cleaner 15.5oz and Fab-1 Spray-on air filter oil 13oz

**AIR FILTER CARE KIT
AIR FILTER CLEANER & FAB1**

CARE KIT 15.5oz/13oz
AIR FILTER CARE KIT PART # 70-799202
Available in: 2 Pack



COOL-AIDE
RACING COOLANT & ADDITIVE

COOL-AIDE	16oz
CONCENTRATE	PART # 84916
COOL-AIDE	64oz
READY-TO-USE	PART # 84964

Available in: 16oz Concentrate & 64oz Ready-To-Use

COOL-AIDE
RACING COOLANT & ADDITIVE

Maxima Engine Cool-Aide is formulated to reduce engine temperatures and provides significantly better contact on heated surfaces allowing for greater and more efficient heat transfer. Cool-Aide comes in two forms. A 64oz. Ready-to-Use bottle that requires no mixing or blending and in a powerful 16oz. Concentrate. Cool-Aide mixes with water and antifreeze. Cool-Aide is for race use and does not offer freeze protection. Approved for race use on paved surfaces.

- Heat Cycles Better And Lasts Longer Than Competing Brands.



COOLANOL
HI-PERFORMANCE COOLANT

COOLANOL	128oz
READY-TO-USE	PART # 89-829128

Available in: 128oz Gallons

COOLANOL
HI-PERFORMANCE COOLANT

Premixed ready-to-use 50/50 blend of premium antifreeze and deionized water packaged in a convenient size. Custom blended antifreeze contains additives to protect your cooling system against cavitation, foaming, rust, corrosion and provides lubrication to the water pump and seals. Specially designed formula for use in aluminum and magnesium engines.



OFF-ROAD ULTRA COOLANT
HI-PERFORMANCE COOLANT

OFF-ROAD ULTRA	5-Gal Pails
READY-TO-USE	PART # 89-83505

Available in: 5-Gal Pails

OFF-ROAD ULTRA COOLANT
HI-PERFORMANCE COOLANT

Optimized formula helps reduce and maintain lower overall operating temperatures. Off-Road Ultra Coolant has been tested and proven in extreme forms of off-road racing and is used by top Trophy Truck and Class racers. Synergistic blend of additives provide protection against cavitation, foaming, rust, corrosion and provide lubrication to the water pump and seals. Specially designed formula for use in steel, aluminum and magnesium engines.



HI TEST OCTANE BOOSTER

Eliminates knocks and pings and safeguards your engine against their potentially destructive results. One ounce per gallon effectively raises octane approximately 2 to 4 points. Legal for all racing applications. Will not discolor plastic gas tanks. Sold in special child-resistant packaging.

HI TEST OCTANE BOOSTER

HI TEST	16oz
----------------	-------------

HI-TEST	PART # 83916
---------	--------------

Available in: 16oz Bottle



FUEL STABILIZER PROTECTS AGAINST ETHANOL CORROSION

Prevents the deterioration of fuel and stops the formation of gum and varnish in the fuel system and storage cans. Eliminates the need to drain or dispose of fuel over long storage periods. Works with both gasoline and diesel fuels. Doubles as a corrosion inhibitor for fuels containing ethanol.

- Total System Protection.

FUEL STORAGE STABILIZER HI-PERFORMANCE

STABILIZER	8oz
-------------------	------------

STABILIZER	PART # 89908
------------	--------------

STABILIZER	32oz
-------------------	-------------

STABILIZER	PART # 89901
------------	--------------

Available in: 8oz & 32oz Bottles



RACING BRAKE FLUID SYN DOT 4 600+, DOT 4 & 5

SYN Racing DOT 4 offers an extremely high 600°F boiling point for racing. DOT 4 brake fluid meets and exceeds all OEM specifications for glycol based fluids and offers excellent protection against moisture contamination. DOT 5 Silicone based fluid should be used where a silicone based fluid is specified.

RACING BRAKE FLUID

HI-PERFORMANCE

DOT-4 STANDARD	12oz
-----------------------	-------------

DOT-4	PART # 80-86912
-------	-----------------

RACING DOT-4 HI-TEMP	12oz
-----------------------------	-------------

RACING DOT-4	PART # 80-87912
--------------	-----------------

DOT-5 SILICONE	11oz
-----------------------	-------------

DOT-5	PART # 80-81911
-------	-----------------



BIOWASH BIODEGRADABLE FORMULA

Maxima BIO Wash is a unique, biodegradable all-purpose cleaner. Fast-acting cleaning agents lift away dirt while scrubbing grime and oil based deposits. Specially engineered surfactants, lower surface tension allowing better penetration and wetting of soils. Tough on dirt, yet BIO Wash is gentle enough to use on delicate surfaces including paint, plastic, chrome, anodizing, rubber, carbon fiber and almost anything you throw at it. Safely and easily clean your equipment.

Advanced micro chemistry protects aluminum, magnesium and other alloys. Contains no harmful acids, CFC's or solvents. 50 State VOC compliant.

User friendly formula cleanly washes from the surface. Be a responsible downstream user – Eco friendly formula is non-toxic and biodegradable.



BIOWASH BIODEGRADABLE FORMULA

BIOWASH	1 Liter
----------------	----------------

BIOWASH	PART # 80-85932
---------	-----------------

BIOWASH	5-Gal Pails
----------------	--------------------

BIOWASH	PART # 80-85505
---------	-----------------

Available in: 1 Liter Spray Bottle & 5-Gal Pails

