











# 5.7-2,D,H (345) OHV - 2003-07 - 8 Cyl. - 3.92 Bore HEMI

#### Melling Performance Oil Pumps



 Melling Part Number

Description

10342

**Standard volume high pressure oil pump.** Performance upgrade of the M342.

The 10342 can be used in any Chrysler application that uses the Melling stock replacement M342 or M362 oil pumps.

### **Features**

- Hard coat anodized aluminum housing
- Phosphate coated cast iron cover
- Standard pressure spring (installed)
- Includes optional (+10 psi and
- +15 psi) high pressure springs
- Threaded pressure relief nut
- Uses 1" diameter stock bolt-on oil pickup tube
- Includes O-ring for pickup tube assembly







mm

MAAAAA



Melling Part Number

Description

### 10342-BR

**Standard volume high pressure oil pump.** Performance upgrade of the M342.

The 10342-BR can be used in any Chrysler application that uses the Melling stock replacement M342 or M362 oil pumps.

### Features

#### • Exclusive Chrome-moly billet steel rotors.

- Hard coat anodized aluminum housing
- Phosphate coated cast iron cover
- Standard pressure spring (installed)
- Includes optional (+10 psi and
- +15 psi) high pressure springs
- Threaded pressure relief nut
- Inteducu pressure rener nut
- Uses 1" diameter stock bolt-on oil pickup tube
- Includes O-ring for pickup tube assembly



## 5.7-2,D,H (345) OHV - 2003-07 - 8 Cyl. - 3.92 Bore HEMI

#### **Melling Performance Timing Sets**



Melling	Part	Numb	er
---------	------	------	----

Description

40540

Performance Timing Set. Performance upgrade of the 3-704SA

PERFORMANCE

### **Features**

- Silent timing chain
- Induction heat treated 6 keyway adjustable
- billet steel crankshaft sprocket
- Heavy duty timing chain tensioner



# 6.1-W,3 (370) OHV - 2005-10 - 8 Cyl. - 4.06 Bore HEMI

#### Melling Performance Oil Pumps



**Melling Part Number** 

Description

Standard volume high pressure oil pump. Performance upgrade of the M342.

The 10342 can be used in any Chrysler application that uses the Melling stock replacement M342 or M362 oil pumps.

#### **Features**

10342

- Hard coat anodized aluminum housing
- · Phosphate coated cast iron cover
- Standard pressure spring (installed)
- Includes optional (+10 psi and
- +15 psi) high pressure springs
- Threaded pressure relief nut
- Uses 1" diameter stock bolt-on oil pickup tube
- Includes O-ring for pickup tube assembly



www

MMM



# 6.1-W,3 (370) OHV - 2005-10 - 8 Cyl. - 4.06 Bore HEMI (continued)

Melling Performance Oil Pumps



MMM MMM Melling Part Number

Description

10342-BR

Standard volume high pressure oil pump.

Performance upgrade of the M342.

The 10342-BR can be used in any Chrysler application that uses the Melling stock replacement M342 or M362 oil pumps.

### **Features**

- Exclusive Chrome-moly billet steel rotors.
- · Hard coat anodized aluminum housing
- Phosphate coated cast iron cover
- Standard pressure spring (installed)
- Includes optional (+10 psi and
- +15 psi) high pressure springs
- Threaded pressure relief nut
- •Uses 1" diameter stock bolt-on oil pickup tube
- Includes O-ring for pickup tube assembly



MMM

mm

(

# 6.1-W,3 (370) OHV - 2005-10 - 8 Cyl. - 4.06 Bore HEMI (continued)

Melling Performance Timing Sets





Melling Part Number

Description

Decemption

**Performance Timing Set.** Performance upgrade of the 3-704SA

#### **Features**

40540

- · Silent timing chain
- Induction heat treated 6 keyway adjustable
  billet steel evenlebeft enveloped
- billet steel crankshaft sprocket
- Heavy duty timing chain tensioner



#### **POWERING PERFORMANCE ENGINES FOR OVER 70 YEARS**

Melling Engine Parts are manufactured with key advantages. Each part is backed by resources, technologies and people who are the very best in the world at designing, manufacturing and building exceptional products. Melling Performance parts deliver "An Advantage by Design".