

DISPOSABLE FOAM EARPLUGS

NRR 33 dB

6604 Goin' Green Uncorded



6654 Goin' Green Corded

SOFT COMFORTABLE FIT

Moldex® Goin' Green® foam earplugs are made of extra-soft, extra light foam. Their tapered shape fits easily in the ear canal, allowing them to seal gently and snugly without pressure. Plus, the outer surface of the earplug is smooth, so it doesn't irritate the ear canal. They're so comfortable you'll forget you're wearing earplugs.

INDEPENDENTLY TESTED: NRR 33

Goin' Green earplugs offer a high NRR 33, making them suitable for most noisy environments. So, while they look like fun, they provide serious protection.

AVAILABLE IN PLUGSTATION DISPENSER

Moldex offers the convenience, increased compliance and cost savings of our popular earplug dispenser, the PlugStation,® with Goin' Green foam earplugs, Uncorded. With the PlugStation, you can afford to put earplugs in all the places they're needed. PlugStation's convenience, ease of use, and high visibility lead to higher compliance and by giving quick acces to workers It also saves worktime.

- Compliance High visibility to increase awareness for your hearing conservation program.
- Convenience Hang a PlugStation anywhere plugs are needed.
- Cost Savings Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.

FEATURES

- 100% PVC-Free.
- Highest independently tested NRR 33 rating.
- Extra-soft, low-pressure foam for comfort and fit.
- Tapered shape for easy insertion and removal.
- Shaped to fit even very small ear canals.
- Non-irritating smooth surface.
- Look for the bright green color as a symbol of Moldex quality.



6647 Goin' Green PlugStation Uncorded



6646 Goin' Green PlugStation Uncorded





DISPOSABLE FOAM EARPLUGS

PART # / DESCRIPTION	DISPLAY	CASE			
6620 Goin' Green, Uncorded	200 Pairs per Box	10 Boxes per Case			
6622 Goin' Green, Corded	100 Pairs per Box	20 Boxes per Case			
6646 Goin' Green, PlugStation	250 Pairs per Dispenser	6 Dispensers per Case			
6647 Goin' Green, PlugStation	500 Pairs per Dispenser	4 Dispensers per Case			

WARNING TO USER

- Use this laboratory-derived attenuation data for comparison purposes only.
 The amount of protection afforded in field use often is significantly lower depending on how the protectors are fitted and worn.
- 2. Failure to follow all instructions could result in hearing loss or injury.
- 3.Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
- 4. Goin' Green earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.
- Overprotection can be dangerous. The wearer must be able to hear warning signals.
- 6. Wearers with hearing loss should exercise extreme caution.
- 7. It is the employer's responsibility to ensure that the type of hearing protector and its NRR is appropriate for the user in their particular workplace.
- 8. Use caution when working around machinery or other equipment to ensure neck cord does not become caught or entangled.
- 9. Failure to follow these warnings could result in serious injury or death.

Keep earplugs away from infants and small children as they may get caught in the windpipe and create a choking hazard.



DISTRIBUTED BY:



Tested According to ANSI Specs S3.19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000				
Mean Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR 33	NRR (NRR	CSA
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6		AL		
















PIT STOP POSTER

PlugStation® Use Instructions



1. Stand directly in front of PlugStation.



2. Place one hand directly in front of green turn handle.



3. Slowly turn green handle. Plugs will fall down chute into your hand.

Earplug Use Instructions

1. With clean hands, roll and compress earplug.



2. Insert tapered end quickly into ear canal.



3. Correct fit.



4. Incorrect fit.



A WARNING

Use the laboratory derived attenuation data on PlugStation for comparison purposes only. The amount of protection afforded in field use often is significantly lower depending upon how the protectors are fitted and worn. Failure to follow all instructions could result in hearing loss or injury. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury. Earplugs must be used as part of an approved hearing protection program.

Over protection can be dangerous. The wearer must be able to hear warning signals. Wearers with hearing loss should exercise extreme caution. It is the employer's responsibility to ensure that the type of hearing protector and its NRR is appropriate for the user in their particular workplace. Failure to follow these warnings could result in serious injury or death.



Plugstation[®]



For Earplugs Here



1. PLACE HAND BELOW PLUGSTATION

Slowly turn Knob until earplugs fall into your hand.



2. ROLL & COMPRESS

With clean hands, hold earplug between thumb and forefinger as shown. Roll and progressively compress the entire tapered end of the earplug to a small wrinkle-free cylinder.



3. INSERT

To ensure fitting, reach hand over head and gently pull ear upward and outward as shown. Insert compressed, tapered end of earplug well inside ear canal. Hold 30-60 seconds until earplug expands. Release, then push in again for 5 seconds to ensure fit.



4. CORRECT FIT

When properly inserted, the bottom edge of earplug is located at the opening of the ear canal.



5. INCORRECT FIT

A portion of the earplug not in the ear canal will reduce effectiveness.


Foam Earplugs Fitting Instructions for SparkPlugs, Pura-Fit, Goin' Green, Meteors, Meteors, Small, Mellows and Camo Plugs. See Warnings on PlugStation label.




1. ROLL & COMPRESS. With clean hands, hold earplug between thumb and forefinger as shown. Roll and progressively compress the entire tapered end of the earplug to a small wrinkle-free cylinder.



2. INSERT PLUG. To ensure fitting, reach hand over head and gently pull ear upward and outward as shown. Insert compressed, tapered end of earplug well inside ear canal. Hold 30-60 seconds until earplug expands. Release, then push in again for 5 seconds to ensure fit.



3. CORRECT FIT. When properly inserted, the bottom edge of earplug is located at the opening of the ear canal.



4. INCORRECT FIT. A portion of the earplug not in the ear canal will reduce effectiveness.

HERE TODAY. HEAR TOMORROW.



FITTING INSTRUCTIONS FOR DISPOSABLE FOAM EARPLUGS

WARNING

- 1. Use these laboratory derived attenuation data for comparison purposes only. The amount of protection afforded in field use often is significantly lower depending upon how the protectors are fitted and worn.
- 2. Failure to follow all instructions could result in hearing loss or injury.
- 3. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.

 4. Over protection can be dangerous. The wearer must be able to hear warning signals.
- 5. Wearers with hearing loss should exercise extreme caution. 6. It is the employer's responsibility to ensure that the type of hearing protector and its rating is appropriate for the user in their
- particular workplace.
- 7. Use caution when working around machinery or any other equipment to ensure neck cord does not become caught or entangled.
- 8. Failure to follow these warnings could result in serious injury or death.

 9. Moldex earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health








Work-Related Hearing Loss is: Irreversible • Far too common • Painless • Preventable

Earplug Use Instructions


Soft earplugs must be fitted and worn correctly to provide effective protection. Wash or clean hands before use. For specific instructions you must refer to display box of earplug you are using.




1. Roll and compress earplug.



2. Reach over head and pull top of ear upward. Insert tapered end quickly into ear canal. Hold plug in until fully expanded.



3. Correct fit.



4. Incorrect fit.



