

2021 DIGITAL CATALOC

MORDSO







WELCOME	1
PRODUCT INDEX	2-7
NEW PRODUCTS FOR 2021	8-26
OIL PANS & ACCESSORIES	27-118
OIL PUMPS	119-141
OILING SYSTEMS	142-158
FITTINGS	159-161
VACUUM PUMPS & ACCESSORIES	162-169
MOUNTING BRACKETS	170-174
OIL PUMP & VACUUM PUMP DRIVE KITS & PULLEYS	175-184
AIR-OIL SEPARATORS	185-189
TANKS & COVERS	190-211
TRANSMISSION PANS & ACCESSORIES	212-216
CHEMICALS	217-218
FASTENERS	219-231
BRAKE & WHEEL EQUIPMENT	232-235
TRICK SPRINGS	236-237
TOOLS	238-252
MOTOR & TRANSMISSION MOUNTS	253-256
COOLING SYSTEM	257-269
FUEL SYSTEM EQUIPMENT	270-284
AIR CLEANERS & ACCESSORIES	285-289
EXHAUST SYSTEM	290-291
VALVETRAIN EQUIPMENT	292
VALVE COVERS	293-324
IGNITION WIRE	325-349
IGNITION SYSTEMS	350-364
ELETRICAL SYSTEMS	365-378
REAR AXLE EQUIPMENT	379-380
SHEETMETAL & BODY	381
STEERING	382
TIRES	383-385
APPAREL	386-388
COMPETITION ENGINEERING	389-463
REPLACEMENT PARTS	464
NUMERICAL PRODUCT INDEX	465-476



Table of contents for Competition Engineering can be found on the reverse side of the tabbed section divider.

hank you to the loyal Moroso and Competition Engineering customers that have been using our products for years and to the newcomers that are just picking up our catalog for the first time and are reading this. Rest assured that Dick Moroso's spirit lives on today in every product that we produce... and we wouldn't have it any other way.

Rick Moroso

President & Owner Rick Moraso

NEW F DUCT

Oil Pans Windage Tray	Pages 8-10
Windage Tray	Page 10
Oil Pumps	Pages 11-16
Oil Pump Pickup	Page 12
Oil Pump Driveshaft	Page 12
External Dry Sump Oil Pumps	Pages 13-16
Remote Oil Filter Adapters	Page 17
Pro Mod Vacuum Pump	Page 17
Tanks	Pages 17-20
Belt & Pulley	Page 18
Valve Covers & Fittings	Pages 20-22
Ignition Wire & Electrical/Accessories	Pages 22-26

2

R
\mathbf{H}
\mathbf{H}
\mathbf{O}
M
K
0

PRODUCT INDEX

8-26

25-26, 365-373 368-373 220 220 178 184 18, 184 119-120 218 142 B (CON'T)

NEW PRODUCTS

NEW PRODUCTS S	SECTION
----------------	---------

А

A & B EPOXY	217
ABS PUMP COVER	201
ACCESS DOOR	381
ACCUMULATORS	148-149
ACCUMULATOR ADAPTERS, MOUNTS AND VALVES	143-150
ADAPTER KITS, WATER PUMP	258-259
ADAPTER, LEAK TESTER	241
ADAPTER REAR SEAL	114
ADAPTER, GM LS VALVE COVERS	320
ADVANCE CURVE KITS	352
AIR BLEED VALVE	262
AIR CLEANERS AND ACCESSORIES	285-289
AIR CLEANER BASE GASKET	288
AIR PAN KITS, CARBURETOR	289
AIR OIL SEPARATORS	185-189
AIR OIL SEPARATOR REPLACEMENT PARTS	187
ALL WEATHER SEAL	218
ALLEN HEAD PLUG KITS	219
ALTERNATOR DRIVE KITS, ALTERNATOR AND WATER	170-174
PUMP, MOUNTING KITS	
ALTERNATOR MOUNTING BRACKETS	170-174
ALTERNATOR AND VACUUM PUMP MOUNTING	170-174
BRACKETS ALTERNATOR PULLEYS	170 101
ALTERNATOR POLLETS	179, 181 371
ALIERIVATOR SHOTDOWN RELATION	
AN FITTINGS ALUMINUM FUEL LINE	22, 113, 159-161 280
	200
ANTI-ROLL KITS APPAREL	232 386-388
	300-300 217
ASSEMBLY LUBE AUTO TRANSMISSION EXPANSION TANKS	217 196
AUTO TRANSMISSION EXPANSION TAINKS AUTO TRANSMISSION OIL COOLERS	216
AUTO THANSIVIISSIUN UIL GUULEKS	210

B

BAFFLES, LIFTER VALLEY BAFFLES, MAIN CAP BALANCER BOLT KITS BALANCER INSTALLATION TOOLS BALL VALVE
BALLAST RESISTOR
BAND CLAMP TIGHTENING TOOL
BATTERY BOX
BATTERY CHARGERS
BATTERY EQUIPMENT
BATTERY QUICK DISCONNECT
BELLHOUSING DOWEL PINS
BELLHOUSING PIN/SLEEVE KITS
BELT GUIDES
BELTS GILMER
BELTS RADIUS
BILLET OIL PUMPS
BLOCK FILLER, ENGINE
BLOCK OFF PLATE, OIL PUMP

BLUEPRINTED OIL PUMPS	125
BLUE MAX IGNITION WIRE	333-341
BOLT, BALANCER	225
BOLT WASHERS, CYLINDER HEAD	219
BOLTS, FLYWHEEL & FLEXPLATE	225
BOLTS, HEADER	224
BOLTS, INTAKE MANIFOLD	224
BOLTS, OIL PAN	222-224
BOLTS, TIMING COVER	224
BOOT SLEEVES, HIGH TEMPERATURE	346
BRACKET, CRANK TRIGGER, ULTRA SERIES	<mark>25</mark> , 362
BRACKETS, MOUNTING	170-174
BRACKETS, TANK	191-196
BRACKETS, VACUUM PUMP	169
BRAKE RESERVIOR COVERS	201-207
BRAKE/WHEEL EQUIPMENT	232-235
BREATHER KITS	319-323
BREATHER TANKS	192-194
BREATHERS, POSITIVE LOCKING	319
BREATHERS, VALVE COVERS	300, 319-323
BULLET NOSE OIL PAN STUD KIT	223
BUNGS, WELD-ON	161
BUNGS, OXYGEN SENSOR	290
BUSHING, CARBURETOR LINKAGE	273

С

	CALCULATOR, POWER SPEED	246
	CAM STOP BUTTONS	231
	CAMSHAFT RETAINER & BOLTS	231
1	CAP COVERS, RADIATOR & INTERCOOLER	203
	CAPS, RADIATOR	263
	CARBURETOR 1:1 SLIP LINK	277
	CARBURETOR ADAPTERS	274-275
	CARBURETOR AIR PAN KITS	289
	CARBURETOR CAPS	245
	CARBURETOR DRAIN CUP	245
	CARBURETOR FUEL BOWL SCREWS	277
	CARBURETOR GASKETS	284
	CARBURETOR JET EXTENSION KIT	276
	CARBURETOR JET TOOL	245
	CARBURETOR LINKAGE BUSHING SET	273
	CARBURETOR NEEDLE & SEATS	279
	CARBURETOR POWER VALVES	279
	CARBURETOR SAFETY PLATE	273
	CARBURETOR SIGHT PLUGS	276
	CARBURETOR SPACERS	274-275
	CARBURETOR STUD KITS	221
	CARBURETOR TOP TOOL TRAYS	245
	CARBURETOR WASHER KIT	276
	CARBURETOR WEDGE PLATE	276
	CARBURETOR WORK STANDS	244
	CATCH/OVERFLOW RECOVERY TANK	197-200
	CERAMIC ENGINE SEAL	218
	CHECK VALVE, ACCUMULATOR	150
	CHARGER, BATTERY	365
	CHEMICALS	217-218
	CHROME HOOD PINS	226
	CHROME OIL FILTERS	151-153
	CHROME PIPE PLUGS	219
	CLEANING BRUSHES, ENGINE	240

C (CON'T)

CLEVIS ENDS	232
CLIMBING GEAR LUBE	217
COIL MOUNT BRACKET KIT	299, 356
COIL SHIELD COVER	207
COIL SPRINGS	236-237
COIL WIRE KITS	335, 343
COIL-OVER SHOCK ADJUSTING TOOL	248
COILS	357-361
COOLANT, SENSOR	201
COOLING SYSTEM EQUIPMENT	257-269
COOLING SYSTEM EXPANSION TANKS	<mark>20</mark> , 198-202
COVERS, FUSE BOX & BRAKE RESERVOIR	203
CRANK TRIGGER KITS & COMPONENTS	25 , 362-364
CRANKCASE EVACUATION SYSTEM	155
CRANKSHAFT PULLEYS	<mark>18</mark> , 178-183
CRANKSHAFT PULLEY SHIM KIT	178
CRANKSHAFT PULLEY WRENCH, HONDA/ACURA	239
CRANKSHAFT SOCKET TOOLS	239
CRANKSHAFT WIPERS	114
CUSTOM OIL PAN/ORDER FORM	109-110
CYLINDER HEAD DOWELS, OFFSET	219
CYLINDER HEAD WORK STAND	241
CYLINDER LEAK DOWN TESTER	241
CYLINDER LEAKAGE TESTERS	241

D

DANA 60 PARTS DECK PLUG KIT	379 219
DEGREE WHEELS	239
DIAL INDICATOR STANDS	241
DIFFERENTIALS & REAR AXLE ACCESSORIES	379-380
DIPSTICK KIT, TRANSMISSION	215
DIPSTICK KITS, UNIVERSAL	111-112
DISCONNECT POWER SWITCHES	368-370
DISTRIBUTOR EQUIPMENT	350-356
DISTRIBUTORS	350-351
DISTRIBUTORS, ROTOR	353
DOWEL PINS, BELLHOUSING	220
DRAG RACE FRONT TIRES	383
DRAIN PLUGS	<mark>26</mark> , 112-113
DRIVE KIT, SPACER RING	176, 363
DRIVE KIT, WATER PUMP	260
DRIVE KITS, ALTERNATOR	174
DRIVE KITS, DRY SUMP/EXTERNAL PUMP	175-177
DRIVE KITS, VACUUM PUMP/EXTERNAL OIL PUMP	175-177
DRIVE MANDREL SPACER KITS	177-178, 363
DRIVE MANDRELS, OIL PUMPS & VACUUM PUMPS	175-183
DRIVESHAFT LOOPS	255
DRY SUMP BELTS	183
DRY SUMP DRIVE KITS	175-177
DRY SUMP PRIMER	140
DRY SUMP PULLEYS	175-183
DRY SUMP PUMP FITTINGS	139-140
DRY SUMP PUMPS	132-140
DRY SUMP TANKS & ACCESSORIES	17-18 , 190-192
DRY SUMP TANK MOUNTS	17, 191-196
DS2 DRAG TIRES	383
DUROMETER, DIGITAL WITH CASE	249
DUST SHIELD	53, 71

E

EFI FUEL RETURN LINE KIT	282
ELECTRIC WATER PUMPS/DRIVE KITS	260
ELECTRICAL SYSTEM EQUIPMENT	365-378
ENGINE BLOCK FILLER	218
ENGINE CLEANING BRUSHES	240
ENGINE LIFT PLATES	242
ENGINE MAGNET KIT	155
ENGINE MOUNTS	253-256
ENGINE SAVER FILTER	154
ENGINE SEALERS	218
ENGINE STORAGE BAGS	240
ENGINE STORAGE PLATES	242
ENGINE TOOLS	238-246
EPOXY	217
EQUALIZING PLATES	168
EXHAUST SYSTEM EQUIPMENT	290-291
EXPANSION TANKS, COOLING SYSTEM	198-210
EXPANSION TANKS, TRANSMISSION	196
EXTERNAL OIL PUMPS	132-134
EXTERNAL OIL PUMP ADAPTERS	142-143

F

FASTENERS FENDER COVER FILLER CAP KITS FILLER NECKS FILTERS, AIR CLEANER & ACCESSORIES FILTERS, OIL FILTERS, OIL FILTERS, FUEL FIREWALL GROMMETS FITTING, NON-WELD FITTING, NON-WELD FITTING, NON-WELD FITTING, ANN FITTINGS, -AN FITTINGS, -AN PORT PLUGS FITTINGS, -AN PORT PLUGS FITTINGS, -AN SPECIAL FITTINGS, 1/2" NPT MALE TO 5/8" BARBED HOSE FITTINGS, 1/2" NPT MALE TO 5/8" BARBED HOSE FITTINGS, 1/2" NPT MALE TO 5/8" BARBED HOSE FITTINGS, -16AN, VACUUM FITTINGS, FILTERED FITTINGS, FILTERED FITTINGS, FUEL LINE & FUEL GAUGE FITTINGS, SYSTEM FITTINGS, POSITIVE SEAL 1/8" NPT FITTINGS, POSITIVE SEAL VENTED -12AN, -16AN FITTINGS, TEMPERATURE GAUGE FITTINGS, WELD-ON -AN BUNGS FIAT BOTTOM AIR CLEANERS FLOOR PAN BRACE FLYWHEEL/FLEX PLATE BOLTS FRONT TIRES FUEL BLOCK KITS FUEL BLOCK KITS FUEL FILTERS	219-231 244 22, 324, 380 264-269 285-289 151-153 154, 160 281 225 324 323 22, 159-161 159 160 159, 167 159-161 160 280-281 290 167 167 262 161 161 286 381 225 383 281
FRONT TIRES FUEL BLOCK KITS	383 281
FUEL INLET FITTINGS FUEL HOSE FITTINGS FUEL LINE FUEL LINE FITTINGS	280 280 280 280 280
FUEL LOG	281

284 282 270-284 207-211

F (CON'T)

FUEL PRESSURE GAUGE
FUEL PRESSURE GAUGE/FITTINGS
FUEL PUMP BLOCK-OFF PLATES
FUEL PUMP PUSH RODS
FUEL PUMP SPRING
FUEL RETURN LINE KIT
FUEL SYSTEM EQUIPMENT
FUSE BOX COVERS

G

GASKET, AIR CLEANER BASE	288
GASKETS, CARBURETOR	284
GASKETS, FUEL PUMP	283
GASKETS FOR HOLLEY® CARBURETOR	279, 284
GASKETS, OIL PAN	111
GASKETS, SBC & BBC THERMOSTAT/WATERNECK	268
GASKET, TRANSMISSION PAN	214
GASKETS, VALVE COVER	313
GASKETS, WATER PUMPS	261-262
GAUGE, FUEL PRESSURE	282
GAUGE, OIL PRESSURE	155, 165, 282
GAUGE, TEMPERATURE FITTING	262
GAUGE, VACUUM	165, 282
GAUGES, TIRE	250-251, 384
GEAR LUBE, CLIMBING	217
GILMER DRIVE BELTS	184
GM LS, OIL PUMP FLANGE REINFORCEMENT	53
GM LS SERIES SPIN-ON OIL FILTER ADAPTER	17 , 145
GROMMETS, FIREWALL	225
GROMMETS PCV /BAFFLES	317

Η

HARMONIC BALANCER TOOLS	238
HEADER BOLTS	224
HEADER FLANGE KIT	291
HEADER WRAP	291
HEAT BARRIER BLANKET	291
HEAT SHIELDS, SPARK PLUG WIRE, GM LS/LT	25 , 346
HEAT SHIELD STARTER	375
HEATING PAD, OIL PREHEATERS	158
HEI IGNITION KIT	351
HEI MODULE REPLACEMENT	350, 352
HIGH-PRESSURE OIL PUMP RELIEF SPRING	116, 157
HOLLEY® ACCELERATOR PUMP EQUIPMENT	277-278
HOLLEY® NEEDLE AND SEATS	279
HOLLEY® POWER VALVES	279
HOLLEY® TUNING & SERVICE PARTS	276-279
HOLLEY® VACUUM SECONDARY KITS	278
HOOD PINS	226-227
HOOD SCOOP PLUG	381
HOSE ADAPTERS, ELECTRIC WATER PUMPS	258
HOW A MOROSO OIL PAN IS MANUFACTURED	27
HOW MOROSO IGNITION WIRE IS MANUFACTURED	325-326
HOW MOROSO ACCUMULATORS WORK	148-149

IGNITION COILS

I (CON'T)	
Ignition Kit, super hei	351
IGNITION MODULE	352
IGNITION SYSTEM EQUIPMENT	350-364
IGNITION WIRE	<mark>22-24</mark> , 344-349
IGNITION WIRE ACCESSORIES	344-349
IGNITION WIRE BLUE MAX	333-341
IGNITION WIRE BOOT SLEEVE	346
IGNITION WIRE HONDA	341
IGNITION WIRE SEPARATORS	347-349
IGNITION WIRE SLEEVE	346
IGNITION WIRE, SOLID CORE	342-343
IGNITION WIRE, SPIRAL CORE	333-340
IGNITION WIRE STRIPING TOOL	247, 330
IGNITION WIRE TOOLS	247, 330
IGNITION WIRE, ULTRA SPARK PLUG	23-24, 331-332
IGNITION WIRE, ULTRA 40	<mark>22</mark> , 327-330
IN-LINE FUEL FILTERS	281
IN-LINE SCREENED OIL FILTER	154
INSULATING HEADER WRAP	291
INTAKE MANIFOLD BOLT KITS	224
INTAKE SPACERS	284
INTERCOOLER TANKS	208-211

J

JET EXTENSIONS, HOLLEY®	276
JET INSTALLATION TOOL FOR HOLLEY®	245
JET TOOL	245

L

LEAK TESTER, ADAPTER	241
LEAKDOWN TESTERS	241
LIFTER VALLEY VENTS	156
LIFTER VALLEY OIL BAFFLES	156
LIFTER VALLEY PLATE, GM LS	156
LIGHTED TIRE PRESSURE GAUGES	250, 384
Line Kit, vacuum pump	168
LINE LOCKS	232
LOUVERED WINDAGE TRAYS	115-118
LOW OIL PRESSURE WARNING LIGHT	155
LOW-PROFILE AIR CLEANERS	285
LS GM COIL MOUNTS	299, 356
LUG NUTS	233-235

М

357-361

MAGNETIC KIT, ENGINE	155
MAIN CAP BAFFLES	115
MAIN CAP GIRDLE	117
MANIFOLD FILLER NECK KIT	265-266
MOLY PASTE™	217
MOMENTARY SWITCH	370
MOTOR & TRANSMISSION MOUNTS	253-256
MOUNTING BRACKETS	170-174
MOUNTING BRACKET REMOTE THERMOSTAT HOUSING	269
MOUNTING BRACKETS, ALTERNATOR	170-174
MOUNTING BRACKET, DRY SUMP TANKS	191-192
MOUNTING BRACKETS, POWER STEERING	196
MOUNTING BRACKETS, UNIVERSAL TANK	196

M (CON'T)

MOUNTING BRACKETS, VACUUM PUMP	172
MUFFLERS, RACING	290

0

OFFSET AIR CLEANERS	285
OFFSET CYLINDER HEAD DOWELS	203
OFFSET VACUUM PUMP PULLEY	182
OIL/AIR SEPARATOR TANKS	185-189
OIL ACCUMULATORS	148-149
OIL ACCUMULATORS ADAPTERS, MOUNTS AND VALVES	
OIL BAFFLES, LIFTER VALLEY	156
OIL BYPASS ELIMINATOR, CHEVY	142
OIL CONTROL KITS	115
OIL COOLERS, AUTOMATIC TRANSMISSION	216
OIL CHECK VALVE, ONE WAY	150
OIL DEFLECTOR KIT	156, 292
OIL FILL KIT, VALVE COVER	324
OIL FILLER CAP	324
OIL FILTER ADAPTERS	17 , 142-148
OIL FILTER BYPASSES & BLOCK-OFFS	17, 142-143
OIL FILTER MOUNTS, REMOTE	145-147
OIL FILTERS. IN-LINE	154
OIL FILTERS. SPIN-ON	151-153
OIL PAN ACCESSORIES	111-118
OIL PAN ACCESS PLUG	113
OIL PAN BAFFLE KITS	115-118
OIL PAN DRAIN PLUG	26 , 112-113
OIL PAN GASKETS	111
OIL PAN INSPECTION PLUG	113
OIL PAN STUD & BOLT KITS	20, 222-225
OIL PAN T-HANDLE WRENCHES	240
OIL PANS	8-10, 27-110
OIL PANS, CHEVY BIG BLOCK	56-69
OIL PANS, DONOVAN, DRC2, MERLIN	69-70
OIL PANS, CHEVY SMALL BLOCK	29-40
OIL PANS, SBC DART/ROCKET	8 , 41-43
OIL PANS, GM LS NEXT	8, 54-55
OIL PANS, GM LS SERIES	43-53
OIL PANS. GM LT SERIES	55-56
OIL PANS, CHRYSLER/JEEP	<mark>8-9</mark> , 71-77
OIL PANS, CUSTOM	109-110
OIL PANS, FORD 4.6, 5.0, 5.4	87-88
OIL PANS, FORD 5.0 "COYOTE"	<mark>9</mark> , 89-91
OIL PANS, FORD SMALL BLOCK	78-87
OIL PANS. FORD BIG BLOCK	92-96
OIL PANS, FORD POWERSTROKE	10, 96-97
OIL PANS, GEN V/GEN VI	66-69
OIL PANS, HONDA/ACURA	99-101
OIL PANS, INTERNATIONAL	97
OIL PANS, LOTUS	108
OIL PANS, MAZDA	102
OIL PANS, MITSUBISHI	103
OIL PANS, NISSAN	104
OIL PANS, OLDSMOBILE	97
OIL PANS, PONTIAC	98
OIL PANS, SUBARU	105
OIL PANS, TOYOTA	10, 106-108
OIL PREHEATERS	158
OIL PRESSURE GAUGE	155, 165, 282

O (CON'T)

/	
OIL PRESSURE WARNING LIGHT	155
OIL PRIMER TOOL	242
OIL PUMP BLOCK-OFF PLATE	142
OIL PUMP DRIVE KITS	175-177
OIL PUMP DRIVE SHAFTS	131
OIL PUMP PICKUPS	121-131
OIL PUMP PICKUPS, GM LS FRONT SUMP	49, 127
OIL PUMP & PICKUP PACKAGE	118-121
OIL PUMP & VACUUM PUMP DRIVE KITS & PULLEYS	175-184
OIL PUMP PRIMERS	140, 242
OIL PUMP RELIEF SPRING	116
OIL PUMP SHAFTS	<mark>12</mark> , 131
OIL PUMP STUD KITS	221
OIL PUMPS	<mark>11-12</mark> , 119-141
OIL PUMPS, BILLET WET SUMP	119-120
OIL PUMPS, STEEL	124-126
OIL PUMPS, DRY SUMP	<mark>13-16</mark> , 132-140
OIL PUMPS, EXTERNAL	<mark>13-16</mark> , 132-140
OIL PUMPS, EXTERNAL P/U KITS	130
OIL RESTRICTOR KITS	157
OIL RETURN SCREEN KITS	154
OIL SCREEN PRE-FILTER	154
OIL SEPARATOR/BREATHERS	318-322
OILING SYSTEM EQUIPMENT	142-158
OVERFLOW TANK, RADIATOR	197-211
OXYGEN SENSOR FITTINGS	290
OXYGEN SENSOR FITTING PLUG	290

P

PANEL SWITCH	376-378
PCV GROMMETS/BAFFLES	317
PILOT BEARING, ROLLER	215
PINION WRENCHES	248
PIPE PLUGS, ALUMINUM	219
PIPE PLUGS, CHROME PLATED	219
PISTON INSTALLATION TOOLS	240
PIT SOCKET	235, 249
PLUG, 02 SENSOR	290
PLUG KITS, ALLEN HEAD	218
PLUG, 22MM	113
POWER CHARGER, BATTERY	365
POWER STEERING PULLEY	180
POWER STEERING PUMP MOUNTING BRACKETS	174
POWER STEERING TANKS	20 , 197, 204, 209
POWER-SPEED CALCULATOR	246
POWER VALVE TESTER	244
PRESSURE REGULATING FUEL LOG	281
PROCOILS	357-361
PULLEYS	<mark>18</mark> , 179-183
PULLEYS, ALTERNATOR ROUND TOOTH	183
PULLEYS, DRY SUMP	175-183
PULLEY SHIM KITS	178
PULLEYS, VACUUM PUMP & DRIVE	178-183
PULLEYS, WATER PUMP & CRANKSHAFT	175-183

Q

QUICK DISCONNECT, BATTERY	368-373
QUICK FASTENERS/ACCESSORIES	227-229

Q (CON'T)

QUICK FASTENER SINKING TOOL	248
QUICK FASTENER TRANSFER STUD PUNCH KITS	230
QUICK FASTENER WRENCHES	230
QUICK RELEASE PINS	231

R

RACE WRITE	218
RACING OIL FILTERS	151-153
RADIATOR CAP COVERS	203
RADIATOR CAPS	263
RADIATOR HOSE DRAIN/FILLERS	263
RADIATOR OVERFLOW TANKS	197-211
RADIATOR RECOVERY TANKS	197-211
RADIUS TOOTH BELTS	184
RADIUS TOOTH, DRY SUMP & DRIVE PULLEYS	184
REAR AXLE EQUIPMENT	379-380
REAR END & WATER FILL CAP KITS	324
REAR END COVERS	380
REAR SEAL ADAPTERS	114
REMOTE COIL MOUNTING BRACKET	299, 356
REMOTE FILTER MOUNTS	17 , 144-147
REMOTE OIL FILTER ADAPTERS & MOUNTS	17 , 144-147
REMOTE THERMOSTAT HOUSING	269
REMOVABLE COIL MOUNTING BRACKET	299, 356
REPLACEMENT PARTS	<mark>10</mark> , 464
RIM SCREWS	235
ROCKER SWITCH PANELS	377-378
Roll Bar Padding	252
ROLLER PILOT BEARING	215
ROTORS, IGNITION	352-355

S

SAFETY WIRE	252
SCREEN KIT, FILTER	154
SCREEN KIT, OIL RETURN GALLEY	154
SCREEN WINDAGE TRAYS	114-118
SEALED BATTERY BOX	365
SEALERS	217-218
SELF-EJECTING FASTENERS	228
SENSOR, COOLANT	201
SEPARATORS, AIR-OIL	185-189
SHOCK ADJUSTING TOOL	248
SHEETMETAL & BODY	381
SHIM KIT PULLEY	178
SIGHT PLUG FOR HOLLEY®	276
SLEEVES, BOOT	346
SLIP LINK, 1:1	277
SOLENOID PRESSURE VALVE, ACCUMULATOR	150
SPACER PLATES, INTAKE MANIFOLD	284
SPARK PLUG HOLE AIR HOSE KIT	246
SPARK PLUG INDEXER	246
SPARK PLUG INDEXING WASHERS	353
SPARK PLUG INSULATORS	330
SPARK PLUG MARKERS	344
SPARK PLUG RACK	270
SPARK PLUG WIRE BOOT KITS	330, 344
SPARK PLUG WIRE, IMPORT SETS	341
SPARK PLUG WIRE INSULATED SLEEVE	346

S (CON'T)

SPARK PLUG WIRE LOOM & SEPARATOR KITS	347-349
SPARK PLUG WIRE SHRINK SLEEVES	346
SPARK PLUG WIRE, SOLID CORE	342-343
SPARK PLUG WIRE, SPIRAL CORE	333-340
SPARK PLUG WIRE, ULTRA 40	<mark>22</mark> , 327-330
SPARK PLUG WIRE, ULTRA	23-24 , 331-332
SPARK PLUG WIRE HEAT SHELDS, GM LS/LT	25 , 346
SPIN-ON, OIL FILTERS	151-153
SPIRAL FLOW RACING MUFFLER	290
SPOILER, UNIVERSAL REAR	381
SPRING OILER	298
SPRINGS, FASTENER	227-228
SPRINGS, FRONT	236
SPRINGS, REAR	237
SPRINT CAR FRONT DRIVE	141
SQUIRTER SCREW, HOLLEY® HIGH FLOW	277
STARTER HEAT SHIELD	375
STARTER QUICK DISCONNECT	369
STEERING EQUIPMENT	382
STEERING U-JOINTS	380
STEERING WHEEL HUB, QUICK RELEASE	382
STUD GIRDLES AND ACCESSORIES, VALVETRAIN	292
STUD KITS, OIL PANS	20 , 222-223
SUPER HEI IGNITION KIT	351
SUPERCHARGER TANKS	20, 200-211
SWITCH COVERS	375
SWITCH PANELS	376-378
SWITCH, THERMOSTATIC	263
SWITCHES	376-378

T

T-HANDLE WRENCHES, OIL PAN	240
T-PINS	231
TANK MOUNTING BRACKETS	191-192, 196
TANKS	18-20, 190-211
TANKS, AIR/OIL SEPARATORS	185-189
TANKS, BREATHERS	18-20, 192-195
TANKS, COOLANT	20, 198-211
TANKS, COOLANT EXPANSION	<mark>20</mark> , 198-211
TANKS, DRY SUMP	190-192
TANKS, POWER STEERING	<mark>20</mark> , 197, 204, 209
TAPE, SELF-VULCANIZING, BLACK	344
TEMPERATURE GAUGE FITTING	262
THERMOSTAT HOUSING BRACKET	269
THERMOSTATIC SWITCH	263
THROTTLE CABLE MOUNTING KITS	270-271
THROTTLE RETURN SPRINGS & KITS	273
THROTTLE STOPS	273
TIE DOWNS	252
TIMING COVER BOLTS	224
TIMING COVERS	141
TIMING POINTERS	<mark>25</mark> , 364
TIRE COVERS	385
TIRE PRESSURE GAUGES & REPL. HOSE	251, 384
TIRES	383-385
TOGGLE PANELS & SWITCHES	375-378
TOGGLE SWITCH COVER	375
TOOLS	<mark>26</mark> , 238-252
TORQUE CONVERTER BOLTS	216, 224

W

T (CON'T)

TRANSMISSION COOLERS	216
TRANSMISSION DIPSTICKS	215
TRANSMISSION EXPANSION TANKS	196
TRANSMISSION GASKETS	214
TRANSMISSION PANS & ACCESSORIES	212-216
TRANSMISSION MOUNTS, SOLID	253-256
TRANSMISSION TAIL SHAFT PLUGS	216
TRICK SPRINGS	236-237

U

U-JOINT GIRDLES	380
ULTRA 40 RACE WIRE	22 , 327-330
ULTRA 40 SPARK PLUG BOOT & TERMINAL KITS	330
ULTRA SPARK PLUG WIRE	23-24 , 331-332
UNIVERSAL DIPSTICK KITS	111-112
UNIVERSAL SPOILER	381
UNIVERSAL TRANSMISSION DIPSTICKS	215
UNIVERSAL WINDAGE TRAYS	115-118

V

VACUUM ADVANCE KITS	352
VACUUM GAUGE	165
VACUUM LINE CAP KIT	168
VACUUM PUMPS & ACCESSORIES	162-169
VACUUM PUMP BRACKETS	169
VACUUM PUMP DRIVE MANDRELS	175-177
VACUUM PUMP DRIVE KITS	175-177
vacuum pump, line kit	168
VACUUM PUMP, PULLEYS	178-183
VACUUM PUMP, REGULATORS	166
VACUUM PUMP, REPLACEMENT LINE	168
VACUUM PUMP TECH TIPS	162
VACUUM PUMPS	17 , 162-169
VACUUM RELIEF VALVES	166
VACUUM RELIEF VALVE BREATHER	166
VALLEY PLATES	156
VALVE, BALL	185-189
VALVE COVER ACCESSORIES	315-324
VALVE COVER ACORN NUTS	315
VALVE COVER BAFFLES, GROMMETS	317-318
VALVE COVER BREATHERS	318-322
VALVE COVERS FITTINGS	<mark>22</mark> , 323-324
VALVE COVER GASKETS	313
VALVE COVER HOLD DOWN TABS	314-316
VALVE COVER LOCK NUTS	220
VALVE COVER OIL FILL KIT	324
VALVE COVER WING NUTS	315
VALVE COVERS	<mark>21</mark> , 293-324
VALVE SEAT PRESSURE TESTER	243-244
VALVE SPRING COMPRESSORS & TESTER	243-244
VALVE SPRINGS, CHECKING	243-244
VALVE, AIR BLEED	262
VALVE, OIL CHECK, ONE WAY	150
VALVETRAIN EQUIPMENT	292
VALVETRAIN OIL DEFLECTOR	156, 292
VENT, LIFTER VALLEY	156

WARNING LIGHT KIT, LOW OIL PRESSURE	155
WASHERS, DRAIN PLUG	113
WASHERS, HEAD BOLT	220
WASHERS, QUICK FASTENER	230
WATER FILLER NECKS	264-269
WATER NECK BLOCK-OFF PLATE	267
WATER OUTLET FITTING	262-264
WATER OUTLET RESTRICTOR KIT	262
WATER PUMP ADAPTER KITS	258-259
WATER PUMP BRACKET KIT	170-174
WATER PUMP DRIVE KITS	260
WATER PUMP HOSE ADAPTERS	258
WATER PUMP PULLEY SHIMS	178
WATER PUMP, ELECTRIC	257-260
WATER PUMPS, MECHANICAL, ALUMINUM	261
WATER PUMP SPACER KITS	261
WATER PUMP SWITCHES	263
WELD-IN BUNGS, ALUMINUM	161
WET SUMP VS. DRY SUMP OILING INFORMATION	28
WHEEL RIM SCREWS	235
WHEEL STUDS AND NUTS	233-234
WINDAGE TRAYS & ACCESSORIES	10, 115-118
WINDAGE TRY MOUNTING, FORD	116-117
WINDOW MARKER, RACE WRITE	218
WING NUTS, AIR CLEANER	289
WIRE & CABLE IMPACT CRIMP TOOL	26 , 367
WIRE HEAT SHIELDS, GM LS/LT SPARK PLUG	25 , 346
WIRE SEPARATORS	347-349
WIRE STRIPPING/CRIMPING TOOLS	247, 345
WIRE, ULTRA SPARK PLUG	23-24 , 331-332
WIRE, SOLID CORE	342-343
WIRE, SPIRAL CORE	333-340
WIRE, ULTRA 40	<mark>22</mark> , 327-330
WRENCHES, PINION	248
WRENCHES, QUICK FASTENER	230

DART LS NEXT GEN 3 SKIRTED BLOCK, EARLY F-BODY, REAR SUMP, RACE BAFFLED, OIL PAN

Steel, Wet Sump, 7 Quart Capacity Early F-Body/Swap
Engine Application: Dart LS Next Gen 3 Skirted Block
Fits: '67-'92, '10-'15 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body, and GM S10/S15 Two Wheel Blazer/Truck, can also be used in additional applications; check dimensions for clearance
Oil pan has a thick precision laser cut steel rail specifically designed for the LS Next Gen 3 Skirted Engine Block, fabricated steel sump with a clear zinc finish
Clears a 4.25" stroke and has a 7 Quart Capacity
Features a race proven three trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing

- Has a removable windage tray for horsepower savings and oil control, please note that engine block mounted windage trays are not needed and will interfere
- Includes a Billet Aluminum Spin-on Oil Filter Adapter that accepts a 22mm thread Moroso No. 22463 or O.E.M. oil filter
- Designed to be used with GM F-Body 98-02 dipstick tube GM Part No. 12628771 and dipstick GM Part No. 12551581

PART # DESCRIPTION

20152 Oil Pan, Steel, Dart LS Next Gen 3 Skirted Block, Early/Swap F-Body Race Baffled

PART # RECOMMENDED PICKUP

24152 Fits: Stock Oil Pumps or Moroso GM LS Series Oil Pumps Nos. 22119, 22120, 22121, 22122

DART/ROCKET, SPREAD RAIL, DIRT LATE MODEL, OIL PAN

Aluminum, Dry Sump, Slopes 5-½" in front to 6-½" at the rear of the oil pan Fits: Dirt Late Model and others, check measurements for fit

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Large kick-out design for maximum horsepower and oil temperature reduction
- Two -12AN and one -16AN female pickups
- Oil collection trough with internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan

PART # DESCRIPTION

21564 Oil Pan, Aluminum, Dart/Rocket, Dirt Late Model 3 Pickup Dry Sump


AJPE TFX 96, TFX2000 & TFX 2002, OIL PAN AJPE TFX 96, TFX2000 & TFX 2002


Aluminum, Wet Sump, 4-¼" Deep to 6-¼" Deep in the back Engine Application: AJPE TFX 96, TFX2000 & TFX 2002, (does not fit TFX 92 blocks) used in Funny Cars

- Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -20AN pickup
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- · Removable windage tray built into oil pan

PART # DESCRIPTION

20056↔ Oil Pan, Aluminum, AJPE TFX 96, TFX2000 & TFX 2002, Funny Car, Wet Sump








10-1/4

No. 21564

5-1/4







No. 20056



9

NEW PRODUCTS

DODGE 5.9, 6.7 CUMMINS, OIL PANS

Fits: 2500 P/U '94-'02, '03-'12; 3500 P/U '94-'02, '03-'12

- Heavy Duty 16 gauge steel stamping
- Has a durable black epoxy powder coat finish
- · Cost effective alternative to an O.E.M. oil pan

PART # DESCRIPTION

 20855
 Oil Pan, Steel, Dodge 5.9 Cummins '94-'02

 20856
 Oil Pan, Steel, Dodge 5.9, 6.7 Cummins '03-'12



FORD 351W, DIRT LATE MODEL, OIL PAN

Aluminum, Dry Sump, slopes $5-\frac{1}{4}$ " in front to $6-\frac{1}{2}$ " at the deepest section at the rear of the oil pan Fits: Dirt Late Model and others, check measurements for fit

5-1/2

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Clears all 4-bolt main caps including 4-bolt rear
- Large kick-out design for maximum horsepower and oil temperature reduction
- Two -12AN and one -16AN female pickups, included male removable filter fittings
- Oil collection trough with internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan

PART # DESCRIPTION

21621 Oil Pan, Aluminum, Ford 351W Dirt Late Model, 3 Pickup Dry Sump



No. 20855

$\begin{array}{c} & & & \\ \hline & & & \\ 6^{-1/2"} & & & \\ & & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ &$

FORD 5.0 "COYOTE" / 5.2 "VOODOO", COBRA REPLICA, OIL PAN

Wet Sump, 9.5 Quart Capacity

Engine Application: Ford 5.0 "Coyote"/5.2 "Voodoo" Engines Fits: Cobra Kit Cars that require a rear sump oil pan

- Designed for Cobra Replicas that require a shallow, rear sump oil pan
- Fully fabricated steel with a black powder coat finish
- Oil pan has a thick steel rail with a 4-3%" deep, 10-34" long by 14-1/2" wide rear sump
- Designed to be used with the 5.0 "Coyote"/5.2 "Voodoo" Gen 1 or 2 factory windage tray and dipstick
- Features a race proven four trap door assembly and anti-slosh baffle that keeps oil contained in the oil pump pickup area during road racing and drag racing
- Extra capacity; holds 1.5 more quarts that the Mustang O.E.M. oil pan
- 1/2" N.P.T. fitting for supercharger drain back
- 1/2" N.P.T. fitting for oil temperature sender
- 20 mm fitting for the factory oil level sensor*

* If the factory low oil warning sensor is not going to be used, Part No. 22738 20 mm Plug with copper washer is available

PART # DESCRIPTION

20568 Oil Pan, Fabricated Steel, Black Powder Coat


PART # REQUIRED PICKUPS

- 24570 Fits: Moroso No. 22203 MENN
- or Factory 5.0/5.2 Gen 1 & 2 Oil Pumps
- **24577** *Fits: Factory 5.0/5.2 Gen 3 Oil Pumps*

PART # AVAILABLE OPTIONS

- 22738 Factory Low Oil Warning Sensor Plug, 20mm
- 22936 Windage Tray & Oil Pan Gasket, Ford 5.0 "Coyote", Ford 5.2 "Voodoo"





No. 20568



REPLACEMENT WINDAGE TRAYS FOR MOROSO PART NOS. 20385, 20485, 21047, 21048, 21049

• Constructed and mounted the same way that the original windage tray is that came with the oil pan

PART # DESCRIPTION

- 23138 Windage Tray, Replacement for Moroso No. 21048
- 23139 Windage Tray, Replacement for Moroso No. 20385 Old Style (Stamped with 20385 or not stamped at all)
- 23140 Windage Tray, Replacement for Moroso Nos. 20485, 20385 New Style (Stamped 20485, 20385)
- 23141 Windage Tray, Replacement for Moroso No. 21047
- **23142** Windage Tray, Replacement for Moroso **No. 21049**



No. 23139

NEW PRODUCTS

OIL PUMPS, GM LS SERIES

Fits: Gen III and Gen IV; 4.8L, 5.3L, 6.0L, 6.2L

- Great upgrade, replacement over factory GM oil pumps
- High Volume Pump will increase volume by 33% over stock oil pumps
- High Pressure Pumps include 10% higher pressure bypass springs which is beneficial over factory pumps in vehicles equipped with Accumulators, oil coolers and/or remote oil filters
- · Will fit with stock timing cover
- Great upgrade for engines with Moroso or aftermarket oil pans and those engines that feature Active Fuel Management (AFM)*
- Made in the U.S.A.

PART # DESCRIPTION

- 22119 GM LS Standard Volume/Standard Pressure, Oil Pump
- 22121* GM LS High Volume/High Pressure, Oil Pump
- 22122 GM LS Standard Volume/High Pressure, Oil Pump





OIL PUMP, CHRYSLER GEN 3 HEMI '09-UP, STD VOL, HIGH PRESSURE

- Upgraded replacement for O.E.M. pump
- The relief valve has a pressure threaded plug instead of a cup plug
- 75 psi pressure relief spring installed in pump and 65 psi stock pressure relief spring provided
- The pump has an anodized hard coated aluminum body and cast iron phosphate coated cover for improved pump performance and durability
- Made in the U.S.A.

PART # DESCRIPTION

22180 Chrysler Gen 3 Hemi, '09-Up, Std. Vol., High Pressure Oil Pump



No. 22180

FORD HEAVY DUTY RACING OIL PUMPS

These series of engines were originally designed to have front sump oil pans. As Ford changed the chassis over the years these engines were used in rear sump applications (except FE). Moroso recommends that any time one of these engines has a rear sump oil pan or a front sump oil pan is used in a spirited driving that a High Volume oil pump be installed.

- Approximately 25% more volume
- · Benefits of a stronger casting with the features and price that the racer is looking for
- Made in the U.S.A.

PART # DESCRIPTION

- 22201 Ford 289-302 High Volume, Oil Pump, 25% volume over stock
- **22202** Ford 351W High Volume, Oil Pump, 25% volume over stock
- 22204 Ford 429-460 High Volume, Oil Pump, 25% volume over stock
- 22205 Ford FE High Volume, Oil Pump, 25% volume over stock



No. 22201





No. 22204



No. 22205



OIL PUMP, FORD 5.0 "COYOTE" / 5.2 "VOODOO", STANDARD VOLUME

For use with Gen. 1 & Gen. 2 Bolt-on Oil Pump Pickups

- Replacement for 0.E.M. Gen 1 and Gen 2 engine oil pumps, or to convert Gen. 3 engines to a bolt on oil pump pickup
- Comes with a high pressure spring installed and an uninstalled standard pressure spring
- Housing and cover are CNC machined and hard coat anodized for wear protection
- Made in the USA

PART # DESCRIPTION

22203 Ford 5.0 "Coyote"/5.2 "VooDoo" Standard Volume Oil Pump





No. 22203

OIL PUMP, HONDA, ACURA B-SERIES

- High quality replacement oil pump
- Includes oil pump pickup gasket
- PART #DESCRIPTION22206Honda, Acura B-Series Oil Pump

No. 22206



- Fits: Moroso Part Nos. 22149, 22150, 22159, 22160, 22162, Stock BBC Std., High Vol. and Melling M77/M77HV Oil Pumps
- To be used when a BBC oil pump is being used in a Moroso 8" Deep Oil Pan, such as Part Nos. 20376, 20380, 20385, 20401, 20403, 20405, 20406, 20408, 20409, 20411, 20412, 20413, 20416, 20420, 20421, 20485, 21047, 21048, 21049, 21600, 21602 and 21604
- This offset pickup is designed for more consistent oil pressure under de-acceleration on the Drag Strip
- Pickup box features perforated screen

PART # DESCRIPTION

24445 Fits: Moroso Part Nos. 22149, 22150, 22159, 22160 & 22162 or 77/77HV style oil pumps



OIL PUMP DRIVESHAFT, BBC 1.00" RAISED CAM

- High-quality steel for extended reliability with a steel sleeve
- · Steel sleeve is pinned to maintain correct alignment between oil pump and shaft
- Can't be used with Moroso Part No. 22167

PART # DESCRIPTION

22078 Oil Pump Driveshaft, BBC 1.00" Raised Cam



No. 22078

Π

NEW PRODUCTS

• Z WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm.

• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm.

EXTERNAL OIL PUMP, SINGLE STAGE, GM LS BRACKET

Fits: GM LS Engines, uses factory A/C bracket holes on the right side of the engine block and a front motor plate

- 1.200 spur gear pressure section
- · Light weight and efficient
- Includes replaceable fittings; -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and
- features an external bypass for ease of adjustment
- Must be used with ATI balancer hub with integral HTD pulley

PART # DESCRIPTION

22301• External Oil Pump, Standard Rotation, Right Side GM LS Bracket, 1.200 Pressure

EXTERNAL OIL PUMP, TWO STAGE, GM LS BRACKET

Fits: GM LS Engines, uses factory A/C bracket holes on the right side of the engine block and a front motor plate

- 1.200 spur gear pressure section
- Light weight and efficient
- Includes replaceable fittings; -16AN inlet, -12AN inlet, -12AN outlets
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- · Must be used with ATI balancer hub with integral HTD pulley

PART # DESCRIPTION

22302• External Two Stage Oil Pump, Standard Rotation, Right Side GM LS Bracket, 1.200 Pressure



No. 22301

DRY SUMP PUMPS, TRI-LOBE, GM LS BRACKET


Fits: GM LS Engines, uses factory A/C bracket holes on the right side of the engine block and a front motor plate

- We took our best performing dry sump pump line and re-engineered the bracket so now Moroso has
 a line of dry sump pumps for applications that require the pump to be on the right side of the engine
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- · Saves weight and make big crankcase vacuum
- Includes replaceable fittings
- · Must be used with ATI balancer hub with integral HTD pulley

PART # DESCRIPTION

22303 • Dry Sump Pump Three Stage, Right Side GM LS Bracket, 1.200 Pressure/1.700 Scavenge
 22304 • Dry Sump Pump Four Stage, Right Side GM LS Bracket, 1.200 Pressure/1.700 Scavenge





No. 22304



EXTERNAL OIL PUMP, SINGLE STAGE, FUEL PUMP DRIVE

Passenger/Right Side Motorplate Mount

- $\frac{3}{6}$ " hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps • Z WARNING Prop. 65
- 1.200 spur gear pressure section
- Light weight and efficient
- Includes all necessary fittings
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- External pumps eliminate the camshaft loads that come with an internal pump

PART # DESCRIPTION

22371o External Oil Pump, Passenger/Right Side Motorplate Mount, Fuel Pump Drive, 1.200 Pressure

EXTERNAL OIL PUMP, TWO STAGE, FUEL PUMP DRIVE

Passenger/Right Side Motorplate Mount

An expansion to our popular line of external oil pumps. This pump gives you the option of scavenging oil from the oil pan with one stage and using the second stage to scavenge oil from turbos or superchargers and areas that require oil to be scavenged

- ³/₈" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Spur gear pressure section
- Light weight and efficient
- Includes replaceable fittings, -16AN inlet, -12AN inlet, -12AN outlets
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- External pumps eliminate the spark scatter and camshaft loads that come with an internal pump

DESCRIPTION PART

223720 External Oil Pump, Two Stage, Passenger/Right Side Motorplate Mount, Fuel Pump Drive, 1.200 Pressure

DRY SUMP PUMPS, TRI-LOBE, FUEL PUMP DRIVE

Passenger/Right Side Motorplate Mount

- 3/8" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive but still makes big crankcase vacuum
- Includes replaceable fittings; Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN, Return -16AN

PART # DESCRIPTION

- 223730 Dry Sump Pump Three Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge
- 223740 Dry Sump Pump Four Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge
- 223750 Dry Sump Pump Five Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge
- 223760 Dry Sump Pump Six Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge





No. 22373



No. 22376

NEW PRODUCTS



NEW PRODUCTS

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm.

No. 22372

No. 2237

• Z WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, hirth defects or reproductive harm

> • KARNING Prop. 65 This product contains a chemical known

> to the state of California to cause cancer, birth defects, or reproductive harm

DRY SUMP PUMP, TRI-LOBE, SIX STAGE FUEL PUMP DRIVE

Brinn/Bert Bellhousing Bracket

- 3/8" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- Spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Saves weight and makes big crankcase vacuum
- Includes replaceable fittings: Pressure Section -12AN Inlet, -12AN Outlet, Scavenge Inlets -12AN Return -16AN

PART # DESCRIPTION

22368• Dry Sump Pump Six Stage, Fuel Pump Drive, 1.200 Pressure/1.700 Scavenge

No. 22368

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

EXTERNAL OIL PUMPS, SINGLE STAGE, REVERSE ROTATION, FUEL PUMP DRIVE

V-Band mounting flange included

- ³/₈" hex fuel pump drive with 1:1 ratio that accepts the popular 1.450 ID, 3 bolt, fuel pump swivel clamps
- Available with either 1.500 or 1.800 spur gear pressure sections
- Light weight and efficient
- Includes replacable fittings, -16AN & -12AN
- External oil pumps run cooler than internal pumps and features an external bypass for ease of adjustment
- · External pumps eliminate the camshaft loads that come with an internal pump

PART # DESCRIPTION

- 22316 External Oil Pump, Reverse Rotation, Fuel Pump Drive, ProCharger V-Band Mounting Flange, 1.500 Pressure
 22317 • External Oil Pump, Reverse Rotation, Fuel Pump Drive,
- ProCharger V-Band Mounting Flange, 1.800 Pressure
- 22416 External Oil Pump, Reverse Rotation, Fuel Pump Drive, Alston V-Band Mounting Flange, 1.500 Pressure
- 22417• External Oil Pump, Reverse Rotation, Fuel Pump Drive, Alston V-Band Mounting Flange, 1.800 Pressure



No. 22416

	TRI-LOBE OIL PUMPS							
STAGE STYLE OF BRACKET & ORIENTATION		PUMP Rotation	PRESSURE Section	SCAVENGE Section	FUEL PUMP DRIVE	VACUUM PUMP INCLUDED	PART #	
Single	External Pump	Door Car, Driver's/Left Side	Standard	1.200	None	No	No	22341
Single	External Pump	Door Car, Driver's/Left Side	Standard	1.200	None	Yes	No	22361
Single	External Pump	Door Car, Driver's/Left Side	Reverse	1.200	None	Yes	No	22322*
Single	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	None	No	No	22321
Single	External Pump	Dragster, Left Side	Standard	1.200	None	No	No	22441
Single	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	None	Yes	No	22371*
Single	External Pump	GM LS, Passenger/Right Side	Standard	1.200	None	No	No	22301*
Single	External Pump	V-Band Alston Front Drive	Standard	1.200	None	No	No	22411
Single	External Pump	V-Band Alston Front Drive	Reverse	1.200	None	No	No	22412
Single	External Pump	V-Band Alston Front Drive	Standard	1.800	None	No	No	22413
Single	External Pump	V-Band Alston Front Drive	Reverse	1.500	None	Yes	No	22416*
Single	External Pump	V-Band Alston Front Drive	Reverse	1.800	None	Yes	No	22417*
Single	External Pump	V-Band ProCharger Front Drive	Standard	1.200	None	No	No	22311

No. 22316

NEW PRODUCTS

NEW PRODUCTS

		-	-	١
/		1	1	
/	1	1		ī,
		-	1	

	TRI-LOBE OIL PUMPS CONT'D							
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.200	None	No	No	22312
Single	External Pump	V-Band ProCharger Front Drive	Standard	1.800	None	No	No	22313
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.500	None	Yes	No	22316*
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.800	None	Yes	No	22317*
Single	External Pump	SBC, Left Side, Vacuum Pump Mnt.	Standard	1.200	None	No	Yes	22652
Single	External Pump	BBC, Left Side, Vacuum Pump Mnt.	Standard	1.200	None	No	Yes	22654
Two	External Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	No	22362
Two	External Pump	Door Car, Driver's/Left Side	Standard	1.800	1.700	Yes	No	22342
Two	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	No	22372*
Two	External Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	No	22302*
Three	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	No	22343
Three	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	No	22363
Three	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	No	22323
Three	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	No	22443
Three	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	No	22373*
Three	Dry Sump Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	No	22303*
Four	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	No	22344
Four	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	No	22364
Four	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	No	22324
Four	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	No	22444
Four	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	No	22374*
Four	Dry Sump Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	No	22304*
Four	Dry Sump Pump	Dual Mounts, Driver's/Left Side	Standard	1.200	1.700	No	No	22414
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	0.900	1.700	No	No	22335
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	No	22345
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	No	22365
Five	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	No	22325
Five	Dry Sump Pump	Dragster, Left Side	Standard	0.900	1.700	No	No	22435
Five	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	No	22445
Five	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	No	22375*
Five	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	No	No	22405
Five	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	Yes	No	22367
Five	Dry Sump Pump	Dual Mounts, Driver's/Left Side	Standard	1.200	1.700	No	No	22415
Five	Dry Sump Pump	V-Band Alston Front Drive	Standard	1.200	1.700	No	No	22515
Five	Dry Sump Pump	V-Band Alston Front Drive	Reverse	1.200	1.700	No	No	22517
Five	Dry Sump Pump	V-Band ProCharger Front Drive	Standard	1.200	1.700	No	No	22315
Five	Dry Sump Pump	V-Band ProCharger Front Drive	Reverse	1.200	1.700	No	No	22518
Six	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	No	22346
Six	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	No	22366
Six	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	No	22326
Six	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	No	22446
Six	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	No	22376*
Six	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	Yes	No	22368*

* INDICATES A NEW PRODUCT!



GM LS 90 DEGREE REMOTE OIL FILTER ADAPTER

- Ideal when chassis restrictions don't allow the use of a block mounted filter or when a larger external filter is desired
- · Gives the installer the option of not having to use 90 Degree fittings
- Billet aluminum construction
- -10AN "IN" and "OUT" ports
- · Includes mounting hardware and engine block sealing O-rings

PART # DESCRIPTION

23707 ·· Filter Adapter, GM LS, 90 Degree Remote

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm.

No. 23707

GM LS SERIES SPIN-ON OIL FILTER ADAPTER

- Fits Moroso Part Nos. 20142, 20143, 20145, 21149, 21151, 21153, 21157 & 21158 oil pans
- Billet aluminum construction
- Has a ¼" N.P.T. oil temperature port
- Accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- · Includes mounting hardware and engine block sealing O-rings

PART # DESCRIPTION

23713. GM LS Series Spin-On Oil Filter Adapter for Moroso Out bound LS Oil Pan Rails • <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.



PRO-MOD STYLE VACUUM PUMP, V-BAND MOUNTING FLANGE

Fits: ProCharger Front Accessory Drives

- V-Band mounting flange to mount Vacuum Pump to ProCharger supercharger front drives
- Since ProCharger supercharger front drives will spin the vacuum pump at 50%, a higher flow vacuum pump is needed
- Includes -16AN fittings
- Utilizes sealed maintenance free bearings

PART # DESCRIPTION

22655 Vacuum Pump, Pro Mod Style, ProCharger V-Band Mounting Flange

No. 22655

REMOTE OIL FILTER MOUNT FOR 7" DIAMETER DRY SUMP TANKS

- Strong billet aluminum base has a provision so that Moroso Part Nos. 23763, 23764 Remote Oil Filter Mounts or other Remote Oil Filter Mounts with a 2-5%" bolt spacing can be installed directly to the base
- For the installation on a 7" diameter dry sump tank
- A stainless steel band clamp with interlocking rubber for cushioning

PART # DESCRIPTION

22761 Remote Oil Filter Mount for 7" Diameter Dry Sump Tanks





Above image shows Part No. 22761 installed, only highlighted components are included in the mount

NEW PRODUCTS

CRANKSHAFT PULLEY, 5 INCH DIAMETER, BILLET ALUMINUM

V-Belt Design

- Ideal for driving alternators and/or vacuum pumps at optimum rpm
- Fits any 1" Dia. crank-driven mandrel with $\frac{1}{8}$ " keyway
- CNC machined from billet aluminum with hard-coat anodized finish
- May be used with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842, 22843 and Vacuum Pump Pulley Nos. 64885 & 64887

PART # DESCRIPTION

235250 Crankshaft Pulley, 5 In. Dia., V-Belt Billet Aluminum

» /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.



TIMING BELT, 560-8M

Radius Tooth Belt 22" x 1" (559 x 25.4) 70 Teeth

- Provides higher power and torgue transmission, improved meshing to reduce tooth jump. greater resistance to tooth shear and reduced friction to extend belt life
- Fiberglass cord is wound across the entire width of the belt to minimize stretching
- Belt body is manufactured from a synthetic neoprene compound that resists heat. oils, ozone and aging
- Tough nylon fabric is bonded to the tooth surface for greater wear resistance

DESCRIPTION PART #

97115↔ Timing Belt, 560-8M

PRO-MOD, 6 QUART DRY SUMP TANK

- Tank body is 15" Tall and 7" Diameter with a 6 quart capacity
- (2) -16AN Inlets
- (1) -12AN Supply (Outlet)
- Integral Breather Tank
- Tank comes apart for ease of cleaning or inspection
- Removable top is machined out of billet aluminum with 0-ringed sealing flanges
- Large diameter, billet aluminum, screw-on cap with 0-ring for positive sealing
- 0-ring drain bung

DESCRIPTION PART

226170 Pro-Mod. 6 Quart, Removable Top Dry Sump Tank

MULTI-INLET BREATHER TANKS, COMPACT, **BILLET ALUMINUM**

Available with a polished or black anodized finish

- Tanks have an overall height of 7" tall with the breather installed and are 2-1/4" dia., so they are able to be mounted in areas where a normal size breather tank wouldn't fit or be desired
- Compact Breather Tanks are machined out of billet aluminum and are two pieces. so that the body of the compact breather tanks unscrews for cleaning and draining
- They feature internal baffling with mesh media for superior air-oil separation
- Top of the breather tank has two -8AN Female bungs 180 Degrees apart from each other. included are two -8AN Male fittings, customer can adapt other sized fittings if desired
- Each tank includes a non-hooded, clamp-on style, filtered breather and a billet aluminum mounting bracket
- Exterior of the tanks are available with a polished or black anodized finish

PART # DESCRIPTION

853960 Breather Tank, Compact, Polished Finish 853970 Breather Tank, Compact, Black Anodized Finish

» 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm.



No. 97115

No. 22617

• 🖄 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm

No. 85396



• <u>/!</u> WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm

• <u>VIN WARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm.

• <u>WARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm.

BREATHER TANK, -12AN MALE FITTING, BLACK WRINKLE POWDER COAT FINISH

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- Remote breather tank is a perfect companion for Moroso Vacuum Pumps or dry sump tanks
- -12AN Male Fitting
- All aluminum, lightweight tank features internal baffling with mesh media for air-oil separation
- Includes non-hooded, clamp-on filtered breather, bottom petcock drain and a mounting bracket
- Dimensions: 3-1/8" diameter, 6-1/2" tank height (without filter or drain), 11-1/2" overall height
- Has a durable black wrinkle powder coat finish
- Petcock facilitates tank draining
- Includes mounting bracket

PART # DESCRIPTION

85751 • Breather Tank. -12AN Male Fitting, Black Wrinkle Powder Coat Finish

BREATHER TANKS, MULTI-INLET, BLACK WRINKLE POWDER COAT FINISH

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- -10AN or -12AN Male fitting, multi-inlet tank can collect from different sources to save on weight and plumbing complexity, fitting locations are 180 degrees apart
- All aluminum, lightweight tank features internal baffling with mesh media for air-oil separation
- Includes non-hooded, clamp-on filtered breather, bottom petcock drain and a mounting bracket
- Dimensions: $3-\frac{1}{8}$ " diameter, $6-\frac{1}{2}$ " tank height (without filter or drain), $11-\frac{1}{2}$ " overall height
- Has a durable black wrinkle powder coat finish
- · Petcock facilitates tank draining
- Includes mounting bracket

PART # DESCRIPTION

85752• Breather Tank. Two -10AN Male Fittings, Black Wrinkle Finish **85753**• Breather Tank. Two -12AN Male Fittings, Black Wrinkle Finish

BREATHER TANKS, TWO BREATHERS & TWO -16AN INLETS

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- Bigger than your typical breather tank for capturing large amounts of vapor expelled by big cube, high boosted, big shot of nitrous, loose tolerances, high stressed types of engines
- · Aluminum, lightweight tanks feature internal baffling with mesh media for air-oil separation
- Includes two non-hooded, clamp-on filtered breathers, built-in mounting bracket and an easy to drain ball valve drain
- Includes Two -16AN Female Inlets:
 - No. 85391 On the "Face" of the tank, next to each other
 - No. 85392- On the right side of the tank, one above the other one
 - No. 85393- On each side of the tank, 180 Deg. apart
- Dimensions: 7" wide (without mount), 4" deep, 11" tank height (without filter or drain), 15" overall height
- Petcock facilitates tank draining
- · Includes mounting bracket

PART # DESCRIPTION

85391 ↔ Breather Tank, 2 Breathers, -16AN Inlets, "Face" of the tank 85392 ↔ Breather Tank, 2 Breathers, -16AN Inlets, Right Side

85393 Breather Tank, 2 Breathers, -16AN Inlets, Each Side



No. 85392



таназа

No. 85751

No. 85752

POWER STEERING TANK, UNIVERSAL, BLACK WRINKLE POWDER COAT FINISH

- Fabricated from aluminum for strength, has a durable black wrinkle powder coat finish
- · Built in mounting bracket
- -6AN left side inlet and -10AN outlet with an internal baffle
- · Includes a heavy duty vented screw on cap

PART # DESCRIPTION

63951 Power Steering Tank, Universal, Black Wrinkle Powder Coat Finish



No. 63952

magast

uhl:hk

UNIVERSAL COOLANT EXPANSION TANK, BLACK WRINKLE POWDER COAT FINISH

- · Designed for applications where a remote tank is necessary
- Fabricated of aluminum for strength with an integral mounting bracket
- 1-1/4" quart capacity
- One 1/2" N.P.T. female fitting on bottom of tank and one 3/8" N.P.T. female on side of tank
- Has a durable black wrinkle powder coat finish

PART # DESCRIPTION

63952 Universal, Coolant Expansion Tank, Black Wrinkle Powder Coat Finish

SUPERCHARGER TANK, CAMARO ZL1 '17-UP

From the factory the Camaro ZL1 is a super capable car whether at the Drag Strip or Road Course but why didn't GM include a factory installed Supercharger coolant tank? Even to bleed the factory Supercharger coolant system requires the purchase of an expensive tool from GM. After purchasing this tool the process of bleeding is still difficult for the novice and DIY'er.

- Adds almost a gallon of fluid to the system to help combat heat soak at those days at the track, on the Dyno or in stop and go traffic
- Adding tank requires no special tool needed for bleeding or checking the fluid level in the system
- The tank bolts into factory mounting points and attaches to factory hose connections making for an easy and clean installation
- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- · Includes a billet aluminum cap and two hoses with fitting

PART # DESCRIPTION

63873 ·· Supercharger Tank, Camaro ZL1 '17-Up

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

No. 38388



- Steel studs allow repeated removal and installation of pan without stripping blocks
- Studs are made of heat treated Grade 8 steel with black oxide finish
- Kit includes Studs, 12 Point Flange Nuts and Lock Nuts

PART # DESCRIPTION

38388 · Oil Pan Stud Kit, SBC, Dart Spread Rail

• MarNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.







NEW PRODUCTS

SBC 4.5 ROX BILLET ALUMINUM VALVE COVERS, 2-3/4 INCH TALL

Fits: SBC 4.5 Bore Space ROX cylinder heads, clears Jesel, T&D Rocker Shaft Assemblies

- 2-3/4 Tall, clears Jesel style rockers
- Each valve cover is CNC machined from a billet aluminum bar
- · Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68337 Valve Covers, SBC 4.5 ROX, Billet Aluminum

GM LS BILLET ALUMINUM VALVE COVERS, 2.5 INCH TALL, WITH AEM/HOLLEY/SMART COIL MOUNTS

Fits: GM LS Series stock and aftermarket cylinder heads

- 2-1/2" tall to clear most aftermarket valvetrains
- Each cover features a port that a Moroso Part **No. 68857** breather or COPO breather snaps into, can then be unsnapped to use an oil fill
- The integral coil pack mounts accept AEM, Holley and other "Smart" style coils
- Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has an o-ring groove that accepts Moroso Part No. 93025 or GM#12612045 0-ring
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look
- Includes mounting hardware

PART # DESCRIPTION

68476 Valve Covers, Billet Aluminum, AEM, Holley and other Smart coil mounts, GM LS Series

BRODIX PB-5000 CYLINDER HEAD VALVE COVERS, FABRICATED ALUMINUM WITH A BILLET RAIL

Fits: Brodix PB-5000 Cylinder Heads

- 3" Tall
- Fabricated entirely from superior guality aluminum, ultra lightweight
- · One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68462 Valve Cover, Fab. Alum., Billet Rail for Brodix PB-5000 Cylinder Heads

BRODIX DN9 CYLINDER HEAD VALVE COVERS, FABRICATED ALUMINUM WITH BILLET RAIL

Fits: Brodix DN9 Cylinder Heads

- 3" Tall
- Pockets on the exhaust side, tubes on the intake side
- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- \bullet Designed with a broad, flat surface for engine builder engraving
- \bullet Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68454 Valve Cover, Fab. Alum., Billet Rail for Brodix DN9 Cylinder Heads, pockets on the exhaust side









No. 68462



No. 68337

AN FEMALE FITTING KITS, NON-WELD

- Available in -8AN, -10AN & -12AN Female fittings
- Provides an easy way of adding a Female AN fitting to steel or aluminum valve covers without welding
- · Since no welding is required then there is not the possibility of heat damage to the chrome or powder coat
- Includes hardware and O-ring

PART # DESCRIPTION

- 22755 -8AN Female Fitting Kit, Non-Weld
- 22756 -10AN Female Fitting Kit, Non-Weld
- 22757 -12AN Female Fitting Kit, Non-Weld



No. 22755

to the state of California to cause cancer. birth defects, or reproductive harm.

No. 22756

No. 22757

AN FITTING KITS, GM COPO, I VALVE COVERS

- Provides an easy way of adding -10AN or -12AN Male fittings to Moroso No. 68493 or GM COPO LS valve covers with an oil fill bung
- Remove oil fill bung on valve cover and snap in -10AN or WARNING Prop. 65 -12AN fitting kit This product contains a chemical known
- 2 Pack

PART # DESCRIPTION

688580 Fitting Kit, -10AN for Moroso or GM COPO LS Valve Covers **68859**↔ Fitting Kit, -12AN for Moroso or GM COPO LS Valve Covers

FILLER CAP KIT, UNIVERSAL, ALUMINUM

- Filler Cap Kit's bung can be welded on aluminum valve covers, aluminum tanks and other aluminum products that need a fill feature
- The aluminum bung has 1-1/4"-12UNF Threads, 1.5" O.D.
- The included Finger Grip cap has a black anodized finish with a Moroso logo. is manufactured from 6061-T6 billet aluminum and includes 0-Ring for leak free sealing



No. 68858

No. 85286

PART # DESCRIPTION

85286 Filler Cap Kit, Aluminum Bung, Finger Grip Cap

MOROSO ULTRA 40 IGNITION WIRE SETS FOR MOROSO GM LS SERIES BILLET ALUMINUM VALVE COVERS. **HOLLEY/SMART COILS ONLY**

You have the Moroso all billet aluminum GM LS valve covers, why use any other spark plug wire than the Moroso Ultra 40 Unsleeved and Sleeved sets that were designed to be used with these valve covers?

- Designed to be used with Moroso Part No. 68476 All Billet Aluminum Valve Covers with integral coil mounts that accept Holley/Smart Coils
- Constructed out of Moroso Ultra 40, 8.65 mm Diameter Ignition Wire with 40 ohms of resistance per foot
- Available in an Unsleeved and a Sleeved version which extends spark plug life and protects against exhaust header heat, chaffing and contaminants. The sleeving adds extra dielectric strength which is the wire's ability to not to be affected by outside electrical pulses
- Each wire is terminated with heavy duty, high temperature, easy-pull/positive engagement spark plug boots and on the other end with matching coil boots
- Complete, ready to install

PART # DESCRIPTION

- Wire Set, Ultra 40, Unsleeved in Black, 737320 for Moroso Part No. 68476 Valve Covers 738490 Wire Set, Ultra 40, Sleeved In Black,
- for Moroso Part No. 68476 Valve Covers PART # **AVAILABLE OPTION**

72953 Heat Shields for GM LS Wire Sets, 8 Pack




WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm.



-INTRODUCING-ULTRA SPARK PLUG WIRE

Who said high quality/high performance can't be cost effective? With Moroso **Ultra Spark Plug Wires** you can have all three. These Made in the USA spark plug wires are equal to or exceed Auto Manufacturers specifications depending on the application, without the dealer prices. Moroso has 50 plus years of experience from supplying spark plug wires to the top teams of NASCAR, NHRA and Auto Manufacturers!



Available in subtle BLACK or eye catching RED, high temperature sleeved versions are also available on some applications!



NEW PRODUCTS

		_	_
	γ.		
			1
11			
1			
N			

	ULTRA SP		G IGNITION			
SPARK PLUG WIRE APPLICATIONS	DISTRIBUTOR BOOT TYPE(S)	SPARK PLUG BOOT TYPE	BLACK UNSLEEVED WIRE PART #	RED UNSLEEVED WIRE PART #	BLACK Sleeved Wire Part #	RED SLEEVED WIRE PART :
Universal V8	HEI & Non-HEI	Straight	51000 0	52000 0		
Universal V8	HEI & Non-HEI	90 Degree	51005 0	52005 0		
Universal V8	HEI & Non-HEI	135 Degree	51008 0	52008 0		
Universal V8	HEI	Straight	51001 0	52001 0		
Universal V8	HEI	90 Degree	51006 ↔	52006 0		
Universal V8	HEI	135 Degree	51009 ↔	52009 0		
Universal V8	Non-HEI	Straight	51002 0	52002 0	• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.	
Universal V8	Non-HEI	90 Degree	51007 ↔	52007 0		
Universal V8	Non-HEI	135 Degree	51010 0	52010 0		
Universal GM LS, Coil On Plug	Coil-On-Plug	135 Degree	51011 0	52011 0		
Universal 6 Cylinder	Non-HEI	Straight	51003 0	52003 0		
Universal 4 Cylinder	Non-HEI	Straight	51004 0	52004 0		
Small Block Chevy Over V/C	HEI	90 Degree	51025 0	52025 0	5152 5 0	52525 0
Small Block Chevy Over V/C	Non-HEI	90 Degree	51026 0	52026 0	51526 0	52526o
Small Block Chevy Over V/C	HEI	135 Degree	5102 7 0	52027 0	5152 7 0	52527 0
Small Block Chevy Under Header	HEI	90 Degree	51028 0	52028 0	51528 0	52528 0
Small Block Chevy Under Header	Non-HEI	90 Degree	51029 0	52029 0	51529 ⇔	52529 0
Small Block Chevy Under Header	HEI	135 Degree	51030 ↔	52030 0	51530 ↔	52530 0
GM LS 9.75" Long	Coil-On-Plug	90 Degree	51032 0	52032 0	51532 0	52532 0
GM LS 11" Long	Coil-On-Plug	90 Degree	51034 0	52034 0	51534 0	52534 0
Big Block Chevy Over V/C	HEI	Straight	51040 ↔	52040 0	51540 ↔	52540 0
Big Block Chevy Over V/C	Non-HEI	Straight	51041 0	52041 0	51541 o	52541 o
Big Block Chevy Over V/C	HEI	135 Degree	51042 \$	52042 0	51542 ↔	52542 0
Big Block Chevy Under Header	HEI	90 Degree	5104 3 0	52043 0	5154 3 0	52543 0
Big Block Chevy Under Header	Non-HEI	90 Degree	5104 4 0	52044 0	5154 4 0	52544 0
Big Block Chevy Under Header	HEI	135 Degree	5104 5 0	52045 0	51545 ↔	52545 °
Small Block Chrysler, Mopar 273, 318, 340, 360	HEI	Straight	5105 5 0	52055 9	5155 5 0	52555 ↔
Small Block Chrysler, Mopar 273, 318, 340, 360	Non-HEI	Straight	51056 ∘	52056 9	51556 ∘	52556 °
Big Block Chrysler, Mopar 361, 383, 400, 440	HEI	Straight	51060 ↔	52060 9	51560 ⇔	52560 0
Big Block Chrysler, Mopar 361, 383, 400, 440	Non-HEI	Straight	51061 ↔	52061 9	51561 ↔	52561 0
Small Block Ford 260, 289, 302	HEI	135 Degree	51070 0	52070 0	5157 0 0	52570 0
Small Block Ford 260, 289, 302	Non-HEI	135 Degree	51071 0	52071 0	51571 o	52571 o
Small Block Ford 351W	HEI	135 Degree	51072 0	52072 0	51572 0	52572o
Small Block Ford 351W	Non-HEI	135 Degree	51073 0	52073 0	51573 0	52573 0
Big Block Ford 351C, 390, 429, 460	HEI	135 Degree	5107 4 0	52074 0	5157 4 0	52574 0
Big Block Ford 351C, 390, 429, 460	Non-HEI	135 Degree	51075 ↔	52075 9	51575 ↔	52575 0



Stainless Steel mounting hardware included

PART # DESCRIPTION 60146o Timing Pointer, BBC .400 to .600 Raised Cam 7.25" Balancer

• / WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.



REMOTE, SINGLE BATTERY CABLE KIT, SCREW TOGETHER TERMINAL

Heavy Duty/High Voltage 1 Gauge Cable and easy to use, no crimping required Screw Together Battery Terminals and Ring Terminals

Kit Includes:

- 15' of Positive 1 Gauge Cable with red insulation, 3' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 1 Positive and 1 Negative Screw Together Battery Post Terminals with one compression nut each
- 2 Screw Together 1 Gauge ³/₈" Ring Terminals with one compression nut each
- 4 Shrink Sleeves

PART # DESCRIPTION

740200 Battery Cable Kit, Remote, Single Battery Cable Kit, Screw Together Terminals

• Z WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm,



REMOTE, DUAL BATTERY CABLE KIT, SCREW TOGETHER TERMINALS

Heavy Duty/High Voltage 1 Gauge Cable and easy to use, no crimping required Screw Together Battery Terminals and Ring Terminals

Kit Includes:

- 25' of Positive 1 Gauge Cable with red insulation, 8' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 2 Positive and 2 Negative Screw Together Battery Post Terminals with one compression nut each
- 12 Screw Together 1 Gauge ³/₈" Ring Terminals with one compression nut each
- 16 Shrink Sleeves

PART # DESCRIPTION

740570 Battery Cable Kit, Remote, Dual Battery Cable Kit, Screw Together Terminals



birth defects, or reproductive harm.



REMOTE, DUAL BATTERY CABLE KIT, CRIMP-ON TERMINALS

NEW PRODUCTS

Heavy Duty/High Voltage 1 Gauge Cable

Kit Includes:

- 25' of Positive 1 Gauge Cable with red insulation, 8' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 2 Positive and 2 Negative Crimp-On Battery Post Terminals
- 10 Crimp-On 1 Gauge ³/₈" Copper Ring Terminals
- 14 Shrink Sleeves
- Requires Moroso Part No. 62262 Wire Crimp Tool or similar Impact Wire Crimp Tool

PART # DESCRIPTION

74056• Battery Cable Kit, Remote, Dual Battery Cable Kit, Crimp-On Terminals • <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

BATTERY CABLE, 1 GAUGE, 50 FOOT ROLLS

- Heavy Duty/High Voltage 1 Gauge Cable
- Available with either red insulation to signify a Positive cable or black insulation to signify a Negative cable, insulation resists most car fuels, oils and cleaners

PART # DESCRIPTION

- **74070**↔ Battery Cable Kit, 1 Gauge, 50' Roll, Red Insulation
- 74071 ↔ Battery Cable Kit, 1 Gauge, 50' Roll, Black Insulation

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

BATTERY CABLE 3/8" & 1/2" RING TERMINALS

- Copper fittings can be crimped or soldered on
- Ring terminals will fit 1 Gauge wire
- Two per pack

PART # DESCRIPTION

74177• Battery Cable ³/₈" Copper Ring Terminal, 2 per pack **74178**• Battery Cable ¹/₂" Copper Ring Terminal, 2 per pack



WIRE & CABLE IMPACT CRIMP TOOL

- Crimps 8 gauge thru 4/0 AWG gauge terminals and lugs to battery cables, and other thicker power cables such as starters
- Takes the guess work out of creating secure, neat crimps
- Spring loaded pin locks in "up" position for loading connector and cable; when released pin holds connector securely during crimping
- Dead blow hammer is recommended over a claw hammer for best results or can be used in a vise

PART #DESCRIPTION62262↔Wire Crimp Tool, Impact

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm.

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm.



No. 62262

DRAIN PLUG, 3/4" -16 DEEP THREAD WITH O-RING

- Features a large 1" hex head
- Aluminum with a clear anodized finish
- Includes 0-ring

PART # DESCRIPTION 97007 ↔ Drain Plug, Oil Pan, Hex, ³/₄" -16 Deep O-Ring



red insulation, 8 sists most car fue n Battery Post Te Ring Terminals /ire Crimp Tool of np-On Terminals

(No. 74071)

No. 74056

No. 74070

OIL PANS

<u>HOW A MOROSO OIL PAN IS MANUFACTURED</u>

Reprinted from DRAG RACER MAGAZINE

Text and Photos by RANDY FISH

Moroso Performance Products was the first to manufacture racing oil pans with deep and kicked-out sumps, solving the lubrication problems of racers. The following details the manufacture of a Pro Eliminator Oil Pan. While automated machinery is used to make individual components, **Moroso Oil Pans are precision welded**, one at a time, by skilled craftsmen.




The turret punch press machine is where Moroso's precision manufacturing process begins. Reference holes become precision cuts resulting in a sheet of pre-cut aluminum components. Once a design is entered into the machine's computerized interface, the exacting tolerances of the original pan can be repeated endlessly. **Inset:** Individual pieces are detached manually in preparation for assembly.



Skilled craftsmen precision-make each Moroso Oil Pans which could not be mass produced with the same degree of accuracy and workmanship. **Pro Eliminator Oil Pan (Part No. 20385)** uses several welded bungs for its various attaching points. It also features a billet rail for optimum sealing. The fixture utilizes one-inch thick plate to absorb heat and ensure proper alignment, while preventing warpage.



Billet aluminum end caps are milled on Moroso's bank of CNC machines. They are then computer checked for dimensional accuracy before transfer to manufacturing. Here, a Quality Control Tech uses computerized digital probes to perform a battery of tests on a CMM machine, a staple in the aerospace industry. Another computer driven sheet metal brake makes the prescribed bends and angles for various component pieces.



Oil pan foundation after one billet end rail has been welded into place. Moroso's efficient manufacturing processes ensure that each part is made to close tolerances, which means the actual welded seam is minimal. **Inset:** Moroso pioneered the deep and kick-out sump oil pan; here, the deepest section of the pan begins to take shape.



With all surfaces carefully welded, the completed pan is fitment checked on a real engine block. Moroso performs high-pressure leak tests on all machined Oil Pans.




Shown here are the individual components, along with a completed **Pro Eliminator Oil Pan (Part No. 20385)** for Big-Block Chevypowered Super Class cars, Bracket cars, and Comp Eliminator racers. One of our more popular wet-sump Mark IV Big-Block Chevy offerings, this pan gives racers eight-to-nine quart capacity and will accommodate up to 4-3/4" stroke with aluminum rods.

The use of a wet or dry sump oiling system is often determined by the level of competition and the racer's budget. A wet sump system is based on the original equipment oiling system, and can be enhanced with certain components to improve oil control and increase power. A dry sump system is designed for the top levels of racing where maximum power and oil control are absolutely essential.

TYPICAL WET SUMP SYSTEM

In a typical Wet Sump system, oil is stored in the bottom of the pan and distributed throughout the engine by an internally-mounted pump. An oil pump pickup, mounted to the pump, extends to within a quarter inch of the pan's bottom to "pickup" the oil. Although a Wet Sump system is essentially the same system used in production cars, it can be enhanced significantly with components that improve oil control and increase power. For performance street and racing applications, these components include high capacity pans, extended oil pump pickups, racing oil pumps, windage trays, oil control kits, racing oil filters and other components. In some racing applications an external oil pump is used, allowing the windage tray or screen to run the pan's full length.



Moroso Wet Sump Oiling System components are race proven, designed to keep the engine properly supplied with oil during the most demanding conditions.


OIL PAN CAPACITIES

Capacities listed for Moroso Wet Sump Oil Pans include the capacity of the pan only, measured at or below the normal fill mark on a stock dipstick. Additional oil must be added to compensate for filters, coolers, tanks, etc.

TYPICAL DRY SUMP SYSTEM

Unlike a wet sump system where oil is stored in the pan, a Dry Sump Oiling System stores oil in a separate tank - leaving the pan essentially "dry." An externally mounted pump, generally with three or four stages, is used to "scavenge" or remove oil from the pan, deliver it to the storage tank, and send it back through the engine. In a typical setup, all but one of the stages is used to scavenge oil from the pan. A single pressure stage is normally used to return oil from the tank to the engine. The primary advantage of a Dry Sump System is its ability to make more power. With very little oil in the pan, the rotating assembly is not burdened with

the weight of excess oil (a phenomenon commonly referred to as "windage").



Because there is no internal pump, the windage tray or screen which serves to isolate sump oil from the rotating assembly, is allowed to run the full length of the pan. Keeping the rotating assembly free of windage allows it to spin freely and make more power. In addition, the extra crankcase vacuum created by the dry sump pump helps to improve ring seal for additional power gain. Other advantages of a Dry Sump System include increased oil capacity, more consistent oil pressure, the ability to easily add remote coolers, and adjustable oil pressure. And because the pan doesn't store oil, it can be relatively shallow in depth to allow lower engine placement for improved weight distribution and handling. Moroso manufactures a full range of Dry Sump Oiling System components, all of which are engineered to be fully compatible with one another. This allows the engine builder to select the best combination of equipment and avoid the costly problems that often occur when "mixing and matching" components from various manufacturers.



CHEVROLET SMALL BLOCK

Steel, Wet Sump, 5 Quart Capacity, 7-1/2" Deep Fits: Stock Replacement

- Clears 4.125" stroke with most steel rods
- Fits 4 holt Dart GM and Merlin main cans

PART #	AVAILABLE OPTIONS PART # AVAILABLE OPTIONS
PART # 22144	OIL PUMP/PICKUP PACKAGE Moroso High Volume Package
PART # 24185 24212 24213 24813	RECOMMENDED PICKUPS Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump Fits: Moroso SBC, 3/4" Inlet, M155HV style pump
20171 20172	Oil Pan, Steel, Clear Zinc, Stock Configuration Engine Application: 1980–'85 blocks with passenger-side dipstick Oil Pan, Steel, Clear Zinc, Stock Configuration Engine Application: 1986 and newer blocks with one-piece rear main seal
PART # 20170	DESCRIPTION Oil Pan, Steel, Clear Zinc, Stock Configuration Engine Application: Pre-1980 blocks with driver-side dipstick
	por baffle for improved oil control

23020 Windage Tray 38551 Oil Pan Flange Head Bolts, SBC 23000 **Oil Pan Baffle** 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal 25800 Crank Scraper 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

CHEVROLET SMALL BLOCK

Steel, Deep Sump, 6 Quart Capacity, 8-1/4" Deep Fits: Most chassis (except '62-67 Chevy II, V8 Vega and Monza)

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffle for improved oil control

PART # DESCRIPTION

20180 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump **Engine Application:** Pre-1980 blocks with driver-side dipstick 20181 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: 1980-'85 blocks with passenger-side dipstick 20182 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4 Inlet, M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV style pump
- PART # **OIL PUMP/PICKUP PACKAGE**
- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump

PART # **AVAILABLE OPTIONS**

- 23020 Windage Trav
- **Oil Pan Baffle** 23000
- 25800 Crank Scraper
- Oil Pan Flange Head Bolts, SBC 38551
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal




No. 20180

No. 20171

. 4-¹/₁₆"





7-1/2"



- Accepts up to 4.125" stroke with steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffle for improved oil control
- Increases capacity which reduces oil temperature
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION


- 20160 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: Pre-1980 blocks with driver-side dipstick
 20165 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump Engine Application: 1980-'85 blocks with passenger-side dipstick
 PART # RECOMMENDED PICKUPS
- 24150 Fits: Stock Oil Pumps or Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
 24340 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump

PART # AVAILABLE OPTIONS 23020 Windage Tray

- 23000 Viildage fray 23000 Oil Pan Baffle 25800 Crank Scraper
- **38551** Oil Pan Flange Head Bolts, SBC
- **93150** Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal







CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" deep Fits: Most Chassis (except '62-'67 Chevy II, V8 Vega and Monza)

- Accepts 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Kicked-out sump
- Trap door baffle for improved oil control
- · Compatible with most starter/flywheel combinations
- Will clear most stock exhaust, Borla, Hedman and Hooker headers

PART # DESCRIPTION

- 20190 Oil Pan, Steel, Clear Zinc, *Engine Application: Pre-1980 blocks w/ driver-side dipstick*
- 20200 Oil Pan, Steel, Clear Zinc, Engine Application: 1980-'85 blocks w/ passenger-side dipstick
- **20205** Oil Pan, Steel, Clear Zinc, *Engine Application:* 1986 and newer blocks w/ one-piece rear main seal; passenger-side dipstick

PART # RECOMMENDED PICKUPS

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- **24181** *Fits: Moroso SBC, 3/4*" *Inlet, M10552/M10555 style pumps*
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV/M10551 style pump


PART # OIL PUMP/PICKUP PACKAGE

- 22124 Moroso Standard Volume Package
- **22134** Moroso High Volume Package
- 22146 Moroso High Volume Package w/ ¾" dia. inlet
- **22139** Moroso High Volume with Anti-Cavitation Grooves Package
- **22171** Moroso Billet Aluminum Oil Pump










PART #	AVAILABLE OPTIONS
--------	-------------------

- 23020 Windage Tray
- 23000 Oil Pan Baffle
- 25800 Crank Scraper
- **38551** Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal




Oil Pan Flange Head Bolts, SBC

Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

50	
8-1/4'	
iece	-007

- Oil Pan Gasket, '86-up block with a 1 piece
- Oil Pan Gasket, Pre-'85 block with a 2 pi



Moroso High Volume with Anti-Cavitation Grooves Package Moroso Billet Aluminum Oil Pump

CHEVROLET SMALL BLOCK

CHEVROLET SMALL BLOCK Steel, Wet Sump, 7 Quart Capacity, 8-1/4" deep Fits: Most Chassis (except '62-'67 Chevy II, V8 Vega

and Monza)

Kicked-out sump

DESCRIPTION

PART #

20191

20201

20206

PART #

24170 24181

24350

24320

24360

PART #

22124

22134

22146

22139

22171

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Engine Application: Pre-1985 with 2 piece rear main seal Fits: Most chassis (may require cross-member modification)

- Accepts strokes up to 4.125" with steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- Kicked-out sump
- Provision for Universal Dipstick Kits Nos. 25970, 25971 or 25973
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- 20195 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump
- PART # **RECOMMENDED PICKUPS**
- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump, with baffle modification
- 24360 Fits: M155HV/M10551 style pump, with baffle modification

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet, with baffle modification
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package, with baffle modification


38551

93150

22171 Moroso Billet Aluminum Oil Pump

PART # **AVAILABLE OPTIONS**

- 23020 Windage Tray 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 25970 Universal Dipstick Kit









CHEVROLET SMALL BLOCK Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep



STREET | STRIP

20211

20212

24120 24122

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- Oil Pan Gasket, '86-up block with a 1 piece rear main seal 93151

8-1/4"

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

7-7/8



CHEVROLET SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8-1/4" Deep Engine Application: Up to '85 with driver-side dipstick Fits: V8 Vega/Monza chassis

- Accepts up to 3.48" stroke with steel rods; will not work with 400 cid (3.75" stroke)
- Fits 4 bolt Dart, GM and Merlin main caps
- Trap door baffling for improved oil control
- Specially designed to fit with stock Vega & Monza cross-member
- Reduces oil temperature
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20230 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC. 3/4" Inlet. M10552/M10555 style pumps
- 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV/M10551 style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump


AVAILABLE OPTIONS PART

- 23000 **Oil Pan Baffle**
- 25800 Crank Scraper
- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal









DRAG RACE

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Accepts 4" strokes with steel rods
- · Passenger-side kick-out for increased horsepower
- · Solid louvered tray with main cap partitions for maximum power and oil control
- For use with 168 and 153-tooth flywheel combinations

PART # DESCRIPTION

21015 Oil Pan, Steel, Clear Zinc Engine Application: Pre-1980 engine blocks with driver-side dipstick and fits Dart 4, GM and Merlin main caps 21017 Oil Pan, Steel, Clear Zinc Engine Application: Up to '85 and aftermarket engine blocks with stock width oil pan rails

PART # **RECOMMENDED PICKUPS**

- 24170 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24181 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps 24350 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or
- M55HV style pump 24320 Fits: Moroso BBC Race Pump No. 22150 or M77HV style pump
- 24360 Fits: M155HV/M10551 style pump, with slight tray modifications

PART # **OIL PUMP/PICKUP PACKAGE**

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22146 Moroso High Volume Package w/ 3/4" dia. inlet
- 22139 Moroso High Volume with Anti-Cavitation Grooves Package
- 22171 Moroso Billet Aluminum Oil Pump





No. 21017

No. 21015



PART # **AVAILABLE OPTIONS** Universal Dipstick Kit

25970

- Universal Dipstick Kit, Braided Stainless Flex Tube
- 25971 Universal Dipstick Kit, Twist Lock
- 25973 38551 **Oil Pan Flange Head Bolts. SBC**
- Oil Pan Gasket, Pre-'85 block with a 2 piece rear 93150 main seal



 \square

CHEVROLET SMALL BLOCK

Aluminum, Wet Sump, 8 Quart Capacity, 8-1/4" Deep Engine Application: Up to 1985 Engine Blocks including Dart and Merlin Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Aluminum, fully fabricated oil pan accepts 4.25" stroke with steel or aluminum rods
- Double kick-out design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- For use with 168-tooth flywheel combination
- Louvered windage tray with main cap partitions for maximum power and oil control
- Features O-ring magnetic drain plug,
- two -8AN drain backs and dipstick bung

PART # DESCRIPTION

21234 Oil Pan, SBC, Two Piece Rear Main Seal Engine Blocks

PART # RECOMMENDED PICKUPS

- **24170** *Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump*
- **24181** *Fits:* Moroso SBC, 3/4" Inlet, M10552/M10555 & 10551M style pumps
- 24350 Fits: Moroso SBC HV Race Pump, 5/8" Inlet, Nos. 22109, 22111 or M55HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22124 Moroso Standard Volume Package
- 22134 Moroso High Volume Package
- 22171 Moroso Billet Aluminum Oil Pump

PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38385 Bullet Nose Oil Pan Stud Kit
- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal

CHEVROLET SMALL BLOCK

Aluminum Wet Sump/External P/U, 8 Quart Capacity, 8-¼" Deep Engine Application: SBC up to 1985 Engine Blocks including Dart and Merlin Fits: Super Stock/Bracket Cars, Dragsters, Roadsters or Body Cars

- Aluminum, fully fabricated oil pan accepts 4.25" stroke with steel or aluminum rods
- Double kick-out design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- For use with 168-tooth flywheel combination
- Full length solid louvered windage tray with main cap partitions for maximum power and oil control
- Features -16AN External Pickup
- Includes O-ring magnetic drain plug, two -8AN drain backs and dipstick bung

PART # DESCRIPTION

21240 Oil Pan, SBC, Power Kickouts, Aluminum, Divided Tray, -16AN External Pickup


PART # AVAILABLE OPTIONS


- 23962 Filter Fitting, -16AN Male to -16AN Male, with External Screen
- **23963** Filter Fitting, -12AN Male to -16AN Male with External Screen
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38385** Bullet Nose Oil Pan Stud Kit
- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal


















9-1/16



93151

35

 \square CHEVY SMALL BLOCK

CHEVROLET SMALL BLOCK

Steel. Wet Sump. 7 Quart Capacity. 7-1/2" Deep. Road Race Baffled Fits: Most GM chassis

(except '62-'67 Chevy II, '67-'69 F-Body, V-8 Vega and Monza)

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- 3 trap door baffles, 2 runners for oil control in Road Racing, also an excellent Drag Race oil pan
- Compatible with most starter/flvwheel combinations
- . Has a built in crank scraper, removable screen windage tray and anti-slosh baffle to free up horsepower

DESCRIPTION PART

- 21813 Oil Pan, Steel, Clear Zinc, Road Race Baffled Engine Application: Pre- 1980 engine blocks with two piece seal/driver side dipstick 21814
 - Oil Pan, Steel, Clear Zinc, Road Race Baffled Engine Application: SBC '80-'85 engine blocks with two piece seal/passenger side dipstick & Dart SHP Blocks
- 21815 Oil Pan, Steel, Clear Zinc, Road Race baffled Engine Application: SBC 1986 & Newer engine blocks with one piece seal/passenger side dipstick

RECOMMENDED PICKUPS PART

- 24185 Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps
- 24212 Fits: Moroso SBC Race Pump Nos. 22099. 22101 or M55 style pump
- 24213 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24813 Fits: Moroso SBC, 3/4" Inlet, M155 HV style pump

AVAILABLE OPTIONS PART

- 38551 Oil Pan Flange Head Bolts, SBC
- Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal 93150
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

CHEVROLET SMALL BLOCK


Steel, Wet Sump, 5.5 Quart Capacity Fits: '93-'97 F-Body, Impala

- Clears 4.125" stroke with most steel rods
- Kicked-out sump and trap door baffling for improved oil control in drag racing, road racing and street applications
- Windage screen
- 20mm fitting for the factory oil level sensor*
- Clears stock exhaust and Hedman[®]. Hooker[®]. Borla® and similar-type headers
- Part No. 20179 has a ¹/₄" N.P.T. fitting for Moroso Univ. Dipsticks Nos. 25970. 25971 & 25973. Part No. 20185 uses stock dipstick

PART # DESCRIPTION

20179 Oil Pan, Steel Clear Zinc, Road Race Baffled Engine Application: SBC, Pre-'85 Block with a 2 piece rear main seal and Dart SHP engine blocks 20185 Oil Pan, Steel, Clear Zinc, Road Race Baffled Engine Application: SBC 1986 & newer engine blocks with a 1 piece seal and passenger side dipstick **RECOMMENDED PICKUPS** PART # Fits: Moroso SBC, 3/4" Inlet, M10552/M10555 style pumps 24185 24212 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump 24213 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump Fits: Moroso SBC, 3/4" Inlet, M155HV style pump 24813

יאין:ויווו



PART # **AVAILABLE OPTIONS**

22738 Plug. 20mm x 1.5. Male with

- Copper Washer
- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless 25971
- Flex Tube 25973
- Universal Dipstick Kit, Twist Lock Oil Pan Flange Head Bolts. SBC 38551
- Oil Pan Gasket, Pre-'85 block with a 93150
 - 2 piece rear main seal
 - Oil Pan Gasket, '86-up block with a 1 piece rear main seal



7_1/-

12"

10-1/2"







CHEVY SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7" Deep Sump, Road Race Baffled Fits: C-3 & C-4 Corvettes, Kit Cars and other low ground clearance applications

- Clears 4.125" stroke with most steel rods
- Fits 4 bolt Dart, GM and Merlin main caps
- 5 trap door baffles for oil control in Road Racing, also Drag Racing
- Use stock dipstick; also has a 1/4" NPT fitting for Moroso Universal Dipsticks Nos. 25970, 25971 & 25973
- Has a built-in crank scraper, removable louvered windage tray for horsepower
- Includes 20mm fitting for oil level sensor, optional 20mm plug No. 22738 available for use when the factory low warning sensor is not going to be utilized
- Steel with a clear zinc finish
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled 21811 Engine Application: SBC '86 & up engine blocks with 1 piece seal and passenger side dipstick 21816 Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled
- Engine Application: SBC '80-85 engine blocks with 2 piece seal/passenger side dipstick & Dart SHP blocks 21812 Oil Pan, Steel, Clear Zinc, 7" Deep, Road Race Baffled

DRAG I ROAD RACE

No. 21811

Engine Application: Pre-1980 engine blocks with two-piece seal and driver-side dipstick

PART # **RECOMMENDED PICKUPS**

- 24811 Fits: M55 style Standard Volume Oil Pump
- 24814 Fits: M55HV style High Volume Oil Pump
- 24817 Fits: M155HV style pumps
- 24819 Fits: 3/4" Inlet, M10552/M10555 style pumps

PART # **AVAILABLE OPTIONS**

- 22738 Plug, 20mm x 1.5, Male with Copper Washer
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38551 **Oil Pan Flange Head Bolts, SBC**
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- Oil Pan Gasket, '86-up block with a 1 piece rear main seal 93151

*If the factory low oil warning sensor is not going to be used, Part #22738, 20mm Plug with copper washer is available.

CIRCLE TRACK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Pre-1980 with two-piece rear main seal or '80-'85 with passenger-side dipstick Fits: GM Metric Chassis, Hobby Stock/Super Stock

- Accepts 3.80" stroke with steel rods
- Three trap door baffles for oil control
- Built-in crank scraper
- Oil level sight plug
- Accepts most starter and flywheel combinations

DESCRIPTION PART # 21308 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump


PART # **RECOMMENDED PICKUPS**


24308 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump


PART # **AVAILABLE OPTIONS**


38551 **Oil Pan Flange Head Bolts, SBC** 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal












SWVD CHEVY SMALL BLOCK

37



CIRCLE TRACK

muruso

3-13/16

3-1/2

CHEVROLET SMALL BLOCK Steel, Wet Sump, 8 Quart Capacity, 6-½" Deep With 1" Inspection Bung to meet 2011-Up IMCA Rules

Fits: Limited Sprints and other low ground clearance chassis

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

38

CIRCLE TRACK

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 6 Quart Capacity, 6-1/2" Deep Fits: Fabricated tube chassis cars with lower engines

- Accepts 3.80" stroke with steel rods
- · Passenger-side kick-out for more horsepower
- Five trap door baffles for oil control
- Engineered louvered tray system
- Oil level sight plug
- · Accepts most starter and flywheel combinations

PART # DESCRIPTION

21314 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump Engine Application: Pre-1980 blocks with driver-side dipstick or 1980-'85 blocks with passenger-side dipstick
21315 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump Engine Application: 1986 and newer blocks with one-piece rear main seal

PART # RECOMMENDED PICKUPS

- 24314 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24315 *Fits: Melling M55HV style pump, pump housing may require slight modification to clear bottom of the oil pan*

PART # AVAILABLE OPTIONS

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal
- 93151 Oil Pan Gasket, '86-up block with a 1 piece rear main seal

CHEVROLET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-1/8" Deep Fits: GM Metric G-Body chassis, Street Stock and Late Model

- Accepts 3.80" stroke with steel rods
- · Passenger-side kick-out for more horsepower
- Five trap door baffles for oil control
- Engineered louvered tray system
- · Accepts most starter and flywheel combinations
- · Oil level sight plug

PART # DESCRIPTION

21312 Oil Pan, Steel, Clear Zinc, Kicked-Out Sump Engine Application: Pre-1980 blocks with driver-side dipstick or 1980-'85 blocks with passenger-side dipstick

PART # RECOMMENDED PICKUPS


- 24101 Fits: Flange Type Melling SBC Oil Pump M10555
- 24103 *Fits:* Moroso SBC Race Pump *Nos. 22099, 22101* or *M55* style pump
- 24104 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24318 *Fits:* Moroso SBC HV Blueprinted Pump with ³/₄" dia. inlet, Melling M155HV/M10551 style pump
- 22147 Fits: Moroso High Volume Package with ³/₄" dia. inlet


PART # AVAILABLE OPTIONS

- 38551 Oil Pan Flange Head Bolts, SBC
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal




No. 21314














NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

CHEVROLET SMALL BLOCK

Aluminum, Wet Sump, 9.5 Quart Capacity, 7-1/4" Deep Fits: Sprint Car and any chassis with no cross-member under the engine

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main cap blocks
- Large kick out design for maximum horsepower and oil temperature reduction
- Advanced oil containment system comprised of 5 Trap Doors & a diagonal runner
- Pan rail crank scraper & windage tray
- Inspection bung with plug
- Oil level check and a magnetic drain plug

PART # DESCRIPTION

21330 SBC Oil Pan Fully Fabricated Aluminum with billet end seals, Wet Sump, Sprint Car

RECOMMENDED PICKUPS PART

- 24101 Fits: Flange Type Melling SBC Oil Pump M10555
- 24103 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24104 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- 24325 Fits: Moroso Part Nos. 22149, 22159, 22150, 22160 & 22162 and Melling 77/77HV style oil pumps


AVAILABLE OPTIONS PART

- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT
- 38385 Bullet Nose Oil Pan Stud Kit
- 93150 Oil Pan Gasket, Pre-'85 block with a 2 piece rear main seal









360/410 SPRINT CAR

Aluminum, Dry Sump, 6-1/2" Deep

Fits: Sprint Car and any chassis with no cross-member under the engine

- · Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main cap blocks
- Large kick out design for maximum horsepower and oil temperature reduction
- Forward facing –12 AN female pickups
- Inspection bung with plug
- Internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan

PART # DESCRIPTION

- 21553 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: SBC, 3 P/U, Sprint Car
- 21554 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: SBC, 2 P/U, Sprint Car
- 21555 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: Donovan H/C 410, 3 P/U, Sprint Car
- 21556 Oil Pan, Fully Fabricated Aluminum with billet end seals, Engine Application: Donovan H/C 410, 2 P/U, Sprint Car

AVAILABLE OPTIONS PART


- Bullet Nose Oil Pan Stud Kit 38385
- 62256 Wrench, Oil Pan T-Handle, 7/16", 6 PT



No. 21555







NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



STREET | STRIP

DART/ROCKET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Engine Application: Small Block Style Dart Iron Eagle/Rocket Fits: Most chassis with Dart/Rocket Blocks (may require cross-member modification)

- Kicked-out sump
- Trap door baffle for improved oil control
- Crank scraper welded to pan
- Uni-directional screen windage tray
- · Compatible with most starter/flywheel combinations
- Requires BBC standard height oil pump shaft, Moroso No. 22080
- Recommended oil pan gasket Fel-Pro Part No. 1839

PART # DESCRIPTION

20193 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

PART # **RECOMMENDED PICKUPS**


- 24171 Fits: Moroso SBC Race Pump Nos. 22099 , 22101 or M55 style pump
- 24351 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22163 Moroso Billet Aluminum Oil Pump, High Volume
- Moroso Billet Aluminum Oil Pump, BBC, Standard Volume 22164

PART # **AVAILABLE OPTIONS**

- 22080 **Oil Pump Shaft**
- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit. Twist Lock
- 38551 Oil Pan Flange Head Bolts, SBC





DART ROCKET SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/4" Deep Engine Application: Small Block Style Dart Iron Eagle/Rocket Fits: Most chassis (may require cross-member modification)

- Accepts 4.25" strokes with steel rods
- For use with 168-tooth flywheel combination
- Partition-louvered windage tray
- · Cross-member modifications may be required
- Requires BBC standard height oil pump shaft, Moroso No. 22080
- Recommended oil pan gasket Fel-Pro Part No. 1839

PART # DESCRIPTION

21019 Oil Pan, Steel, Clear Zinc, Fully Fabricated

PART # **RECOMMENDED PICKUPS**

- 24171 Fits: Moroso SBC Race Pump Nos. 22099, 22101 or M55 style pump
- 24351 Fits: Moroso SBC HV Race Pump Nos. 22109, 22111 or M55HV style pump
- PART # **OIL PUMP/PICKUP PACKAGE**
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume


PART # **AVAILABLE OPTIONS**

- 22080 **Oil Pump Shaft**
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38551 **Oil Pan Flange Head Bolts, SBC**



No. 21019







CIRCLE TRACK

DART/BRODIX/ROCKET SMALL BLOCK

Aluminum, Spread Rail

Fits: Sprint Car and any chassis with no cross-member under the engine

- · Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- Fits 4 bolt main caps
- · Large kick out design for maximum horsepower and oil temperature reduction
- Forward facing –12AN female pickups
- Inspection plug
- Internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan
- Recommended oil pan gasket Fel-Pro Part No. 1839

PART # DESCRIPTION

21551 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: Dart/Brodix (Spread Rail), 3 P/U, Sprint Car 21552 Oil Pan, Fully Fabricated Aluminum with billet end seals Engine Application: Dart/Brodix (Spread Rail), 2 P/U, Sprint Car


PART # **AVAILABLE OPTIONS**

62255	Wrench, Oil Pan T-Handle, ½", 6 PT
62256	Wrench, Oil Pan T-Handle, 7/16", 6 PT
38551	Oil Pan Flange Head Bolts, SBC




No. 21551





DART / ROCKE



NOTE: Front fitting is pressure, and the rear fitting is return.

10-1/4





- Fits: '67-'92 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S-10/S-15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications, check dimensions for clearance.
- Designed with a deeper front sump allowing the installation of Windage Trays (Nos. 22941 & 22943 sold separately, see pg. 115)
- Trap-door baffling for improved oil control
- Clears 4.25" stroke with most steel rods
- Two -10AN fittings for remote filter installation
- Use stock dipstick


DESCRIPTION PART

20141 Oil Pan, Steel, Clear Zinc Plated, GM LS Series

PART # **RECOMMENDED PICKUP**

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # **AVAILABLE OPTIONS** Oil Pump GM LS, Race 22120



- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9) 93152

NOTE: Front fitting is pressure, and the rear fitting is return.

GM LS SERIES, REAR SUMP SWAP

Steel, Wet Sump, 5 Quart Capacity, 6" Deep Engine Application: GM LS Series

Fits: LS Engine Conversions that require a Rear Sump (Check Measurements)

- Oil pan has a thick precision laser cut steel rail with a durable fabricated steel sump plated with a clear zinc finish
- Fabricated, durable steel construction is more adaptable to add fittings, change finishes and weighs less than cast aluminum construction
- Clears 4.25" stroke with most steel rods
- Anti-climb baffle; magnetic drain plug and uses a stock dipstick
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a ¼" N.P.T. sensor port

PART # DESCRIPTION

20145 Oil Pan, Steel, Clear Zinc, Rear Sump

```
PART #
        RECOMMENDED PICKUP
```


24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120


PART # **AVAILABLE OPTIONS**

22120 Oil Pump GM LS, Race

22463 **Racing Oil Filter**

- Spin-On Oil Filter Adapter, 90 Degree Remote 237070
- 23711 Spin-On Oil Filter Adapter, Sideways Mount
- 23712 Spin-On Oil Filter Adapter
- Spin-On Oil Filter Adapter, External Input Inlet, MEMI 23713o **Outbound Rail**
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 **Oil Pan Mounting Stud Kit**
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, GM LS





11/1:11k




. A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-




No. 20141

8-3/8"

No. 20145





SNVG 110



OUTLET

INLET

Uses stock dipstick

PART # DESCRIPTION


21150 Oil Pan, Aluminum, Fully Fabricated with Billet Rail, Deep Sump, Tray and Pickup

PART # REPLACEMENT PART

24050 Pickup, *Fits:* Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- 24890 GM LS Oil Pump Flange Reinforcement
- 38542 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)
- 22941 Windage Tray, Louvered, LS Engine



20-3/4"

GM LS SERIES

Steel, Wet Sump, 7 Quart Capacity, 6" Deep Fits: Camaro and Firebird '98-02 with GM LS Engines, Camaro and Firebird '93-'02 with LS Swap

- Features a drag race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pick up area
- Oil pan has a thick precision laser cut steel rail with a clear zinc finish
- Clears 4.25" stroke with most steel rods
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or 0.E.M. oil filter to be mounted in the stock location. no need to run a remote oil filter
- \bullet Included billet aluminum oil filter adapter has a 1⁄4" N.P.T. sensor port
- Uses stock dipstick

PART # DESCRIPTION

20139 Oil Pan, Steel, Clear Zinc, Drag Race Baffled

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120


PART # AVAILABLE OPTIONS

22120	Oil Pump GM LS, Race
22463	Oil Filter, Moroso Racing
22941	Windage Tray, GM Studs
22943	Windage Tray, ARP Studs






No. 20139





DRAG RACE



PART # AVAILABLE OPTIONS

23707 • Spin-On Oil Filter Adapter, 90 Degree Remote

- 23711 Spin-On Oil Filter Adapter, Sideways Mount
- 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)
- 38541 Oil Pan Stud Kit
- 24890 GM LS Oil Pump Flange Reinforcement
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans

GM LS SERIES

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Fits: Camaro and Firebird '98-02 with GM LS Engines, Camaro and Firebird '93-'02 with LS Swap

- Features a drag race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area
- Oil pan has a thick CNC machined aluminum rail
- Clears 4.25" stroke with most steel rods
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or 0.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a 1/4" N.P.T. sensor port
- Uses stock dipstick

PART # DESCRIPTION

21149 Oil Pan, Aluminum, Drag Race Baffled

PART # RECOMMENDED PICKUP

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120


PART # AVAILABLE OPTIONS

22120	Oil Pump GM LS, Race		23711
22463	Oil Filter, Moroso Racing		23713 0
22941	Windage Tray, GM Studs		
22943	Windage Tray, ARP Studs	^	93152

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-71162







PART # AVAILABLE OPTIONS 23707↔ Spin-On Oil Filter Ada

EW!
EWI
)

GM LS Oil Pump Flange Reinforcement

Dust Shield for Moroso & Aftermarket Oil Pans

OIL PANS



Engine Application: GM LS Series


Fits: Camaro '10-'15, COPO Camaro '12-'15 & rear sump applications (check measurements)


- Features trap door baffle assembly, anti-climb baffle and anti-slosh baffle to keep oil contained in the oil pump pickup area during Drag Racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941, 22943 or O.E.M. windage trays Part Nos. 12611129, 19244049, 19202609 check clearances first
- Features a billet aluminum spin-on oil filter adapter with a ¼" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. spin-on oil filter
- NHRA legal for stock eliminator & factory showdown

PART # DESCRIPTION

- 21158 Oil Pan, GM LS, Drag Race, Camaro '10-'15, COPO '12-'15
- PART # RECOMMENDED PICKUP
- 24153 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART #	AVAILABLE OPTIONS	• A WARNING Prop. 65	
22120		This product contains a chemical known the state of California to cause cancer.	
22941	Windage Tray, GM Studs	birth defects, or reproductive harm-	
22943	Windage Tray, ARP Studs	www.P65Warnings.ca.gov	
23707 0	Spin-On Oil Filter Adapter, 90 D	egree Remote MEWI	
23711	Spin-On Oil Filter Adapter, Sideways Mount		
23712	Spin-On Oil Filter Adapter		
23713 0	Spin-On Oil Filter Adapter, Exter	rnal Input Inlet, MEMI	
	Outbound Rail		
24890	GM LS Oil Pump Flange Reinfor	rcement	
38542	Oil Pan Stud Kit		





TITITI

REQUIRES THESE GM PARTS FOR INSTALLATION GM PART# DESCRIPTION 12570788 Dipstick 12570787 Dipstick Tube


PART # AVAILABLE OPTIONS

- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)

No. 21158

47

S SERIES



DRAG RACE

Fits: COPO Camaro '16-up and rear sump applications (check measurements)

- Features trap door baffle assembly, anti-climb baffle and anti-slosh baffle to keep oil contained in the oil pump pickup area during Drag Racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941, 22943 or O.E.M. windage trays Part Nos. 12611129, 19244049, 19202609 check clearances first
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Features a billet aluminum spin-on oil filter adapter with a ¼" N.P.T. sensor port that accepts a 22mm thread Moroso Part No. 22463 or O.E.M. spin-on oil filter

PART # DESCRIPTION

21157 Oil Pan, GM LS, Drag Race, COPO Camaro '16-up, -16AN Ext. P/U

PART # **AVAILABLE OPTIONS**

- 23962 Fitting, -16AN Male to -16AN Male, External Screen
- 23963 Fitting, -12AN Male to -16AN Male External Screen 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced
- GM LS Series (Except LS7 & LS9) 38541 **Oil Pan Stud Kit**
- 22463 Racing Oil Filter 71162 **Dust Shield for Moroso** & Aftermarket Oil Pans



- 22943 Windage Tray, ARP Studs 237070 Spin-On Oil Filter Adapter, 90 Degree Remote
- Spin-On Oil Filter Adapter, Sideways Mount 23711
- 237130 Spin-On Oil Filter Adapter, External Input Inlet, Outbound Rail







No. 21157




REQUIRES THESE GM PARTS FOR INSTALLATION GM PART# DESCRIPTION 12570788 Dipstick

12570787 **Dipstick Tube**





22941



DRAG | DRIFT | ROAD RACE




- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



No. 20142 Spin-on Oil Filter Adapter



No. 20148 Remote Filter Adapter



No. 23688 Remote Oil Filter Adapter, GM LS Series, Included with **No. 20148**

NOTE: Front fitting is pressure, and the rear fitting is return.

DRAG / DRIFT / ROAD RACE GM LS, SWAP, ROAD RACE BAFFLED Steel, Wet Sump, 7 Quart Capacity Engine Conversion Race Baffled, Angled Sump, Fully

Steel, Wet Sump, 7 Quart Capacity Engine Conversion Race Baffled, Angled Sump, Fully Fabricated Steel Oil Pan Engine Application: GM LS Series

- Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications; check dimensions for clearance
- Two versions available:

No. 20143 has a Billet Aluminum Spin-On Oil Filter Adapter that accepts a 22mm thread. Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, clears 4.25" stroke No. 20149 has a Billet Aluminum Remote Oil Filter Adapter that has two straight -10AN ports for remote filter installation, clears 4.25 stroke

- Oil pan has a thick precision laser cut steel rail and a clear zinc finish
- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Uses stock dipstick

PART # DESCRIPTION

- 20143 Oil Pan, GM LS, Engine Conv. Race Baffled, Angled Sump, Spin-on Oil Filter Adapter that accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- 20149 Oil Pan, GM LS, Engine Conv. Race Baffled, Angled Sump, Remote Oil Filter Adapter that accepts -10AN to -10AN Fittings

PART # RECOMMENDED PICKUP

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

Part # AVAILABLE OPTIONS

- 22120 Oil Pump GM LS, Race
- 22463 Oil Filter for Part No. 20143 Only
- 22941 Windage Tray, GM Studs
- 22943 Windage Tray, ARP Studs
- 22605 -10AN to -10AN Fittings, For Part No. 20149 Only
- 23707 ·· Spin-On Oil Filter Adapter, 90 Degree Remote
- 23711 Spin-On Oil Filter Adapter, Sideways Mount
- 23713 Spin-On Oil Filter Adapter, External Input Inlet, Outbound Rail
- 24890 GM LS Oil Pump Flange Reinforcement
- 38541 Oil Pan Stud Kit
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



No. 20143 Spin-on Oil Filter Adapter




• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harm-

No. 20149 Remote Filter Adapter




No. 23688 Remote Oil Filter Adapter, GM LS Series, Included with **No. 20149**




SIONS









NOTE: Front fitting is pressure, and the rear fitting is return.

S SERIES

GM LS SERIES

GM LS EARLY F-BODY ROAD RACED BAFFLED

DRAG | DRIFT | ROAD RACE

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Sump

Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck. Can also be used in additional applications; check dimensions for clearance

- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- . Clears 4.25" stroke with most steel rods and can be used with Moroso Part Nos. 22941 and 22943 Windage Tray
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- Included billet aluminum oil filter adapter has a 1/4" N.P.T. sensor port
- Uses stock dipstick

DESCRIPTION PART


Oil Pan, Aluminum, GM LS, EARLY F-BODY Race Baffled 21152

PART # **RECOMMENDED PICKUP**

24050 Fits: Stock Oil Pumps or Moroso GM LS Series High Volume Race Pump No. 22120

PART # **AVAILABLE OPTIONS**

- 22120 Oil Pump GM LS, Race
- 23688 Remote Oil Filter Adapter, GM LS
- Spin-On Oil Filter Adapter, 90 Degree Remote 237070
- Spin-On Oil filter Adapter, Sideways Mount 23711
- 93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)
- 38541 Oil Pan Stud Kit
- 22463 Racing Oil Filter
- 24890 GM LS Oil Pump Flange Reinforcement
- 71162 Dust Shield for Moroso & Aftermarket Oil Pans
- 22941 Windage Tray, GM Studs, Louvered, LS Engine
- Windage Tray, ARP Studs, Louvered, LS Engine 22943




10-1/4

» / WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer

birth defects, or reproductive harm





No. 21152

GM LS, SWAP, ROAD RACE BAFFLED

Aluminum, Wet Sump, 7 Quart Capacity, 6" Deep Engine Application: GM LS Series

Fits: '67-'15 Camaro/Firebird, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body and GM S10/S15 Two Wheel Drive Blazer/Truck Can also be used in additional applications; check dimensions for clearance

- Oil pan has a thick aluminum rail with a fabricated aluminum sump
- Clears 4.25" stroke with most steel rods and can be used with Moroso Nos. 22941 and 22943 Windage Tray
- Features a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- The 7 Quart Capacity moves the oil away from the rotating assembly for oil control and horsepower saving
- Features a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter

PART #

AVAILABLE OIL PAN OPTIONS

Remote Oil Filter Adapter, GM LS

Oil Pan Gasket, GM LS Series

Oil Pan Stud Kit

(Except LS7 & LS9)


Spin-On Oil filter Adapter, Sideways Mount

- Included billet aluminum oil filter adapter has a 1/4" N.P.T. sensor port
- Uses stock dipstick

PART # DESCRIPTION

- 22941 Oil Pan, GM LS, Engine Conversion, 21159 22943 Race Baffled, Aluminum Angled Sump 23688 PART # RECOMMENDED PICKUP 237070 24050 Fits: Stock Oil Pumps or Moroso 23711 38541
 - GM LS Series High Volume Race 93152 Pump No. 22120

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-









- No. 21159

GM LS SERIES

Steel, Dry Sump, Fully Fabricated Steel

- For GM LS Series Engine Blocks
- Has versatile 3 scavenge –12AN male pick up design allows the oil pan to be used as a Circle Track or Road Race Oil Pan, would also make an excellent Drag Race or Off Road Oil Pan
- Oil pan has a 3/16" thick precision laser cut steel rail with a 14 gauge steel sump to stand up to the toughest racing conditions
- Clears 4.25" stroke with most steel rods
- Wrap around Anti-Slosh Baffle
- Has a -10AN male fitting for a oil return

PART # DESCRIPTION

- 21155 Oil Pan, Fully Fabricated Steel left side pickups
- **21156** Oil Pan, Fully Fabricated Steel right side pickups

PART # AVAILABLE OPTIONS

23700 23710 23750	Remote Oil Filter Mount Remote Oil Filter Mount Remote Oil Filter Mount
23760	Remote Oil Filter Mount
23766	Remote Oil Filter Mount
38541	Oil Pan Stud Kit
93152	Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)








No. 21156

1-³/4"



GM LS OIL PAN & PICKUP ACCESORIES

A manasa

GM LS OIL PUMP FLANGE REINFORCEMENT

- Based on customer inquiries, this product is for the individual who would like their O.E.M. or aftermarket oil pump pick up to be secured in two locations
- Flange reinforcement is installed by screwing in the supplied hardware into the unused screw hole in the Moroso, GM or Melling LS oil pump
- · Can be installed without removing an already installed oil pump pickup

PART # DESCRIPTION

24890 GM LS Oil Pump Flange Reinforcement







No. 24890

DUST SHIELD, GM LS SERIES

- Covers the exposed flywheel (and clutch in standard transmission vehicles) when using an aftermarket oil pan on a GM LS Series Engine
- Manufactured from .100 thick aluminum
- Includes mounting hardware

PART #DESCRIPTION71162Dust Shield, GM LS Series





L PANS /

 \square



- Has a 16 gauge steel sump to stand up to the toughest racing conditions
- Clears 4.25" stroke with most steel rods

PART # DESCRIPTION


20151 Oil Pan, DART LS NEXT, Fully Fabricated Steel

PART # RECOMMENDED PICKUP

24144 Fits: Moroso Dart Next LS Oil Pump No. 22118

PART # AVAILABLE OPTIONS

- 22118 Dart LS Next, LS SHP Oil Pump
- 22934 Oil Pan Spacer Kit
- **24890** GM LS Oil Pump Flange Reinforcement
- 93152 Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)



ż"

DART / LS NEXT

DART LS NEXT GEN 3 SKIRTED BLOCK, EARLY F-BODY, **REAR SUMP, RACE BAFFLED**

STREET | STRIP

Steel, Wet Sump, 7 Quart Capacity Early F-Body/Swap Engine Application: Dart LS Next Gen 3 Skirted Block Fits: '67-'92, '10-'15 Camaro, '68-'78 Nova, '65-'72 Chevelle, '53-'96 Corvette, '78-'88 G-Body, and GM S10/S15 Two Wheel Blazer/Truck, can also be used in additional applications; check dimensions for clearance

- Oil pan has a thick precision laser cut steel rail specifically designed for the LS Next Gen 3 Skirted Engine Block, fabricated steel sump with a clear zinc finish
- Clears a 4.25" stroke and has a 7 Quart Capacity
- Features a race proven three trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Has a removable windage tray for horsepower savings and oil control, please note that engine block mounted windage travs are not needed and will interfere
- Includes a Billet Aluminum Spin-On Oil Filter Adapter that accepts a 22mm thread Moroso No. 22463 or O.E.M. oil filter
- Designed to be used with GM F-Body 98-02 dipstick tube GM Part No. 12628771 and dipstick GM Part No. 12551581

PART # DESCRIPTION

Oil Pan, Steel, Dart LS Next Gen 3 Skirted Block, Early/Swap F-Body Race Baffled 20152

- PART # **RECOMMENDED PICKUP**
- 24152 Fits: Moroso Dart Next LS Oil Pump No. 22118

PART # **AVAILABLE OPTIONS**

- 22118 Dart LS Next, LS SHP Oil Pump
- 24890 GM LS Oil Pump Flange Reinforcement



10-1/4"


No. 20152

No. 20155


3-5/16



ninum		6
	1-7/8"	



8-1/2



' LS NEXT / GM LT SERIES

GM LT SERIES, REAR SUMP SWAP Aluminum, Wet Sump, 5 Quart Capacity, 5-7/8" Deep

Engine Application: GM LT Series

Fits: LT Engine Conversions that require a Rear Sump (Check Measurements)

- Due to the O.E.M. GM LT oil pans having the oil pump pickup built into the oil pan, our LT oil pan has a thick billet aluminum O-ringed rail incorporates a removable pickup, a billet front sump and a location to mount our billet aluminum spin-on oil filter adapter
- Fabricated aluminum construction is more adaptable to add fittings. change finishes and weighs less than cast aluminum construction
- Features a trap door baffle and a removable windage tray that wraps around the oil pump pickup for horsepower savings and oil control
- Includes a billet aluminum adapter that allows a 22mm thread Moroso No. 22463 Racing or O.E.M. oil filter to be mounted in the stock location, no need to run a remote oil filter
- For dipstick, use GM part No.12643278 dipstick and GM part No.12652951 dipstick tube
- The included dip stick bung is designed to be used with GM Part # 12652951 Dipstick Tube and 12643278 Dipstick

PART # DESCRIPTION

20155 Oil Pan, GM LT, Rear Sump, Swap, Alumi

PART# **AVAILABLE OPTIONS**

22463 **Oil Filter, Moroso Racing**



Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy

- · Stock style baffle
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods Compatible with most starter/flywheel combinations PART # DESCRIPTION
- 20451 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump

PART # **RECOMMENDED PICKUPS** 24430 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

24430	113. W01030 DDC Hate I unip 103. 2214	<i>3, 22</i>
PART #	AVAILABLE OPTIONS	10
23030	Windage Trav	

Windage Tray 23030 (may require some modification) 23010 **Oil Pan Baffle** 25830 Crank Scraper 25970 Universal Dipstick Kit



DRAG RACE

STREET | STRIP

No. 20449

No. 20451

PART # **AVAILABLE OPTIONS**

- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38361 **Oil Pan Fastener Kit, BBC Race Pans**
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

- 3-1/16 9-1/16

יאיו:ויווו

No. 21154

1-7/8"



- PART # **AVAILABLE OPTION** 23030 Windage Tray (may require some modification) **Oil Pan Baffle** Crank Scraper
- 23010 25830 38361 **Oil Pan Fastener Kit, BBC Race Pans**
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

- 56

Steel, Wet Sump, 8 Quart Capacity, 9-3/4" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy

- Stock style baffle
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART #	DESCRIPTION
20460	Oil Don Stool Cl

- 20460 Oil Pan, Steel, Clear Zinc, Street Performance Sump
- PART # RECOMMENDED PICKUPS
- 24450
 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

23030	Windage Tray (may require some modification)
23010	Oil Pan Baffle
25830	Crank Scraper
25970	Universal Dipstick Kit
25971	Universal Dipstick Kit, Braided Stainless Flex Tube
25973	Universal Dipstick Kit, Twist Lock
93153	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV,
	notched for stroker cranks

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep, 10" Long Sump Engine Application: Mark IV Style (except for Gen V and Gen VI) Fits: Most Chassis (except '62-'67 Chevy II, V-8 Vega/Monza, and '55-'57 Chevy)

- Designed with a sump that has flat sides to alleviate header clearance problems with some exhaust header brands
- Flat sides eliminate the need to change headers or perform fabrication work to the kicked-out sump of the oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- · Features a crank scraper and uni-directional windage tray for horsepower
- Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration

PART # DESCRIPTION

20408 Oil Pan, Steel, Clear Zinc

- PART # RECOMMENDED PICKUPS
- 24440 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump MEMM
 - Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump


PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package with Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume












No. 20408





AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

*Offset to middle of sump for more consistent oil pressure under braking

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

PART #

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy

- Kicked-out sump
- Trap door baffling for improved oil control
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods

Compatible with most starter/flywheel combinations PART # DESCRIPTION 20401 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump PART # **RECOMMENDED PICKUPS** 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump PART # **OIL PUMP/PICKUP PACKAGE** 22175 Moroso Standard Volume Package 22185 Moroso High Volume Package 22186* Moroso High Volume Package/Front Style Offset Pickup 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume

22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # **AVAILABLE OPTIONS**

23030 Windage Tray 23010 **Oil Pan Baffle**

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy

- Kicked-out sump and crank scraper
- Uni-directional windage screen
- · Rear anti-climb baffle
- Trap door baffling for improved oil control
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION 20403 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump PART # **RECOMMENDED PICKUPS**

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149. 22150. 22159. 22160. 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- **AVAILABLE OPTIONS** PART #
- 23010 **Oil Pan Baffle**
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube

*Offset to middle of sump for more consistent oil pressure under braking

25973 Universal Dipstick Kit, Twist Lock

AVAILABLE OPTIONS PART

- 38361 Oil Pan Fastener Kit. BBC Race Pans
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks

- 10"



Universal Dipstick Kit, Braided Stainless Flex Tube

Oil Pan Gasket, One Piece Design, Steel Reinforced,

multis

4-1/s"

AVAILABLE OPTIONS

Universal Dipstick Kit, Twist Lock

Crank Scraper Universal Dipstick Kit

PART #

25830

25970

25971

25973

93153

4-1/8"

No. 20401

10-5/8"

10"





8-3/16

10-5/8"



CHEVY BIG BLOCK

STREET | STRIP CHEVROLET BIG BLOCK Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis including '65-'72 Chevelle, Cutlass, Skylark, Tempest and GTO, except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy Clears rear steer center links in GM A-Body cars No. 20412 • Rear sump has been shortened 1-1/4" for additional cross-member clearance Trap door baffling for improved oil control Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods Compatible with most starter/flywheel combinations PART # DESCRIPTION 20412 Oil Pan, Steel, Clear Zinc, Rear Sump PART # **RECOMMENDED PICKUPS** 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 2-15/16" 22162 or M77/M77HV style pump Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 24441* 8-3/4 22162 or M77/M77HV style pump - 8-3/16" 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMI 22150, 22159, 22160, 22162 or M77/M77HV style pump PART # **AVAILABLE OPTIONS** PART # **OIL PUMP/PICKUP PACKAGE** 23030 Windage Tray 22175 Moroso Standard Volume Package or M77 style pump 23010 **Oil Pan Baffle** 22185 Moroso High Volume Package or M77HV style pump 25830 **Crank Scraper** 10-5/8 22186* Moroso High Volume Package/Front Style Offset Pickup 25970 Universal Dipstick Kit or M77HV style pump 25971 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume 25973 Universal Dipstick Kit, Twist Lock 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume 38361 Oil Pan Fastener Kit, BBC Race Pans 93153 *Offset to middle of sump for more consistent oil pressure under braking BBC Mark IV. notched for stroker cranks CHEVROLET BIG BLOCK Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis including '65-'72 Chevelle, Cutlass, Skylark, Tempest and GTO, except '62-'67 Chevy II, V8 Vega/Monza and '55-'57 Chevy No. 20416 · Clears rear steer center links in GM A-Body cars • Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration

- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Features a crank scraper and uni-directional windage tray for horsepower
- · Compatible with most starter/flywheel combinations

DESCRIPTION PART

20416 Oil Pan, Steel, Clear Zinc, Rear Sump, Windage Tray

PART # **RECOMMENDED PICKUPS**


- Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 24440 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMI 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**


- Moroso Standard Volume Package or M77 style pump 22175
- 22185 Moroso High Volume Package or M77HV style pump
- 22186* Moroso High Volume Package/Front Style Offset Pickup or M77HV style pump
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking





- Universal Dipstick Kit, Braided Stainless Flex Tube
- Oil Pan Gasket, One Piece Design, Steel Reinforced,



25970 Universal Dipstick Kit

PART #

- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- Oil Pan Gasket, One Piece Design, Steel Reinforced, 93153 BBC Mark IV, notched for stroker cranks

 Π

DRAG RACE

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: '62-'67 Chevy II (without power steering) and '55-'57 Chevys; transmission must be in stock location

- Notched rear sump clears steering linkage
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20431 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Core Based

PART # RECOMMENDED PICKUP


24430 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

- 23010 Oil Pan Baffle
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- **38361** Oil Pan Fastener Kit, BBC Race Pans
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks







CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis (may require cross-member modification)

- Kicked-out sump
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods
- Anti-slosh baffling
- · Compatible most starter/flywheel combinations

PART # DESCRIPTION

20406 Oil Pan, Steel, Clear Zinc, Deep Sump, Core Based

PART # RECOMMENDED PICKUPS

24440	Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162
	or M77/M77HV style pump
24441*	Fits: Marasa RBC Bace Pump Nos 22149 22150 22159 22160 22162

- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume



- **23010** Oil Pan Baffle
- 25830 Crank Scraper
- **25970** Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless Flex Tube
- **25973** Universal Dipstick Kit, Twist Lock
- **38361** Oil Pan Fastener Kit, BBC Race Pans



*Offset to middle of sump for more consistent oil pressure under braking

OIL PANS

num rods






2-15/16

8-3/4





DRAG RACE

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8" Deep

Trap door baffling for improved oil control
Modified front sump to accept larger stroke

DESCRIPTION

· Compatible with most starter/flywheel combinations

Kicked-out sump

PART #

20405

Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis (may require cross-member modification)

Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Stroker Pan, Core Based



No. 20405

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

61

- Moroso High Volume Package with Windage Shield 22187 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

CHEVY BIG BLOCK

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 6" Front Depth, 8" Rear Depth Engine Application: Mark IV Style (except Gen V & Gen VI) Fits: Bracket and Budget Super Stock cars. Some modifications may be necessary to fit crossmembered cars.

- · Core based oil pan
- Kick-out for horsepower savings
- Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

DRAG RACE

- Partitioned and louvered windage tray with main cap dividers separates oil quickly from rotating assembly for ultimate oil control and maximum horsepower gain
- Includes provisions to accept Moroso Dipstick Kit Parts Nos. 25970, 25971, 25973
- Used with GM-style or Tilton-style starter and 168-tooth flywheel
- Clear zinc plating for durability and corrosion resistance

PART # DESCRIPTION

21048 Oil Pan, Steel, Clear Zinc Plated, Wet Sump, Mark IV Style

PART # **RECOMMENDED PICKUPS**

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEWA 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186 Moroso High Volume Package/Front Style Offset Pickup*
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22187 Moroso High Volume Package with Windage Shield
- *Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity with Standard Volume Pump, 7 Quart Capacity with High Volume Pump, 8" Deep Engine Application: Mark IV Style (except Gen V & Gen VI) Fits: Bracket Race cars and Budget Super Stock cars; Some modifications necessary to fit cross-membered cars

- · Core based oil pan
- Kick-out for horsepower savings
- 8" rear depth, 5" front depth with louvered steel tray
- Directional baffle across front of pan to direct oil to sump for oil control under hard acceleration
- For use with 168 and 153-tooth flywheel combinations
- . Accepts up to a 4.75" stroke with steel rods and a 4.5" stroke with aluminum rods

PART # DESCRIPTION

21049 Oil Pan, Steel, Clear Zinc, Mark IV Style

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMM 24445 22150, 22159, 22160, 22162 or M77/M77HV style pump

OIL PUMP/PICKUP PACKAGE PART

- Moroso Standard Volume Package 22175
- 22185 Moroso High Volume Package
- 22186*

*Offset to middle of sump for more consistent oil pressure under braking

No. 21048

PART #	AVAILABLE OPTIONS
23138	Windage Tray

- Universal Dipstick Kit 25970
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4. notched for stroker cranks






8





PART # **AVAILABLE OPTIONS**

- 23142 Windage Tray
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced BBC Mark 4, notched for stroker cranks





CHEVY BIG BLOCK

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars. Installation may require modifications to

cross-member; check dimensions carefully before ordering

- Fully fabricated aluminum, billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern
- Double kick-out design ensures large stroke clearance and wide main cap clearance
- Solid louvered tray w/ main cap partitions for maximum power and oil control
- For use with 168-tooth flywheel combination
- Sump design works with Moroso spur gear and gerotor billet oil pumps
- Features one O-ring magnetic drain plug and two -8AN drain backs
- Accepts 4.75" stroke with aluminum rods

PART # DESCRIPTION

- **20385** Oil Pan, Aluminum, Internal Wet Sump
- PART # RECOMMENDED PICKUPS 24440 Fits: Moroso BBC Race Pump Nos. 22149, 2450 20150 20100 20100 20100 20100
- 22150,22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441 Fits: Moroso BBC Race Pump Nos. 22149, 22139, 22139, 22160, 2216
 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, <u>MEMM</u>
 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22167 Moroso Billet Aluminum High Volume Oil Pump

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket Cars. Installation may require modifications to cross-member;

- Fully fabricated aluminum, billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern
- Double kick-out design ensures up to 4.75" stroke with aluminum rods, wide main cap clearance and maximum horsepower

12-1/2"


- Solid louvered windage tray w/main cap partitions for maximum power and oil control
- Sump design works with Moroso spur gear and gerotor billet oil pumps
- Features one O-ring magnetic drain plug, two -8AN drain backs, alternator notch
- For use with 168-tooth flywheel combination
- Pump adjustment bung with plug
- PART # DESCRIPTION
- 20485 Oil Pan, BBC Gen IV, Alum. w/Div. Tray

PART # OIL PUMP/PICKUP PACKAGE

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- 22167 Moroso Billet Aluminum High Volume Oil Pump

PART # AVAILABLE OPTIONS

- 23140 Windage Tray, New Style
- **62255** Wrench, Oil Pan T-Handle, ½", 6 PT
- **38361** Oil Pan Fastener Kit, BBC Race Pans
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern



- 23139Windage Tray, Old Style23140Windage Tray, New Style
- 25970 Universal Dipstick Kit

0

 \cap

 \cap


25971 Universal Dipstick Kit, Braided Stainless Flex Tube

8

25973 Universal Dipstick Kit, Twist Lock

9-7%


- 62255 Wrench, Oil Pan T-Handle, ½", 6 PT
- 38361 Oil Pan Fastener Kit, BBC Race Pans
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, w/ Race Bolt Pattern



PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump MEMM

Nos. 22149, 22150, 22159, 22160, 22162 or M77/ M77HV style pump



ייאיו:ויווו

No. 20485

No. 20385

BBC MARK IV, -16 AN EXTERNAL PICKUP

Aluminum, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: BBC Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket Cars. Installation may require modifications to cross-member Check dimensions carefully before ordering

- Designed to be used with an External Oil Pump, oil pan has a sump mounted billet aluminum pickup that accepts a -16AN Male Fitting
- Fully fabricated aluminum with billet end seals to ensure consistent sealing surface to billet front covers and rear main caps
- Utilizes "race" pan rail bolt pattern, recommended oil pan gasket, Moroso No. 93156
- Double kick-out design ensures up to 4.75" stroke with aluminum rods, wide main cap clearance and maximum horsepower
- Full length solid louvered windage tray with main cap partitions for maximum power and oil control
- Features one O-ring magnetic drain plug, two –8AN drain backs, alternator notch
- For use with 168-tooth flywheel combination

PART # DESCRIPTION

0486 Oil Pan, BBC Mark IV, Aluminum Divided Tray, External –16 AN Pickup


PART # AVAILABLE OPTIONS

- 23140 Windage Tray, New Style
- Wrench, Oil Pan T-Handle, 1/2", 6 PT
- 8361 Oil Pan Fastener Kit, BBC Race Pans
- 93156 Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern



No. 20486





CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-¾" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Alcohol Funny Car, Dragster, Tractor Pull, Racing Boats and 4x4s

- · Core based oil pan, utilizing stock pan rail bolt pattern
- · Box design sump for high capacity applications
- Accepts up to a 4.5" stroke with steel rods and a 4.25" stroke with aluminum rods
- Solid louvered tray for increased oil control
- For use with 168 and 153-tooth flywheel combinations

PART # DESCRIPTION

20032 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP

24446 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # AVAILABLE OPTIONS

- 38361 Oil Pan Fastener Kit, BBC Race Pans
- **93153** Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4, notched for stroker cranks



No. 20032





Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars with no cross-member under engine

- · Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- Double kick-out design ensures large stroke clearance, wide main cap clearance and maximum horsepower
- Internal uni-directional screen and pan rail bolt access bungs
- For use with 168-tooth flywheel combination
- 1" deep mini sump design works with Moroso spur gear and gerotor billet oil pumps
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 4.75" stroke with aluminum rods

PART # DESCRIPTION

24440

24441*

24445

PART #

22167

22175

22185

21600 Oil Pan, Aluminum, Internal Oil Pump

PART # RECOMMENDED PICKUPS

- **NO. 21600**

NU. 21000



← 8-1/8" →

 Π

PART # 22186* 22163 22164	OIL PUMP/PICKUP PACKAGE Moroso High Volume Package/Front Style Offset Pickup Moroso Billet Aluminum Oil Pump, BBC, High Volume Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
PART # 22704 62255 38361 93156	AVAILABLE OPTIONS Fitting, -12AN to -16AN Adapter Wrench, Oil Pan T-Handle, ½", 6 PT Oil Pan Fastener Kit, BBC Race Pans Oil Pan Gasket, 4 Piece Design, BBC IV, With Race Bolt Pattern

MOROSL

Fits: Moroso BBC Race Pump Nos. 22149, 22150,2222159, 22160, 22162 or M77/M77HV style pump22Fits: Moroso BBC Race Pump Nos. 22149, 22150,2222159, 22160, 22162 or M77/M77HV style pump22Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, NEWNP422150, 22159, 22160, 22162 or M77/M77HV style pump22OIL PUMP/PICKUP PACKAGE62Moroso Billet Aluminum High Volume Oil Pump38Moroso Standard Volume Package93Moroso High Volume Package93

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Aluminum, Wet Sump, 6 Quart Capacity w/ Standard Volume Pump, 7 Quart Capacity w/ High Volume Pump, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Top Sportsman, Top Dragster, Pro Mods, needing wet sump and ability for frequent lower-end inspection

- Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- Removable bottom with O-ringed billet flange
- Internal uni-directional screen
- · Power kick-out design for maximum horsepower
- For use with 168-tooth flywheel combination
- · Sump design works with Moroso spur gear and gerotor billet oil pumps
- · Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 4.75" stroke with aluminum rods

PART # DESCRIPTION


20376 Oil Pan, Two-piece, Gen IV Block, Mark IV Style

PART # RECOMMENDED PICKUPS

- 24440 *Fits:* Moroso BBC Race Pump **Nos. 22149, 22159** or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22159 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMM 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # OIL PUMP/PICKUP PACKAGE

- 22167 Moroso Billet Aluminum High Volume Oil Pump
- 22175 Moroso Standard Volume Package
- **22185** Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- **22163** Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume



PART #

97319

97326

PART #

No. 20376


REPLA	CEMENT	PART
-------	--------	------

Square 0-Ring
Round O-Rina

AVAILABLE OPTIONS

38361	Oil Pan Fastener Kit, BBC Race Pans	
93156	Oil Pan Gasket, 4 Piece Design, BBC IV,	
	With Race Bolt Pattern	

*Offset to middle of sump for more consistent oil pressure under braking



Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep Engine Application: Mark IV style (except Gen V and Gen VI) Fits: Most chassis except '62-'67 Chevy II, V-8 Vega/Monza & '55-'57 Chevy

- 3 trap door baffles, 2 runners for oil control in Road Racing, also an excellent Drag Race oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Has a built in crank scraper, removable screen windage tray, anti-slosh and anti-climb baffles to free up horsepower
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

- 20420 Oil Pan, Steel, Clear Zinc, Rear Sump, Road Race Baffling, Windage Tray
- PART # RECOMMENDED PICKUP
- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump


PART # OIL PUMP/PICKUP PACKAGE


- 22175 Moroso Standard Volume Package or M77 style pump
- 22185 Moroso High Volume Package or M77HV style pump
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93153 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark IV, notched for stroker cranks







BBC GEN V / GEN VI

66

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.



Steel, Wet Sump, 6.25 Quart Capacity, 8" Deep, 10" Long Sump Engine Application: Gen V/Gen VI Fits: Most GM Chassis, front steering; including '65-'72 Chevelle, Cutlass, Skylark, Tempest/GTO

- Kicked-out sump
- Accommodates stock GM main cap mounted windage tray
- Removable anti-slosh trav
- Trap door baffling for improved oil control
- Rear anti-climb baffle
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20411 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

PART # **RECOMMENDED PICKUPS**

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART #

25970

25971

25973

93154

24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMA 22150, 22159, 22160, 22162 or M77/M77HV style pump

OIL PUMP/PICKUP PACKAGE PART

- Moroso Standard Volume Package 22175
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking

CHEVROLET BIG BLOCK

Steel, Wet Sump, 6 Quart Capacity, 8" Deep Engine Application: Gen V/Gen VI Fits: Most GM Chassis, most rear steering; including '64-'72 Chevelle, Cutlass, Skylark, Tempest/GTO

- Kicked-out sump
- Accommodates the stock GM main cap mounted windage tray
- Accepts up to a 4.625" stroke with steel rods and a 4.25" stroke with aluminum rods
- Compatible with most starter/flvwheel combinations

PART # DESCRIPTION

- 20413 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Core Based
- PART # **RECOMMENDED PICKUPS**
- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24441* Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMA 22150, 22159, 22160, 22162 or M77/M77HV style pump

PART # **OIL PUMP/PICKUP PACKAGE**

- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package

22186*	Moroso High Volume	PART #
	Package/Front Style Offset Pickup	25830
22163	Moroso Billet Aluminum Oil Pump,	25970
	BBC, High Volume	25971
22164	Moroso Billet Aluminum Oil Pump,	25973
	BBC, Standard Volume	93154

Universal Dipstick Kit, Braided Stainless Flex Tube 971 973 Universal Dipstick Kit, Twist Lock 93154

Universal Dipstick Kit







Universal Dipstick Kit, Braided Stainless Flex Tube

No. 20413





Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6






No. 20411

AVAILABLE OPTIONS

Universal Dipstick Kit

BBC Gen 5 & 6





|||

Steel, Wet Sump, 6.5 Quart Capacity, 8" Deep, 10" Long Sump Engine Application: Gen V and Gen VI Fits: Most Chassis (except '62-'67 Chevy II, V-8 Vega/Monza, and '55-'57 Chevy)

- Designed with a sump that has flat sides to alleviate header clearance problems with some exhaust header brands
- Flat sides eliminate the need to change headers or perform fabrication work to the kicked-out sump of the oil pan
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- Features a crank scraper and uni-directional windage tray for horsepower
- Trap door baffling and an anti-climb baffle for oil control under hard acceleration and de-acceleration

PART #	DESCI	RIPTI	ON	
		<u>.</u> .		


20409 Oil Pan, Steel, Clear Zinc


PART # RECOMMENDED PICKUPS

- 24440 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24441* Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMM 22150, 22159, 22160, 22162 or M77/M77HV style pump PART # **OIL PUMP/PICKUP PACKAGE** 22175 Moroso Standard Volume Package PART # 22185 Moroso High Volume Package 25970 Moroso High Volume Package with Front Style Offset Pickup 22186* 25971 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume 25973
- **22164** Moroso Billet Aluminum Oil Pump, BBC, Standard Volume

*Offset to middle of sump for more consistent oil pressure under braking







T # AVAILABLE OPTIONS

- 70 Universal Dipstick Kit
- **'1** Universal Dipstick Kit, Braided Stainless Flex Tube
- 73 Universal Dipstick Kit, Twist Lock
- 93154 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen V and VI

CHEVROLET BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: Gen V and Gen VI Fits: '62-'67 Chevy II (without power steering) and '55-'57 Chevys; transmission must be in stock location

- Notched rear sump
- Accepts up to a 4.25" stroke with steel rods and a 4.090" stroke with aluminum rods
- · Compatible with most starter/flywheel combinations
- PART # DESCRIPTION
- 20433 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Street Performance, Deep Sump

PART # RECOMMENDED PICKUP

24430 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump


PART # AVAILABLE OPTIONS

23010 Oil Pan Baffle

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93154 Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6







- For use with 168-tooth flywheel combinations
- · Sump design works with Moroso spur gear & gerotor billet oil pumps
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Double kick-out design ensures large stroke and wide main cap clearance and max horsepower
- Accepts 5.00" stroke with aluminum rods

PART # DESCRIPTION

20372 Oil Pan, Aluminum, Internal Oil Pump. Engine Application: Donovan 700, DRC2 Pan Rail

PART # RECOMMENDED PICKUPS

- 24440 Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 22160, 22162 or M77/M77HV style pump
- Fits: Moroso BBC Race Pump Nos. 22149, 22150, 22159, 24441* 22160, 22162 or M77/M77HV style pump
- 24445 Fits: Stock Oil Pumps, Moroso BBC Race Pump Nos. 22149, MEMM 22150, 22159, 22160, 22162 or M77/M77HV style pump
- PART # **OIL PUMP/PICKUP PACKAGE**
- 22175 Moroso Standard Volume Package
- 22185 Moroso High Volume Package
- 22186* Moroso High Volume Package/Front Style Offset Pickup
- 22163 Moroso Billet Aluminum Oil Pump, BBC, High Volume
- 22164 Moroso Billet Aluminum Oil Pump, BBC, Standard Volume
- Moroso Billet Aluminum High Volume Oil Pump 22167

*Offset to middle of sump for more consistent oil pressure under braking



PART # **AVAILABLE OPTIONS**

- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit, Twist Lock
- Wrench, Oil Pan T-Handle, 1/2", 6 PT 62255
- 38361 **Oil Pan Fastener Kit, BBC Race Pans**



No. 20372














OIL PANS

DONOVAN, DRC2, MERLIN

Aluminum, Dry Sump Engine Application: Donovan 700, DRC2, Donovan Style blocks with 10" and 10-%" wide pan rails and 2-piece rear main seal Fits: Competition Eliminator, Super Gas, Super Comp and Bracket cars with no cross-member under engine

- Fully fabricated, aluminum; utilizes "race" pan rail bolt pattern
- (4) -12AN female pickups
- Power kick-out design for maximum horsepower
- Internal uni-directional screen
- For use with 168-tooth flywheel combination
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 5.30" stroke with aluminum rods

PART # DESCRIPTION

21592 Oil Pan, Aluminum, 5-Stage, Passenger-Side Starter

PART # AVAILABLE OPTIONS

- 23961 -12AN Filter Pickup Fittings
- 23963 -16AN Filter Pickup Fittings
- 62255 Wrench, Oil Pan T-Handle, 1/2", 6 PT
- 38361 Oil Pan Fastener Kit, BBC Race Pans

DONOVAN, DRC2, MERLIN

Aluminum, Dry Sump Engine Application: Donovan 700, DRC2, Donovan Style blocks with 10" and 10-3%" wide pan rails and 2-piece rear main seal

- Fully fabricated, aluminum
- Removable bottom with o-ring billet flange
- Available with either (3) or (4) -12AN female pickups
- · Power kick-out design for maximum horsepower
- Internal uni-directional screen
- For use with 168-tooth flywheel combination
- Billet end seals ensure consistent sealing surface to billet front covers and rear main caps
- Accepts 5.30" stroke with aluminum rods

PART # DESCRIPTION

- 21597 Oil Pan, Donovan, DRC2, Merlin Big Block, Two Piece, 3 Pickups, Drag Race, Dry Sump
- 21598 Oil Pan, Donovan, DRC2, Merlin Big Block, Two Piece, 4 Pickups, Drag Race, Dry Sump


PART # AVAILABLE OPTIONS


- **23961** -12AN Filter Pickup Fittings
- 23963 -16AN Filter Pickup Fittings
- **38361** Oil Pan Fastener Kit, BBC Race Pans

PART # REPLACEMENT PART

97319 Square O-Ring **97326** Round O-Ring





















This pan design is also available for other engines and engine combinations.



STREET | STRIP



Steel, Wet Sump, 8 Quart Capacity, 10" Deep Engine Application: 273-340, 360 Magnum Fits: Most production chassis

Anti-slosh baffling

PART #

20730

PART # 24700

· Compatible with most starter/flywheel combinations

DESCRIPTION PART

20710 Oil Pan, Steel, Clear Zinc, Street Performance, Deep Sump, Stock Core Based

RECOMMENDED PICKUP PART

24700 Fits: Stock Oil Pumps or Chrysler 2468489 Pump




— 7-3/4" →



NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

GEN III HEMI OIL PAN ACCESSORY





CHRYSLER 361-440, 426 HEMI


Steel, Wet Sump, 5 Quart Capacity, 5" Deep Engine Application: 361-440 and 426 Street Hemi Fits: Works well in chassis with extra-low front

suspensions. Will not fit '62-'65 production chassis and is not recommended for racing applications due to it's shallow sump design

- Anti-slosh baffling
- Compatible with most starter/flywheel combinations
- PART # DESCRIPTION
- 20766 Oil Pan, Chrysler 361-440, 426 Hemi
- PART# RECOMMENDED PICKUP
- 24766 Fits: Stock R/RB Pumps
- PART # AVAILABLE OPTION
- 93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge







OIL PANS

CHRYSLER BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7" Deep Engine Application: 361-440 and 426 Street Hemi Fits: Most '66-Up production chassis

- Anti-slosh baffling
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

PART # RECOMMENDED PICKUPS


- 24750 Fits: Stock B/RB Pumps (% N.P.T.-18 thread)
- 24800 Fits: Stock Hemi Pumps (½ N.P.T.-14 thread)

PART # AVAILABLE OPTION

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge









²⁰⁷⁶⁰ Oil Pan, Steel, Zinc, Street Performance, Deep Sump, Stock Core Based

Aluminum, Wet Sump

Engine Application: Chrysler and most aftermarket Hemi Blocks including Keith Black and JP-1 used in Top Fuel-Alcohol Dragsters

- One-piece billet rail with steel inserts prevents annoving leaks after repeated R&R
- -20AN pickup
- With steel inserts at the mounting points provide a rigid flange that won't bend, move or leak after repeated removals
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan
- Built-in crank scraper removes excess oil to reduce windage and increase power

DESCRIPTION PART

200430 Oil Pan, Aluminum, BAE, KB Pan Rail, Dragster, Single -20AN built-in pickup, Camlock Fasteners

PART # **REPLACEMENT PART**

23143o Louvered Windage Tray

PART # **RECOMMENDED FITTING** 22625 -20AN to -20AN Fitting

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

PART # **AVAILABLE OPTION**

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge

CHRYSLER

Aluminum, Wet Sump Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 used in Funny Cars

- · Billet rail with steel inserts
- Removable windage tray built into oil pan baffling
- Commonly used for wet sump applications

PART # DESCRIPTION

200450 Oil Pan, Aluminum, BAE, KB Pan Rail, Pro-Modified/Funny Car, single -20AN built-in pickup, camlock fasteners

REPLACEMENT PART PART

Louvered Windage Tray 231450

PART # **RECOMMENDED FITTING**

22625 -20AN to -20AN Fitting

PART # **AVAILABLE OPTION**

93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge

3-1/2

CHRYSLER

Aluminum, Dry Sump

Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 style engines, Funny Cars

- One-piece billet rail, skirted, steel inserts
- Removable windage tray built into oil pan baffling

DESCRIPTION PART # 200440

Oil Pan, Aluminum, BAE, KB Pan Rail, Single -16AN built-in pickup, Camlock Fasteners

PART # **REPLACEMENT PART**

231440 Windage Tray

PART #

PART # **RECOMMENDED FITTING** 22622 -16AN to -16AN Fitting

to the state of California to cause cancer. birth defects, or reproductive harm-

AVAILABLE OPTION

Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge 93174

• ZIX WARNING Prop. 65 This product contains a chemical known ידאיו:ויוווו








 $5^{-1}/_{4}$







SNAG 110

DRAG RACE



Aluminum, Dry Sump Engine Application: Chrysler and most aftermarket Hemi blocks including Keith Black, BAE and JP-1 style engines, Funny Cars

- One-piece billet rail, skirted, steel inserts
- Removable windage tray built into oil pan baffling
- Crankscraper
- PART # DESCRIPTION 20049• Oil Pan, Aluminum, BAE, KB Pan Rail, Single -16AN built-in pickup, Camlock Fasteners

PART # REPLACEMENT PART

- 23144 Windage Tray
- PART # RECOMMENDED FITTING
- **22622** -16AN to -16AN Fitting

PART # AVAILABLE OPTION


93174 Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge

> • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





No. 20049



AJPE TFX 96, TFX2000 & TFX 2002

Aluminum, Wet Sump

Engine Application: AJPE TFX 96, TFX2000 & TFX 2002 (does not fit TFX 92 blocks), Dragster

- Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -20AN pickup, recessed pickup area
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan

PART # DESCRIPTION

20055. Oil Pan, AJPE TFX 96, TFX2000 & TFX 2002, Dragster

PART # RECOMMENDED FITTING


22625 -20AN to -20AN Fitting





• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-





 \square

OIL PANS

DROSO

AJPE TFX 96, TFX2000 & TFX 2002 AJPE TFX 96, TFX2000 & TFX 2002

Aluminum, Wet Sump, 4-1/4" Deep to 6-1/4" Deep in the back Engine Application: AJPE TFX 96, TFX2000 & TFX 2002, (does not fit TFX 92 blocks), Funny Car

- · Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -20 AN pickup
- Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures

PART # DESCRIPTION

200560 Oil Pan, Aluminum, AJPE TFX 96, TFX2000 & TFX 2002, Funny Car, Wet Sump

RECOMMENDED FITTING PART

22625 -20AN to -20AN Fitting

> · A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-



4-3/8

AJPE TFX 96, TFX2000 & TFX 2002

Aluminum, Dry Sump Engine Application: AJPE TFX 96, TFX2000 & TFX 2002 (does not fit TFX 92 blocks), Funny Car

- · Features "L" shaped billet aluminum, o-ringed oil pan rail for strength on the track and in the pits during repeated installation and removal
- -16AN pickup
- · Internal baffling keeps oil contained in pickup area during hard acceleration and de-acceleration
- Baffling also increases pan's lower-end strength to prevent "ballooning" during engine failures
- Removable windage tray built into oil pan

PART # DESCRIPTION


200540 Oil Pan, AJPE TFX 96, TFX2000 & TFX 2002, Funny Car

PART # **RECOMMENDED FITTING**

-16AN to -16AN Fitting 22622

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-





















No. 20056



JEEP

Steel, 4.0 Multi-Baffled

- Designed for 1991-2006 Jeep Wranglers, 1987-2001 Jeep Cherokees and 1987-1992 Comanches with 4.0 liter engines, including stock exhaust manifolds with the integral catalytic converters
- Features a race proven 3 trap door assembly and removable antislosh baffle that keeps oil contained in oil pump pickup area during harshest off road conditions
- The rear sump of the oil pan extends out on both sides to hold 7.25 quarts to reduce oil temperature
- Oil Pan is designed to work with your existing oil pump and pickup tube
- Depth of the oil pan remains at the stock depth is maintained to allow fitment for aftermarket skid plates and to maximize ground clearance
- Constructed from heavy duty 16 gauge steel with a clear zinc finish to resist corrosion

PART # DESCRIPTION


27862 Oil Pan, Steel, Clear Zinc, Jeep 4.0 Multi-Baffled


PART # AVAILABLE OPTION

93175 Oil Pan Gasket









Π

OIL PANS

CHRYSLER / JEEP



Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Applications: Ford 289-302 Fits: Ford and Mercury cars and trucks originally equipped

with front sump pans (except Mustang II)

- Kicked-out sump
- Oil retention baffle
- Will clear 302 4-bolt center mains only
- Will not clear 302 4-bolt front and rear main caps without modification to pan or main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION


20502 Oil Pan, Steel, Clear Zinc, Front Sump Engine Application: 289-302 Engines

PART # RECOMMENDED PICKUP

24520 Fits: Moroso Part No. 22201, Stock or M68, M68HV or M10688 style pumps


PART # AVAILABLE OPTIONS

- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- **25973** Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93161 Oil Pan Gasket, Ford 302, Early, Dimpled Rail
- 22201 High Volume, Oil Pump



STREET | STRIP

1111:11:14





FORD SMALL BLOCK

Steel, Street/Strip & Road Race, Front Sump, 9 Quart Capacity, 8" Deep Engine Applications: Ford 289-302 Fits: Ford, Mercury and Cobra Kit Car Front Sump applications (except Mustang II)

- Kicked-out sump increases capacity to 9 quarts, which reduces oil temperature and ensures adequate supply to pickup area
- · Baffling designed for street/strip & road racing
- Will clear 302 with 4-bolt center mains only; will NOT clear 302 with 4-bolt front and rear main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION


20503 Oil Pan, Steel, Clear Zinc, Kicked-Out Front Sump *Engine Application: 289-302 Engines*

PART # RECOMMENDED PICKUP

24523 Fits: Moroso Part No. 22201, Stock or M68 or M68HV style pumps

PART # AVAILABLE OPTIONS


- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- **25970** Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93161 Oil Pan Gasket, Ford 302, Early, Dimpled Rail
- 22201 High Volume, Oil Pump












No. 20502







<u>DRAG | ROAD RACE</u>

Billet

End Seals

1111:1141

FORD SMALL BLOCK


Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Application: 289-302

Fits: Ford including Australian, Mercury and Cobra Kit Car front sump applications (except Mustang II) Useage: Road and Drag Race, including street

- · Billet end seals for greater sealing
- · Clears all 4-bolt main caps including 4-bolt rear
- · Accepts 3.40 stroke with most steel rods
- · Four Trap Doors keep oil contained in oil pump pickup area
- · Anti-slosh baffle keeps oil from leaving the sump
- · Features oil temperature fitting and drain plug
- · Compatible with most starter/flywheel combinations
- For use with 1-piece, rear sump oil pan gasket
- Includes O-ring drain plugs

PART # DESCRIPTION

- 20535 Ford 302 Front Sump Oil Pan, Road Race, clears 4-Bolt Blocks
- PART# RECOMMENDED PICKUP
- 24523 Fits: Moroso Part No. 22201, Stock or M68, M68HV or M10688 style pumps
- PART# AVAILABLE OPTIONS
- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- **25970** Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- **25973** Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit. Bullet Nose
- **93160** Oil Pan Gasket, Ford 302, Late, Smooth Rail
- 22201 High Volume, Oil Pump



Bille

End Seals

No. 20535



FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 7-½" Deep Engine Application: 289-302 Fits: '79-Up Mustang, '81-'88 Thunderbird, Couqar,

'79-'86 Capri and other Ford Rear Sump applications

- Will clear 4-bolt center mains only
- Will not clear 4-bolt front and rear main caps
- Oil retaining baffle
- Engineered to supply oil to sump at all times
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20506 Oil Pan, Steel, Clear Zinc, Kicked-out Sump

PART # RECOMMENDED PICKUPS

- 24517 Fits: Stock or M68, M68HV or M10688 style pumps
- 24518* Fits: Moroso Part No. 22201, Stock or M68, M68HV or M10688 style pumps with Main Support


*Must use Moroso Main Cap Girdle Part No. 22928

PART # AVAILABLE OPTIONS

- **22928** Main Cap Girdle for 289-302
- **22930** Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless25973 Universal Dipstick Kit, Twist Lock
- **38191** Windage Tray, Mounting Studs, 289-302
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- **93160** Oil Pan Gasket, Ford 302, Late, Smooth Rail
- 22201 High Volume, Oil Pump







No. 20506

3-1/2

Billet

End Seals

. ...

OIL PANS

FORD 302 REAR SUI

- Will clear 4-bolt center mains only
- Clears 3.40" stroke with most steel rods
- Will not clear 4-bolt front and rear main caps without modification to pan or main caps
- Oil sump retaining system
- Engineered to supply oil to sump at all times
- · Compatible with most starter/flywheel combinations

DESCRIPTION PART

20521 Oil Pan, Steel, Clear Zinc, Deep Sump Rear

PART # **RECOMMENDED PICKUP**


24516* Fits: Moroso Part No. 22201, Stock or M68, M68HV or M10688 Style Oil Pumps *Fits with or without main support girdle

	n whithout main support girulo
PART #	AVAILABLE OPTIONS


22928	Main Cap Girdle for 289-302
22930	Louvered Windage Tray, 289-302
25970	Universal Dipstick Kit
25971	Universal Dipstick Kit, Braided Stainless
25973	Universal Dipstick Kit, Twist Lock
38191	Windage Tray, Mounting Studs, 289-302
38390	Oil Pan Mounting Stud Kit, Bullet Nose
93160	Oil Pan Gasket, Ford 302, Late, Smooth Rail
	and a second

22201 High Volume, Oil Pump MEMM











- Features 4 trap doors, 2 baffles and removable sump tray that keeps the oil contained in the pickup area during hard acceleration, cornering and braking
- Fits 2005-Up SCCA and NASA race cars with 302 engines
- Designed for Road Racing, makes an excellent Drag Race or Kit Car oil pan
- Will clear center 4-bolt main caps
- Includes ¹/₂" NPT oil temperature bung
- Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20527 Oil Pan, Steel, Clear Zinc, Kicked-out Sump, Road Race Baffled

PART # **RECOMMENDED PICKUPS**

- 24527 Fits: Stock or M68, M68HV or M10688 Style Oil Pumps
- 24528* Fits: Moroso Part No. 22201, Stock or M68 or M68HV Style Oil Pumps w/ Main Support

3-1/8

- 7-1⁄2"-

*Must use Moroso Main Cap Girdle Part No. 22928


PART # **AVAILABLE OPTIONS**

- 22928 Main Cap Girdle for 289-302
- 22930 Louvered Windage Tray, 289-302
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38191 Windage Tray, Mounting Studs, 289-302
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93160 Oil Pan Gasket, Ford 302, Late, Smooth Rail
- 22201 High Volume, Oil Pump MEMM



No. 20527









FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 7-1/2" Deep Engine Applications: Ford 289-302

Fits: '79-up Mustang, '81-'88 Thunderbird & Cougar, '79-'86 Capri and other Ford rear sump applications

- Oil pans have thick precision laser cut steel rails with a clear zinc finish
- Billet end seals for greater sealing than a core based oil pan
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 3.40" stroke with most steel rods
- Feature a race proven diamond shape four trap door assembly and anti-slosh baffle that keeps oil contained in the oil pump pickup area during hard acceleration, cornering and braking
- Designed for Road Racing, makes an excellent Drag Race or Kit Car oil pan
- Fits 2005-up Mustang SCCA and NASA racecars with 302 engines
- Includes 1/2" N.P.T. oil temperature bung and magnetic drain plugs
- · Compatible with most starter/flywheel combinations
- For use with 1 piece, rear sump oil pan gasket such as Part **No. 93160** for 302 applications

PART # DESCRIPTION


20533 Oil Pan , Ford 302, Clear Zinc

PART # RECOMMENDED PICKUPS

 24527
 For 302, Fits: Stock or M68, M68HV or M10688 Style Oil Pumps

 24528*
 For 302, Fits: Moroso Part No. 22201, Stock or M68, M68HV or M10688 Style Oil Pumps w/ Main Support

*Must use Moroso Main Cap Girdle Part No. 22928



STREET | STRIP

FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 7 Quart Capacity, 8" Deep Engine Application: 351W

Fits: Ford and Mercury cars and trucks originally equipped with front sump pans (except Mustang II)

- Kicked-out sump
- Oil retention baffle
- Will clear 351W 4-bolt center mains only
- Will not clear 351W 4-bolt front and rear main caps without modification to pan or main caps
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20507 Oil Pan, Steel, Clear Zinc, Front Sump Engine Application: 351W Engines

PART # RECOMMENDED PICKUP


24507 *Fits: Moroso Part No. 22202*, *Stock or M83*, *M83HV or M10833 style pumps*


PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- **38194** Oil Pump Pickup Stud. 351W
- **38390** Oil Pan Mounting Stud Kit, Bullet Nose
- 93163 Oil Pan Gasket, Ford 351 W, Early, Dimpled Rail
- 22202 High Volume, Oil Pump









FORD SMALL BLOCK



- Features oil temperature fitting and drain plug
- Compatible with most starter/flywheel combinations
- · For use with 1-piece, rear sump oil pan gasket
- Includes O-ring drain plugs

PART # DESCRIPTION


20536 Ford 351W Front Sump Oil Pan, Road Race, clears 4-Bolt Blocks

PART# **RECOMMENDED PICKUP**


24507 Fits: Moroso Part No. 22202, Stock or M83, M83HV or M10833 style pumps

PART# **AVAILABLE OPTIONS**

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- Universal Dipstick Kit, Twist Lock 25973
- 38192 Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud. 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail
- 22202 High Volume, Oil Pump







NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

FORD SMALL BLOCK Steel, Wet Sump, Rear Sump, 7 Quart

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 351W Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Rear sump design
- Will clear 351W 4-bolt center mains only
- Will not clear 351W 4-bolt front and rear main caps
- Oil sump retaining system and anti-slosh baffle
- Reduced oil temperature

PART # DESCRIPTION

20523 Oil Pan, Steel, Clear Zinc, Deep Rear Sump

PART # RECOMMENDED PICKUP

24532 Fits: Moroso Part No. 22202, Stock or M83, M83HV or M10833 Style Oil Pump

PART # AVAILABLE OPTIONS

22935	Louvered Windage Tray, 351W
25970	Universal Dipstick Kit
05074	Universal Directicly Vit Dreided Ct

- **25971** Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- **38192** Windage Tray, Mounting Studs, 351W
- **38194** Oil Pump Pickup Stud. 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93163 Oil Pan Gasket, Ford 351W, Early, Dimpled Rail
- 22202 High Volume, Oil Pump

FORD SMALL BLOCK

Steel, Wet Sump, Rear Sump, 7 Quart Capacity, 9" Deep Engine Application: 351W Fits: '79-Up Mustang, '81-'88 Thunderbird & Cougar,

'79-'86 Capri and other Ford rear sump applications

Now with Billet End Seals for greater sealing!

- Steel with a clear zinc finish
- 9" deep rear sump
- Clears all 4-bolt main caps including 4-bolt rear
- Accepts 4.0" stroke with most steel rods
- Oil sump retaining system
- · Compatible with most starter/flywheel combinations
- Includes O-ring drain plugs

PART # DESCRIPTION

20520 Oil Pan, Steel, Fully Fabricated, Clear Zinc, Deep Sump

PART # RECOMMENDED PICKUP

24532 Fits: Moroso Part No. 22202, Stock or M83, M83HV or M10833 Style Oil Pump

PART # AVAILABLE OPTIONS

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- **25971** Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38192 Windage Tray, Mounting Studs, 351W38194 Oil Pump Pickup Stud. 351W
- 38194 Oil Pump Pickup Stud. 351W38390 Oil Pan Mounting Stud Kit, Bu
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail
- **22202** High Volume, Oil Pump








Billet

End Seals




No. 20520




111:1.4







STREET | STRIP



DRAG RACE

- oil contained in the oil pump pick up area during hard acceleration, cornering and braking
- Designed for Road Racing, makes an excellent Drag Race or Kit Car oil pan
- Fits 2005-up Mustang SCCA and NASA racecars with 351W engines
- Includes ½" N.P.T. oil temperature bung and magnetic drain plugs
- · Compatible with most starter/flywheel combinations
- For use with 1 piece, rear sump oil pan gasket Moroso No. 93162

PART # DESCRIPTION

20534 Oil Pan, Ford 351W, Clear Zinc


PART # RECOMMENDED PICKUP

24534 For 351W, Fits: Moroso Part No. 22202, Stock or M83, M83HV or M10833 Style Oil Pumps

AVAILABLE OPTIONS PART

- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless 25971
- 25973 Universal Dipstick Kit, Twist Lock
- 38192 Windage Tray, Mounting Studs, 351W
- 38194 Oil Pump Pickup Stud, 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail
- 22202 High Volume, Oil Pump






Billet

 \square

FORD 351W REAR SUMP





FORD 351W / 351C / 351M

FORD SMALL BLOCK

Steel, Wet Sump, Front Sump, 9 Quart Capacity, 7-1/2" Deep Engine Application: 351W Fits: Late Model, Pro Stock, SK Modified[®] with tube snout chassis and no cross-members or steering linkages located under engine

CIRCLE TRACK

- Five trap door baffling for oil control
- Built-in scraper on passenger-side
- · Built-in dipstick
- · Clears all 4-bolt main caps including 4-bolt rear
- · Accepts 4.250" stroke with steel rods with scraper modification
- Accepts most starter and flywheel combinations

PART # DESCRIPTION

20522 Oil Pan, Steel, Clear Zinc, Fully Fabricated, Kicked-out Sump


PART # RECOMMENDED PICKUP

24515 Fits: Moroso Part No. 22202, Stock or M83, M83HV or M10833 Style Oil Pumps

PART# AVAILABLE OPTIONS

- 22935 Louvered Windage Tray, 351W
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless
- 25973 Universal Dipstick Kit, Twist Lock
- 38192 Windage Tray, Mounting Studs, 351W
- **38194** Oil Pump Pickup Stud, 351W
- 38390 Oil Pan Mounting Stud Kit, Bullet Nose
- 93162 Oil Pan Gasket, Ford 351W, Late, Smooth Rail
- 22202 High Volume, Oil Pump

FORD 351W, DIRT LATE MODEL



4-1/2

5-1/2

8'

9-3/4"

- Fully fabricated aluminum with billet end seals to ensure a consistent sealing surface
- · Clears all 4-bolt main caps including 4-bolt rear
- Large kick-out design for maximum horsepower and oil temperature reduction
- Two -12 AN and one -16 AN female pickups, included male removable filter fittings
- Oil collection trough with internal runners to direct oil to the pickups
- Internal rear baffle that prevents oil from climbing up the back of the oil pan

PART # DESCRIPTION

21621 Oil Pan, Aluminum, Ford 351W Dirt Late Model, 3 Pickup Dry Sump

FORD SMALL BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8" Deep Engine Application: 351C and 351M Fits: 351C & 351M into most front sump production chassis (except Mustang II)

- Oil sump retaining system
- Reduces oil temperature
- · Compatible with most starter/flywheel combinations
- Magnetic drain plug

PART # DESCRIPTION

20558 Oil Pan, Steel, Clear Zinc, Kicked-out Front Sump


PART # RECOMMENDED PICKUP 24558 *Fits:* Stock Oil Pumps

PART # AVAILABLE OPTIONS

2 Tray Mounting Studs4 Oil Pump Pickup Stud, 351W



3-3/4



No. 20522







3"

13-1/4

FORD SMALL BLOCK


Steel, Wet Sump, 6 Quart Capacity, 8-1/4" Deep Engine Application: 351C and 351M Fits: Most Front Sump Production Chassis

- Oil sump retaining system
- Magnetic drain plug
- Compatible with most starter/flywheel combinations
- Uses stock pickup

PART #	DESCRIPTION
20557	Oil Pan, Unplated Steel, Stock Configuration, Front Sump
PART #	AVAILABLE OPTIONS
38192	Tray Mounting Studs

38194 **Oil Pump Pickup Stud**







FORD SMALL BLOCK

Steel, Wet Sump, 8 Quart Capacity, 9" Deep Engine Application: Ford 351C, 351M, and 400 block Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications (except Mustang II)

- Core based oil pan, utilizing stock pan rail bolt pattern
- Increased sump capacity, full length scraper
- Compatible with most starter and flywheel combinations

PART # DESCRIPTION


- 20530 Oil Pan, Steel, Clear Zinc
- PART # **RECOMMENDED PICKUP**
- 24530 Fits: Melling M84AHV, Speed Pro 224-103R or similar pumps

PART # **AVAILABLE OPTIONS**

- Universal Dipstick Kit 25970
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 38194 Oil Pump Pickup Stud, 351W









FORD 4.6/5.4L, COBRA REPLICA

Steel, Wet Sump, 7 Quart Capacity Engine Application: 4.6/5.4L SOHC/DOHC Fits: Cobra Kit Cars that require a rear sump oil pan

- For Ford 4.6/5.4 SOHC/DOHC
- Designed for Cobra Replicas that require a shallow rear sump oil pan
- Features a race proven four trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Steel with a clear zinc finish
- Designed to be used with the Moroso No. 22933 windage tray
- Uses the factory Mustang Dipstick
- Extra capacity; holds 1 more guart that the Mustang O.E.M. oil pan
- 1/2" N.P.T. fitting for supercharger drain back
- 1/2" N.P.T. fitting for oil temperature sender

PART # DESCRIPTION

20549 Oil Pan, Steel, Ford 4.6/5.4 Modular, Cobra Replica Race Baffled



PART # **RECOMMENDED PICKUPS**

24547	Fits: Factory 4.6/5.4, 2 Valve Engine Oil Pumps
24548	Fits: Factory 4.6/5.4, 4 Valve Engine Oil Pumps

PART # **AVAILABLE OPTIONS**

i Aiti n	
22933	Louvered Windage Tray 4.6/5
93164	Oil Pan Gasket, Ford 4.6/5.4

5.4 Oil Pan Gasket, Ford 4.6/5.4

MORDS

FORD 4.6/5.4L

Aluminum, Wet Sump, 7 Quart Capacity Engine Application: 4.6/5.4L SOHC/DOHC Fits: '99-'04 Lightning, '97-'04 F-150 (2-Wheel Drive)

- Fully fabricated, all-aluminum construction offers exceptional strength without the added weight
- Billet rail, kicked-out and lengthened sump adds extra capacity to help cool oil better

PART #

#

20554

- Baffling system confines oil flow within the pickup area during hard acceleration, cornering and braking
- · Designed to work with Ford Pickup No. F65Z-6622-CA and Ford Pickup Spacer No. N806180S2
- Uses factory dipstick
- Includes magnetic drain plug

DESCRIPTION Oil Pan. Aluminum



PART #

22933

93164

No. 20546

7-1/2"

6-3%

TRUCK



6-1/5' **AVAILABLE OPTIONS** Louvered Windage Tray, 4.6/5.4 Oil Pan Gasket, Ford 4.6/5.4

3-1/8'







- Increased oil capacity
- Oil sump retaining system
- Designed to work with factory 2v, 3v and 4v oil pump pickup
- Included ¹/₂" N.P.T. drain back in front of pan

PART #	DESCRIPTION	PART #
20546	Oil Pan, Steel, Clear Zinc,	22933
	Kicked-out Rear Sump	93164


DRAG RACE

Louvered Windage Tray, 4.6/5.4

Oil Pan Gasket, Ford 4.6/5.4

1-7/8

AVAILABLE OPTIONS



OIL PANS

STREET | STRIP | ROAD RACE

moraso

FORD 5.0 "COYOTE" / 5.2 "VOODOO".

Engine Application: Ford 5.0 Modular "Coyote" Engines Fits: Early Ford Chassis that require a front sump oil pan

FRONT SUMP

Steel, Wet Sump, 7 Quart Capacity

(check measurements) • For Ford 5.0 "Coyote" Engine Blocks



FORD 5.0 COYOTE / 5.2 VOODOC

No. 20573

Π



Part No. 22738, 20mm Plug with copper washer is available

Nos. 20575 & 20576

OIL PUMP PICKUP KITS, FORD "COYOTE" GEN 3, GT 350 ENGINES WITH GEN 3 OIL PUMPS

- Pickup's machined steel bung inserts into a Gen. 3 oil pump, is retained by the bung's machined steps, O-ring and it's integral bracket, kit includes pickup tube, O-ring, main cap bolt, standoff and 8mm flange head screw
- Pickup has a large 1-1/4" diameter tube so that there is no restriction of flow during continuous high RPM track events
- Must use with Moroso Part No. 22936 or Ford Part No. BR3Z-6710-A windage tray/gasket

PART #	DESCRIPTION
24576	Oil Pump Pickup Kit, FORD "Coyote" Gen 3, GT 350 Engines
	Fits: Moroso Part No. 20573 Oil Pan
24577	Oil Pump Pickup Kit, FORD "Coyote" Gen 3, GT 350 Engines
	Fits: Moroso Part Nos. 20569 and 20570 Oil Pans
24578	Oil Pump Pickup Kit, FORD "Coyote" Gen 3, GT 350 Engines
	Fits: Moroso Part Nos. 20571, 20572, 20575 and 20576
24579	Oil Pump Pickup Kit, FORD "Coyote" Gen 3, GT 350 Engines
	Fits: Moroso Part Nos. 20574 and 20577 Oil Pans





3-1⁄2"

ħ

6-5/8'

Ļ

13-1/16

 \bigcirc

9-3/16

Inhistra

PANS



20577 Oil Pan, Aluminum, Fully Fabricated *Fits:* '79-'93 Mustang with 5.0 "Coyote"/5.2 "Voodoo" Swaps using BBK or American Racing Headers


PART # REQUIRED PICKUPS

 24574 Fits: Moroso Part No. 22203, Factory 5.0 "Coyote"/5.2 "Voodoo" Gen1 & Gen 2 Oil Pumps
 24579 Fits: Factory 5.0/5.2 Gen 3 Oil Pumps

PART # AVAILABLE OPTIONS

- 22738 Factory Low Oil Warning Sensor Plug, 20mm
- 22936 Windage Tray & Oil Pan Gasket, Ford 5.0 "Coyote", 5.2 "Voodoo"
- 22203 Standard Volume, Oil Pump

*If the factory low oil warning sensor is not going to be used, Part **No. 22738,** 20mm Plug with copper washer is available





2-3/8

No. 20574

WINDAGE TRAY AND OIL PAN GASKET

Fits: Ford 5.0 "Coyote", 5.2 "Voodoo"

- Required when installing a Moroso oil pan and oil pump pickup on a Gen. 3 engine or is a replacement windage tray/oil pan gasket on a Gen. 1 or Gen. 2 engine
- Goes between the engine block and oil pan

PART # DESCRIPTION

22936 Windage Tray & Oil Pan Gasket, Ford 5.0 "Coyote", 5.2 "Voodoo" No. 22936

No. 20577





III OROSO

FORD BIG BLOCK

Steel, Wet Sump, 5 Quart Capacity, 5" Deep Engine Application: 352-428 FE Fits: Most Production Chassis

- Front sump
- Built-in oil baffle
- · Uses stock pickup
- Magnetic drain plug

PART # DESCRIPTION

20606 Oil Pan, Steel, Clear Zinc, Stock Configuration


PART # AVAILABLE OPTION

22940	Louvered Windage Tray
22205	High Volume, Oil Pump





1/5



FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 7-½" Deep Engine Application: 352-428 FE Fits: Most Production Chassis

- Oil sump retaining system
- Removable oil sump tray
- Reduces oil temperature
- Magnetic drain plug

PART # DESCRIPTION


- 20609 Oil Pan, Steel, Clear Zinc, Deep Front Sump
- PART # RECOMMENDED PICKUP
- 24609 Fits: Moroso Part No. 22205, Melling M57HV

PART # AVAILABLE OPTIONS

- 22940 Louvered Windage Tray
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 22205 High Volume, Oil Pump









<u>93</u>

OIL PANS


FORD BIG BLOCK


Steel, Wet Sump, 8 Quart Capacity, 6" Deep Engine Application: 352-428 FE Fits: Most front sump production chassis and kit cars

- Anti-slosh baffle
- Oil temperature bung
- Reduces oil temperature
- Magnetic drain plug

PART #	DESCRIPTION
20607	Oil Pan, Steel, Clear Zinc, Kicked-out Front Sump
PART #	RECOMMENDED PICKUP
24608	Fits: Moroso Part No. 22205, Melling M57HV
PART #	AVAILABLE OPTIONS
22940	Louvered Windage Tray

- 25970 Universal Dipstick Kit
 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
 25973 Universal Dipstick Kit, Twist Lock
- 22205 High Volume, Oil Pump





DRAG | ROAD RACE

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

6


FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 6" Deep Street/Strip & Road Race, Kicked-Out Front Sump, Enhanced Road Race Baffling Engine Application: 352-428 FE Fits: Most front sump production chassis and kit cars

- Kicked-out front sump increases oil capacity to 8 quarts which reduces oil temperature and insures adequate supply to the oil pump pickup
- Includes 6 trap doors, 2 baffles and a removable sump tray that keeps the oil contained in the pickup area during hard acceleration, cornering and braking
- Features a magnetic drain plug and oil temperature bung
- · Dipstick bung
- PART # DESCRIPTION
- 20608 Oil Pan, Steel, Clear Zinc, 6" Kicked-Out Front Sump, Wet Sump
- PART # RECOMMENDED PICKUP
- 24608 Fits: Moroso Part No. 22205, Melling M57HV

PART # AVAILABLE OPTIONS

- 22940 Louvered Windage Tray
- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 22205 High Volume, Oil Pump





No. 20608







<u>STREET | STRIP</u>

FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 9" Deep Engine Application: 429-460 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- Oil sump retaining system
- Clears stock cross-member and steering linkage

Reduces oil temperature

PART # DESCRIPTION

20620 Oil Pan, Steel, Clear Zinc

PART # RECOMMENDED PICKUP 24509* Fits: Moroso Part No. 22204, Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps

PART # AVAILABLE OPTIONS


25970 Universal Dipstick Kit
25971 Universal Dipstick Kit, Braided Stainless Flex Tube
25973 Universal Dipstick Kit, Twist Lock
93166 Oil Pan Gasket, 460 Late, Smooth Rail
2204 High Volume, Oil Pump JUSKA

*Fits only 4-bolt mains (SVO Block)



No. 20620





DRAG RACE

FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 9" Deep Engine Application: 429-460 Fits: '79-Up Mustang, '81-'88 Thunderbird, Cougar, '79-'86 Capri and other Ford Rear Sump applications

- · Core based oil pan, utilizing stock pan rail bolt pattern
- · Increased sump capacity and trap door baffling
- Stock starter with 184-tooth flywheel

PART # DESCRIPTION

- 20625 Oil Pan, Steel, Clear Zinc
- PART # RECOMMENDED PICKUP
- 24508* Fits: Moroso Part No. 22204,
 - Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps

```
PART # AVAILABLE OPTIONS
```


- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail
- 22204 High Volume, Oil Pump

*Fits only 4-bolt mains (SVO Block)



No. 20625





FORD BIG BLOCK

Steel, Wet Sump, 7 Quart Capacity, 8-1/2" Deep Engine Application: 429-460 Fits: Tube-chassis Bracket and Super Classes including dragsters, roadsters, door slammers, etc.

- · Core based oil pan, utilizing stock pan rail bolt pattern
- · Increased sump capacity, and trap door baffling
- Stock starter with 184-tooth flywheel
- PART # DESCRIPTION
- 20614 Oil Pan, Steel, Clear Zinc
- PART # RECOMMENDED PICKUP
- 24511 Fits: Moroso Part No. 22204,
 - Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps


PART # AVAILABLE OPTIONS

- 25970 Universal Dipstick Kit
- 25971 Universal Dipstick Kit, Braided Stainless Flex Tube
- 25973 Universal Dipstick Kit, Twist Lock
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail
- 22204 High Volume, Oil Pump









TTO BOSD

No. 20616

FORD BIG BLOCK

Steel, Wet Sump, 9 Quart Capacity, 7- ⁷/₆" Deep Engine Application: 429-460 Fits: Tube-chassis Bracket and Super Classes including dragsters, roadsters, door slammers, etc.

- Steel fully fabricated oil pan, utilizing "race" pan rail bolt pattern
- · Power kick-out for increased horsepower
- Increased sump capacity, solid louvered tray
- Clears all 4-bolt main caps
- Accepts 4.75" stroke with aluminum rods
- Compatible with Tilton starter and 184-tooth flywheel

PART # DESCRIPTION


- 20616 Oil Pan, Steel, Clear Zinc
- PART # RECOMMENDED PICKUPS 24505 Fits: Moroso Part No. 22204.

Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps with 4-bolt Main Blocks


24522 Fits: Moroso Part No. 22204, Ford SVO M-6600-A460 or M84D or M84DHV Style Pumps with 2-bolt Main Blocks

PART # AVAILABLE OPTIONS

- **62255** Wrench, Oil Pan T-Handle, ½", 6 PT
- **62256** Wrench, Oil Pan T-Handle, ⁷/₁₆", 6 PT
- 93166 Oil Pan Gasket, 460 Late, Smooth Rail
- 22204 High Volume, Oil Pump







 Π

DANS

FORD 429 - 460

FORD BIG BLOCK

Steel, Wet Sump, 8 Quart Capacity, 10-3/4" Deep Engine Application: All 429-460 Fits: Four-wheel drive trucks and vans except Bronco

- Deep sump increases capacity to 8 guarts, which reduces oil temperature and insures ample supply to pickup area
- Relocated rear sump improves oil control during hard acceleration and off-road use
- · Accepts 3.85" stroke with most steel rods
- Works with most starter/flvwheel combinations
- Use Nos. 25970, 25971 or 25973 for dipstick provision welding required

PART # DESCRIPTION

20612 Oil Pan, Steel, Clear Zinc, Deep Rear Sump, Off-Road

PART # **RECOMMENDED PICKUP**


24504 Fits: Only 4 bolt main caps. 2 bolt pickups require a custom product, please inquire


AVAILABLE OPTIONS PART

- 93166 Oil Pan Gasket, 460 Late, Smooth Rail
- 25970 Universal Dipstick Kit
- Universal Dipstick Kit, Braided Stainless Flex Tube 25971
- 25973 Universal Dipstick Kit, Twist Lock
- 22204 High Volume, Oil Pump MENN



No. 20612





FORD 7.3 POWERSTROKE, '94-'03

Steel, Fits: F-250/F-350 '94.5-'03, Super Duty '99-'03, Excursion '00-'03, Econoline '94.5-'03, Ford E- Series van/motorhome/bus chassis '94.5-'03

- After hearing that our customers were having premature rusting issues with their O.E.M. oil pans on Ford Powerstroke engines, Moroso knew that they could come up with a longer lasting solution
- Heavy Duty, stamped out of 16 gauge quality steel which is thicker than 0.E.M.
- Has a triple coat finishing process of a zinc phosphate which besides creating a durable finish foundation also neutralizes any corrosion started by the welding process itself. The second coat is a black 1-mil thick electrocoat and the last coat is a gloss black epoxy powdercoat. This process has been fine tuned from years of oil pan building experience and from this Moroso oil pan design being subjected to numerous salt spray testing. The O.E.M. oil pan only has a black painted surface
- Features an internal O.E.M. style anti-slosh baffle to keep oil contained in the oil pick up area, dipstick provision on passenger side and notch in front oil pan for clearance
- More cost effective than the O.E.M. piece by it's initial price and that labor dollars will not need to be spent every couple of years on it's replacement
- · Oil pan is designed to work with your existing oil pump and pickup tube

PART #	DESCRIPTION
27336	Oil Pan

- 27336
 - Fits: Ford 7.3 Powerstroke, '94-'03


PART # **AVAILABLE OPTIONS**

- Oil Pan Gasket, Ford 7.3 Powerstroke '94-'03 and International 27293 T444E, Patent Pending
- 97003 Oil Pan Drain Plug, Zinc Finish









INTERNATIONAL T444E

Steel

- Fits: International T444E engines (replacement for IH Part # 1830838C91) International 3600/3700/3800 and other chassis. (Doesn't fit in Ford Excursions, Pickups or Vans)
- Heavy Duty, stamped out of 16 gauge quality steel which is thicker than O.E.M.
- Has a triple coat finishing process of a zinc phosphate, the second coat is a black 1-mil thick electrocoat and the last coat is a gloss black epoxy powdercoat
- Features an internal O.E.M. style anti-slosh baffle to keep oil contained in the oil pickup area, 18 Quart Capacity, dipstick provision on passenger side and notch in front oil pan for clearance

PART # DESCRIPTION

27264 Oil Pan, International T444E

PART # AVAILABLE OPTION

27293 Oil Pan Gasket, One Piece Design, Steel Reinforced Ford 7.3 Powerstroke '94-'03 and International T444E, patent pending

FORD 6.0, 6.4, 6.7 POWERSTROKE

- Fits: Excursion '03-'05; F-250 '04-'10, '11-'21; F-350 '04-'10; F-450 '04-'10, '11-'21; F-550 '04-'10, '11-'21
- Heavy Duty 16 gauge steel stamping
- · Has a durable black epoxy powder coat finish
- Cost effective alternative to an O.E.M oil pan

PART # DESCRIPTION

20850 Oil Pan, Steel, Ford 6.0, 6.4 Powerstroke20851 Oil Pan, Steel, Ford 6.7 Powerstroke





No. 20851



STRIF

STREET

OLDSMOBILE

Steel, Wet Sump, 7 Quart Capacity, 8-1/2" Deep Engine Application: 330-455 Fits: All '65-later V8's in most stock GM chassis without modifications

- Reduces oil temperature
- Anti-slosh baffle
- · Compatible with most starter/flywheel combinations

PART # DESCRIPTION

20480 Oil Pan, Steel, Clear Zinc, Deep Sump

PART # RECOMMENDED PICKUP

24460 Fits: For Moroso No. 20480 Oil Pan, Melling M22F or Stock or Sealed Power No.224-41203






No. 27264

9-1/4

10-16

0





DRAG | MARINE | TRUCK

OLDSMOBILE

Steel, Flat Bottom Pan 10 Quart Capacity, 7-1/4" Deep Engine Application: 330-455 Fits: Hulls with flywheel aft and 4-point mounting

No. 21631

יאיז:ויות

7-1/4

- Full sump increases capacity to 10 quarts, which reduces oil temperature and insures adequate supply to pickup area
- Includes built-in crankshaft scraper and trap door baffling to prevent oil starvation under severe marine conditions
- Removable sump tray allows easy access to the pan's bottom for cleaning
- Works with most starter/flywheel combinations
- Pan features a -12AN drain plug

PART # DESCRIPTION

21631 Oil Pan, Steel, Clear Zinc, Large Marine Pan

PART # RECOMMENDED PICKUP

24463 Fits: Melling HV Pump M22FHV or Mondello "HV" Pump SP 755




PONTIAC Steel, Wet Sump, 8 Quart Capacity, 9-3/4" Deep Engine Application: 301-455 Fits: 1967-'81 Firebird and 1964-'87 mid and full-sized chassis · Oil retaining system Reduces oil temperature MORDSD No. 20490 · Compatible with most starter/flywheel combinations PART # DESCRIPTION 20490 Oil Pan, Steel, Clear Zinc, Deep Sump 9-3/4" PART # **RECOMMENDED PICKUP** 24480 Fits: M54DS or M10541 Style Pumps 8-3/4" PONTIAC Steel, Wet Sump, 7-1/8" Deep Engine Application: 301-455 Fits: 1967-'81 Firebird and 1964-'87 mid and full-sized chassis Oil sump retaining system Magnetic drain plug No. 20492 PART # DESCRIPTION 20492 Oil Pan, Steel, Clear Zinc, Stock Replacement 7-1/8" **RECOMMENDED PICKUP** PART # Use Stock Oil Pump & Pickup PONTIAC Steel, Wet Sump, 7 Quart Capacity, 8-1/2" Deep Engine Application: 301-455 Fits: 1967-'81 Firebird and 1964-'87 mid and full-sized chassis Oil sump retaining system MURUS No. 20500 Reduces oil temperature Compatible with most starter/flywheel combinations DESCRIPTION PART # 20500 Oil Pan, Steel, Clear Zinc, Deep Sump 8-1/2" **RECOMMENDED PICKUP** PART # 24482 Fits: M54DS or M10541 Style Pumps — 8-¾" –

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

ACURA/HONDA B SERIES

Steel, Wet Sump, 4 Quart Capacity, 6" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Sump baffle that fully surrounds oil pump pickup
- Turbo/Supercharger oil drain back
- Features a magnetic drain plug and temperature sensor bung
- · Works with 0.E.M. exhaust manifold and most aftermarket exhaust/header combinations
- PART # DESCRIPTION
- 20911 Oil Pan, Steel, Clear Zinc, Stock Configuration
- PART # RECOMMENDED OIL PUMP & PICKUP Use Stock Oil Pump & Pickup
- PART # AVAILABLE OPTIONS
- 38366 Oil Pan Stud Kit
 93200 Oil Pan Gasket, One Piece Design, Acura/Honda B Series
 22206 B Series, Oil Pump MEMM



No. 20910

No. 20911

ACURA/HONDA B SERIES

Steel, Wet Sump, 5.5 Quart Capacity, 6" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Kicked-out sump
- Includes 6 trap doors, 2 baffles and a removable anti-slosh baffle for oil control in Road Racing, also an excellent Drag Race oil pan
- Turbo/Supercharger oil drain back and temperature sensor bung
- Magnetic drain plug
- · Works with 0.E.M. exhaust manifold and most aftermarket exhaust/header combinations

PART # 20910	DESCRIPTION Oil Pan, Steel, Clear Zinc
PART #	RECOMMENDED PICKUP Use Stock Oil Pump & Pickup
PART #	AVAILABLE OPTIONS
38366 02200	Oil Pan Stud Kit $7_{\%}^{T} \rightarrow 1-1/4^{"}$

- **93200** Oil Pan Gasket, One Piece Design, Acura/Honda B Series
- 22206 B Series, Oil Pump

ACURA/HONDA B SERIES

Aluminum, Kicked-out Sump, 5 Quart Capacity, 5-5%" Deep Engine Application: Acura VTEC, Non-VTEC and Honda 1.6L B16A3

- Dynamic trap door baffling for Drag Race & Street
- Aluminum with 1/4" thick pan rail
- Includes ½" N.P.T. bung for plumbing turbo oil return line, ½" N.P.T. bung for installing oil temperature sender and magnetic drain plug with extra washer
- Includes mounting kit with hex-drive studs and serrated-face flare nuts
- Works with O.E.M. exhaust

PART # DESCRIPTION

20901 Oil Pan, Aluminum, Fully Fabricated

PART # RECOMMENDED PICKUPS

24010 Fits: VTEC Engines
24011 Fits: Non-VTEC Engines and 1.6 Liter VTEC

PART # AVAILABLE OPTIONS

- 38366 Oil Pan Stud Kit
- 93200 Oil Pan Gasket, One Piece Design, Acura/Honda B Series
- 22206 B Series, Oil Pump




1-7/8





MORDSU



STREET | COMPETITION

DRAG RACE

HONDA H-SERIES, OIL PAN


Steel, Wet Sump, 4 Quart Capacity, 5-1/4" Deep Engine Application: Honda H Series 2.2L/2.3L

- Sump baffle that fully surrounds the oil pump pickup
- 1/2" N.P.T. fitting for turbo or supercharger drain back
- Features a magnetic drain plug and a 1/2" N.P.T. fitting for a temperature sender
- · Works with O.E.M. exhaust manifold and most aftermarket exhaust/header combinations

PART # DESCRIPTION

20916 Oil Pan, Steel, Clear Zinc, Stock Configuration





HONDA H-SERIES


Aluminum, Wet Sump, 5.5 Quart Capacity, Race Baffled Engine Application: Honda H-Series 2.2L/2.3L

*For engine swaps check dimensions for clearance Fits: Accord and Prelude (Except 4ws)

- Integral sump tray and large, 6" trap-door baffle for oil control or Drag Race & Street
- Aluminum with %" thick billet aluminum pan rail provides a rigid flange for leak-free sealing; accommodates stock pan gasket
- Includes 1/2" N.P.T. bung for plumbing turbo return line, 1/2" N.P.T. bung for installing oil temperature sender and magnetic drain plug with extra washer (also includes plugs for unused bungs)
- · Includes mounting kit with hex-drive studs and serrated-face flare nuts

PART # DESCRIPTION

- 20912 Oil Pan, Aluminum, Fully Fabricated
- PART # **RECOMMENDED PICKUP**
- 24012 Fits: Stock Oil Pumps
- PART # **AVAILABLE OPTION**
- Oil Pan Stud Kit 38366



MORDSD

ROAD RACE

HONDA H-SERIES


Steel, Wet Sump, 5.5 Quart Capacity, Race Baffled Fabricated Steel Engine Application: Honda H-Series 2.2L/2.3L Fits: Accord and Prelude (Except 4ws)

- Features a race proven trap door assembly, anti-slosh baffle and a vertical wall that keep oil contained in oil pump pickup area during hard acceleration, cornering and braking
- Designed for Road Racing, makes an excellent Drag Race oil pan
- Based on a thick steel oil pan core with a fabricated steel extra capacity sump.
- Uses 0.E.M. oil pump pickup and works with 0.E.M. windage tray and main girdle
- Extra capacity: holds 1/2" of a guart more than stock
- 1/2" N.P.T. fitting for supercharger or turbo drain back
- 1/2" N.P.T. fitting for oil temperature sender
- Magnetic drain plug

PART # DESCRIPTION

- 20917 Oil Pan, Fabricated Steel, Race Baffled
- PART # **RECOMMENDED PICKUP**

5-14 Use Stock Oil Pump & Pickup



IMPORT

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

10-3/8

No. 20912



No. 20917

ACURA/HONDA K-SERIES

Steel, Wet Sump, 6.5 Quart Capacity, Race Baffled Engine Application: Acura/Honda K-Series

Fits: K-series Engine Swaps into Integra (DA) '90-'93, Integra (DC)'94-'01, Accord (CB) '90-'93, Accord (CD) '94-'97, Civic/CRX: (EF)'88-'91, Civic (EG) '92-'95, Civic (EK) '96-'00, Civic (ES) '01-'05; Fit (GD) '07-'08, Prelude (BB) '92-'96


- Doesn't fit DC5 chassis "RSX", CL9 "TSX", EP3 "Civic SI"
- Designed to be used with the Acura RSX oil pump assembly* 0.E.M. Part #15100-PRB-A01 and Acura RSX Windage Tray 0.E.M. Part #11211-PNC-000
- Oil Pan has a thick steel rail with a sump that is 5.5" deep, 16.75" long and 9" wide
- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Extra capacity: holds two more quarts than stock
- 1/2" N.P.T. fitting for supercharger or turbo drain back
- 1/2" N.P.T. fitting for oil temperature sender
- Magnetic drain plug
- PART # DESCRIPTION
- 20915 Oil Pan, Fabricated Steel, Clear Zinc, Race Baffled
- PART # RECOMMENDED OIL PUMP & PICKUP Use Acura RSX oil pump and pickup assembly* 0.E.M. Part #15100-PRB-A01

*Oil pump assembly might require slight notching to clear certain K-series main caps









ACURA/HONDA K-SERIES

Steel, Wet Sump, 5.5 Quart Capacity, Race Baffled, Notched for Cross member clearance Engine Application: Acura/Honda K-Series

- Fits: Notched to fit in ACURA/HONDA K-SERIES, RSX (DC5)'02-'06, TSX (CL9) '04-'08, Civic SI (EP3) '02-'05, Accord (CG) '98-'02, Accord '03-'07 and also fits K-series Engine Swaps into Integra (DA) '90-'93, Integra (DC) '94-'01, Accord (CB) '90-'93, Accord (CD) '94-'97, Civic/CRX (EF) '88-'91, Civic (EG) '92-'95, Civic (EK) '96-'00, Civic (ES) '01-'05, Fit (GD) '07-'08, Prelude (BB) '92-'96
- To be used with the Acura RSX oil pump assembly* 0.E.M. Part # 15100-PRB-A01 and Acura RSX Windage Tray 0.E.M. Part # 11211-PNC-000
- Oil pan has a thick steel rail with a sump that is 5-1/2" deep, 16-3/4" long and 9" wide
- Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pick up area during road racing and drag racing
- Extra capacity: holds one more quart than stock
- \bullet 1/2" N.P.T. fitting for supercharger or turbo drain back
- $\frac{1}{2}$ " N.P.T. fitting for oil temperature sender
- Magnetic drain plug

PART # DESCRIPTION


20919 Oil Pan, Fabricated Steel, Clear Zinc, Race Baffled Notched for Cross member clearance



*Oil pump assembly might require slight notching to clear certain K-series main caps



No. 20919



13'

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

IMPORT

OIL PANS

MAZDA

Aluminum, Wet Sump, 6.25 Quart Capacity (with stock oil cooler installed), 4" Deep Engine Application: 13B Rotary (Non FD or Renesis) Fits: Tube chassis cars and other cars without a cross-member located under engine (check dimensions for clearance)

• Fully fabricated

SNAG 110


- 3/6" thick billet rail with integral X-brace greatly strengthens engine assembly to reduce twisting and axial deflection
- Includes .080"-thick aluminum Baffle Plate to de-aerate and cool return oil (other baffles are only .060" thick)
- Includes an oil pump pickup specially designed for this pan; access holes in pan facilitate mounting pickup to the front cover
- For Drag Race & Street
- Includes magnetic drain plug with extra copper washer and pan mounting kit with hex-drive steel studs to eliminate stripping the engine block and serrated-face flare nuts to withstand vibration
- · Accommodates stock pan gasket and dipstick with existing oil level marks

PART # DESCRIPTION



PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit



MAZDA

Aluminum, Wet Sump, 6.25 Quart Capacity, 4" Deep
Engine Application: 13B Rotary (Non FD or Renesis)
Fits: RX-3 & RX-4 models; several rotary engine conversions including 1981-'84 Toyota Starlet, 1964-'83 Toyota Corolla, 1971-'73 Datsun 1200 & others with little or no cross-member modifications; also tube chassis cars

- Rugged ³/₆" thick billet aluminum gasket rail with integral cross-brace serves as a girdle to greatly strengthen the entire engine assembly and reduce flexing under hard driving
- Fully fabricated
- Dual trap door baffles for Drag Race & Street
- Enlarged sump increases capacity to 6-1/4 quarts (with stock oil cooler installed) while adding only a quarter-inch in depth to provide ample ground clearance
- Includes oil temperature sender provisions
- Includes magnetic drain plug with extra copper washer, pan mounting kit with hexdrive steel studs to eliminate stripping the engine block and serrated-face flare nuts to withstand vibration
- Accommodates stock pan gasket and dipstick (with modification)

PART # DESCRIPTION20942 Oil Pan, Aluminum, Front Sump

PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup PART # AVAILABLE OPTION 38366 Oil Pan Stud Kit









<u>STREET | COMPETITION</u>

MITSUBISHI

Aluminum, Wet Sump, 6.25 Quart Capacity, 6-½" Deep Engine Application: 2.0L DOHC Turbo 4G63 Fits: 1989-Mid '92 Eclipse

Can be used with Front and All-Wheel Drive

- Aluminum with %" thick billet aluminum pan rail provides a rigid flange for leak-free sealing; accommodates stock pan gasket
- Trap door baffles provide adequate oil control in Drag & Road Racing
- Built-in mounting flange allows the use of the stock turbo drain tube
- 1/2" N.P.T. bung accommodates oil temperature sender
- Includes mounting kit with hex-drive studs and serrated-face flare nuts
- Magnetic drain plug included

PART # DESCRIPTION

- 20960 Oil Pan, Aluminum, Fully Fabricated, Kicked-Out Sump
- PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup

PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit

MITSUBISHI EVO 7, 8, 9, ROAD RACE BAFFLED

Aluminum, Wet Sump, 6.5 Quart Capacity

Engine Application: Mitsubishi 4G63T I4 Race Baffled Fits: 2001-'07 Mitsubishi Evo, 7, 8, 9 with aftermarket lower intercooler pipe

- Has a ³/₈" thick billet aluminum oil pan rail with a fabricated aluminum sump that is ³/₄" deeper than the stock oil pan
- Features a race-proven, trap door assembly and an anti-slosh baffle that keeps oil contained in the oil pump pickup area during road racing and drag racing
- To free up horsepower and to help with oil temps, the oil pan also features a removable windage tray and crank scraper
- Holds 1.5 more quarts than stock, 6.5 quart capacity
- Has an accommodation for stock or aftermarket oil return lines
- Includes a heavy duty, bolt-on oil pump pickup
- Magnetic drain plug and a mounting kit comprised of hex drive steel studs and serrated flange nuts are included
- Uses stock dipstick
- 1/2" N.P.T. fitting for oil temperature sender

PART # DESCRIPTION

20967 Oil Pan, Fabricated Aluminum, Race Baffled for Mitsubishi Evo, 7, 8, 9

MITSUBISHI EVO 10


Aluminum, Race Baffled

Engine Application: Mitsubishi 4B11T engines Fits: 2008-'16 Mitsubishi Evo 10, will fit with factory air conditioning


- \bullet Has a $\%^{\prime\prime}$ thick billet aluminum oil pan rail with a fabricated aluminum sump
- Features a race-proven, three door assembly and removable anti-slosh baffle that keeps oil contained in oil pump pickup area during road racing and drag racing
- Holds 1.5 more quarts than stock
- ½" N.P.T. fitting for oil temperature sensor and 0-ring style drain plug
- Includes mounting kit with hex drive steel studs and serrated-faced flange nuts
- Reuses stock air conditioning hardware and bedplate

PART # DESCRIPTION

- 20969 Oil Pan, Fabricated Aluminum, Race Baffled for Mitsubishi Evo 10, 2008-'16
- PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup



15-5%




No. 20960

000

6-16

1-1/16







No. 20969



OIL PANS

DATSUN/NISSAN L24, L26, L28

Steel, Wet Sump, 7 Quart Capacity, 6-¼" Deep Engine Applications: Datsun/Nissan L24, L26, L28 Fits: 240/260/280/280ZX '70-'83


- Oil pan is fully fabricated steel with a thick pan rail and a clear zinc finish
- Features a race proven trap door assembly that keeps oil contained in oil pump pickup area during road racing and track events
 Windage Tray/Anti-Slosh baffle prevents oil from splashing back to the
- rotating assembly, robbing vital horsepower
- Magnetic drain plug

PART # DESCRIPTION

20976 Oil Pan, Steel, Road Race Baffled, Datsun/Nissan L24, L26, L28

PART # RECOMMENDED PICKUP

24976 Fits: Stock Oil Pump



NISSAN SR20, RWD

Aluminum, Wet Sump, 4.75 Quart Capacity, Stock Depth Engine Application: Nissan SR20, RWD

- Dual internal baffling insures oil control not present in OE oil pan
- For use in Road Racing, Drifting and Drag Racing
- Bolt-in upgrade replaces OEM steel pan
- 1/4" aluminum rail
- Metric studs and nuts included
- Oil temperature provision (1/2" N.P.T. bung)
- Magnetic drain plug included

PART # DESCRIPTION


- 20975 Oil Pan, Aluminum
- PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup
- PART #AVAILABLE OPTION38366Oil Pan Stud Kit



MOROSO

No. 20976

No. 20975



INPORT

SUBARU EJ20, EJ22 & EJ25


Aluminum, Wet Sump, 5 Quart Capacity, Competition Baffled for Rally, Road Race, Drag Race and Sand Rail Engine Application: Subaru EJ20, EJ22 & EJ25 Fits: Subaru Impreza 1993-2007, Legacy 1990-2009 and Forester 1997-2008 and universal applications such as Sand Rails & F.F. 818


- One-piece %" thick billet aluminum oil pan rail provides a rigid flange for leak-free sealing
- Baffled for Rallying, Road & Drag Racing
- Bottom of oil pan is finned for heat dissipation
- Windage tray for increased horsepower saving and oil control
- $1\!\!/_2$ " N.P.T. fitting that can be used for crank case ventilation or for head drainback
- 1/2" N.P.T. fitting for oil temperature sender
- Oil pan gasket (Fel Pro® # 30656) included
- Uses factory dipstick
- High-grade mounting hardware included
- Includes heavy duty, braced oil pump pickup Part No. 24965 with O-ring
- PART # DESCRIPTION
- 20965 Oil Pan, Aluminum with Billet Rail

PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit







SUBARU EJ20, EJ22 & EJ25

Steel/Aluminum, Wet Sump, 6 Quart Capacity, 6-15/16" Deep Engine Application: Subaru EJ20/EJ22/EJ25


Fits: Subaru WRX 2002-2014, STI 2004-2019, Legacy 2004-2009, Forester 2004-2008 and Universal Applications such as the F.F. 818 and Sand Rails. On earlier model Subaru(s), check chassis and oil pan dimensions for compatibility

- Designed to work with all popular header combinations currently available
- Aluminum version features a billet rail, steel version has a laser-cut rail
- Anti-slosh baffle for increased horsepower savings and oil control
- · Uses factory dipstick
- 1/2" N.P.T. fitting for air/oil separator or turbo drain back
- Oversize O-ring style drain plug for ease of oil draining
- Includes heavy duty, braced oil pump pickup with O-ring

PART # DESCRIPTION

20966 Oil Pan, Steel, Clear Zinc

20968	Oil Pan, Fabricated Aluminum
20000	on ran, rabiloatoa riannann





No. 20966





NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

PANS



• A separate sump tray helps prevent oil from splashing back and de-aerates oil returning from the turbo

STREET | COMPETITION

- Includes (2) 1/2" N.P.T. bungs for turbo oil return line and temperature sender
- Two magnetic drain plugs facilitate oil draining when the engine is canted left or right
- Includes mounting hardware

PART # DESCRIPTION

ΤΟΥΟΤΑ

20930 Oil Pan, Aluminum, Kicked-Out Sump


PART # RECOMMENDED PICKUP

Use Stock Oil Pump & Pickup

PART # AVAILABLE OPTIONS

 23210
 Windage Tray

 38356
 Oil Pan Stud Kit







ΤΟΥΟΤΑ

Aluminum, Wet Sump, 6.25 Quart Capacity, 7-%" Deep Engine Application: Model #3SGT 2.0L Turbo and 5SFE Non-Turbo Fits: 1990-'95 MR2, Celica and All Track

- Aluminum with 1/4" thick billet aluminum pan rail
- Trap door baffling ensures oil control in Road & Drag Racing
- Solid windage tray with oil drain & dipstick cut out holes prevents oil from splashing back to the rotating assembly, robbing vital horsepower
- Front of pan has 28mm threaded bung for turbo drain back connection
- 3/8" thick billet receptacle for the factory oil level sensor
- Includes mounting hardware


PART # DESCRIPTION 20935 Oil Pan, Aluminum, Kicked-Out Sump

- PART # RECOMMENDED PICKUP Use Stock Oil Pump & Pickup
- PART #AVAILABLE OPTION38366Oil Pan Stud Kit









NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

18-3/16

TOYOTA 2RZFE, 3RZFE

Aluminum, Wet Sump, 5 Quart Capacity, 5-1/2" Deep Engine Applications: Toyota 2RZFE, 3RZFE For engine swaps, check dimensions for clearance


- Aluminum with 1/4" thick billet aluminum pan rail
- · Features a race proven trap door assembly and anti-slosh baffle that keeps oil contained in oil pump pickup area during drag racing and road racing
- Windage tray with oil drain & dipstick cut out holes prevents oil from splashing back on to the rotating assembly, robbing vital horsepower
- 1/2" N.P.T. fitting for supercharger or turbo drain back
- Magnetic drain plug

DESCRIPTION PART

- 20936 Oil Pan, Fabricated Aluminum , Toyota 2RZFE, 3RZFE, Race Baffled
- 20937 Oil Pan, Fabricated Aluminum, Toyota 2RZFE, 3RZFE, Race Baffled, Ext. -12AN Pickup
- PART # **RECOMMENDED PICKUP**
- 24936 Fits: Stock Oil Pump & Pickup (for No. 20936 only)

AVAILABLE OPTIONS PART

- 23961 -12AN Filter Pickup Fittings (for No. 20937 only)
- 23963 -16AN Filter Pickup Fittings (for No. 20937 only)





¹³⁄16'

No. 20938

No. 20937



Fits: Supra '93-'98 and other applications (Check Measurements)

- Aluminum with thick billet aluminum pan rail
- -12AN female pickups

PART #

20938

20939

PART # 23961

5-1/16

- Oil collection trough to maximize horsepower and oil control
- · Removable windage tray built into oil pan

Toyota 2JZ-GE, 2JZ-GTE

-12AN fitting for supercharger or turbo drain back

Oil Pan, Aluminum, Three -12AN P/U,

• Includes mounting hardware


DESCRIPTION





Oil Pan, Aluminum, Four -12AN P/U, Toyota 2JZ-GE, 2JZ-GTE **RECOMMENDED FITTING** -12AN Filter Pickup Fittings 0 0 0 0 5-1/16 $2 - \frac{7}{8}$ 16-7/16" 10-3/4" Nos. 20938, 20939 19-1/4" 16-7/16 22-1/16" 19-1/4" - 24-1/2"

No. 20938



24-1/2"



OIL PANS

manasa

mospis

No. 20936

Ш

NOTE: Oil Pan Capacities DO NOT include oil filter capacity. All Moroso Pans include a Magnetic Drain Plug.

TOYOTA-LOTUS ELISE

Aluminum, Wet Sump, 6 Quart Capacity, Stock Depth Engine Application: 1ZZ/2ZZ Engines, Lotus, Elise Fits: 2000-'05 Toyota, Celica, Front Wheel Drive, 1999-'05 US, 1999-'07 J.D.M. Japanese Toyota MR2 mid engine cars, 2004-Up Lotus Elise

- Manufactured from thick aluminum
- Internal baffling insures oil control not present in a OE oil pan
- Baffled for Road Racing, also an excellent Drag Race oil pan
- Can be used as a bolt-in replacement for the stock pan
- ¾" Billet Aluminum rail
- Metric studs and nuts included
- Turbo drain, 1/2" N.P.T. bung for turbo drainback
- 1/2" N.P.T. bung for oil temperature provision

PART # DESCRIPTION


20970 Oil Pan, Billet Aluminum, Wet Sump, Toyota-Lotus

PART # RECOMMENDED PICKUP

Use Stock Oil Pump & Pickup


PART # AVAILABLE OPTION

38366 Oil Pan Stud Kit





No. 20970



TOYOTA 2GR-FE/Z, LOTUS EVORA

Aluminum, Wet Sump, 6.25 Quart Capacity, Stock Depth Fits: 2010-Up 2GR-FE/Z swaps into MR2 Lotus Evora Supercharged and Non-Supercharged


- 3/8" Thick Billet Aluminum Rail with integral O-ring
- Features a race proven trap door assembly and a removable anti-slosh baffle that keeps oil contained in the oil pump pickup area during road racing and drag racing
- Designed to be used with the factory oil pump pickup
- Two -10AN female fittings with bungs for supercharger or turbo drain back
- \bullet $1\!\!/\!\!\!/_8"$ N.P.T. fitting for oil temperature sender
- 0-ringed magnetic drain plug
- Includes 6mm mounting studs and nuts

PART # DESCRIPTION

20971	Oil Pan, Aluminum, Race Baffled
-------	---------------------------------



No. 20971



INPORT

OIL PANS. VALVE COVERS. OIL TANKS & MORE

Mori J2 Seiki NV5000 Vertical Machining center.

PUT OUR EXPERIENCE TO WORK FOR YOU!

The Mori J2 Seiki NV5000 Horizontal Machining Center

(shown above) in our machine department provides significantcycle time reduction and improved surface finishes due to a 12,000 RPM spindle, "through the tool" coolant capability and new chip removal technology.

This state-of-the-art equipment provides Moroso customers with the latest in innovative valve cover and oil pan rails, end seals, water pump bodies and impellers, wet and dry sump oil pump components as well as a myriad of billet adapters and bracketry.

This advanced machining capability goes hand-in-hand with our CNC punch and press brakes to enhance the ability of Moroso Performance to produce state-of-the-art custom and production oil pans, valve covers, oil tanks and **virtually any race part that can be imagined.** Fabricated Valve Covers

Cup Oil Pans Dry Sump

Tanks

MURDS

TOTOTOTO


Pro Stock

Oil Pans

OIL PAN GASKETS

Race Quality

Why go searching for the right oil pan gasket for a Moroso oil pan? Now Moroso offers race quality, reinforced oil pan gaskets that have been verified by Moroso to work with our oil pans



PART # DESCRIPTION

27293	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 7.3 Powerstroke 1994-2003 and International T444E
93150	Oil Pan Gasket, One Piece Design, Steel Reinforced, For SBC, Pre '85 Engine Block with 2 piece rear main seal
93151	Oil Pan Gasket, One Piece Design, Steel Reinforced, SBC '86-Up Engine Block Style with 1 piece rear main seal
93152	Oil Pan Gasket, One Piece Design, Steel Reinforced, GM LS Series (Except LS7 & LS9)
93153	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Mark 4, notched for stroker cranks
93154	Oil Pan Gasket, One Piece Design, Steel Reinforced, BBC Gen 5 & 6
93156	Oil Pan Gasket, 4 Piece Design, BBC Mark 4, With Race Bolt Pattern
93160	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 289-302 for oil pan core with a smooth rail*
93161	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 289-302, for oil pan core with a dimpled rail*
93162	Oil Pan Gasket, One Piece Design, Steel Inserts, Ford 351W, for oil pan core with a smooth rail*
93163	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 351W, for oil pan core with a dimpled rail*
93164	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 4.6/5.4
93166	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 460, for oil pan core with a smooth rail*
93167	Oil Pan Gasket, One Piece Design, Steel Reinforced, Ford 460, for oil pan core with a dimpled rail*
93174	Oil Pan Gasket, One Piece Design, Steel Reinforced, Chrysler 361-440, Hemi, KB, BAE & Wedge (not TFX)
93175	Oil Pan Gasket, One Piece Design, Steel Reinforced, Jeep 4.0L, 232, 242, 258
93200	Oil Pan Gasket, One Piece Design, Honda/Acura B-Series Oil Pans

UNIVERSAL DIPSTICK KIT

- Chrome plated Dipstick Kit fits Moroso and other oil pans with a built-in 1/4" N.P.T. fitting
- ¼" N.P.T. steel weld-in fitting supplied for pans that do not already have that provision
 - for vision
- Existing "full" and "fill" dipstick marks can
 - be used "as is" or new marks can be added to indicate desired oil level
- Tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- Seal keeps the dipstick secure in tube
- Dimensions: overall length including exposed portion of dipstick 24"

PART # DESCRIPTION

25970. Universal Dipstick Kit, 1/4" N.P.T. fitting and pan adapter

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-





<u>OIL PAN ACCESSORIES</u>

OIL PAN DIPSTICK

Flex Tube, Stainless Steel, Universal Fits: Moroso Oil Pans with ¼" N.P.T. dipstick bung

- Oil Pan Dipstick features braided stainless flex tube with 1/4" N.P.T. fitting and a machined aluminum handle
- Existing "full" and "fill" dipstick marks can be used as-is, or new marks can be added to indicate desired oil level
- Flexible tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- · 0-Ring seal keeps dipstick secured in tube and prevents crankcase gasses from escaping
- Dimensions: exposed portion of dipstick is 14" long, overall 20-3/4" long

PART # DESCRIPTION

25971. Oil Pan Dipstick, Flex Tube, Stainless Steel, Universal

UNIVERSAL DIPSTICK KIT

Twist-Lock

- Efficient twist-lock design eliminates oil leakage, blowing out of handle and prevents crankcase gasses from escaping
- In Dyno testing, engines equipped with our twist-lock dipstick pulled more vacuum than engines equipped with standard, non-locking dipstick
- High temperature nylon handle dissipates heat for checking oil level on hot engines
- Flexible stick; zinc-plated, bendable outer tube; adjustable clamp
- 1/4" N.P.T. steel, weld-in fitting supplied for pans that do not already have that provision
- Existing "full" and "fill" dipstick marks can be used as-is, or new marks can be added to indicate desired oil level
- Tube and universal mounting tab can be bent or modified to accommodate engine compartment clearances and mounting location
- Dimensions: overall length, including exposed portion of dipstick 24"

PART # DESCRIPTION

25973 ·· Universal Dipstick Kit, Twist Lock

REPLACEMENT OIL PAN AND TRANSMISSION DRAIN PLUGS

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

PART #

97003

DESCRIPTION

- $\frac{3}{4}$ " hex head with $\frac{1}{2}$ " x 20 threads
- Replacement for Moroso Oil and Transmission Pans and others
- Extra strength, rare earth magnetic tip holds metal particles

PART # DESCRIPTION

- 97000↔ Oil Pan Drain Plug. Chrome-Plated. Includes Nylon Washer
 97001 Oil Pan Drain Plug. Clear Zinc.
- 97002 Includes Nylon Washer 97002 Oil Pan and Transmission Drain Plug. Clear Zinc. Includes Copper Washer

OIL PAN DRAIN PLUG

14MM, 1.5 Thread

- 14 MM, 1.5 thread pitch with a 17 MM hex head
- Replacement for Moroso Nos. 20911 & 20980, also is an excellent drain plug upgrade to 0.E.M. oil pans that take this thread size
- Strong Rare Earth Magnetic tip holds metal particles
- Zinc Finish
- Includes a Nylon washer

OIL PAN DRAIN PLUG, MAGNETIC

- $\frac{3}{4}$ " inch –16 thread (-8 AN) with 0-ring
- Replacement for Moroso Oil Pans with kick out designs
- PART #DESCRIPTION97006Oil Pan Drain Plug, 1 per pack, Magnetic

Oil Pan Drain Plug, Zinc Finish

• 21 WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

No. 25971

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 97000

No. 97002











- Perfect for adding a fitting to steel or aluminum with up to a 1/8" max wall thickness
- · 0-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld



PAN ACCESSORIES

OIL PAN ACCESSORIES



REAR SEAL ADAPTERS

- Converts one-piece rear main seal on 1986 and newer Small Block Chevy blocks to the old style, two-piece rear seal when installing the old style crankshaft in the newer style blocks
- Available for use with both new style oil pan (1986 and newer blocks) with one-piece rear seal), and old style oil pan (pre-1980 blocks with driver-side dipstick)
- Manufactured from billet aluminum
- Includes fasteners

PART # DESCRIPTION

- 38315 Rear Seal Adapter, Small Block Chevy, use with new style oil pan (1986 and newer blocks with one-piece rear seal)
- 38415 Rear Seal Adapter, Small Block Chevy, use with old style oil pan (pre-1980 blocks with driver-side dipstick)

OIL PAN SPACER KIT

Dart LS Next Non-skirted Engine Block

- This oil pan spacer kit contains a right and left billet aluminum spacers, mounting hardware that is included in Moroso No. 20144 Dart LS Next Oil Pan Kit
- This spacer kit is designed to mount the following GM LS oil pans*; Moroso, O.E.M. or other aftermarket oil pans to DART LS Next engine blocks
- · Billet Aluminum Spacers have a built in oil ring groove on the side that mounts between the spacer and the engine block, on the other side of the spacer is a smooth surface that oil pan casket mounts between it and the oil pan
- Includes mounting hardware, billet aluminum spacers have mounting holes for A/C and P/S brackets

PART # DESCRIPTION

22934 Oil Pan Spacer Kit, Dart LS Next, non-skirted engine block

PART # **AVAILABLE OPTION**

93152 Oil Pan Gasket, GM LS Series (Except LS7 & LS9)

CHEVROLET CRANKSHAFT WIPERS

- Removes excess oil from crankshaft to reduce horsepower robbing windage
- .035" steel plate comes pre-fit so only slight amounts of material must be removed
- Trim to within .045" of the connecting rods and counterweights for best results

PART # DESCRIPTION

- 25800 Crankshaft Wiper, Small Block Chevy
- 25830 Crankshaft Wiper, Big Block Chevy

UNIVERSAL WINDAGE TRAY SCREEN

- Keeps rotating assembly free of unwanted oil to reduce horsepower robbing windage
- Screen must be trimmed for each engine application

PART # DESCRIPTION

22912 Uni-Directional Windage Tray Screen, 23" x 16", Universal Application





No. 38315



*Any oil pan besides Moroso Part Nos. 20144 or 20155 will require

modification to itself or the oiling system







No. 23030

OIL PAN ACCESSORIES

No. 23020

CHEVY V8 LOUVERED WINDAGE TRAYS

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back
- Teflon coated for guick drainage
- Improved drainage reduces windage, increases power
- Mount with aftermarket stud kits or with stock extended main cap studs
- Fits Moroso Oil Pans, some trimming may be required

PART # DESCRIPTION

23020 Louvered Windage Tray, SBC and 400 block, with either driver or passenger side dipstick 23030 Louvered Windage Tray, BBC, Mark IV

CHEVY V8 OIL CONTROL KITS

- Kits convert stock-type oil pan into competition style pan for proper oil control, consistent oil pressure and horsepower gain
- Includes Teflon coated windage tray, which attaches to stock type main cap studs with standoffs
- Also includes crankshaft scraper and bolt-on rear pan baffle
- Fits Moroso Oil Pans, some trimming may be required

DESCRIPTION PART

23035 Oil Control Kit, SBC with either driver or passenger side dipstick 23036 **Oil Control Kit, BBC**



• Mounts between rear main bearing cap and oil pump to prevent sump oil from reaching crankshaft during hard acceleration

PART # DESCRIPTION

- Main Cap Baffle, Small Block and 90° V6 Chevy 23000
- 23010 Main Cap Baffle, Big Block Chevy

NOTE: Baffles must be trimmed to fit oil pan



LOUVERED WINDAGE TRAY, GM LS ENGINE

Fits: GM LS Engines with GM Main Cap Studs & Moroso Rear Sump Oil Pans

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage. increasing power and cutting down oil temperature
- Manufactured from 16 gauge steel
- Mounts right to the main caps
- Fits Moroso Oil Pan Nos. 20139, 20140, 20141, 20142, 20143, 20145, 20147, 20148, 20149, 20150, 21150, 21152, 21153, 21157 and 21158
- Must use Corvette C-6 Dipstick and tube Part Nos. 12570788 & 12570787

PART # DESCRIPTION

22941 Louvered Windage Tray, LS Engine

Also a replacement part for Moroso Pan No. 21150

LOUVERED WINDAGE TRAY, GM LS

Fits: GM LS Engines with ARP Main Cap Studs and Moroso Rear Sump Oil Pans

- Louvered design allows oil thrown from the rotating assembly to drain into the sump without splashing back. reducing windage, increasing power and cutting down on oil temperature
- Manufactured from 16 gauge steel
- . Mounts right to the main caps with the customer supplied ARP Main Stud Kits
- Fits Moroso Oil Pan Nos. 20139, 20140, 20141, 20142, 20143, 20145, 20147, 20148, 20149, 20150, 21150, 21152, 21153, 21157 and 21158
- Must use Corvette C-6 Dipstick and tube Part Nos. 12570788 & 12570787

PART # DESCRIPTION

22943 Louvered Windage Tray, GM LS with ARP Main Cap Studs, for Rear Sump



No. 22941





REPLACEMENT WINDAGE TRAYS FOR MOROSO PART NOS. 20385, 20485, 21047, 21048, 21049

• Constructed and mounted the same way that the original windage tray is that came with the oil pan

PART # DESCRIPTION

23138	Windage Tray, Replacement for Moroso No. 21048
23139	Windage Tray, Replacement for Moroso No. 20385 Old Style
	(Stamped with 20385 or not stamped at all)
23140	Windage Tray, Replacement for Moroso Nos. 20485, 20385 New Style
	(Stamped 20485 , 20385)
23141	Windage Tray, Replacement for Moroso No. 21047

23142 Windage Tray, Replacement for Moroso No. 21049



No. 23139

LOUVERED WINDAGE TRAY

Fits: Ford 302 Engines with Rear Sump Oil Pans

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit No. 38191

PART # DESCRIPTION

22930 Louvered Windage Tray, Ford 302

*NOTE: Will not fit 4-bolt engine blocks such as: Ford Boss 301, 302 Ford R302 and Dart

LOUVERED WINDAGE TRAY

Fits: Ford 351W/SVO with Rear Sump Oil Pans*

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit No. 38192

PART # DESCRIPTION

22935 Louvered Windage Tray, Ford 351W

*NOTE: Will fit Dart 4 bolt engine blocks by slotting the mounting holes

LOUVERED WINDAGE TRAY

Fits: Ford 351C & 351M Engines with Rear Sump Oil Pans

- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power
- Mount with Moroso Windage Tray Stud Kit. No. 38192

PART # DESCRIPTION

22939 Louvered Windage Tray, Ford 351C & 351M







No. 22939

HIGH-PRESSURE OIL PUMP RELIEF SPRING

Designed by Jack Roush Fits: Ford 351C & 400 Engines

- Fits Melling M84A and M84AHV oil pumps
- Increases oil pressure to approximately 100 psi for proper lubrication under sustained high RPM conditions

PART # DESCRIPTION

22850 High-Pressure Oil Pump Relief Spring, Ford 351C and 400





116

No. 22850

No. 22936

LOUVERED WINDAGE TRAY

Fits: Ford 4.6/5.4

- Fits both stock* and aftermarket oil pans
- Louvered design allows oil thrown from the rotating assembly to drain into the sump without splashing back, reducing the windage and increasing power
- Features dual cylinder bank drain back for superior oil control and horsepower gains
- Goes between the engine block and oil pan
- Constructed out of 14 gauge steel with a clear zinc finish
- Includes oil pan studs and nuts

PART # DESCRIPTION

22933 Ford 4.6/5.4 Louvered Windage Tray

*NOTE: On some Mustang Cobra applications, diverters in factory oil pan and oil pump pickup need to be trimmed

WINDAGE TRAY AND OIL PAN GASKET

Fits: Ford 5.0 "Coyote", 5.2 "Voodoo"

- Required when installing a Moroso oil pan and oil pump pickup on a Gen. 3 engine or is a replacement windage tray/oil pan gasket on a Gen. 1 or Gen. 2 engine
- · Goes between the engine block and oil pan

PART # DESCRIPTION

- 22936 Windage Tray & Oil Pan Gasket,
 - Ford 5.0 "Coyote", 5.2 "Voodoo"

LOUVERED WINDAGE TRAY

Fits: Ford 352-428 FE Engines

- Fits Moroso Oil Pan Nos. 20606, 20607, 20608 and 20609
- Louvered design allows oil thrown from rotating assembly to drain into sump without splashing back, reducing windage and increasing power

PART # DESCRIPTION

22940 Louvered Windage Tray, Ford 352-428 FE engines

MAIN CAP GIRDLE FOR 289-302 FORDS

- Manufactured from 1/2" thick steel
- · Girdle to be profiled to fit over engine main caps without the need of spacers
- Designed to work with up to a 3.40" stroke
- Includes necessary hardware
- Works with any standard Melling M68 or M68HV oil pump

PART # DESCRIPTION 22928 Main Cap Girdle

OIL PAN BAFFLE KIT, HONDA S2000 AP1/AP2

Trap Doors, Weld-In Fits: Honda S2000, 1999-'09

- The Moroso Drop and Weld in trap door baffle assembly fits both AP1 and AP2 Honda S2000 oil pans
- The baffle assembly creates an oil containment area that is fed by 3 Trap Doors and 2 anti-slosh plates
- Constructed out of heavy gauge aluminum with aluminum trap doors
- Installation of the baffle assembly is accomplished by placing the self positioning assembly in a clean degreased factory S2000 oil pan and having the assembly stitch welded in by a proficient aluminum welder

PART # DESCRIPTION

Oil Pan Baffle Kit, Honda S2000 AP1/AP2 23040















TOYOTA LOUVERED WINDAGE TRAY

Fits: Stock style oil pans used in Toyota 3TC, 2T & 2TC engines

- Louvered design directs oil into pickup area to prevent starvation, increases horsepower by preventing sump oil from splashing back onto rotating crank and rod assembly
- Mounts directly to front and rear main caps
- Includes notches to accept most stroke combinations

PART # DESCRIPTION

23210 Louvered Windage Tray, Toyota 3TC, 2T & 2TC engines. Also a replacement part for Moroso Pan No. 20930



No. 23210


OIL PAN BAFFLE, SUBARU BRZ / SCION FRS / TOYOTA 86

- The Moroso Double Tier, Drop-in Baffle Assembly fits the O.E.M. oil pan without modification by sandwiching between the engine block and oil pan
- The baffle assembly with directional oil return flaps creates an oil containment area that keeps the oil pump pick up fed and oil off the rotating assembly to free up horsepower and cut down on oil temperatures
- Baffle Kit will help protect the engine from oil pressure surges in prolonged corners with high lateral G forces or long acceleration runs
- Constructed out of aluminum and comes with 2 sealing washers for the internal drain tubes

PART # DESCRIPTION

23045 Oil Pan Baffle Kit, Subaru BRZ/SCION FRS/Toyota 86, Drop-in





- Keeps oil off the rotating assembly to free up horsepower & cut down oil temperature
 Creates an oil containment area that keeps the oil pump fed during cornering & acceleration
- Drops in O.E.M. oil pan

No. 23045 Fits: Subaru BRZ/Scion FRS/Toyota 86



REPLACEMENT WINDAGE TRAYS FOR MOROSO OIL PANS

Replacement Trays are available directly from Moroso for current and some obsolete oil pans. Please allow plenty of time when ordering. Call our **Tech Support Department** for more specific product information.

BILLET ALUMINUM OIL PUMPS

problems faced by today's racers. Broken pickups are a thing of the past for racers using Moroso's Small Block and Big Block Chevrolet Billet Oil Pumps.



mmmmmmm ===

SBC SPUR GEAR PUMP

High Volume

- 6061-T6 billet housing with 3 times larger mounting boss area to prevent breaking
- Weight 1 lb. less than stock oil pump with pickup
- Inlet area is increased to prevent cavitation
- Thrust bearing assembly increases housing and gear life due to drive shaft axial forces on the drive gear
- Pump will clear 4-1/4" stroke with most steel rods
- Engineered to fit 8-1/4" deep oil pans

PART # DESCRIPTION

22171 Oil Pump, Billet, SBC, High Volume






WHAT DETERMINES WHICH OIL PUMP I NEED?

When choosing a spur gear or gerotor wet sump this is the most asked question. The answer is the oil pressure wanted and the additional amount of volume your engine requires. On Nitrous or Blown engines, additional oil pressure is desired. Our gerotor pump easily gives that extra amount by adjusting the bypass pressure. Many engines require more oil volume. Larger strokes and bigger valve train assemblies often

require one to two gallons a minute more than required just five years ago. Typically an engine over 565 cu. in. can benefit by a gerotor pump, but a spur gear pump can maintain great oil pressure in 598 cu. in. Every engine has different requirements, and installing too big a pump can cause oil pressure problems by overworking the bypass assembly.

WET SUMP

BILLET ALUMINUM OIL PUMPS





BBC GEROTOR PUMP

High Volume

- 6061-T6 billet housing with 5.7 times larger mounting boss area to prevent breaking
- Hard Coated Finish
- 1.100" Gerotor puts out 25% more volume to maintain ideal oil pressure round after round
- External adjustment allows fine-tuning of oil pump bypass pressure
- Inlet area is increased to prevent cavitation
- Thrust bearing assembly increases housing and gear life due to drive shaft axial forces on the drive gear
- Pump will clear 5-1/4" stroke with most aluminum rods
- Engineered to fit 8" deep fabricated aluminum oil pans
- PART # DESCRIPTION
- 22167 Oil Pump, BBC, High Volume

r SUMP

OIL PUMP/PICKUP COMBINATIONS

Fits: SBC and BBC

- Package includes the Moroso pickup welded to the oil pump for a simple bolt-on installation
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan

PART # DESCRIPTION

- 22124 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22099 Standard Volume Pump. *Fits:* 8-1/4" *Deep Oil Pan*
- 22134 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22109 High Volume Pump. *Fits:* 8-1/4" *Deep Oil Pan*
- 22144 Oil Pump and Pickup Package, Small Block Chevy, Moroso Part No. 22109 High Volume Pump. *Fits: Stock 7-1/2" Deep Oil Pan*
- 22175 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22149 Standard Volume Pump. *Fits: 8" Deep Oil Pan*
- 22185 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump. *Fits: 8" Deep Oil Pan*
- 22186 Oil Pump and Offset Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump. *Fits:* 8" *Deep Oil Pan*
- 22195 Oil Pump and Pickup Package, Big Block Chevy, Moroso Part No. 22159 High Volume Pump. *Fits:* 7-3/4" *Deep Oil Pan*





No. 22124



No. 22134



No. 22144



No. 22175



No. 22185



No. 22186



No. 22195

SMALL BLOCK CHEVY 3/4" DIAMETER INLET OIL PUMP/PICKUP COMBINATIONS

- 3/4" Diameter inlet area reduces cavitation in high RPM applications
- Features a Moroso "Tough Neck" oil pump, a thick neck to guard against pump breakage
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan

PART # DESCRIPTION

- 22146 High Volume Small Block Chevy Oil Pump with ³/₄" diameter inlet area and pickup for 8-¹/₄" deep oil pan
- 22147 High Volume Small Block Chevy Oil Pump with ¾" diameter inlet area and pickup for 7-½" deep oil pan, for Oval Track applications. *Fits: Moroso Pan Nos. 21312,* 21313, 21318, & 21319



No. 22147

SMALL BLOCK CHEVY 3/4" DIAMETER INLET OIL PUMP/PICKUP COMBINATION

- ³/₄" Diameter inlet area reduces cavitation in high RPM applications
- Pump and pickup are built to fit 8-1/4" deep oil pans. Will not work on "Rocket" blocks
- Drive shaft and idler shafts are extended to locate in the bottom cover, preventing dynamic shaft deflection
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan
- Bottom cover is doweled to properly locate the extended shafts
- A threaded plug blocks off bypass spring and cross-drilled relief hole

PART # DESCRIPTION

22139 High Volume Small Block Chevy Oil Pump with Heavy Duty Housing with anti-cavitation grooves



BIG BLOCK CHEVY/OIL PUMP/PICKUP COMBINATION WITH WINDAGE SHIELD

- To be used with Moroso Part Nos. 21049, 21047, 21048 and 21049 Chevrolet Big Block Oil Pans
- Package includes the Moroso pickup welded to the oil pump for a simple bolt-on installation
- Moroso Part No. 22159 High Volume oil pump is used
- Revolutionary windage shield was developed from extensive in house dyno sessions, at top engine builders and on the track by race teams
- Windage shield protects oil pump pickup from windage for steady oil pressure throughout RPM range
- Pickup orientation ensures proper clearance from pickup to bottom of any Moroso oil pan
- Offset pickup location for more consistent oil pressure under braking

PART # DESCRIPTION

22187 Oil Pump and Pickup Package, Big Block Chevy, 8" pan depth, high-volume pump



No. 22187

NET SUMP

CHART LISTS THE MOROSO OIL PANS THAT NEED A MOROSO OIL PUMP PICKUP

* Please note that the oil pans that do not require a Moroso Oil Pump Pickup are not listed on this chart and would take a stock oil pump pickup

	CHE	VROLET	SMALL B	LOCK - INC.	DART/ROCKET	
MOROSO	SBC, STANDARD	SBC, HIGH	SBC, HIGH	SBC, HIGH	BBC, STANDARD	BBC, HIGH
OIL PAN	VOLUME PUMPS	VOLUME PUMPS	VOLUME PUMP	VOLUME FLANGE	VOLUME PUMPS	VOLUME PUMPS
	MOROSO #22101	MOROSO #22111	MEL. #M155HV	STYLE PUMP	MOROSO #22150	MOROSO #22160
	MEL. #M55	MEL. #M55HV	MEL. #M10551	MEL. #M10552	MEL. #M77	MEL. #M77HV
	MEL. #M55A	MEL. #M10550	MEL. #10551ST	MEL. #M10555	MEL. #M10774	MEL. #M10774HV
	MEL. #M10553	MEL. #10550ST		MEL. #10552ST		
				MEL. #10555ST		
PART #	5/8" DIA. INLET	5/8" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
20110	24100	24330				
20160	24150	24340				
20165	24150	24340				
20170	24212	24213	24813	24185		
20171	24212	24213	24813	24185		
20172	24212	24213	24813	24185		
20179	24212	24213	24813	24185		
20180	24170	24350	24360	24181	24320	24320
20181	24170	24350	24360	24181	24320	24320
20182	24170	24350	24360	24181	24320	24320
20185	24212	24213	24813	24185		
20186	24170	24350	24360	24181	24320	24320
20190	24170	24350	24360	24181	24320	24320
20191	24170	24350	24360	24181	24320	24320
20193	24171	24351				
20195	24170	24350	24360	24181	24320	24320
20196	24170	24350	24360	24181	24320	24320
20200	24170	24350	24360	24181	24320	24320
20201	24170	24350	24360	24181	24320	24320
20205	24170	24350	24360	24181	24320	24320
20206	24170	24350	24360	24181	24320	24320
20210	24100	24330				
20211	24120	24122				
20212	24120	24122				
20230	24170	24350	24360	24181	24320	24320
21015	24170	24350	24360	24181	24320	24320
21017	24170	24350	24360	24181	24320	24320
21019	24171	24351				
21234	24170	24350	24360	24181	24320	24320
21235	24170	24350	24360	24181	24320	24320
21237	24170	24350	24360	24181	24320	24320
21245	24171	24351				
21247	24170	24350	24360	24181	24320	24320
21308		24308				









WELDED OR BILLET OIL PUMP PICKUP BUYER'S GUIDE

	CHEVR	OLET SM	ALL BLOO	CK - INC. D <u>ART</u>	ROCKET, CO <u>NTIN</u>	UED
MOROSO	SBC, STANDARD	SBC, HIGH	SBC, HIGH	SBC, HIGH	BBC, STANDARD	BBC, HIGH
OIL PAN	VOLUME PUMPS	VOLUME PUMPS	VOLUME PUMP	VOLUME FLANGE	VOLUME PUMPS	VOLUME PUMPS
	MOROSO #22101	MOROSO #22111	MEL. #M155HV	STYLE PUMP	MOROSO #22150	MOROSO #22160
	MEL. #M55	MEL. #M55HV	MEL. #M10551	MEL. #M10552	MEL. #M77	MEL. #M77HV
	MEL. #M55A	MEL. #M10550	MEL. #10551ST	MEL. #M10555	MEL. #M10774	MEL. #M10774HV
	MEL. #M10553	MEL. #10550ST		MEL. #10552ST		
				MEL. #10555ST		
PART #	5/8" DIA. INLET	5/8" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
21312	24103	24104	24318	24101		
21313	24103	24104	24318	24101		
21314	24314	24315				
21315	24314	24315				
21316	24316	24317				
21317	24316	24317				
21318	24103	24104	24318	24101		
21319	24103	24104	24318	24101		
21320	24316	24317				
21322	24316	24317				
21323	24316	24317				
21324	24316	24317				
21325	24314	24315				
21326	24314	24315				
21327	24314	24315				
21330	24103	24104	24318	24101	24325	24325
21804	24212	24213				
21808	24212	24213				
21811	24811	24814	24817		24819	
21812	24811	24814	24817		24819	
21813	24212	24213	24813	24185		
21814	24212	24213	24813	24185		
21815	24212	24213	24813	24185		
21816	24811	24814	24817		24819	

STEEL OIL PUMPS

SMALL BLOCK CHEVY HEAVY DUTY RACING OIL PUMPS

- More material and are thicker in the neck area than standard SBC oil pumps. Casting is like "older style" pumps with more material in the neck area
- · Benefits of a stronger casting with the features and price that the racer is looking for
- Same oil pumps that are used in our SBC welded together Oil Pump/Pickup combinations

PART # DESCRIPTION

- 22099 SBC Standard Volume, Oil Pump, %" Inlet
- 22109 SBC High Volume, Oil Pump, %" Inlet



No. 22099

BIG BLOCK CHEVY HEAVY DUTY RACING OIL PUMPS

Same oil pumps that are used in our BBC welded together Oil Pump/Pickup combinations
Have a long track record of providing solid performance at an appealing price point

PART # DESCRIPTION

- 22149 BBC Standard Volume, Oil Pump
- 22159 BBC High Volume, Oil Pump



WET SUMP

E SAMUA JIO

ANTI-CAVITATION RACING OIL PUMPS

Fits: SBC and BBC

- Moroso "Race" Oil Pumps are designed to accommodate consistent oil pressure and volume requirements for today's racing engine
- Moroso engineered anti-cavitation grooves into the pump housing to prevent pump chatter, which will lead to broken pickups and inconsistent oil pressure
- Anti-cavitation slots are machined to bleed oil back to the inlet side of the pump, and an enlarged bypass area ensure a smooth flow rate throughout any RPM range

PART # DESCRIPTION

22101	SBC, Standard Volume
22111	SBC, High Volume

- 22150 BBC, Standard Volume
- **22160** BBC, High Volume



No. 22111

BIG BLOCK CHEVY/ANTI-CAVITATION BLUEPRINTED RACING OIL PUMP

Our Blueprinted Oil Pumps were developed in association with racing's most respected engine builders. Our CNC machined blueprinted oil pumps ensure the tightest tolerances and most consistent performance of any cast oil pump in its class that's produced.

Check Out All The Features:

- Anti-cavitation slots and enlarged feeder grooves are ball milled smooth, providing steady oil flow to each side of the gears for high RPM lubrication, cavitation relief and reduced spark scatter
- Distortion-free cast iron housing resists wear after extended use
- Parkerized[™] coating retains oil for extra lubrication during break-in and cold starts
- Socket head screw makes it easy to change pressure; includes additional springs
- · Individually tested with oil to ensure proper functionality

PART # DESCRIPTION

22162 Blueprinted High Volume Racing Oil Pump, BBC

GM LS SERIES, OIL PUMPS

Fits: Gen III and Gen IV; 4.8L, 5.3L, 6.0L, 6.2L

- Great upgrade, replacement over factory GM oil pumps
- High Volume Pump will increase volume by 33% over stock oil pumps
- High Pressure Pumps include 10% higher pressure bypass springs which is beneficial over factory pumps in vehicles equipped with Accumulators, oil coolers and/or remote oil filters
- Will fit with stock timing cover
- Great upgrade for engines with Moroso or aftermarket oil pans and those engines that feature Active Fuel Management (AFM)*
- Made in the U.S.A.

PART # DESCRIPTION

- 22119 GM LS Standard Volume/Standard Pressure, Oil Pump
- 22121* GM LS High Volume/High Pressure, Oil Pump
- 22122 GM LS Standard Volume/High Pressure, Oil Pump

GM LS SERIES RACING OIL PUMP

Fits: Gen III and Gen IV, 4.8L, 5.3L, 6.0L, 6.2L

- Volume will increase by 18% over stock oil pumps
- Hard anodized coating for wear and performance
- Will fit with stock timing cover

PART #DESCRIPTION22120Oil Pump, GM LS



No. 22121

No. 22162

125

CHRYSLER GEN 3 HEMI '09-UP, STD VOL, HIGH PRESSURE OIL PUMP

- Upgraded replacement for O.E.M. pump
- Relief valve has a pressure threaded plug instead of a cup plug
- 75 psi pressure relief spring installed in pump and 65 psi stock pressure relief spring provided
- The pump has an anodized hard coated aluminum body and cast iron phosphate coated cover for improved pump performance and durability
 Made in the U.S.A.

PART # DESCRIPTION

22180 Chrysler Gen 3 Hemi, '09-Up, Std. Vol., High Pressure Oil Pump

FORD, HEAVY DUTY RACING OIL PUMPS

These series of engines were originally designed to have front sump oil pans. As Ford changed the chassis over the years these engines were used in rear sump applications (except FE). Moroso recommends that any time one of these engines has a rear sump oil pan or a front sump oil pan is used in a spirited driving that a High Volume oil pump be installed.

- Approximately 25% more volume
- · Benefits of a stronger casting with the features and price that the racer is looking for
- Made in the U.S.A.

PART #	DESCRIPTION
1 АНТ //	

- 22201 Ford 289-302 High Volume, Oil Pump, 25% volume over stock
- **22202** Ford 351W High Volume, Oil Pump, 25% volume over stock
- 22204 Ford 429-460 High Volume, Oil Pump, 25% volume over stock
- 22205 Ford FE High Volume, Oil Pump, 25% volume over stock





No. 22202





No. 22205

OIL PUMP, FORD 5.0 "COYOTE"/ 5.2 "VOODOO", STANDARD VOLUME For use with Gen. 1 & Gen. 2 Bolt-on Oil Pump Pickups

No. 22204

- Replacement for O.E.M. Gen 1 and Gen 2 engine oil pumps, or to convert Gen. 3 engines to a bolt on oil pump pickup
- Comes with a high pressure spring installed and an uninstalled standard pressure spring
- Housing and cover are CNC machined and hard coat anodized for wear protection
- · Made in the USA

PART # DESCRIPTION

22203 Ford 5.0 "Coyote"/5.2 "VooDoo" Standard Volume Oil Pump

OIL PUMP, HONDA, ACURA B-SERIES

- High quality replacement oil pump
- Includes oil pump pickup gasket

PART # DESCRIPTION

22206 Honda, Acura B-Series Oil Pump





SIL PUMPS

11



No. 22180

		GM LS	SERIES, I	DART LS	NEXT		
MOROSO OIL PAN PART #	STOCK OIL PUMPS	STD VOLUME STD PRESSURE Moroso #22119	STD VOLUME High Pressure Moroso #22122	HIGH VOLUME High pressure Moroso #22121	HIGH VOLUME Race Pump Moroso #22120	DART LS NEXT, LS SHP, PUMP Moroso #22118	COMES WITH PICKUP
20105	KIT	KIT	KIT	KIT	KIT	N/A	YES
20138	24052	24052	24052	24052	24052	N/A	NO
20139	24050	24050	24050	24050	24050	N/A	NO
20140	24050	24050	24050	24050	24050	N/A	NO
20141	24050	24050	24050	24050	24050	N/A	NO
20142	24050	24050	24050	24050	24050	N/A	NO
20143	24050	24050	24050	24050	24050	N/A	NO
20144	N/A	N/A	N/A	N/A	N/A	24144	NO
20145	24050	24050	24050	24050	24050	N/A	NO
20146	24052	24052	24052	24052	24052	N/A	NO
20147	24050	24050	24050	24050	24050	N/A	NO
20148	24050	24050	24050	24050	24050	N/A	NO
20149	24050	24050	24050	24050	24050	N/A	NO
20150	24050	24050	24050	24050	24050	N/A	NO
20151	N/A	N/A	N/A	N/A	N/A	24144	NO
20152	N/A	N/A	N/A	N/A	N/A	24152	NO
21149	24050	24050	24050	24050	24050	N/A	NO
21150	24050	24050	24050	24050	24050	N/A	YES
21151	GM PART# 12608579	GM PART# 12608579	GM PART# 12608579	GM PART# 12608579	GM PART# 12608579	N/A	NO
21152	24050	24050	24050	24050	24050	N/A	NO
21153	24154	24154	24154	24154	24154	N/A	NO
21158	24153	24153	24153	24153	24153	N/A	NO
21159	24050	24050	24050	24050	24050	N/A	NO
21340	24051	24051	24051	24051	24051	N/A	NO

CHEVROLET BIG BLOCK - INC. DONOVAN, DRC2 & MERLIN

STANDARD PICKUP LOCATION			OFFSET PICKUP LOCATION			
MOROSO Oil Pan	BBC, STANDARD VOLUME PUMPS MOROSO #22150 MEL. #M77 MEL. #M10774	BBC, HIGH Volume Pumps Moroso #22160 Mel. #M77HV	BBC, HIGH VOL. BLUEPRINTED RACE PUMP MOROSO #22162 MEL. #M10770 MEL. #M10778	BBC, STANDARD VOLUME PUMPS Moroso #22150 MEL. #M77 MEL. #M10774	BBC, HIGH Volume Pumps Moroso #22160 Mel. #M77HV	BBC, HIGH Volume Pumps Moroso #22162 Mel. #M10770 Mel. #M10778
PART #	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET	3/4" DIA. INLET
20032	24446	24446	24446			
20376	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20380	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20385	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20401	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20403	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20405	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20406	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20408	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20409	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20411	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20412	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20413	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20416	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20420	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20421	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
20431	24430	24430	24430			
20433	24430	24430	24430			
20449	24448	24448	24448			
20451	24430	24430	24430			
20460	24450	24450	24450			
20485	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21047	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21048	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21049	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21600	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21602	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441
21604	24440, 24445	24440, 24445	24440, 24445	24441	24441	24441

OIL PUMP PICKUP BUYER'S GUIDE

	OLDS	MOBILE - 330-455	
MOROSO OIL PAN	HIGH VOLUME PUMP	HIGH VOLUME PUMP	MONDELLO HIGH VOLUME PUMP
PART #	MEL. #M22F	MEL. #M22MHV	SP755
20480	24460		
20482	24461		
2163 1		24463	24463

PONTIAC - 301-455					
MOROSO OIL PAN	HIGH PRESSURE PUMP	HIGH VOLUME PUMP			
PART #	MEL. #54DS	MEL. #10541			
20490	24480	24480			
20500	24482	24482			

CHRYSLER - 273-340, 360 & 360 MAGNUM					
MOROSO OIL PAN	STOCK	CHRYSLER 2468489			
PART #	OIL PUMPS	PUMP			
20710	24700	24700			
20730	24700	24700			

PART #		OIL PUMPS	PUMP	
20710		24700	24700	
20730		24700	24700	
	CHRYSL	.ER - 5.7-6.4 HEMI		
MOROSO OIL PAN	STOCK NON-MDS/VCT	MOROSO #22180,	MOROSO #22180,	
PART #	(UP TO '08)	68195993AC, 5038398AE	, 68195993AC	
		53021622BF	OIL PUMPS	
		OIL PUMPS	WITH HELLCAT	
		WITH NON-HELLCAT	FRONT TIMING COVER	
		FRONT TIMING COVER		
21161	24161	24162		
21165			24165	
21166			24166	
27601	24601	24603		

OIL PAN B/RB PUMP HEMI PUMP PART # 3/8-18 THREAD 1/2-14 THREAD 20760 24750 24800 20766 24766 24800	MOROSO	STOCK-STYLE	STOCK-STYLE
20760 24750 24800	OIL PAN	B/RB PUMP	HEMI PUMP
	PART #	3/8-18 THREAD	1/2-14 THREAD
20766 24766	20760	24750	24800
20100	20766	24766	

		FORI	D - 289-302		
MOROSO	STOCK	STOCK	FORD	MOROSO #22201,	MOROSO #22201,
OIL PAN	OIL PUMPS	OIL PUMPS	MOTORSPORTS	MELLING PUMPS	MELLING PUMPS
PART #		WITH MAIN SUPPORT	PUMP	#M68	#M68
			#M-6600-D2	#M68HV	#M68HV
				#M10688	#M10688
					WITH MAIN SUPPORT
20502	24520			24520	
20503	24523				
20506	24517	24518		24517	24518
20511	24516	24516	24506	24516	24516
20521	24516	24516	24521	24516	24516
20527	24527	24528		24527	24528
20528	24516	24516	24506	24516	24516
20533	24527	24528		24527	24528
20535	24523			24523	

OIL PUMP PICKUP BUYER'S GUIDE

FORD - 351W-SV0

MOROSO OIL PAN	STOCK	MOROSO #22202, MELLING PUMPS
PART #	OIL PUMPS	#M83, #M83HV, #M10833
20501	24507	24507
20507	24507	24507
20508	24501	24501
20520	24532*	24532*
20522	24515	24515
20523	24532	24532
20529	24532	24532
20532	24532*	24532*
20534	24534	24534
20536	24507	24507

* Does not fit World Products Man-O-War Engine Block

FORD - 4.6L & 5.4L					
MOROSO OIL PAN Part #	OIL PAN USES STOCK 2V, 3V OR 4V OIL PUMP & PICKUP	STOCK OIL PUMP			
20546	YES				
20548	YES				
20549	2V	24547			
20549	4V	24548			
20554	YES				
20555	YES				

FORD - 5.0L & 5.2L				
MOROSO OIL PAN Part #	MOROSO #22203 & STOCK OIL PUMPS Gen I & II oil Pump Pickup	GEN III Oil Pump Pickup		
20568	24570	24577		
20569	24570	24577		
20570	24570	24577		
20571	STOCK	24578		
20572	STOCK	24578		
20573	24573	24576		
20574	24574	24579		
20575	STOCK	24578		
20576	STOCK	24578		
20577	24574	24579		

	FORD - 351C/351M & 400						
MOROSO OIL PAN	STOCK	MELLING PUMP					
PART #	OIL PUMPS	#M84AHV					
20530	24530	24530					
20558	24558	24558					

	FORD - 352-428					
MOROSO OIL PAN	STOCK	MOROSO #22205,				
PART #	OIL PUMPS	MELLING PUMPS #M57, #M57HV				
20607	24608	24608				
20608	24608	24608				
20609	24609	24609				

MOROSO OIL PAN	FORD MOTORSPORTS PUMP	MOROSO #22204
PART #	#M-6600-A460	
	MELLING #M84D/84DHV	
20612	24504	24504
20614	24511	24511
20616	24505/24522	24505/24522
20620	24509	24509
20625	24508	24508

MOROSO OIL PAN	STOCK	STOCK	STOCK	OIL PAN USES	OIL PAN
PART #	OIL PUMP	OIL PUMPS	OIL PUMPS	STOCK	COMES WITH
	1.8 VTEC ENGINES		OPTIONAL	OIL PUMP &	PICKUP
			PICKUP	PICKUP	
20901	24010	24011		NO	NO
20910				YES	NO
20911				YES	NO
20912	24012	24012		NO	NO
20915				YES*	NO
20916				YES	NO
20917				YES	NO
20919				YES*	NO
20930				YES	NO
20935				YES	NO
20936			24936	YES	NO
20940				NO	YES
20942				YES	NO
20960				YES	NO
20965			24965	NO	YES
20966				NO	YES
20967				NO	YES
20968				NO	YES
20969				YES	NO
20970				YES	NO
20975				YES	NO
20976			24976	YES	NO

*To be used with Acura RSX oil pump assembly, OEM Part # 15100-PRB-A01, oil pump assembly might require slight notching to clear certain K-Series main caps

OIL PUMP PICKUP & ACCESSORIES

U-WELD-IT EXTENDED OIL PUMP PICKUPS

- · U-Weld-It Kits can be tailored for either standard or high volume pumps
- Use in oil pans up to 10-3/4" deep
- Intended for Street/Strip use

PART # DESCRIPTION

- 24861 U-Weld-It Extended Oil Pump Pickup, Small Block and 90° Chevy V6. Includes: one ⁵/₈" tube, one bracket, one box, two ¹/₄" -20 x ³/₄" allen head screws, two hex head cap screws and two ¹/₄" lock washers
- 24862 U-Weld-It Extended Oil Pump Pickup, Big Block Chevy. Includes: one 3/4" tube, one bracket, one box



EXTERNAL OIL PUMP PICKUP KIT, STEEL OIL PANS

- · Complete kit includes everything needed to convert steel wet sump oil pan for use with external pump
- Includes screened pickup box, pickup tube and specially machined -12AN fitting
- Adapts to a variety of pans, welding required
- · Recommended for wet sump pans with power kickouts

PART # DESCRIPTION

24840 External Oil Pump Pickup Kit, Steel Oil Pans

No. 24840

EXTERNAL OIL PUMP & DRY SUMP PICKUP KITS, TO ADD PICKUP TO ALUMINUM OIL PANS

- Complete kit includes everything needed to convert an aluminum wet sump oil pan for use with external oil pump
- Includes 7" long billet aluminum slotted pickup tube, mounting foot, and removable/cleanable male AN fitting
- Also makes a convenient way to add extra pickup to an aluminum dry sump oil pan
- · Adapts to a variety of oil pans, welding required

PART # DESCRIPTION

24865•External Oil Pump Pickup Kit, Aluminum Pans, -12AN Male Fitting24866•External Oil Pump Pickup Kit, Aluminum Pans, -16AN Male Fitting

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



OIL PUMP PICKUP | DRIVE SHAFTS

OIL PUMP PICKUPS, SUBARU

- Designed to replace factory oil pump pickups which have had cases of failure
- These Heavy Duty designs have thicker tubing and flanges, plus the pickup box and bracket are constructed out of thicker steel with a zinc plated finish
- Mates to oil pump exactly like the factory pickup and includes an 0-ring

PART# DESCRIPTION

- 24964 Oil Pump Pickup, Subaru '02-'05 WRX O.E.M. Oil Pans
- 24965 Oil Pump Pickup, Subaru EJ25 Turbo Applications, '04-'05 STI, '06-Up WRX, STI, Forester, Baja. *Fits: Moroso No.* 20965 & O.E.M. Configuration Oil Pans





OIL PUMP DRIVE SHAFTS

- · High-quality steel for extended reliability, with steel sleeve
- · Steel sleeve is pinned to maintain correct alignment between oil pump and shaft

PART #	OVERALL LENGTH	APPLICATION	PUMP DRIVE	USE ON PUMPS
22070*	5.765"	SBC, Chevy V-6 (Stock)	Blade	22101, 22111, 22124, 22134, 22171,
22080	6.438"	BBC, Stock Height	Blade	22150, 22160, 22144, 22175, 22185, 22162, 22163
22082	6.900"	BBC, .400" raised cam	Blade	22150, 22160, 22144, 22175, 22185, 22163
22090*	5.625"	SBC using BBC Pump	Blade	22150, 22160, 22144, 22175, 22185, 22163
22072	7.100"	BBC DART Block, .600" raised cam	Blade	22150, 22160, 22144, 22175, 22185, 22163
22074	9.136"	BBC, .400" raised cam	Hex	22167
22077	6.141"	SBC DART Block, .391" raised cam	Blade	22101, 22111, 22124, 22134, 22171
22078 MEWI	7.500"	BBC, 1.00" raised cam	Blade	22150, 22160, 22144, 22175, 22185, 22163

*400 cubic inch small block requires the oil pump drive shaft opening to be machined to $^{9\!/_{6}"}$

oil pumps

Below are the different types of Brackets and Drives that Moroso offers on different Part Nos. of its line of Tri-Lobe Dry Sump and External Pumps.

STYLE OF BRACKER DOOR CAR, DRIVERS/LEFT SIDE

Mostly used in Production or Silhouette based racecars where the pump is engine block or motorplate mounted



निर्धाणन

STALE OF BRACKER MOTORPLATE MOUNT, PASSENG

Mostly used in Production or Silhouette based racecars where the pump is motorplate mounted or in Dragsters



STUE OF BRACKER DRACSTER, LEFT SIDE Mostly used in Dragsters

STALE OF BRACKER GM LS PASSENGER/RIGHT SIDE

GM LS Engines, uses the factory A/C bracket holes on the right side of the engine block and a motorplate. Must be used with an ATI balancer hub with integral HTD pulley





FUEL PUMP DRIVE

³/₈" hex fuel pump drive with 1:1 ratio that accepts
 1.450 ID, 3 bolt, fuel pump swivel clamps is included depending on the Part No





Note the difference between the two in the length of the shaft



TRI-LOBE DRY SUMP AND EXTERNAL PUMPS

MOROSO TRI-LOBE LINE OF EXTERNAL PUMPS ARE THE LATEST IN **OUR RICH HISTORY OF INNOVATIVE OIL PUMP DESIGNS!**

- Spur gear pressure sections, Available in 1.200, 1.500 & 1.800 pressure sections depending on the Part No.
- Lightweight and efficient
- Includes replaceable fittings; -16AN inlet, -12AN outlet
- External oil pumps run cooler than internal pumps and feature an external bypass for ease of adjustment
- Available in Standard Rotation or Reverse Rotation (pump is mounted towards the front of the car) depending on the Part No.
- Different pump mounting options are available

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



	EXTERNAL, ONE STAGE OIL PUMPS								
# OF Stages	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION OF PUMP	PRESSURE Section	FUEL PUMP DRIVE	PART #			
Single	External Pump	Door Car, Driver's/Left Side	Standard	1.200	No	22341 0			
Single	External Pump	Door Car, Driver's/Left Side	Standard	1.200	Yes	223610			
Single	External Pump	Door Car, Driver's/Left Side	Reverse	1.200	Yes	223220			
Single	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	No	22321 0			
Single	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	Yes	223710			
Single	External Pump	Dragster, Left Side	Standard	1.200	No	22441 0			
Single	External Pump	GM LS, Passenger/Right Side	Standard	1.200	No	223010			
Single	External Pump	V-Band Alston Front Drive	Standard	1.200	No	22411 0			
Single	External Pump	V-Band Alston Front Drive	Reverse	1.200	No	224120			
Single	External Pump	V-Band Alston Front Drive	Standard	1.800	No	224130			
Single	External Pump	V-Band Alston Front Drive	Reverse	1.500	Yes	224160			
Single	External Pump	V-Band Alston Front Drive	Reverse	1.800	Yes	224170			
Single	External Pump	V-Band ProCharger Front Drive	Standard	1.200	No	223110			
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.200	No	223120			
Single	External Pump	V-Band ProCharger Front Drive	Standard	1.800	No	223130			
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.500	Yes	223160			
Single	External Pump	V-Band ProCharger Front Drive	Reverse	1.800	Yes	223170			

Please see page 132 for Bracket and Drive information









No. 22311





<u>EXTERNAL PUMP | VACUUM PUMP COMBOS</u>

TWO STAGE EXTERNAL PUMPS

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

SBC and BBC, Driver's/Left Bracket

- This kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design with one belt only being utilized
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
 V-band clamp is included

PART # DESCRIPTION

22652• External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, SBC Left Side Bracket **22654**• External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, BBC Left Side Bracket

No. 22652

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

EXTERNAL PUMPS

An expansion to our popular line of external oil pumps. This pump gives you the option of scavenging oil from the oil pan with one stage and using the second stage to scavenge oil from turbos or superchargers and areas that require oil to be scavenged.

- Spur gear pressure sections, Available in 1.200 &
- 1.800 pressure sections depending on the Part No.
- Lightweight and efficient
- Includes replaceable fittings; -16AN inlet, -12AN inlet, -12AN outlets
- External oil pumps run cooler than internal pumps and feature an external bypass for ease of adjustment
- External pumps help eliminate the spark scatter and camshaft loads that come with an internal pump

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 22362

FUEL PUMP DRILL

		TWO STAGE EXTERNAL	. PUMP	CHART			
STAGE	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION Of Pump	PRESSURE SECTION	SCAVENGE Section	FUEL PUMP Drive	PART #
Two	External Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	223620
Two	External Pump	Door Car, Driver's/Left Side	Standard	1.800	1.700	Yes	223420
Two	External Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	223720
Two	External Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	22302 \$

Please see page 132 for Bracket and Drive information



No. 22342

No. 22372

TRI-LOBE THREE STAGE DRY SUMP PUMPS

DRY SUMP PUMPS, TRI-LOBE

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive but still makes big crankcase vacuum
- Includes replaceable fittings; Pressure Section: -12AN Inlet, -12AN Outlet; Scavenge Inlets: -12AN, Return -16AN

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

	THREE STAGE DRY SUMP PUMP CHART						
STAGE	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION OF PUMP	PRESSURE Section	SCAVENGE Section	FUEL PUMP Drive	PART #
Three	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	223430
Three	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	22363 0
Three	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	22323 0
Three	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	22443 0
Three	Dry Sump Pump	Motorplate Mount, Passenger/Right Side MEW	Standard	1.200	1.700	Yes	223730
Three	Dry Sump Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	223030

Please see page 132 for Bracket and Drive information



No. 22443

No. 22373

TRI-LOBE FOUR STAGE DRY SUMP PUMPS

DRY SUMP PUMPS, TRI-LOBE

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- · Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive but still makes big crankcase vacuum
- Includes replaceable fittings; Pressure Section: -12AN Inlet, -12AN Outlet; Scavenge Inlets: -12AN, Return -16AN

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

No. 22344



		FOUR STAGE DRY SUMF	PUMP	CHART	-		
STAGE	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION Of Pump	PRESSURE SECTION	SCAVENGE Section	FUEL PUMP Drive	PART #
Four	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	223440
Four	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	223640
Four	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	223240
Four	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	224440
Four	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	223740
Four	Dry Sump Pump	GM LS, Passenger/Right Side	Standard	1.200	1.700	No	223040
Four	Dry Sump Pump	Dual Mounts, Driver's/Left Side	Standard	1.200	1.700	No	224140

Please see page 132 for Bracket and Drive information



No. 22364



No. 22324



No. 22444



No. 22304



No. 22414

TRI-LOBE FIVE STAGE DRY SUMP PUMPS

DRY SUMP PUMPS, TRI-LOBE

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- · Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive but still makes big crankcase vacuum
- Includes replaceable fittings; Includes replaceable fittings; Pressure Section: -12AN Inlet, -12AN Outlet; Scavongo Inlete: 12AN Poturo 16AN to the state of California to cause cancer, Scavenge Inlets: -12AN, Return -16AN

No. 22345 birth defects, or reproductive harm-

						·	
		FIVE STAGE DRY SUMP	PUMP (CHART			
STAGE	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION OF PUMP	PRESSURE SECTION	SCAVENGE Section	FUEL PUMP DRIVE	PART #
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	0.900	1.700	No	223350
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	223450
Five	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	223650
Five	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	223250
Five	Dry Sump Pump	Dragster, Left Side	Standard	0.900	1.700	Yes	224350
Five	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	224450
Five	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	Yes	223750
Five	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	No	224050
Five	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	Yes	223670
Five	Dry Sump Pump	Dual Mounts, Driver's/Left Side	Standard	1.200	1.700	No	224150
Five	Dry Sump Pump	V-Band Alston Front Drive	Standard	1.200	1.700	No	225150
Five	Dry Sump Pump	V-Band Alston Front Drive	Reverse	1.200	1.700	No	225170
Five	Dry Sump Pump	V-Band ProCharger Front Drive	Standard	1.200	1.700	No	223150
Five	Dry Sump Pump	V-Band ProCharger Front Drive	Reverse	1.200	1.700	No	225180

Please see page 132 for Bracket and Drive information



No. 22365



No. 22325



No. 22445



No. 22405

No. 22415

DRY SUMP PUMPS, TRI-LOBE

- Tri-lobe aluminum scavenge sections featuring individual timing gears to ensure proper clearance at the highest of RPM's
- 1.200 spur gear pressure section based off Moroso's billet wet sump pump design
- Variable spring rates optimize your oil pressure for smooth, reliable oil pressure readings
- Pump weighs almost half of gerotor pumps, and takes up to 40% less power to drive but still makes big crankcase vacuum
- Includes replaceable fittings; Pressure Section: -12AN Inlet, -12AN Outlet; Scavenge Inlets: -12AN, Return -16AN

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

		SIX STAGE DRY SUMP	PUMP (HART			
STAGE	DESCRIPTION OF T3 SERIES	STYLE OF BRACKET & ORIENTATION	ROTATION OF PUMP	PRESSURE Section	SCAVENGE Section	FUEL PUMP Drive	PART #
Six	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	No	223460
Six	Dry Sump Pump	Door Car, Driver's/Left Side	Standard	1.200	1.700	Yes	22366 ↔
Six	Dry Sump Pump	Motorplate Mount, Passenger/Right Side	Standard	1.200	1.700	No	223260
Six	Dry Sump Pump	Dragster, Left Side	Standard	1.200	1.700	No	224460
Six	Dry Sump Pump	Motorplate Mount, Passenger/Right Side MEW	Standard	1.200	1.700	Yes	223760
Six	Dry Sump Pump	Bert or Brinn Bellhousing	Standard	1.200	1.700	Yes	22368 0

Please see page 132 for Bracket and Drive information

OIL PUMPS E



No. 22346

No. 22326



No. 22446

No. 22376





Single Stage No. 22251 / No. 22241



Three Stage No. 22253 / No. 22243



Four Stage No. 22254 / No. 22244

DRY SUMP OIL PUMPS, DOOR CAR

Single, Three, Four, Five and Six Stage Fits: Chevrolet-based Small Block & Big Block Door Car applications

- Steady oil pressure throughout RPM range
- · Consistent oil pressure at high heat levels
- Increased vacuum
- · Consistent oil pressure at high vacuum levels
- Oil pressure adjustability, allows for finer tuning of pressure levels
- Internal manifold with -16AN return, no need for separate manifold
- · Built-in mounting bracket designed for engine compartment constraints
- Two pressure outlet locations for easier plumbing
- Includes all necessary fittings
- · Vertical oil pressure adjuster makes it easier to change oil pressure settings

.875 Pressure / 1.100 Scavenge

PART #	DESCRIPTION
22251	Single Stage
22253	Three Stage
22254	Four Stage
22255	Five Stage

1.100 Pressure / 1.100 Scavenge

PART # DESCRIPTION

22241Single Stage22243Three State22244Four Stage22245Five Stage

PART # AVAILABLE OPTION

62208 Dry Sump/External Oil Pump Primer For a 5/4" Diameter Shaft



Five Stage No. 22255 / No. 22245





BLACK SERIES DRY SUMP OIL PUMPS



Single Stage No. 22521 / No. 22421



Three Stage No. 22523 / No. 22423



Four Stage No. 22524 / No. 22424

DRY SUMP OIL PUMPS, DRAGSTER

Single, Three, Four, Five and Six Stage Fits: Chevrolet-based Small Block & Big Block Dragster applications

- Steady oil pressure throughout RPM range
- Consistent oil pressure at high heat levels
- Increased vacuum
- · Consistent oil pressure at high vacuum levels
- Oil pressure adjustability, allows for finer tuning of pressure levels
- Internal manifold with –16AN return, no need for separate manifold
- Built-in bracket mounts pump higher and closer to the engine, for better engine compartment packaging in a Dragster
- Two pressure outlet locations for easier plumbing
- Includes all necessary fittings
- Vertical oil pressure adjuster makes it easier to change oil pressure settings

.875 Pres	ssure / 1.100 Scavenge	1.100 Pressure / 1.100 Scavenge		
PART #	DESCRIPTION	PART #	DESCRIPTION	
22521	Single Stage	22421	Single Stage	
22523	Three Stage	22423	Three State	
22524	Four Stage	22424	Four Stage	
22525	Five Stage	22425	Five Stage	

Five Stage No. 22525 / No. 22425



PART #	AVAILABLE OPTION
62208	Dry Sump/External Oil Pump Primer
	For a %" Diameter Shaft

DRY SUMP/EXTERNAL OIL PUMP PRIMER FOR A 5/8 INCH DIAMETER SHAFT

- Makes the task of priming a pump quick and easy using this drive
- Attaches to a 5/4" diameter shaft of a Dry Sump or External Oil Pump
- Adapter is machined out of stainless steel for years of use
- Includes Hardware

DESCRIPTION PART

Dry Sump/External Oil Pump Primer For a 5/8" Diameter Shaft 62208o



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmNo. 62208

DRY SUMP

140

SPRINT CAR FRONT MAGNETO DRIVE ASSEMBLY

Patent Pending

Moroso Performance Products has developed a Magneto re-location kit that has solved inherent problems related to standard rear mounted magnetos.

Issues of unstable timing, magneto flex and movement, shaft failure, drive gear failure and the inability to perform in-car timing adjustments, have all been addressed.

Front Magneto Drive Assembly has been designed to work with:

- Standard Shaver Wesmar gear drive assemblies
- Moroso cam driven dry sump pumps, as well as other commonly used oil pumps
- Commonly used crank driven water pumps
- Designed to be used with MSD 12 LT Generator or MSD Part No. 7904 Generator Kit
- Now legal for most racing organizations

PART # DESCRIPTION

60205Timing Cover Magneto Kit, Sprint Car, SBC, Non-Raised Cam60206Timing Cover Magneto Kit, Sprint Car, SBC, .390 Raised Cam





TIMING COVERS

BENEFITS INCLUDE:

- Increased timing accuracy
- The ability to eliminate costly crank trigger systems
- Improved access to Magneto for timing adjustments
- Increased area at the rear of engine allows for induction system improvements

ASSEMBLY INCLUDES:

- Billet Timing Cover
- Magneto Drive Adapter
- Magneto Billet Relocation Mount
- Magneto Drive Stem
- Billet Distributor Hole Plug
- Mounting Hardware

SPRINT CAR BILLET ALUMINUM TIMING COVER, SBC NON-RAISED CAM & RAISED CAM

- · Strong and Lightweight, machined from a solid bar of Aluminum
- Designed to work with all gear and chain cam drive systems, including Standard Shaver and Wesmar gear drive assemblies
- Timing Cover's bolt pattern is designed to accept Moroso cam driven dry sump pumps as well as others
- Is included in the Moroso Sprint Car Front Magneto Drive Assembly
- Cover accommodates commonly used Sprint Car crank driven water pumps
- Has a top timing port
- Black anodized finish for good looks and protection

PART # DESCRIPTION

- 60200 Timing Cover, SBC, Sprint Car, Non-Raised Cam
- 60201 Timing Cover, SBC, Sprint Car, .390 Raised Cam



OIL PUMP BLOCK-OFF PLATE

Fits: Small Block, Big Block and 90° Chevy V6

- Easy, bolt-on anodized aluminum plate seals oil passage on rear main cap when dry sump systems are used
- · Requires no drilling or tapping for installation

PART # DESCRIPTION

23790 Oil Pump Block-Off Plate. Chevy V8 & 90° V6



No. 23790

OIL BYPASS ELIMINATOR, CHEVY

- Designed to eliminate the oil bypass found on Chevrolet engines
- · Does not allow unfiltered oil back into the engine
- A stock type spin-on oil filter can be used with this part installed
- Machined from billet aluminum for strength
- Features a single inlet and easy two bolt installation

PART # DESCRIPTION

- 23775 **Oil Bypass Eliminator, SBC, BBC**
 - (except Gen V and Gen VI)

Chrome/Racing **Oil Filters** on pgs. 151-152 No. 23775

EXTERNAL PUMP ADAPTER, REMOTE FILTER, CAST

Fits: SBC & BBC (Mark IV)

- Aluminum bypass replaces engine-mounted oil filter in wet sump oiling system and directs oil to remote oil filter or oil cooler
- Drilled and tapped for 1/2" N.P.T. inlet and outlet fittings
- Includes all mounting hardware, gaskets and o-ring

PART # DESCRIPTION

23770 **Oil Filter Bypass**

PART # **REPLACEMENT PARTS**

97321 Square O-Ring 97322 Gasket



No. 23770

EXTERNAL PUMP ADAPTER, REMOTE FILTER, BILLET

- Fits: World Products Merlin Big Block or standard Small Block and Big Block (Mark IV) Chevy applications without bolt hole at center of the filter pad
- · Machined billet anodized aluminum Bypass Plate is needed when using a remote oil filter or returning oil from dry sump oiling system
- Sealing o-rings are captured in the plate for a tight seal against block's surface, washers are installed under bolt heads for a leak-free performance
- Drilled and tapped to accept male -10AN fittings
- Includes all mounting hardware and o-rings

PART #	DESCRIPTION
23782	Billet Oil Filter Bypass Plate
PART #	AVAILABLE OPTION
22606	Fitting10AN to -12AN

REPLACEMENT PARTS PART

- 97323 O-Ring, Oil Adapter, Repl. 1.75" I.D.
- 97324 O-Ring, Oil Adapter, Repl. 3.5" I.D.
- 97325 O-Ring, Oil Block-off, Repl. No. 23782







OILING SYSTEM EQUIPMEI



EXTERNAL PUMP ADAPTER, REMOTE FILTER

- Aluminum Block-Off Plates designed for Moroso Dry Sump Oiling System or External Oil Pump
- Drilled and tapped to accept 1/2" N.P.T. fitting to provide increased clearance for installing input pressure line
- Includes all mounting hardware and o-rings

	j.
PART #	DESCRIPTION
23840	Oil Filter Block-Off Plate.
	Fits: Small Block and Big Block (exc. Gen V and Gen VI) Chevy
	applications without bolt hole at center of pad
23820	Oil Filter Block-Off Plate.
	Fits: 1957-01 Ford 8, 6, 4 cyl; 1959-03 Dodge; Chrysler 8, 6, 4, cyl; No. 23820
	1970-86 Toyota 4 cyl; 1986-96 Toyota 6 cyl. Others: All engines with
	$2-\frac{1}{2}$ " I.D. x 2-7/8" O.D. Sealing Area and $\frac{3}{4}$ " -16 UNF Block Thread.
	-12AN fitting size
PART #	REPLACEMENT PART
97321	Square O-Ring (Except No. 23820)
PART #	AVAILABLE OPTIONS
22706	Fitting, ½" N.P.T. to -10AN
22708	Fitting, ½" N.P.T. to -12AN

No. 23840

EXTERNAL PUMP, ACCUMULATOR, FILTER SANDWICH ADAPTERS Fits: Small Block and Big Block Chevy Mark 4 including aftermarket engine blocks

 Mount in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote oil filter

Fitting, -12AN to -10AN, 1 per package

- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil bypass eliminator, so unfiltered oil does not go back into the engine
- Includes full instructions, mounting bolts and o-rings

PART # DESCRIPTION

22709

- 23690 Oil Filter Adapter, SBC, for plumbing Accumulators and External or Dry Sump Oil Pumps. Lowers oil filter by 1-1/2", has 1/2" N.P.T. inlet and outlet port
- 23701 Oil Filter Adapter, BBC Mark 4, for plumbing Accumulators and External or Dry Sump Oil Pumps. Lowers oil filter by 2-1/2", has -10AN inlet and outlet ports, one before filtration and one after filtration

PART # AVAILABLE OPTIONS

- **22459** Racing Oil Filter, Chevy and others, ¹³/₁₆" -16 UNF thread, short design (4-%2" high), burst strength: 350 psi (max.)
- **22460** Racing Oil Filter, Chevy and others, 13/16" -16 UNF thread, long design (5-1/4" high), burst strength: 350 psi (max.)





ACCUMULATOR ADAPTERS

- · Provides a convenient way to plumb an Accumulator into the oiling system
- The adapter has one -10AN oil input port that provides filtered oil to the Accumulator
- Mounts on the spin-on filter pad between the oil filter and engine block, lowering the spin-on filter by 1-1/4"

PART # DESCRIPTION

- 23675 Accumulator Adapter, ¾-16 thread and 2-½" 0-ring. *Fits: Ford, Chrysler and 4 and 6 cylinder applications*23676 Accumulator Adapter, ¹¾₆ thread and 2-½" 0-ring. *Fits: Chevy, LS1 through 2006 Small Block*23677 Accumulator Adapter, 18MM -1.5 thread and 2-½" 0-ring. *Fits: Chevy, LT1 and G.M. 4 and 6 cylinder applications*23678 Accumulator Adapter, 20MM-1.5 thread and 2-½" 0-ring. *Fits: Honda and other 4 and 6 cylinder applications*23679 Accumulator Adapter, 22MM-1.5 thread and 2-½" 0-ring.
- 23679 Accumulator Adapter, 22MM-1.5 thread and 2-%" 0-ring *Fits: New Ford, GM LS*



<u>OIL COOLER | FILTER ADAPTERS</u>

OIL COOLER AND FILTER SANDWICH ADAPTERS

Fits: Small Block, Big Block Chevy Mark IV and most aftermarket blocks of each

- Mounts in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Includes mounting hardware and O-rings

PART # DESCRIPTION

- 23691 Oil Filter Adapter, BBC Mark IV and Aftermarket Engine Blocks with a deep oil filter pocket, for plumbing a remote oil cooler for wet sump oiling systems. Lowers oil filter by 2-½", has -10AN inlet and outlet ports
- **23692** Oil Filter Adapter, SBC, for plumbing a Remote Oil Cooler for wet sump oiling systems. Lowers oil filter by 1-½", has ½" N.P.T. inlet and outlet ports
- OIL COOLER AND FILTER SANDWICH ADAPTER

Fits: Big Block Chevy Gen. 5, Gen. 6

- Mounts in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter mount
- Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Features -10AN female ports, Marked with "IN" and "Out"
- Includes mounting hardware and O-rings

PART # DESCRIPTION

23705 Oil Cooler & Filter Adapter, Big Block Chevy Gen 5, Gen. 6

OIL COOLER/FILTER SANDWICH ADAPTERS

Fits: Small Block, Big Block Chevy Mark IV, Mark V & Gen VI including most aftermarket blocks of each

- Mounts in spin-on oil filter pocket, between the oil filter and the engine block to eliminate the need for a remote filter
- · Machined out of billet aluminum with a black anodized finish for durability and long-lasting looks
- Eliminates the need for an oil-bypass eliminator, so unfiltered oil does not go back into the engine
- Includes mounting hardware and 0-rings

PART # DESCRIPTION

- 23693 Universal Oil Cooler/Filter Adapter, ¾"-16 thread and 2-5%" O-ring.
 Fits: Ford, Chrysler and 4 and 6 cylinder applications
 23694 Universal Oil Cooler/Filter Adapter, 1¾6"-16 thread and 2-5%" O-ring.
 Fits: Chevy, LS1 through 2006 Small Block
- **23695** Universal Oil Cooler/Filter Adapter, 18mm-1.5 thread and 2-5%" O-ring. *Fits: Chevy, LT1 and G.M. 4 and 6 cylinder applications*
- 23698 Universal Oil Cooler/Filter Adapter, 20mm-1.5 thread and 2-5%" O-ring. *Fits: Honda and other 4 and 6 cylinder applications*
- 23699 Universal Oil Cooler/Filter Adapter, 22mm-1.5 thread and 2-5/8" O-ring. *Fits: New Ford, GM LS*

REMOTE OIL FILTER, ROTATING 90 DEGREE ADAPTER

- · Manufactured from Billet Aluminum with a black anodized finish
- Marked -10AN inlet/outlet to plumb a remote oil filter-easier to plumb oil cooler/accumulator
- Mounts on the engine block's spin-on oil filter pad

PART #	DESCRIPTION	No. 236	202
23682	Universal Remote Oil Filter Adapter, 3/4"-16 thread and 2-5/6" O-ring.	110. 230	<i>102</i>
	Fits: Ford, Chrysler and most 4 and 6 cylinder applications		
23683	Universal Remote Oil Filter Adapter, 13/16"-16 thread and 2-5%" O-ring.		
	Fits: American Motors V-8, GM LS through 2006, Oldsmobile V-8 and Pontiac V	-8	
23684	Universal Remote Oil Filter Adapter, 18mm-1.5 thread and 2-5/8" O-ring.		
	Fits: GM LTI and GM 4 and 6 cylinder applications		
23685	Universal Remote Oil Filter Adapter, 20mm-1.5 thread and 2-5%" O-ring.	PART #	RECO
	Fits: Honda and other 4 and 6 cylinder applications	22605	Fitting
23686	Universal Remote Oil Filter Adapter, 22mm-1.5 thread and 2-5%" O-ring.	22605	Fittin
	Fits: New Ford Applications, GM LS 2006 Corvette "E" Code 2007 & up	22000	rituni







No. 23705

No. 23693



 PART #
 REPLACEMENT PARTS

 22605
 Fitting, -10AN to -10AN

 22606
 Fitting, -10AN to -12AN

23703 Universal Remote Oil Filter Adapter, ¹³/₁₆" thread and 3 ¹/₄" O-ring. *Fits:* Small Block and Big Block Chevy Gen. V and Gen. VI including aftermarket engine blocks

REMOTE OIL FILTER ADAPTERS

GM LS SERIES REMOTE OIL FILTER ADAPTER

- Replaces Moroso Spin-On Oil Filter Adapter on Moroso Part Nos. 20142, 20143, 21151 & IN **21152** oil pans; comes standard on Moroso Part **Nos. 20146**, **20147**, **20148** & **20149** oil pans Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired Billet aluminum construction • -10AN "IN" and "OUT" ports Includes mounting hardware and engine block sealing O-rings PART # DESCRIPTION No. 23688 23688 Remote Oil Filter Adapter, GM LS Series GM LS 90 DEGREE REMOTE OIL FILTER ADAPTER IN OUT Ideal when chassis restrictions don't allow the use of a block mounted filter or when a larger external filter is desired Gives the installer the option of not having to use 90 Degree fittings Billet aluminum construction No. 23707 -10AN "IN" and "OUT" ports Includes mounting hardware and engine block sealing O-rings • K WARNING Prop. 65 This product contains a chemical known DESCRIPTION PART # to the state of California to cause cancer. 23707 • Filter Adapter, GM LS, 90 Degree Remote birth defects, or reproductive harm-**GM LS SERIES SPIN-ON OIL FILTER ADAPTER** • Designed for applications that require a Spin-On Oil Filter but don't have the room for one that mounts north to south • Fits Moroso Part Nos. 20138, 20145, 21046, 20147, 20150, 21151, 21157 & 21158 oil pans Billet aluminum construction No. 23712 Accepts 22mm thread Moroso No. 22463 or 0.E.M. oil filter Includes mounting hardware and engine block sealing 0-rings PART # DESCRIPTION 23712 GM LS Series Spin-On Oil Filter Adapter GM LS SERIES SPIN-ON OIL FILTER ADAPTER Fits Moroso Part Nos. 20142, 20143, 20145, 21149, 21151, 21153, 21157 & 21158 oil pans No. 23713 Billet aluminum construction • Has a 1/4" N.P.T. oil temperature port · / WARNING Prop. 65 Accepts 22mm thread Moroso No. 22463 or 0.E.M. oil filter This product contains a chemical know to the state of California to cause cancer Includes mounting hardware and engine block sealing O-rings birth defects, or reproductive harm-PART # DESCRIPTION 237130 GM LS Series Spin-On Oil Filter Adapter for Moroso Out bound LS Oil Pan Rails GM LS SERIES SPIN-ON OIL FILTER ADAPTER, MOUNTS FILTER SIDEWAYS
- Designed for applications that require a spin-on oil filter but don't have the room for one that mounts north to south
- Fits Moroso Part Nos. 20138, 20139, 20142, 20143, 20145, 21046, 20147, 20148, 20149, 20150, 21151, 21152, 21153, 21154, 21157 & 21158 oil pans
- Allows for a different plumbing option than was provided with the oil pan originally
- Accepts 22mm thread Moroso No. 22463 or O.E.M. oil filter
- Includes mounting hardware and engine block sealing 0-rings
- Billet aluminum construction

PART # DESCRIPTION

23711 Oil Filter Adapter, Spin-On, GM LS Series, Mounts Filter Sideways





145

REMOTE OIL FILTER ADAPTERS | MOUNTS

FORD 4.6/5.4 MODULAR, REMOTE OIL FILTER ADAPTER

- Anodized adapter replaces larger factory casting
- · Provides for easy plumbing of remote oil filters and coolers
- Enables the plumbing of external, wet or dry sump oil pumps when lower port is plugged
- -16AN fitting supplied for water outlet to radiator
- Includes (2) -10AN to -12AN Fittings for oil line plumbing and (1) -10AN Plug

PART # DESCRIPTION

23681 Remote Oil Filter Adapter, Ford 4.6/5.4 Modular

FORD 5.0 "COYOTE" REMOTE OIL FILTER ADAPTER

- Replaces factory spin-on oil filter mount on engine
- Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired
- Billet aluminum construction with an anodized finish
- Includes mounting hardware and engine block sealing O-rings
- -10AN "IN" and "OUT" ports

PART # DESCRIPTION

23687 Remote Oil Filter Adapter, Ford 5.0 "Coyote" 2011-'14

FORD 5.0 "COYOTE" GEN 1, GEN 2, GEN 3 REMOTE OIL FILTER ADAPTER

(Except in F-150 with factory alternator bracket)

- · Replaces factory spin-on oil filter mount on engine
- Ideal when chassis restrictions don't allow the use of block mounted filter or when a larger external filter is desired
- · Billet aluminum construction with a black anodized finish
- Marked -10 AN "IN" and "OUT" ports
- 1/4" N.P.T. port for Supercharger/Turbo oil feed or Oil Pressure Sender
- Includes mounting hardware and engine block sealing O-rings

PART # DESCRIPTION

23689 Ford 5.0 Modular Remote Oil Filter Adapter



No. 23689

REMOTE OIL FILTER, MOUNTS 1/2" N.P.T.

- Excellent choice for dry sump oiling systems or wherever installation limitations require a remote mounted filter
- Cast aluminum design tapped for 1/2" N.P.T. inlet and outlet pipe adapters, uses spin-on type oil filters
- Center port available for pressure or temp gauge



PART # DESCRIPTION

23700 Remote Oil Filter Mount, Accepts Ford or Chrysler V8 type spin-on filters. Flow direction: inlet right side, outlet left side
23710 Remote Oil Filter Mount, Accepts Ford or Chrysler V8 type spin-on filters. Flow direction: inlet left side, outlet right side
23750 Remote Oil Filter Mount, Accepts Chevy V8 type spin-on oil filters. Flow direction: inlet right side, outlet left side
23760 Remote Oil Filter Mount, Accepts Chevy V8 type spin-on filter. Flow direction: inlet right side, outlet left side

PART # AVAILABLE OPTIONS

 22706
 Fitting, ½" N.P.T. to -10AN

 22708
 Fitting, ½" N.P.T. to -12AN

 22709
 Fitting, -12AN to -10AN, 1 per package







146

REMOTE OIL FILTER MOUNTS

REMOTE OIL FILTER MOUNT, TOP PORTS, ACCEPTS 13/16'', 3/4 '', 22MM OIL FILTERS

- Excellent choice for dry sump oiling systems or wherever installation limitations require a remote mounted oil filter
- Includes three screw-in center nipples for different types of Spin-On Oil Filters; Chevy (¹³/₁₆"), Early Chrysler/Fords/Imports (3⁄4"), GM LS and late Ford (22mm)
- Has a black anodized finish for durability/long-lasting looks and features marked -10AN inlet/outlet ports

PART # DESCRIPTION

23767 Remote Oil Filter Mount, Top Ports, Accepts ¹³/₁₆", ³/₄" & 22mm Oil Filters





OUTLET

INLETS

REMOTE OIL FILTER MOUNTS

Revised Design, Now accepts 22mm Filter

- Now accepts Chevy style spin-on filters ($^{13}_{16}$ " -3- $^{1}_{4}$ " O-ring) and others with $^{3}_{4}$ " -16 thread, 2- $^{5}_{8}$ " O-ring, such as early Ford & imports and 22mm GM LS and Late Ford
- Includes three screw-in center nipples
- Manufactured from billet aluminum for strength
- Black anodized finish to protect against corrosion
- Designed with two -12AN inlets and three outlets, one -12AN and two 1/4" N.P.T.
- Includes one -12AN port plug and two 1/4" N.P.T. plugs
- Easy plumbing of oil pressure lines to turbos, superchargers, and valve spring oilers

PART # DESCRIPTION

- 23763 Billet Aluminum Remote Oil Filter Mount, Side Port Style
 23764 Billet Aluminum Remote Oil Filter Mount, Front Port Style
- PART # AVAILABLE OPTIONS

22709

97641

22749

Fitting, -12AN male to -10AN male Fitting, -12AN male to -12AN male Port Plug, -12AN with 0-ring Seal No. 23764



OUTLET

No. 23763

REMOTE, LARGE DIAMETER OIL FILTER MOUNT

- Machined from 6061-T6 billet aluminum for exceptional strength and weight reduction (1.3 lbs w/out fittings)
- Compact, low profile design (¾" body height) facilitates installation in crowded areas; includes two ¾"-16 threaded holes on backside for mounting
- Anodized finish
- Includes two screw-in adapters to accept a wide range of large-diameter filters including Fram HP-6, Motorcraft FL 784, STP 43R, (Purolator PER 288/L30288), (AC PF1054) and (WIX 51742)
- -12AN inlet and outlet threaded ports are positioned vertically to improve laminar flow
- Includes ¹/₈" N.P.T. port for gauge

PART # DESCRIPTION

23766 Remote, Large-Diameter Oil Filter Mount, Billet Aluminum

PART # REPLACEMENT PART

- 97641 Fitting, -12AN male to -12AN male
- PART # AVAILABLE OPTIONS
- 22706 Fitting, 1⁄2" N.P.T. to -10AN
- 22708 Fitting, 1⁄2" N.P.T. to -12AN



No. 23766



WHAT ARE MOROSO ACCUMULATORS AND HOW ARE THEY USED ON A RACE CAR OR HIGH PERFORMANCE VEHICLE ENGINE?

- Oil accumulators are oil storage tanks, connected into the engine's oiling system that have pressurized air on one side, and engine oil on the other side of a movable piston
- When engine pressure fluctuates due to oil surging away from the pickup during hard acceleration, severe cornering or hard braking, a **Moroso Accumulator** equipped engine provides an instantaneous supply of oil to the engine
- When the fluctuation is over and the oil pump is once again primed with oil, the engine's oil pressure forces this reserve of oil back into the Accumulator. When the engine returns to normal pressure, the Accumulator refills automatically, ready for the next possible occurrence

HOW ARE MOROSO ACCUMULATORS CONSTRUCTED?

- The main body of a **Moroso Accumulator** is constructed out of heavy-wall, high pressure hydraulic cylinder aluminum tubing that has an interior bore which has been micro-rolled and polished with a hardcoat finish
- Inside the Accumulator is a movable, billet aluminum double o-ringed piston, which keeps the air from mixing with the oil
- The difference between the **Moroso Accumulator** and the **Moroso Heavy Duty Accumulator** is the design and construction of the billet aluminum o-ringed end caps. The Accumulators have end caps that hold in the Accumulator body with high tension snap rings. The end caps on the Heavy Duty Accumulator are actually designed like threaded cups, the body threads into these end caps, encompassing the ends of the Accumulator
- On all **Moroso Accumulators**, the end cap on the air side has an air gauge and Schrader valve and on the oil side, a 1/2" N.P.T. fitting end cap for plumbing in the oiling system

WHAT ARE DIFFERENT VALVING OPTIONS FOR MOROSO ACCUMULATORS?

- For an Accumulator to function at their fullest, it needs to have a valve assembly and each **Moroso Accumulator** comes a manual ball valve. The valve has to be manually opened by hand before starting the car to pre-oil the engine, offering surge protection while the vehicle is in use and will close when the engine is turned off
- Moroso offers two styles of optional electric valves: Solenoid Valve (electric), allows remote control of the Accumulator.
 Solenoid Pressure Valve Kits are the best performing for competition vehicles and are offered in different oil pressure ranges of 15-24 PSI, 35-40 PSI discharge and refill. They have all the benefits of the Solenoid Valve but with quicker reaction times because the Solenoid Pressure Valve allows only the needed volume of oil to be released for faster filling and discharging. An internal sensor electronically activates when engine oil pressure drops below normal

CAN I CAUSE ENGINE WEAR JUST BY STARTING MY ENGINE?

- Independent tests have shown that on street cars, over 85% of engine wear is caused by starting an engine, and that these "dry starts" cause premature engine wear
- Moroso Accumulators can prevent cold start scuffing by pre-oiling the engine before start up, thus producing a dramatic increase in cylinder wall, piston ring and bearing longevity

WHICH ACCUMULATOR IS BEST FOR MY APPLICATION?

- 3-Quart capacity Moroso Accumulators are for V-8 and larger, high performance 6 cylinder applications
- 1.5-Quart capacity Accumulators are for 4 & 6 cylinders, applications where a 3-quart capacity will not fit and when the Accumulator's main function is to pre-oil the engine before start up

HOW CAN I PLUMB AN ACCUMULATOR INTO THE ENGINE'S OILING SYSTEM?

Moroso Accumulators require only one line which can be:

- Plumbed into the return line of an oil cooler and/or remote oil filter
- Run through an **Accumulator Adapter** (page 143 that mounts between the engine's spin–on oil filter and the engine)
- Run directly into a oil galley in the engine block that is on the pressure side of the engine's oiling system

CAN I FREE UP HORSEPOWER WITH AN ACCUMULATOR?

• Drag Racers have successfully used Moroso Accumulators to free up horsepower by running less oil in the oil pan


HOW THE ACCUMULATOR WORKS

The Accumulator is tapped to the pressure side of the engine's oiling system. When the engine is running, oil pressure forces reserve oil into the accumulator and compresses the air ahead of it.

If oil pressure should suddenly drop because of hard acceleration, severe cornering or hard braking, the air pressure immediately sends oil to the main galleries. When the danger is over and the pump is once again primed with oil, the oil pressure forces oil back into the Accumulator where it is ready for the next emergency.

> Pressurized Air Moves Piston to Discharge Reserve Oil from


Accumulator



ACCUMULATOR

Protects Against Oil Pressure Loss! Automatic Operation!

- Three quarts of oil under pressure provides emergency supply instantaneously when needed
- Air Pressure gauge verifies that Accumulator is ready for use
- Cold start valve releases oil into cold engine for reduced wear
- Tapped for ¹/₂" N.P.T. fitting
- Can mount in any position using Moroso Accumulator Mounts (see below)
- Includes a manual ball valve



HEAVY DUTY ACCUMULATORS

Protects Against Oil Pressure Loss! Automatic Operation!

- For extreme applications—specially designed caps withstand high pressure
- Smaller size allows installation in vehicles with limited space
- 3 or 1.5 guarts of oil under pressure provide emergency supplyinstantaneously when needed

· /!\ WARNING Prop. 65

www.P65Warnings.ca.gov

- Air Pressure gauge verifies that Accumulator is ready for use
- Cold start valve releases oil into cold engine for reduced wear
- Tapped for 1/2" N.P.T. fitting
- Can mount in any position using Moroso Accumulator Mount No. 23921
- Includes a manual ball valve

PART # DESCRIPTION

239020 Heavy Duty Accumulator, 3 quart capacity, 23" x 4-3/4" cylinder 23903o Heavy Duty Accumulator, 1.5 quart capacity, 12" X 4-1/4" cylinder

PART # AVAILABLE OPTION


23921o Accumulator Mount for Heavy Duty Style

ACCUMULATOR MOUNTS

- Brackets provide safe, sure mount for Moroso Accumulators
- Designed to be easily fastened to any flat surface
- Includes T-Bolt type clamps accepted by NHRA
- Two per package

PART # DESCRIPTION

23920o Accumulator Mount for Nos. 23900, 23901 and 23930 23921. Accumulator Mount for Heavy Duty Style Nos. 23902 and 23903





No. 23900

PART #	AVAILABLE OPTIONS
22706	Fitting, 1/2" N.P.T. to -10AN
22708	Fitting, 1/2" N.P.T. to -12AN
22709	Fitting, -12AN to -10AN, 1 per package
23920	Accumulator Mount
PART #	REPLACEMENT PART

O-rings, 4 per package

97530







No. 23903

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-



DILING SYSTEM EQUIPME

OIL CHECK VALVE, ONE WAY

- $\frac{1}{2}$ " N.P.T. to $\frac{1}{2}$ " N.P.T. One Way
- For use with oil accumulators and oil coolers
- For prevention of oil drain-back

PART # DESCRIPTION

23875 Check Valve, One Way

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 23875

SOLENOID PRESSURE VALVE KIT

Best for Competition—kit includes Moroso Part No. 23905 Solenoid Valve plus a Pressure Valve

- Better than a regular manual electric valve—our Solenoid Pressure Valve allows only the needed volume of oil to be released for quicker filling and discharging
- Screw-in sensor electronically activates when engine oil pressure drops below normal. When engine returns to normal pressure, the accumulator refills automatically, ready for the next possible occurrence
- Best to use in remote mount situations, where accessing a manual valve is not an option
- Easy three-wire hookup
- Comes in two pressure ranges; choose the one that best suits your engine combination

PART # DESCRIPTION

- 23907↔ Electronic Pressure Control Accumulator Solenoid Valve, 12 volt, 15-24 PSI discharge and refill
- 23908↔ Electronic Pressure Control Accumulator Solenoid Valve, 12 volt, 35-40 PSI discharge and refill



Do not use with fuels.

No. 23907

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

SOLENOID VALVE

- Allows remote control of fluid flow from the driver's seat
- Each side of the solenoid valve contains a 1/2" N.P.T. female port
- 1/2" N.P.T. male nipple also included if required for elbows or for other plumbing needs
- Solenoid Valve is open when toggle switch is on, when switched off remains closed
- regardless of ignition switch position
- Use the toggle switch and 16 gauge wire included in the kit to wire the valve (use one of Moroso's many Switch Panels for a professional installation)
- A 20-amp fuse must be used between the power source and the switch
- Use a power source that is active (i.e., "hot") only when the ignition switch is in the "ON" position

PART # DESCRIPTION

23905. Solenoid Valve, 12 volt, with 1/2" N.P.T. female ports

- **22706** Fitting, $\frac{1}{2}$ " N.P.T. to -10AN, 1 per package
- 22708 Fitting, ½" N.P.T. to -12AN, 1 per package
- 22709 Fitting, -12AN to -10AN, 1 per package
- CAUTION! Do not use with fuels.






• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

Then good looks are important, Moroso Chrome Oil Filters are the way to go! Outside is a triple process chrome plated steel housing that's hand polished and rack nickled before chroming to insure the highest luster possible. Inside is a heat cured, resin impregnated filter element that has been engineered to exceed OEM specifications for filtration efficiency.

ENGINEERED FOR HIGH FILTRATION EFFICIENCYA



6439857

6438384

6437946

6435679

LF29,

LF29HP

LF1,

LF1HP

PART

FRAM

PH30

PH3506

PH13

HP4

PH8A

HP1

PUROLATOR

L20049

L14006

L30040

L30001

MOROSO

22300

22305

22320

22400

- 223000 Chrome Oil Filter, Chevy type, Short Design (4-9/32" high), 13/16" -16UNF thread
- 223050 Chrome Oil Filter, GM LS Series, 1997-2006, 13/16" -16UNF thread
- Chrome Oil Filter, Chevy type, Long Design (5-1/4" high), 13/16" -16UNF thread 223200

CHROME OI

MOTORCRAFT

FL10

FL330

FL12

FL1A

Chrome Oil Filter, Ford/Chrysler type, Long Design (5-1/4" high), 3/4" -16UNF thr 224000

51061

51515

PF35

PF2

ong Design (5-%" nign), %" - 160NF thread							
DIL FILTER CROSS REFERENCE							
WIX	AC	GM	LEE	HASTINGS	CHRYSLER	FORD	STP
51069	PF25	6438261	LF25,	LF225			S-025
			LF25HP				
51042	PF46	25010251	LF44	LF232	L321		S-3506

LF24, LF224

LF15, LF115

185658

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

S-029


S-01A

C1AZ-6731A

D9AZ-6731A

A fter many years of designing and testing racing oil systems and related components, we've determined what's most important to oil filtration. Many filter manufacturers stress the importance of filtering the smallest particles out of your engine's oil, with references to "micron ratings" of 10 or less for a filter's efficiency. With the help of research performed by filtration technology experts, Moroso engineers have determined that particles smaller than 20 microns in diameter are not large enough to produce engine wear. Furthermore, we've found that filters with extremely low micron ratings create an excessive pressure drop across the filter. They can be so restrictive that the filter by-pass valve can open. With the by-pass valve open, unknown to you—NO FILTRATION will occur!

To maximize filter performance, Moroso Racing Oil Filters have a rating of 27 microns, which produces a maximum initial restriction of only 2.5 psi when tested to SAE J806! The result is less pressure drop, more flow, less oil by-pass and maximum filtration performance important in severe racing conditions.



MOROSO	FRAM	PUROLATOR	MOTORCRAFT	WIX	AC	GM	K&N	HASTINGS	CHRYSLER	FORD	STP
224590	PH30 TG30	L20049	FL10	51069	PF25	6438261	HP-2002	LF225			S-025
22460 ⇔	PH13 TG13 HP4	L30040	FL12	51061	PF35	6438384 6437946 6435679	HP-3002	LF24, LF224			S-029
22461 0	PH373	L40084	FL308	51794	PF932	6439034	HP-6002	LF226			
22462 ↔	PH3506	L14006	FL330	51042	PF46	25010251 6439857	HP-1007	LF232	L321		S3506
22463 ↔	PH2 PH10060	L1222 L24651	FL820S	57060 51372	PF48 PF1250	19160693 89017524	HP-2010	LF110 LF636	4884899AB 4892339A	FL820 F1AZ6731A	S2 S10060
22470 ∘	PH8A TG8A	L30001	FL1A	51515	PF2		HP-3001	LF15, LF115	185658	C1AZ-6731A D9AZ-6731A	S-01A

OIL FILTER APPLICATION CHART

	Oll	FILTER	APPI
MAKE	MODEL	CHROME	RACING
YEAR	MODEL	FILTER	FILTER
AMC			
-		00005	00400
1990-1971	All 4.2L/258/V-8	22305	22462
BUICK			
1980	5.0L 305 cid	22300	22459
1979-1978	305, 350(L)	22300	22459
<u>1977</u> 1975	305, 350 Century, Regal	22300 22300	22459 22459
1974-1969	All 6 cyl. engs. (exc. V6) All 6 cyl. engs.	22300	22459
1968	All 6 cyl. engs.	22320*	22460*
CADILLAC	All o byl. oligo.	1 22020	
2014-2007	CTS/CTSV/STS 6.0, 6.2L engs.		22463
2006-2009	CTS/CTSV/STS 5.7, 6.0L engs.	22305	22462
2014-2007	Escalade 6.2L engs.	22000	22463
2006-2003	Escalade 5.3, 6.0L engs.	22305	22462
2005-2009	XLR 4.6L	22305	22462
CHEVROLET			
2015-2010	Camaro 6.2, COPO		22463
2002-1998	Camaro 5.7	22305	22462
1997-1994	Camaro LT1, 5.7(P)	22300	22459
2015-2007	Corvette Z06 6.0. 6.2. 7.0L engs.		22463
2006-1997	Corvette Z06 5.7, 6.0L engs.	22305	22462
1993-1992	All V8 engs. (exc. Corvette)	22300	22459
1991	All V8 engs. (exc. 5.7(J))	22300	22459
1000 1000	All V8 engs. (exc. 5.0(Y), 5.7(J),(7)),	22300	22459
1990-1989	5.7(7) Police w/o oil cooler only	22320*	22460*
1988-1986	All V8 engs. (exc. 5.0(Y), 5.7(6) Police)	22300	22459
1900-1900	5.7(6) Police w/o oil cooler only	22320*	22460*
1985-1982	All V8 engs. (exc. Diesel, 5.7(6),(L) Police)	22300	22459
1903-1902	5.7(6),(L) Police w/o oil cooler only	22320*	22460*
1981-1969	All V8 engs. (exc. Diesel)	22300	22459
1968	All V8 engs.	22320*	22460*
1967-1964	All Chevy II, Nova	22320*	22460*
1979-1969	All 6 cyl. engs. (exc. V6)	22300	22459
1968-1963	All 6 cyl. engs. (exc. Corvair)	22320*	22460*
1978-1971	All Vega, Monza	22300	22459
1968-1962	All Chevy II	22300	22459
	TRUCK / GMC TRUCK		
2015-2007	1500/2500/3500 4.8, 5.3, 6.2, 6.0L engs.	_	22463
2006-2003	1500/2500/3500 4.8, 5.3, 6.0L engs.	22305	22462
1990-1988	All V8 engs. (exc. K Series)	22320*	22460*
1987-1977	All V8 engs. (exc. El Camino, Caballero)	22320*	22460*
1007 1077	El Camino, Caballero only	22300	22459
	All V8 engs.	22320*	22460*
1976	(exc. El Camino, Sprint, & 2 bbl. Blazer)		
	El Camino, Sprint & 2 bbl. Blazer only	22300	22459
1975-1969	All V8 engs. (exc. El Camino, Sprint)	22320*	22460*
	El Camino, Sprint only	22300	22459
<u>1968</u> 1989-1985	All V8 engs. with spin-on filter	22300 22300	22459 22459
1984-1970	4.8(T) 1 bbl. 4.1L 250 2 bbl., 4.8L 292 1 bbl.	22300	22459
1000 1000		22300	22459
CHRYSLER	All 6 cyl. engs. with spin-on filter	22000	22403
	0000 5 7 0 1/0 41		00400
2015-2008 1972-1959	300C 5.7, 6.1/6.4L engs. All V8 engs. with spin-on filter	22400	22463 22470
	All vo engs. whit spin-on line	22400	22470
DODGE	Marca 0.4L same		00.100
2014-2008	Viper 8.4L eng.		22463
2015-2008	Challenger, Charger, Magnum 5.7, 6.1/6.4L		22463
1972-1963	engs. All V8 engs. with spin-on filter	22400	
1972-1963	All v8 engs. with spin-on filter All "B" Series engs.	22400 22400	22470 22470
1962-1961	All 6 cyl. engs. with spin-on filter	22400	22470
DODGE TRUC		1 22700	22410
2011-2008			22463
	Dakota, Durango 4.7, 5.7L engs.		
2015-2008 1974-1964	Ram 1500, 2500, 3500 4.7, 5.7L engs. All V8 engs. with spin-on filter	22400	22463 22470
	All V6 engs. with spin-on filter		
1974-1965	(exc. cartridge type spin-on)	22400	22470
FORD	(exe. cartinge type spin on)		
	Crown Viotoria A CL and		00460
2010-1992 2015-1996	Crown Victoria 4.6L eng.		22463 22463
1995-1996	Mustang 4.6L/5.0L/5.4L engs. Mustang 5.0L eng.	22400	22463
1993-1994	All V8 engs. (exc. Crown Victoria, LTD)	22400	22470
1993-1992	All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400	22470
1988-1986	All V8 engs. w/o oil cooler	22400	22470
1985-1984	All V8 engs. w/o oil cooler (exc. 5.0L H.O.)	22400	22470
1983-1980	All V8 engs. (exc. 5.8L 2 bbl. w/oil cooler)	22400	22470
1979-1975	All V8 engs. (exc. Mustang II)	22400	22470
1974-1957	All V8 engs. with spin-on filter	22400	22470
		22400	22470
1985-1980 1979-1975	All 6 cyl. engs. All 6 cyl. engs. (exc. Pinto & Mustang II)	22400 22400	22470 22470
1985-1980	All 6 cyl. engs.		
1985-1980 1979-1975	All 6 cyl. engs. All 6 cyl. engs. (exc. Pinto & Mustang II)	22400	22470
1985-1980 1979-1975 1974-1957	All 6 cyl. engs. All 6 cyl. engs. (exc. Pinto & Mustang II) All 6 cyl. engs. with spin-on filter	22400 22400	22470 22470
1985-1980 1979-1975 1974-1957 1993-1992	All 6 cyl. engs. All 6 cyl. engs. (exc. Pinto & Mustang II) All 6 cyl. engs. with spin-on filter 2.3(M)	22400 22400 22400	22470 22470 22470

MAKE Year	MODEL	CHROME Filter	RACING Filter
FORD contin	nued		
1983-1978	All 4 cyl. engs.	22400	22470
	(exc. Fiesta, Escort, Exp)		-
<u>1977-1974</u> 1973-1971	All 4 cyl. engs. 2.0L engs.	22400 22400	22470 22470
FORD TRUCI		22100	22-110
2014 1007	Excursion, Expedition		00460
2014-1997	4.6, 5.0, 5.4, 6.8L engs.		22463
2010-1996	Explorer 4.6, 5.0L engs.	22306	22463
2014-1994	F-150, F-250, F-350, F-450 4.6, 5.0, 5.4, 6.8L engs.	22306	22463
1998-1983	All V8 engs. (exc. Diesel)	22400	22470
1000 1000	5.8 (R), 1996-94 5.8 (H))	22400	22470
1982-1960	All V8 engs. with spin-on filter All 6 cyl. engs.	22400	22470
1998-1983	(exc. Diesel, 3.0(U) w/Fuel Inj.)	22400	22470
1982-1960	All 6 cyl. engs. with spin-on filter	22400	22470
1996-1983	All 4 cyl. engs. (exc. Diesel)	22400	22470
	Chevrolet Truck		
HUMMER			~~ · ~ ~
2006-2003	H2 6.0 L	22305	22462
JEEP			
2015-2008	Commander, Gr. Cherokee 4.7, 5.7,	22305	22462
1986-1982	6.1L engs. CJ, All 4.2L/258		
LINCOLN	00,711 T.LL/L00		
1990-1957	All 8 cyl. engs. with spin-on filter	22400	22470
MERCURY	mi u uyi. Etiyə. Willi əpiri-Uli ililei	22400	224/0
1993-1992	5.0(T) w/Fuel Inj.	22400	22470
1991	All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400	22470
1990-1988	5.0(F) w/Fuel Inj.	22400	22470
1987-1986	All V8 engs. w/o oil cooler	22400	22470
1985-1984	All V8 engs. w/o oil cooler (exc. 5.0L H.O., 5.8(G))	22400	22470
1983-1980	All V8 engs. w/o oil cooler	22400	22470
1979-1957	All V8 engs. with spin-on filter	22400	22470
1987-1986	All 6 cyl. engs. (exc. Sable)	22400	22470
1985-1980 1979	All 6 cyl. engs. All 6 cyl. engs. (exc. Bobcat)	22400 22400	<u>22470</u> 22470
1978-1977	All 6 cyl. engs. (exc. V6)	22400	22470
1976	Comet, Monarch w/6 cyl. engs.	22400	22470
1975-1974	All 6 cyl. engs. (exc. V6)	22400	22470
1973-1957 1991-1989	All 6 cyl. engs. with spin-on filter Topaz only	22400 22400	<u>22470</u> 22470
1988-1987	2.3(S),(X)	22400	22470
1986	2.3(A),(R),(S)	22400	22470
1985	2.3(A),(S),(X)	22400	22470
1984-1983 1982-1981	2.3L w/1 bbl. carb All 4 cyl. engs. (exc. Lynx, LN-7)	22400 22400	<u>22470</u> 22470
1980-1973	All 4 cyl. engs.	22400	22470
	2.0L engs.	22400	22470
OLDSMOBIL	E		
1992	5.0(E), 5.7(7)	22300	22459
1991	5.0(E) Custom Cruiser	22300	22459
1987-1986 1980	5.0(H) Cutlass Supreme (Canada only) 5.0L Cutlass	22300 22300	22459 22459
1979-1977	305, 350(L)	22300	22459
1976-1966	All 6 cyl. engs. (exc. V6)	22300	22459
1978-1976	All 4 cyl. engs.	22300	22459
PLYMOUTH	AU1/0	00.17-	
1972 1971-1965	All V8 engs. (exc 318 cid) All V8 engs. with spin-on filter	22400 22400	<u>22470</u> 22470
	All "A", "B" Series engs.		
1964-1963	(exc. Fleet cars)	22400	22470
1962	All V8 engs. w/4 bbl. carb.	22400	22470
1001 10-0	All "B" Series engs.	22400 22400	<u>22470</u> 22470
1961-1958 1972-1960			6641U
1972-1960	All 6 cyl. engs. with spin-on filter	22400	
1972-1960 PONTIAC		22400	
1972-1960	G8 6.0, 6.2L engs. G70 5.7, 6.0L engs.	22305	22463 22462
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998	G8 6.0, 6.2L engs. GTO 5.7, 6.0L engs. Firebird 5.7L eng.	22305 22305	22463 22462 22462
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990	G8 6.0, 6.2L engs. GTO 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs.	22305 22305 22300	22463 22462 22462 22459
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990 1989-1986	68 6.0, 6.2L engs. GT0 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs. All V8 engs. (exc. 5.0(Y))	22305 22305 22300 22300	22463 22462 22462 22459 22459 22459
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990 1989-1986 1985-1982	G8 6.0, 6.2L engs. GT0 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs. All V8 engs. (exc. 5.0(Y)) All V8 engs. (exc. Diesel)	22305 22305 22300	22463 22462 22462 22459
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990 1989-1986	68 6.0, 6.2L engs. GT0 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs. All V8 engs. (exc. 5.0(Y))	22305 22305 22300 22300 22300 22300	22463 22462 22462 22459 22459 22459 22459
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990 1989-1986 1985-1982 1981-1980 1979-1978 1972-1971	G8 6.0, 6.2L engs. GT0 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs. All V8 engs. All V8 engs. S.0(H) 4 bbl. 5.0L, 5.7(L) engs. 307 cid only	22305 22305 22300 22300 22300 22300 22300 22300 22300	22463 22462 22462 22459 22459 22459 22459 22459 22459 22459
1972-1960 PONTIAC 2010-2008 2006-2004 2002-1998 1997-1990 1989-1986 1985-1982 1981-1980 1979-1978	G8 6.0, 6.2L engs. GT0 5.7, 6.0L engs. Firebird 5.7L eng. All V8 engs. All V8 engs. (exc. 5.0(Y)) All V8 engs. (exc. 5.0(Y)) 5.0(H) 4 bbl. 5.0L, 5.7(L) engs.	22305 22305 22300 22300 22300 22300 22300 22300	22463 22462 22462 22459 22459 22459 22459 22459 22459

*NOTE: The shorter Nos. 22300 and 22459 filters may be used in this application, if desired. For maximum filtration performance, always use the largest filter possible.

OIL FILTERS & SCREENS

ENGINE SAVER

Pre-Filter Screen

- Fits all Small Block, Big Block and 90° V6 Chevy engines with spin-on oil filters
- Unique stainless steel screen locates on top of spin-on oil filters to trap debris before it enters the filter element undetected
- Particulate matter trapped in the screen and detected during periodic inspections serves as an "early warning signal" for impending engine failures
- 304 stainless steel filtration-grade screen traps contaminants down to the 280 micron range without affecting oil flow or oil pressure
- Crimped rings at both outside and inside diameters provide increased strength and extended durability
- · Designed in cooperation with Jomar Racing Engines

PART # DESCRIPTION

23845. "Engine Saver" Pre-Filter Screen. Small Block, Big Block and 90° V6 Chevy

IN-LINE SCREENED OIL FILTERS

- Prevents metal chips and other debris from entering dry sump pumps, rear end pumps & other oiling system components
- · Ideal for use in oiling system scavenge lines
- Disassembles for easy cleaning
- Manufactured from lightweight aluminum
- 304 stainless steel screen uses .018" diameter 16 mesh wire

PART # DESCRIPTION

23850↔ In-Line Screened Oil Filter, -10AN fittings
 23860↔ In-Line Screened Oil Filter, -12AN fittings
 23870↔ In-Line Screened Oil Filter, -8AN fittings

PART # REPLACEMENT PART 97050 Filter Element

FILTER FITTING SCREEN KIT

- Install in fittings to trap metal chips and debris
- Ideal for use on dry sump pumps, external oil pumps, rear end pumps, etc.
- 304 stainless steel screen uses .015" diameter 16 mesh wire
- Dimensions: .817" O.D. x 1.75" long
- · Includes epoxy cement and 4 screens per kit
- Machining required for installation

PART # DESCRIPTION

23965. Filter Fitting Screen Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects. or reproductive harm-

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm


OIL RETURN SCREEN KITS


- Inexpensive engine insurance!
- Traps metal fragments or loose components resulting from valvetrain failure before reaching vital engine parts
- Stainless steel mesh screens are fitted over holes in lifter valley with supplied epoxy

PART # DESCRIPTION

25000 0	Oil Return Screen Kit, Small Block Chevy. Inc	ludes 8 oil
	return hole plugs to redirect oil to front/rear	return galleries.
	Includes filter screens and epoxy	-
25001 ↔	Oil Return Screen Kit, Big Block Chevy.	• A v
	Includes 4 screens and epoxy	This product con to the state of C

25026 ·· Oil Return Screen Kit, Dart SHP SBC







No. 23860





No. 23965

No. 25000

DILING SYSTEM EQUIPMENT

OILING SYSTEM EQUIPMENT

ENGINE MAGNET KIT

- Use with any engine to minimize damage caused by valvetrain failures
- · Magnets pick up metal fragments before reaching critical areas
- Place them in strategic locations near cylinder head and lifter valley drainback holes or in dry sump tank
- Includes: 4 each of 2-sized magnets
 (1-1/8" 0.D. 3/8" I.D. and 7/8" 0.D. 3/8" I.D.) and Epoxy

PART # DESCRIPTION 22710↔ Engine Magnet Kit • 21 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• 21 WARNING Prop. 65 his product contains a chemical known the state of California to cause cancer

birth defects, or reproductive harm-

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

• <u>VARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harm



LOW OIL PRESSURE WARNING LIGHT

- · Quick-response switch immediately alerts the racer to a low oil pressure condition
- Sending unit is factory set at 15 PSI. If a setting other than 15 PSI is desired, this Sending unit is easily adjustable by removing rubber cap and adjusting with Allen wrench
- Extra large 2-1/2" diameter Lexan lens is impossible to ignore
- Light assembly is rubber-mounted to protect against shock

PART # 495000	DESCRIPTION Low Oil Pressure Warning Light Kit	
PART #	REPLACEMENT PART	Tr
97015	Low Oil Pressure Switch	to

OIL PRESSURE GAUGE

- 1.5" Diameter, 0-120 PSI
- Necessary for racing applications where high oil pressures above the range of typical oil pressure gauges—are used
- Will fit any 1/8" N.P.T. male thread
- Excellent vibration and shock resistance

PART # DESCRIPTION

89611. Oil Pressure Gauge, 1.5" Diameter, 0-120 PSI







CRANKCASE EVACUATION SYSTEM

- Reduces crankcase pressure throughout entire rpm range for increased piston ring seal, reduced intake charge contamination and fewer oil leaks
- Track and dyno tests prove increases in engine performance
- Includes 2 each: Oil Separators/Breathers, Breather/Filler Cap Grommets, One-Way Check Valve and Weld-In Nipple for header collector, use with %" dia. hose

PART # D	ESCRIPTION
----------	------------

25900* ·· Crankcase Evacuation System

PART # ACCESSORIES

68788 Breather

PART # REPLACEMENT PARTS

- 68780 Oil Separator/Breathers
- 97800 Check Valve for Header Collector
- 97810 Weld-in Nipple for Header Collector

*Cannot be used on cars with mufflers





OILING SYSTEM EQUIPMENT

VALVETRAIN OIL DEFLECTOR

Fits: All SBC and Ford 289-302 engines with stamped rocker arms

- Redirects oil from pushrod to fulcrum balls, rockers and springs to provide maximum lubrication and cooling
- Extends life of stock valvetrain assembly
- Helps eliminate excessive oil accumulation in breather tank when vacuum pump is used
- Manufactured from lightweight .100" aluminum
- Mounts easily to stock rocker arm studs
- Includes mounting hardware
- · Can be easily adapted to many other applications

PART # DESCRIPTION

67700 Valvetrain Oil Deflector. Must use with tall valve covers. Polylocks not included



No. 67700

LIFTER VALLEY OIL BAFFLES

- · Increases horsepower by shielding bottom of intake manifold from hot oil
- · Keeps surplus oil out of valve covers by eliminating oil splash
- Maintains oil pressure during pushrod or rocker arm failure by keeping lifters in their bores (except with roller cam)
- Due to slight variations in blocks, the baffle may have to be trimmed .060"-.100" before it will "snap" into place
- · Cannot be used with roller lifters

PART # DESCRIPTION

25050	Lifter Valley Oil Baffle, Small Block Chevy, including 18° heads
25100	Lifter Valley Oil Baffle, Big Block Chevy
05450	Lifter Velley, Oil Deffle, Chrysler 072, 200

25150 Lifter Valley Oil Baffle, Chrysler 273-360



No. 25050



LIFTER VALLEY VENTS

- Positive ventilation to upper engine
- Prevents drainback to crankshaft
- Helps stop excessive windage and horsepower loss
- All aluminum 8 per kit

PART # DESCRIPTION

25025 Lifter Valley Vents. Fits: SBC and others, 1/4" N.P.T. with Hex Head

GM VALLEY PLATES

Aluminum, ¼" Thick

- · Cost-effective alternatives to the factory GM pieces
- Does not have the two provisions for knock sensors, which are usually not used in racing applications, as open headers, solid lifter cams and stiff suspensions can false trigger them
- Engines that are using a carburetor and distributor also do not need the provisions for the knock sensors, which creates a cleaner installation
- Aluminum plate construction weighs less than the factory cast piece and allows specific bungs to be added
- Can be used on factory and aftermarket GM LS Series style engine blocks

PART # DESCRIPTION

25177Valley Plate, Aluminum For GM LS1, LS2, LS6 & C5R**25178**Valley Plate, Aluminum For GM LSX, LS3 & LS7



No. 25177



No. 25178

156

OIL RESTRICTOR KITS

- Reduces oil flow to upper engine assembly, leaving more oil available for the rod and main bearings
- Reduces power-robbing windage by reducing the volume of oil passing by the rotating assembly on its return to the pan

 Do not use with hydraulic lifters 		
PART #	DESCRIPTION	
22000	Oil Restrictor Kit. SBC and BBC engines, .060" orifice dia. Oil delivery	
	holes at rear cam bearing must be tapped to install. Two per pack	
22010	Oil Restrictor Kit. SBC and BBC engines, .0625" orifice dia. Screws into	
	existing lifter galley cleaning plug holes at back of block. Two per pack	
22016	Oil Restrictor Kit. Fits newer GM-Style blocks	
	(including Mark V and Gen VI),.0625" orifice diameter with oil	
	lifter galley bosses flush with bell housing face. Two per pack	
22017	Oil Restrictor Kit. Fits Merlin II blocks, .0625" orifice	
	diameter. Screws into existing lifter galley cleaning plug	
	holes at back of block. Two per pack	

- 22018 Oil Restrictors, Dart SHP SBC, fits stock lifter bore .843 only
- 22045 Oil Restrictor Kit. Ford 302-351W and Dart Iron Eagle Ford blocks. Kit includes: Four - Cam Bearing Restrictors (used in Ford & Dart Blocks); One - 7/16" -14 Restrictor for Lifter Gallies (Ford Only); One - 1/8" N.P.T. Restrictor for Lifter Gallies (Dart); One - 1/8" N.P.T. Plug for Lifter Gallies (Dart)
- 22050 Oil Restrictor Kit. Ford 351 Cleveland, designed and used by Roush-Fenway Racing. Five per pack







200n No. 22010

No. 22016

0000

No. 22017

AN ALUMINUM PORT PLUGS

Aluminum -12AN Port Plugs are used to seal threaded female ports in fluid systems

- · Billet Aluminum, anodized
- Comes with O-ring seal

PART # DESCRIPTION Port Plug, -12AN with O-Ring Seal, Anodized 22749



No. 22749

HIGH-PRESSURE OIL PUMP RELIEF SPRING

Designed by Jack Roush Fits: Ford 351C & 400 Engines

- Fits Melling M84A and M84AHV oil pumps
- Increases oil pressure to approximately 100 psi for proper lubrication under sustained high rpm conditions

PART # DESCRIPTION

22850 High-Pressure Oil Pump Relief Spring, Ford 351C and 400





OILING HEATING EQUIPMENT

EXTERNAL HEATING PADS

- New and improved lamination process
- Excellent for pre-heating of oil pans, tanks and automatic transmission pans
- · Available with self-adhesive or hook/spring attachment methods
- · Etched foil design distributes heat evenly
- Superior grade silicone outer shell resists oil and dirt

PART # DESCRIPTION

23995↔ External Heating Pad, 6" x 12", hook and spring attachment. 360 Watts. 8" 110V cord
23996↔ External Heating Pad, 5" x 7", self-adhesive. 400 Watts (min). Heats oil from 66°F to 160°F in only 25 minutes. 36" 110V cord
23997↔ External Heating Pad, 2" x 15", self-adhesive. 150 Watts. Perfect for slender areas of oil pans/dry sump tanks. 36" 110V cord

PART # AVAILABLE OPTION

64929 Throttle Return Springs For Part No. 23995 • A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-







OIL PREHEATERS

- Heater element designed specifically for heating oil; does not scorch or boil the oil like "converted water heater" designs
- 212 watts of power raises temperature of 12 quarts of oil 60°F in about 30 minutes
- · Element screws into place; available with aluminum or steel 1" N.P.T. fitting
- 120 volt rating; includes detachable 7-foot cord
- Length of heating element is 4-1/2" from fitting to tip

PART # DESCRIPTION

23980↔ Oil Preheater, Internal, Aluminum Fitting **23990**↔ Oil Preheater, Internal, Steel Fitting

PART # REPLACEMENT PART

97590 ·· Electric Cord

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmNo. 23990

OIL PREHEATER, SELF-CONTAINED

- Heater element designed specifically for heating oil; does not scorch or boil the oil like "converted water heater" designs
- 212 watts of power raises temperature of 12 quarts of oil 60°F in about 25 minutes
- 400 watts of power, 110-120 volt rating
- Aluminum, 1/2" -14 N.P.T. weld-in bung and 3 ft. cord included
- Length of heating element is 4-3/4" from fitting to tip

PART # DESCRIPTION

23991 •• Oil Preheater, Self Contained

PART # AVAILABLE OPTION

22737 Steel Weld-In Bung, ½" -14 N.P.T.

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reoroductive harm-



-AN FITTINGS

Aluminum

- Can be used on oil system components, Moroso Part Nos. 23700, 23710, 23750. 23760, 23770, 23782, 23780, 23690, 23692, 23840, 23900, 23901 or 23905
- · Can be used with cooling system components, Moroso Part
- Nos. 63650, 63651, 63655, 63656, 63420, 63421 Part No. 22709 can be used with No. 23766
- PART # DESCRIPTION

FAILT #	DESCHIFTION						
22706	Fitting, 1/2" N.P.T. to -10AN, 1 per package						

- Fitting, 1/2" N.P.T. to -12AN, 1 per package 22708
- 22709 Fitting, -12AN to -10AN, 1 per package







No. 22708 No. 22709 No. 22706

AN FITTINGS WITH O-RING For Dry Sump Pumps, Tanks and Other Applications Radiused on inlets to reduce restriction for greater flow Black anodized billet aluminum Includes 0-ring seal PART # DESCRIPTION

22604 0	Fitting, -8AN Male to -8AN Straight O-ring Side
22605	AN Fittings, -10AN to -10AN, 2 per package
22606	AN Fittings, -10AN to -12AN, 2 per package
22620	AN Fitting, -12AN to -12AN, 1 per package
22622	AN Fitting, -16AN to -16AN, 1 per package

• ZI WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-



No. 22604



No. 22606





No. 22620

No. 22622

-20AN HEMI PAN FITTING

- Designed to plumb oil lines to -20AN pickups in Hemi oil pans
- · Black anodized billet aluminum
- · Radiused inlet increases flow for improved oiling
- Includes 0-ring

PART # DESCRIPTION

22625 Hemi Pan Fitting, -20AN to -20AN, 1 per package



SPECIAL REPLACEMENT FITTINGS

- Special clearanced Fittings
- -12AN for Moroso Vacuum Pump Nos. 22640, 22641 and 22642 and Remote Oil Filter Mount No. 23766
- -16AN for Moroso Vacuum Pump No. 22643
- Black anodized billet aluminum
- Radiused inlets to reduce restriction for greater flow
- Includes 0-ring

PART # DESCRIPTION

97641 Replacement Threaded Fitting, -12AN, 2 per package 22626 Threaded Fitings for No. 22643, -16AN, 2 per package





AN FITTINGS & WELD-ON BUNGS

EXTERNAL WET SUMP OIL PUMP FITTINGS

- Helps prevent cavitation by allowing a larger diameter hose to be used, which acts as a storage container
- For use with external wet sump pumps and pans with -10AN or -12AN fittings
- Includes 0-ring



- PART # DESCRIPTION
- 22703 Fitting, -10AN to -16AN Adapter, 1 per package 22704 Fitting, -12AN to -16AN Adapter, 1 per package

No. 22703

FILTER FITTINGS

Designed to trap metal chips and debris before reaching external or dry sump oil pumps, or rear end lube pumps

- 304 stainless steel screen uses .015" diameter, 16 mesh wire
- Two styles available: External Screen for oil pan and tank outlets & Internal *Screen* for inlet sides of oil pumps
- Useful in applications where space limitations prevent the use of an in-line filter
- Easily removed for cleaning

PART # DESCRIPTION

- Filter Fitting, External Screen, 3/4" N.P.T. to -12AN male, one per package 239600
- Filter Fitting, External Screen, -12AN male to -12AN male, one per package **23961**↔
- 239620 Filter Fitting, External Screen, -16AN to -16AN, one per package
- Filter Fittings, Internal Screen, -10AN to -12AN, two per package 22610o
- 239630 Fitting, -12 AN Male to -16 AN Male with External Screen, one per package

PART # **AVAILABLE OPTIONS**

- 22706 Fitting, 1/2" N.P.T. to -10AN, 1 per package 22708 Fitting, 1/2" N.P.T. to -12AN, 1 per package 22709 Fitting, -12AN to -10AN, 1 per package
 - MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer,
 - birth defects, or reproductive harm-










WELD-ON -AN BUNGS

- Weld-on bungs for use with aluminum radiators. overflow tanks, oil tanks, oil pans, etc.
- · Provides adapters for return or feed hoses, pressure gauges, turbo drainbacks or other custom plumbing requirements
- Aluminum
- One per package





No. 22717

No. 22716





No. 22718 No. 22711

No. 22712 No. 22719

No. 22713

No. 22720

No. 22714 No. 22715 No. 22722



No. 23962

No. 23961

No. 23960









No. 22727

WELD-ON NPT BUNGS

- · Weld-on for use with oil pans, fuel tanks/fuel sump, turbo drainbacks, feed hoses, pressure gauges or other requirements
- One per package, female

PART # DESCRIPTION

- 22724 Weld-On Bung, 1/8" N.P.T., Aluminum 22725 Weld-On Bung, 1/4" N.P.T., Aluminum 22726 Weld-On Bung, 3/8" N.P.T., Aluminum 22727 Weld-On Bung, 1/2" N.P.T., Aluminum 22728 Weld-On Bung, 3/4" N.P.T., Aluminum Weld-On Bung, 1" N.P.T., Aluminum 22729
- 22737 Weld-On Bung, 1/2" N.P.T., Steel





No. 22728

No. 22724

No. 22726

No. 22737

NON-WELD -10AN MALE FITTING

- Non-weld kit, makes it easy to add a leak proof fitting to oil pans for oil returns, valve covers etc., without having to actually weld the fitting
- Perfect for adding a fitting to steel or aluminum with up to a 1/8" max. wall thickness
- 0-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld No. 22753

No. 22729

NON-WELD -12AN MALE, **BAFFLED FITTING KIT**

- Provides an easy way of adding a -12AN male fitting to a steel or aluminum flat surface without welding
- Since no welding is required, there is not the possibility of heat damage to the surface or the need to take the piece to get welded
- Billet aluminum mounting plate features an o-ring and hardware for leak free sealing
- Includes optional interior baffle and mounting hardware
- -12AN fitting screws into base plate and can be tighten down with built-in hex

PART # DESCRIPTION

22754 Fitting Kit, -12AN Male Non-Weld Baffled



NON-WELD AN FEMALE FITTING KITS

- Available in -8AN, -10AN & -12AN Female fittings
- Provides an easy way of adding a Female AN fitting to steel or aluminum valve covers without welding
- Since no welding is required then there is not the possibility of heat damage to the chrome or powder coat
- Includes hardware and O-ring

PART # DESCRIPTION

- 22755 -8AN Female Fitting Kit, Non-Weld
- -10AN Female Fitting Kit, Non-Weld 22756
- 22757 -12AN Female Fitting Kit, Non-Weld



No. 22755



No. 22756



PROPERLY MAINTAIN YOUR MOROSO VACUUM PUMP



Moroso recommends that your Vacuum Pump be cleaned on a regular basis for optimum performance. When performing any maintenance, wear approved safety glasses. Loosen the vacuum pump pulley bolts and remove the pulley. Remove the vacuum pump from engine and remove bearing cap from the back of the pump.

Remove the rear cover from the pump housing, remove the vanes from the rotor slots noting the notches on the bottom and top of the vanes face towards the shaft and the worn in edge of the vane curves to match the shape of the rotor. Remove the front cover and rotor shaft assembly. Disassemble rotor from shaft. Clean all pieces, (vanes, housing, rotor & shaft, front & rear covers, bearing cap), using a mild part cleaning solvent or soap and water. Inspect parts for wear or damage. If rebuilding is necessary use the correct rebuild kit for your 3-vane or 4-vane pump or contact Moroso Performance Technical Service Department for information on how we can service your pump. When all pieces are cleaned and ready for assembly, place the rotor shaft keys onto the shaft. Install rotor onto shaft being careful to keep the shaft keys in place.

Next, place the rotor, shaft and front cover assembly into the housing. Replace the vanes making sure the vane notches are facing the shaft and the curved "worn-in" surfaces are facing the housing. If you are using new vanes, they will not have a curved end, follow the instructions provided with the Rebuild Kit. Replace rear cover and bearing cap. Install and tighten the front and rear cover hardware and bearing cap screw. Re-install pump onto your engine.



Q: HOW FAST SHOULD I DRIVE THE VACUUM PUMP FOR BEST RESULTS? A: As a base line, all Moroso Vacuum Pumps will work at 50% of engine speed. Our Drive Kits are designed to work with the pump pulleys to achieve the proper ratio.

Q: WHAT IF I NEED MORE VACUUM? A: In applications that require more vacuum at a lower engine RPM (i.e. at idle or at staging RPM) or through the entire RPM range it may be necessary to increase the drive ratio of the pump. Consult your Moroso Technical Advisor for assistance in choosing the proper drive ratio.

Q: HOW FAST CAN I DRIVE MY VACUUM PUMP? A: Moroso Vacuum Pump Nos. 22640 and 22641 can turn no more than 6500 RPM shaft speed. Moroso Vacuum Pump Nos. 22642 and 22643 can turn 8000 RPM maximum shaft speed.

Q: WHAT IS THE BEST WAY TO CARE FOR MY NEW MOROSO VACUUM PUMP? A: Keep it clean.

Q: HOW OFTEN SHOULD I REBUILD MY VACUUM PUMP? A: As a "rule of thumb", it is generally good

practice to rebuild your vacuum pump after 300 runs. Upon physical inspection it is recommended to rebuild your pump when the vanes are sitting below the rotor surface .100" or greater. Other key indicators for rebuild are excessive bearing or shaft wear. Rebuild kits are available from Moroso. Moroso Vacuum Pumps, like any part on a race car, require some up keep to ensure good performance.

Q: HOW MUCH VACUUM IS ENOUGH? A: Leading engine builders and race teams confirm that on wet sump systems, 10" to 14" of vacuum will create additional horsepower and minimize oiling system related problems. Dry sump engines should be kept in the range of 18" to 22" Hg. Although normally capable of achieving greater vacuum levels, it is best to consult a professional engine builder if higher levels of vacuum are desired. Moroso carries a variety of vacuum relief valves to adjust the maximum amount of vacuum an engine will make.

Q: WHY DOES MY ALCOHOL ENGINE MAKE LESS VACUUM? A: Engines running alcohol typically see

less vacuum than an engine that runs on gasoline. This is from the ring sealing characteristics between the two fuels.

Q: WHEN IS THE BEST TIME TO CHECK MY VACUUM AND OIL PRESSURE? A: The best time to check

vacuum and oil pressure together is during your trans brake check. At your staging RPM, monitor what your vacuum and oil pressure is. This is the most consistent way of knowing what condition your system is in.

Q: WHERE SHOULD THE INLET OF MY MOROSO VACUUM PUMP BE PLUMBED? A: Moroso Vacuum

Pumps are most commonly plumbed to the front or top of a valve cover. Using Moroso Part **Nos. 22634** or **22635** Positive Seal Fitting with a built-in baffle, no welding is required on the valve cover. This fitting allows a small amount of oil to flow through the pump for increased lubrication. Be sure to consult the Moroso catalog for a listing of all the accessories needed for your application.

The nature of a vacuum pump is to remove air, blow-by gasses and other contaminants from the crankcase of an engine. Crankcase vacuum will increase horsepower by allowing the use of low-tension compression and oil control rings. In which the use of reduces frictional horsepower losses, blow-by, intake charge contamination and aids in detonation prevention. Moroso's "purpose built" racing pumps offer all these advantages and more. Whether you have a normally aspirated Small Block or a nitrous equipped Pro-Mod, one of Moroso's vacuum pump offerings with all the needed accessories has you covered. These pumps will suit nearly any engine combination and requirement.

ORIGINAL DESIGN 3-VANE VACUUM PUMP

- Versatile Billet aluminum design
- · Engineered vane material for improved efficiency and wear
- Completely rebuildable in 15 minutes
- Mounting bracket not included
- 4.150" O.D. body, 5.050" from back of pump to pulley mounting flange

PART # DESCRIPTION

22640* Original Design 3-Vane Vacuum Pump, -12AN Fittings

ENHANCED DESIGN 3-VANE VACUUM PUMP

We've taken our popular 3-Vane Vacuum Pump and added tricks that we learned when designing our "Enhanced Design" 4 Vane Vacuum Pump and through continual development of our Vacuum Pump line. The end result is:

- The "Enhanced Design" features allow the pump to pull more vacuum than the "Original" style 3-Vane pump
- · Achieves greater vacuum sooner
- 3-Vane Design weighs less than "original" style pumps
- Virtually maintenance free
- Designed with maintenance-free precision sealed roller bearings
- Includes -12AN Fittings
- Mounting bracket not included
- 4.375" O.D. body, 5.050" from back of pump to pulley mounting flange

PART # DESCRIPTION

- 22840* Enhanced Design 3-Vane Vacuum Pump, -12AN Fittings, Hard Anodized Finish
- PART # AVAILABLE OPTIONS
- 63903 Vacuum Pump Idler Pulley Kit

ORIGINAL DESIGN 4-VANE VACUUM PUMP

- Versatile Billet aluminum design, well suited for wet or dry sump applications
- · Engineered vane material for improved efficiency and wear
- Completely rebuildable in 15 minutes
- Mounting bracket not included
- 4.150" O.D. body, 5.900" from back of pump to pulley mounting flange

PART # DESCRIPTION

22641* Original Design 4-Vane Vacuum Pump, -12AN Fittings

REPLACEMENT PARTS FOR MOROSO VACUUM PUMPS

PART # REPLACEMENT PARTS

- 97641 Replacement Fittings, -12AN
- 22626 Replacement Fittings, -16AN
- 22645 Vacuum Pump Rebuild Kit, Includes Bearing, Seals & Vanes For No. 22640
- 22646 Vacuum Pump Rebuild Kit, Includes Bearing, Seals & Vanes For No. 22641
- 97180 Rebuild Kit, Excluding Vanes, Includes Shaft & Hub, For Nos. 22640, 22641
- 97181 Rebuild Kit, Excluding Vanes, Includes Shaft & Hub, For Nos. 22642, 22644, 22840, 22842
- 97642 Vacuum Pump, Vane Kit, For Nos. 22642, 22644, 22840, 22842
- **97644** Vacuum Pump, Vane Kit, For **No. 22643**











PUMP ACCESSO

ENHANCED DESIGN 4-VANE VACUUM PUMPS

- "Enhanced Design" pulls 13.9% more vacuum
- · Can be used efficiently on wet or dry-sump engines
- Achieves greater vacuum sooner, virtually maintenance free
- 4-Vane design weighs less than "original" style pumps
- Designed with maintenance-free precision sealed roller bearings Pump No. 22644 is natural aluminum finish designed to be polished. interior is hard coated for wear resistance
- 4.375" O.D. body, 5.050" from back of pump to pulley mounting flange

DESCRIPTION PART

- 22842* Enhanced Design 4-Vane Vacuum Pump, -12AN Fitting, Mounting Bracket not included, Hard Anodized Finish 22642* Enhanced Design 4-Vane Vacuum Pump Kit.
- -12AN Fitting, Mounting Bracket, Hard Anodized Finish
- 22644* Enhanced Design 4-Vane Vacuum Pump Kit, -12AN Fitting, Mounting Bracket, Natural **Aluminum Finish**

AVAILABLE OPTIONS PART #

63903 Vacuum Pump Idler Pulley Kit

LARGE STYLE 4-VANE VACUUM PUMP

with Dual Line Manifold

This "large style" 4-Vane Vacuum Pump was released from feedback by racers and engine builders who craved the performance of the Moroso "Pro-Mod Style" vacuum pump but needed a pump that was physically smaller and lighter.

- Pulls large consistent vacuum numbers
- Creates vacuum guickly and linearly
- Virtually maintenance free, designed with maintenance-free precision sealed roller bearings
- Includes a manifold for dual feed applications or installation of a relief valve
- Comes with a 36 tooth 3/8" pitch 1/2" wide Gilmer pulley,
- adjustable mounting bracket and -12AN fittings
- 5.030" 0.D. body, 6.175" from back of mounting bracket to end of slot on front of pulley

DESCRIPTION PART

22843* Large Style 4-Vane Vacuum Pump

PART # **AVAILABLE OPTIONS**

- 22630 Vacuum Relief Valve, -12 AN Adjustable
- Crankshaft Drive Pulley, 18 tooth, 1/2" wide, Gilmer 97172

PRO-MOD STYLE VACUUM PUMP. V-BAND MOUNTING FLANGE

Fits: ProCharger Front Accessory Drives

- V-Band mounting flange to mount Vacuum Pump to ProCharger supercharger front drives
- Since ProCharger supercharger front drives will spin the vacuum pump at 50%. a higher flow vacuum pump is needed
- Includes -16AN fittings
- Utilizes sealed maintenance free bearings

PART # DESCRIPTION

22655 Vacuum Pump, Pro Mod Style, ProCharger V-Band Mounting Flange

PRO-MOD STYLE LARGE CUBIC INCH ENGINES & BLOWER MOTOR PUMP

- Large displacement creates incredible vacuum
- Flows up to 150% more than Original Design
- Capable of flowing 100 CFM with -16AN fitting
- Utilizes sealed maintenance free bearings
- Adjustable bracket and fittings included
- 5.300" O.D. body, 6.550" from back of pump to pulley mounting flange

PART # DESCRIPTION

22643* Pro Mod Style Large Cubic Inch & Blower Motor Pump, 1-1/4" beaded hose fitting with -16AN Inlet and Outlet Fitting





No. 22642

No. 22842





VACUUM PUMP | OIL PUMP COMBOS

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

SBC, Driver's/Left Bracket

- Kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design with one belt only being utilized
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200 pressure section, eliminates the camshaft loads that occur with an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
 V-band clamp is included

PART # DESCRIPTION

22652 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, SBC Left Side Bracket

EXTERNAL SINGLE STAGE OIL PUMP/VACUUM PUMP KIT

BBC, Driver's/Left Bracket

- Kit includes a Moroso Tri-lobe Single Stage Oil Pump with a Moroso Enhanced Design 4-Vane Vacuum Pump driven off the back of it
- By driving the V-band clamp attached vacuum pump off the back of the oil pump this creates a compact weight saving design
- Single stage external Tri-lobe oil pump is included that has a spur gear 1.200
 pressure section, eliminates the camshaft loads that occur with
 an internal pump. Has replaceable fittings, -16AN inlet, -12AN outlet
- Enhanced Design 4-Vane Vacuum Pump is included that pulls more vacuum and is designed with maintenance-free precision sealed roller bearings. Has replaceable -12AN Inlet and Outlet fittings
- V-band clamp is included

PART # DESCRIPTION

22654 External Oil Pump, Single Stage, Tri-Lobe, Vacuum Pump, BBC Left Side Bracket

VACUUM PUMP ACCESSORIES

CLAMP ON BREATHER

- · Clamps onto a 1" outside dia. tube, clamp included
- Fits Moroso Billet Alum. Vacuum Relief Valves Nos. 22633, 22636 and 22637
- · Provides maximum protection against dirt and airborne debris without restricting air flow
- Cleanable and re-usable; oil before use

PART # DESCRIPTION

68791↔ Clamp On Breather, 1" I.D.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

No. 22654

VACUUM & OIL PRESSURE GAUGES

- No. 89610 is used to determine vacuum in your engine
- No. 89611 is for racing applications where high pressures, above the range of typical oil pressure gauges are used
- Have 1/8" N.P.T. male thread
- Excellent vibration and shock resistance

PART # DESCRIPTION

- **89610** Vacuum Gauge, 1.5" Diameter, 0-30" Hg
- 89611. Oil Pressure Gauge, 1.5" Diameter, 0-120 PSI



No. 89610



No. 89611





VACUUM PUMP ACCESSORIES

VACUUM RELIEF VALVES

With Easy Adjustable Knob

- Vacuum relief point is adjustable by turning the built-In adjustment knob to get the precise amount of vacuum desired. Tightening the integral locknut keeps the adjustment locked until the next adjustment is needed
- Can be disassembled for easy cleaning and maintenance, works with any vacuum level
- Made of 6061 aluminum and have a smooth, attractive finish

PART # DESCRIPTION

- 22630* Vacuum Relief Valve with Easy Adjustable Knob, Gland Seal (-12AN Female)
- 22631* Vacuum Relief Valve with Easy Adjustable Knob, Face Seal ("Face to Face" thru sheetmetal)



No. 22630 No. 22631

BILLET ALUMINUM VACUUM RELIEF VALVES

Shim-able Spring Style

- Two styles allow fastening through valve covers (No. 22637) or threaded directly into lifter valley (No. 22636)
- Vacuum relief point is adjustable by shimming an internal spring to get the precise amount of vacuum desired
- Can be disassembled for easy cleaning and maintenance, works with any vacuum level
- Made of 6061 T6 Billet aluminum and have a clear, attractive finish

PART # DESCRIPTION

- 22636* Billet Aluminum Vacuum Relief Valve, Shim-able Spring Style, %" N.P.T.
- 22637* Billet Aluminum Vacuum Relief Valve, Shim-able Spring Style, 3/4"-16 Thread



No. 22636

VACUUM PUMP REGULATOR

Shim-able Spring Style

- · Regulator screws directly into vacuum pump's -12AN inlet
- 360° directional adjustability
- · Prevents the need for drilling additional holes in the valve cover
- · Anodized clear
- · Prevents pulling excess oil out of the crankcase

PART # DESCRIPTION

22633* Vacuum Pump Regulator, Shim-able Spring Style

VACUUM PUMP REGULATOR

With Easy Adjustable Knob

- Regulator screws directly into vacuum pump's -12AN inlet no need to drill additional holes in the valve cover
- 360° directional adjustability by turning the built-in adjustment knob to get the precise amount of vacuum desired
- Tightening the integral locknut keeps the adjustment locked until the next adjustment is needed
- Can be disassembled for easy cleaning and maintenance, works with any vacuum level
- Made from 6061 billet aluminum with a clear anodized finish
- · Prevents pulling excess oil out of the crankcase

PART # DESCRIPTION

22629* Vacuum Pump Regulator with Easy Adjustable Knob



No. 22633



*Note: Not Legal for sale or use on pollution-controlled vehicles

VACUUM PUMP ACCESSORIES

POSITIVE SEAL VENTED FITTING -12AN/-16AN

- · Designed to greatly simplify the plumbing of a vacuum pump
- · Screws into side of valve cover
- Provides leak free O-ring seal on any flat valve cover surface
- No welding required
- Anodized to prevent corrosion

PART #DESCRIPTION22634-16AN Fitting, Positive Sealing, one per package22635-12AN Fitting, Positive Sealing, one per packagePART #REPLACEMENT PARTS97641-12AN Replacement Fitting, two per package

22626 -16AN Replacement Fitting, two per package



POSITIVE SEAL VENTED -8AN & -10AN FITTINGS, NON-WELD

Fits: ¾" Holes

- Designed to greatly simplify the plumbing of a vacuum pump
- · Screws into side of valve cover
- · Provides leak free O-ring seal on any flat cover surface
- No welding required
- Anodized to prevent corrosion

PART # DESCRIPTION

- 22624↔ Fitting, -10AN Male, Positive Seal, Non-Weld
 22627↔ Fitting, -8AN Male, Positive Seal, Non-Weld
- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





-16AN FITTINGS FOR VACUUM PUMPS

- -16AN for Moroso Vacuum Pump No. 22643
- · Anodized to prevent corrosion
- · Radiused inlets to reduce restriction for greater flow
- Includes 0-rings
- Two per package

PART # DESCRIPTION

22626 Fitting, Vacuum Pump, -16AN



POSITIVE SEAL 1/8" NPT FITTING

- Designed to facilitate connection of vacuum gauge to the valve cover without welding
- Use with Moroso Vacuum Gauge No. 89610
- Includes 0-rings

PART #DESCRIPTION22632Positive Seal 1/8" N.P.T. Fitting



-10AN MALE FITTING, NON-WELD

- Non-weld kit, makes it easy to add a leak-proof fitting to oil pans for oil returns, valve covers, etc., without having to actually weld the fitting
- Perfect for adding a fitting to steel or aluminum with up to a 1/8" max. wall thickness
- 0-ring seal to prevent leaks

PART # DESCRIPTION 22753 -10AN Male Fitting, Non-Weld

VACUUM PUMP LINE KIT

- Includes 6 feet of steel reinforced hose, two 90 degree hose fittings and two -12AN straight hose fittings
- Designed to simplify Vacuum Pump installation

DESCRIPTION PART

226490 Vacuum Pump Line Kit **REPLACEMENT PARTS** PART #

22651↔ Vacuum Pump Replacement Line

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 22649

VACUUM LINE CAP KIT

- Convenient kit provides a guick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- · Kit consists of color-coded soft plastic caps in quantities and inside dimensions as follows: two $\frac{1}{8}$ ", six $\frac{3}{16}$ ", six $\frac{1}{4}$ ", two $\frac{5}{16}$ ", four $\frac{3}{8}$ "

PART # DESCRIPTION

41090o Vacuum Line Cap Kit

• AND WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects or reproductive harmwww.P65Warnings.ca.gov



No. 41090

VACUUM LINE CAP KIT, BLACK CAPS

- · Convenient kit provides a quick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- Kit consists of black soft plastic caps in quantities and inside dimensions as follows: two $\frac{1}{8}$, six $\frac{3}{16}$, six $\frac{1}{4}$, two $\frac{5}{16}$, four $\frac{3}{8}$

DESCRIPTION PART

41091 • Vacuum Line Cap Kit, Black

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 41091

BILLET ALUMINUM EQUALIZING PLATES WITH FITTINGS

- Includes ¹/₈" N.P.T. Fitting and –12AN Fitting
- Allows the vacuum pump and vacuum gauge to be connected*
- Can also be used as a drain back location
- Black Anodized
- Includes gaskets and stainless steel socket head screws

DESCRIPTION PART

- Fuel Pump Block-Off Plate, SBC 653970
- Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, and all 65398o Fords except 351C, 351M and 400

· / WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 65397

No. 65398

*Note: Installation of this product requires pulling vacuum from a valve cover as well

VAGUUM PUMP MOUNTING BRACKETS

foroso offers Anodized Billet Aluminum Vacuum Pump Mounting Brackets that fit a variety of engine and vacuum pump combinations. These brackets fit the engines directly, or mount to a motor plate. Refer to the chart below for complete application details.

VACU	UM PL	JMP BRA	CKET A	PPLICAT	ION CHART

PART #	ENGINE APPLICATION	MOROSO PUMP BRACKET WAS DESIGNED FOR		MOUNTING Location		
63910	All Engines	22640 22641		With a motorplate		
63917	All Engines	22642 22840	22644 22842	With a motorplate		
63910	Small & Big Block Chevy	22640	22641	Driver/passenger cyl. heads		
63917	Small & Big Block Chevy	22642 22840	22644 22842	Driver/passenger cylinder heads		
63922	GM LS	22640	22641	Driver side cylinder head		
63923	GM LS	22640	22641	Passenger side cylinder head		
63924*	GM LS	22642 22840	22644 22842	Driver/passenger cylinder heads		
63911	Small Block Ford	22640	22641	Driver or Passenger cylinder heads		
63916*	Small Block Ford	22642 22840	22644 22842	Passenger cylinder heads		
63921*	Ford 4.6/5.4	22640 22642 22840	22641 22644 22842	OEM, Power Steering Pump Location		
63909	Big Block Ford	22640	22641	Driver or Passenger cylinder heads		






No. 63911



Д

* Part No.63917 needed with 63914, 63916, 63921 & 63924 to mount enhanced pumps to the mounting bracket.









No. 63922

No. 63924



No. 63916



No. 63923

PART # **REPLACEMENT PARTS** 63917 Replacement Bracket for Moroso "Enhanced Design" Vacuum Pump Nos. 22642 and 22842

<u>ALTERNATOR AND VACUUM PUMP MOUNTING KITS</u>

GM LS ENGINE ALTERNATOR MOUNT

For GM LS Series engines with Moroso No. 63566 Electric Water Pump & 130mm style alternators

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator
- · Works with Moroso and other similar drive mandrels
- Includes all spacers and hardware

PART # DESCRIPTION

63839 Alternator Mount, GM LS With Moroso Electric Water Pump

No. 63839

ALTERNATOR MOUNT KITS

For SBC and BBC, Nippondenso 93 mm, Aftermarket

Patent No. D600,720

- These bracket kits are designed to mount mini ND-style and 93mm alternators
- to either side of the motor, while clearing the electric water pump
- Works with Moroso old and new style drive mandrel kits
- Includes all spacers and hardware

PART # DESCRIPTION

- 63827 Alternator Mounting Kit, SBC, Moroso Electric Water Pumps
- 63828 Alternator Mounting Kit, SBC, CSR Electric Water Pumps
- 63829 Alternator Mounting Kit, SBC, Meziere Electric Water Pumps
- 63832 Alternator Mounting Kit, BBC, Moroso Electric Water Pumps
- 63833 Alternator Mounting Kit, BBC, CSR Electric Water Pumps
- 63834 Alternator Mounting Kit, BBC, Meziere Electric Water Pumps



No. 63832

ALTERNATOR/VACUUM PUMP MOUNTING KIT, GM LS WITH FRONT DRIVE DISTRIBUTOR

For Moroso Enhanced Vacuum Pumps, Moroso Electric Water Pump & 93Mm Alternators

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator, vacuum pump
- Bracket kit was designed to mount mini ND-style 93 mm alternators and Moroso Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the required Moroso No. 63547 electric water pump, No. 63615 water pump adapter kit and No. 63849 drive mandrel kit
- Includes all spacers and hardware

PART # DESCRIPTION

63870 Alternator/Vacuum Pump Mounting Kit, GM LS With Distributor, Moroso Enhanced Vaccum Pumps & Electric Water Pump & 93mm Alt.



ALTERNATOR AND VACUUM PUMP MOUNTING KITS

For SBC and BBC, Nippondenso 93 mm, Aftermarket

Patent No. D600,720

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- These bracket kits are designed to mount mini ND-style 93mm alternators and Moroso Nos. 22642, 22644,
 - 22840 or 22842 Enhanced Design Vacuum Pumps

PART # DESCRIPTION

- 63817 Alternator/Vacuum Pump Mounting Kit, SBC, Moroso Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- 63818 Alternator/Vacuum Pump Mounting Kit, SBC, CSR Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps
- 63819 Alternator/Vacuum Pump Mounting Kit, SBC, Meziere Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps



PART #	DESCRIPTION
63836	Alternator/Vacuum Pump Mounting Kit, BBC,
	Moroso Electric Water Pumps 93mm style
	alternators, Moroso Enhanced Vacuum Pumps
63837	Alternator/Vacuum Pump Mounting Kit, BBC, CSR
	Electric Water Pumps 93mm style alternators,
	Moroso Enhanced Vacuum Pumps
63838	Alternator/Vacuum Pump Mounting Kit, BBC,

Alternator/Vacuum Pump Mounting Kit, BBC, Meziere Electric Water Pumps 93mm style alternators, Moroso Enhanced Vacuum Pumps

ALTERNATOR AND VACUUM PUMP MOUNTING KITS

For BBC Chevy with Moroso Enhanced Vacuum Pumps & 130mm style alternators

Patent No. D600,720

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- Bracket kit was designed to mount full size 130 mm Alternators such as East Coast 2007, 2008 & 2009 series, also fits CS121 style Alternators and Moroso Part Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the electric water pump
- Works with most styles of drive mandrel kits
- Includes all spacers and hardware

PART # DESCRIPTION

- 63865 Alternator/Vacuum Pump Mounting Kit, Moroso Electric Water Pumps, 130mm style alternators, Moroso Enhanced Vacuum Pumps
- **63866** Alternator/Vacuum Pump Mounting Kit, BBC, CSR Electric Water Pumps the latest version of, which have a profiled silhouette and countersunk fasteners, 130mm style alternators, Moroso Enhanced Vacuum Pumps
- 63867 Alternator/Vacuum Pump Mounting Kit, BBC, Meziere Electric Water Pumps, 130mm style alternators, Moroso Enhanced Vacuum Pumps







ALTERNATOR AND VACUUM PUMP MOUNTING KITS

For Ford 289-302, 351W

Patent No. D600,720

- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- These bracket kits are designed to mount mini ND Style 93mm Alternators and Moroso Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts alternator on driver-side and vacuum pump on passenger-side, while clearing the electric water pump
- Works with most old and new style drive mandrel kits, with recommended pulleys (see options, above)

PART # DESCRIPTION

- 63821 Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with Meziere Electric Water Pumps and Moroso Enhanced Design Vacuum Pumps
- 63822 Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with Moroso Electric Water Pumps and Moroso Enhanced Design Vacuum Pumps
- 63823 Alternator and Vacuum Pump Mounting Kit, Ford 289/302/351W, use with CSR Electric Water Pumps and Moroso Enhanced Design Vacuum Pumps



ALTERNATOR/VACUUM PUMP MOUNTING KIT

Fits: Ford 289, 302, 351W, CSR Electric Water Pumps (Latest Version)

Patent No. D600,720

- Fits the latest version of the CSR Ford 289, 302, 351W Electric Water Pumps which have a profiled silhouette and countersunk fasteners
- For earlier design CSR Ford 289, 302, 351W Electric Water Pumps use Part No. 63823
- Two mounts incorporated into one billet aluminum frame with belt adjustment for alternator and vacuum pump
- Bracket kit was designed to mount mini ND Style 93mm Alternators and Moroso Part Nos. 22642, 22644, 22840 or 22842 Enhanced Design Vacuum Pumps
- Mounts Alternator on driver's side and Vacuum Pump on passenger's side while clearing the electric water pump
- · Works with most styles of drive mandrel kits
- Includes all spacers and hardware

PART # DESCRIPTION

63824 Alternator/Vacuum Pump Mounting Kit, Ford 289, 302, 351W use with CSR Electric Water Pumps (Latest Version) and Moroso Enhanced Design Vacuum Pumps



No. 63824

ULTERNATOR MOUNTING KITS

GM DELCOTRON/CHEVY V8

90° V6-V8

- This bracket kit is designed to mount any GM Delcotron alternator to Small Block and 90° V6 Chevy with a short water pump (right side mount)
- · Although designed primarily for Circle Track, this kit can be used in many other applications where a compact, rugged alternator mount is needed
- Use with Moroso Alternator Pulley No. 64800
- · Early model heads need to be drilled and tapped

DESCRIPTION PART

63825 Alternator Mount Kit, GM Delcotron

No. 63825 (typical installation)

SMALL BLOCK CHRYSLER

- . This kit enables the racer/enthusiast to mount either a 93mm or 15mm Nipondenso alternator to a Chrysler "A" series engine, (318, 340 & 360) in as many as fourteen different configurations
- Fits with stock mechanical water pumps and Moroso electric water pumps
- Mounts alternator to either side of engine
- Enables the use of lighter weight alternators
- Adjustable turnbuckle makes for easy and accurate belt tension adjustments
- Use with Moroso Drive Kit No. 63848
- Kit Includes all mounting hardware

DESCRIPTION PART

63815 Billet Aluminum Alternator Mounting Bracket, Small Block Chrysler

No. 63815





SMALL BLOCK FORD

- Will mount standard Ford or ND-style alternator on either side of engine
- Fits with mechanical and electric water pumps from all major manufacturers with V-belt pulley systems
- Provides an alternative to running the stock serpentine belt
- Use with Moroso Drive Kit No. 63846
- Kit Includes all mounting hardware

PART # DESCRIPTION


63810 Aluminum Alternator Mounting Bracket, Small Block Ford

AVAILABLE OPTIONS PART

23523 4" O.D. Mandrel Pulley, V-Belt







ALTERNATOR MOUNT AND DRIVE KITS

Foroso has engineered Alternator Mount Kits and Alternator Drive Kits for popular engines using an electric water pump or electric water pump drive kit. The Drive Kits work with or without crank triggers or engine plates.

- Alternator Mount Kits include all hardware needed to mount old-style Delco alternators to the driver's side of the engine
- Alternator Drive Kits are crankshaft-mounted and designed with spacers that can be replaced with pulleys to drive other accessories such as external oil pumps and vacuum pumps

SMALL BLOCK CHEVY

PART # DESCRIPTION

- 63842 Alternator Mount Kit, SBC
- 63843. Alternator Drive Kit, SBC, use No. 97170 Gilmer Drive Pulley if external oil pump is used. Comes complete with all spacers and hardware

RECOMMENDED USAGE WITH

PART #	DESCRIPTION	
63750	Universal Electric Water Pump Drive H	Kit
63500	SBC Aluminum Water Pump	
63557	Electric Water Pump	
ADDITIO	NAL PART	This
23523	4" Crank Pulley	to th

• A WARNING Prop. 65 his product contains a chemical known the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 63843

No. 63840

No. 63841

BIG BLOCK CHEVY

PART # DESCRIPTION

- 63840 Alternator Mount Kit, Big Block Chevy with early style Delco alternator
- 63841 Alternator Drive Kit, Big Block Chevy, use No. 97170 Gilmer Drive Pulley if external oil pump is used. Comes complete with all spacers and hardware

RECOMMENDED USAGE WITH

PART # DESCRIPTION

63750 Universal Electric Water Pump Drive Kit 63547 Electric Water Pump

ADDITIONAL PART

23523 4" Crank Pulley

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



SMALL BLOCK CHEVY

Early Model GM Pump

- This kit mounts an early-style GM Power Steering Pump (with integral reservoir removed) or a Lee, Profile or Cavalier racing power steering pump to the driver's side head of a Small Block Chevy
- Manufactured from 3%" 6061-T6 aluminum, anodized
- Can be shimmed to align any pulley combination
- Comes complete with all necessary fasteners

PART # DESCRIPTION

63895 Power Steering Pump Mounting Bracket, Small Block Chevy, Early-Style GM Pump

SMALL BLOCK CHEVY

Late Model GM Pump With 18° or 23° Cylinder Head

- This kit mounts a late-model, small-style GM power steering pump (with remote reservoir) or Sweet-type pumps to the driver's side cylinder head of a Small Block Chevy. Use with Moroso Pump Pulley No. 64860
- Manufactured from 3/8" 6061-T6 aluminum, anodized
- · Comes complete with all necessary spacers and hardware

PART # DESCRIPTION

63897 Power Steering Pump Mounting Bracket, SBC, Late Model GM Pump





VACUUM PUMP, DRY SUMP PUMP DRIVE KITS

Big and Small Block Chevy

- · Extra long to accommodate any combination
- Steel, self-centering mandrel bolts directly to harmonic balancer for dead-accurate concentricity
- Pulleys are 6061-T6 aluminum and hard coat anodized for exceptional strength and extended service life
- Includes: 2-1/2" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides & hardware
- For optimum accessory speed, use with Moroso Dry Sump Gilmer Pulleys, and Vacuum Pump V-Belt Pulley No. 64885

PART # DESCRIPTION

63844 vacuum Pump, Dry Sump Pump Kit, BBC, uses 5" mandrel length 63845 vacuum Pump, Dry Sump Pump Kit, SBC, uses 4.75" mandrel length

PART # REPLACEMENT PARTS

- 23528 Pulley, Gilmer Drive, 28-Tooth
- 23532 Pulley, Gilmer Drive, 32-Tooth
- 97170 Pulley, Gilmer Drive Crankshaft, 16-Tooth

PART # AVAILABLE OPTIONS

23523 4" O.D. Mandrel Pulley, V-Belt64885 Vacuum Pump V-Belt Pulley

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





VACUUM PUMP, DRY SUMP PUMP DRIVE KIT

Fits: Small Block Ford 302-351W with either three or four mounting bolts (3.30" bolt circle, 2.432" male register—will NOT fit 289)

- Hub mounted to harmonic balancer
- 6061-T6 Aluminum Pulleys are hard coat anodized for strength and extended service life
- Includes: 2-1/2" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides and hardware

PART # DESCRIPTION

63846↔ Vacuum Pump, Dry Sump Pump Kit, 5.80" overall length (with spacer)

PART # AVAILABLE OPTION

23523 4" O.D. Mandrel Pulley, V-Belt

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 63846

VACUUM PUMP, DRY SUMP PUMP DRIVE KIT

Big and Small Block Chrysler

- Pulleys are 6061-T6 aluminum and hard coat anodized and mandrel is black anodized for exceptional strength and extended service life
- Extra long to accommodate any combination
- 6-bolt self-centering aluminum hub fastens to balancer; steel mandrel mounts to hub and provides rigid pulley mounting
- Includes: Steel Mandrel, 4" V-belt pulley for alternator, 2-1/2" V-belt pulley for vacuum pump, 1" (16-tooth) Gilmer pulley for external oil pump, guide plates, assorted spacers, belt guides and hardware

PART # DESCRIPTION

63848↔ Vacuum Pump, Dry Sump Pump Kit, 5.70" overall length

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



OIL PUMP AND VACUUM PUMP DRIVE KITS

Flange Style

- · Bolts to balancer-balancer does not need to be drilled like older designs
- Pulleys are hard coat anodized and mandrel is black oxide for exceptional strength and extended service life
- Kits include: one-piece, forged steel drive mandrel, 4" V-belt pulley for alternator, 2-1/2" V-belt pulley for vacuum pump,
 - 1" (16 tooth) Gilmer pulley for external oil pump, assorted spacers, belt guides and hardware

APPLICATION CHART								
ENGINE APPLICATION	PART #	STYLE MANDREL LENGTH		OVERALL	REQUIRED BALANCER			
			MINUS FLANGE					
Small Block Chevy*	63857o	Short	2.990"	3.380"	3-Bolt, 3.20" bolt circle**			
Small Block Chevy*	63859o	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle**			
GM LS Series	63860 ↔	Short	2.990"	3.645"	Aftermarket, using BBC 3-Bolt, 3.20" bolt circle, 2.050" female register pattern			
GM LS Series	63858 ↔	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register, when using ARP Balancer Bolt use Moroso Spacer Part No. 63890			
GM LS Series	63849 ↔	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register, when using ARP Balancer Bolt use Moroso Spacer Part No. 63890			
Big Block Chevy	638580	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register			
Big Block Chevy	63849 0	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register			
Small Block Ford	638530	Short	3.500"	4.125"	4-Bolt, 3.30" bolt circle, 2.382" male register			
Big Block Ford, 429-460	63847 0	Long	3.500"	5.285"	4-Bolt, 3.30" bolt circle, 2.180" male register			
Domestic and Import using BBC bolt pattern and register balancer	63858 ↔	Short	2.990"	3.645"	3-Bolt, 3.20" bolt circle, 2.275" female register			
Domestic and Import using BBC bolt pattern and register balancer	63849 ↔	Long	4.000"	4.655"	3-Bolt, 3.20" bolt circle, 2.275" female register			

*Centers off of I.D. of Balancer Bore via Supplied Crankbolt Washer

**Centers off of I.D. of Balancer, via Supplied Crankbolt Washer



No. 63857

DRIVE MANDREL SPACER KIT, FOR 2.275" FEMALE REGISTER

- This 5/8" thick spacer comes handy when creating a custom drive set-up or when contending with oversized hardware
- · Designed to be used with Moroso and other bolt-on flange style mandrels that have a 2.275" female register
- Billet aluminum construction, includes hardware

DESCRIPTION PART

63890 Drive Mandrel Spacer Kit








- For use with Moroso Nos. 63857 & 63859 drive mandrels
- Maintains register of mandrel when using a 1/4" thick crank trigger
- Comes with a 1/4" longer crankshaft bolt
- Constructed out of stress-proof steel with a black oxide finish

PART # DESCRIPTION

63861 Drive Mandrel Spacer Kit, SBC, for 1/4" Thick Crank Trigger Wheels







2.990"

4.000"

3.500"

3.500"

2.990"

4.000"

3.645"

4.655"

4.125"

5.285"

3.645"

4.655"

*Centers off of I.D. of Balancer Bore via Supplied Crankbolt Washer

63883

63884

63885

63886

63883

63884

Short

Long

Short

Long

Short

Long

Big Block Chevy

Big Block Chevy

Small Block Ford

Big Block Ford, 429-460

Domestic and Import using BBC

bolt pattern and register balancer Domestic and Import using BBC

bolt pattern and register balancer

**Centers off of I.D. of Balancer, via Supplied Crankbolt Washer

3-Bolt, 3.20" bolt circle, 2.275" Female Register

3-Bolt, 3.20" bolt circle, 2.275" Female Register

4-Bolt, 3.30" bolt circle, 2.382" Male Register

4-Bolt, 3.30" bolt circle, 2.180" Male Register

3-Bolt, 3.20" bolt circle, 2.275" Female Register

3-Bolt, 3.20" bolt circle, 2.275" female register

PULLEYS & ACCESSORIES

LOWER BLOWER DRIVE MANDREL KIT, CHRYSLER GEN. 2 HEMI CRANK SNOUT

Fits: Chrysler Gen. 2 and most aftermarket Hemis

- · Drive kit designed for all Chrysler and RCD based crankshaft pulley snouts
- Steel mandrel bolts to aluminum spacer for maximum strength for two-step and high torque applications
- 3/8" Bolt on a 2.782" bolt pattern and clears a 2.000" crankshaft hub register
- Will clear a 1.00" tall crankshaft bolt head
- Includes Top Fuel spec. blower pulley bolts with full shoulder and radius head for complete and correct installation the first time
- Drive pulleys not included

PART # DESCRIPTION

63887↔ Drive Mandrel Kit, Chrysler Gen. 2 Hemi with Blower MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT PARTS FOR DRY SUMP DRIVE KITS

With Crank-Driven Power Steering

- PART # DESCRIPTION • A WARNING Prop. 65 97110 Gilmer Drive Belt - 22.5" long This product contains a chemical known to the state of California to cause cancer, 97120 Gilmer Drive Belt - 24.0" long birth defects, or reproductive harm-97130 Gilmer Drive Belt - 25.5" long www.P65Warnings.ca.gov 97140 Gilmer Drive Belt - 27.0" long 23528 Gilmer Drive Pump Pulley - 28-tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672 23532 Gilmer Drive Pump Pulley - 32-tooth 97170 Gilmer Drive Crankshaft Pulley - 16-tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672 235200 V-Belt Crankshaft Pulley - 2.5" long 235230 V-Belt Crankshaft Pulley - 4" long
- **BELT GUIDES**
- Made from 6061-T6 Aluminum
 .062 thick with 1.00 hole in center and provision for 1/8" keyway
 - 2 per package

PUMP & VACUUM PUMP DRIVE KITS AND PULLEYS

PART # DESCRIPTION

23560	Belt Guide, 2.50" Diameter
23561	Belt Guide, 3.50" Diameter
23562	Belt Guide, 4.50" Diameter




CRANK PULLEY SHIM KIT

Fits: Small and Big Block Chevrolet engines

٠	Includes 3	shims	per	pack,	1/16",	1⁄8"	and	³ ⁄16"
---	------------	-------	-----	-------	--------	------	-----	-------------------

PART # DESCRIPTION

64031 Crank Pulley Shim Kit



No. 63887

UNIVERSAL WATER PUMP PULLEY SHIM KIT

Fits: All GM and Ford water pumps with either a 3/4" or 5/6" shaft

- Kit provides proper drive belt alignment with water pump
- Shims are installed between the water pump pulley and drive flange
- Kit contains two $\frac{1}{16}$ " spacers and one $\frac{1}{8}$ " spacer

PART # DESCRIPTION

35 Universal Aluminum Water Pump Pulley Shim Kit

No. 64035

64035



PULLEYS & ACCESSORIES



ALTERNATOR PULLEY, CAST ALUMINUM

V-Belt Design

- Large diameter reduces alternator speed for high engine RPM applications
- · Machined from high grade, lightweight aluminum to reduce alternator bearing loads
- Deep groove helps retain V-belt at high RPM
- Uses 36° x 17/32" V-belts

PART # DESCRIPTION

64800 Alternator Pulley, single groove V-belt. 5.00" O.D. *Fits:* For GM and Ford Alternators with ²¹/₃₂" dia. shaft



No. 64800

OEM CRANKSHAFT PULLEY REINFORCEMENT PLATE

Fits: Chevrolet V8 and 90° V6 with OEM crank pulley (GM #3858533), also fits some inline Chevy 6's

- Strengthens stock GM crank pulleys
- Precision stamped from 6061-T6 aluminum and black anodized

PART # DESCRIPTION64030 Crankshaft Pulley Reinforcement Plate



No. 64030





V-Belt Design

- Ideal for driving alternators and/or vacuum pumps at optimum rpm
- Fits any 1" dia. crank-driven mandrel with 1/8" keyway
- · CNC machined from billet aluminum with hard-coat anodized finish
- May be used with Moroso Vacuum Pumps Nos. 22640, 22641, 22642, 22644, 22840, 22842, 22843 and Vacuum Pump Pulley Nos. 64885 and 64887

PART # DESCRIPTION

23520↔2.5" V-Belt Crankshaft Pulley23523↔4" V-Belt Crankshaft Pulley

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 23523

No. 23520

CRANKSHAFT PULLEY, 5 INCH DIAMETER, BILLET ALUMINUM

V-Belt Design

- Ideal for driving alternators and/or vacuum pumps at optimum rpm
- Fits any 1" Dia. crank-driven mandrel with $\frac{1}{8}$ " keyway
- · CNC machined from billet aluminum with hard-coat anodized finish
- May be used with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842, 22843 and Vacuum Pump Pulley Nos. 64885 & 64887

PART # DESCRIPTION

235250 5" V-Belt Crankshaft Pulley

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

POWER STEERING PULLEY, BILLET ALUMINUM

V-Belt Design

Fits: Late model GM pumps

- Designed for Oval Track and Road Race applications using the late model, small GM power steering pump with remote reservoir
- 6" diameter, hard-coat anodized billet aluminum
- · Deep-grooved to ensure belt retention under extreme racing conditions
- · Can be used as replacement pulley for Sweet-type pumps
- Use with 36° x 1/2" wide belt

PART # DESCRIPTION

64860 Power Steering Pulley





No. 64860

ALTERNATOR PULLEY, BILLET ALUMINUM

V-Belt Design

- Machined from the highest grade aircraft billet aluminum for maximum durability
- Deep precision machined grooves ensure belt retention even during extreme changes in engine RPM
- When crankshaft and water pump pulleys are used together, water pump speed is reduced by approximately 30%
- Hard-coat anodized for extended life

PART # DESCRIPTION

64870 Billet Aluminum Alternator Pulley. Single groove, 5" O.D. Use 36° x $\frac{1}{2}$ " wide belt *Fits: GM and Ford Alternators with* $\frac{21}{32}$ " *dia. shaft*





VACUUM PUMP DESIGN, BILLET ALUMINUM

V-Belt Design

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern
- Precision machined from the highest grade aircraft aluminum and hard-coat anodized for extended service life
- Deep V-groove ensures belt retention under all racing conditions
- Machined with six holes to reduce weight
- 5" diameter pulley uses stock (3-bolt) mounting pattern with 1.16" bolt circle
- Use with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842 and 22843

PART # DESCRIPTION

64885 Vacuum Pump V-Belt Pulley



No. 64885

VACUUM PUMP PULLEY, OFFSET, BILLET ALUMINUM

V-Belt Design

- Allows Moroso Vacuum Pumps to be installed in cars with minimal drive mandrel space
- Hard coat anodized
- Offset 7/8", 5" diameter pulley uses stock (3-bolt) mounting pattern with 1.16" bolt circle
- Use with Moroso Vacuum Pump Nos. 22640, 22641, 22642, 22644, 22840, 22842 and 22843

PART # DESCRIPTION

64887 Vacuum Pump Pulley, Offset



CRANKSHAFT PULLEYS

Gilmer Style

- ³/₈" pitch pulley fits 1" diameter keyed drive mandrels
- Machined from billet aluminum for unmatched precision
- · Anodized for extended durability

PART # DESCRIPTION

- 97170 Crankshaft Pulley, Gilmer Style, 3/8" Pitch, 1" Wide, 16-teeth
- 97171 Crankshaft Pulley, Gilmer Style, ³/₈" Pitch, 1" Wide, 18-teeth
- 97172 Crankshaft Pulley, Gilmer Style, 3/8" Pitch, 1/2" Wide, 18-teeth

DRY SUMP PUMP PULLEYS

Gilmer Style

- · Machined from billet aluminum for unmatched precision
- · Hard-coat anodized for extended durability
- 3/4" pitch pulleys fit 5/4" diameter shafts
- Use with Moroso Gilmer Drive Pulleys to suit desired drive ratio
- Compatible with ³/₈" pitch gilmer tooth drive pulleys and belts manufactured by Moroso and others
- · Includes key and 4 set screws to lock pulley to the shaft

PART # DESCRIPTION

- 23528 Dry Sump Pump Pulley, Gilmer Style, 1" Wide, 28-teeth
- 23532 Dry Sump Pump Pulley, Gilmer Style, 1" Wide, 32-teeth

VACUUM PUMP PULLEY

```
Gilmer Type, 28 Tooth
```

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern; accepts standard gilmer belts with ³/₄" width or less
- Precision machined from aircraft-quality aluminum with hard-coat anodized finish for extended service life and features direct, bolt-on installation
- Use with Moroso 3- or 4-Vane Racing Vacuum Pump Nos. 22640, 22641, 22642, 22643, 22644, 22840, 22842, 22843 and interchangeable drive components

PART # DESCRIPTION

64886 Vacuum Pump Pulley, Gilmer Type, 28 Tooth

PART # AVAILABLE OPTION

97172 Crankshaft Pulley

VACUUM PUMP PULLEY

Gilmer Type, 36 Tooth

- Fits Moroso Racing Vacuum Pumps or similar "smog" pumps that use OE-style, 3-bolt mounting pattern; accepts standard Gilmer belts with 1/2" width or less
- · Precision machined from aircraft-quality aluminum and features direct, bolt-on installation
- Use with Moroso 3- or 4-Vane Vacuum Pump Nos. 22640, 22641, 22642, 22643, 22644, 22840, 22842 and interchangeable drive components

PART # DESCRIPTION

64888 Vacuum Pump Pulley, Gilmer Type, 36 Tooth

PART # AVAILABLE OPTION

97172 Crankshaft Pulley






No. 97170

No. 23532



No. 64886

182



PUMP & VACUUM PUMP DRIVE KITS AND PULLEYS

RADIUS TOOTH DRY SUMP PUMP PULLEYS AND DRIVE PULLEYS

Moroso black anodized Radius Tooth Pump Pulleys are designed to work more efficiently and take less power to drive your dry sump pump. These Pulleys are made to use a 1.00" wide drive belt, and with a wide variety of sizes, most drive ratios you may need are achievable. All dry sump pulleys are made to accept a ⁵/₈" shaft, and come with 4 set screws to lock the pulley to the shaft. Moroso Radius Tooth Pump Pulleys are designed with the same 8mm tooth technology, and will add to the efficiency of the entire round tooth drive combination.

DRY S	UMP P	UMP PUL	LEY CH	IART
PUMP PULLEY PART #	NO. OF TEETH	DRIVE PULLEY PART #	NO. OF TEETH	DRIVE Ratio
23544	30	23541	20	67%
	30	23542	22	73%
	30	23543	24	80%
23545	32	23541	20	63%
	32	23542	22	69%
	32	23543	24	75%
23546	34	23541	20	59%
	34	23542	22	65%
	34	23543	24	71%
23547	36	23541	20	56%
	36	23542	22	61%
	36	23543	24	67%
23548	40	23541	20	50%
	40	23542	22	55%
	40	23543	24	60%

Available in sizes that will not only give you the ratio you want, but will adjust the centerline measurement between your pump and crankshaft center. This will help in tight fitting conditions while allowing you to have the correct drive ratio. Moroso drive pulleys fit any 1.00" mandrel with a $\frac{1}{2}$ " keyway slot.



RADIUS TOOTH VACUUM PUMP PULLEYS AND DRIVE PULLEYS

Moroso black anodized Radius Tooth Vacuum Pump Pulleys are designed to work more efficiently and take less power to drive your vacuum pump. Moroso Radius Tooth Vacuum Pump Pulleys are made to use a .500" wide drive belt, and with a wide variety of drive pulley sizes, most drive ratios you may need are achievable. This pulley is made to accept a ½" shaft, 3-hole OEM design.

Moroso Radius Tooth Drive Pulleys are designed with the latest 8mm tooth technology, and will add to the efficiency of the entire round tooth drive combination. Available in sizes that will not only give you the ratio you want, but will adjust the centerline measurement between your pump and crankshaft center. Moroso Drive Pulleys fit any 1.00" mandrel with a 1/8" keyway slot.

VACUUM PUMP PULLEY RATIO CHART				
DRIVE PULLEY PART #	NO. OF TEETH	PUMP PULLEY Part #	NO. OF TEETH	DRIVE Ratio
23533	20	23540	40	50%
23534	22	23540	40	55%
23535	24	23540	40	60%





No. 23533

No. 23540

RADIUS TOOTH ALTERNATOR PULLEY

Moroso Radius Tooth Alternator Pulley is designed to work more efficiently and take less power to drive. Moroso Radius Tooth Alternator Pulley is made to use a .500" wide drive belt, and with a wide variety of drive pulley sizes, any drive ratio you may need is achievable. This pulley is made to accept a .590" diameter shaft alternator.

ALTERNATOR PULLEY CHART				
ALT. PULLEY PART #	NO. OF TEETH	DRIVE PULLEY PART #	NO. OF TEETH	DRIVE RATIO
23556	20	23558	40	200%





RADIUS TOOTH BELTS

Fits: Radius Tooth Pulleys with 8mm Pitch

- Provides higher power and torque transmission, improved meshing to reduce tooth jump, greater resistance to tooth shear and reduced friction to extend belt life
- Fiberglass cord is wound across the entire width of the belt to minimize stretching
- Belt body is manufactured from a synthetic neoprene compound that resists heat, oils, ozone and aging
- Tough nylon fabric is bonded to the tooth surface for greater wear resistance

TIMING BELT, 560-8M

Radius Tooth Belt 22" x 1" (559 x 25.4) 70 Teeth

- **PUMP & VACUUM PUMP DRIVE KITS AND PULLEYS**
- Provides higher power and torque transmission, improved meshing to reduce tooth jump, greater resistance to tooth shear and reduced friction to extend belt life Fiberglass cord is wound across the entire width of the belt to minimize stretching
 - Belt body is manufactured from a synthetic neoprene compound that resists heat, oils, ozone and aging
 - Tough nylon fabric is bonded to the tooth surface for greater wear resistance

PART # DESCRIPTION

97115↔ Timing Belt, 560-8M

GILMER DRIVE BELTS

- For Moroso Dry Sump Pump setups
- Will also work with other manufacturers' 3/4" pitch Gilmer Drive setups

No. 97110

RADIUS TOOTH BELTS

Fits: Radius Tooth Pulleys with 8mm Pitch

- Thin Series Belts for Moroso Vacuum Pump and Alternator Pulleys
- Fits 1/2" wide or greater pulleys
- · Strong and lightweight with less belt stretch
- Provides lower tension with positive engagement and no slippage

PART #	DESCRIPTION	LENGTH X WIDTH (MM)	TEETH	PART #	DESCRIPTION	LENGTH X WIDTH (MM)	TEETH
97141	Radius Tooth Belt	23.3" x ½" (592 x 12.7)	74	97151	Radius Tooth Belt	29.9" x ½" (760 x 12.7)	97
97142	Radius Tooth Belt	23.9" x ½" (608 x 12.7)	78	97152	Radius Tooth Belt	30.6" x ½" (776 x 12.7)	99
97144	Radius Tooth Belt	25.2" x ½" (640 x 12.7)	80	97154	Radius Tooth Belt	31.5" x ½" (800 x 12.7)	100
97146	Radius Tooth Belt	26.5" x ½" (672 x 12.7)	83	97157	Radius Tooth Belt	33.7" x ½" (856 x 12.7)	106
97147	Radius Tooth Belt	26.8" x ½" (680 x 12.7)	85	97159	Radius Tooth Belt	34.7" x ½" (880 x 12.7)	110
97149	Radius Tooth Belt	28.3" x ½" (720 x 12.7)	90	97164	Radius Tooth Belt	37.8" x ½" (960 x 12.7)	120

PART #

DESCRIPTION

ACEMENT PARTS FOR SUMP DRIVE KITS REPL DRY

• KARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

PART # DESCRIPTION

1 АНТ //	
97110	Gilmer Drive Belt - 22.5" long
97120	Gilmer Drive Belt - 24.0" long
97130	Gilmer Drive Belt - 25.5" long
97140	Gilmer Drive Belt - 27.0" long
23528	Gilmer Drive Pump Pulley - 28-t

tooth. For Nos. 23600, 23610, 23620, 23630, 23660, 23670 and 23672

No. 97125

PART #	DESCRIPTION	LENGTH X WIDTH (MM)
97105	Radius Tooth Belt	21"x 1" (533 x 25.4)
97125	Radius Tooth Belt	23.6" x 1" (599 x 25.4)
97135	Radius Tooth Belt	25.2" x 1" (641 x 25.4)
97136	Radius Tooth Belt	25.8" x 1" (655 x 25.4)
97138	Radius Tooth Belt	26.8" x 1" (681 x 25.4)

WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer birth defects, or reproductive harm-

www.P65Warnings.ca.gov

PART # 97110

97120

97130

DRIVE BELTS





No. 97115

DESCRIPTION	LENGTH X WIDTH (MM)	TEETH
Gilmer Drive Belt	22.5" x 1" (572 x 25.4)	60
Gilmer Drive Belt	24" x 1" (610 x 25.4)	64
Gilmer Drive Belt	25.5" x 1" (648 x 25.4)	68
Gilmer Drive Belt	27" x 1" (686 x 25.4)	72
Gilmer Drive Belt	22.5" long x ½" wide	60
Gilmer Drive Belt	24" long x 1/2" wide	64
Gilmer Drive Belt	25.5" long x ½" wide	68
Gilmer Drive Belt	27" long x 1/2" wide	72



23532	Gilmer Drive Pump Pulley - 32-tooth
97170	Gilmer Drive Crankshaft Pulley - 16-tooth.
	For Nos. 23600, 23610, 23620, 23630, 23660, 23670
	and 23672
235200	V-Belt Crankshaft Pulley - 2.5" long
235230	V-Belt Crankshaft Pulley - 4" long



TEETH

67

75

80

82

85



UNIVERSAL FIT AIR-OIL SEPARATORS

AIR-OIL SEPARATOR TANK Universal, Vacuum Pump, Fabricated • Designed to be plumbed between the valve cover and the inlet side of the vacuum pump · Features -12AN inlets and outlets and has a -6AN Drain FROM • Dimensions: 3-1/8" dia., 6-3/4" overall height **VALVE COVER** PART # DESCRIPTION 85471 Air-Oil Separator Tank No. 85471 **TO VACUUM PUM AIR-OIL SEPARATOR** Universal, Vacuum Pump Moroso Vacuum Pump Air-Oil Separator is designed to be plumbed between the valve cover and the inlet side of the vacuum pump Features internal baffling with mesh media for superior air-oil separation • Billet Aluminum body compliments any engine compartment and can be polished, chromed or powder coated for a custom look -12AN inlet and outlet fittings for plumbing the Air-Oil Separator inline • Includes a billet aluminum mounting clamp for the body of the Air-Oil Separator.

 Includes a billet aluminum mounting clamp for the body of the Air-Oil Separator, a stainless steel bracket for non-accessible behind the panel mount applications and an O-ringed drain bung

PART #DESCRIPTION85495↔Air-Oil Separator, Universal, -12AN Fittings

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 85495

AIR-OIL SEPARATOR KITS, LARGE BODY Universal

No. 85474

- Plumbed into a vehicle's PCV system to capture the excess crankcase vapors and the residual oil mist from re-entering the intake track
- Vehicles from the factory vent these excess crankcase vapors and residual oil right back into the intake manifold which could cause detonation and oil deposits to form in the intake track including the valves themselves
- Features billet aluminum housing and includes 3/8" 90° inlet & outlet fittings, 36" of 3/8" rubber hose for plumbing the Air-Oil Separator inline, and a billet aluminum mounting clamp for the body of the Separator
- · Features a bottom drain with elbow that makes draining the collected oil virtually mess-free

PART # DESCRIPTION

- 85474 Air-Oil Separator, Universal Fit, Polished Body
- 85531 Air-Oil Separator, Universal Fit, Black Anodized Body

NOTE: Not legal for sale or use on polution-controlled vehicles.

PART # REPLACEMENT PART

97200 Ball Valve, 3/8" Male and Female Ports

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov AIR - OIL SEPARATORS

UNIVERSAL FIT AIR-OIL SEPARATORS

AIR-OIL SEPARATOR KITS Universal, Small Body

- Moroso Air-Oil Separator is plumbed into a vehicle's PCV system and captures the excess crankcase vapors and the residual oil mist from re-entering the intake tract
- Vehicles from the factory vent these excess crankcase vapors and residual oil right back into the intake manifold which could cause detonation and oil deposits to form in the intake tract including the valves themselves
- Ethanol enriched fuels put off more moisture during the combustion process, the Moroso Air-Oil Separator is an excellent tool for collecting this extra moisture
- Billet Aluminum body is available either with raw or black anodized finish
- 4.5" tall by 3.75" (clamp installed) diameter body, fits in more places than our standard air-oil separators
- Supplied 3/4", 90° inlet & outlet fittings, 36" of 3/4" rubber hose and includes a billet aluminum mounting clamp
- Two piece body of the Air-Oil Separator unscrews for cleaning and draining

PART # DESCRIPTION

- 85682 Air-Oil Separator, Small Body, Universal, Clear Bottom
- 85683. Air-Oil Separator, Small Body, Universal, Black Anodized Finish Upper, Clear Bottom
- 85496 Air-Oil Separator, Small Body, Polished Finish
- 85497 Air-Oil Separator, Small Body, Black Anodized Finish

PART # REPLACEMENT PART

97301 Air-Oil Separator Small Body Replacement Clear Bottom



CUSTOM FIT AIR-OIL SEPARATORS

AIR-OIL SEPARATOR PCV DELETE KIT FOR SUBARU

From the factory, a vehicle's PCV system vents excess crankcase vapors, residual oil and moisture back into the intake manifold which compromises performance and durability

- Kit allows Air-Oil Separators to work at greater efficiency at all RPM levels
- · Enables full filtration of blow by gases entering turbo inlet
- Kit is designed to work with all Moroso Air-Oil Separators for Subaru Applications
- Deletes O.E.M. PCV System including Intake Manifold PCV Inlet
- Not for use on Emission Controlled Vehicles, off road use only

85699 Air-Oil Separator PCV Delete for Subaru

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



AIR-OIL SEPARATOR, CLEAR BOTTOM

- A replacement clear bottom for Moroso Nos. 85682 or 85683 and is an option if someone wants to change out their standard billet aluminum bottom on a Moroso Small Bodied kit
- Allows the user to see how much oil is collected without unscrewing the bottom of a Moroso small body Air-Oil Separator

PART # REPLACEMENT PART

97301 Air-Oil Separator Small Body Replacement Clear Bottom



No. 97301

AIR - OIL SEPARATORS

AIR-OIL SEPARATOR KITS

Fits: Custom Fit Applications

- Plumbed into a vehicle's PCV system to capture the excess crankcase vapors, residual oil mist and moisture from re-entering the intake tract
- Vehicles from the factory vent these excess crankcase vapors, residual oil mist and moisture right back into the intake manifold which could cause: detonation, oil deposits in the intake tract including the valves themselves, and decreased intercooler efficiency
- · Increases engine performance from cleaner intake air
- Air-Oil Separators have billet aluminum bodies with internal baffling and mesh media
- Includes heavy duty brass inlet and outlet fittings, Fuel/Emission/PCV Vapor hose, stainless steel mounting bracket and billet aluminum mounting clamp for the body of the Separator
- Some vehicle crankcase ventilation systems require that 2 Air-Oil Separator bodies be used to properly capture and ventilate the system



Moroso Air-Oil Separators are available in 2 sizes, not all kits are available with both size body, please see Air-Oil Separator Application Chart on the next page for more information

AIR-OIL SEPARATOR KITS, LARGE BODY

- The original size, 43% more capacity than the Small Body version
- · Features a bottom drain with elbow that makes draining the collected oil virtually mess-free
- Available with a polished or black anodized finish

AIR-OIL SEPARATOR KITS, SMALL BODY

- · Smaller size fits in more applications and some customers prefer the smaller size body
- Two piece body unscrews for draining
- · Available with a polished or black anodized finish

PART # REPLACEMENT PARTS

97200 97300∘	Ball Valve, %" Male and Female Ports Replacement Cap, Air-Oil Separator Large Body Drain, Black
97301 ↔	Air-Oil Separator Small Body Replacement Clear Bottom
65388 ↔	Air-Oil Sep, 3/8" To 1/2" Hose 90 Deg., Black
65389 ↔	Air-Oil Sep, ¾" To ½" Hose, Straight, Black
65131 ↔	Air-Oil Sep, ¾" To ½" Hose, 90 Deg. Streamline, Black
65381 ↔	Air-Oil Sep, ¾" To ¾" Hose, Straight, Black
65382 ↔	Air-Oil Sep, ¾" To ¾" Hose, 90 Deg., Black



No. 97301





No. 65131



No. 65388

No. 65389

AIR-OIL SEPARATORS

FITS:	 Not legal for sale or use on pollution-controlled vehicles 	• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm- www.P65Warnings.ca.gov	# OF AIR-OIL Separators In Kit	LARGE BODY PART #	BLACK ANODIZED LARGE BODY PART #	POLISHED SMALL BODY PART #	BLACK ANODIZED SMALL BODY PART #
BMW M3	, 1995-1999		1	854990	N/A	856480	85649 ↔
CADILLA	C CTS V, 2008-2014		1	N/A	N/A	856020	85603↔
CHEVY C	AMARO SS, 2010-2015, ZL1,	2012-2015	1	854870	N/A	856520	85653↔
CHEVY C	AMARO SS WITH EDELBROCK	SUPERCHARGER, 2010-2015	1	854930	N/A	856340	85635↔
CHEVY CO	ORVETTE NON Z06 2014-201	9	1	855240	N/A	856860	856870
CHEVY CO	ORVETTE Z06 2006-2013		1	85521 o	N/A	856780	85679 ↔
CHEVY CO	ORVETTE, 1997-2004		1	855160	N/A	N/A	N/A
CHEVY CO	ORVETTE LT1/LT4, 1992-199	3	1	N/A	N/A	85642 ↔	85643 ↔
CHEVY/GI	M TRUCK WITH LS ENGINES,	1999-2018	1	85481 0	N/A	N/A	N/A
CHRYSLE	R 300C 6.1, 2005-2010		1	85472 0	N/A	85612 ↔	85613 ↔
CHRYSLE	R 300C 5.7 WITH AFTERMAR	KET INTAKE, 2005-2010	1	85472 0	N/A	85640 ↔	85641 ↔
CHRYSLE	R 300C 5.7 WITH FACTORY I	NTAKE, 2005-2010	1	N/A	N/A	856320	85633↔
	HALLENGER 6.1/6.4 NON HE Aker Hood 2008-2019	LLCAT,	1	85472 0	N/A	85612 ↔	85613 0
DODGE C	HALLENGER 5.7/6.4 SHAKER	H00D 2015-2019	1	855300	N/A	856960	85697 ↔
DODGE C	HALLENGER HELLCAT 2015-	2019	1	855320	N/A	85702 ↔	85703 ↔
DODGE C	HALLENGER 5.7 WITH AFTER	MARKET INTAKE, 2008-2012	1	85472 0	N/A	856400	85641 ↔
DODGE C	HALLENGER 5.7 WITH FACTO	RY INTAKE, 2008-2012	1	N/A	N/A	856320	85633 ↔
DODGE C	HARGER 6.1/6.4 NON HELLC	AT, 2008-2019	1	854720	N/A	85612 0	85613 ↔
DODGE C	HARGER HELLCAT 2015-201	9	1	855320	N/A	85702 ↔	85703 ↔
DODGE C	HARGER 5.7 WITH AFTERMA	RKET INTAKE, 2006-2010	1	854720	N/A	85640 ↔	85641 ↔
DODGE C	HARGER 5.7 WITH FACTORY	INTAKE, 2006-2010	1	N/A	N/A	856320	856330
DODGE N	MAGNUM 6.1, 2005-2008		1	85472 ↔	N/A	85612 0	85613 o
DODGE N	AGNUM 5.7 WITH AFTERMA	RKET INTAKE, 2005-2008	1	85472 ↔	N/A	85640 ↔	85641 o
DODGE N	AGNUM 5.7 WITH FACTORY	NTAKE, 2005-2008	1	N/A	N/A	856320	856330
DODGE R	am Pickup, 2009-2018, Hen	11 ENGINE	1	854 7 90	N/A	N/A	N/A
FORD FO	CUS ST, 2013-2018		1	N/A	N/A	856640	856650



BMW M3, 1995-1999, Part No. 85499



Cadillac CTS V, 2008-2014, Part No. 85603



Dodge Magnum, Charger, Challenger, Part No. 85613



Dodge Ram Truck 1500 2009-2018, Part No. 85479



Chevy Corvette non Z06 2014-2017 Part No. 85524



Ford Focus ST, 2013-2017, Part No. 85665

	AIR	-OIL SEPARAT	OR CH	ART	(CON'	<u>T)</u>	
FITS:	 Not legal for sale or use on pollution-controlled vehicles 	• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm- www.P65Warnings.ca.gov	# OF AIR-OIL Separators In Kit	LARGE BODY PART #	BLACK ANODIZED LARGE BODY PART #	POLISHED SMALL BODY PART #	BLACK ANODIZED SMALL BODY PART #
FORD MU	USTANG GT, 2015-2019		1	85522⇔	N/A	856800	85681 0
FORD MI	USTANG ECOBOOST 2015-20)19	1	85523↔	N/A	856840	85685 0
FORD MU	USTANG GT, 2011-2014		1	85485∘	N/A	856280	85629 ↔
FORD MU	USTANG GT WITH ROUSH SU	PERCHARGER, 2011-2014	1	85491 ∘	N/A	856040	85605⇔
FORD MI	USTANG SHELBY GT 500, 20	07-2014	1	85478 ↔	N/A	856160	85617 ∘
FORD MU	USTANG V-6, 2011-2014		1	85498 ↔	N/A	856380	856390
FORD MI	USTANG GT, 2005-2010		1	85477 ↔	N/A	N/A	N/A
FORD MI	USTANG GT, 1996-2004		1	854860	N/A	N/A	N/A
FORD MU	USTANG GT/LX 5.0, 1987-19	93	1	85514 ↔	N/A	856600	85661 ↔
FORD F-	150 ECOBOOST 2011-14		1	85520↔	N/A	856760	856770
FORD F-	150, 5.4, 2004-2008		1	855130	N/A	N/A	N/A
FORD RA	APTOR TRUCK 6.2, 2010-201	4	1	854920	N/A	856060	85607 0
HUMMEF	R H2, 2003-2009		1	854810	N/A	N/A	N/A
JEEP JK,	3.6, 2012-2018		1	855180	N/A	856700	85671 ∘
JEEP JK,	3.8, 2007-2011		1	855170	N/A	856680	856690
JEEP SR	T8, 2006-2010		1	854820	N/A	N/A	N/A
LOTUS E	LISE/EXIGE, 2005-2011		2	854940	N/A	856360	856370
MAZDA N	MIATA, 1990-2005		1	854880	N/A	856000	85601 <i>\</i>
MINI COO	OPER S/CLUBMAN S, 2007-2	015	1	N/A	N/A	856080	856090
MITSUBI	SHI EVO 10, 2008-2015		1	854830	N/A	N/A	N/A
SUBARU	BRZ, SCION FRS, 2012-201	5	1	855150	N/A	856660	856670
SUBARU	STI, 2008-2014, TOP MOUN	T INTERCOOLER	2	855100	N/A	856440	85645 °
SUBARU	STI, 2008-2014, FRONT MO	UNT INTERCOOLER	2	N/A	N/A	856460	856470
SUBARU	WRX, 2008-2014		2	854890	N/A	856100	85611 0
SUBARU	WRX, 2006-2007, STI, 2004	-2007 TOP MOUNT INTERCOOLER	2	854840	N/A	856260	856270
SUBARU	WRX, 2006-2007, STI, 2004	-2007 FRONT MOUNT INTERCOOLER	2	N/A	N/A	856540	856550
SUBARU	WRX, 2015-2018		1	N/A	N/A	856720	85673 0
TOYOTA	TUNDRA, 2007-2014, 5.7 & ⁻	TOYOTA SEQUOIA, 2008-2014	1	85511 ∘	N/A	856500	85651 ∘
	AGEN GOLF/JETTA, 2.0 T, 20	· ·	1	855190	N/A	856740	856750
UNIVERS	AL		1	854740	85531	854960	85497 °
UNIVERS	AL, -12AN		1	854950	N/A	N/A	N/A



Ford Mustang GT 2015-2019, Part No. 85522



Subaru WRX 2006-2007, STI 2004-2007 Top Mount Intercooler, Part No. 85484



Jeep JK 2012-2018, Part No. 85671



Volkswagen Golf/Jetta 2010-2014 Part No. 85519



Mazda Miata, 1990-2005, Part No. 85488



Universal Air-Separator installed on a custom Harley-Davidson

DRY SUMP TANKS & ACCESSORIES

DRY SUMP TANKS

- Tall design capacity: 6 quarts; short design capacity: 5 quarts
- Oil tanks without integral breathers and #12 breather fitting use Nos. 85465, 85466 or 85467 Overflow Breather Tanks
- Large diameter, billet aluminum, screw-on cap with 0-ring
- Body height: 13" Tank measures 11.1"; 15" Tank measures 12.9"
- Use Moroso Mount Nos. 22674, 22677, 22678 and 22761.

SINGLE INLET DRY SUMP TANKS

Single -16AN inlet without Breather

PART # DESCRIPTION

22681* Dry Sump Tank, 13", 5 Quart, (1) -16AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks

22686* Dry Sump Tank, 15", 6 Quart, (1) -16AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks Single -16AN inlet with Breather

Single -16AN inlet with Breather

DESCRIPTION PART

22682* Dry Sump Tank, 13", 5 Quart, (1) -16AN with Integral Breather Tank 22687* Dry Sump Tank, 15", 6 Quart, (1) -16AN with Integral Breather Tank

TRIPLE INLET DRY SUMP TANKS

Three -12AN inlets without Breather

PART # DESCRIPTION

- 22683* Dry Sump Tank, 13", 5 Quart, (3) -12AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks
- 22688* Dry Sump Tank, 15", 6 Quart, (3) -12AN. Oil tanks without integral breathers and -12AN breather fitting use Nos. 85465, 85466, 85467 Overflow Breather Tanks

Three -12AN inlets with Breather

PART # DESCRIPTION

22684* Dry Sump Tank, 13", 5 Quart, (3) -12AN with Integral Breather Tank 22689* Dry Sump Tank, 15", 6 Quart, (3) -12AN with Integral Breather Tank *Not legal for sale or use on pollution-controlled vehicles


AVAILABLE OPTIONS PART

- 226740 Dry Sump Tank Mount, 7" Diameter
- Straight Extended Tank Mount, 7" Diameter 226770
- 30° Angle Extended Tank Mount, 7" Diameter 226780
- U-Weld-It Tank Mount. 7" Diameter 226790


PART # **REPLACEMENT PARTS**

- 68815**0** Non-Hooded Breather
- 97571 Replacement lid with O-ring

97751 Replacement O-ring




Side View No. 22681/22686



No. 22682/22687

#12 AN S



• KARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov

No. 22683/22688



No. 22681/22686




No. 22682/22687



No. 22683/22688



No. 22684/22689



No. 22684/22689

190

#12 AN Suppl

· /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

DRY SUMP TANKS & ACCESSORIES

PART #

97571

97751

DRAGSTER 6 QUART TWO-PIECE DRY SUMP TANK

- . Tank body is 20" tall and 6" diameter with a six quart capacity
- -16AN inlet and -12AN outlet
- -12AN Breather tank fitting
- 0-ring drain bung
- Tank comes apart for ease of cleaning or inspection
- Top of tank can be clocked for plumbing routing
- Top and bottom of tank are joined together by billet aluminum O-ringed sealing flanges
- Large diameter, billet aluminum, screw-on cap with O-ring for positive sealing

PART # DESCRIPTION

22691* Dragster 6 Quart, 2-Piece Dry Sump Tank

PRO-MOD, 6 QUART DRY SUMP TANK

- Tank body is 15" Tall and 7" Diameter with a 6 quart capacity
- (2) -16 AN Inlets
- (1) -12 AN Supply (Outlet)
- Integral Breather Tank
- Tank comes apart for ease of cleaning or inspection
- The removable top is machined out of billet aluminum with O-ringed sealing flanges
- Large diameter, billet aluminum, screw-on cap with O-ring for positive sealing
- 0-ring drain bung

PART # DESCRIPTION

22617 Pro-Mod. 6 Quart, Removable Top Dry Sump Tank

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT PARTS

Replacement lid with O-ring Replacement O-ring

• ZI WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

PART # AVAILABLE OPTION

22699 Dry Sump Tank Mount, 6" diameter



No. 22691

No. 22617

No. 22697



DRY SUMP TANK MOUNT KITS

Moroso offers aluminum Dry Sump Tank Mount Kits for all 7" diameter Moroso tanks. The kits include a .250" thick billet aluminum mounting flange to mount to any motor plate application. The rounded aluminum saddle ensures proper contact to the tank and along with the rubber strips, vibration is reduced to a minimum. The stainless steel clamps are sanctioning body legal, and will hold the tank securely to the mount

PART # DESCRIPTION

- 22677 Straight extended Tank Mount. Mount is 5.25" from flange mount to saddle base
- **22678** 30 Degree extended Tank Mount. Mount is 5.25" from flange mount to saddle base
- **22679** U-Weld-It Tank Mount. Maximum mount length is 5.25" from flange mount to saddle base

DRY SUMP TANK REMOVABLE MOUNTING KITS, FOR 7" DIAMETER TANKS

- Mounting kit helps in the installation of 7" diameter dry sump tanks
- The kits contains a steel "I" shaped piece that allows the dry sump tank to be quickly removed and reinstalled in the vehicle
- Also this "I" shaped piece allows the installer to set what distance they would like their tank to be from the mounting surface
- Outer tube is drilled, inner tube needs to be drilled by customer
- Included in the mounting kit is the tank mount itself which has a billet aluminum base for strength
- · Stainless steel band clamp with interlocking rubber for cushioning

PART # DESCRIPTION

22697↔ Dry Sump Tank Removable Mounting Kit, Aluminum22698↔ Dry Sump Tank Removable Mounting Kit, Steel

*Note: Not legal for sale or use on pollution-controlled vehicles.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





DRY SUMP TANK ACCESSORIES

DRY SUMP TANK MOUNTS

- Billet aluminum base for strength
- Includes stainless steel band clamp with interlocking rubber for cushioning
- Available in single and two packs

PART # DESCRIPTION

22699* • Dry Sump Tank Mount, 6" diameter, 2 per Dry Sump Tank Mount, 6" diameter, single **22701**↔ Dry Sump Tank Mount, 7" diameter, 2 per 226740 Dry Sump Tank Mount, 7" diameter, single 227390

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



*Fits Moroso Part No. 22691

REMOTE OIL FILTER MOUNT, FOR 7" DIAMETER DRY SUMP TANKS

- Strong billet aluminum base has a provision so that Moroso Part Nos. 23763, 23764 Remote Oil Filter Mounts or other Remote Oil Filter Mounts with a 2-5%" bolt spacing can be installed directly to the base
- For the installation on a 7" diameter dry sump tank
- A stainless steel band clamp with interlocking rubber for cushioning

DESCRIPTION PART

22761 Remote Oil Filter Mount, for 7" Diameter Dry Sump Tanks





Above image shows Part No. 22761 installed; only highlighted components are included in the mount

BREATHER TANKS

BREATHER TANKS, PLASTIC

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- Black polyethylene for light weight
- 2" Breather filter mounted on top
- · Four sizes of inlet fittings available
- · Can be modified for additional fitting for dual vent hoses
- Works with Mounting Bracket Part No. 63401
- Dimensions: 3-1/8" Dia. 7-1/2" tank height without Breather, 10-1/2" with Breather

PART # DESCRIPTION

85400*0	Breather Tank, -12AN Fitting
85402 *⇔	Breather Tank, -10AN Fitting
85404 *⇔	Breather Tank, -8AN Fitting
85406*~	Breather Tank, -6AN Fitting

PART # **OPTIONS/REPLACEMENT PARTS**

- 97200 Ball Valve, 3/8" Male and Female Ports
- **68818**↔ Non-Hooded Breather

FILTERED BREATHER

2" O.D. Tubes, Non-Hooded

- Provides maximum protection against dirt and airborne debris without restricting air flow
- Clamp on type, includes clamps (one per pack)
- Fits 2" 0.D. tubes; is a replacement breather for Moroso Breather Tanks, Part Nos. 85400, 85402, 85404 & 85406
- · Cleanable and re-usable; oil before use

DESCRIPTION PART

68818* Filtered Breather, non-hooded style, clamp-on type. For Moroso Breather Tanks, 2" O.D.

Universal Tank Mounting Brackets on pg. 196

No. 85400



• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



TANKS & COVERS

BREATHER TANKS

BREATHER TANKS

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- Remote breather tank is a perfect companion for Moroso Vacuum Pumps or Dry Sump Tanks
- Aluminum, lightweight tank features internal baffling with mesh media for air-oil separation
- Includes non-hooded, clamp-on style filtered breather that traps oil while allowing air to escape freely
- Petcock facilitates tank draining
- Dimensions: 3-1/8" diameter, 6-1/2" tank height (without filter or drain), 11-1/2" overall height
- Polished finish except Part No. 85751 that has a black wrinkle powder coat finish
- · Includes mounting bracket
- PART # DESCRIPTION
- PART # DESCRIPTION 85470*• Breather Tank, ³/₈" N.P.T. Female Fitting 85456*• Breather Tank, -6AN Male Fitting 85458* Breather Tank, -8AN Male Fitting
- PART # 85459*• Breather Tank, -10AN Male Fitting 68815^o 85465*• Breather Tank, -12AN Male Fitting 68811• 85751* Breather Tank, -12AN Male Fitting, 97200 Black P.C. Finish MEMM 85475*• Breather Tank. -16AN Male Fitting
- No. 85751 No. 85465

OPTIONS/REPLACEMENT PARTS Non-Hooded Breather Half-Hooded Breather Ball Valve, 3/8" Male and Female Ports

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

BREATHER TANK

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- A perfect companion for engines equipped with dry sump pumps, vacuum pumps or non-dry sump or non-vacuum pump equipped engines that historically have "pushed oil" with other breather tanks
- Features internal baffling with mesh media for superior air-oil separation
- -12AN male side fitting and petcock facilitates tank draining
- Includes a panel mount, billet aluminum clamp that has two supplied 1/4" -20 mounting hardware No. 85467
- Dimensions: 3-1/8" dia., 6-1/2" tank height (without filter), 11-1/2" overall height

DESCRIPTION

85467*• Breather Tank

PART #

PART # **OPTIONS/REPLACEMENT PARTS** 63403 Billet Aluminum Mounting Bracket, Universal Non-Hooded Breather **68815**0 68811o Half-Hooded Breather 97200 Ball Valve, 3/8" Male and Female Ports

BREATHER TANK, BILLET

Dry Sump, Vacuum Pump Systems, Air-Oil Separation

- All billet aluminum, lightweight tank features mounting strap to simplify installation
- Includes non-hooded, clamp-on-style Filtered Breather that traps oil while allowing air to escape freely
- Petcock facilitates tank draining
- Dimensions: 3" dia., 6-1/2" tank height (without filter), 11-1/2" overall height

DESCRIPTION PART # **85500**^{*}↔ Billet Breather Tank PART # **OPTIONS/REPLACEMENT PARTS** 68815**o** Non-Hooded Breather 68811o Half-Hooded Breather

97200 Ball Valve, ³/₄" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 85500

- Dry Sump, Vacuum Pump Systems, Air-Oil Separation
- Multi-inlet tank can collect from different sources to save on weight and plumbing complexity, fitting locations are 180° apart
- All aluminum, lightweight tank features mounting straps to simplify installation
- Includes non-hooded, clamp-on style Filtered Breather that traps oil while allowing air to escape freely

BREATHER TANKS, MULTI-INLET

- Petcock facilitates tank draining
- Dimensions: $3-\frac{1}{8}$ " dia., $6-\frac{1}{2}$ " tank height (without filter), $11-\frac{1}{2}$ " overall height
- Polished finish except Part Nos. 85752 and 85753 that have a black wrinkle powder coat finish
- Includes mounting bracket

PART # DESCRIPTION

85473* ↔	Breather Tank, Two ¾" N.P.T. fittings
85455⇔	Breather Tank, Two ½" N.P.T. fittings
85468 ↔	Breather Tank, Two -10AN male fittings
85752 ↔	Breather Tank, Two -10AN male fittings, black p.c.
85469 ↔	Breather Tank, Two -12AN male fittings
85753 ↔	Breather Tank, Two -12AN male fittings, black p.c.



No. 85752

No. 85473

OPTIONS/REPLACEMENT PARTS

68815↔ Non-Hooded Breather

PART #

- 68811o Half-Hooded Breather
- 97200 Ball Valve, 3/8" Male and Female Ports

*Note: Not legal for sale or use on pollution-controlled vehicles.

FITTINGS, 1/2" N.P.T. MALE TO 5/8" BARBED HOSE

- A valve cover breather assembly can be created easily by using these fittings with a Moroso Part No. 85455 Breather Tank and the following breathers: Part Nos. 68780, 68785 or 68788, plumbed together with ⁵/₈" lines
- Brass construction
- One per package

PART # DESCRIPTION

15" overall height

PART #

85390o

DESCRIPTION

227350 Fitting, 1/2" N.P.T. Male to 5/8" Barbed Hose, Straight Fitting, 1/2" N.P.T. Male to 5/8" Barbed Hose, 90 Deg. 227360

Aluminum, lightweight tank features internal baffling with

 Includes two non-hooded, clamp-on filtered breathers, built-in mounting bracket and an easy to drain ball valve drain

Two, -16AN Inlets, "Face" of the tank

Breather Tank, Two Breathers, Two, -16AN Inlets, Right Side

BREATHER TANK, MULTI-INLET, 2.5 QUART

Breather Tank, Two Breathers, Two, -16AN Inlets, Each Side of the tank



BREATHER TANKS



No. 22736

VACUUM PUMP BREATHER TANK, TWO BREATHERS Bigger than your typical breather tank for capturing large amounts of vapor expelled by big cube, high boosted, big shot of nitrous, loose tolerances, high stressed types of engines

No. 2273

No. 85392





• A WARNING Prop. 65 birth defects, or reproductive harmwww.P65Warnings.ca.gov





Dry Sump, Vacuum Pump Systems, Air-Oil Separation

mesh media for air-oil separation

Dimensions: 7" wide (without mount), 4" deep,

11" tank height (without filter or drain),

Breather Tank, Two Breathers,

One, -16AN Inlet, Right Side

Breather Tank, Two Breathers,

- Eliminates the need for two tanks
- Larger capacity 2.5 quart tank complete with dual -12AN fittings, allows hookup from Vacuum Pump and Dry Sump Pump
- All-aluminum, lightweight 3" x 17-1/2" (installed) tank includes mounting clamp to simplify installation
- Includes non-hooded, clamp-on-style Filtered Breather that traps oil while allowing air to escape freely

No. 85393

Petcock facilitates tank draining

DESCRIPTION PART

85466*• Breather Tank, Vacuum/Dry Sump Pump, 2.5 Quart

OPTIONS/REPLACEMENT PARTS PART

Universal Tank Mounting Bracket, 3" to 3.25" dia. 63401o

- **68815**↔ Non-Hooded Breather
- **68811**↔ Half-Hooded Breather
- 97200 Ball Valve. 3/8" Male and Female Ports

FILLER/BREATHER TANK

- Provides remote filling capabilities and breathing capacity
- Mounted so that its bottom outlet, with ³/₄" N.P.T. female fitting, is higher than the inlet to the steering pump, rear axle housing, etc.
- The 3/4" N.P.T. fitting located at the top of the tank can be used to connect a vent line to the rear axle housing for quicker filling or as a return line when the tank is used as a radiator catch can
- Dimensions: 8" length, 3-1/8" diameter, 1 gt. capacity

PART # DESCRIPTION

85450*• Filler/Breather Tank, panel mount REPLACEMENT PART PART # 97580 Cap

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 85450





*Note: Not legal for sale or use on pollution-controlled vehicles.

This product contains a chemical known to the state of California to cause cancer.





BREATHER TANKS, ROLL BAR MOUNT

Available with several different side mounted fitting options for ease of plumbing

- Remote breather tank is a perfect companion for Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- Features internal baffling with mesh media for air-oil separation
- Includes non-hooded, clamp-on style, filtered breather and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height, 11-1/2" overall height

PART # DESCRIPTION

- 85461*• Breather Tank, Roll Bar Mount, -12AN Male
- 85462*• Breather Tank, Roll Bar Mount, 3/1" N.P.T. Female
- 85463*• Breather Tank, Roll Bar Mount, 1/2" N.P.T. Female

OPTIONAL PART PART

97200 Ball Valve, 3/8" Male and Female Port

*Not legal for sale or use on pollution-controlled vehicles

/!\ WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

MULTI-INLET BREATHER TANK, ROLL BAR MOUNT

Fits: Breather Tank. Roll Bar Mount. 1/2" & 3/6" N.P.T.

- Remote breather tank is a perfect companion for Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Side mounted ³/₈" female fitting and ¹/₂" female fitting on roll bar mount side, that are 180 Degrees apart for ease of plumbing
- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- · Features internal baffling with mesh media for superior air-oil separation
- Includes non-hooded, clamp-on style, filtered breather and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height, 11-1/2" overall height


DESCRIPTION PART

85464*• Breather Tank, Roll Bar Mount, 1/2" & 3/8 " N.P.T.

OPTIONAL PART PART # 97200 Ball Valve, 3/8" Male and Female Ports

*Not legal for sale or use on pollution-controlled vehicles

· MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov






Integral Tube Mount

MULTI-INLET BREATHER TANKS, COMPACT, BILLET ALUMINUM

Available with a polished or black anodized finish



- The compact breather tanks are machined out of billet aluminum and are two pieces. so that the body of the compact breather tanks unscrews for cleaning and draining
- Features internal baffling with mesh media for superior air-oil separation
- Top of the breather tank has two -8AN Female bungs 180 Degrees apart from each other. included are two -8AN Male fittings, customer can adapt other sized fittings if desired
- Each tank includes a non-hooded, clamp-on style, filtered breather and a billet aluminum mounting bracket
- Exterior of the tanks are available with a polished or black anodized finish

PART # DESCRIPTION

- 853960 Breather Tank, Compact, Polished Finish
- 853970 Breather Tank, Compact, Black Anodized Finish

PART # **OPTIONAL PART**

97301

· WARNING Prop. 65 Replacement Clear Bottom This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harmwww.P65Warnings.ca.gov






Integral Tube Mount



No. 85461





TRANSMISSION TANKS & ACCESSORIES

TRANSMISSION EXPANSION TANK

Billet Aluminum

- Both heavy duty and good looking-finish can be left as is, polished, powder coated or painted
- Meets requirements of 1-1/2 pint transmission NHRA overflow rule
- Prevents fluid mist from spraying on the race surface, behind your car and tires
- Pressurized fluid is captured in the Tank and will drain back into the transmission as it cools
- Includes breather and billet aluminum mounting bracket
- Designed with an integral baffle

PART # DESCRIPTION

41221*• Transmission Expansion Tank, Billet Aluminum, 2.75" O.D., 2.715" I.D. x 7.050" long

REPLACEMENT PARTS PART

68791o Clamp on breather

*Not legal for sale or use on pollution-controlled vehicles

No. 41221

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

· /! WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

UNIVERSAL FIT BRACKETS

UNIVERSAL TANK MOUNTING BRACKETS

- No. 63401 fits all 3" to 3.25" diameter tanks, including Moroso Overflow Tank No. 63657
- No. 63402 fits all tanks with a 2.44" to 2.69" diameter
- Manufactured from a one-piece, zinc plated steel bracket with 11/32" mounting holes and a sliding, stainless steel T-Bolt clamp
- Features a locking nut to prevent loosening and a quick disconnect strap
- Meets the requirements of all sanctioning bodies

DESCRIPTION PART

63401**0** Universal Tank Mounting Bracket. 3" to 3.25" dia. 63402 Universal Tank Mounting Bracket. 2.44" to 2.69" dia

BILLET ALUMINUM MOUNTING BRACKET

Universal

Fits: All 3-1/8" diameter tanks such as Moroso Nos. 63660, 85400, 85402, 85404, 85406, 85450, 85465, 85466, 85467, 85470, 85471, 85473

- Manufactured from Billet Aluminum
- Back of Bracket has two panel mounting holes for the supplied 1/4" -20 mounting hardware



No. 63401



PART # DESCRIPTION 63403 Billet Aluminum Mounting Bracket, Universal

POWER STEERING TANKS

POWER STEERING TANKS

Fits: Universal Panel Mount

- · Built in bracket allows convenient mounting on a panel
- -6AN inlet and -10AN outlet with an internal baffle
- Includes a heavy duty vented screw on cap
- Fabricated of aluminum for strength
- Polished finish, except Part No. 63951 has a Black Wrinkle Powder Coat Finish

PART # DESCRIPTION

- 63506 Power Steering Tank, Universal Panel Mount, Inlet left side
- 63507 Power Steering Tank, Universal Panel Mount, Inlet right side
- 63951 Power Steering Tank, Universal Panel Mount, Inlet left side, Black Wrinkle Powder Coat Finish



No. 63657

RADIATOR RECOVERY TANK

1 Quart Capacity

Features built-in mounting Inserts

- Lightweight durable design holds one full quart capacity
- Tank features 2 molded in 3" on center mounting inserts with 5/16"-18 thread
- Can be used in many forms of competition: NHRA & IHRA accepted
- Vented tank includes 3/8" N.P.T. hose fitting and drain cock
- Dimensions: 10-1/2" high (overall), 3" tank diameter
- Mounting hardware included

PART # DESCRIPTION

63657**o** Overflow Tank, 1 Quart, Built-In Mounting Inserts



- · Lightweight Aluminum design holds one full quart capacity
- Can be used in many forms of competition: NHRA, IHRA & SCCA accepted
- Vented recirculating tank includes: push-lock fitting (for 1/4" 0.D. flexible tubing), barbed fitting (for 3/8" rubber hose), siphon tube and drain fitting
- Dimensions: 9" high (overall), 3-1/8" tank diameter

PART # DESCRIPTION

636600 **Radiator Recovery Tank**

AVAILABLE OPTIONS PART

- 63401o Universal Tank Mounting Bracket, 3" to 3 1/4" dia.
- 63403 Billet Aluminum Mounting Bracket, Universal
- Ball Valve, 3/8" Male and Female Ports 97200

BILLET RADIATOR RECOVERY TANK

- Billet Aluminum design holds one full guart capacity
- Can be used in many forms of competition: NHRA, IHRA & SCCA accepted
- Vented recirculating tank includes: push-lock fitting (for 1/4" 0.D. flexible tubing), barbed fitting (for 3/8" rubber hose), siphon tube and drain fitting
- Dimensions: 9" high (overall), 3" tank diameter
- Billet mount included

PART # DESCRIPTION

855050 Billet Radiator Recovery Tank

PART # **OPTIONAL PART** 97200 Ball Valve, 3/8" Male and Female Ports

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

WARNING Prop. 65


This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-

www.P65Warnings.ca.gov



No. 63660







This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

COOLING SYSTEM EXPANSION TANKS

- · Perfect for cars with low-mount radiators to provide convenient filling location and to bleed off unwanted air
- Available with rugged 6061-T6 billet aluminum filler necks welded to tank to withstand continuous removal and installation of cap
- Available in two sizes to simplify installation in tight areas
- Each tank includes a 1/8" pipe overflow fitting at neck, a 1/4" N.P.T. water intake bung, and a 1/2" bung at the bottom for plumbing a line to the radiator
- 100% pressure tested to eliminate leaks
- Accepts a standard-size radiator cap
- Dimensions: 6-1/2" H x 7" W

PART #	DESCRIPTION	FILLER NECK	CAPACITY	DEPTH
63650	Expansion Tank	Stamped	1-1/2 quart	3-5/8"
63651	Expansion Tank	Billet Aluminum	1-1/2 quart	3-5/8"
63655	Expansion Tank	Stamped	1 quart, low-profile	2-5/8"
63656	Expansion Tank	Billet Aluminum	1 quart, low-profile	2-5⁄8"







 \bigcirc

5-5/8'

5-5/8"

- 1-1/4" quart capacity
- One ½" N.P.T. female fitting on bottom of tank and one %" N.P.T. female fitting on side
- Billet filler neck with barbed fitting for overflow hose
- Available with a polished or a black wrinkle powder coat finish

PART # DESCRIPTION

63766 Universal Coolant Expansion Tank
63952 Universal Coolant Expansion Tank, Black Wrinkle Powder Coat Finish MEMM



No. 63952

UNIVERSAL COOLANT EXPANSION TANK, WITH SIGHT TUBE

- Designed for several applications where a small volume remote tank is necessary
- Sight Tube is constructed out of high quality tubing, allows the user to visually check the fluid level for years to come
- · Fabricated aluminum with integral mounting bracket
- 1-1/4 quart capacity
- One $\frac{1}{2}$ " N.P.T. female fitting on bottom of tank and one $\frac{3}{2}$ " N.P.T. female fitting on side
- Billet radiator filler neck accepts Moroso Racing Radiator Caps and standard size radiator caps, has a barbed fitting for overflow hose


PART # DESCRIPTION

63773. Coolant Expansion Tank, Universal with Sight Tube









Racing Radiator Caps

on pg. 263

UNIVERSAL COOLANT EXPANSION & RECOVERY TANK SYSTEM

Until now to follow the rules of most sanctioning bodies a remote recovery tank would have to be plumbed off the overflow hose. No need with this dual tank system which has a 1-¼ quart expansion tank with an attached 1 quart recovery tank. An added bonus is that the recovery tank has a built-in siphon tube which draws the overflowed

coolant back into the expansion tank as the coolant cools down. The end result is savings in complexity, weight, clutter, cost, maintenance and forgetting to install a recovery tank off the expansion tank.


- Tank system is fabricated out of aluminum with integral mounting bracket
- Expansion Tank section features:
 - 1-¼ quart capacity
- (1) $\frac{1}{2}$ " N.P.T. female fitting on bottom of the tank and (1) $\frac{3}{8}$ " N.P.T. female fitting on the side
- Billet radiator filler neck accepts Moroso Racing Radiator Caps and standard size radiator caps
- Recovery Tank section features:
- •1 quart capacity
- Internal Siphon Tube which allows the coolant to recirculate from the recovery tank back into the expansion tank %" N.P.T. female fitting, with ball valve on bottom of the tank

PART # DESCRIPTION

63772↔ Coolant Expansion & Recovery Tank System, Universal








UNIVERSAL CATCH/OVERFLOW/RECOVERY TANK

- Fabricated Aluminum for strength with integral mounting brackets and a clear coolant level check
- Versatile tank can be used for different applications depending how it is plumbed
- Side bung 1/4" N.P.T.
- With straight barbed fitting, bottom bung, $1\!\!\!/4''$ N.P.T. w/ petcock, $1\!\!\!/4''$ N.P.T. plug & $1\!\!\!/4''$ N.P.T. 90° fitting
- 4 quart capacity

PART # DESCRIPTION

63769. Catch/Overflow/Recovery Tank, Universal Fit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





COOLANT EXPANSION TANK

Fits: Roll Bar Mount, 1/2" N.P.T.

- Aluminum, lightweight tank features a roll bar/chassis tube mount to simplify installation
- 22.6 oz capacity
- Side mounted $\frac{1}{2}$ " N.P.T. female fitting for ease of plumbing
- Features billet aluminum radiator neck that accepts standard size radiator caps
- \bullet Billet aluminum neck has screw-in $1\!\!/\!\!\!/_8"$ N.P.T. hose fitting
- \bullet Has a bottom $3\!\!/_8$ " drain with plug
- Dimensions: $3-\frac{1}{8}$ " diameter (without mount), $6-\frac{1}{2}$ " tank height (without billet neck), $7-\frac{1}{2}$ " overall height

 PART #
 DESCRIPTION

 63771•
 Coolant Expansion Tank, Roll Bar Mount, ½" N.P.T.

PART #REPLACEMENT PARTS97200Ball Valve, %" Male and Female Ports

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 63771

LOOKING FOR A CUSTOM TANK?

Moroso can custom build dry sump, breather, coolant, expansion, overflow and power steering tanks to your unique specifications. A Technical Representative is available to discuss options, finishes and pricing for your custom tank.

COOLANT EXPANSION TANK

Fits: Camaro '16-Up, Cadillac ATS '13-Up, CTS '14-Up

- Direct bolt-in replacement to stock 2 piece plastic tank, ACDelco Part No. 22948113
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated
- or left as-is for a race look
 Features a billet aluminum radiator neck that accepts the factory cap
- Includes sight tube to check coolant level

PART # DESCRIPTION

63813 Coolant Expansion Tank, Camaro, '16-Up

SUPERCHARGER TANK

Fits: Camaro SS with Edelbrock Supercharger, '10-'15

- Direct bolt-in to factory Edelbrock tank
- · Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for guicker E.T'S and more horsepower
- · Accepts factory screw on cap

PART # DESCRIPTION

63503 Supercharger Tank, Camaro SS with EDELBROCK Supercharger, '10-'15

SUPERCHARGER TANK, CAMARO COPO '12-UP, CAMARO '10-UP BEING CONVERTED TO A COPO SPEC.

- Bolt-in replacement for the plastic tank that comes in earlier Supercharged COPO Camaros, the plastic tank can crack or deform over time
- May be used instead of or as a bolt-in replacement to GM Part No. TK40025
- · Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Features a easy to turn, see through screw-on cap that makes checking fluid and ice levels simple
- Mounting hardware included

PART # DESCRIPTION

63531 Supercharger Tank, Camaro Copo '12-Up, Camaro '10-Up

SUPERCHARGER TANK, CAMARO ZL1 '17-UP

From the factory the Camaro ZL1 is a super capable car whether at the Drag Strip or Road Course but why didn't GM include a factory installed Supercharger coolant tank? Even to bleed the factory Supercharger coolant system requires the purchase of an expensive tool from GM. After purchasing this tool the process of bleeding is still difficult for the novice and DIY'er.

- Adds almost a gallon of fluid to the system to help combat heat soak on those days at the track, on the Dyno or in stop and go traffic
- Adding tank requires no special tool needed for bleeding or checking the fluid level in the system
- The tank bolts into factory mounting points and attaches to factory hose connections making for an easy and clean installation
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Includes a billet aluminum cap and two hoses with fitting



P, PO SF	PEC.
tions	11 A Prosent



No. 63503



No. 63531

PART # DESCRIPTION 63873 Supercharger Tank Camaro 7I 1 '17

63873. Supercharger Tank, Camaro ZL1 '17-Up

TANKS & COVERS

FUSE BOX, BRAKE RESERVOIR & ABS PUMP COVERS

Fits: Camaro V-6, SS, '10-'15

- Fits over factory plastic fuse box lid, brake reservoir or ABS Pump tank and can be installed in just minutes
- Fabricated out of .100" thick aluminum with TIG welded corners
- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as-is for a race look

DESCRIPTION
Brake Reservoir Cover.
Fits: Camaro V-6, SS, '10-'15
Fuse Box Cover. Fits: Camaro V-6, SS '10-'11
ABS Pump Cover, Camaro V-6, SS,
Hardtop Only, '10-'15
ABS Pump Cover, Camaro V-6, '10-'15

ed corners nk line

No. 74246





No. 74247

COOLANT EXPANSION TANKS

Fits: Corvette, '97-'13

- Direct bolt-in replacement for stock, cracked or mis-colored tanks
- Utilizes O.E.M. mounting points
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations, especially in supercharged or turbocharged applications
- Billet aluminum neck accepts stock vented cap, bleeds pressure like the factory intended
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Does not allow use of factory coolant level sensor if equipped

PART # DESCRIPTION

63787Coolant Expansion Tank, Corvette, '97-'0463808Coolant Expansion Tank, Corvette, '05-'13

POWER STEERING TANK

Fits: Corvette '97-'13 (Except ZR1)

- Direct bolt-in replacement for O.E.M. tank, also fits GM Accessory Drive Kits 19155066 & 19155967
- · Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts the stock cap
- · Can be polished, chromed, painted, powder coated or left as-is for a race look
- Tank is baffled, includes integral mounting bracket and billet aluminum hose fittings that are better looking and more trouble-free than screw-in fittings

PART # DESCRIPTION

63788 Power Steering Tank, Corvette, '97- '13 (except ZR1)

Note: Shown with O.E.M. cap, not included

No. 63788

BRAKE RESERVOIR & FUSE BOX COVERS

Fits: Corvette, '97-'08 & Cadillac XLR, '04-'08

- Fabricated .100" thick aluminum, fits over existing plastic brake reservoir cover
- Improves under-hood appearance, matching Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as-is for a race look

PART # DESCRIPTION

74240 Brake Reservoir Cover, Corvette, '97-'08 & Cadillac XLR, '04-'08 74241 Fuse Box Cover, Corvette, '97-'04











COOLANT EXPANSION TANKS

Fits: GM Gas Pick Ups and SUV

- Direct bolt-in replacement to stock 2 piece plastic tank
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- · Can be polished, chromed, painted, powder coated or left as is for a race look
- Features a billet aluminum radiator neck that accepts the factory cap

DESCRIPTION PART

63854 Coolant Expansion Tank, GM GAS P/U, SUV, '07-'13,2500/3500 GAS P/U '14-'18 Coolant Expansion Tank, GM P/U GAS 2500 '99-'07, 3500 '01-'07* 63856

*Has port for Moroso Part No. 63950 low coolant sensor

No. 63950

WARNING Prop. 65 This product contains a chemical known

COOLANT EXPANSION TANKS

For Dodge/Chrysler 300C, Challenger, Charger Hellcat, Magnum

- Direct bolt-In replacement to stock plastic tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as-is for a race look . Has a built-in overflow expansion reservoir like the factory tank
- (except Moroso No. 63796)
- Features a robust billet aluminum filler neck, fittings and power steering tabs
- Increased coolant capacity over stock tanks
- to the state of California to cause cancer, 63796 Coolant Expansion Tank. birth defects, or reproductive harmwww.P65Warnings.ca.gov Fits: Dodge/Chrysler 300C, Challenger, Charger, '11-'14 63497**0** Coolant Expansion Tank, with two power steering tab locations, for mounting an aftermarket intake shield, can be used with a stock intake. Fits: Dodge/Chrysler Challenger, Charger, Magnum with 2.7, 3.5, 5.7 and 6.1L Engines, '05-'10 Coolant Expansion Tank, with one power steering tab location, for use
- with a stock intake or aftermarket intake that does not use the power steering tab to mount the intake shield.

Fits: Dodge/Chrysler Challenger, Charger, Magnum with 2.7, 3.5, 5.7 and 6.1L Engines, '05-'10

Fits: Dodge/Chrysler Challenger & Charger, SRT8, Hellcat, '15-'21

SUPERCHARGER TANK, DODGE/CHRYSLER CHALLENGER & CHARGER HELLCAT, '15-'18

- Supercharged cars run hot so increased cooling capacity is a must for horsepower
- Direct bolt-in replacement, uses factory mounting bracket
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for guicker E.T'S and more horsepower
- Features billet aluminum neck and comes with Moroso Radiator Cap

PART # DESCRIPTION

63809 Supercharger Tank, Dodge/Chrysler Challenger & Charger Hellcat, '15-'18

POWER STEERING TANK


For Dodge/Chrysler 300C, Challenger, Charger, Magnum

- Manufactured from aluminum for strength
- Direct bolt-in to factory tank
- A much stronger and better looking tank than the plastic factory tank
- Baffled and complete with integral mounting bracket & fittings
- Accepts factory screw-on cap
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Fits on Moroso No. 63497 or stock

PART # DESCRIPTION

63498 Power Steering Tank. Fits: Dodge Cars with 2.7, 3.5, 5.7 and 6.1L Engines, '05 - '10









No. 63812

Racing Radiator Caps pg. 263



No. 63498

TANKS & COVERS





FUSE BOX COVER

Fits: Dodge Challenger, '08-'14

- Fabricated .100" thick Aluminum, fits over existing plastic fuse box lid
- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look

PART # DESCRIPTION

74226 Fuse Box Cover




RADIATOR & INTERCOOLER CAP COVERS

Billet Aluminum

- · Billet Aluminum cap cover snaps right on to factory radiator and intercooler caps
- Nos. 63802 and 63803 have knurled, easy-grip design
- Moroso Cap Covers complete the look and complement your upgraded tank
- Can be polished, chromed, painted, anodized, powder coated or left as-is for a race look

PART # DESCRIPTION 63800 Radiator & Intercooler Cap Cover. Fits: Ford Radiator and Intercooler Cap Nos. 1W138101AA, F6DZ8100A, RS103, RS527, XL3V8101AA, XL3Z8100AA, 9C3Z-8101B 63801 Radiator & Intercooler Cap Cover. Fits: Chevrolet Radiator Cap Nos. 10305080, 20838623, 25713160, RC87, RC107 63802 Radiator & Intercooler Cap Cover, Knurled Grip. Fits: Ford Radiator and Intercooler Cap Nos. 1W138101AA, F6DZ8100A, RS103, RS527, XL3V8101AA, XL3Z8100AA, 9C3Z-8101B 63803 Radiator & Intercooler Cap Cover, Knurled Grip. Fits: Chevrolet Radiator Cap Nos. 10305080, 20838623, 25713160, RC87, RC107







No. 63802- 63803

SUPERCHARGER CAP KIT, FUEL CAP STYLE

- Contains all of the parts necessary to replace broken or missing fuel cap style caps in Moroso or other tanks with this style of cap and neck
- Can also be used when an individual is producing a custom tank
- Cap is black so the kit can be used to change out red caps
- Kit contains: black fuel cap, neck, gasket, hardware and bonded sealing washers

PART # DESCRIPTION

97092. Supercharger Cap Kit, Fuel Cap Style

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



COOLANT EXPANSION TANK, FORD F-150 '15-'21 & RAPTOR '17-'21

Fits: F-150 (2.7, 3.5, 5.0) '15-'21 & Raptor '17-'21

- Direct bolt-in replacement to stock multi-piece plastic tank
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as is for a race look
- · Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

63852 Coolant Expansion Tank, Ford F-150 '15-'21 & Raptor '17-'21



No. 63852

COOLANT EXPANSION TANK

Fits: Ford Mustang, '86-'93

* Requires the use of '90-'93 Mustang Low Coolant Sensor, Ford Replacement Part No. 10D968

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts stock cap with sensor or stock cap without sensor
- Can be polished, chromed, painted, powder coated or left as is for a race look.
- Includes integral billet aluminum hose fittings that are better looking and more trouble free than screw in fittings

PART # DESCRIPTION

63786 Coolant Expansion Tank. Fits: Ford Mustang, '86-'93






No. 63782



Fits: Ford Mustang, '15-Up *For GT 500, 2011-'14, use Moroso No. 63768 • A WARNING Prop. 65

No. 63768



No. 63806

No. 63783

	VER STEERING TANKS rd including Mustang		manaza	
 Direct Manuf A muc Baffleo ensure Can be 	bolt-in replacement for stock, cracked or di factured from aluminum for strength h stronger and better looking tank than the d and complete with cap, integral mounting e a factory replacement part e polished, chromed, painted, powder coated al fittings are more reliable than screw-in st	plastic factory tank bracket and fittings to d or left as-is for a race look		No. 63490
PART #	DESCRIPTION	,		
63490 ↔	Power Steering Tank. Fits: Mustang, '99-'04, Expedition, '97-'02, F- Ranger, '98-'01, Explorer, '95-'01, Crown	, ,	No. 63491	Chanton
63491 ↔	Power Steering Tank. <i>Fits: Mustang, '05-'10</i>	• MARNING Pro	pp. 65 mical known	1 2
63501 ∘	Power Steering Tank. Fits: Mustang Shelby GT500, '07-'10	to the state of California to ca birth defects, or reproduct www.P65Warnings.ca	ause cancer. ive harm-	

Ш



www.P65Warnings.ca.gov

No. 63496

SUPERCHARGER TANK, MUSTANG '15-'18, WITH FORD PERFORMANCE & ROUSH® PERFORMANCE SUPERCHARGER KITS

- Direct bolt-in replacement for the tank that comes in the Ford Performance Part No. M-6066-M8627 supercharger kit or Roush® Performance Part Nos. 421542, 421823 & 422001 supercharger kits or tanks factory installed on Roush® supercharged Mustangs
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- Accepts factory screw on cap

PART # DESCRIPTION 63509 Supercharger Tank, Mustang '15-'18



No. 63509

SUPERCHARGER TANK, MUSTANG '05 - UP, WITH PAXTON / PROCHARGER / VORTECH SUPERCHARGER KITS

- Direct bolt-in replacement for the plastic relocation tank that comes in the Paxton, Procharger and Vortech supercharger kits
- Fabricated Aluminum for strength, will not split open like the kit supplied tanks
- Can be polished, chromed, powder coated or left as-is for a race look
- Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower

PART # DESCRIPTION

63530 Supercharger Tank, Mustang '05-Up, with Paxton/Procharger/Vortech Supercharger Kits







No. 63804 U.S. Patent No. D643,796 For Nos. 63804 & 63805

MUSTANG GT 500, '07-'12, DUAL TANKS, STOCK CAPS

Combines A Coolant & Supercharger Tank Into One Unit

- Two separate tanks integrated together to look like one
- · Direct bolt-in replacement of factory installed coolant and supercharger tanks
- Tanks are oversized to aid in cooling, supercharged cars run hot so increased cooling capacity is a must for horsepower
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- · Can be polished, chromed, painted, powder coated or left as-is for a race look
- . Can be packed with ice for the track or dyno pulls for quicker E.T'S and more horsepower
- · Includes heavy duty mounting bracket

PART # DESCRIPTION

- 63804 Dual Tank, Mustang GT 500, '07-'12, stock caps
- 63805 Dual Tank, Mustang GT 500, '07-'12, stock cap with fuel cell style cap on Supercharger Tank

BRAKE RESERVOIR, FUSE BOX COVERS, MUSTANG, '15-'17

Fits: Mustang GT/Ecoboost/ V-6, '15-'17

- Fuse Box Cover, Fabricated .100" thick Alum., fits over existing plastic fuse box lid
- Brake Reservoir Cover, Fabricated .100" thick Alum., fits over factory reservoir
- Improves under-hood appearance, Matching Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look

PART# DESCRIPTION

- 74255 Fuse Box Cover, Mustang, '15-'17
- 74256 Brake Reservoir Cover, Mustang, '15-'17



No. 74256

BATTERY, BRAKE RESERVOIR, COIL SHIELD & FUSE BOX COVERS Fits: Mustang, '79 - '14

 Fits over the factory plastic and can be installed in just minutes Fabricated from .100" thick Aluminum with TIG Welded Corners Improves under-hood appearance, Matching Moroso tank line (sold separately) • Can be polished, chromed, powder coated, painted or left as is for a race look PART # DESCRIPTION 74220 Fuse Box Cover. Fits: Mustang, '05-'09 No. 74220 74221* Brake Reservoir Cover. Fits: Mustang, '05-Mid '08 74222+ Brake Reservoir Cover. Fits: Mustang, Mid '08-'14 Fuse Box Cover. Fits: Mustang GT 500, '07-'09 74224 74225 Battery Cover. Fits: Mustang, '05-'14 74228 Fuse Box Cover. Fits: Mustang, '10-'14 No. 74221 Brake Reservoir Cover. Fits: Mustang, '96-'04 74229 Fuse Box Cover. Fits: Mustang, '99-'04 74230 74253 Brake Reservoir Cover. Fits: Mustang, '79-'93 74254 Coil Shield Cover. Fits: Mustang, '86-'93 *Note: Fits cars produced to 5/26/08. +Note: Fits cars produced 5/27/08 and later. No. 74228 No. 74224 No. 74222 No. 74230 No. 74229 No. 74254 No. 74253 No. 74225

COOLANT EXPANSION TANKS

Fits: BMW E36, '92-'99, Z3 and BMW E46 M3, '01-'06

- · Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- No cutting of factory hoses is required and accepts the factory clip-on hose
- Included is a Moroso No. 63324 racing radiator cap that operates in the same pressure range as the factory cap
- The Moroso radiator cap mounts to a billet aluminum neck that will not strip out like plastic threaded necks
- Can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

- 63791
- Fits: BMW E36, '92-'99, Z3
- 63793 ·· Coolant Expansion Tank,
 - Includes Sight Gauge. *Fits: BMW E46 M3, '01-'06*

Coolant Expansion Tank.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







COOLANT EXPANSION TANK

Fits: Lotus Elise, Exige, '05-'11

- Direct bolt-in replacement for stock, cracked or discolored tanks
- · Fits Normally Aspirated, OEM and Aftermarket Forced Induction vehicles
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as is for a race look
- Features billet aluminum radiator neck, sight glass to check the level of coolant and manual bleed valve
- Includes Part No. 63316 radiator cap

PART # DESCRIPTION

63797↔ Coolant Expansion Tank, Lotus Elise/Exige, '05-'11 • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 63797

COOLANT EXPANSION TANK, NISSAN R35 GT-R, '19-'21

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- · Can be polished, chromed, painted, powder coated or left as is for a race look
- · Billet aluminum neck accepts the factory stock vented cap
- Has 50% more capacity than the stock plastic tank

PART # DESCRIPTION

63811 Coolant Expansion Tank, Nissan R35 GT-R, '19-'21



COOLANT EXPANSION TANKS

Fits: Mazda Miata/MX-5 '06-'15 and '16-Up

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as is for a race look
- Features a billet aluminum radiator neck that accepts the factory cap

PART # DESCRIPTION

- 63778 Coolant Expansion Tank, Mazda MX-5 '16-Up
- 63779 Coolant Expansion Tank, Mazda Miata '06-'15







POWER STEERING TANK, MAZDA MIATA, '06-'15

- · Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Billet aluminum neck accepts factory 0.E.M. cap
- Tank is baffled, includes integral billet aluminum mounting bracket and billet aluminum hose fittings
- · Can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

63777 Power Steering Tank, Mazda Miata, '06-'15



COOLANT EXPANSION TANKS

Fits: Mazda Miata, '90-'97 and '99-'05

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- · Can be polished, chromed, powder coated or left as-is for a race look
- · Comes with billet aluminum cap

PART # DESCRIPTION

63780↔ Coolant Expansion Tank. Fits: Mazda Miata, '90-'97 63781o Coolant Expansion Tank. Fits: Mazda Miata '99-'05





COOLANT EXPANSION TANK, MAZDA RX-8, '03-'12

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations by either separating or from the neck deforming
- Features a billet aluminum radiator neck that accepts 0.E.M. Small radiator caps (SAE Type B/43mm)
- Can be polished, chromed, painted, powder coated or left as is for a race look

PART # DESCRIPTION

63814 Coolant Expansion Tank, Mazda RX-8 '03-'12





COOLANT TANK, SUBARU IMPREZA, WRX/STI '08-'21

- Direct bolt-in replacement for stock, cracked or mis-colored tanks
- Fabricated aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as is for a race look
- Has a provision for the factory siphon hose
- Includes a billet aluminum cap

PART # DESCRIPTION

63871 Coolant Tank, Subaru Impreza WRX/STI '08-'21



COOLANT EXPANSION TANK

Fits: Subaru Impreza, WRX/STI, '02-'07

- Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Has a provision for the factory siphon hose
- Includes a billet aluminum cap with O-ring

PART # DESCRIPTION

63785 · Coolant Tank

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



INTERCOOLER TANK

Fits: Subaru WRX '02-'07, STI '04-'19 (without sound tubes), Forester XT Turbo '04-'08

- · Direct bolt-in replacement for stock, cracked or discolored tanks
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Has 50% more capacity than Subaru stock tank
- Can be polished, chromed, painted, powder coated or left as-is for a race look
- Includes billet aluminum filler neck, Moroso Racing Radiator Cap in the stock pressure range and integral billet aluminum hose fittings that are better looking and more trouble-free than screw in fittings
- By having this style of radiator neck, the user can change the operating pressure by purchasing Moroso's **No. 63328** Racing Radiator Cap in the 27-29 lbs. range



No. 63784

PART #DESCRIPTION63784Intercooler Tank

PART # AVAILABLE OPTION 63328 Racing Radiator Cap, 27-29 lbs.

INTERCOOLER TANK

Fits: Subaru WRX '08-'14, Forester XT Turbo '09-'13, Legacy GT '05-'09

- · Direct bolt-in replacement to stock tank with increased capacity
- Fabricated Aluminum for strength, factory tanks fail after repeated high heat situations
- Can be polished, chromed, painted, powder coated or left as is for a race look
- Includes Moroso Racing Radiator Cap in the stock pressure range and integral billet aluminum hose fittings that are better looking and more trouble free than screw in fittings
- With this style of radiator neck, you can change the operating pressure using Moroso Part **No. 63328** Racing Radiator Cap in the 27-29 lbs range
- Tank is designed to be used with an Aftermarket "Cone Air Filter" intake, doesn't fit with O.E.M. Panel Air Filter Intake

PART # DESCRIPTION

63795 Intercooler Tank

PART # AVAILABLE OPTION

63328 Racing Radiator Cap, 27-29 lbs.



No. 63795

FUSE BOX COVER


Fits: Subaru WRX/STI/Impreza 2.5 RS, '06-'07

- Fabricated .100" thick Aluminum, fits over existing plastic fuse box lid
- Improves under-hood appearance, matches Moroso tank line (sold separately)
- Can be polished, chromed, powder coated, painted or left as is for a race look

PART # DESCRIPTION







TRANSMISSION PANS



TRANSMISSION PAN & GASKET CHART						
TRANSMISSION TYPE	TRANSMISSION PAN PART #	DEPTH	INCLUDED	FILTER RECOMMENDED	GASKET PART #	REPLACEMENT DRAIN PLUG
GM Powerglide	42000	3.080"	Filter Spacer	Fram FT1017	93100	97006
GM Powerglide	42001	1.830"	N/A	Fram FT1017	93100	97006
GM Turbo 350	42010	3.000"	Filter Spacer	Fram FT1021	93102	97006
GM Turbo 400	42020	3.000"	Filter Extension	Fram FT1020	93103	97006
GM 3L80	42020	3.000"	Filter Extension	Fram FT1074	93103	97006
GM 700R4	42025	2.375"	N/A	Fram FT1074	93104	97006
GM 6L80 Camaro SS '10-'15	42030	3.350"	N/A	AC Delco 24236931	N/A	97006
GM 4L80E	42031	3.500"	Filter Spacer	AC Delco 24208576	N/A	97006
FORD C4 '70-up	42040	3.080"	N/A	Fram FT1028, Fram FT1035	93107	97006
FORD C4 Pre-'70	42040	3.080"	N/A	Fram FT1027A	93107	97006
FORD E40D/4R100	42050	3.642"	N/A	Motorcraft FT113	N/A	97006
FORD C6	42060	2.000"	N/A	Ford D3TZ7A098B, Fram FT1035	93108	97006
CHRYSLER A-904	42090	2.250"	Filter Spacer	Fram FT1039	N/A	97006
CHRYSLER 727	42080	2.330"	Filter Spacer	Fram FT1039	93110	97006

TRANSMISSION PANS & ACCESSORIES

See Moroso Transmission Pan Gaskets on pg.214 and Replacement Drain Plugs on pg. 112

TRANSMISSION PAN GASKETS

PERM-ALIGN TRANSMISSION GASKETS

- Manufactured from 40 durometer rubber that is vulcanized to a rigid steel frame
- The extra-strength design will not leak, split or fail like 0.E.M., stock or inferior quality aftermarket gaskets
- Gaskets require no sealant, which allows for quick removal and installation of transmission pans
- Rubber/Steel gasket outlast cork composites to provide years of dependable service
- Full 3/16" thick
- One per package


PART # DESCRIPTION

93100	Perm-Align Transmission Gasket
93102	Perm-Align Transmission Gasket
93103	Perm-Align Transmission Gasket
93104	Perm-Align Transmission Gasket
93105	Perm-Align Transmission Gasket
93106	Perm-Align Transmission Gasket
93107	Perm-Align Transmission Gasket
93108	Perm-Align Transmission Gasket
93110	Perm-Align Transmission Gasket

Fits: Moroso Powerglide Pans No. 42000 and 42001
Fits: GM Turbo 350, Moroso Transmission Pan No. 42010
Fits: GM Turbo 400, Moroso Transmission Pan No. 42020
Fits: GM 4L60E, 4L65E, 700R4, Moroso Transmission Pan No. 42025
Fits: Ford E40D/4R100, Moroso Transmission Pan No. 42050
Fits: Ford AOD, AODE and 4R70W
Fits: Ford C4, Moroso Transmission Pan No. 42040

Fits: Ford C6, Moroso Transmission Pan No. 42060

Fits: Chrysler Torqueflite 727, Moroso Transmission Pan No. 42080



TRANSMISSION DIPSTICKS


- Custom designed for each transmission application listed, to work with the popular shields being used
- Each assembly is constructed out of heavy duty hydraulic tubing, fixture welded for a precision fit and black powder coated
- Threaded knob design stays locked to tube under high transmission pressure and vibration levels
- Heavy duty cable with a "full" and "fill" area to indicate desired fluid level
- Required by NHRA/IHRA for cars running 10.99 or quicker

PART # DESCRIPTION

- 41300 Transmission Dipstick, Locking Style, OE Long Style. *Fits: GM Powerglide*
- 41301 Transmission Dipstick, Locking Style, Short Dragster Style. Fits: GM Powerglide
- 41302 Transmission Dipstick, Locking Style, OE Long Style. *Fits: GM Turbo 350*
- 41303 Transmission Dipstick, Locking Style, OE Long Style. Fits: GM Turbo 400
- 41305 Transmission Dipstick, Locking Style, OE Long Style/Case Style. Fits: Ford C4







ROLLER PILOT BEARING

- Unlike other roller pilot bearings, this high speed bearing is designed as a direct replacement in all Chevrolet V8's and 90° V6's (also fits 1976 and later V6 Buick)
- Requires no modification to either crank or input shafts
- Eliminates premature bearing failure and insures clean clutch release by maintaining true alignment of clutch disc to flywheel
- Packed with high temperature grease for proper lubrication under extreme high heat conditions
- Suitable for all high performance applications including drag, oval track/road race and street
- 1.093" 0.D. x .591" I.D. x .72" Depth
- One per package

PART # DESCRIPTION

41100 Roller Pilot Bearing, Chevrolet V8 and 90° V6



No. 41100

AUTOMATIC TRANSMISSION COOLERS

Available With & Without Filters

- Heat sink design dissipates the excessive heat build up in racing transmissions
- . Can be used on the street as an auxiliary cooler in conjunction with a stock cooler
- Withstands up to 100 lbs of pressure
- Made of aluminum, very easy to install with built-in mounting tabs
- · Includes two -6AN O-ring fittings and all necessary installation instructions

	APPLICATION CHART					
PART #	INCLUDES A FILTER WITH A MAGNET	WEAR PARTICLES ARE Filtered down to	SQUARE INCHES OF Radiation Surface	DIMENSIONS	WEIGHT	
41200	Yes	10 MICRONS	500	3" H x 3" W x 12" L	1.00	
41201	No	N/A	500	3" H x 3" W x 12" L	1.00	
41205	Yes	10 MICRONS	1072	3 -½" H x 6-¼" W x 18" L	4.70	



No. 41200



No. 41201

No. 41205

PART # **REPLACEMENT PARTS**

97290 Filter Cartridge for part No. 41200

97291 Filter Cartridge for part No. 41205

TRANSMISSION TAILSHAFT PLUG

- Another time saver from Moroso
- Eliminates the messy spilling of transmission fluid during transmission removal, replacement and storage
- One per package

PART # DESCRIPTION

41060 Transmission Tailshaft Plug, 1-1/2" O.D., Early Muncie, Borg-Warner, Ford, Chrysler, Chevrolet Powerglide



No. 41060

TORQUE CONVERTER BOLTS

 Special fasteners provide maximum holding strength & eliminate the possibility of shearing

PART # DESCRIPTION

- Torque Converter Bolts, Grade 8 bolts with nuts for Turbo 350, 400 flex plates 38764 without tapped holes, $\frac{3}{8}$ " -24 x $\frac{5}{8}$ ". Set of 3.
- 38765 Torque Converter Bolts, Grade 5 bolts for Turbo 350, 400 flex plates w/tapped holes, 3/8" -16 x 5/8", Set of 3



No. 38764

<u>LUBES, SEALERS, FILLERS & EPOXY</u>

A & B EPOXY

- Two-part bonding product molds like putty,
- yet hardens to steel-like consistency
- Does not shrink and is not affected by solvents, oils or gasoline
- Maximum use temperature of 250°F makes it perfect for repairing intake manifolds, cylinder head intake ports, heads and blocks
- Also useful for filling crevices in lifter galleries and installing filter screens
- Can be drilled and tapped when hard
- Adheres to almost any clean surface and hardens in 60 min. at 75°F
- One year shelf life
- Not recommended to be used with E85

PART # DESCRIPTION

35560•• A & B Epoxy, 1 lb.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







CLIMBING GEAR LUBE

- High-performance, extreme high-pressure gear lube
- Multi-purpose applications including manual transmissions and both conventional and posi-traction differentials
- Contains special "clinging" agents that provide direct adhesion to all moving parts; whereas conventional lubes rely on "splashing and sloshing" to distribute lubricant
- Increased speed of rotating parts causes continuous film of oil to "climb" and spread over surfaces
- Insures complete lubrication of gears, bearings, bushings, shift yokes, synchros, etc.

PART # DESCRIPTION

34800 ·· Climbing Gear Lube, 1 quart

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

MOLY PASTE ASSEMBLY LUBE

- Heavy-duty assembly lubricant is specially formulated to reduce friction and wear on all metal surfaces
- Extends the life of parts subjected to extreme heat during racing
- Contains molybdenum disulfide (MoS2), which greatly reduces friction and wear
- Moly formula coats surfaces with film that chemically bonds itself to metals, filling in the microscopic "hills and valleys" present in all metal surfaces
- Surface areas coated with Moly Paste[™] retain an unbroken film of lubricant that reduces metal to metal contact and reduces risk of component failure
- Recommended for use on cams, lifters, bearings, gears, etc. Very effective when storing an engine

PART # DESCRIPTION

35000 • Moly Paste™ Assembly Lube, 4 oz. tube



No. 35000

• M WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

ENGINE BLOCK FILLER

- · Just fill with water, mix and pour into block before machining
- Helps prevent thin cylinder walls from cracking and improves ring seal by keeping cylinders round
- Also dampens unwanted vibrations
- Has expansion rate very similar to cast-iron
- Highly regarded by "Mountain Motor" authority Scott Shafiroff
- Easy to follow, detailed instructions

DESCRIPTION PART

355700 Engine Block Filler. One case of four

one-gallon containers; enough for one block 355710 Engine Block Filler. One-gallon container

• K WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

CERAMIC ENGINE SEAL

- The best Chemical Sealer you can buy to stop cooling system leaks
- · Works equally well in aluminum or cast-iron blocks
- Cooling system must be thoroughly clean before use
- Does not work with antifreeze
- If this doesn't stop the leaks, find yourself a welder!

PART # DESCRIPTION

35500*~ Ceramic Engine Seal. One pint plastic bottle. Do not use with antifreeze

• A WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

WARNIN

AUTION

with eyes or skin. Do not take internally. If splashed on skin, wash

thoroughly with cold water. If splashed in eyes, flush thoroughly

for 15 minutes with cool water and consult a physician

Never remove a radiator cap when engine is hot and under pressure! Open the petcock slowly to relieve pressure, then carefully take off radiator cap.

> or water. DO NOT induce vomiting. Call a physician immediately. ALWAYS KEEP OUT OF CHILDREN'S REACH.

USING MOROSO CERAMIC ENGINE SEAL & ALL WEATHER SEAL SAFELY

For best results, open the petcock and drain coolant into container for safe disposal. Remove radiator cap. Use a hose to add water keeping radiator full with petcock open and draining. Start engine ad continue draining until water runs clear. Close petcock and refill with clear water leaving enough room for sealer additive.

NOTE: Ceramic Engine Seal and All Weather Seal cannot remain in cooling system for more than 24 hours!

RACE WRITE

Goes on smoothly and evenly with a bright white finish

- A single marker for use on both tires and windows
- Use on windows to mark dial-in/class
- Use on tires to check slippage and sidewall deflection
- Use on Wheel-E-Bars[™] to aid in chassis tuning
- Use on the car when it's time to sell
- Easy to apply applicator, safe on glass and Lexan®
- Wipes clean with a dry rag

PART # DESCRIPTION

35581 Race Write. 3 oz. single bottle with applicator

ALL WEATHER SEAL

- Specially formulated to stop cooling system leaks when antifreeze is present
- · Ideal for stopping radiator leaks and sealing cracked blocks in subfreezing conditions
- Works best when cooling system has been thoroughly cleaned and flushed


PART # DESCRIPTION

35520*~ All Weather Seal. One pint plastic bottle. Can be used with antifreeze

> • 🗥 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.go

If taken internally, drink 3 or 4 glasses of milk













No. 35500

No. 35500 and 35520 - Avoid contact

ENGINE BLOCK FILLER

PLUGS & DOWELS

DECK PLUG KIT

- Upper cylinder wall distortion is greatly reduced when these ³/₄" N.P.T. plugs are installed in the water passage holes in the decks of Small Block and 90° V6 Chevy engines
- Water holes must be tapped before the plugs are screwed in: block must also be decked after installation
- Plugs also restrict water flow to the cylinder heads by reducing size of water passage holes to 5/16"
- Packaged six to a kit

DESCRIPTION PART #

37800 Plug Kit, Small Block and 90° V6 Chevy



ALUMINUM PIPE PLUGS

- Use on most aftermarket aluminum blocks and heads to replace plugs removed or damaged during machining, cleaning, etc. • Available in two sizes, each with 3/8" hex socket drive for ease of installation and removal
- Two per package

DESCRIPTION PART

- 37810 Aluminum Pipe Plugs, 1/2" N.P.T. thread
- Aluminum Pipe Plugs, 3/8" N.P.T. thread 37812

No. 37810





CHROME PLATED PIPE PLUGS

- · Chrome plated steel pipe plugs dress up often forgotten areas
- Available for several N.P.T. sizes
- Use to plug vacuum accessory holes in manifolds, fill plug holes in transmissions and rear ends, or any other spot that accepts a pipe plug

PART # DESCRIPTION

Chrome Plated Pipe Plugs, 3/8" N.P.T., four per pack **39152**↔

- 391530 Chrome Plated Pipe Plugs, 1/2" N.P.T., two per pack
- Chrome Plated Pipe Plugs, ³/₄" N.P.T., two per pack 391540





No. 39152

No. 39154

OFFSET CYLINDER HEAD DOWELS

Offset cylinder head dowels reposition the cylinder heads upwards on the block (toward the lifter valley), moving valves away from cylinder wall for improved intake flow

· One package contains 4 alloy steel dowels

PART # DESCRIPTION

- Offset Cylinder Head Dowels, Big Block Chevy and 37900 Big Block Chrysler .030" offset
- 37920 Offset Cylinder Head Dowels, Small Block Chevy and Small Block Chrysler .015" offset
- 37930 Offset Cylinder Head Dowels, Small Block Chevy and Small Block Chrysler .030" offset





PINS, WASHERS & ADAPTERS

EXTRA LONG BELLHOUSING DOWEL PINS

- Provides an easy method of properly aligning the transmission input shaft to the crankshaft pilot bearing
- Extra long to simplify the task of installing a bellhousing on the engine block
- Offset Dowel Pins include set screws and instructions for locking pins into place; drilling and tapping of block required
- Getting alignment concentric to within ±.005" insures a clean clutch release, maximum pilot bearing and transmission life and reduced shifting problems
- .625" diameter
- Two per package
- Fits virtually all GM V8 and V6 blocks

DESCRIPTION PART

- 37932 Bellhousing Dowel Pins, standard, 1.500 long Bellhousing Dowel Pins, .007 offset, 1.328 long 37934
- 37936 Bellhousing Dowel Pins, .014 offset, 1.328 long
- 37938
- Bellhousing Dowel Pins, .021 offset, 1.328 long

No. 37932 No. 37934

No. 37936 No. 37938

CHROME-MOLY HEAD BOLT WASHERS

- Not your ordinary hardware store variety!
- Moroso Head Bolt Washers are designed for the racer; machined from tough 4130 chrome moly steel, heat treated to proper hardness and parallel-ground
- Stress loads are more evenly distributed and torque readings more accurate
- Can also be used on main bearing caps, rocker arm stands,
- and other engine components
- Use them over and over again

PART # DESCRIPTION



No. 38300

38300 Chrome-Moly Head Bolt Washers, 7/16", Small Block and 90° V6 Chevy, Pack of 34 38310 Chrome-Moly Head Bolt Washers, 1/2", Pack of 30

NOTE: These washers are a must when using aluminum heads. Chamfered side of the washer should be toward the head of the bolt.

VALVE COVER NUTS

Fits: BBC with Moroso Part Nos. 68420, 68425, 68426, 68429 and 68432 Valve Covers

- Set includes Lock Nuts, Studs ¼"-20 x 3-¼", and Set Screws
- Lock Nuts have a clear zinc finish

PART # DESCRIPTION

Valve Cover Lock Nuts for BBC 68562



VALVE COVER HARDWARE KIT FOR MOROSO

GM LT BILLET VALVE COVERS

- Fits: GM LT with Moroso GM LT Billet Valve Covers
- Kit includes (20) Clear Zinced Socket Head Cap Screws and (20) Washers

PART # DESCRIPTION

68832 Valve Cover Hardware Kit. Moroso GM LT Billet Valve Covers





STUD KITS

- Required to fasten a Moroso No. 22930 or 22935 Windage Tray to the main caps
- Kits include quantities of 4; studs, main cap nuts, windage tray nuts and 8 washers
- Engineered to allow adjustment of the distance of the Windage Tray from the rotating assembly

PART # DESCRIPTION

- 38191 Windage Tray Mounting Stud Kit for No. 22930, Ford 289-302
- 38192 Windage Tray Mounting Stud Kit for No. 22935, Ford 351W, Ford 302R





BULLET NOSE CARBURETOR STUD KITS

- "Bullet Nose" studs are rounded on one end, making it easy to start nuts
- Kits include 4 studs, hardened flat washers and jam nuts

PART # DESCRIPTION

- 37950 Carburetor Stud Kit, Fits carbs. with $\frac{1}{2}$ " thick flange base, $\frac{5}{6}$ " -18 and 24 x 1- $\frac{3}{4}$ " long
- 37955 Carburetor Stud Kit, for $\frac{1}{2}$ " thick carburetor spacers $\frac{5}{16}$ " 18 thread and 2" Long
- 37960 Carburetor Stud Kit, Fits carbs. with $\frac{1}{2}$ " thick flange base with a 1" spacer or with one or two, $\frac{1}{2}$ " spacers, $\frac{5}{16}$ " -18 and 24 x 2- $\frac{1}{2}$ " long
- 37961 Carburetor Stud Kit, Fits carbs. with $\frac{1}{2}$ " thick flange base with a 2" spacer or with three or four $\frac{1}{2}$ " thick spacers, $\frac{5}{16}$ " -18 and 24 x 3- $\frac{1}{2}$ " long

221



OIL PAN STUD KITS, IMPORT/SPORT COMPACT

- Steel studs allow repeated R&R of pan without stripping blocks
- · Simplifies pan installation and extends gasket life
- Studs have an Allen Head socket at one end to facilitate installation
- · Lock nuts feature attached washers with serrated faces
- Studs finished with black oxide and nuts are zinc plated to resist corrosion

PART # DESCRIPTION

- 38356 Oil Pan Stud Kit, 8mm. Fits Toyota 2TC, 3TC, 2TG, 3TG and others; includes 20 studs and nuts, M8 x 1.25 x 35mm.
- 38366 Oil Pan Stud Kit, 6mm. Fits Honda, Acura, Mazda Rotary, Dodge Neon, Toyota MR2 and others: includes 22 studs and nuts. M6 x 1.00 x 35mm.

OIL PAN STUD KITS

- These stud kits make pan installation easy and prolong gasket life
- · Lock nuts feature attached washers with serrated faces to provide a positive grip on the pan rail
- Studs are made of heat treated Grade 8 steel with black oxide finish; nuts are zinc-plated
- Highly recommended for use with our fabricated pans

PART # DESCRIPTION

38350 Oil Pan Stud Kit, Small Block and 90° V6 Chevy and Oldsmobile V8, Set of 18 38360 Oil Pan Stud Kit, Big Block Chevy and Pontiac V8, Set of 22



No. 38350

OIL PAN STUD KIT, SBC, DART SPREAD RAIL

Fits: Moroso Part Nos. 21234, 21240, 21247 and 21248 Oil Pans

- Steel studs allow repeated removal and installation of pan without stripping blocks
- Studs are made of heat treated Grade 8 steel with black oxide finish
- Kit includes Studs, 12 Point Flange Nuts and Lock Nuts



No. 38388 DESCRIPTION Oil Pan Stud Kit, SBC, Dart Spread Rail WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

OIL PAN STUD KITS, GM LS

- For installing a Moroso or other brand billet aluminum or steel fabricated oil pans on a GM LS engine
- Designed to make pan installation easy and prolong gasket life
- · Lock nuts feature attached washers with serrated faces to provide a positive grip on the pan rail
- Studs are made from heat-treated Grade 8 steel with a durable finish, nuts are zinc plated
- Part No. 38541 for fabricated steel oil pans, contains: Quantity 13, 8mm x 1.25 x 40mm studs with matching nuts Quantity 2, 6mm x 1 x 40mm studs with matching nuts
- Part No. 38542 for fabricated aluminum billet rail oil pans, contains: Quantity 13, 8mm x 1.25 x 45mm studs with matching nuts Quantity 2, 6mm x 1 x 50mm studs with matching nuts

PART # DESCRIPTION

38541	Oil Pan Stud Kit, for Steel Fabricated GM LS Oil Pans
38542	Oil Pan Stud Kit, for Aluminum, Fabricated Billet Rail GM LS Oil Pans



PART # 383880



BOLTS & STUD KITS

OIL PAN FASTENER KIT

Fits: Big Block Chevy Race Pans

- For use with Moroso Oil Pan Numbers 20370, 20371, 20385, 21600, 21601, 20372, 20373, 20374, 20375, 20376, 20378, 20380, 20485, 21581, 21591, 21592, 21597, 21602, 21604 and 21605
- Studs and 12 point nuts to fasten all BBC/DRC/Merlin/CN blocks wet sump and dry sump oil pans
- · Studs are made of heat treated Grade 8 steel with black oxide finish
- Makes installing the nuts through the access bungs easy with bullet nose studs and makes initial line up easier with studs on all bolt holes

PART # DESCRIPTION

38361 Oil Pan Fastener Kit, BBC Race Pans

BULLET NOSE OIL PAN STUD KITS

- "Bullet Nose" Studs are rounded on one end for easier starting of oil pan mounting nuts
- Kits include heat treated Grade 8 steel studs with a black oxide finish, and special-design nuts

PART # DESCRIPTION

- 38385 Bullet Nose Oil Pan Stud Kit, specially designed for Moroso Aluminum Oil Pans Nos. 21234 & 21240 and includes six studs with 12-point nuts for the pan rail and four longer studs with Allen Head nuts for the investment-cast end caps found on Moroso's innovative line of oil pans
 38387 Bullet Nose Oil Pan Stud Kit, specially designed for Moroso Aluminum Oil Pans Nos. 21581 and
- 21592, includes 6 studs and serrated nuts for pan rails, and 2 each, socket head cap screws for the timing cover and rear pan rail area
- 38390 Bullet Nose Oil Pan Stud Kit, for Small and Big Block Ford Engines, special nuts included to fit flat against pan rail on tight corners, use with Moroso Oil Pan Nos. 20502, 20507, 20508, 20510 and 20521, 23 to a kit

NUTS, OIL PANS

	ar size nuts, No. 97036 is used in Part No. 38361 , Oil Pan Fastener Kit 7037 is used in Part Nos. 38360 & 38390		0	0	0	0	0
PART # 97036 97037	DESCRIPTION Nuts, ⁵ / ₁₆ "-24", 25 Pack , Washer Face Serrated Nuts, ¹ / ₄ "-28", 20 Pack , Washer Face Serrated	No. 97036	0	0 0 0	0	0	0

SELF-LOCKING OIL PAN BOLTS

- Self-Locking Oil Pan Bolts manufactured from Grade 8 steel
- Integral serrated washer face provides self-locking effect
- · Hex head flange bolts are zinc plated

PART # DESCRIPTION

- 38550 Self-Locking Oil Pan Bolts, Small Block and 90 V6 Chevy and Oldsmobile V8's, For One-Piece Gaskets, Fourteen ¼"-20 x ¾" and Four 5/16"-18 x ¾" bolts
- 38555 Self-Locking Oil Pan Bolts, Small Block and 90 V6 Chevy and Oldsmobile V8's, For Multi-piece Gaskets, Fourteen ¼"-20 x ½" and Four 5/6"-18 x 3/4" bolts
- 38560 Self-Locking Oil Pan Bolts, Big Block Chevy and Pontiac V8's, For One piece and Multi-piece Gaskets, Twenty 5/16"-18 x ½" bolts and Two ¼"-20 x ¾" bolts



No. 38385

0000





BOLTS & BOLT KITS

OIL PAN FLANGE HEAD BOLTS

Fits: Small Block Chevy Oil Pans

- For use with Moroso Oil Pan Nos. 20173, 20175, 20183, 20184, 20186, 21325, 21326, 21327, 21811, 21812, 21813, 21814 and 21815
- Fasteners are short enough to fit in kick-out style oil pans
- · Economical alternative to stud kits
- 12 point flange head, black, grade 8
- 18 to a set; 4 of 5/16-18 x 3/4", 14 of 1/4-20 x 3/4"

PART # DESCRIPTION

38551 Oil Pan Flange Head Bolts, SBC



10. 505

INTAKE MANIFOLD BOLT KITS

- 3/8" diameter, 12-point headed intake manifold bolts simplify the job of installing and removing many of today's aftermarket intake manifolds designed with extremely tight fastener clearances
- Kits are manufactured of Grade 8 steel and come complete with close-tolerance washers

PART # DESCRIPTION

- **38400** Intake Manifold Bolt Kit, SBC and 90° Chevy V6, and Small Block Chrysler with single plane manifold, set of 12; 3/8" -16 x 1-1/8"
- **38410** Intake Manifold Bolt Kit, BBC, set of 16; %" -16 x 1-%"
- **38420** Intake Manifold Bolt Kit, BBC, set of 12; %" -16 x 1-1/4" and set of 4 of %" -16 x 1-3/4"

TIMING COVER BOLTS

- 1/4" -20 hex head timing cover bolts
- manufactured of zinc-plated Grade 8 steel
- Integral serrated washer face insures positive locking against the timing cover
- Ten per package

PART # DESCRIPTION

38590 Timing Cover Bolts, Small Block, Big Block and 90° V6 Chevy



No. 38400

No. 38590

HEADER BOLTS

- Grade 8 header bolts are heat treated with black oxide finish
- Uses 7/16" hex head for guick installation and removal of headers

PART # DESCRIPTION

38710 Header Bolts, $\frac{3}{4}$ " -16 x $\frac{3}{4}$ " hex head bolts for SBC, BBC and 90° V6 Chevy engines, Small Block Ford and other engines where a $\frac{3}{4}$ " -16 bolt is used, pack of 16



No. 38710

TORQUE CONVERTER BOLTS

• Specially designed fasteners provide maximum holding strength and eliminate the possibility of shearing

PART # DESCRIPTION

- **38764** Torque Converter Bolts, Grade 8 bolts with nuts for Turbo 350, 400 flex plates without tapped holes, 3/8" -24 x 5/8". Three per pack
- **38765** Torque Converter Bolts, Grade 5 bolts for Turbo 350, 400 flex plates with tapped holes, ³/₆" -16 x ⁵/₆". Three per pack



No. 38764

224

FASTENERS

ULTIMATE-DUTY BALANCER BOLT KITS

- Extra-strength chrome moly steel bolt with large, built-in washer flange exerts 200,000 psi of clamping force to secure balancer firmly in place under severe conditions
- Unlike other brands, the bolt is machined and thread rolled after heat treating for superior strength, accuracy and longevity
- Extra-tall 12-point head accepts deep 5/8" socket to provide positive grip for removal/installation without stripping
- Large, 2" diameter washer is .275" thick and machined perfectly flat to spread the fastening load over a larger surface area
- Black oxide finish

PART # DESCRIPTION

 38772 Ultimate-Duty Balancer Bolt Kit, SBC, ⁷/₁₆" -20 threads
 38775 Ultimate-Duty Balancer Bolt Kit, BBC, ¹/₂" -20 threads





No. 38770

BALANCER BOLT

- The thicker ³/₄" hex head on this ⁷/₁₆"-20 x 2-¹/₄" balancer bolt provides a larger contact surface for increased positive socket engagement
- Especially important when crankshaft is being rotated by hand with the use of a socket and breaker bar or ratchet handle
- Manufactured of Grade 8 steel

PART # DESCRIPTION

38770 Balancer Bolt, Small Block Chevy

FLYWHEEL/FLEX PLATE BOLTS

- · Bolts manufactured using Grade 8 steel and heat treated for maximum strength
- · Black oxide finish provides corrosion resistance

PART # DESCRIPTION

- 38755 Flywheel Bolts, 12-point, manufactured of special high strength steel alloy for use in Chevrolet V8 and 90° V6 engines on flywheels with a counter-sunk crankshaft flange, Black oxide finish, Each package has six ¼6"-20 x 1" bolts
- **38760** Flex Plate Bolts, SBC, BBC and 90° Chevy V6 engines, ⁷/₁₆"-20 x ³/₄", Each package has 6 bolts and washers

FIREWALL GROMMETS

- Black, thermoplastic grommets will fit five different size holes for wires and cables passing through the firewall
- They not only insulate, but provide mechanical protection against chafing
- Outside dimensions range from 1/2" to 1", the inside from .41" to .89"
- · Package of 25; five of each size

PART # DESCRIPTION 39050 Firewall Grommets





No. 39050

LIGHTWEIGHT ALUMINUM HOOD PIN SET

- Set consists of two 3/8" diameter pins with all necessary mounting hardware
- · Pins are manufactured from high strength aluminum alloy
- We recommend 6 to 8 per hood

PART # DESCRIPTION

39000 Hood Pin Set

PART #AVAILABLE OPTION39025Hood Pin Bracket, %" Diameter Pins

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P66Warnings.ca.gov



HOOD PIN SET, ALUMINUM, BLACK

1/2" Diameter Pins

- Set consists of two ½" diameter pins with all necessary mounting hardware
- The included pins and scuff plates have a black finish, the clips have a chrome plated finish
- Pins are manufactured from high strength aluminum alloy

DESCRIPTION PART#

390050 Hood Pin Set, Aluminum, 1/2", Black

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



QUICK RELEASE HOOD PIN SET

- A guick, self-contained hood clamping device
- · No pins or lanyards to lose or cause hood damage

OVAL TRACK HOOD PIN SETS

- We recommend 6 to 8 to a hood
- ³/₈" diameter aluminum pins; easy bolt-on installation may be used or many other applications where quick access to a trouble spot is absolutely essential
- Two per set

PART # DESCRIPTION 39010o Quick Release Hood Pin Set PART # **AVAILABLE OPTION** 39025 Hood Pin Bracket, ³/₄" Diameter Pins

No. 39010 WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



- Available in 3" and 4" pin lengths
- Ideal for any full-bodied race cars
- Two per set

SHEINE

PART # DESCRIPTION

39015o Oval Track Hood Pin Set, 3"

39016o Oval Track Hood Pin Set, 4"

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

PART # REPLACEMENT PARTS

39022 Hood Pin Clips, 1/8" wire dia., chrome plated, two per set 39023 Hood Pin Scuff Plates, 2-1/2" dia., chrome plated, two per set

CHROME HOOD PIN SET

 Hood Pin Sets consist of two chrome plated steel hood pins (5" long with 3" of thread), two 1/8" hitch pins, four cadmiumplated mounting nuts, two scuff plates, two 12" vinyl-coated stainless steel lanyards and two rivet eyelets

DESCRIPTION PART

- Heavy-Duty Hood Pin Set, 1/2" dia. pins **39020**^o
- Standard-Duty Hood Pin Set, 7/16" dia. hood pins 39021o

REPLACEMENT PARTS PART

- Hood Pin Clips, 1/8" wire dia., chrome plated, two per set 39022o
- Hood Pin Scuff Plates, 2-1/2" dia., chrome plated, two per set 39023o



Hood Pin Bracket. 3/8" Diameter Pins

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

PART #

39025

HOOD PIN BRACKET, 3/8 INCH DIAMETER PINS

- Makes mounting and aligning a ³/₈" Diameter hood pin easier than previous methods
- Made out of ¹/₈" thick Stainless Steel
- Can be bolted and/or welded into place
- · Finish of the bracket can be painted, polished or left as is

PART # DESCRIPTION

39025^o Hood Pin Bracket, 3/8" Diameter Pins

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 39015

AVAILABLE OPTION

QUICK FASTENERS, 5/16", 7/16"

- Fasteners Provide Quick Fastening Of Body Panels, Door, Tilt Front Ends, Fiberglass To Metal, Metal To Metal, Etc.
- Ten Per Package
- Use with Spring Nos. 71400, 71410, 71420, 71425 or 71430

Style of Head	Size	Body	Material	Finish	Part #	
Flush Head, Slotted	5/16"	.400" Short Body	Steel	Silver	71291	
Flush Head, Slotted	5/16"	.400" Short Body	Aluminum	Aluminum	71295	
Flush Head, Slotted	5/16"	.450" Short Body	Steel	Silver	71293	
Flush Head, Slotted	5/16"	.450" Short Body	Aluminum	Aluminum	71296	
Flush Head, Slotted	5/16"	.500" Medium Body	Steel	Silver	71294	
Flush Head, Slotted	5/16"	.500" Medium Body	Aluminum	Aluminum	71297	No. 71291
Flush Head, Slotted	5/16"	.550" Long Body	Steel	Silver	71299	
Flush Head, Slotted	5/16"	.550" Long Body	Aluminum	Aluminum	71298	
Flush Head, Slotted	7/16"	.400" Short Body	Steel	Silver	71280	(1) an
Flush Head, Slotted	7/16"	.400" Short Body	Aluminum	Aluminum	71302	7%
Flush Head, Slotted	7/16"	.450" Short Body	Steel	Silver	71290	> 12
Flush Head, Slotted	7/16"	.450" Short Body	Aluminum	Aluminum	71312	See.
Flush Head, Slotted	7/16"	.500" Medium Body	Steel	Silver	71300	No. 71311
	7/16 7/16"	.500" Medium Body	Aluminum	Aluminum	71301	10.71011
Flush Head, Slotted	716 7/16"	•			71310	
lush Head, Slotted		.550" Long Body	Steel	Silver		
lush Head, Slotted	7/16"	.550" Long Body	Aluminum	Aluminum	71311	
Ival Head, Slotted	5/16"	.300" Short Body, Undercut	Steel	Silver	71341*	2 11
Ival Head, Slotted	⁵ ⁄16"	.400" Short Body, Undercut	Steel	Silver	71340*	(and the second
)val Head, Slotted	5/16"	.400" Short Body	Aluminum	Aluminum	71329	No 71051
Ival Head, Slotted	5/16"	.450" Short Body	Steel	Silver	71325	No. 71351
Oval Head, Slotted	⁵ /16"	.450" Short Body	Aluminum	Aluminum	71330	
Oval Head, Slotted	5/16"	.450" Short Body	Aluminum	Black	71327	
Ival Head, Slotted	⁵ /16"	.500" Medium Body	Steel	Silver	71345	
Ival Head, Slotted	5/16"	.500" Medium Body	Steel	Black	71346	
val Head, Slotted	5/16"	.500" Medium Body	Aluminum	Aluminum	71331	
val Head, Slotted	5/16"	.500" Medium Body	Aluminum	Black	71333	No. 71354
val Head, Slotted	⁵ /16"	.550" Long Body	Aluminum	Aluminum	71332	
Ival Head, Slotted	7/16"	.400" Short Body	Steel	Silver	71349	
Ival Head, Slotted	7/16"	.400" Short Body	Aluminum	Aluminum	71353	
)val Head, Slotted	7/16"	.450" Short Body	Steel	Silver	71359	
Ival Head, Slotted	7/16"	.450" Short Body	Steel	Black	71358	
Dval Head, Slotted	7/16"	.450" Short Body	Aluminum	Aluminum	71363	
	7/16 7/16"	.450" Short Body	Aluminum	Black	71365	N. 34055
Oval Head, Slotted		•				No. 71355
Oval Head, Slotted	7⁄16"	.500" Medium Body	Steel	Silver	71350	
Oval Head, Slotted	⁷ ⁄16"	.500" Medium Body	Steel	Black	71354	
Oval Head, Slotted	7/16"	.500" Medium Body	Aluminum	Aluminum	71351	
Oval Head, Slotted	7⁄16"	.500" Medium Body	Aluminum	Black	71355	
Oval Head, Slotted	7⁄16"	.550" Long Body	Steel	Silver	71360	
Ival Head, Slotted	7⁄16"	.550" Long Body	Aluminum	Aluminum	71361	No. 71356
Ival Head, Slotted	7/16"	.550" Long Body	Aluminum	Black	71364	
Dval Head, ¾6" Hex Drive	7⁄16"	.400" Short Body	Steel	Silver	71274	
)val Head, ¾6" Hex Drive	⁷ / ₁₆ "	.450" Short Body	Steel	Silver	71275	(A)
)val Head, 3/16" Hex Drive	7/16"	.500" Medium Body	Steel	Silver	71352	13
Val Head, 3/16" Hex Drive	7⁄16"	.500" Medium Body	Aluminum	Black	71356	
Dval Head, ³ / ₁₆ " Hex Drive	7/16"	.550" Long Body	Steel	Silver	71362	
Butterfly Head	5⁄16"	.400" Short Body	Steel	Silver	71276	
Butterfly Head	5⁄16"	.450" Short Body	Steel	Silver	71277	No. 71362
Butterfly Head	5/16"	.500" Medium Body	Steel	Silver	71278	-
Butterfly Head	5/16	.550" Long Body	Steel	Silver	71279	\sim
Butterfly Head	⁷ /16"	.400" Short Body	Steel	Silver	71260	and I have
Butterfly Head	⁷ ⁄16"	.450" Short Body	Steel	Silver	71270	
Butterfly Head	⁷ ⁄16"	.500" Medium Body	Steel	Silver	71271	N. 74000
Butterfly Head	7/16"	.550" Long Body	Steel	Silver	71272	No. 71260

SELF-EJECTING FASTENERS

SELF-EJECTING QUICK FASTENERS, 5/16"


- These Spring Loaded Buttons Guarantee A Quick Release
- The spring holds the button captive so that it can't be dropped underneath the car or into some hard-to-get-at area of the chassis
- A necessity for quick pit work in racing
- Use Spring No. 71430 as a replacement • Ten per package

underneaur uie		0 301110 Hard to get at area of the o	140010 - 10	in per puertug	0	
Style of Head	Size	Body & Grip Range	Material	Finish	Part #	
Flush Head, Slotted	5/16"	.400" Short Body, .098" to .133"	Steel	Silver	71440	
Flush Head, Slotted	5/16"	.400" Short Body, .098" to .133"	Aluminum	Black	71441	
Flush Head, Slotted	5/16"	.450" Short Body, .148" to .183"	Steel	Silver	71450	
Flush Head, Slotted	5/16"	.450" Short Body, .148" to .183"	Aluminum	Black	71451	No. 71441
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71500	
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Aluminum	Aluminum	71501	
Flush Head, Slotted	5/16"	.500" Medium Body, .198" to .233"	Aluminum	Black	71502	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Steel	Silver	71505	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Aluminum	Aluminum	71506	
Flush Head, Slotted	5/16"	.550" Long Body, .250" to .325"	Aluminum	Black	71507	No. 71501
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Steel	Silver	71530	
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Aluminum	Aluminum	71531	
Flush Head, Slotted	5/16"	.650" Long Body, .348" to .383"	Aluminum	Black	71532	
Butterfly Head	5/16"	.400" Short Body, .098" to .133"	Steel	Silver	71460	
Butterfly Head	5/16"	.450" Short Body, .148" to .183"	Steel	Silver	71470	
Butterfly Head	5/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71510	No. 71510
Butterfly Head	5/16"	.650" long body, .348" to .383"	Steel	Silver	71540	10.71010

LARGE HEAD SELF-EJECTING QUICK FASTENERS, 7/16"

- · Heavy duty to allow repeated use with a fastener tool allen wrench or a ratchet without stripping
- A Larger size distributes the load over a larger area to avoid pull-through
- The spring holds the button captive so that it can't be dropped underneath the car or into some hard-to-get-at area of the chassis
- A necessity for quick pit work in racing
- Use Spring Nos. 71400, 71410, 71420, 71425, or 71430 • Ten per package

Style of Head	Size	Body & Grip Range	Material	Finish	Part #	OAT
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71370	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Gold	71371	
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Steel	Black	71372	No. 713
Large Flush Head, Slotted	7/16"	.500" Medium Body, .198" to .233"	Aluminum	Aluminum	71373	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Silver	71375	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Gold	71376	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Steel	Black	71377	
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Aluminum	Aluminum	71378	No. 713
Large Flush Head, Slotted	7/16"	.550" Long Body, .250" to .325"	Aluminum	Black	71379	
Large Flush Head, 3/16" Hex Drive	7/16"	.500" Medium Body, .198" to .233"	Steel	Silver	71380	
Large Flush Head, 3/16" Hex Drive	7/16"	.500" Medium Body, .198" to .233"	Steel	Gold	71381	
Large Flush Head, 3/16" Hex Drive	7/16"	.550" Long Body, .250" to .325"	Steel	Silver	71382	No. 713
Large Flush Head, 3/16" Hex Drive	7/16"	.550" Long Body, .250" to .325"	Steel	Gold	71383	



REPLACEMENT FASTENER SPRING

- · Designed for use with Moroso's flush, oval head and butterfly fasteners
- Ten per package
- Determine C TOTAL THICKNESS of panels being joined (including space in between if any)
- Select the appropriate A BODY LENGTH and B SPRING HEIGHT combination to provide the desired thickness range

FASTENER SELECTION CHART

		В	A				
PART NUMBER	WIRE DIA.	SPRING HEIGHT	BODY LENGTH .400" BODY	.450" BODY	.500" BODY	.550" BODY	.650" BODY
1" Springs			C TOTAL MATERIAL THICKNESS RAI	NGE			
71425	.080"	(.250")	.165200"	.215250"	.265300"	.315350"	.365400"
71430	.080"	(.325")	.098133"	.148183"	.198233"	.248283"	.348383"
1-%" Springs							
71420	.090"	(.325'')	.105148"	.155198"	.205248"	.255298"	.355398"
71410	.090"	(.375")	.055098"	.105148"	.155198"	.205248"	.305348"
71400	.090"	(.425'')	.005048"	.055098"	.105148"	.155198"	.255298"









371



= 1 + 2 + 6



EASTENERS

11

REINFORCING PLATES | MOUNTING BRACKETS

QUICK FASTENER REINFORCING PLATES

- · Reinforcement plates provide a secure metal backing for long lasting service
- Solves the problem of quick release fastener attachment rivets pulling out of fiberglass hood and body panels after repeated usage
- Also prevents fastener spring brackets from cutting into body panels
- Use with Quick Fastener Nos. 71280, 71290, 71300, 71310, 71350, or 71360

PART # DESCRIPTION

71490 Quick Fastener Reinforcing Plates, .022" Thick, Ten per package

LARGE DIAMETER QUICK FASTENER REINFORCING PLATES



71556 Quick Fastener Mounting Bracket, Same as No. 71555 in Aluminum, Two per pack, .100" thick

QUICK FASTENER MOUNTING BRACKETS, 7/16"

For Standard & Self-Eject Fasteners

- Steel bracket can be welded or fastened to any member of the car to provide a convenient pop rivet mount for fastener springs
- Use with Nos. 71301, 71311, 71351, 71361, 71352, 71362, 71371, 71376, 71380, 71381, 71382, or 71383
- Ten per package
- PART # DESCRIPTION

71554 Quick Fastener Mounting Bracket, .069" thick, accepts 1.375" springs, dimpled, standard fasteners

71557 Quick Fastener Mounting Bracket, .060" thick, accepts 1.375" springs, dimpled, Self E-ject fasteners

QUICK FASTENER MOUNTING BRACKET, 7/16"

For Standard Fasteners

- Aluminum bracket can be welded or fastened to any member of the car to provide a convenient pop
 rivet mount for standard fastener springs
- Use with Moroso Nos. 71370, 71371, 71372, 71375, 71376, 71377, 71380, 71381, 71382 or 71383
- Ten per package

PART # DESCRIPTION

71559 Quick Fastener Mounting Bracket, Aluminum, .120" thick, for 7/16" Fasteners & 1-3/8" Springs

No. 71555

No. 71490



No. 71554





QUICK FASTENER WASHERS

- One of these tough Teflon washers under each quick fastener will protect your car's finish from otherwise hard-to-prevent scratches
- A must for the conscientious car owner
- · Package of 25
- · Fits all quick fasteners

PART # DESCRIPTION

71610 Quick Fastener Washers



MURUSO

No. 71610

QUICK FASTENER WRENCH

- Fits slot-head ¼-turn fasteners far better than a screwdriver, reducing the possibility of damaged fasteners and body panels
- Manufactured of zinc plated spring steel with three different sized radii to match the slots in various ¼-turn fasteners
- Includes non-slip, plastic hand grip
- One tool per pack

PART # DESCRIPTION

71600 ·· Quick Fastener Wrench

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

FASTENERS

QUICK FASTENER WRENCHES

With Easy Grip Handles

- Allows for faster removal of 1/4-turn fasteners
- Features include a high strength steel shank plated with black zinc for durability
- The slot head blade on **No. 71606** is contoured to fit inside the ¹/₄-turn fastener without stripping the slot
- One per package

PART # DESCRIPTION

- 71606 Quick Fastener Wrench, 3/8" Slot Head
- 71607 Quick Fastener Wrench, 3/16" Hex Drive

QUICK FASTENER SINKING TOOL

- · Ideal for sinking flush-mount quick fasteners
- The two piece steel tool dimples a single metal panel using one end and a double panel using the other
- Zinc-plated
- · One tool per package

PART # DESCRIPTION

71605 Quick Fastener Sinking Tool

QUICK FASTENER TRANSFER STUD PUNCH KITS

Place the Transfer Stud Punch in a weld plate or body panel. Then position your panel over top of it and lightly tap the panel with a hammer and you'll be left with a mark in your panel where you drill your hole.

• 5 per pack

PART # DESCRIPTION

- 71601 Transfer Stud Punch Kit for 5/16" Buttons, 5 per kit
- **71602** Transfer Stud Punch Kit for $\frac{7}{6}$ " Buttons, 5 per kit



No. 71601









No. 71605

FASTENER TOOLS & QUICK RELEASE PINS

CAM STOP BUTTONS

- Professional engine builders are familiar with camshaft "walk" when excessive end play produces erratic spark timing and the timing chain/gear "eats" the timing cover
- Moroso solves the problem with a highly wear resistant button mounted in an aluminum holder and bolted to the cam timing gear by way of a retaining plate
- The button assembly does not allow the cam to "walk" forward, stabilizing ignition timing and preventing costly engine repair

PART #	DESCRIPTION
60460	Cam Stop Button and Retaining Plate, SBC and 90° V6 Chevy with early ribbed
	style timing cover, Cam bolts included
60461	Cam Stop Button and Retaining Plate, SBC and 90° V6 Chevy
	with late style flat timing cover, Cam bolts included
60462	Cam Stop Button and Retaining Plate, BBC, Cam bolts included

CAMSHAFT BOLT

- Don't let a broken camshaft bolt ruin your motor!
- \bullet Hex head $5\!\!/_{16}$ "-18 camshaft bolts are manufactured from tough Grade 8 steel with a black oxide finish
- Three per pack; includes retaining plate
- Should be used with Cam Stop Button Nos. 60460, 60461 and 60462 shown above

PART # DESCRIPTION

60464 Chevy Camshaft Bolts with Retainer



No. 60460

NO.	60464

QUICK RELEASE PINS

Heavy-Duty, Aircraft Quality

- These "T" handle quick release pins offer the racer the ultimate in quick release fastening
- Supplied in all popular sizes
- Single pack



APPLICATION CHART				
DIMENSIONS	LOAD SPECIFICATIONS	PART # FOR SINGLE PACK		
1/4" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90366		
1/4" DIA. X 1-1/2" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90367		
1⁄4" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 8,200 LBS WHEN PROPERLY MOUNTED	90368		
5/16" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90369		
5/16" DIA. X 1-1/2" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90370		
5/16" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90371		
5/16" DIA. X 3" LONG	DOUBLE SHEAR LOAD OF 12,800 LBS WHEN PROPERLY MOUNTED	90372		
3/8" DIA. X 1" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90373		
3/8" DIA. X 1-1/2" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90374		
3/8" DIA. X 2" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90375		
3/8" DIA. X 2 1/2" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90378		
3/8" DIA. X 3" LONG	DOUBLE SHEAR LOAD OF 18,400 LBS WHEN PROPERLY MOUNTED	90376		
1/2" DIA. X 2-1/2" LONG	DOUBLE SHEAR LOAD OF 32,800 LBS WHEN PROPERLY MOUNTED	90377		

CLEVIS ENDS

Moroso Clevis Ends are designed to help solve all kinds of fastening and suspension problems where rod ends would not be practical.

- Allows adjustment both radially & laterally while placing the holding bolt under shear load
- Made from 4130 chrome moly steel with iridite finish
- Two per package

PART # DESCRIPTION

90770 Clevis Ends, 1/2" -20 thread on shank, 5/16" bolt holes, 1/4" slot

UNIVERSAL ANTI-ROLL KITS

 Brake line locks are used in Drag Racing to lock the front wheels and hold the car in the water box for the burnout, or to prevent creeping in the lights

ANTI-ROLL KITS

- Anti-roll design has better holding power than any other unit currently available
- Enhanced version (No. 44052) has a check valve which allows you to pump up the brakes while actuated
- Will work in applications with ABS
- Kit contains a heavy duty push button switch, switch bracket, coiled wire, rebuildable line-lock valve, fuse holder, and indicator light
- Extruded aluminum shifter handle mounting bracket is far superior to any other in use today
- Heavy-duty construction and quality components provide reliable operation after repeated use
- Universal Momentary Switch No. 74122 available separately

PART # DESCRIPTION

44050↔ Universal Anti-Roll Kit **44052**↔ Universal Anti-Roll Kit, Enhanced MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

NOTE: Continuous use of solenoid for more than 30 seconds will damage the coil.

No. 90770

No. 44052

ANTI-ROLL VALVE, ENHANCED VERSION

Now Moroso offers it's Anti-Roll/Brake Line Lock Enhanced Version Valve by itself. Ideal for the installer who wants to wire/plumb their Anti-Roll switch a certain way.

- Brake line locks are used in Drag Racing to lock the front wheels and hold the car in the water box for the burnout or to prevent creeping into the starting lights
- Anti-Roll design has better holding power than any other unit currently available
- Enhanced version valve has an internal check valve which allows the driver to pump up the brakes when actuated
- Will work in applications with ABS
- Heavy-duty construction and quality components provide reliable operation
 after repeated use

PART # DESCRIPTION

44056 Anti-Roll Valve, Enhanced



No. 44056





PRESS-IN WHEEL STUDS

Exceeds sanctioning bodies requirements on the use of extra long wheel studs with thick-hub racing wheels

- Manufactured from high grade SAE 8740 steel, 190,000 psi tensile strength (which exceeds Grade 8 specifications))
- · Feature a "quick start dog end" for easier starting of lug nut installation
- 5 per package
- Made in the U.S.A.

PRESS-IN WHEEL STUD LUG NUTS

- · Manufactured from high grade steel for resistance to fatigue and stress
- Meets NHRA 5.2 rule of hex being length of diameter of stud
- 60° Seat
- Black Oxide finish
- 5 per package
- Made in the U.S.A.







Left to right: Nos. 46345, 46320, 46340, 46330

PRESS-IN WHEEL STU	JD / LUG NUT AP	PLICAT	TON CH	ART	
		WHEEL	. STUDS	LUG NUTS	СОМВО
APPLICATION DESCRIPTION	RECOMMENDED PRESS FIT	(5 PACK) Part #W	(100 PACK) Part #	(5 PACK) PART #	(5 PACK) Part #
$\%_{\rm 6"}$ -20 x 2- $\%''$, .480" diameter knurled stud, $3\!\!\!/$ "hex nut Fits: Most late model GM drum brake applications	.006016 in a steel axle or hub .010016 in an aluminum hub	46150	46151	46320	46450
$\%_6"$ -20 x 2- $\%"$, .560" diameter knurled stud, $\%"$ hex nut $\it Fits:$ Most late model GM disc brake and early drum applications	.006016 in a steel axle or hub .010016 in an aluminum hub	46160		46320	46460
¹ / ₂ " -20 x 3", .615" diameter knurled stud, ¹³ / ₆ " hex nut <i>Fits:</i> Most late model Ford front and rear disc brake, 2005-2014 Mustang rear and Chrysler front	.006016 in a steel axle or hub .010016 in an aluminum hub	46180		46330	46480
$1\!\!2''$ -20 x 3", .594" diameter knurled stud, $1\!\!3\!/_6$ " hex nut Fits: 1979-04 Mustang, 2005-2014 Mustang front. Also has a flat on head for front hubs with ABS	.006016 in a steel axle or hub .010016 in an aluminum hub	46185		46330	46485
$2''$ -20 x 3", .685" diameter knurled stud, $^{13}\!\!/_{6}$ hex nut <code>Fits:</code> Most Chrysler rears with $2''$ stud	.006016 in a steel axle or hub .010016 in an aluminum hub	46190		46330	46490
$^{1}\!\!/^{\!\!\!2}$ -20 x 3", .563" diameter knurled stud, $^{13}\!\!/_{6}$ hex nut Fits: $^{1}\!\!/^{\!\!\!2}$ Frankland hubs	.006016 in a steel axle or hub .010016 in an aluminum hub	46220		46330	46420
%" -18 x 3", .672" diameter knurled stud, ½" hex nut <i>Fits:</i> Circle Track applications	.006016 in a steel axle or hub .010016 in an aluminum hub	46240	46241	46340	46440
12mm x 1.5 x 3.25", .509" diameter knurled stud, 19mm hex nut <i>Fits:</i> Late model Corvette, 3rd, 4th Gen. Camaro & Firebird	.006016 in a steel axle or hub .010016 in an aluminum hub	46245		46345	46445
14mm x 1.5 x 3", .625" diameter knurled stud <i>Fits:</i> Mustang S550 2015- up	.006016 in a steel axle or hub .010016 in an aluminum hub	46247			

NOTE: All Stud lengths are measured from the base of the knurl to the end of the stud.

WHEEL STUDS



When installing a set of Moroso Wheel Studs, it is necessary to measure the knurl diameter of the stud and hole size in the rotor or axle. The hole size in the rotor or axle may have to be opened up with a drill bit or ream to achieve the proper .002"–.009" press fit.

SCREW-IN TYPE WHEEL STUDS

- Larger shank diameter provides additional metal to metal contact with the wheel for reduced stud flex and increases strength
- Eliminates the need for aftermarket shoulder type lug nuts and simplifies wheel installation
- Set comes complete with flat type lug nuts and stud spacers to fit various thicknesses of disc brake hats
- 5 per pack

PART # DESCRIPTION

PART # REPLACEMENT PARTS

97730	Flange Nut

- **97731** Wheel Stud Spacer, .567"
- 97732 Wheel Stud Spacer, 1.25"



No. 46140

SOCKET HEAD SCREW-IN TYPE WHEEL STUDS

• 5 per pack

PART # DESCRIPTION

46200 Wheel Studs, 1/2" -20 x 3" Screw-in, Socket Head Cap Screw, fits all aftermarket axles with 1/2" -20 threads



No. 46200



BRAKE & WHEEL EQUIPMENT

DOUBLE END LUG NUTS

- Double End Lug Nuts designed for oval track racers
- Both ends are chamfered to a 45° angle, thus eliminating the possibility of putting the Lug Nut on backwards during quick pit stops
- Five per package
- Use with Pit Socket No. 62010 for even faster pit stops (No. 46310 only)

PART # DESCRIPTION

46300 Double End Lug Nut, ¹³/₁₆" Hex x ¹/₂" -20

46310 Double End Lug Nut, 1" Hex x 5%" -18



PIT SOCKET

- Thick-walled socket with six-point surface contact and large chamfer ensures fast, clean engagement on the lug nut
- Manufactured of alloy steel and carefully heat treated for maximum strength to prevent lug nut damage
- Accepts 1/2" drive, and fits 1" lug nuts

PART #DESCRIPTION62010Pit Socket






- Manufactured from rugged Grade 8 steel to withstand the extreme loading placed on today's racing tires
- · Self-tapping screws feature a built-in washer face for maximum holding strength
- Finished in gold iridite
- Use with %" Socket

PART # DESCRIPTION

90100 Wheel Rim Screws, ¹/₄" dia. x ³/₄" long. Pack of 35





No. 90100

TRICK FRONT SPRINGS

- Designed for Drag Racing where maximum weight transfer is needed
- Trick Front Springs are tall, small wire diameter coil springs that hold a great amount of stored energy for instant weight transfer
- Replaces stock 0.E.M. springs with no modifications required
- Two per package



For drag use only, NOT for street use!



	TRIC	K FRO	NT SF	PRINGS	APPLICATIO	DN CI	IART		
		Front End	Coil Spring	Trick Front		No	Front End	Coil Spring	Trick Fr
MAKE/MODEL	Years	Weight (LBS.)*	Rate (LBS./ IN.)	Spring Part #	MAKE/MODEL	Years	Weight (LBS.)*	Rate (LBS./ IN.)	Sprin Part i
Buick Apollo	1975-79	1840-1910	212	47180	Chevrolet El Camino	1978-88	1600-1660	212	4713
		1910-1970	230	47175			1660-1720	242	4720
		2010-2100	270	47170			1720-1800	250	4713
	1968-74	1550-1640	213	47150		1968-72	1610-1680	242	4716
		1690-1750	240	47140			1680-1750	250	4719
		1700-1750	241	47165			1750-1810	260	4720
		1730-1780	250	47195		1964-67	1550 -1640	213	4715
Buick G.N.	1978-88	1600-1660	212	47130			1690-1750	240	4714
		1660-1720	242	47205			1700-1750	241	4716
		1720-1800	250	47135			1730-1780	250	4719
Buick GS	1968-72	1610-1680	242	47160	Chevrolet Malibu	1978-88	1600-1660	212	4713
		1680-1750	250	47190			1660-1720	242	4720
		1750-1810	260	47200			1720-1800	250	4713
	1964-67	1550-1640	213	47150		1968-72	1610-1680	242	4716
		1690-1750	240	47140			1680-1750	250	4719
		1700-1750	241	47165			1750-1810	260	4720
		1730-1780	250	47195		1964-67	1550 -1640	213	4715
Buick Regal	1978-88	1600-1660	212	47130			1690-1750	240	4714
-		1660-1720	242	47205			1700-1750	241	4716
		1720-1800	250	47135			1730-1780	250	4719
	1968-72	1610-1680	242	47160	Chevrolet Monte Carlo	1978-88	1600-1660	212	4713
		1680-1750	250	47190			1660-1720	242	4720
		1750-1810	260	47200			1720-1800	250	4713
Buick Skylark	1968-72	1610-1680	242	47160		1968-72	1610-1680	242	4716
		1680-1750	250	47190			1680-1750	250	4719
		1750-1810	260	47200			1750-1810	260	4720
	1964-67	1550-1640	213	47150	Chevrolet Nova	1975-79	1840-1910	212	4718
		1690-1750	240	47140			1910-1970	230	4717
		1700-1750	241	47165			2010-2100	270	4717
		1730-1780	250	47195		1968-74	1550 -1640	213	4715
Buick Special	1968-72	1610-1680	242	47160			1690-1750	240	4714
		1680-1750	250	47190			1700-1750	241	4716
		1750-1810	260	47200			1730-1780	250	4719
	1964-67	1550-1640	213	47150	Chevrolet Nova/Chevy II	1962-67	1200-1250	217	4723
		1690-1750	240	47140	Ford Fairlane	1966-70	1610-1680	242	4716
		1700-1750	241	47165			1680-1750	250	4719
		1730-1780	250	47195			1750-1810	260	4720
Chevrolet Bel Air	1955-57	1550 -1640	213	47150	Ford Mustang	1979-04	1750-1900	250	4722
		1690-1750	240	47140		1964-73	1610-1680	242	4716
		1700-1750	241	47165			1680-1750	250	4719
		1730-1780	250	47195			1750-1810	260	4720
Chevrolet Camaro	1982-92	1680-1750	220	47210	Mercury Capri	1979-86	1750-1900	250	4722
		1750-1870	250	47215	Mercury Comet	1966-69	1610-1680	242	4716
	1970-81	1840-1910	212	47180			1680-1750	250	4719
		1910-1970	230	47175			1750-1810	260	4720
		2010-2100	270	47170	Oldsmobile Cutlass	1978-88	1600-1660	212	4713
	1967-69	1550 -1640	213	47150			1660-1720	242	4720
		1690-1750	240	47140		1000 =5	1720-1800	250	4713
		1700-1750	241	47165		1968-72	1610-1680	242	4716
		1730-1780	250	47195			1680-1750	250	4719
Chevrolet Chevelle	1968-72	1610-1680	242	47160			1750-1810	260	4720
		1680-1750	250	47190		1964-67	1550 - 1640	213	4715
		1750-1810	260	47200			1690-1750	240	4714
	1964-67	1550 -1640	213	47150			1700-1750	241	4716
		1690-1750	240	47140	CONTINUED ON NEXT PA		1730-1780	250	4719

* NOTE: Front End Weight is as raced with driver

///

FRO	NT SF	PRINGS	- CON'T	
		Front End	Coil Spring	Trick Front
MAKE/MODEL	Years	Front End Weight (LBS.)*	Rate (LBS./	Spring
		Weight (LDS.)	IN.)	Part #
Oldsmobile 442	1978-88	1600-1660	212	47130
		1660-1720	242	47205
		1720-1800	250	47135
	1968-72	1610-1680	230	47160
	1900-72			
		1680-1750	250	47190
	1001.07	1750-1810	260	47200
	1964-67	1550 - 1640	213	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Oldsmobile Omega	1975-79	1840-1910	212	47180
		1910-1970	230	47175
		2010-2100	270	47170
	1973-74	1550 -1640	213	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Firebird	1982-92	1680-1750	230	47210
	1002-02	1750-1870	250	47210
	1070 01	1840-1910	230	47215
	1970-81			
		1910-1970	230	47175
		2010-2100	270	47170
	1967-69	1550 -1640	213	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Grand Am	1978-88	1600-1660	212	47130
		1660-1720	242	47205
		1720-1800	250	47135
Pontiac Grand Prix	1978-88	1600-1660	212	47130
		1660-1720	242	47205
		1720-1800	250	47135
Pontiac GTO	1968-72	1610-1680	242	47160
	1300 72	1680-1750	250	47190
		1750-1810	260	47200
	1004.07			
	1964-67	1550 - 1640	213	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac LeMans	1978-88	1600-1660	212	47130
		1660-1720	242	47205
		1720-1800	250	47135
	1968-72	1610-1680	242	47160
		1680-1750	250	47190
		1750-1810	260	47200
	1964-67	1550 -1640	213	47150
		1690-1750	240	47140
		1700-1750	240	47165
		1730-1780	250	47105
Pontiac Tempest	1968-72	1610-1680	230	47160
i unitati rempest	1900-72			
		1680-1750	250	47190
	100/ 07	1750-1810	260	47200
	1964-67	1550 - 1640	213	47150
		1690-1750	240	47140
		1700-1750	241	47165
		1730-1780	250	47195
Pontiac Ventura	1975-79	1840-1910	212	47180
		1910-1970	230	47175
		2010-2100	270	47170
	1971-74	1550 -1640	213	47150
		1690-1750	240	47140
	L			
		1700-1750	241	47165

* NOTE: Front End Weight is as raced with driver

TRICK REAR SPRINGS


- Computer designed rear springs engineered to compress at a controlled rate when car is launched for optimum "squat"
- Right-side spring is stronger than left, allowing the car to lift evenly upon launch for balanced weight transfer and more consistent 60-foot times
- CNC-wound from high-strength chrome silicon wire to maintain accurate spring rate and to handle the abuse of hard launches
- Replaces stock 0.E.M. springs with no modifications required
- Track proven by professional racers for optimum performance
- Two per package with black painted finish

973-74	1550 -1640	213	47150	 Two per package 	age
	1690-1750	240	47140		5
	1700-1750	241	47165	77/2	10
	1730-1780	250	47195		
982-92	1680-1750	220	47210	A	
	1750-1870	250	47215	MAKE	MOE
970-81	1840-1910	212	47180	GENERAL MOTORS	Che
	1910-1970	230	47175	INTERMEDIATE	Sky
	2010-2100	270	47170		Gra
967-69	1550 -1640	213	47150	FORD	Mus
	1690-1750	240	47140		
	1700-1750	241	47165	BODY MO	VEM
	1730-1780	250	47195		
978-88	1600-1660	212	47130	′ ′≥	
	1660-1720	242	47205	HIGH	
	1720-1800	250	47135	TIRE	
978-88	1600-1660	212	47130		
	1660-1720	242	47205		EAR A
	1720-1800	250	47135	M	OVEM
968-72	1610-1680	242	47160	WITH STO	CK C
	1680-1750	250	47190	With a stor	
	1750-1810	260	47200	unequal forces	cause
964-67	1550 -1640	213	47150	NO BO	DY M
	1690-1750	240	47140		
	1700-1750	241	47165		
	1730-1780	250	47195	TIRE	
978-88	1600-1660	212	47130	LOAD	
	1660-1720	242	47205	EVEN	
	1720-1800	250	47135	NO	REAR
968-72	1610-1680	242	47160		OVEM
	1680-1750	250	47190	WITH MOROSO	
	1750-1810	260	47200	Moroso Trick Rear Spring	
964-67	1550 -1640	213	47150	balanced traction, elin	
	1690-1750	240	47140		
	1700-1750	241	47165	() (M	
	1730-1780	250	47195	HOW	
968-72	1610-1680	242	47160		-
	1680-1750	250	47190		1
	1750-1810	260	47200	TO	
964-67	1550 -1640	213	47150		
	1690-1750	240	47140	If Front Springs a	re too
	1700-1750	241	47165	of a coil. Many fa	
	1730-1780	250	47195	consideration A f	


CK REAR SPRINGS PLICATION CHART YEAR PART DFI

	MODEL	1 Erun	17411
GENERAL MOTORS	Chevelle, GTO, LeMans, Cutlass, 442,	1968-'72	47500
INTERMEDIATE	Skylark, Gran Sport, Malibu, Monte Carlo, Grand Prix, Regal, Grand National	1978-'87	47520
FORD	Mustang (non i.r.s.)	1979-'04	47510





e unequal traction



alize these forces to provide ng the need for "air bags"



MODIFYING MOROSO TRICK FRONT SPRINGS TO GET THE **DESIRED HEIGHT**

CAUTION!

For drag use only, NOT for street use!

o high, they may be lowered by cutting off one-half s affect the front end height. Wheel offset is a major consideration. A front wheel offset to the outside will increase leverage of the lower A-frame against the coil spring, and the nose of the car will be lower. Disc brake spacers will further affect the height. Adding or removing as little as 50 lbs. can also make a big difference. Take this into consideration when adding a fiberglass hood, aluminum heads, or when putting the battery in the trunk. Although these changes will affect the height of the car, the spring rates will be unaffected as long as you stay within the guidelines of our definitions.



HARMONIC BALANCER INSTALLATION TOOLS

- Our Universal Tool (No. 61744) has adapters to fit most popular engines including Chevrolet, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick
- Choose from several tools designed for specific engine applications
- Each tool uses a pilot stud, which keeps the harmonic balancer perpendicular to the crankshaft's centerline for a bind-free installation
- Thrust bearing and protective washer allows the drive nut to rotate freely so the balancer is pressed on smoothly and evenly

PART # DESCRIPTION

- 61740 Harmonic Balancer Installation Tool. SBC or any engine with a $\frac{7}{16}$ " -20 threaded hole in the crank 61741 Harmonic Balancer Installation Tool, BBC or any engine with a $\frac{1}{2}$ " -20 threaded hole in the crank 61742 Harmonic Balancer Installation Tool, all Fords or any engine with a $\frac{5}{8}$ " -18 threaded hole in the crank 61744 Universal Harmonic Balancer Installation Tool,
 - includes screw-in inserts for 7/16", 1/2", 5/8" and 3/4" threaded openings

HARMONIC BALANCER INSTALLATION & REMOVAL TOOL KIT

- Innovative tool with multiple adapters installs and removes harmonic balancers guickly and easily without causing damage
- Four heat-treated chrome moly inserts ($\frac{1}{2}$ ", $\frac{7}{16}$ ", $\frac{5}{8}$ " and $\frac{3}{4}$ ") fit most popular engines including Chevrolet, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick
- The CNC-machined tool provides a large contact area to keep the harmonic balancer perpendicular with the centerline of the crankshaft for bind-free action
- Roller thrust bearing allows drive nut to rotate freely so the balancer is pressed on or pulled off smoothly and evenly
- · Compact storage case keeps tool and all attachments organized and rust free for years of dependable service
- Black oxide finish

PART # DESCRIPTION

61743 Harmonic Balancer Installation and Removal Tool Kit, Chevy, Ford, Mopar, KB Hemi, Pontiac, Oldsmobile and Buick

HARMONIC BALANCER INSTALLATION & REMOVAL TOOL KIT, GM LS & LT

- Innovative tool makes installing and removing GM LS & LT harmonic balancers quick and easy without causing damage
- The CNC-machined tool provides a large contact area to keep the harmonic balancer perpendicular with the centerline of the crankshaft for bind-free action
- Roller thrust bearing allows drive nut to rotate freely so the balancer is pressed on or pulled off smoothly and evenly
- Compact storage case keeps tool and all attachments organized and rust free for years of dependable service
- Black oxide finish

PART # DESCRIPTION

61745 Harmonic Balancer Installation & Removal Tool Kit, GM LS & LT

HARMONIC BALANCER INSTALLATION & REMOVAL ADAPTER, GM LS & LT

- This adapter allows a Moroso Part No. 61743 Harmonic Installation & Removal Tool Kit work with the GM LS & LT Series of engines
- Like all of the adapters in the kit this adapter will now make it possible to install and remove GM LS & LT harmonic balancers quickly and easily without causing damage
- Black oxide finish

PART # DESCRIPTION

61746 Harmonic Balancer Installation & Removal Adapter, GM LS & LT













CRANKSHAFT SOCKET TOOLS

- Designed to simplify the task of crankshaft rotation during short block assembly with the balancer removed
- Features full steel construction with a zinc-plated finish for corrosion resistance
- Accepts 1/2" drive

PART # DESCRIPTION

- 61760 Crankshaft Socket Tool, Small Block and 90° V6 Chevy and Super-Duty Pontiac/GM 4 Cyl.
- 61770 Crankshaft Socket Tool, Big Block Chevy
- 61790 Crankshaft Socket Tool, all Small Block Ford, Buick and Pontiac

C

No. 61760

CRANKSHAFT SOCKET TOOLS

For Degree Wheel

- By removing the crank hub or balancer and using a Moroso Crankshaft Socket Tool, engine builders have a positive way to turn over the engine
- Tool makes it easier to locate TDC and BDC when degreeing camshafts
- Broached keyway allows the socket (which fits ½" drive) to slide over the crankshaft snout and key. A knurled jam nut is then used to position a degree wheel
- Use with Moroso Degree Wheel No. 62190 (11"), No. 62191 (18") or No. 62192 Dual (18")

PART # DESCRIPTION

- 61755. Crankshaft Socket for Degree Wheel. *Fits: Small Block and 90° V6 Chevy, Super-Duty Pontiac/GM 4 Cyl.*61756. Crankshaft Socket for Degree Wheel. *Fits: Big Block Chevy*
- 61757 Crankshaft Socket for Degree Wheel. Fits: GM LS Series Engines with keyway

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 61757


TOOLS

DEGREE WHEELS

- These degree wheels are mandatory for professional engine builders
- Accurately measures several timing functions of an engine: camshaft centerline, valve timing, TDC, BDC, etc.
- Made from heavy gauge metal with a silk screen finish for long-lasting use in shop or track environments
- · Adapter included to fit virtually any engine
- For mounting Degree Wheels, use Crankshaft Socket Nos. 61755 or No. 61756 for Small and Big Block Chevys, and No. 61757 for LS Series Engines with keyway
- Dual Degree Wheel No. 62192 easily degrees your camshafts with NO math and NO calculations
- Dual Degree Wheel No. 62192 features an outer wheel developed by automotive writer David Vizard, which allows for more precise location of cam timing values and reassurance you've made the correct cam location adjustments

PART # DESCRIPTION

- 62190 11" Degree Wheel, primarily for in-car use at the track
- **62191** 18" Degree "Pro Wheel™", for engine stand use
- 62192 18" Dual Degree "Pro Wheel™", for precise adjustments





ENGINE CLEANING BRUSHES

- It's important to have a clean block especially in critical hard-to-get-at areas of the oiling system
- Each brush is designed for a specific purpose; there are two each of the oil gallery brushes since they get the most wear
- Can also be used on crankshaft oil holes, cylinder heads, etc; bristles are made of nylon which cleans as well as wire but does not scratch
- Set of 12 brushes

PART #	DESCRIPTION
61820	Engine Cleaning Brushes

INCLUDES TWO OF EACH:					
1⁄4" dia.	2" long	10" handle			
5∕16" dia.	2-1/2" long	12" handle			
¾" dia.	2-1/2" long	12" handle			



INCLUDES ONE OF EACH: 1/2" dia. 2-1/2" long 34" handle 5/8" dia. 34" handle 3" long 3/4" dia. 3" long 34" handle 1/3" dia. 12" handle 3" long 1-1/4" dia. 4" long 12" handle 5" dia. 7" long 18" handle

ENGINE STORAGE BAGS

- · Manufactured from heavy duty 4 mil thick plastic
- Extra-large sizes cover a complete engine with installed headers
- One per package

PART # DESCRIPTION

 99400
 Engine Storage Bag, 40" wide x 19-½" deep x 47" tall

 99401
 Engine Storage Bag, 42" wide x 32" deep x 54" tall



No. 99400



No. 99401

OIL PAN T-HANDLE WRENCHES

Made especially for use on oil pans with power kick-outs

- Oil pans with power kick-outs have access plugs in the bottom for fastening to the engine block—Oil Pan T-Handle Wrenches allow for quicker and easier installation and removal
- · No more lost socket or dropped fasteners due to one piece design
- A positive locking tool with a magnetized spring loaded socket that fits into the access holes in the pan
- . Moroso Oil Pan T-Handle Wrenches have a 6 point socket with a 12" long shaft
- After using this product, power kick-out oil pan owners will never know how they lived without it

PART # DESCRIPTION

 62255
 Wrench, Oil Pan T-Handle, ½", 6 PT

 62256•
 Wrench, Oil Pan T-Handle, ⅓, 6 PT

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

PISTON INSTALLATION TOOLS

- · Designed for fast, easy installation of pistons in most popular bore diameters
- Tapered inner diameter of tool compresses piston rings to proper bore size,
 applicately aliminating changes of unseen ring breakage
- completely eliminating chances of unseen ring breakage
- Made from aluminum with a hard-coat anodized finish for long wear

PART # DESCRIPTION

- 61840 Piston Installation Tool for 4.030" Bore
- 61870 Piston Installation Tool for 4.280" Bore
- 61880 Piston Installation Tool for 4.310" Bore



No. 62255



DIAL INDICATOR STAND

- Rugged steel fixture is a "must have" for the serious engine builder
- The versatile stand will span cylinder bores up to 4-7/16" and makes it easy to check piston dome and deck heights
- Block and head surface problems can be found by the racer who checks everything
- Other uses include checking for flatness, runout, warping, etc.

DESCRIPTION PART

62050 **Dial Indicator Stand**



CYLINDER HEAD WORK STAND

- · Work stand is designed for use with all popular cylinder heads and provides an inexpensive, safe and sure mount for all jobs from porting to cc-ing the chambers
- Disassembles for easy storage in tool box
- Two supports per set

DESCRIPTION PART

62080 Cylinder Head Work Stand





No. 62080

CYLINDER LEAKAGE TESTERS

- Quickly diagnoses failed or leaking valves, pistons, rings and head gaskets
- Large-diameter 3-1/2" gauge face indicates percentage of leakage rather than psi. eliminating need for math calculations
- Includes 4-foot hose with quick-disconnect fitting
- No. 89600 includes two zinc-plated adapters for 14mm and 18mm plug sizes
- Accessory Adapter available for 14mm plugs on OHC and HEMI engines

PART # DESCRIPTION

896000 Cylinder Leakage Tester, Standard Version

896020 Adapter Leak Tester, OHC and HEMI, 7.43" long

PART # **REPLACEMENT PARTS**

97500 Gauge Head

• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

CYLINDER LEAKAGE TESTERS

The high performance tool you'll pass down from generation to generation!

Moroso asked top engine builders and race teams to give their input during development. The two biggest results-they immediately asked, "When can I buy one?" and thought of even more uses for this versatile product!

- Top of the line components are used in this precision instrument
- Calibrated for high accuracy and repeatability
- Housed in a stand-up, black powder coated steel case to make taking readings easier and to protect the components themselves
- Comes with 14 mm adapter long, 14 mm and 18 mm adapters short, tapered plug adapter and whip lines

PART # DESCRIPTION

896030 Cylinder Leak Down Tester

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 89603











No. 89602



ENGINE LIFT PLATE

- Handy tool provides a guick, easy method of attaching an engine lift chain
- Bolts onto the intake manifold for easy engine lifting and seals up the engine when in storage
- Revised version accommodates most 2bbl. and 4bbl. carburetor bolt patterns
- Made of ³/₁₆" zinc plated steel with 1,000 lb. rating

DESCRIPTION PART # 62670 **Engine Lift Plate**



- Handy tool provides a quick, easy method of attaching an engine lift chain
- Bolts onto the non-intake equipped engine block for easy engine lifting and seals up the engine for storage
- Made out of 3/16" thick steel with a durable zinc plated finish, 1000 lb. rating

Part # DESCRIPTION

- 62672 Engine Lift/Storage Plate, GM LS1, LS2, LS6 & C5R
- 62673 Engine Lift/Storage Plate, GM LSX, LS3 & LS7
- 62674 Engine Lift/Storage Plate, GM Gen V LT1, LT4



No. 25180

TITIT

11111

No. 62200



- A convenient way to keep a GM LS engine lifter valley area sealed off from foreign objects during storage
- Plate is constructed out of 1/8" thick steel with a zinc coating for corrosion resistance
- Mounting hardware is included

PART # DESCRIPTION

25179 Engine Storage Plate, For GM LS1, LS2, LS6 & C5R engines 25180 Engine Storage Plate, For GM LSX, LS3 & LS7 engines

OIL PUMP PRIMERS

- Used to build up oil pressure in a new engine before initial starting
- Remove the distributor and insert the primer to engage the end of the oil pump drive
- The other end of the primer fits a 3/6" chuck in a hand drill to drive the oil pump
- Black oxide finish resists corrosion

PART #	DESCRIPTION	PART #	DESCRIPTION	No. 62210
62200	Oil Pump Primer.	62220	Oil Pump Primer.	
	Fits: Most Chevrolet engines		Fits: Ford 351W, 351C, 400, 429, 460 eng	lines.
62210	Oil Pump Primer.		Pump drive end of the primer fits 5/16" hex	male end
	Fits: Ford 289, 302, 390, 428 engines. Pump drive		of the oil pump drive	
	end of the primer fits 1⁄4" hex male end of the oil	62250	Oil Pump Primer.	
	pump drive		Fits: Most Chrysler engines and Moroso	
			Blueprinted Oil Pump No. 22162	

OIL PRIMER TOOL


SBC, BBC and 90° V-6 Engines

- This oil pump primer offers a superior design
- Includes bushing to pressurize the valvetrain
- Primes the oil pump right through the distributor hole using an electric drill

PART # DESCRIPTION

62205 Oil Primer Tool, with bushing





No. 62205

11111 No. 25179

11111

STUD MOUNT VALVE SPRING COMPRESSOR

Heavy Duty

- Makes valve spring changing quicker and easier than conventional methods
- Unlike models offered by other manufacturers, Moroso's stud mount tool fits both $\frac{3}{16}$ " and $\frac{7}{16}$ " rocker studs
- Heavy Duty version of Moroso Stud Mount Valve Spring Compressor features thick laser cut steel and billet aluminum components for day in and day out use
- The 12" handle gives all leverage needed to compress the strongest springs

PART # DESCRIPTION

62371. Stud Mount Valve Spring Compressor, Heavy Duty



STUD MOUNT VALVE SPRING COMPRESSORS



VALVE CHECKING SPRINGS

- . Greatly simplifies the task of cam degreeing, checking valve-to-piston clearance, etc.
- Designed with 7/8" diameter and 2" height for most popular race engines
- Can be installed by hand without the use of compression tools
- Sold as a set of 8

PART # DESCRIPTION 62380 Valve Checking Springs



VALVE SEAT PRESSURE TESTER

- The original tool for checking valve seat pressure on an assembled engine!
- Built-in 300-lb. reading scale
- Fits roller rockers on Small Block, Big Block and 90° V6 Chevy; Ford 221-302, 351-400 SVO and Ford Windsor engines, and most other wedge-type engines
- Use with Moroso Stud Mount Valve Spring Compressors **No. 62370** for the most accurate method of maintaining the valvetrain on a fully assembled engine

PART # DESCRIPTION

62390 Valve Seat Pressure Tester





No. 62371

REST

LOW-PROFILE DESIGN VALVE SEAT PRESSURE TESTER

- Similar to No. 62390 with low-profile design to fit under windshield and cowl of tube-chassis cars
- Designed by Jerry Haas, the tool features a rocker arm "gripper" machined from billet aluminum
- Scale reading from 160 to 400 lbs. allows testing of springs with higher spring pressures
- Use in conjunction with Moroso Stud Mount Valve Spring Compressors No. 62370 for the most accurate method of maintaining the valvetrain on a fully assembled engine

PART # DESCRIPTION

62391 Low-Profile Valve Seat Pressure Tester

VALVE SEAT PRESSURE TESTER

- Built-in 400-lb. reading scale
- Billet aluminum with body pocket to fit taller adjuster nuts used on stud girdles
- Use with Moroso Stud Mount Valve Spring Compressor
 No. 62370 for the most accurate method of maintaining the valvetrain on a fully assembled engine

PART # DESCRIPTION

62388 Valve Seat Pressure Tester62389 Low-Profile Valve Seat Pressure Tester



No. 62391

FENDER COVER

- 34" x 22" Rubber cover printed with Moroso and Competition Engineering Logos
- . Non-skid foam backing is safe for your car's finish and will not slide off while working
- · Protects fender paint from scratches and grease while working on engine
- · Acid/grease resistant, top surface is easily washable with mild solvents or detergents

PART #DESCRIPTION99406Fender Cover

No. 99406

CARBURETOR WORK STAND

- Designed to hold Quadrajet and both standard and spread-bore Holley[®] carbs, this tool greatly simplifies carburetor work
- · Manufactured of cast aluminum with open center and mounting pegs

PART # DESCRIPTION

62070 Carburetor Work Stand



CARBURETOR WORK STAND, ADJUSTABLE

- Designed to hold standard and spread bore Holley 4150, Holley 4500, Rochester and Carter Quadrajet, Carter AFB and Edelbrock Carburetors
- This tool simplifies carburetor work and with it's open center allows access for assembly and disassembly
- · Manufactured out of thick aluminum for years of service

PART # DESCRIPTION

62071 Carburetor Work Stand, Adjustable



No. 62071





JET TOOL

- · Designed with a stronger, fully machined tip that slides over jet, holding it firmly in place
- Short design, sure-grip handle simplifies jet removal and installation in crowded engine compartments
- Fits all Holley® round-head type carb jets

PART # DESCRIPTION

62293 Jet Tool



POWER VALVE TESTER

- Convenient tool checks Holley[®] Power Valves for ruptured diaphragms to prevent engine flooding
- Remove knurled cap and screw in the Power Valve; cut-away section of tool allows visual inspection of valve's operation
- CNC machined from 6061-T6 aluminum and anodized to prevent corrosion
- Requires the use of a hand-operated vacuum tester (available at most auto parts stores)

PART # DESCRIPTION

62295 Power Valve Tester, for Holley[®] Carburetor Power Valves

CARBURETOR DRAIN CUP

- Now you don't have to spill fuel all over the engine when removing fuel-bowl screws to service Holley[®] carburetors
- Gary Williams-designed Carburetor Drain Cup uses a channel handle to catch dripping fuel and direct it to a holding cup
- Made from fuel resistant polyethylene

PART # DESCRIPTION

65805 · Carburetor Drain Cup



CARB CAPS

- · Keeps dust and other foreign material out of carburetors during transportation and storage
- Manufactured from durable, high-impact plastic
- Thumbscrew included WARNING Prop. 65 DESCRIPTION This product contains a chemical known PART # to the state of California to cause cancer, Carburetor Cap, fits Holley®. 65802^o birth defects, or reproductive harmwww.P65Warnings.ca.gov Thermoquad and Quadrajet Carburetors with 5-1/8" diameter neck 65803o Carburetor Cap, fits Holley[®], 4500 Dominator No. 65802 Carburetors with 7-5/16" diameter neck No. 65803

CARB-TOP TOOL TRAYS

- Made from lightweight, durable, .063" aluminum in two styles for Holley® 5-1/8" and 7-5/16" Dominator carburetors
- Also fits other carburetors with similar neck diameters
- Each Tool Tray sits just 2-½" above the carburetor and features a convenient handle, ½" rubber mat, 16 spark plug holders, 8 plug wire holders and enough room to store a variety of tools for working on just about any engine
- Inside tray dimensions: 10" x 13"

PART # DESCRIPTION

- 65800 Carb-Top Tool Tray, 5-1/8" diameter carburetors
- **65801** Carb-Top Tool Tray, 7-5/16" diameter carburetors





SPARK PLUG INDEXER

- High-compression drag race engines require "indexing" of spark plugs to prevent contact between piston dome and ground wire of the spark plugs
- Moroso's "Indexer", designed for both flat and taper-seat 14mm spark plugs, enables selection of spark plugs that will not make such contact
- Once a given plug is selected (placed in a cylinder head and found to have the correct ground wire position), it is placed in the Moroso Plug Indexer and the position of the ground electrode marked on the black anodized surface
- · Marking provides a reference for checking other plugs to be used in the same cylinder
- The hex-head design allows it to be held in a vise

PART # DESCRIPTION

62160 Spark Plug Indexer

PART # AVAILABLE OPTIONS

- 71900 Spark Plug Indexing Washers, Tapered Seat, .010", .021", .032"
- 71910 Spark Plug Indexing Washers, Flat Seat, .040", .050", .064"



No. 62160



UNIVERSAL SPARK PLUG HOLE AIR HOSE KIT

- Air hose kit makes it easy to pressurize the cylinder to hold the valve closed when changing a valve spring
- Fits all 14mm and 18mm spark plug holes
- · Includes a 12" hose and 3 spark plug adapters

PART # DESCRIPTION

62385 Universal Spark Plug Hole Air Hose Kit

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



POWER SPEED CALCULATOR

Moroso's Power-Speed Calculator is like having a dyno in your back pocket!

Using information such as tire size, gear ratios, horsepower and displacement, this handy slide tool works out the relationship between:

- E.T., M.P.H. and power to weight ratios
- Tire diameter to speed and gear ratio
- Engine displacement to compression ratio
- Horsepower measured at flywheel

PART # DESCRIPTION

89650 Power-Speed Calculator





EXHAUST BLOCK OFF STORAGE PLATES

Fits: BBC Mark IV with conventional cylinder heads

- A convenient way to keep engines sealed up from foreign objects during storage or when an engine is getting painted
- Durable aluminum construction, come as pairs

PART # DESCRIPTION

25160 Exhaust Block Off, Storage Plates, BBC Mark IV



IGNITION WIRE TOOLS

ENHANCED IGNITION WIRE STRIPPING TOOL

Made especially for stripping 8mm & 8.65mm Moroso Ignition Wire and others

- An easy way to strip wire without damage, which is more likely to occur using other methods
- Simple and efficient operation: place the end of the wire in the "mouth" of the tool, twist in a circular pattern until the cut is made around the wire, then pull off sheath
- Heavy-duty construction and guality components provide reliable operation after repeated use
- After using this Enhanced Stripping Tool, you will never go back to using manual strippers for assembling wire sets again

PART # DESCRIPTION

62272 Enhanced Ignition Wire Stripping Tool, for 8mm & 8.65mm diameter wire



- Strips outer jacket and insulation simultaneously giving a cleaner, precise cut
- For stripping different diameter cable, use the built in hex key adjuster screws to align the blade for desired results
- The V-Block reverses and indication arrow sets to recommended cable size
- The stripper distance can be changed by removing one of the stripping blades

PART # DESCRIPTION

62271 Adjustable Wire Stripping Tool

WIRE CRIMPING TOOLS

 Crimp a variety of spark plug terminals and other automotive wire hardware

PART # DESCRIPTION

- 62260o General Purpose Wire Crimper. Made of high carbon steel with black oxide finish and plastic hand grips
- 62268o Super-Duty Wire Crimping Tool. Positive ratcheting mechanism adjusted for perfect crimps. Supplied with crimping jaws for Moroso (and others) spark plug wire terminals. Hardened steel frame with blue molded cushion grips. Also comes with additional primary wire crimping iaws

WIRE & CABLE IMPACT CRIMP TOOL

- Crimps 8 gauge thru 4/0 AWG gauge terminals and lugs to battery cables, and other thicker power cables such as starters
- Takes the guess work out of creating secure, neat crimps
- Spring loaded pin locks in "up" position for loading connector and cable; when released pin holds connector securely during crimping
- Dead blow hammer is recommended over a claw hammer for best results or can be used in a vise

PART # DESCRIPTION

62262 Wire Crimp Tool, Impact

IGNITION WIRE STRIPPING TOOL

- Ideal for stripping 8mm Moroso ignition wire without damaging the conductor
- Damage to conductor during stripping can cause interruption of spark and misfire
- Moroso's specially-designed tool uses a hard-edge, razor-sharp blade specially positioned in a plastic holder to cut only the insulation-not the conductor



0

nnn

BEST






1111111

MORDSO

No. 62272

GOOD



QUICK FASTENER SINKING TOOL

- · Ideal for sinking flush-mount quick fasteners
- The two piece steel tool dimples a single metal panel using one end and a double panel using the other
- Zinc-plated
- One tool per package

PART # DESCRIPTION

71605 Quick Fastener Sinking Tool

QUICK FASTENER TRANSFER STUD PUNCH KITS

Place the Transfer Stud Punch in a weld plate or body panel. Then position your panel over top of it and lightly tap the panel with a hammer and you'll be left with a mark in your panel where you drill your hole

• 5 per pack

PART # DESCRIPTION

71601	Transfer Stud Punch Kit for 5/16" Buttons, 5 per kit
71602	Transfer Stud Punch Kit for 7/16" Buttons, 5 per kit





QUICK FASTENER WRENCHES

With Easy Grip Handle

- Allows for faster removal of 1/4-turn fasteners
- Features include a high strength steel shank plated with black zinc for durability
- The slot head blade on **No. 71606** is contoured to fit inside the ¹/₄-turn fastener without stripping the slot
- · One tool per package

PART # DESCRIPTION

- 71606 Quick Fastener Wrench, 3/8" Slot Head
- 71607 Quick Fastener Wrench, 3/16" Hex Drive







QUICK FASTENER WRENCH

- This tool fits slot-head ¼-turn fasteners far better than a screwdriver, reducing the possibility of damaged fasteners and body panels
- Manufactured of zinc plated spring steel with three different sized to match the slots in various 1/4-turn fasteners
- Includes non-slip, plastic hand grip
- One tool per package

PART # DESCRIPTION

71600 Quick Fastener Wrench

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

WHEEL & TIRE TOOLS

No. 71600

MURUSU


PIT SOCKET

- Thick walled socket with six point surface-contact and large chamfer insures fast, clean engagement on the lug nut
- Manufactured of alloy steel and carefully heat treated for maximum strength and prevention of lug nut damage
- Accepts 1/2" drive, and fits 1" lug nuts

PART # DESCRIPTION

62010 Pit Socket





DIGITAL DUROMETER

Includes Case

In racing where thousandth of a second can count, a durometer is used to check on; whether a tire has gotten too hard as it has aged, compare different tire(s) hardness and softness against each other or how a tire responded to a chemical tire softener.

- Calibrated on a Shore type A scale, the scale used to measure the hardness of race and ultra high performance tires.
- Easy to read Digital readout with 1/2" tall numbers
- Reads to .5 Shore
- Has a hold button to capture the reading on the readout
- · Comes with a foam lined plastic case for storage of the unit when not in use

PART # DESCRIPTION

89585 Digital Durometer with Case

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov No. 89585



11

WHEEL & TIRE TOOLS

TIRE PRESSURE GAUGES, GARAGE SERIES

- A line of gauges that are perfect to check pressures around the garage, where the accuracy of a track air pressure gauge isn't needed and you don't mind your buddies borrowing
- Easy to read 2-1/4" gauge face
- Includes rubber gauge cover
- 16" hose with finger operated air-bleed valve allows you to release pressure quickly
- Hose has easy grip angle chuck end that rotates 360 Deg. for positive valve stem attachment

PART # DESCRIPTION

- 89592. Tire Pressure Gauge, Garage Series, 0-15 psi
- 89593. Tire Pressure Gauge, Garage Series, 0-40 psi
- 89594 •• Tire Pressure Gauge, Garage Series, 0-60 psi
- 89595. Tire Pressure Gauge, Garage Series, 0-100 psi

PART # REPLACEMENT PART

97485 •• Tire Gauge Replacement Hose

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P66Warnings.ca.gov



DIGITAL TIRE PRESSURE BACK LIT GAUGES

Accuracy 1/2 %

- Strong back lighted display is easily read in the darkest of pits
- 2-%" dia. gauge face
- Reads to .1 psi
- · Can be adjusted to read in standard and metric units
- Auto-Off feature to increase battery life
- Battery level on gauge face
- Includes 9 volt battery
- Includes rubber gauge cover
- 16-1/4" hose with finger operated air-bleed valve allows you to release pressure quickly
- · Hose has easy grip angle chuck end

PART # DESCRIPTION

- **89574**↔ Digital Tire Pressure Back Lit Gauge, 0-15 psi **89575**↔ Digital Tire Pressure Back Lit Gauge, 0-60 psi
- 89576 Digital Tire Pressure Back Lit Gauge, 0-100 psi

PART # REPLACEMENT PART

97485 •• Tire Gauge Replacement Hose





111:1:1.1.



TOOL CASE, PLASTIC WITH FOAM INSERT

- Rugged polyethylene plastic tool case is lined with a medium-density, open-cell foam insert to keep tools protected during transportation and storage
- · Case's slide clasps have tabs for small padlocks
- Can also be used as replacement case for Moroso Part Nos. 89552 and 89562 Pro Series Tire Pressure Gauges

PART # DESCRIPTION

97481 Tool Case, Plastic with Foam Insert



No. 89576

250

WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

TIRE PRESSURE GAUGES

Accuracy 2%

- 16-¼" hose with a finger operated air-bleed valve allows you to release pressure quickly
- Individually calibrated for accuracy within 2%
- The large 2-⁵/₈" dia. dial face in ¹/₂ lb. increments is easy to read, while the hardened swivel chuck rotates 360° for positive valve stem attachment

PART # DESCRIPTION

89550 ⇔	Tire Pressure Gauge, dial type, 0-15 psi.
895550	Radial Tire Pressure Gauge, dial type, 0-40 psi.
895600	Tire Pressure Gauge, dial type, 0-60 psi.
89570 ↔	Tire Pressure Gauge, dial type, 0-100 psi.

PART # AVAILABLE OPTION

- 89590 Tire Pressure Gauge Cover
- PART # REPLACEMENT PART
- 97480 Gauge Head for No. 89550
- 97485. Tire Gauge Replacement Hose

PRO SERIES TIRE PRESSURE GAUGES

Accuracy 1/2 %

- Long 16-1/4" hose with pressure release valve and hardened steel swivel chuck is perfect for getting into deep-dish wheels
- Premium high-quality instruments with brass internals and bourdon tube pressure element provide full-range accuracy to within ½%
- · Extra-large 4" diameter face and knife-edge pointer eliminate human error
- Adjustable pointer can be calibrated at the race track
- · Fiberglass-reinforced thermoplastic housing withstands harsh racing environments
- Rugged polyethylene plastic carrying case is lined with a medium-density, open-cell
- foam insert to keep gauge protected during transportation and storageIncludes protective gauge cover

· includes protective gauge co

PART # DESCRIPTION

89552 Pro Series Tire Pressure Gauge, 0-15 psi. Major increments at 3 psi with minor increments at 0.1 psi.
 89562 Pro Series Tire Pressure Gauge, 0-60 psi. Major increments at 10 psi with minor increments at 0.5 psi.

PART # REPLACEMENT PART

97485. Tire Gauge Replacement Hose

TIRE PRESSURE GAUGE COVER

- Protective rubber cover insures long service and continued accuracy of Moroso 2-5/8" Tire Pressure Gauges
- · Specially designed ribs provide superior protection
- A must for anyone who uses Moroso gauge **Nos. 89550**, **89555**, **89560** & **89570** or other 2-5%" O.D. x 1-1%" gauges

PART # DESCRIPTION

89590 •• Tire Pressure Gauge Cover

NOTE: Not required for Moroso's Lighted Tire Pressure Gauges. Will not fit Pro Series or Digital tire gauges.

TIRE GAUGE, REPLACEMENT HOSE

- Replacement Tire Gauge Hose, fits Moroso Tire Gauges
- The hose is 16-1/4" long and comes with a finger operated air-bleed valve which allows you to release pressure quickly
- . Hose has an easy grip angle check end.

PART # DESCRIPTION97485• Tire Gauge, Replacement Hose

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harm-

www.P65Warnings.ca.gov



No. 89562

No. 89590









No. 89555

BETTER

BEST

SAFETY WIRE

- Moroso Safety Wire is widely used to secure all kinds of fasteners and controls from nuts and bolts to check valves, switches and modulators where a loose or lost component might mean disaster
- Made of .032" diameter 304 stainless steel; comes in 1-lb. containers

PART # DESCRIPTION 62280o Safety Wire

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

OFFSET ROLL BAR PADDING

Packaged in single 3-foot lengths

- 3" 0.D. padding is extruded from high-density foam
- Inside diameter of 1-5%" is offset by 7/16" to position extra cushioning towards the driver where it's needed the most
- · Available in black, red, blue and orange

DESCRIPTION PART

Offset Roll Bar Padding, Black 809390 Offset Roll Bar Padding, Blue **80940**↔ 809410 Offset Roll Bar Padding, Red 80942·> Offset Roll Bar Padding, Orange

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

SAFETY TOOLS





left to right: No. 80942 / 80941 / 80940 / 80939

ROLL BAR PADDING, SFI 45.1 APPROVED

Meets the requirements of NHRA, IHRA, SCCA and other organizations

- SFI 45.1 Specified approved padding, approval marked on padding
- Comes in 36" lengths; 7/8" thickness fits 1-5/8" 2" bar diameter
- Padding backed with pressure-sensitive adhesive and can be cut to size to make installation easy
- Padding exceeds SFI 45.1 rating for dripping or melting in a fire, and is self-extinguishing
- SFI 45.1 approved Roll Bar Padding is more dense than traditional padding. and is designed to absorb the impact energy

DESCRIPTION PART

80944 Roll Bar Padding, SFI 45.1 Approved, Black

RACE CAR TIE-DOWNS

Aircraft quality ratchets and super strong 2" wide nylon webbing are combined to offer the ultimate in race car tie-downs

- Capacity of each tie-down is 5000 lbs.
- Simple to operate

PART # DESCRIPTION

80740 Race Car Tie-Down, short clamping range, 2'4" to 5'7" 80750 Race Car Tie-Down, long clamping range, 4' to 7'7"

AXLE TIE-DOWN LOOP

This strap provides a strong axle loop to hold the vehicle in place on trucks or trailers using a tie-down like Moroso Nos. 80740 or 80750

- 2" wide, 24" long latex-treated woven polyester strap is rated at 3,335 lbs.
- The strap has D-rings at both ends and is protected by a 12" cordura center sleeve to prevent cuts or chafing against bare metal
- PART # DESCRIPTION
- 80700 Axle Tie-Down Loop





No. 80700



SOLID STEEL MOTOR MOUNTS

CHEVROLET MOTOR MOUNTS

- Replace stock, O.E.M.-style rubber mounts to eliminate torque loss and binding linkages, a common result of excessive engine movement
- Eliminates the need for bulky torque straps and chains
- Protective zinc plated finished steel, two per pack
- Refer to Motor Mount chart and dimensional diagram for your specific application

Ĩ		V		
		S a	No. 6	2500
	E		<i>لا</i> ل	

#

PART #	DESCRIPTION	DIMENSIONS (See diagram, right)	REPLACES
62500	Chevrolet Motor Mounts	A: 1-11/16" B: 2-1/2", 1/4" zinc plated steel	Replaces 0.E.M. #3990914
62510	Chevrolet Motor Mounts	A: 2-1/8" B: 2-3/8", 3/16" zinc plated steel	Replaces 0.E.M. #3962748
62515	Chevrolet Motor Mounts	A: 2-9/32" B: 2-3/8", 3/16" zinc plated steel	Replaces 0.E.M. #332648*
62530	Chevrolet Motor Mounts	A: 1-¾" B: 2-5%", 3/16" zinc plated steel	Replaces 0.E.M. #6258154

CHEVROLET MOTOR MOUNT APPLICATION CHART

MODEL	YEAR	ENGINE	PART #	MODEL	YEAR	ENGINE	PART #
FULL SIZE	1958-'60	283, 348	62500	CHEVELLE	1964-'67	283, 327	62500
	1961	283, 348	62500			396, 427	62530
		409	62530		1968-'69	307, 327, 350	62510
	1962-'65	283, 327	62500			396	62530
		396, 409, 427	62530		1970-'72	307, 350, 402, 454	62510
	1966-'67	283, 327	62500*		1973-'88	307, 350, 402, 454	62515
		396, 427	62530	CHEVY II	1964-'67	283, 327	62500
	1968-'69	307 (Exc. Police)	62500	NOVA	1968-'69	327	62500
		307 (Police)	62530			350	62510
		327	62500*			396	62530
		396, 427	62510		1970-'72	350 (Exc. Spec. Hi. Perf.)	62500
	1970-'72	350 (w/ 2 bbl. carb.)	62500			350 (Spec. Hi. Perf.)	62510
	1070.100	454	62510			396, 402	62530
0.111.00	1976-'90	307, 350	62515		1973-'79	307, 305	62515
CAMARO	1967-'68	302	62530	CORVETTE	1963-'64	327	62530
		327 350, 396	62500 62530		1965	327, 396	62530
	1000	302	62510		1966-'68	327, 427	62530
	1969	302 307	62500		1969	327, 350, 427	62530
		350	62510		1970-'74	350, 454	62530
	1970-'73	350 (Exc. Spec. Hi. Perf.)			1975-'82	305, 350	62530
	10/0-70	350 (Spec. Hi. Perf.)	62510	MONTE	1970-'72	350, 402, 454	62510
		396, 402	62530	CARLO	1970-72		62510
	1974-'81	307, 350	62515	OATTEO	19/3-0/	307, 350	02010
	1982-'92	305, 350	62510				
	1002 02						

Some models use No. 62510, check dimensions of original mounts. #Use with Moroso Frame Mounts No. 62610

*NOTE: To prevent premature engine mount failure, we recommend using Moroso's Steel Motor Mounts, sold above, with Competition Engineering's Engine Limiter, Part No. C4034, sold on page 451.

MOTOR MOUNT SHIM KIT

- $\frac{1}{16}$ ", $\frac{1}{8}$ " and $\frac{3}{16}$ " thick, 2 ea.
- Standard Chevrolet bolt pattern
- Works great with Chevy Motor Mounts 62500, 62510, 62515, 62530 & 62550
- Used to make slight adjustments to engine height to compensate for minor oil pan, linkage and header interference
- Great addition to engine swap kits

PART # DESCRIPTION

62535 Motor Mount Shim Kit



CHEVY SOLID MOTOR MOUNT PAD KITS

- Solid Mount Pads replace soft rubber-cushioned frame mounts supplied as 0.E.M. equipment on 1974-'97 Camaro and Firebirds and other GM vehicles
- · Control excessive engine movement, prevent linkage binding and eliminate the need for torque straps
- · Two per pack

PART # DESCRIPTION 62610* Solid Motor Mount Pad Kit. Zinc Finish Use with Moroso Motor Mounts No. 62510 Fits: 1982-'92 Camaro and Firebird, SBC, BBC and 90° Chevy V6 62630* Solid Motor Mount Pad Kit. Zinc Finish Use with Moroso Motor Mounts No. 62515 Fits: 1974-'81 Camaro, Firebird; 1973-'88 Chevelle, Malibu, Monte Carlo, El Camino; 1973-'79 Nova; 1976-'90 Impala, Caprice; Small Block 62635* Solid Motor Mount Pad Kit. Zinc Finish Fits: 1993-'97 Camaro and Firebird V8



No. 62635

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.

CHEVROLET MOTOR MOUNT

Fabricated Chassis

- Designed primarily for oval track or any fabricated chassis application (they do not fit any particular O.E.M. chassis)
- · Allows for quick, easy engine removal and reinstallation
- Manufactured from 1/4" thick steel with zinc plating to resist corrosion

PART # DESCRIPTION

62550 Chevrolet Motor Mounts, ¼" Zinc Finish, Two per pack *Fits:* SBC, BBC and 90° Chevy V6 in fabricated chassis



No. 62550

CHEVY SOLID TRANSMISSION MOUNT

- Replaces stock, O.E.M.-style soft rubber mount to eliminate linkage binding, driveline misalignment and unwanted transmission movement in racing and street performance applications
- Sturdy mount is constructed from $\frac{3}{16}$ " steel and features slotted holes on top for transmission mounting and threaded nuts welded to bottom for crossmember mounting
- Black zinc finish

PART # DESCRIPTION

62600* Solid Transmission Mount

Fits: 1958-'88 Chevy with Powerglide, TH-350, TH-400 and all Borg-Warner, Muncie, Saginaw, Chrysler 4-speed and Doug Nash 5-speed transmissions, except 1982-92 Camaro and Firebird



No. 62600

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.

MOTOR & TRANSMISSION MOUNTS

MOTOR MOUNT ADAPTER PLATES FOR LS SERIES

- · Simple and efficient way to adapt motor mounts to fit LS Series Engines
- Manufactured from 6061 T-6 Aluminum
- Black anodized finish resists corrosion
- Works with G.M. Factory 3-Bolt Mounts and Moroso Solid Motor Mounts Nos. 62500, 62510, 62515, 62530 & most aftermarket polyurethane mounts

PART # DESCRIPTION

62555* Motor Mount Adapter Plates for LS Series, Two per pack, with hardware



No. 62555

DRIVESHAFT LOOPS

Camaro LS, LT, SS, ZL1, 2010-'15

- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- Durable gloss black powder finish
- All hardware included

PART # DESCRIPTION

62640	Driveshaft Loop, Camaro LS, LT, SS, ZL1, 2010-'15, Standard Transmission
62641	Driveshaft Loop, Camaro LS, LT, SS, ZL1, 2010-'15, Automatic Transmission







No. 62641

CHRYSLER MOTOR MOUNTS

PART # DESCRIPTION

DART, VALIANT, DEMON, DUSTER

CORONET, SUPER BEE, BELVEDERE, FURY

ROAD RUNNER, SATELLITE, GTX, POLARA

BARRACUDA, CHALLENGER

MODEL

62520 Chrysler Motor Mounts, ³/₁₆" Zinc Plated Steel. Two per pack. Replaces 0.E.M. #2536121
 62540 Chrysler Motor Mounts, ³/₁₆" Zinc Plated Steel. Two per pack. Replaces 0.E.M. #2806779

DODGE, PLYMOUTH MOTOR MOUNT APPLICATION CHART

YEAR

1967-'72

1967-'69

1970-'74

1966-'72

ENGINE

273, 318, 340, 360

273, 318, 340. 360

All 8 cyl. (exc. Hemi)

All 8 cyl. (exc. Hemi)

PART #

62540

62540

62520

62520



No. 62540

|--|

No. 62520



FORD MOTOR MOUNTS

- Extra-thick 3/16" steel Motor Mounts are gusseted for extra strength
- Pre-welded Grade 8 studs withstand the high-torque, high-horsepower loading encountered during hard acceleration
- Reaction and 60-foot times are improved since engine movement in the chassis is eliminated, instantaneously transferring power to the rear wheels
- · Clutch linkage binding is eliminated, ensuring improved shifts
- · Manufactured on computer-controlled equipment for unsurpassed quality and precise fit
- Finished with protective zinc plating
- Solid Motor Mounts must be used in conjunction with Solid Transmission Mounts to prevent breakage of engine block and transmission case due to torsional stress

• Two per pack

PART # DESCRIPTION

62544* Ford Motor Mounts, ³/₁₆" Steel.
 Fits: 1979-'83 & 1993 Mustang 5.0L Engines
 62545* Ford Motor Mounts, ³/₁₆" Steel.
 Fits: 1984-'92 Mustang Hardtops and 1990-'92 Convertibles with 5.0L Engines







No. 62544

FORD SOLID TRANSMISSION MOUNT

- Replaces stock, soft rubber mount to eliminate linkage binding, driveline misalignment and unwanted transmission movement in racing and street performance applications
- Constructed from rugged 3/16" steel with pre-welded studs and protective zinc finish
- Computer-controlled manufacturing insures precise fit and alignment for easy installation

PART # DESCRIPTION

62602* Solid Transmission Mount.

Fits: 1987-'93 Mustang, T-Bird and other Ford Models equipped with A.O.D. 4-Speed Automatic or 5-Speed Manual Transmissions



No. 62602

*NOTE: Solid Transmission Mounts must be used in conjunction with Solid Motor Mounts to prevent breakage of engine block and transmission case due to torsional stress.



BILLET ELECTRIC WATER PUMPS

Our durable and popular line of Water Pumps have been redesigned with an ultra-light housing

- Each Pump plate has been re-profiled and pocketed to remove unnecessary weight
- \bullet Average overall pump heights have been shortened by $3\!\!\!/4''$ and up to 2 lbs. weight reduction on average per pump
- Electric motor with heavy-duty windings, precision balancing, long-life brushes, stainless steel shaft and sealed ball bearings is superior in quality and pumps more water through the system during actual operating conditions than competing pumps
- Mounts directly to stock water pump location, includes stainless steel mounting hardware & gasket for simple installation
- Eliminates drive belt and fan to save weight and horsepower, while providing maximum circulation to improve cooling efficiency during all driving conditions, especially while idling
- Compatible with 12 and 16 volt systems
- High-temperature Viton® seal eliminates leaks
- Machined with -16AN port (except B.B. Mopar) for easier installation of our hose adapters, eliminating the need for teflon tape or pipe sealants
- Pumps can easily accommodate lower radiator hose from either driver or passenger side installations
- Clear anodized 6061-T6 billet aluminum pump housing, impeller, pump plate and motor cap along with powder-coated outer case will provide years of dependable operation
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator





No. 63565

No. 63585

No. 63595



No. 63575



PART#	ENGINE	NOTES	HEIGHT (INCHES)	WEIGHT (WITH SPACERS, Hardware, Backing Plate, etc.)	Å
63547 ↔	Big Block Chevy		6.375 w/ spacers	7.15 lbs	O.
63557 ↔	Small Block Chevy		6.218 w/ spacers	7.03 lbs	_
63565 ↔	Chrysler 273-360		4.600	6.29 lbs	
63575 ↔	Chrysler 383-440		3.100	4.54 lbs	• 11111. • 1110-114
63585 ↔	Ford 289, 302, 351W Pre-'94 & 351W	Standard Rotation only	4.625	6.23 lbs	
63595 ↔	Ford 429-460		4.75	7.00 lbs	
PART # 97275	REPLACEMENT FOR 63 Seal kit	This p	oroduct contains a state of California www.P65Warning	à Prop. 65 chemical known to cause cancer- is cause	ROTATES for E

GM LS BILLET ELECTRIC WATER PUMP

Fits: GM LS Series Patent D645,478

- · Mounts directly to the stock water pump location
- Weighs 8.66 lbs.
- · Eliminates bulky LS water pump with a more compact, cost-effective pump
- Drive belt is eliminated to save horsepower, while providing maximum circulation for cooling efficiency during all driving conditions, especially while idling
- Can be used with Moroso No. 63836 Alternator/Vacuum Pump Mount
- Compatible with 12 and 16 volt systems
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator
- Requires the use of a Remote Thermostat Housing such as Part No. 63425 or 63426


PART # DESCRIPTION

63566 ·· Electric Water Pump, GM LS Series



No. 63566

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov





WATER PUMP, BILLET ELECTRIC

Remote Mount

- Use as a supplemental pump in remote cooling situations when space limits prohibit use of an engine mounted pump
- Weighs 5.94 lbs. with fittings
- Superior electric motor with heavy-duty windings, precision balancing, long life brushes, stainless shaft and sealed ball bearings pumps more water through the system than competitors' pumps!
- Clear anodized 6061-T6 billet aluminum pump housing, impeller and motor cap with a powder-coated outer case will provide years of dependable operation
- Draws 8-10 amps in a typical 12V system, so it can be used on drag racing car without an alternator
- Drive belt is eliminated to save horsepower, while providing efficient circulation for cooling, especially while idling
- · Can be mounted vertically or horizontally
- Features a -16AN O-ring inlet port, four -12AN outlet ports, two -12AN port plugs for different plumbing options
- High-temperature Viton® seal eliminates leaks

PART # DESCRIPTION

63570 •• Water Pump, Billet Electric, Remote Mount

PART # AVAILABLE OPTION

63571. Stainless Steel Mounting Plate, can be rotated 360° in 45° increments

ELECTRIC WATER PUMP RADIATOR HOSE ADAPTERS

63522

63525



• <u>VIN WARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov



No. 63571

K	
5	2
o	

P	11
NI I	1
63521	



63523



	HUSE ADAPTERS for Electric Water Pump Motor BLACK Finish/Anodized Billet ALUMINUM End Cap	HOSE ADAPTERS for Electric Water Pump Motor - BLACK Finish	HOSE ADAPTERS for Electric Water Pump Motor - BLUE Finish
DESCRIPTION	PART #	PART #	PART #
1" N.P.T. to -16AN Male	N/A	63541	63541
1" N.P.T. to 1- $\frac{1}{2}$ " hose	N/A	63542	63542
1" N.P.T. to 1-3/4" hose	N/A	63543	63543
1" N.P.T. to 1-1/4" hose	N/A	63544	63544
-16AN to -20AN Male	63525	N/A	N/A
-16AN to -16AN Male	22622 (see pg. 159)	N/A	N/A
-16AN to 1-3/4" hose	63523	N/A	N/A
-16AN to $1-\frac{1}{2}$ " hose	63522	N/A	N/A
-16 AN to 1-1/4" hose	63521	N/A	N/A
	1" N.P.T. to -16AN Male 1" N.P.T. to 1-½" hose 1" N.P.T. to 1-¾" hose 1" N.P.T. to 1-¼" hose -16AN to -20AN Male -16AN to -16AN Male -16AN to 1-¾" hose -16AN to 1-½" hose	Electric Water Pump Motor BLACK Finish/Anodized Billet ALUMINUM End Cap DESCRIPTION PART # 1" N.P.T. to -16AN Male N/A 1" N.P.T. to 1-½" hose N/A -16AN to -20AN Male 63525 -16AN to 1-¾" hose 63523 -16AN to 1-½" hose 63523 -16AN to 1-½" hose 63522	Electric Water Pump Motor BLACK Finish/Anodized Billet ALUMINUM End CapHOSE ADAPTERS for Electric Water Pump Motor - BLACK FinishDESCRIPTIONPART #PART #1" N.P.T. to -16AN MaleN/A635411" N.P.T. to 1-½" hoseN/A635421" N.P.T. to 1-¾" hoseN/A635431" N.P.T. to 1-¾" hoseN/A635431" N.P.T. to 1-¾" hoseN/A63544-16AN to -20AN Male22622 (see pg. 159)N/A-16AN to 1-¾" hose63523N/A-16AN to 1-¾" hose63522N/A

ELECTRIC WATER PUMP SPACER KIT

REMOTE WATER PUMP KIT, SMALL BLOCK FORD WITH JESEL DRIVE

Fits: Ford 289-302 & 351W with JESEL Part No. 34170 & 34175 Front Belt Drives

- Billet Aluminum 1 Inch adapter plate bolts on to where the water pump would normally reside on an engine, allowing the use of a remote water pump
- The adapter plate has two -12AN female ports
- Includes 0-rings and stainless steel socket head cap screws
- · Hardware is long enough to accommodate a front motor plate

PART # DESCRIPTION

63519. Remote Water Pump Kit, Small Block Ford with Jesel Front Belt Drive

PART# AVAILABLE OPTION

63570Remote Mount Electric Water Pump22620AN Fitting, -12AN to -12AN, 1 per package

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov



WATER PUMP ADAPTER KIT

Fits: GM LS Series Patent D645,478

- Adapts a BBC style electric or conventional water pump to LS series engines
- Eliminates the bulky LS water pump with a more compact, cost effective pump
- Since BBC water pumps have been around for years, many different drive and pulleys are available and now can be used on a GM LS Series engine
- Kit includes: 2 billet aluminum adapter blocks (right and left), 2-1/4" pump adapter plates, fasteners, Viton O-rings, and 4 high flow -12AN fittings
- Requires use of a Remote Thermostat Housing, such as Moroso Part No. 63425, or 63426

PART # DESCRIPTION

- 636150 Remote Water Pump Adapter Kit, **GM LS Series Engines**
- A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

on pg. 269



REMOTE WATER PUMP ADAPTER KITS, SBC & BBC

- In each kit two clear anodized adapters bolt onto where the water pump would normally reside on an engine. Allows the use of a remote water pump
- Spacers are .700" thick
- The Adapters have a -12AN female port
- Includes 4 gaskets and 8 stainless steel cap screws. The 4 extra screws are to accommodate a front motor plate

PART # DESCRIPTION

- Remote Water Pump Adapter Kit, SBC 63512o 63513o Remote Water Pump Adapter Kit, BBC

PART # **AVAILABLE OPTIONS**

22620 AN Fitting, -12AN to -12AN, 1 per package

Patent 8,424,497

- Remote adapters mount in place of the bulky GM LS series water pump
- Frees up space where normally a water pump would reside in race cars and in LS engine conversions
- Allows the use of a more compact, cost-effective remote electric water pump
- Kit includes: 2 billet aluminum adapter blocks (right and left), fasteners, Viton O-rings, and 4 high flow -12AN fittings
- Requires use of Moroso Remote Mount Electric Water Pump Part No. 63570, and Remote Thermostat Housing, such as Moroso Part No. 63425 or 63426 and mounting bracket No. 63427

PART # DESCRIPTION

636160 Remote Water Pump Adapter Kit, GM LS Series Engines

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov



No. 63616

No. 63512

REMOTE WATER PUMP ADAPTER KITS

Fits: Chrysler & Ford

- Billet Aluminum adapter plate bolts on to where the water pump would normally reside on an engine. Allows the use of a remote water pump
- The adapter plate has two -12AN female ports
- Includes a backing plate, gasket and stainless steel socket head cap screws
- Hardware is long enough to accommodate a front motor plate

PART # DESCRIPTION

- 63514o Remote Water Pump Adapter Kit, Chrysler 273-360
- **63515**⇔ Remote Water Pump Adapter Kit, Ford 289-302 Pre '94 Timing Covers
- 635160 Remote Water Pump Adapter Kit, Ford 429-460

PART # **AVAILABLE OPTIONS**

22620 AN Fitting, -12AN to -12AN, 1 per package

. /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov







- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov
- REMOTE WATER PUMP ADAPTER KIT, GM LS



ELECTRIC WATER PUMP DRIVE KIT

- Engine dynamometer tests prove that many water pumps produce severe drag on the engines at high RPM, absorbing as much as 15-20 HP
- Universal application fits virtually every American V8 or V6 engine, including Chevy V8 and 90° V6 either "short" or "long" design, Ford 351C, 351W, Ford Big Block and Chrysler Small and Big Blocks
- Comes complete with 12 volt electric motor, all drive pulleys, belt, fasteners, and toggle switch
- Intended for Drag Race applications only
- Use with Moroso Thermostatic Switch No. 63760 and Alternator Mount Drive Kits

PART # DESCRIPTION

63750 Electric Water Pump Drive Kit

PART # REPLACEMENT PARTS

- 97210 12-Volt Electric Motor
- 97220 Water Pump Pulley
- 97230 21" Belt for Electric Water Pump
- 97250 Electric Motor Pulley

PART # AVAILABLE OPTIONS

- 97252 14-Tooth Pulley (to increase pump speed by 28%)
- 63760 Thermostatic Water Pump Switch





Small Block and 90° V6 Chevy



289, 302, 351W Ford

COOLING SYSTEM

MECHANICAL WATER PUMPS AND SPACER KITS

oroso first pioneered the aluminum water pump for racing over 40 years ago. Over the years, continual improvements have resulted in providing the best cooling system components available for competition use. Computer designed housing cast from 356-T6 aluminum and lightweight impellers are engineered to maintain consistent coolant temperature throughout the water jacket, preventing localized boiling, detonation, head warping and cracking, etc.

SMALL BLOCK CHEVROLET

1955-68 "Short" Design, 5/8" Shaft

- Reinforced housing for extra strength
- Lightweight, low drag impeller adds 14HP @ 7,500 RPM
- Includes integral cam stop boss
- Overall length of 5.603" from rear mounting face to hub face

PART #	DESCRIPTION
63500	Aluminum Water Pump, Small Block and 90° V6 Chevy 5/8" shaft,
	1955-68 "short" design

PART #AVAILABLE OPTIONS64035Water Pump Pulley Shims

PART #REPLACEMENT PART97450Gasket and Seal Kit

WATER PUMP SPACER KITS

- Converts "short" 1968-earlier design Chevrolet water pumps to longer, 1969-later design
- · Includes special heat-treated studs and gaskets

PART # DESCRIPTION

- **63510** Water Pump Spacer Kit, 1-7/32" Long, SBC and 90° V6 Chevy, Cast Aluminum Converts **Nos. 63500** short water pump to the longer late-model design
- 63610 Water Pump Spacer Kit, 1-%16" Long, BBC, Cast Aluminum
- **63511** Water Pump Spacer Kit, 1-⁷/₃₂" Long, SBC and 90° V6 Chevy, Billet Aluminum Converts **Nos. 63500** short water pump to the longer late-model design
- 63611 Water Pump Spacer Kit, 1-%16" Long, BBC, Billet Aluminum





WATER PUMP GASKETS

WATER PUMP GASKETS, HEAVY DUTY, CHEVROLET

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

PART # DESCRIPTION

93230 Water Pump Gasket, SBC, 2 pack
93231 Water Pump Gasket, SBC, 10 pack
93232 Water Pump Gasket, BBC, 2 pack
93233 Water Pump Gasket, BBC, 10 pack







WATER PUMP GASKETS, HEAVY DUTY, CHRYSLER

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race guality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

DESCRIPTION PART

93234 Water Pump Gasket, Chrysler 273-360, single pack 93235 Water Pump Gasket, Chrysler 273-360, 10 pack 93236 Water Pump Gasket, Chrysler 383-440, single pack 93237





WATER PUMP GASKETS, HEAVY DUTY, FORD

- An excellent way to seal a Moroso electric water pump or a conventional water pump to an engine block
- Race quality water pump gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design

PART # DESCRIPTION

- 93238 Water Pump Gasket, Ford 289. Standard Rotation 302 & 351W, single pack 93239 Water Pump Gasket, Ford 289, Standard Rotation 302 & 351W, 10 pack
- 93240 Water Pump Gasket, Ford 429-460, single pack
- 93241 Water Pump Gasket, Ford 429-460, 10 pack





COOLING SYSTEM ACCESSORIES

AIR BLEED VALVE

- Bleeds air from any cooling system
- Resistant to fuels, oil and anti-freeze
- Brass construction with push button to release pressure
- Fits 1/8" N.P.T. thread

PART # DESCRIPTION

63765↔ Air Bleed Valve

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



Nos. 93240.

93241

TEMPERATURE GAUGE FITTING

- Corrosion resistant brass; fits standard 1/2" N.P.T. tapped holes in cylinder heads and manifolds
- 5%" -18 threaded hole in fitting accepts popular sending units

PART # DESCRIPTION

63645^o Temperature Gauge Fitting

· MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov





- Restricting coolant flow leaving the engine lets you control the amount of heat absorbed by the coolant
- · Red, gold and blue anodized aluminum restrictor plates are mounted under the water outlet on the intake manifold
- Kit consists of three restrictor plates with 5/4", 3/4" and 1" I.D. holes for optimum coolant flow, 2-1/8" O.D.

PART # DESCRIPTION

63440 Water Outlet Restrictor Kit. GM V8, GM V6, Ford 260-302, 351W



COOLING SYSTEM ACCESSORIES

» AN WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov

DESCRIPTION

THERMOSTATIC WATER PUMP SWITCH

- Provides automatic control of Electric Water Pumps
 Nos. 63539, 63546, 63547, 63555, 63557, 63565, 63570, 63575, 63585 and 63595 and Electric Water Pump Drive Kit No. 63750
- Eliminates unnecessary battery drain by turning on the electric pump motor when coolant temperature exceeds 160° F (±5°) and turning it off when coolant temperature reaches 140° F (±5°)
- Toggle Switch has three settings: Automatic, Manual and Off. In the "Manual" position, the motor is constantly on.
- Contact rating of switch is 15 amps at 32 volts; use with 10 amp fuse (not included)

PART # DESCRIPTION

63760 •• Thermostatic Switch, Electric Water

RACING RADIATOR CAPS

Fits: Standard-size radiator filler necks, including Moroso Nos. 63420, 63465, 63466, 63467, 63485, 63486, 63650, 63651, 63655, 63656, 63730, 63740 and 63745

• Available with low and high pressure ratings to accommodate the needs of all cooling systems

PART #

63320

63324

63328

63332

- Steel spring maintains accurate pressure setting over time
- · Six-sided Cap for easy tightening

PART # DESCRIPTION

63307	Racing Radiator Cap, 6-8 lbs.
63309	Racing Radiator Cap, 8-10 lbs.
63313	Racing Radiator Cap, 12-16 lbs.
63316	Racing Radiator Cap, 14-18 lbs.

RADIATOR HOSE DRAIN

- Cast aluminum drain adapts the 1-1/4" outlet from the popular VW Scirocco radiator to the 1-9/16" inside diameter of the standard lower radiator hose found in most Chevys
- · Includes petcock for draining engine coolant
- 100% leak tested
- PART # DESCRIPTION
- 63700 Radiator Hose Drain

RADIATOR BLEED OR DRAINS

- Are spliced into the upper radiator hose to add a bleed or spliced into the lower radiator hose to add a drain
- Constructed out of 356-T6 cast aluminum with a 3/8" brass petcock
- 100% leak tested

PART # DESCRIPTION

63731 ↔	Radiator Bleed or Drain, 1-1/2" to 1-1/2" Hose
63741 ↔	Radiator Bleed or Drain, 1-1/2" to 1-1/4" Hose
63746 ↔	Radiator Bleed or Drain, 1-1/4" to 1-1/4" Hose

RADIATOR HOSE FILLERS

- 356-T6 cast aluminum Radiator Hose Fillers are spliced into the upper radiator hose to provide more complete cooling system filling
- Standard size radiator cap receptacle is welded to the cast flange (radiator cap not included)
- 100% leak tested

PART # DESCRIPTION

FART #DESCRIPTION63730Radiator Hose Filler, $1-\frac{1}{2}$ " hose to $1-\frac{1}{2}$ " hose63740Radiator Hose Filler, $1-\frac{1}{2}$ " hose to $1-\frac{1}{4}$ " hose63745Radiator Hose Filler, $1-\frac{1}{4}$ " hose to $1-\frac{1}{4}$ " hose



No. 63730



No. 63746

No. 63740





No. 63760



COOLING SYSTEM







 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 63741

IG Prop. 65 a chemical known a to cause cancer, No oductive harm-

Racing Radiator Cap, 19-21 lbs.

Racing Radiator Cap, 23-25 lbs.

Racing Radiator Cap, 27-29 lbs.

Racing Radiator Cap, 31-33 lbs.



Fits: Small Block, Big Block and 90° V6 Chevy Intake Manifolds

BOLT-ON WITH -16AN FITTING

Fits: Small Block Ford

Features two ¾" N.P.T. female ports to plumb water to cylinder head for cooling

DESCRIPTION PART

- 63461**0** Water Outlet, Billet Aluminum, Chevy, -16AN fitting and two %" N.P.T. female ports, Black, Gasket (hardware not incl.)
- 63475o Water Outlet, Billet Aluminum, Chevy, -16AN Male Fitting, 3/8" N.P.T. Ports, Clear Anodized finish, O-Ring (includes hardware)
- **63476**↔ Water Outlet, Billet Aluminum, Chevy, -20AN Male Fitting, 3/8" N.P.T. Ports, Clear Anodized finish, O-Ring (includes hardware)

BOLT-ON, STAMPED ALUMINUM

- Black anodized aluminum
- Accepts Moroso or standard-size radiator cap (not included)
- Replacement Filler Neck Kit No. 63420
- Includes gasket

PART # DESCRIPTION

63465 Stamped Aluminum Filler Neck, Chevy, Bolt-On

BOLT-ON, BILLET ALUMINUM

- Made from 6061-T6 billet aluminum
- Easily mounts to any Big Block or Small Block Chevy intake manifold, and can be used in all racing and street-performance applications where a heavy-duty filler neck is required
- Includes screw-in ¹/₈" N.P.T. hose fitting for expansion tanks, and accepts Moroso or standard-size radiator cap (not included)
- Can also be used as a heavy-duty replacement in our Filler Neck Kit No. 63420
- Includes gasket

PART # DESCRIPTION

63466 Billet Aluminum Filler Neck, Chevy, Bolt-On Billet Aluminum Filler Neck, Chevy, Bolt-On, Black Anodized Finish 63468







FILLER NECKS

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm www.P65Warnings.ca.gov



No. 63485

No. 63486

WELD-ON, STAMPED ALUMINUM

- Ideal for custom applications
- Accepts Moroso or standard-size radiator cap (not included)
- Multiple applications including race and street performance

PART # DESCRIPTION

63485 Stamped Aluminum Filler Neck, Weld-On

WELD-ON, BILLET ALUMINUM

- Made from 6061-T6 billet aluminum
- This weld-on version can be used wherever a heavy-duty, custom-application filler neck is required
- Includes screw-in ¹/₈" N.P.T. hose fitting for expansion tanks and accepts Moroso or standard-size radiator cap (not included)

DESCRIPTION PART

63486 Billet Aluminum Filler Neck, Weld-On

WELD-ON BILLET ALUMINUM FILLER NECK FOR SAE TYPE B **RADIATOR CAPS**

- Accepts Small Radiator Caps, SAE Type B/43mm
- Made from 6061-T6 billet aluminum
- This weld-on version can be used wherever a heavy-duty, custom-application filler neck is required
- Includes screw-in hose fitting for recovery tanks

PART # DESCRIPTION

63488 Billet Aluminum Filler Neck, SAE Type B, Weld-On

EXTENDED WATER FILLER NECK

- Extended filler neck raises water fill point 5-3/4" above manifold: ideal for bleeding off cooling system air
- 60° incline of filler tube clears air scoops to provide quick and accessible filling for between-rounds cool down
- Mounting base, extension tube and neck are all manufactured from rugged 6061-T6 billet aluminum to withstand harsh racing environments and continual cap removal/replacement
- Accepts Moroso or standard-size radiator cap (not included)
- Includes gasket and 1/8" N.P.T. to 3/8" I.D. barbed fitting to plumb expansion tanks
- Includes gasket
- Use with Moroso Manifold Filler Neck Kit No. 63420

DESCRIPTION PART

Extended Filler Neck, SBC, BBC and 90° V6 Chevy intake manifolds; 63467 drag racing and street performance use

FILLER NECK MANIFOLD HOUSING

- Locates filler neck at highest point on cars with low-mount radiators to bleed off air
- Unit can be flipped 180° for either right or left outlet location
- Includes 1/2" N.P.T. fitting for installing water temperature sending unit and two 1/4" N.P.T. fittings for return lines on popular aftermarket cylinder heads
- Made of 356-T6 cast aluminum; 3-1/4" high
- Includes gaskets, bolts and washers, and standard size radiator cap filler neck

PART # DESCRIPTION

63420 Filler Neck Manifold Housing, Chevrolet V8 & 90° V6

REPLACEMENT PARTS

- 63465 Filler Neck only (for standard size radiator cap)
- 63466 Heavy-Duty Filler Neck only (for standard size radiator cap)



No. 63420





No. 63488





FILLER NECKS

FILLER NECK MANIFOLD HOUSING

- Manifold-mounted filler neck base is identical to the one included in Moroso Kit **No.** 63420 without the filler neck or mounting hardware
- Allows you to install a variety of bolt-on style filler necks (radiator cap or -AN style) or block-off plates, offering cooling system flexibility for both race and street applications
- 356-T6 cast-aluminum base stands 2-5/16" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- Includes a ½" N.P.T. machined port for installing a water temperature sending unit, and two ¼" N.P.T. machined ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180° for either right or left water hose outlet location
- Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

PART # DESCRIPTION

63423 Filler Neck Manifold Housing, Chevrolet V8 & 90° V6 Intake Manifolds

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with -16AN Port, Billet Aluminum Filler Neck & Hardware, Chevy Pattern, Adaptable Outlet

- -16AN female port is designed to be used with Nos. 22622, 63521, 63522, 63523, 63525
- Black anodized billet aluminum housing with the included bolt-on billet aluminum radiator neck stands 3-1/4" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- The unit can be flipped 180 Deg. for either right or left water hose outlet location
- No need to worry about gaskets because on the top and bottom of the housing are machined O-ring grooves with included O-rings
- Includes a $1\!\!/\!_{2}$ " N.P.T. port for installing a water temperature sending unit and two $1\!\!/\!_{3}$ " N.P.T. ports to plumb return lines on popular aftermarket cylinder heads
- Includes bolts and washers

PART # DESCRIPTION

63424 Filler Neck Manifold Housing, Billet Aluminum, -16AN Female Port

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with -16AN Port, Chevy Pattern, Adaptable Outlet

- -16AN female port is designed to be used with Nos. 22622, 63521, 63522, 63523, 63525
- Black anodized billet aluminum housing stands 2-5/16" tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- No need to worry about gaskets because on the top and bottom of the housing are machined O-ring grooves with included O-rings
- Includes a $\frac{1}{2}$ " N.P.T. port for installing a water temperature sending unit and two $\frac{1}{4}$ " N.P.T. ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180 Deg. for either right or left water hose outlet location
- Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

PART # DESCRIPTION

63422 Filler Neck Manifold Housing, Billet Aluminum, -16AN Female Port

FILLER NECK MANIFOLD HOUSING

Billet Aluminum Housing with 1" N.P.T. Port, Chevy Pattern, Adaptable Outlet

- 1" N.P.T. port is designed to be used with Nos. 63541, 63542, 63543 and 63544
- Black anodized billet aluminum housing stands $2-\frac{5}{16}$ " tall, which locates filler neck at highest point to bleed off air on cars with low-mount radiators
- Has to be mounted with conventional gaskets or Moroso No. 63469
 Filler Neck O-Ring Gasket
- Includes a ½" N.P.T. port for installing a water temperature sending unit and two ¼" N.P.T. ports to plumb return lines on popular aftermarket cylinder heads
- The unit can be flipped 180° for either right or left water hose outlet location
- Use with one of Moroso's Bolt-On Filler Necks Nos. 63461, 63465, 63466 or Block-Off Plate No. 63471

PART # DESCRIPTION

63421 Filler Neck Manifold Housing, Billet Aluminum, 1" N.P.T.



Filler Neck, O-Ring Gasket/Spacer

No. 63423

, energ : energ, : eap table e a let
6 3525 diator neck stands 3-1⁄4" tall, which
O-Ring Seal
3424 O-Ring

O-Ring Seal

AVAILABLE OPTION

PART #

63469

No. 6





No. 63422

O-Ring Seal



WATER NECK BLEEDER KIT

Cast Aluminum Fits: Chevrolet

- A quick and easy way to remove air from the cooling system
- Design allows the body to be flipped so that the $1-\frac{1}{2}$ " hose outlet can face right or left
- Features a 1/2" N.P.T. rear port for temperature senders and two 1/4" N.P.T. ports for plumbing return lines to cylinder heads
- Includes filler neck housing with $1-\frac{1}{2}$ " hose outlet, bleeder. bleeder plate, hardware and gaskets
- Can be used with Moroso Expansion Tank Part Nos. 63650, 63651, 63655 and 63656

PART # DESCRIPTION

63430^{\circ} Water Neck Bleeder Kit. Cast Aluminum

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

WATER NECK BLEEDER KIT

Billet Aluminum Fits: Chevrolet

- A guick and easy way to remove air from cooling system
- Allows the use of steel reinforced hose or lightweight hose to be used in cooling system
- Includes anodized billet water neck with 1" N.P.T. outlet, bleeder, bleeder plate, hardware and gaskets
- 1" N.P.T. machined port is designed to use with popular hose adapters (including -AN) sizes, Moroso Nos. 63541, 63542, 63543 and 63544
- Can be used with Moroso Expansion Tank Nos. 63650, 63651, 63655 or 63656

DESCRIPTION PART # 63431** Water Neck Bleeder Kit, Billet Aluminum

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

WATER NECK BLEEDER PLATE

Fits: Chevrolet

- Allows guick and easy removal of air from the cooling system at it's highest point
- Includes water neck bleeder plate, petcock with hose adapter and one water neck gasket
- Can be used as a replacement part for Moroso Nos. 63430 and 63431

PART # DESCRIPTION

63432o Water Neck Bleeder Plate

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

WATER NECK BLOCK-OFF PLATE

- 1/4" aluminum plate provides an ideal base to weld-your-own radiator hose fitting to the intake manifold
- Untreated aluminum makes it easy to drill opening and weld any size fitting of your choice
- Perfect for racing and custom applications
- · Gasket included

PART # DESCRIPTION

63471 Water Neck Block-Off Plate, Chevrolet V8 & 90° V6



No. 63432

No. 63471



No. 63430



FILLER NECK

0-Ring Gasket/Spacer

- Mounts between filler necks and filler neck manifolds to create a reusable O-ring seal, no need to use gaskets or sealants
- \bullet Can also be used as a 1/4" thick spacer when clearance is needed
- Manufactured from billet aluminum with machined O-ring grooves in the top and bottom, anodized finish
- Includes O-rings

PART # DESCRIPTION

63469 Filler Neck, O-Ring Gasket/Spacer



No. 63469

THERMOSTAT SPACER, BRODIX HV SERIES INTAKES INCLUDING SBC & BBC APPLICATIONS

- Spacer solves the issue of trying to use a thermostat on a Brodix HV Series Intake, can also be used on SBC and BBC applications to add water lines and/or raise thermostat to eliminate potential fitment issues
- Manufactured from billet aluminum with a machined 0-ring groove on the intake side and thermostat register on top
- 1" thick spacer has two 3/8" N.P.T. female ports for plumbing water lines to cylinder heads, includes O-ring

PART # DESCRIPTION

- 63433 Thermostat Spacer, Brodix HV Series Intakes
- PART # AVAILABLE OPTION 63000 Gasket, Thermostat/Water Neck, SBC & BBC



SBC & BBC THERMOSTAT/WATERNECK GASKETS

- · Same gasket that comes with Moroso non-o-ring filler/water neck kits
- Fiber construction
- Use as a replacement for Moroso non-o-ring filler/water neck kits or as a high quality replacement gasket for SBC & BBC thermostat housings
- Available as a single pack or 10 pack

PART # DESCRIPTION

- 63000 Gasket, Thermostat/Water Neck, SBC & BBC
- 63001 Gasket, Thermostat/Water Neck, SBC & BBC, 10 Pack



REMOTE THERMOSTAT HOUSINGS

Allow the street, race or marine enthusiast to have a thermostat in their cooling system away from the engine itself. This could be if the engine has a blower manifold that does not allow the thermostat to be on the engine itself or if Moroso Part **Nos. 63615, 63616** or **63566** water pump adapters for the GM LS series of engines are being used.

- Made from 6061T-6 Billet Aluminum
- The housing has two -12AN female O-ring inlet ports
- Thermostat or restrictor is placed between this housing and a conventional manifold housing such as part No. 63423, where a radiator hose connects it to the radiator
- Can be used with Moroso cooling system accessories, Part Nos. 63420, 63421, 63423, 63430, 63431, 63432, 63461, 63465, 63466 and 63471

PART # DESCRIPTION

- 63425 Remote Thermostat Housing, Inlet ports on bottom
- **63426** Remote Thermostat Housing, Inlet ports on each side

PART # AVAILABLE OPTIONS

- 63427 Mounting Bracket for Remote Thermostat Housings Nos. 63425 and 63426
- 97641 Fittings, -12AN, two pack





MOUNTING BRACKET

- Mounts Moroso Nos. 63425 and 63426 Remote Thermostat Housings to the front passenger side GM LS Series cylinder heads
- Manufactured from 1/4" 6061 T-6 Aluminum

PART # DESCRIPTION

63427 Mounting Bracket for Remote Thermostat Housings



FUEL SYSTEM EQUIPMENT

SUPER COOL CAN

For Carbureted and Fuel Injected Applications up to 125 PSI working pressure

- Polyethylene shell has a much higher insulating value than cork, allowing ice to last longer and cooling fuel more efficiently for a denser air-fuel mixture
- The higher insulating value of the shell combined with an advanced heat sink design reduces fuel temperature 20% over other cool cans
- The inlet and outlet are -8AN
- Lid is held on by a wing nut with a closed-cell foam seal between the lid and can
- NHRA approved mounting includes two stainless steel straps with T-bolt clamps and lightweight aluminum mounting bracket
- Spacing of steel straps aligns perfectly with mounting bosses molded into the Super Cool Can housing for strong attachment
- Holds 1/2 quart of fuel, approximate dimensions: 7-3/4" x 7-3/4" x 8" tall

PART # DESCRIPTION

65127. Super Cool Can, -8AN female fittings

PART # REPLACEMENT PART

97817 Super Cool Can Mounting Kit

PART #AVAILABLE OPTION22604Fitting, -8AN Male to -8AN Straight 0-ring Side

THROTTLE CABLE MOUNTING KIT

Fits: 4500 Series Holley® Dominator 4500 Series and BG King Demon® carburetors

- This unique kit facilitates mounting of throttle cables to a fixed point while providing adjustability to compensate for variances in cable length and cable ends
- Comes complete with Morse-style throttle cable bracket, universal return spring assembly and all necessary installation hardware
- · Four-hole under-carb design provides security of a linkage safety plate
- Unlike competitor's products, these accessory brackets bolt to plate separately instead of stacking up on the carb studs
- Separate bolting design allows access for easy carb servicing and the option of additional accessories while providing clearance to linkage
- · Designed to be used with Moroso's line of bolt-on brackets and accessories

FANI#	DESCRIPTION
65047 ↔	Throttle Cable Mounting Kit
PART #	REPLACEMENT PARTS
6/017	Throttle Poturn Springe

DESCRIPTION

DADT #

- PART #AVAILABLE OPTION93310Carburetor Gasket, 450
 - Carburetor Gasket, 4500/King Demon Open (2 Required)

No. 65047



FUEL REGULATOR MOUNTING BRACKETS

- Lightweight, laser-cut, steel brackets securely mount popular regulators including Holley[®], Aeromotive[™], MagnaFuel[®] and Barry Grant[®]
- Can be used to mount extra regulator for nitrous systems
- Easily formed for custom installation

PART # DESCRIPTION

- 65052 Fuel Regulator Mounting Bracket for Holley®
- 65062 Fuel Regulator Mounting Bracket for
 - MagnaFuel[®] & Barry Grant[®]



- · Easy to mount
- Lightweight, laser cut steel bracket
- · Ensures spark plugs are installed in the same cylinder

PART # DESCRIPTION

65064 Spark Plug Rack



No. 65064

No. 65062



No. 65052

FUEL SYSTEM EQUIPMENT



No. 65127

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

THROTTLE KITS & ACCESSORIES

THROTTLE CABLE MOUNTING KIT

Holley® 4150/4160 series Carbs - Morse® Cables

- Lets the racer easily mount Morse[®] cable to Holley[®] 4150/4160 carburetors
- Includes a 1/8" anodized aluminum mounting plate, a special 1/4" bore rod end with 10-32 thread, a quick-release cable mount, and all required hardware
- Throttle Return Spring Kit Nos. 64925, 64926 or 64927 recommended

PART # DESCRIPTION

65045* Throttle Cable Mounting Kit, for Holley[®] Carbs with Morse[®] accelerator cables

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MOUNTING KIT

Holley® 4150/4160 series Carbs - Late Model GM

- Includes all necessary hardware to mount a Holley[®] carburetor on a late model GM vehicle
- Comes with a ¹/₈" anodized aluminum mounting plate and required clips, pivot, nuts and bolts to complete the job
- Throttle Return Spring Kit Nos. 64925, 64926 or 64927 recommended

PART # DESCRIPTION

65050* Throttle Cable Mounting Kit, for Holley® on late model GM cars and trucks

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MOUNT KIT WITH RETURN SPRING

- · Designed to less likely bind and hold the throttle open
- Solid rod linkage designs have and will keep the throttle open In certain crash parameters
- Built to take the punishment of Circle Track or Road Racing yet lightweight enough to satisfy the weight conscious Drag Racer
- Manufactured out of thick 12 ga. laser cut steel with a durable E-coat finish
- Provides throttle cable mount and return spring in one under-carburetor plate
- Complete with quick release cable bracket, light and heavy return springs and mounting hardware
- Comes with 1/4" rod end with 10-32 threads for Morse style cables

PART # DESCRIPTION

65070 65070 Throttle Cable Mount Kit with Return Spring, R4412 Style 2BBL Carburetors
 65075 Throttle Cable Mount Kit with Return Spring, 4150 Style 4BBL Carburetors

PART # AVAILABLE OPTION

93300 Carburetor Gasket, 4150/4160 Open (2 Required)

THROTTLE CABLE MANIFOLD MOUNTED CHEVY V6/ V8

- · Provides positive throttle return required by several sanctioning bodies
- Each kit fits Holley[®] 2 or 4 bbl. single carb applications
- Includes one set of return springs

PART # DESCRIPTION

- 64922. Throttle Return Spring Kit, 18° SBC Cylinder Heads, Manifold Mount, 5-7/16" Tall
- 64925↔ Throttle Return Spring Kit, SBC and 90° V6 Chevy, Manifold Mount, 1-13/16" Tall
- 64926 •• Throttle Return Spring Kit, BBC, Manifold Mount, 1-13/16" Tall

*Not legal for sale or use on pollution-controlled vehicles.

64928. Throttle Return Spring Kit, Tall Version to facilitate throttle return on spacer equipped SBC and 90° V6 Chevy engines, Manifold Mount, 4-¾" Tall

PART # AVAILABLE OPTION

64929 •• Throttle Return Springs

• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 64922











• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

THROTTLE KITS & ACCESSORIES

THROTTLE RETURN SPACING KIT, 4500 HOLLEY® SERIES

- Clears most air cleaner combinations and can be used with dual carbs
- Made from sturdy 14-gauge steel and finished in hand-polished chrome
- Kit includes heavy and light sets of stainless steel return springs, all mounting hardware, and complete installation instructions

DESCRIPTION PART

Throttle Return Spring Kit, Holley[®] 4500, Carb Mount 64923o

PART # **REPLACEMENT PARTS**

64917. Throttle Return Springs



• ZIX WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

• 🔼 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 64923

No. 64927

THROTTLE RETURN SPACING KIT, 2300/4100 HOLLEY® SERIES ROAD, SPEED, RACE DEMON SERIES

- The answer to your throttle return spring linkage problems if you're running a 2300/2305 series two-barrel or 4150/4160 series 4-barrel Holley[®] doesn't include HP Series or Road, Speed, Race Demon[™] carburetor
- Designed and built rugged enough for competition, vet its polished chrome finish is suitable for the finest show car
- Includes one set of heavy and one set of light springs

DESCRIPTION PART

64927o Throttle Return Spring Kit, 2300/4100 Holley® Series, Road, Speed, Race Demon[™] Series Carb Mounts

REPLACEMENT PARTS PART

64917↔ Throttle Return Springs

THROTTLE RETURN SPACING KIT. 4500 DOMINATOR & KING DEMON

- Fits a 4500 series and King Demon carburetors
- Made from sturdy 12-gauge steel and finished in (electrostatic paint) E-coat satin black
- Kit includes heavy and light sets of stainless steel return springs, all mounting hardware and complete installation instructions

DESCRIPTION PART

- 64918o Throttle Return Spring Kit, 4500 Dominator and King Demon Carb Mounts
- PART # **REPLACEMENT PARTS** 649170 **Throttle Return Springs**

THROTTLE RETURN SPACING KIT, 4150 HOLLEY ® SERIES

Including HP Series

- Made to clear low-profile racing air cleaner, Moroso No. 65910
- Manufactured from sturdy 12-gauge steel and finished in (electrostatic paint) E-coat satin black
- Kit includes heavy and light sets of stainless steel return springs, all mounting hardware and complete installation instructions

PART # DESCRIPTION

649190 Throttle Return Spring Kit, 4150 Holley[®] Series Carb including HP Series

REPLACEMENT PARTS PART

64917↔ **Throttle Return Springs**





birth defects, or reproductive harm-

www.P65Warnings.ca.gov



THROTTLE KITS & ACCESSORIES

THROTTLE RETURN SPRINGS

· Pack of two stainless steel springs can be used as spares or replacements for Moroso Throttle Return Spring Kit Nos. 64925, 64926 and 64928

DESCRIPTION PART

64929↔ **Throttle Return Springs**



THROTTLE RETURN SPRING

Replacement Kit

- Replacements for Moroso Throttle Return Spring Kit Nos. 64918, 64919, 64923, 64927, 65047, 65070 and 65075
- Kit includes Two 2.5" long and Two 2.75" long springs

DESCRIPTION PART

64917o Throttle Return Springs, Replacement

• ZI WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

www.P65Warnings.ca.gov



- Fits Hollev[®] Dominator 4500-series Carbs
- · Prevents linkage that may become loose from carburetor from falling into intake
- Steel, plated clear zinc

PART # DESCRIPTION

64935 Carburetor Safety Plate, Dominator

PART # **AVAILABLE OPTION**

93310 Carburetor Gasket, 4500/King Demon Open (2 Required)

CARBURETOR LINKAGE BUSHING SET

- Steel linkage bushing set allows the fitting of a $\frac{1}{4}$ " fastener to the $\frac{1}{2}$ " dia. hole found in the throttle linkage plate of Holley[®] 4 barrel carbs
- · Split bushing design permits simple installation and eliminates the sloppiness present when rubber bushings are used
- Clear zinc finish

PART # DESCRIPTION

64920 Carburetor Linkage Bushing Kit, Hollev[®] 4 bbl carbs

THROTTLE STOP FOR HOLLEY® CARBS

For 4150-Series Carburetors

- Throttle Stop for Hollev[®] 4150-style, 4-bbl, racing carburetors provide a very strong and positive stop
- Also prevents excessive side loading on the throttle shaft, which can easily cause the throttle shaft bores to wear out
- Throttle stop is adjustable, and simply mounts to the carb hold-down stud
- Made from rugged 1/8" steel with a clear zinc finish
- Fits both 1:1 and progressive throttle linkages
- · Ideal for all types of racing

PART # DESCRIPTION

65042* Throttle Stop, fits 4150-style Holley® Carbs

*Not legal for sale or use on pollution-controlled vehicles.









No. 64917



No. 64935



No. 64920

CARBURETOR SPACERS & ADAPTERS, ALUMINUM

CARBURETOR SPACERS

Billet Aluminum

- · Extends length of intake mixture column to improve air/fuel distribution
- CNC machined from 6061-T6 billet aluminum to extremely accurate specifications
- Billet aluminum eliminates porosity and improves engine appearance
- Available with 4150/4160 and 4500 Series Holley® bolt patterns to fit a variety of carburetors
- 4150/4160 Series Spacers available in ½", 1" and 2" thicknesses with open plenum and 4-hole designs to suit tuning requirements; 4500 Series (Dominator) Spacer is 1" thick with open plenum
- As a general rule, open designs increase plenum volume for improved high rpm power, while 4-hole designs increase mixture velocity for improved low-speed and mid-range torque
- Gaskets are not included

0.0.01101				•	-
PART #	CARBURETOR	THICKNESS	PLENUM		۲
64951*	4500	1"	Open Plenum Design	No. 64981	No. 64985
64981*	4150/4160	1"	Open Plenum Design		
64985*	4150/4160	1/2"	Open Plenum Design		
64991*	4150/4160	1"	4-Hole Plenum Design w/ 1.696" dia. bores	00.	
64996*	4150/4160	1"	4-Hole Plenum Design w/ 1.750" dia. bores		
PART #	AVAILABLE OPTION	IS (2 REQUIREI))		
93300	Carburetor Gasket, 4	150/4160 Ope	n		
93301	Carburetor Gasket, 4	150/4160 4 Ho	ble	No. 64991	No. 64996
93310	Carburetor Gasket, 4	500/King Dem	on Open		

CARBURETOR SPACERS

Cast Aluminum

- Can easily be mounted with one of the Moroso Carburetor Stud Kits Nos. 37950, 37960 or 37961
- Open plenum aluminum carb spacers increase plenum volume for high RPM power
- · Gaskets are not included

PART #	DESCRIPTION	THICKNESS	PLENUM
64950*	4500	1"	Open Plenum Design
64970*	4150/4160	2"	Open Plenum Design
64980*	4150/4160	1"	Open Plenum Design

PART # AVAILABLE OPTIONS (2 REQUIRED)

- 93300 Carburetor Gasket, 4150/4160 Open
- 93301 Carburetor Gasket, 4150/4160 4 Hole
- 93310 Carburetor Gasket, 4500/King Demon Open

CARBURETOR ADAPTERS

Aluminum

· Gaskets are not included

PART #	DESCRIPTION
64960*	Carburetor Adapter, 2" Cast Aluminum, adapts Quadrajet carburetor
	to Holley [®] 4150/4160 intake manifold bolt pattern
64964*	Carburetor Adapter, 1" Billet Aluminum, adapts Holley® No. 4412 style to a
	4150 4 bbl. square flange manifold
64965*	Carburetor Adapter, 3/4" Billet Aluminum, adapts Holley® 2300/2305
	2 bbl. carburetors to intake manifolds with Holley® 4150/4160 4 bbl.
	bolt pattern, 2-hole plenum design with 1.50" dia. bores
64966*	Carburetor Adapter, ¾" Billet Aluminum, adapts Holley® 2300/2305
	2 bbl. carburetors to intake manifolds with Holley® 4150/4160 4 bbl.
	bolt pattern, 2-hole plenum design with 1.693" dia. bores
65000*	Carburetor Adapter 2" Cast Aluminum, adapts Hollev® 4500 Dominator
	, , , ,
PART #	AVAILABLE OPTIONS (2 REQUIRED)
93300	Carburetor Gasket, 4150/4160 Open
93301	Carburetor Gasket, 4150/4160 4 Hole
65000* PART # 93300	Carburetor Adapter, ¾" Billet Aluminum, adapts Holley® 2300/2305 2 bbl. carburetors to intake manifolds with Holley® 4150/4160 4 bbl. bolt pattern, 2-hole plenum design with 1.693" dia. bores Carburetor Adapter, 2" Cast Aluminum, adapts Holley® 4500 Dominator carburetor to Holley® 4150/4160 intake manifold bolt pattern AVAILABLE OPTIONS (2 REQUIRED) Carburetor Gasket, 4150/4160 Open



No. 64950

No. 64951

No. 64970

*Not legal for sale or use on pollution-controlled vehicles.

Carburetor Gasket, 4500/King Demon Open

93310

CARBURETOR SPACERS & ADAPTERS, NON-METALLIC

CARBURETOR SPACERS

Insulating Plastic & Phenolic

- Advanced plastic and phenolic compounds are specially formulated to reduce heat conductivity 10 times greater than aluminum
- Reducing fuel temperature inside the carburetor results in a denser, more powerful fuel charge to the manifold
- Insulating phenolic spacers come pre-drilled for alignment pins. Moroso Nos. 64930 and 64940 include all mounting hardware
- · Gaskets are not included



PART #	DESCRIPTION	THICKNESS	F
64930*	4150/4160	1"	4
64940*	4150/4160	1"	(
64943*	4150/4160	1/2"	4
64945*	4150/4160	1/2"	4
64947*	4500	1/2"	(
64941*	Quadrajet	1/2"	4
PART #	AVAILABLE OPTI	ONS (2 REQUIRED)	
93300	Carburetor Gasket	t, 4150/4160 Open	
93301	Carburetor Gasket	t, 4150/4160 4 Hole	
93310	Carburetor Gasket	t, 4500/King Demon (Jpen

PLENUM 4-Hole Plenum Design with 1.75" dia. bores, Plastic Open Plenum Design, Plastic 4-Hole Plenum Design with 1.75" dia. bores, Phenolic 4-Hole Plenum Design, With 1.467" dia. bores, Phenolic Open Plenum Design, Phenolic 4-Hole, Phenolic

CARBURETOR SPACERS

Wood Design

- \bullet Unique $1\!\!/_2$ " spacers are precision machined on state-of-the-art millworking centers, and can be used individually or stacked without the use of gaskets
- Thin layers of choice laminated hardwood, bonded together with resin form a natural thermal barrier
- Top-quality hardwood has a sheet of phenolic resin-impregnated paper bonded to both sides
- Can be easily modified to your particular manifold for optimum performance
- · Gaskets are not included

PART #	DESCRIPTION	THICKNESS	PLENUM
65015*	4150/4160	1/2"	Open
65016*	4500	1/2"	Open
65017*	4500	1/2"	4-Hole
65018*	Quadrajet	1/2"	Open
PART #	AVAILABLE OPTION	IS (2 REQUIRED)	
93300	Carburetor Gasket, 4	4150/4160 Open	
93301	Carburetor Gasket, 4	4150/4160 4 Hole	
93310	Carburetor Gasket, 4	4500/King Demon Ope	en





CARBURETOR ADAPTER

Insulating Phenolic

· Gaskets are not included

PART # DESCRIPTION

64952* Carburetor Adapter, 1" Insulating Phenolic. Adapts Holley[®] No. 4412, 500 cfm, 2 bbl. Carbs to standard Holley 4661 bolt pattern intake manifold





CARBURETOR WEDGE PLATE

- .830" thick at its thickest point
- To keep carburetor float-bowls "level" during acceleration, some amount of mounted carburetor angle is necessary
- Moroso's wedge plate tilts the carburetor forward 5° to provide the optimum angle during quick acceleration and front-end lift
- Dual bolt pattern
- · Gaskets are not included

PART # DESCRIPTION

65030* Carburetor Wedge Plate, fits standard Holley® Bolt Pattern, Carb AFB/Edelbrock

CARBURETOR ACCESSORIES & PARTS

PART # AVAILABLE OPTIONS

93300 Carburetor Gasket, 4150/4160 Open (2 required)

*Not legal for sale or use on pollution-controlled vehicles.

CLEAR-VIEW SIGHT PLUGS

The Original! For Holley® Carbs

- · Clear Sight Plugs are like having a "window" to your float bowl
- Allows you to check float bowl level without removing the plug and spilling fuel
- Includes O-rings
- · After setting float bowl level, replace clear sight screws with original bung plugs

PART # DESCRIPTION

65226 Clear-View Sight Plugs for Holley® Carbs, Two per pack

CARBURETOR JET EXTENSION KIT

For Holley® Carbs

- · Developed by carburetor wizard Gary Williams
- Eliminates fuel starvation during hard acceleration or cornering by extending the fuel pickup point of the jet farther into the float bowl
- Each kit contains three sets of two extensions: $\frac{1}{2}$ " long for stock float bowls; $\frac{3}{4}$ " and 1" long which can be cut to fit custom applications

PART # DESCRIPTION

65227 Carburetor Jet Extension Kit, fits Holley® 2bbl. & 4bbl. carbs

HOLLEY® JET EXTENSIONS

- Brass Jet Extensions screw into the metering block to reposition jets farther back into the fuel bowl to eliminate fuel starvation and they won't fall out!
- CNC machined for precise fit and maximum fuel flow
- Must be used in conjunction with Moroso Drag Race Float Kit No. 65228 to clear extensions
- Two per pack

PART # DESCRIPTION

65440* Jet Extensions, $\frac{1}{4}$ "-32, STD Holley[®] Jets **65441*** Jet Extensions, $\frac{5}{16}$ "-32, HP Holley[®] Jets

*NOTE: For Drag Racing, use Moroso Float No. 65228 modified to fit extensions.

NYLON FLOAT BOWL WASHER KIT

- The ultimate cure for the problem of soft, wet, deteriorating fiber, Holley[®] float bowl washers
- Our nearly indestructible nylon replacement washers are unaffected by fuel, and won't leak or break down under normal usage
- Ten per package

PART # DESCRIPTION

65225 Float Bowl Washer Kit, For Holley® Carbs





No. 65226



No. 65227

No. 65441





• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

HEX HEAD FUEL BOWL SCREWS

For Holley® Carbs

- Designed for Holley® 4150-4160 and 4500 model carburetors
- Hex head (rather than screwdriver head) allows for easier removal of the fuel bowl
- Four per package
- Screws are 2-1/2" long

PART # DESCRIPTION

65414 Hex Head Fuel Bowl Screws for Holley® Carbs., four per package

HOLLEY® HIGH FLOW SQUIRTER SCREWS

- Allen head design is streamlined for less turbulence and increased airflow
- Enlarged and repositioned slot provides a clear path to the shooter nozzle, eliminating restrictions and improving throttle response
- One per package

PART # DESCRIPTION

65442*	Holley® High Flow Squirter Screw, Cadmium-Plated Steel, Gasoline
65443*	Holley® High Flow Squirter Screw, Stainless Steel, Alcohol





No. 65442 No. 65

No. 65443

HOLLEY® ACCELERATOR PUMP CAM KIT

- Handy kit contains an assortment of color-coded plastic cams to match accelerator pump requirements to individual engine performance needs
- Color coding makes it easy to identify specific cam applications when installed
- Kit includes a helpful tuning chart to assist you in selecting the appropriate accelerator pump cam
- Contains 8 cams and 2 screws

PART # DESCRIPTION

65531 Holley® Accelerator Pump Cam Kit



HOLLEY® VACUUM SECONDARY SPRING KIT

- Provides springs of various rates to allow the racer to custom tailor the vacuum secondary opening and closing rate to best suit their combination
- Contains seven springs; color coded from light to heavy

Instructions included

PART # DESCRIPTION

65425*	Holley [®] Vacuum Secondary Spring Kit
00720	noncy vacuum occontiary opining the





1:1 SLIP LINK

- •Replaces the "progressive" stock link to provide simultaneous, 1:1 primary and secondary opening rates
- · Requires drilling of existing primary throttle arm hole
- One per package

PART # DESCRIPTION

65444* Slip Link, 1:1, Holley® 4150



CARBURETOR ACCESSORIES & PARTS

HOLLEY® VACUUM SECONDARY DIAPHRAGM

- Replacement diaphragm fits the most popular Holley® vacuum secondary carburetors including:
 0-1849, all 1850, all 3310, 0-4453-1, 0-458,0-6619, 0-6619-1, 0-6909, 0-6919, 0-6979, 0-6979-2, 0-6989, 0-7002, 0-7002-1, 0-7004, 0-7004-1, 0-7004-2, 0-7005, 0-7005-1, 0-7005-2, 0-7006, 0-7006-1, 0-7006-2, 0-7009
 Deplacement leafung@ displacement 105_4
- Replaces Holley[®] diaphragm 135-4

PART # DESCRIPTION

65426* Holley[®] Vacuum Secondary Diaphragm

OVAL TRACK FLOAT KIT

For Holley® Carbs

- Wedge shape compensates for the action of centrifugal force on the fuel and ensures proper needle and seat operation under the most severe left-cornering conditions
- Includes one front and one rear float
- Fits all Holley® center hung float/cathedral bowl carburetors
- Manufactured of Nitrophyl, which doesn't absorb fuel
- Intended primarily for oval track racing, kit can also be used in drag race applications where two Holley[®] Carbs are mounted sideways on manifold
- Alcohol compatible

PART # DESCRIPTION

 $\textbf{65432}^{\star} \qquad \textbf{Oval Track Float Kit, fits Holley}^{\texttt{®}} \text{ Carbs}$

DRAG RACE FLOAT KIT

For Holley® Carbs

- Alcohol compatible
- Float is notched to clear 3/4" long jet extensions
- Fits all Holley[®] carburetors with center hung floats
- Manufactured of Nitrophyl, which doesn't absorb fuel
- Saves the racer many hours of notching and epoxy coating
- One per package

PART # DESCRIPTION

65228 Drag Race Float Kit, fits Holley® Carbs

HOLLEY® ACCELERATOR PUMP DIAPHRAGMS

One per package

PART # DESCRIPTION

- 65532 Holley® Standard 30cc Accelerator Pump Diaphragm
- 65534 Holley[®] 50cc Accelerator Pump Diaphragm



*Not legal for sale or use on pollution-controlled vehicles.



CHECKING FLOAT LEVEL

While the engine is running at idle, remove the float-level sight plug. A small amount of fuel should run out from the front half of the carburetor. The level should be slightly higher at the rear. When turned clockwise, the needleand-seat nut will adjust the float down. When turned counterclockwise, the float is adjusted up. To adjust the needle-and-seat, back off the center screw. Make sure that all of the components that have been adjusted are checked for tightness.

NOTE: Use caution whenever working with fuel system components to minimize spillage and avoid fuel contact with extremely high temperature components.



No. 65432



No. 65228

CARBURETOR ACCESSORIES & PARTS

HOLLEY® NEEDLE & SEAT HARDWARE KIT

- Includes all the necessary replacement hardware for Holley[®] needles and seats
- Kit contains: one needle and seat adjusting screw, one screw gasket, one needle and seat adjusting nut, one nut gasket, one needle and seat 0-ring

PART # DESCRIPTION

65413* Holley® Needle and Seat Hardware Kit

HOLLEY® NEEDLES AND SEATS

- The Viton[®] needle design is highly recommended for gasoline-fueled engines because it is resistant to dirt and conforms to the seat for superior sealing
- If you use exotic fuels or additives such as alcohol, benzine, acetone, etc., you
 must use the steel-needle version
- Two per package

PART # DESCRIPTION

- 65411*↔ Holley[®] Needle and Seat, Viton[®], .110 orifice, carbs up to 735 cfm. Gasoline only
- **65412***↔ Holley[®] Needle and Seat, Steel, .130 orifice, 750 cfm and up. Gasoline, exotic fuels or additives







No. 65411

HOLLEY® POWER VALVE PLUG & GASKET

 Used with Holley[®] carburetors where fuel enrichment via the power valve is not desired. Full-throttle fuel enrichment is achieved by jetting up the carburetor by approximately 10 jet sizes

• A WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov

Kit includes ½"-28 threaded plug with gasket

 PART #
 DESCRIPTION

 65408*
 Holley® Power Valve Plug and Gasket



HOLLEY® POWER VALVE

• One valve and gasket per package

PART # DESCRIPTION 65401 • Holley® Power Valve, opens at 3.5" of vacuum • WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



REUSABLE BUNA-N HOLLEY® GASKETS

- Moroso replacement gaskets for Holley[®] 4150-4160 series carbs are made from high grade Buna-N compound with an anti-wicking nylon backing and for use with alcohol or racing gasoline
- Reuse them over and over
- Also fits other Holley[®] carburetors (see the Holley[®] application guide for a complete listing)

PART # DESCRIPTION

- 65222 Reusable Buna-N Holley® Metering Plate Gasket, Replaces Holley® Part No. 108-89-2, Pack of 2
- 65223 Reusable Buna-N Holley® Metering Plate Gasket, Replaces Holley® Part No. 108-90-2, Pack of 2
- 65224 Reusable Buna-N Holley® Float Bowl Gaskets, Replaces Holley® Part Nos. 108-92-2 and 108-83-2, Pack of 2



FUEL LINE & FITTINGS

ALUMINUM FUEL LINE

- Lightweight aluminum tubing replaces small diameter fuel lines used in most production automobiles
- Large diameter, .035" thick wall seamless tubing flows more fuel and eliminates fuel starvation
- · Legal in all classes; tested to 35 PSI

PART # DESCRIPTION

 65330
 Aluminum Fuel Line, 25' Coil, %" 0.D.

 65340
 Aluminum Fuel Line, 25' Coil, ½" 0.D.

65345 Aluminum Fuel Line, 25' Coil, ⁵/₈" O.D.

STREAMLINE FUEL LINE FITTINGS

- 90° streamline fuel line fittings are manufactured of brass and provide a quick, easy fuel hose connection
- Streamline fittings offer the racer improved fuel flow to the carburetor over the right angle fittings more
- commonly available • A WARNING Prop. 65 One per package This product contains a chemical known to the state of California to cause cancer, DESCRIPTION PART # birth defects, or reproductive harmwww.P65Warnings.ca.gov 65130o Streamline Fuel Line Fitting, 90°, 3/8" N.P.T. to 1/2" hose Streamline Fuel Line Fitting, 90°, 3/8" N.P.T. to 1/2" hose, black 65131o **65140**↔ Streamline Fuel Line Fitting, 90°, 3/8" N.P.T. to 3/8" hose No. 65131 No. 65130 No. 65140 FUEL HOSE FITTINGS Handy brass fittings can be used on electric fuel pumps and regulators DESCRIPTION PART # 653750 Fuel Line Fitting, 1/4" N.P.T. to 3/8" hose, one per package 65380o Fuel Line Fittings, ³/₈" N.P.T. to ³/₈" hose, two per package Fuel Line Fitting, 3/8" N.P.T. to 3/8" hose, Straight, black, one per package 65381o Fuel Line Fitting, %" N.P.T. to %" hose, 90 Deg., black, one per package 65382o No. 65390 653880 Fuel Line Fitting, 3/8" N.P.T. to 1/2" hose 90 Deg., black, one per package 65389o Fuel Line Fitting, ³/₈" N.P.T. to ¹/₂" hose, Straight, black, one per package 65390o Fuel Line Fittings, 3/8" N.P.T. to 1/2" hose, two per package • 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov No. 65381 No. 65382 No. 65388 No. 65389 FUEL INLET FITTINGS For Hollev[®] Carbs • These Fuel Inlet Fittings adapt -6AN or -8AN fuel lines to all Holley® single and dual-feed carburetors with 7/8" -20 UNF inlets No. 65146 For No. 65144, extended wrench flat location allows for easier installation Each aluminum fitting has a black anodized finish for protection PART # DESCRIPTION 65141 Fuel Inlet Fittings, Holley® Fuel Bowl to -6AN, two pack with washers 65144 Fuel Inlet Fittings, Holley® Fuel Bowl to -8AN, two pack with washers 65146 Fuel Inlet Fittings, Holley® Fuel Bowl to -8AN, one. no washers No. 65141 No. 65144

ALUMINUM FUEL BLOCK KITS

- Universal, high flow Fuel Block Kits easily solve dual gas line problems assuring equal flow and pressure for twin carb setups or dual pickup gas tanks
- Each has a ¹/₈" N.P.T. provision for a fuel pressure gauge and a socket head pipe plug if a gauge is not used

PART # DESCRIPTION 651600 Aluminum Fuel Block Kit, 1/2" hose inlet with two

3/8" hose outlets **65170**↔ Aluminum Fuel Block Kit, 1/2" hose inlet with two 1/2" hose outlets

FUEL PRESSURE GAUGE FITTINGS

- Allows easy plumbing up to 1/8" N.P.T. fuel pressure gauge lines
- Saves wear and tear on carb inlet fittings by allowing guick and easy disconnecting of fuel line
- Anodized aluminum

PART # DESCRIPTION

- 65300 Fuel Gauge Fitting, -6AN Male to -6AN Male
- Fuel Gauge Fitting, 3/8" N.P.T. Female to 3/8" N.P.T Male 65310
- 65315 Fuel Gauge Fitting, ³/₈" N.P.T. Male to -6AN Male
- 65360 Fuel Gauge Fitting, 3/8" line with hose fitting

PRESSURE REGULATING FUEL LOG

- Meets the higher fuel delivery demands in today's race engines
- Increases the orifice to nearly twice that of two regulators combined. creating a totally free flowing fuel system that allows the pumps to deliver full capacity at all times
- Standard fuel systems regulate pressure before the fuel reaches the carburetors, while this system regulates pressure after the carburetors have been supplied and requires a return line to the fuel tank
- Shims are included to allow easy pressure adjustment from 6-10 psi. as are complete instructions and tuning tips

PART # DESCRIPTION

65145 Pressure Regulating Fuel Log

IN-LINE FUEL FILTERS

- Removes dirt and debris from fuel systems with minimum restriction
- The aluminum housing is black anodized with 0-ringed removable end caps
- · Filter Element itself is constructed out of a Stainless Steel fine screen that filters down to 40 Microns and is washable for re-use

PART # DESCRIPTION

- 65230* In-Line Fuel Filter, -8AN Fittings, 6-1/2" overall length
- 65231*• In-Line Fuel Filter, accepts 3/4" N.P.T. Fittings, 5-1/4" overall length
- 65234o In-Line Fuel Filter, -10AN Male Fittings

PART # **REPLACEMENT PARTS**

40 Micron Filter Element 970620


> • 🔼 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



moroso



No. 65230



No. 65300





No. 65145

*NOTE: Not recommended for high-pressure fuel injection systems.



FUEL SYSTEM EQUIPMENT

EFI FUEL RETURN LINE KIT

- Allows EFI conversion without welding a return line fitting to the fuel tank
- Simply cut a 2-¾" section out of any 2" 0.D. fuel tank filler tube and insert the 6061-T6 aluminum adapter; installs on most vehicles without removing the fuel tank
- Includes two Buna-N sleeves and four stainless steel hose clamps to seal the connection on each end of the adapter
- ³/₈" aluminum fuel fitting is factory welded to the adapter for a leak free seal
- Fuel fitting has a 90° smooth-contour bend inside the adapter to direct return fuel downward into the tank
- Use with Moroso Aluminum Fuel Line No. 65330 for a return line from the EFI regulator to the fitting located on the filler tube

PART # DESCRIPTION

65385*• EFI Fuel Return Line Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



*Not legal for sale or use on pollution-controlled vehicles.

FUEL PRESSURE GAUGE

With Flutter Guard

- · Vibration controlled dial, not dampened by liquid
- Heavy-duty American made gauge with stainless steel case and bezel will not rust, chip, peel or oxidize like other designs
- · Suited for use with alcohol
- Accurate to within 1%; marked in 1/4-pound increments
- Compact 1-½" dia. gauge can be mounted to fuel regulator or fuel block for convenient fuel pressure tuning
- Includes ¹/₈" N.P.T. Male Fitting

PART # DESCRIPTION

65370↔Fuel Pressure Gauge, 0-15 psi65372↔Fuel Pressure Gauge, 0-60 psi65374↔Fuel Pressure Gauge, 0-100 psi

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov No. 65370

VACUUM GAUGE

1-1/2" Diameter, 0-30" Hg

- Used to determine vacuum in your engine
- Will fit any 1/8" N.P.T. male fitting
- Excellent vibration and shock resistance

PART # DESCRIPTION

89610. Vacuum Gauge, 1-1/2" Diameter, 0-30" Hg

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P66Warnings.ca.gov



OIL PRESSURE GAUGE

1-1/2" Diameter, 0-120 PSI

- Necessary for racing applications where high oil pressures, above the range of typical oil pressure gauges are used
- Will fit any 1/8" N.P.T. male fitting
- Excellent vibration and shock resistance

PART # DESCRIPTION

89611. Oil Pressure Gauge, 1-1/2" Diameter, 0-120 PSI





FUEL PUMP PLUMBING & ACCESSORIES

FUEL PUMP BLOCK-OFF PLATES

- Designed to block off the fuel pump mounting boss when a mechanical fuel pump is not used
- Available in two popular styles
- Made of anodized aluminum or high luster triple chrome plated steel
- Includes gasket

PART # DESCRIPTION

- 65391 Fuel Pump Block-Off Plate, Anodized Aluminum, SBC
- 65392 Fuel Pump Block-Off Plate, Anodized Aluminum, BBC, 273-440 Chrysler and all Fords except 351C, 351M and 400
- 653930 Fuel Pump Block-Off Plate, Chrome Plated Steel, SBC
- 65394o Fuel Pump Block-Off Plate, Chrome Plated Steel, BBC, 273-440 Chrysler, and all Fords except 351C, 351M and 400

BILLET ALUMINUM FUEL PUMP **BLOCK-OFF PLATES**

- Includes Gaskets and Stainless Steel Socket Head Screws
- Black Anodized

PART # DESCRIPTION

- Fuel Pump Block-Off Plate, SBC 653950
- 653960 Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, and all Fords except 351C, 351M and 400
 - A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

• A WARNING Prop. 65

This product contains a chemical known

www.P65Warnings.ca.gov



No. 65395

No. 65396

BILLET ALUMINUM EQUALIZING PLATES WITH FITTINGS

- Black anodized, includes 1/8" N.P.T. Fitting and -12AN Fitting
- Allows the vacuum pump and vacuum gauge to be connected
- Can also be used as a drain back location
- Includes Gaskets and Stainless Steel Socket Head Screws

PART # DESCRIPTION

- 653970 Fuel Pump Block-Off Plate, SBC
- to the state of California to cause cancer, 653980 Fuel Pump Block-Off Plate, BBC, 273-440 Chrysler, birth defects, or reproductive harmand all Fords except 351C, 351M and 400

NOTE: Installation of this product requires pulling vacuum from a valve cover as well.

MECHANICAL FUEL PUMP GASKETS

Available for SBC, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460

- · Same gaskets that comes with Moroso fuel pump block off plates
- Fiber construction
- Use as a replacement for Moroso fuel pump block off plates or as a high quality gasket for mechanical fuel pumps
- Available as a single pack or 10 pack

DESCRIPTION PART

- 93320 Gasket, Mechanical Fuel Pump, SBC
- 93321 Gasket, Mechanical Fuel Pump, SBC, 10 Pack
- 93322 Gasket, Mechanical Fuel Pump, BBC,
- Chrysler 273-440, Ford 302, 351W, FE, 429-460 93323 Gasket, Mechanical Fuel Pump, BBC, Chrysler 273-440, Ford 302, 351W, FE, 429-460, 10 Pack



No. 93322



No. 65397

No. 65398

CARBURETOR GASKETS AND MISC.

LIGHTWEIGHT FUEL PUMP PUSH RODS

- Lightweight design with hardened ends reduces reciprocating mass to prevent pump arm "float" and subsequent fuel starvation
- For use in Drag, Oval Track and Street-Performance applications

PART # DESCRIPTION

- Lightweight Fuel Pump Push Rod, SBC and BBC 65750
- 65752 Lightweight Fuel Pump Push Rod, 0.200" longer to fit World Products Merlin and DART Rocket Block

FUEL PUMP SPRING

• This heavy-duty fuel pump spring boosts Holley[®] electric fuel pump pressure from 12 to 19 psi and increases overall fuel volume

DESCRIPTION PART

65770 Fuel Pump Spring, Holley[®] Electric Fuel Pumps

CARBURETOR GASKETS, HEAVY DUTY

- An excellent way to seal a Moroso carburetor adapter or spacer to an intake or carburetor
- Race quality carburetor gaskets are constructed out of a cellulose composition that conforms to it's mating surface
- Precision die cut design that stands up to pump gasoline, race fuels and alcohol
- One per pack

PART# DESCRIPTION

- 93300 Carburetor Gasket, 4150/4160 Open
- Carburetor Gasket, 4150/4160 4 Hole 93301
- 93310 Carburetor Gasket, 4500/King Demon Open



No. 65750


No. 65770

VACUUM LINE CAP KITS

- · Convenient kit provides a quick, sure way to seal vacuum line connections at carburetors, manifolds, etc. when vacuum lines have been removed
- Kits consist of soft plastic caps in quantities and inside dimensions as follows: two 1/8", six 3/16", six 1/4", two 5/16", four 3/8"

PART # DESCRIPTION

410900 Vacuum Line Cap Kit, Color Coated 410910 Vacuum Line Cap Kit, Black



INTAKE MANIFOLD SPACER PLATES

- Allows you to bolt on conventional, short deck intake manifolds on GM's Chevy tall deck truck blocks, or any Big Block Chevy-style aftermarket block which is .400" taller than stock
- Precision machined aluminum; mounts between the intake manifold and cylinder head

PART # DESCRIPTION

Intake Manifold Spacers, Fits Tall Deck (+.400") Big Block Chevy 65090*



No. 65090

FUEL SYSTEM EQUIPMEN

LOW-PROFILE RACING AIR CLEANERS

For years, Moroso Air Cleaners and accessories have set the standard by which all others are judged. Whether in triple process chrome steel, powder coat, or our unique fiber design, Moroso Air Cleaners provide the racer or street performance enthusiast with improved air flow, a lower stacking height, and unequalled fit and finish. Moroso Air Cleaners and accessories are simply the best money can buy!

Other Colors Available:







BETTER AIRFLOW

- Moroso's unique radiused air inlet design equalizes air pressure past the boosters for uniform air flow
- Radiused air inlet is stamped into air cleaner base to reduce overall height

LOW STROXING HEIGHT

- Air Cleaners with 3" element have an overall stacking height above the carburetor lip of only 2-1/2", while 5" filters have a 4-1/2" overall height
- Fits all Holley[®], Carter[®], Rochester[®], and Edelbrock[®] carburetors with 5-1/8" diameter necks & MSD[®] Atomic EFI

PART # DESCRIPTION

65904*	Racing Air Cleaner, 14" dia.
	with 3" filter, Powder Coated-Black
65905*	Racing Air Cleaner, 14" dia.
	with 3" filter, Powder Coated-Red
65906*	Racing Air Cleaner, 14" dia.

- with 3" filter, Powder Coated-Blue
- 65910*↔ Racing Air Cleaner, 14" dia. with 3" filter, Chrome plated steel, hand polished

PART # REPLACEMENT PARTS

- 97080 3" x 14" Air Cleaner Element
- 97081 4" x 14" Air Cleaner Element
- 97330 5" x 14" Air Cleaner Element (includes stud)

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 65904

MORE POWER

• Back to back dyno testing proves a gain of nearly 10 horsepower over running no air cleaner at all

GREAT LOOKSI

- Available accessories including valve covers, breathers and ignition wire sets
- Includes matching wing nut





*Not legal for sale or use on pollution-controlled vehicles unless originally equipped with an open element air cleaner.

AIR CLEANERS

• <u>MARNING Prop. 65</u> This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harmwww.P65Warnings.ca.gov

AIR CLEANER

Raised bottom for 14" x 3"

- This air cleaner bottom section converts Moroso and other 14" x 3" air cleaner assemblies to the Moroso "Raised Bottom design" that clears Edelbrock[®] 4 BBL Carburetors and Holley Carburetors with tall throttle return spring brackets
- Features a deep retaining lip that locks the air cleaner element in place
- Aluminum with a raw aluminum finish
- Can be polished, painted, powder coated or chrome painted for a custom look

PART # DESCRIPTION

97090 Air Cleaner, Raised Bottom Section for 14" x 3" Assemblies

FLAT BOTTOM AIR CLEANERS

- Flat bottom design raises installed height of air cleaner for additional sheet metal clearance in race cars such as NASCAR[®] Modifieds
- 14" diameter Air Cleaners available with 3" or 5" filter elements
- Chrome plated steel
- Fits Holley®, Carter®, Edelbrock® and Rochester® carburetors

PART # DESCRIPTION

- **65911**^{*} •• Flat Bottom Air Cleaner, 14" dia. with 3" Filter, Chrome. *Fits: Holley®, Thermoquad, Quadrajet and similar carburetors with 5-1%" dia. neck*
- **65945**[★]• Flat Bottom Air Cleaner, 14" dia. with 3" Filter, Chrome. *Fits:* Holley[®] 4500 carburetors with 7-5/16" dia. neck
- **65946**[★]• Flat Bottom Air Cleaner, 14" dia. with 5" Filter, Chrome. *Fits: Holley*[®] 4500 carburetors with 7-5%[®] dia. neck



No. 97090



No. 65911

PART #	REPLACEMENT PARTS
97080	3" x 14" Air Cleaner Element
	(stud not included)
97330	5" x 14" Air Cleaner Element
	(includes stud)

OFFSET AIR CLEANER

- Owners of Small Block Chevy powered cars with 2- and 4-bbl. Holley[®] carbs with 5-1/8" necks don't have to cut up their air cleaners to make room for large diameter distributors, such as HEI
- Offset forward by 1-1/2" to clear GM HEI distributors
- For IMCA and NASCAR[®] Modifieds that require air cleaners to be mounted above the hood line, the raised bottom (¾") design provides an overall height above the carburetor lip of 4-¾"
- For late model stocks that require under-hood air cleaners, the dropped (1-¾") design provides an overall height above the carburetor lip of 2-¾"
- Finished in Chrome plated top, clear anodized bottom and comes complete with 4" filter elements, one $\frac{1}{4}$ " -20 and one $\frac{5}{16}$ " -18 offset stud and three $\frac{1}{4}$ " -20 and three $\frac{5}{16}$ " -18 hex nuts

PART # DESCRIPTION

65928*
◦ 14" Offset Air Cleaner with Raised Bottom, 4" element, Chrome Plated Top-Clear, 2- and 4-bbl Holley®

PART # REPLACEMENT PART

97081 4" x 14" Air Cleaner Element

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 65928

IR CLEANERS & ACCESSORIES

AIR CLEANERS, RAISED BOTTOM

14" x 3", Raised Bottom

- Raised bottom design clears Edelbrock[®] 4 BBL Carburetors and Holley Carburetors with tall throttle return spring brackets
- Air Cleaner top and bottom accept a 14" diameter air cleaner element
- Kits include a Moroso 3" tall element
- Radiused air inlet design equalizes air pressure past the boosters for uniform air flow
- Includes mounting stud, and matching wing nut
- Available with a black powder coat or chrome finish top

PART # DESCRIPTION

65912Air Cleaner Kit, 14" x 3", Raised Bottom, Black Powder Coat65913•Air Cleaner Kit, 14" x 3", Raised Bottom, Chrome



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 65913

AIR CLEANERS

11-1/2" and 8-1/2" Diameters

- Available in black, red and blue powdercoat and ultra-high luster, hand polished triple-process, chrome plated steel
- Matching wing nut included
- Fits Holley®, Thermoquad, Quadrajet and similar carburetors with a 5-1/8" diameter neck

 Fits Ho 	lley®, Thermoquad, Quadrajet and similar c
PART #	DESCRIPTION
66210* ↔	Race/Street Air Cleaner, 11-1/2" diameter with
	2-%" filter, Chrome Plated Steel
66303*	Race/Street Air Cleaner, 8-1/2" diameter with
	2-%" filter, Powder Coated-Black
66304*	Race/Street Air Cleaner, 8-1/2" diameter with
	2-%" filter, Powder Coated-Red
66305*	Race/Street Air Cleaner, 8-1/2" diameter with
	2-%" filter, Powder Coated-Blue
66310* ↔	Race/Street Air Cleaner, 8-1/2" diameter with
	2-%" filter, Chrome Plated Steel
PART #	REPLACEMENT PARTS
97510	Air Cleaner Element,

2-3/8" x 8-1/2" diameter

Air Cleaner Element, $2-\frac{3}{8}$ " x 11- $\frac{1}{2}$ " diameter

97520

• KARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov



No. 66304



No. 66210





No. 66310



AIR CLEANERS & ACCESSORIES

LOW PROFILE AIR CLEANER 16" 0.D.

- 1-¾" dropped base to work on carbs with 7-5/16" diameter necks (4500 Series, Dominator, King Demon)
- · Filter element for harsh racing environments, including Dirt Tracks
- \bullet Works with 3-1/2", 4", 4-1/2" and 5" tall filter elements
- Thick .060" spun aluminum, can be polished, painted or powder coated
- Radiused air inlet for maximum air flow
- \bullet Will work with K&N® 16-1/8", 16-1/4" and 16-3/16" 0.D. air filter
- Improved filter element retaining lip on base

PART # DESCRIPTION

65920 16" Low Profile Air Cleaner with Dropped Bottom, 4" Element, for 4500 Series, Dominator, King Demon Carbs

PART # REPLACEMENT PART

97085 4" x 16" Air Cleaner Element





No. 65920

AIR CLEANER BASE GASKET, CHANNELED

11-1/2" and 8-1/2" Diameters

- Fits carburetors with 5-1/8" neck
- Designed for Moroso Air Cleaners and other brands with straight lip
- · Channel provides extra protection against dust and other harmful elements
- · Channel creates a maximum seal for carburetor airflow
- Made from Buna 70 durometer material
- · Can be used conventionally on rolled lip air cleaner bases by flipping over

PART # DESCRIPTION

97331 Air Cleaner Base Gasket, Channeled



REUSABLE FOAM FILTER SHIELD

- When dirt and clay oval tracks turn into "dust bowls", even the best racing air cleaners can become clogged with dirt and dust
- Made of open cell foam to keep large debris out of the filter element without restricting airflow
- Fits snugly around 14" x 5" racing filters
- Can be cleaned in the sink or even in the washing machine
- Excellent for off-road truck applications
- One per pack

PART # DESCRIPTION

65947 Reusable Foam Filter Shield, fits 14" x 5" Filters





<u>AIR CLEANERS & ACCESSORIES</u>

AIR CLEANER WING NUT

- · Can be used with any Moroso Air Cleaner
- They also match our extra long Valve Cover Wing Nuts to add a look of uniformity to engine compartment
- Made to fit only 1/4" -20 studs
- Fits most popular air cleaners
- One per pack

PART # DESCRIPTION

65820 Air Cleaner Wing Nut, Chrome Plated Steel

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov No. 65820

CARBURETOR AIR PAN KITS

- Available for either single or dual carb applications
- Unlike other brands, our Air Pan Kits are designed with a smooth radius at the intake area of the carburetor for improved airflow
- Air Pan-to-hood sealing ring is manufactured of fire retardant foam, for added protection
- All Air Pans measure 12" x 24" fire retardant foam measures $1-\frac{1}{2}$ " wide x 4" tall x 60" long

PART # DESCRIPTION

- 65951 Carburetor Air Pan Kit, Dual 4-bbl. Holley® 4500 Dominator Carburetors with 7-5/16" Neck
- 65960 Carburetor Air Pan Kit, Single 4-bbl. Holley® Carburetors with 5-1/3" Neck
- 65961 Carburetor Air Pan Kit, Single 4-bbl. Holley[®] 4500 Dominator Carburetors with 7-5/16" Neck
- PART # REPLACEMENT PART
- 97070 Sealing Foam, 4" x 60"



AIR CLEANER STUD ADAPTER

- Allows Moroso and other air cleaners with $1\!\!\!/4"$ stud and wing nut to be used on carburetors with a $5\!\!/\!_6"$ mounting hole
- One end of the adapter features a $5\!\!/_{16}$ " -18 male thread that screws into the carburetor, the other end features a $1\!/_4$ " -20 female thread that accepts a standard air cleaner mounting stud
- Clear zinc plating resists corrosion
- Overall length: %"
- One per pack

PART # DESCRIPTION

66390 Air Cleaner Stud Adapter, Fits: Holley[®] H.P. Series, DEMON and other Carburetors with 5/16"-18 Air Cleaner Mounting



I sing advanced gas dynamics and sophisticated noise cancellation acoustics, Moroso engineers have developed the finest and most durable Racing Mufflers for your Exhaust System. Specially engineered spiral baffles divide the exhaust flow into two separate paths, significantly reducing noise levels with minimal backpressure.

MOROSO SPIRAL FLOW RACING MUFFLERS

· Reduced noise levels with minimal backpressure Spiral baffles are specially • These mufflers offer a 5 - 7 db drop over open collectors and tuned for high velocity gas flow. the mufflers flow 850 C.F.M. PART # DESCRIPTION All-steel construction with continuous welds ensure 94050 Spiral Flow Racing Muffler, Heavy Duty leak-free sealing. Steel, 2-1/2" Inlet/Outlet 94051 Spiral Flow Racing Muffler, Heavy Duty 4" diameter: Steel, 3" Inlet/Outlet 12" installed length. 94052 Spiral Flow Racing Muffler, Heavy Duty Steel spiral design is Steel, 3-1/2" Inlet/Outlet less restrictive than glass-packed designs. Dual-path gas flow No. 94050 cancels noise with minimal hacknressure

HIGH FLOW POLISHED STAINLESS STEEL MUFFLERS

- Reduced noise levels with minimal back pressure
- Stainless steel construction makes them durable
- without compromising the looks
- PART # DESCRIPTION 940540 Muffler High Flow, Stainless Steel, 2-1/2" Inlet/Outlet
- 94055^o Muffler High Flow, Stainless Steel, 3" Inlet/Outlet
- 940560 Muffler High Flow, Stainless Steel, 3-1/2" Inlet/Outlet





OXYGEN SENSOR BUNGS

- Weld-in bung needed when replacing stock exhaust with aftermarket pipes, headers, etc., not equipped for sensor
- M-18 by 1.5 Thread Size

PART # DESCRIPTION

- 227300 Oxygen Sensor Bung, Mild Steel, Single
- Oxygen Sensor Bung, Mild Steel, 10 per pack **22731**↔
- Oxygen Sensor Bung, Stainless Steel, Single 227320
- 227330 Oxygen Sensor Bung, Stainless Steel, 10 per pack





• 🕂 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



PLUG, O2 SENSOR

- Used to plug Oxygen Sensor Bung
- M-18 by 1.5 Thread Size
- Plated steel to match stainless headers

PART # DESCRIPTION

22734o Plug, steel with 17mm hex head, M-18 thread size by 1.5 Thread Size

PART # ACCESSORIES

FANI#	AUUEJJUNIEJ
22730	Oxygen Sensor Bung, Mild Steel, Single
22731	Oxygen Sensor Bung, Mild Steel, 10 per pack
227320	Oxygen Sensor Bung, Stainless Steel, Single
227330	Oxygen Sensor Bung, Stainless Steel, 10 per pack





<u>EXHAUST SYSTEM EQUIPMENT</u>

HEADER FLANGE KIT

- Aluminum plates simplify the task of matching exhaust ports to large tube, dual flange headers on Small Block Chevy engines
- Only 3/8" thick to save weight
- · Includes six plates, enough for one engine

PART # DESCRIPTION

67650 Header Flange Kit, Small Block Chevy



HEAT BARRIER BLANKET

- ½" thick, 18" x 24" non-asbestos blanket can be easily cut to any shape with scissors, and wrapped around fuel lines, brake lines, dry sump lines, power steering lines, etc; withstands up to 2300°F
- May also be used on firewalls and floor boards to reduce in-car temperature
- Made from a silica-based formula that contains no asbestos

PART #DESCRIPTION80805•Heat Barrier Blanket

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

INSULATING HEADER WRAP

- Increases exhaust cycle efficiency
- Protects crew members from burns, and prevents starter wires and plug wires from coming into contact with hot header pipes
- Reduces engine compartment temperature
- Highly pliable for a nice, tight wrap
- · Made from a silica-based formula that contains no asbestos

PART # DESCRIPTION

- 80807. Insulating Header Wrap, 2" x 1/16" x 100' Roll
- 80808 Insulating Header Wrap, 2" x 1/16" x 50' Roll

80809. Insulating Header Wrap, 1" x ¹/₁₆" x 50' Roll

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov No. 80807

No. 80805

BAND CLAMP TIGHTENING TOOL

• Feed the clamp through the end of the tool into the "mouth" of tool, use a ⁵/₄" socket or wrench to wind in a circular pattern until the clamp is tight, turn further still, then the tool will snip the end of the clamp and then pull off

PART # DESCRIPTION

62284 Band Clamp Tightening Tool for Band or Boot Clamps

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



STUD GIRDLES | OIL DEFLECTOR


SINGLE BAR STUD GIRDLE FOR CHEVY V8

• Includes all nuts and hardware

PART # DESCRIPTION

- **67250** Stud Girdle, use with ⁷/₁₆" studs and roller rocker arms. *Fits: BBC, also fits aftermarket BBC heads with standard rocker arm stud location*
- PART # REPLACEMENT PARTS FOUR PER PACK
- 67100 U-Bolts, For Stud Girdle, SBC use No. 67050, 67070
- 67300 U-Bolt Assembly, use with No. 67250
- 67320 Slotted Head Adjusting Nuts, use with No. 67250 on Exhaust Studs

NOTE: All Stud Girdles require the use of tall valve covers



No. 67250

HEX HEAD MOROSO STUD GIRDLE ADJUSTING NUTS

- For use with Moroso Stud Girdles
- Hex head design allows easier valve adjustments with a set screw providing a positive lock
- Fits either stock or roller rockers
- Four per pack

PART # DESCRIPTION

FANT#	DESCRIPTION
67160	Hex Head Adjusting Nuts, fits 7/16" Rocker Studs,
	use with Nos. 67045 and 67205, also fits No. 67295 (Exhaust only)
67170*	Hex Head Adjusting Nuts, fits BBC Intakes,
	use with No. 67295

NOTE: Use SBC Hex Head Adjusting Nuts No. 67160 for BBC exhausts



No. 67160

VALVETRAIN OIL DEFLECTOR

- Redirects oil from pushrod to fulcrum balls, rockers and springs to provide maximum lubrication and cooling
- Extends life of stock valvetrain assembly
- Helps eliminate excessive oil accumulation in breather tank when vacuum pump is used
- Manufactured from lightweight .100" aluminum
- Mounts easily to stock rocker arm studs
- Includes mounting hardware
- · Can be easily adapted to many other applications

PART # DESCRIPTION

67700 Valvetrain Oil Deflector, must use with tall Valve Covers, Polylocks not included. *Fits: all SBC and Ford 289-302 engines with stamped rocker arms*



No. 67700

<u>ABOUT MOROSO VALVE COVERS</u>

If any Moroso Valve Covers are manufactured in the tall style. Taller covers may not fit some engine compartments. Power brake boosters and air conditioning boxes may interfere in some applications. Check hood clearance before ordering. Moroso stock height valve covers are recommended in cases where hood clearance and/or accessory clearance is a problem. However, any Moroso valve cover described as "stockheight" or with "built-in baffles" will not clear stud girdles or shaft rocker assemblies.

CHEVROLET SMALL BLOCK

SBC CHROME PLATED STEEL, NON BAFFLED VALVE COVERS

Fits: SBC Cylinder Heads

- 3-1/2" Tall
- Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68102*+• Valve Covers, Stamped Steel, Chrome Plated, Tall Design, without Baffles

PART # ACCESSORIES

- 68510 Valve Cover Hold Down Tabs, Steel, Chrome Plated
- 68561 Valve Cover Acorn Nuts, Chrome Plated
- 68610 Valve Cover Wing Nuts, Chrome Plated
- 68830 Bullet Nose Valve Cover Stud Kit
- 68831 Bullet Nose Valve Cover Stud Kit, 12 pt. nut



No. 68102

PART #REPLACEMENT PARTS68770PCV Grommet68772PCV Grommet with Baffle97340Breather/Filler Cap Grommets

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

SBC CHROME PLATED STEEL, BAFFLED VALVE COVERS

Fits: SBC Cylinder Heads

- 3-1/2" Tall
- Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68103*+• Valve Covers, Stamped Steel, Chrome Plated, Tall Design. Same as No. 68102 but with a baffle in the oil fill hole.

PART # ACCESSORIES

- 68510 Valve Cover Hold Down Tabs, Steel, Chrome Plated
- 68561 Valve Cover Acorn Nuts, Chrome Plated
- 68610 Valve Cover Wing Nuts, Chrome Plated
- 68830 Bullet Nose Valve Cover Stud Kit
- 68831 Bullet Nose Valve Cover Stud Kit, 12 pt. nut



No. 68103

PART # REPLACEMENT PARTS

68770 PCV Grommet68772 PCV Grommet with Baffle97340 Breather/Filler Cap Grommets

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

SBC CHROME PLATED STEEL, BAFFLED VALVE COVERS

PART #

68770 68772

97340

Fits: SBC Cylinder Heads

- Stock height
- Includes two breather grommets and one non-baffled PCV grommet

PART # DESCRIPTION

68392*+↔ Valve Covers, Stamped Steel, Chrome Plated, Stock Height, baffle in the oil fill hole, with Logo

PART # ACCESSORIES

- 68510 Valve Cover Hold Down Tabs, Steel, Chrome Plated
- 68561 Valve Cover Acorn Nuts, Chrome Plated
- 68610 Valve Cover Wing Nuts, Chrome Plated
- 68830 Bullet Nose Valve Cover Stud Kit
- 68831 Bullet Nose Valve Cover Stud Kit, 12 pt. nut

+NOTE: These covers will not clear stud girdles or shaft rocker assemblies.

*Not legal for sale or use on pollution-controlled vehicles.



• A WARNING Prop. 65
This product contains a chemical known
to the state of California to cause cancer.
birth defects, or reproductive harm-
www.P65Warnings.ca.gov

VALVE COVERS



REPLACEMENT PARTS

PCV Grommet with Baffle

Breather/Filler Cap Grommets

PCV Grommet

CHEVROLET SMALL BLOCK

SBC POWDERCOATED STEEL, NON BAFFLED VALVE COVERS

Fits: SBC Cylinder Heads

• 3-1/2" Tall

• Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet

			0	
PART # 68003* 68005* 68006*	DESCRIPTION Valve Covers, Stamped, Powder Coated-Black, Tall Valve Covers, Stamped, Powder Coated-Blue, Tall Valve Covers, Stamped, Powder Coated-Red, Tall D	Design	-	ALL ALL SU
PART # 68501 68505	ACCESSORIES Valve Cover Hold Down Tabs, Steel, Black Valve Cover Hold Down Tabs, Steel, Red			
68506 68561	Valve Cover Hold Down Tabs, Steel, Blue Valve Cover Acorn Nuts, Chrome Plated			No. 68005
68603 68604 68605 68830 68831	Valve Cover Wing Nuts, Black Valve Cover Wing Nuts, Blue Valve Cover Wing Nuts, Red Bullet Nose Valve Cover Stud Kit Bullet Nose Valve Cover Stud Kit, 12 pt. nut	PART # 68770 68772 97340	REPLACEMENT PARTS PCV Grommet PCV Grommet with Baffle Breather/Filler Cap Grommets	Other Colors Available:

SBC DIE-CAST ALUMINUM VALVE COVERS

Fits: SBC Cylinder Heads

- 3-1/2" Tall
- Includes two breather/filler cap grommets and one baffled and one non-baffled PCV grommet
- Mounting fasteners included

ing fasteners included		
DESCRIPTION Valve Covers, Die-Cast Aluminum, Polished Finish with Moroso logo, Tall Design	O INDINESD OF	
Valve Covers, Die-Cast Aluminum, Black Epoxy Finish with Moroso logo, Tall Design		lo. 68401
ACCESSORIES PCV Grommet, .095" PCV Grommet/Baffle, .095" Breather Grommet/Baffle, .095" Filler Cap Breather Grommet, .095" Stud Kit, V/C, Bullet Nose, 12 Pt. Nut		
REPLACEMENT PARTS PCV Grommet PCV Grommet with Baffle Studs, 1-¾" long Breather/Filler Cap Grommets No. 68411	No. 68405	
	DESCRIPTION Valve Covers, Die-Cast Aluminum, Polished Finish with Moroso logo, Tall Design Valve Covers, Die-Cast Aluminum, Polished Finish without Moroso logo, Tall Design Valve Covers, Die-Cast Aluminum, Black Epoxy Finish with Moroso logo, Tall Design ACCESSORIES PCV Grommet, .095" PCV Grommet/Baffle, .095" Breather Grommet/Baffle, .095" Stud Kit, V/C, Bullet Nose, 12 Pt. Nut REPLACEMENT PARTS PCV Grommet PCV Grommet with Baffle Studs, 1-34" long Breather/Filler Cap Grommets	DESCRIPTION Valve Covers, Die-Cast Aluminum, Polished Finish with Moroso logo, Tall Design Valve Covers, Die-Cast Aluminum, Polished Finish with Moroso logo, Tall Design Valve Covers, Die-Cast Aluminum, Black Epoxy Finish with Moroso logo, Tall Design ACCESSORIES PCV Grommet, .095" PCV Grommet/Baffle, .095" Friller Cap Breather Grommet, .095" Stud Kit, V/C, Bullet Nose, 12 Pt. Nut REPLACEMENT PARTS PCV Grommet PCV Grommet with Baffle Studs, 1-34" long Breather/Filler Cap Grommets

SBC DIE-CAST ALUMINUM, WITH BREATHER TUBES, VALVE COVERS

Fits: SBC Cylinder Heads

- 3-1/2" Tall without Breather
- Breather tubes are welded to the covers
- Comes with hooded breathers
- Mounting fasteners included
- PART # DESCRIPTION
- 68365*↔ Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes, 2-¾" apart, welded to the radiator end of the driver's side valve cover
- 68370[★]• Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes welded to one cover
- 68371*↔ Valve Covers, Filtered Breather Set, Black Epoxy finish with Moroso logo, Die-Cast Aluminum, Tall Design, two breather tubes welded to one cover
- 68374*
 Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum without Moroso logo, Tall Design, two breather tubes welded to one cover
- 68380*↔ Valve Covers, Filtered Breather Set, Polished Die-Cast Aluminum with Moroso logo, Tall Design, two breather tubes welded to each cover
- 68381*
 Valve Covers, Filtered Breather Set, Black Epoxy finish with Moroso logo, Die-Cast Aluminum, Tall Design, two breather tubes welded to each cover

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 97341 Filler Cap Breather Grommet, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut

PART # REPLACEMENT PARTS

- 68811↔ Filtered Breathers 180°
 68812↔ Hood Filtered Breathers (for early NO. 68370 with 1-½" 0.D. tubes)
 97020 Studs 1-¾" long
 - . tubes) No. 68381

• A WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harmwww.P65Warnings.ca.gov

SBC DIE-CAST ALUMINUM, WITH CROSSOVER BREATHER TUBE, VALVE COVERS

Fits: SBC Cylinder Heads

- 3-1/2" Tall without Breather
- Ideal for Sprint Cars and other Oval Track applications
- Includes crossover breather tube, two breathers with chrome plated hoods, hoses and clamps for a simple, bolt-on installation
- Mounting fasteners included

PART # DESCRIPTION

68385*↔ Valve Covers, Die-Cast Aluminum with Crossover Breather Tube, Polished Finish with Moroso logo, Tall Design

PART # REPLACEMENT PARTS

68811↔ Filtered Breathers 180° **97020** Studs, 1-¾" long • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





OMPROVIDEN

No. 68370

No. 68365

VALVE COVERS

CHEVROLET SMALL BLOCK

SBC FABRICATED ALUMINUM WITH RIGID RAIL VALVE COVERS

Fits: SBC Cylinder Heads including 18°, 23°, clears Jesel, T&D style Rocker Shaft Assemblies

- 4" Tall at peak
- Fabricated entirely from superior quality aluminum, ultra lightweight
- Tall enough to clear all popular rocker combinations
- Mounting is through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- Mounting fasteners included

PART #	DESCRIPTION
--------	-------------

68335* Valve Covers, Fabricated Aluminum, Rigid Rail fits all SBC cylinder heads

PART # **ACCESSORIES**

- PCV Grommet, .095" 68771
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 93020 or 93021 Perm Align V/C Gasket
- Filler Cap Breather Grommet, .095" 97341



No. 68335

PART # **REPLACEMENT PART** 97346 Washers, Stainless with Neoprene Seal

SBC FABRICATED ALUMINUM WITH BILLET RAIL VALVE COVERS

Fits: SBC Cylinder Heads including 18°, 23°, clears Jesel, T&D style Rocker Shaft Assemblies

- 3-1/2" Tall
- Fabricated from superior quality aluminum, ultra lightweight
- One-piece billet rail is machined to ensure a precision flat surface for superior sealing
- Tall enough to clear all popular rocker combinations
- Air-tight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for quick installation and removal
- Mounting fasteners included

PART # DESCRIPTION

- Valve Covers, Fabricated Aluminum, Logo 68326*
- 68328* Valve Covers, Fabricated Aluminum, Non Logoed

PART # ACCESSORIES

- 22754 Fitting Kit, -12AN Male, Non-Weld Baffled
- Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D. 68485
- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle. .095"
- 68776 Breather Grommet/Baffle, .095"
- Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish 68854o
- 93020 or 93021 Perm Align V/C Gasket
- Filler Cap Breather Grommet, .095" 97341



No. 68328

REPLACEMENT PART PART # 97035 Nuts. 12 Pt.

SBC 4.5 ROX BILLET ALUMINUM VALVE COVERS

Fits: SBC 4.5 Bore Space ROX cylinder heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 2-³/₄" Tall, clears Jesel style rockers
- Each valve cover is CNC machined from a billet aluminum bar
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for guick removal and installation
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

DESCRIPTION PART

68337 Valve Covers, SBC 4.5 ROX, Billet Aluminum







296

VALVE COVERS



WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

CHEVROLET SMALL BLOCK WITH OILERS

SBC FABRICATED ALUMINUM , BILLET RAIL WITH VALVE SPRING OILERS AND MULTIPLE OIL SUPPLY PORTS, VALVE COVERS

Fits: SBC 13 To 23 Deg. Cylinder Heads with the valves in the conventional location, Please Note: Fits best with T&D Rockers, will not fit with All Pro 270-7 cylinder heads

- 3-1/4" Tall
- Fabricated from superior quality aluminum welded to a one-piece billet rail that is machined to ensure a precision flat surface for superior sealing
- Tall enough to clear all popular rocker combinations
- Air-tight sealing allows the engine to pull greater vacuum for improved ring seal and power
- The spring oilers have removable/replaceable .025" jets
- Each spring oiler has multiple oil supply ports that the supplied -4AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications

PART # DESCRIPTION

68332 o* Valve Cover with Oilers, Fabricated Aluminum, Pair, SBC



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

SBC 2 PIECE BILLET ALUMINUM, WITH VALVE SPRING OILERS AND MULTIPLE OIL SUPPLY PORTS, VALVE COVERS

Fits: SBC 13 To 23 Deg. Cylinder Heads with the valves in the conventional location Please Note: Fits best with T&D Rockers, will not fit with All Pro 270-7 cylinder heads

- 2-¾" Tall, Valve Cover and Oiler Rail
- Billet Aluminum SBC 13 to 23 Deg. Cylinder Head 2 Piece valve covers with valve spring oilers built in to the lower rail. The lower rail bolts to the head with the supplied hardware and the upper portion is removable with an o-ring seal
- Allows you to inspect/maintain valvetrain without spilling oil all over the headers by having to remove the entire cover
- The spring oilers have .025" dia. removable jets
- Each spring oiler has multiple oil supply ports that the supplied -4 AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications
- A single 2 Piece valve cover with valve spring oiler rail, fittings and hardware weights 3.10 lbs
- Anodized finish

No. 68051

- PART #
 DESCRIPTION

 68051 ···
 Valve Covers, SBC 2 Piece Billet Aluminum with oilers
- PART # AVAILABLE OPTION
- 68825 Spring Oiler Jet, .015 Dia. Jets, 16 per pack

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



CHEVROLET SMALL BLOCK

SBC VALVE COVER SPACER WITH SPRING OILING RAILS

Fits: Small Block Chevy

- Billet aluminum rail sandwiches between the cylinder head and stamped, cast, fabricated and billet SBC valve covers
- The spring oilers have removable/replaceable .025" jets
- Each spring oiler has multiple oil supply ports that the supplied -4AN male fittings or plugs can be screwed into
- Having multiple oil supply ports makes plumbing routing easier in Sprint Cars, Dirt Late Models and other applications

PART # DESCRIPTION

68330 Valve Cover Spacer with Spring Oiling Rails, Pair, SBC



SBC SPRINT CAR STYLE BILLET ALUMINUM VALVE COVERS

Fits: SBC, 13 To 23 Degree cylinder heads with the valves in the conventional location

- 2-¾" Tall at the peak
- · Each valve cover is CNC machined from a billet aluminum bar
- The end result is that each valve cover weighs 1.69 lbs without sacrificing strength
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- · Black anodized finish
- Designed for Sprint Cars but works in other applications that require strong lightweight valve covers

PART # DESCRIPTION

68050* Valve Covers, Billet Aluminum, SBC Fits: 13 To 23 Deg. Cylinder Heads, Billet, Black Anodized Finish


PART # ACCESSORIES

68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut

93020 Perm Align V/C Gasket

93021 Perm Align V/C Gasket





SBC FABRICATED ALUMINUM WITH BILLET RAIL VALVE COVERS

Fits: SBC center bolt Cylinder Heads

- 4" Tall
- Fabricated entirely from superior quality aluminum, ultra-lightweight
- Tall enough to clear all popular rocker combinations
- Mounting is through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- One-piece billet aluminum rail is CNC machined to ensure a precision flat surface for superior sealing
- Mounting fasteners included
- Use 0.E.M. or aftermarket gaskets

PART # DESCRIPTION

- 68025* Valve Covers, Fabricated Aluminum, Logo
- 68028* Valve Covers, Fabricated Aluminum, Non Logoed
- 68026*↔ Valve Covers, Fabricated Aluminum, Logo, two breather tubes welded to driver side cover with Filtered Breather

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 97341 Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PARTS

68811↔ Filtered Breathers 180° Hood97345↔ Washers, Stainless with Neoprene Seal

• MARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68028





VALVE COVERS

GM LS SERIES

GM LS SERIES, BILLET ALUMINUM VALVE COVERS

Fits: GM LS Series Stock and Aftermarket Cylinder Heads

- Available 2-1/2" or 1-1/2" Tall
- Each valve cover is CNC machined from a solid billet aluminum bar
- Available in 4 different versions:
- 2-1/2" tall to clear most aftermarket valve trains without coil mounts
- 2-½" tall to clear most aftermarket valve trains with integral coil pack mounts that accept LS2, LS3, LS7 & L98 style coils
- 1-1/2" tall to clear most engine accessories without coil mounts
- 1-½" tall to clear most engine accessories with integral coil pack mounts that accept LS2, LS3, LS7 & L98 style coils
- Cylinder head mounting area has an O-ring groove that accepts Moroso No. 93025 or GM gasket
- One cover features a oil fill with a CNC machined cap with O-ring
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look
- Includes mounting hardware

PART # DESCRIPTION

68470* Valve Covers, Billet Alum., GM LS Series, 2-1/2" tall with O.E.M. coil mounts 68471* Valve Covers, Billet Alum., GM LS Series, 2-1/2" tall w.o. O.E.M. coil mounts 68472* Valve Covers, Billet Alum., GM LS Series, 1-1/2" tall with O.E.M. coil mounts

68473* Valve Covers, Billet Alum., GM LS Series, 1-1/2" tall w.o. O.E.M. coil mounts

PART # ACCESSORIES

- 68841*o Breather Kit for Moroso GM LS Valve Cover
- 68848 Breather Kit for Moroso Valve Covers. Breather has a Black Finish
- 68856 Fitting Kit, -12AN for Moroso GM LS Valve Cover
- **73845**↔ Wire Set, Ultra 40, Sleeved in Black, for Moroso Part Nos. 68471 and 68473 without 0.E.M. coil mounts

738460 Wire Set, Ultra 40, Sleeved in Black, for Moroso Part Nos, 68488, 68470, 68472 and 68493 with 0.E.M. coil mounts

93025 Valve Cover Gasket, GM LS Series

COIL MOUNT BRACKET KIT, GM LS SERIES FOR MOROSO 68471/68473 VALVE COVERS

- These Coil Brackets can used to relocate LS Coils between the top of the valve cover and the intake
- . Designed to be used with Moroso valve covers but can be drilled to be used with other valve covers or to remote mount coils in a different location
- Two versions available: One for LS1/LS6 Coils & the Second for LS2, LS3, LS7, L92, L99 Coils
- When used with Moroso valve covers, the valve cover can be removed and installed without disturbing the coils or brackets
- Kit includes black anodized aluminum brackets and metric hardware, one kit does one LS engine

PART # DESCRIPTION

72397 Coil Mount Bracket, GM LS Series for 68471/68473, LS1, LS6 Coils

72398 Coil Mount Bracket, GM LS Series for 68471/68473, LS2, LS3, LS7, L92, L99 Coils

GM LS SERIES, BILLET ALUMINUM, COIL PACK MOUNTS, **OIL FILL EACH COVER, VALVE COVERS**

Fits: GM LS Series Stock and Aftermarket Cylinder Heads

- 2-1/2" Tall
- Can be used on 2013-Up COPO Camaro's* and other applications
- The integral coil pack mounts accept LS2, LS3, LS7 & L98 style coils
- · Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has an o-ring groove that accepts Moroso No.93025 or GM gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends, includes mounting hardware
- · Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68488* Billet Aluminum Valve Covers, Coil Mounts, **Oil Fills, GM LS Series**

* Use Moroso No. 68844 to adapt COPO breather to valve cover

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov




No. 68471



No. 68472







No. 72397

PART # ACCESSORIES 68841o

68844

93025

No. 68488

No. 72398

Breather Kit for Moroso GM LS Valve Cover Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes Valve Cover Gasket, GM LS Series

*Not legal for sale or use on pollution-controlled vehicles.

WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-

www.P65Warnings.ca.gov

VALVE COVERS

GM LS SERIES

GM LS BILLET ALUMINUM, WITH AEM/HOLLEY/SMART COIL MOUNTS VALVE COVERS

Fits GM LS Series stock and aftermarket cylinder heads

- 2-½" tall to clear most aftermarket valvetrains
- Each cover features a port that a Moroso Part No. 68857 breather or COPO breather snaps into, can then be unsnapped to use an oil fill
- The integral coil pack mounts accept AEM, Holley and other "Smart" style coils
- · Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has an 0-ring groove that accepts Moroso Part No. 93025 or GM#12612045 O-ring
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look
- Includes mounting hardware



No. 68476 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm-

PART # 68476*	DESCRIPTION Valve Covers, Billet Aluminum, AEM, Holley and other Smart coil mounts, GM LS Series	PART # 68848 68856 73732	ACCESSORIES www.roswarnings.ca.gov Breather Kit for Moroso Valve Covers, Breather has a Black Finish Fitting Kit, -12AN for Moroso GM LS Valve Cover Wire Set, Ultra 40, Unsleeved in Black,
PART # 68841*0 68844	ACCESSORIES Breather Kit for Moroso GM LS Valve Cover Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Valve Cover Fill Holes	73849 93025	for Moroso Part No. 68476 Valve Covers Wire Set, Ultra 40, Sleeved In Black, for Moroso Part No. 68476 Valve Covers Valve Cover Gasket, GM LS Series

VALVE COVER ADAPTER, ADAPTS GM COPO BREATHERS INTO MOROSO BILLET ALUMINUM VALVE COVER FILL HOLES

- Allows 2013-Up COPO Camaro valve cover breather assemblies to be screwed into a Moroso GM LS billet aluminum valve cover oil fill hole
- Adapter is machined out of billet aluminum and features an o-ring for sealing

DESCRIPTION PART

68844 Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes



GM LS SERIES, BILLET ALUMINUM,COIL PACK MOUNTS, ACCEPTS COPO STYLE BREATHERS, VALVE COVERS

Fits: GM LS Series Stock and Aftermarket Cylinder Heads

- 2-1/2" tall
- Each cover features a port that a Moroso Part No. 68857 breather or COPO breather snaps into, can then be unsnapped to use an oil fill
- The integral coil pack mounts accept LS2, LS3, LS7 & L98 style coils
- Each valve cover is CNC machined from a billet aluminum bar
- Cylinder head mounting area has a groove that accepts Moroso Part No. 93025 or GM#12612045 gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look
- Includes mounting hardware

PART# DESCRIPTION

68493* Valve Covers. Billet Aluminum. for COPO Breathers, GM LS Series



No. 68493

ACCESSORIES

PART # 68857 V/C Breathers, replacement for GM COPO, 2 pack 93025 Valve Cover Gasket, GM LS Series

V/C BREATHERS, REPLACEMENT FOR GM COPO, 2 PACK

- Replaces damaged COPO Breathers, a good addition to back up engines or for new builds where the goal to is breath the engine the same way as the COPO cars
- Breather screws on to factory COPO breather covers or Moroso Part No. 68493 valve covers that accept COPO breathers
- Breather's fitting accepts a 5/8" hose

PART# DESCRIPTION

68857 V/C Breathers, replacement for GM COPO, 2 pack



*Not legal for sale or use on pollution-controlled vehicles.



GM LS. GM LTI | L86

V/C ADAPTER, GM LS TO SBC V/C, PAIR

- Adapts cast or stamped Small Block Chevy valve covers to GM LS Series stock and aftermarket cylinder heads
- This billet aluminum adapter matches the contour of a typical Small Block Chevy valve cover
- Adapter has an encapsulated 0-ring on the side that mounts to the LS cylinder head and is designed to take a traditional Small Block Chevy valve cover gasket such as Moroso Part No. 93020 between the adapter and the valve cover
- Adapters are $\frac{5}{8}$ " thick and are machined and gualified, has no through holes which can cause leakage

DESCRIPTION PART#

68995 Valve Cover Adapter, GM LS To SBC Valve Cover, Pair

GM LTI/LT4/L86 BILLET ALUMINUM, WITHOUT COIL MOUNTS, VALVE COVERS

Fits: GM LTI/LT4/L86 6.2L Cvlinder Heads

1-1/2" Tall

- Valve covers are designed for the coils to be mounted remotely
- Each valve cover is CNC machined from a solid billet aluminum bar
- Cylinder head mounting area has an O-ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket
- 688 Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look

DESCRIPTION PART

68480* Valve Covers, Billet Aluminum, GM LTI/LT4/L86 without Coil Mounts

• \Lambda WARNING Prop. 65
This product contains a chemical known
to the state of California to cause cancer,
birth defects, or reproductive harm-
www.P65Warnings.ca.gov

. ۲ 111///



ACCESSORIES

754	Fitting Kit, -12AN Male, Non-Weld Baffled
832	Valve Cover Mounting Hardware Kit for GM LT
	Billet Valve Covers
485	Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads,
	1.5" O.D
854 ⇔	Valve Cover Breather Kit, Non-Weld,
	1" Breather, Chrome Finish
855	Valve Cover Breather Kit, Non-Weld,
	1" Breather, Black Finish

GM LTI/LT4/L86 BILLET ALUMINUM, WITH FACTORY COIL MOUNTS AND OIL FILL, VALVE COVERS

Fits: Bolt-On Replacement for Corvette/Camaro and other applications with LTI/LT4/L86 Cylinder Heads

- 1-1/2" Tall
- Each valve cover is CNC machined from a billet aluminum bar
- Have integral coil pack mounts that accept OEM & LS2, LS3, LS7 & L98 style coils
- Both valve covers have ports to tie into the factory PCV lines
- · One valve cover features an oil fill with a CNC machined cap with O-ring and a mounting tab for the factory dipstick tube
- Cylinder head mounting area has an o-ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket

PART# DESCRIPTION

68494* Valve Covers, Billet Aluminum, GM LTI/LT4/L86, Corvette/Camaro

No. 68494

- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look

PART # ACCESSORIES 738480 Wire Set, Ultra 40, Sleeved In Black, for Moroso Part No. 68494

68832 Valve Cover Hardware Kit for GM LT Billet

GM LTI/LT4/L86 BILLET ALUMINUM, WITH OIL FILL, VALVE COVERS Fits: GM LTI/LT4/L86 Cylinder Heads

• A WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer,

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

- 1-1/2" tall to clear most engine accessories and aftermarket valve train assemblies
- Each valve cover is CNC machined from a billet aluminum bar
- One valve cover features a oil fill with a CNC machined cap with O-ring
- Each valve cover has mounting holes near the intake that can be used to mount Moroso Nos. 72397 or 72398 Coil Mount Brackets
- Cylinder head mounting area has an O-ring groove that accepts GM#12619787 Valve Cover O-Ring Gasket
- Even though these valve covers are light in weight, they are thick enough for the engine builder to be able to add fittings at the top and ends
- Can be polished, chromed, powder coated or left as-is for a race look

PART# DESCRIPTION

68495* Valve Covers, Billet Aluminum, GM LTI/LT4/L86, with Oil Fill

*Not legal for sale or use on pollution-controlled vehicles.



No. 68495 PART # ACCESSORIES 68832

Valve Cover Mounting Hardware Kit for GM LT Billet Valve Covers











684 688

688

PART # 22

No. 68995

BBC CHROME PLATED STEEL, BAFFLED & UNBAFFLED,VALVE COVERS

Fits: BBC Cylinder Heads

- 3-1/2" Tall
- Includes two breather/filler cap grommets, one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

- 68112*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design without Baffle
- 68113*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design with built-in Baffle
- PART # ACCESSORIES
- 68770 PCV Grommet
- 68772 PCV Grommet with Baffle
 93040 Perm Align V/C Gasket
 97340 Breather/Filler Cap Grommets
- WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68113

NOTE: No. 68113 will not clear stud girdles or shaft rocker arm assemblies.

BBC CAST ALUMINUM VALVE COVERS

Fits: BBC Cylinder Heads

• 3-1/2" Tall

 Includes two breather/filler cap grommets, one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

- 68425* Valve Covers, Die-Cast Aluminum Polished Finish without Moroso logo, Tall Design
- 68429* Valve Covers, Cast Aluminum, Big Block Chevy Black Wrinkle Finish

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 68562 Valve Cover, Acorn Nuts for BBC
- 93040 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PARTS

- 68770 PCV Grommet
- **68772** PCV Grommet with Baffle
- 97340 Breather/Filler Cap Grommets



No. 68425



BBC CAST ALUMINUM, FIBER DESIGN, VALVE COVERS

Fits: BBC Cylinder Heads

- 3-1/2" Tall
- Extra tall design clears most stud girdles and rocker combinations
- Includes one baffled and one non-baffled PVC grommets

PART # DESCRIPTION

68426* Cast Aluminum Valve Covers, Gray/Black Fiber Design

PART # ACCESSORIES

68562 Valve Covers, Acorn Nuts for BBC 93040 Perm Align V/C Gasket



BBC CAST ALUMINUM RIBBED VALVE COVERS

Fits: BBC Cylinder Heads

- 3-1/2" Tall
- Constructed out of cast aluminum with a MOROSO Logo.
- Includes two breather/filler cap grommets, one baffled and one non-baffled PCV grommet
- · Includes mounting hardware

PART # DESCRIPTION

- 68420* Valve Covers, Ribbed, Cast Aluminum, Big Block Chevy with a Polished Finish
- 68432* Valve Covers, Ribbed, Cast Aluminum, Big Block Chevy with a Black Powder Coat Finish

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 68562 Valve Cover, Acorn Nuts for BBC
- 93040 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"

PART # REPLACEMENT PARTS

68770 PCV Grommet

- 68772 PCV Grommet with Baffle
- 97340 Breather/Filler Cap Grommets





BBC FABRICATED ALUMINUM, RIGID RAIL VALVE COVERS

Fits: BBC Cylinder Heads including Bowtie Heads Part No. 10051128

- 3-1/2" Tall to clear all rocker combinations
- Fabricated entirely from superior quality aluminum, ultra-lightweight
- Fasteners are included with each set and mount through tubes welded directly to the valve covers to help maintain gasket-rail flatness and to prevent leaks
- Call our Technical Services Department for custom applications not listed below

PART # DESCRIPTION

68333* Valve Covers, Fabricated Aluminum, 3-½" Tall, Rigid Rail, Weight: 3.5 lbs. each

*Not legal for sale or use on pollution-controlled vehicles.



PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
93040	Perm Align V/C Gasket
97341	Filler Cap Breather Grommet, .095"
PART #	REPLACEMENT PARTS
97345	Washers, Stainless with Neoprene Seal

BBC FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: BBC & Aftermarket Cylinder Heads with stock BBC bolt pattern, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall, clears Jesel style rockers & allows for greater hood clearance
- 3/8" billet rail CNC machined
- Steel inserts pressed into all mounting holes to eliminate galling after removal and installation
- · CNC machined after welding to ensure airtight sealing
- Mating of billet rail to valve cover is done with a smooth transition on exhaust side to eliminate trapped oil
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Will not clear stud girdles

PART # DESCRIPTION

- 68345* Valve Covers, Fabricated Aluminum, 3" Tall, Logo
- 68353* Valve Covers, Fabricated Aluminum, 3" Tall, Non Logoed
- 68356* Valve Covers, Fabricated Aluminum, 3" Tall, Logo, Installed with Part No. 22635 –12AN Pos Seal Fitting (included)

PART # ACCESSORIES

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
- 93040 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet, .095"



No. 68345



No. 68353



No. 68356

BBC FABRICATED ALUMINUM, BILLET RAIL MARINE, DIRT LATE MODEL VALVE COVERS

Fits: BBC, symmetrical-port Bowtie Cylinder Heads and Stock BBC Heads, clears Jesel, T&D style Rocker Shaft Assembly

•3-1/2" Tall, clears Jesel style rockers

- 3/8" billet rail CNC machined
- Steel inserts pressed into all mounting holes to eliminate galling after removal and installation
- · CNC machined after welding to ensure airtight sealing
- Mating of billet rail to valve cover is done with a smooth transition on exhaust side to eliminate trapped oil
- Notched at each mounting location with socket-sized clearances for guick removal and installation
- Will not clear stud girdles

PART # DESCRIPTION

68350* Valve Covers, Fabricated Aluminum, Billet Rail, swept back design engineered to clear most marine wet manifolds, Dirt Late Chassis



No. 68350

PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
93040	Perm Align V/C Gasket
97341	Filler Cap Breather Grommet, .095"

BBC FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: BBC & Aftermarket Cylinder Heads with stock BBC bolt pattern, clears Jesel, T&D style Rocker Shaft Assemblies

- Available 3" or 3-7/8" Tall
- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look
- 3" TALL, FOR GREATER HOOD CLEARANCE

PART # DESCRIPTION

68457*	Valve Covers, Fabricated Aluminum,
	pockets on both exhaust and intake sides, Logo
68479*	Valve Covers, Fabricated Aluminum,
	pockets on both exhaust and intake sides, Non Logoed
68458*	Valve Covers, Fabricated Aluminum,

- tubes on intake side and pockets on exhaust side, Logo68481* Valve Covers, Fabricated Aluminum,
 - tubes on intake side and pockets on exhaust side, Non Logoed

3-7/8" TALL

PART # DESCRIPTION

68459*	Valve Covers, Fabricated Aluminum,
	pockets on both exhaust and intake side, Logo
68482*	Valve Covers, Fabricated Aluminum,
	pockets on both exhaust and intake side, No Logo
68460*	Valve Covers, Fabricated Aluminum,
	tubes on intake side and pockets on exhaust side, Logo
68486*	Valve Covers, Fabricated Aluminum,
	tubes on intake side and pockets on exhaust side, No Logo
PART #	ACCESSORIES
60771	DCV Crommat ODE"

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- **68776** Breather Grommet/Baffle, .095"
- **68831** Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
- 93040 Perm Align V/C Gasket
- 97035 Nuts, 12 Pt
- 97341 Filler Cap Breather Grommet, .095"







No. 68460

*Not legal for sale or use on pollution-controlled vehicles.



No. 68457



No. 68479



No. 68458



No. 68481



No. 68482



No. 68486

BBC BILLET ALUMINUM, VALVE COVERS

Fits: BBC, symmetrical-port Bowtie Cylinder Heads and Stock BBC Heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall, clears Jesel style rockers & allows for greater hood clearance
- Each valve cover is CNC machined from a solid billet aluminum bar
- The end result is that each valve cover weighs 3.9 lbs with out sacrificing strength
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed,

powder coated or left as-is for a race look

PART # ACCESSORIES

PART # DESCRIPTION 68469* Valve Covers, BBC Fits symmetrical-port Bowtie and Stock BBC heads 22754 Fitting Kit, -12AN Male, Non-Weld Baffled
68485 Fill Cap Kit, Non-Weld, 1-¼"-12UNF Threads, 1.5" 0.D
68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
68854• Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish

68855 Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish93040 Perm Alian V/C Gasket

AFTERMARKET HEADS

DART BIG CHIEF II FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: Dart Big Chief II, 11 Degree and 14 Degree Cylinder Heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall
- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision, flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION 68463* Valve Covers, Fabricate Dart Big Chief II, 11 De Style Cylinder Heads	····,	PART # 22754 68485 68831 68854 68855 93045	ACCESSORIES Fitting Kit, -12AN Male, Non-Weld Baffled Fill Cap Kit, Non-Weld, 1-¼"-12UNF Threads, 1.5" 0.D Stud Kit, V/C, Bullet Nose, 12 Pt. Nut Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish Perm Align V/C Gasket

BRODIX PB2005, PB1200,1202 AND SONNY 14.5 CYLINDER HEADS FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: Brodix PB2005, Brodix PB1200, Brodix 1202 and Sonny 14.5 Cylinder Heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall
- Fabricated entirely from superior quality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure a precision, flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look
- Studs not included

PART # DESCRIPTION

68455* Valve Covers, Fabricated Aluminum, Billet Rail



No. 68455



*Not legal for sale or use on pollution-controlled vehicles.



No. 68463

VALVE COVERS



No. 68469

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

AFTERMARKET HEADS

DART BIG CHIEF, BRODIX BIG CHIEF AND BIG DUKE FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: BBC with Dart Big Chief and Brodix Big Duke Style Cylinder Heads. Does not fit Dart Big Chief II, 11 Deg. Cylinder Heads. Clears Jesel and T&D style Rocker Shaft Assemblies

- 3" Tall
- Fabricated entirely from superior guality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure
- a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power to the state of California to cause cancer,
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look
- Studs not included

PART # DESCRIPTION

68456* Valve Covers, Fabricated Aluminum, pockets on intake and exhaust side



WARNING Prop. 65 This product contains a chemical known birth defects, or reproductive harmwww.P65Warnings.ca.gov

PART #	ACCESSORIES
22754	Fitting Kit, -12AN Male, Non-Weld Baffled
68485	Fill Cap Kit, Non-Weld, 1-¼"-12UNF Threads, 1.5" 0.D
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
68854 0	Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish
68855	Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish
93045	Perm Align V/C Gasket

BRODIX PB-5000 CYLINDER HEAD, FABRICATED ALUMINUM WITH A BILLET RAIL, VALVE COVERS

Fits: Brodix PB-5000 Cylinder Heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall
- Fabricated entirely from superior guality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

PART #	DESCRIPTION	
68462	Valve Cover, Fab. Alu	m.,
	Billet Rail for Brodix	PB-5000
	Cylinder Heads	
	2	This product contains a che
		to the state of California to
		birth defects, or reproduc
		www.P65Warnings.c

684 688 rop. 65 688 emical known cause cancer. 688 ctive harm ca.gov





No. 68462

PART #	ACCESSORIES
22754	Fitting Kit, -12AN Male, Non-Weld Baffled
68485	Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
68854 0	Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish
68855	Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish

BRODIX DN9 CYLINDER HEAD VALVE COVERS. FABRICATED ALUMINUM WITH BILLET RAIL

Fits: Brodix DN9 Cylinder Heads, clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall
- Pockets on the exhaust side, tubes on the intake side
- Fabricated entirely from superior quality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

DESCRIPTION PART

68454 Valve Cover, Fab. Alum., Billet Rail for Brod DN9 Cylinder Heads, pockets on the exhau

> . /!\ WARNING Pro This product contains a cher to the state of California to ca birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68454

	PART #	ACCESSORIES
dix	22754	Fitting Kit, -12AN Male, Non-Weld Baffled
ust side	68485	Fill Cap Kit, Non-Weld, 1-¼"-12UNF Threads, 1.5" O.D
op. 65	68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
mical known	68854 ↔	Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish
ause cancer,	68855	Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish

BRODIX SR20/DART PRO1 20 DEG. FABRICATED ALUMINUM,

AFTERMARKET HEADS

BILLET RAIL VALVE COVERS Fits: Brodix SR20/Dart Pro1 20 Deg. Cylinder Heads,

clears Jesel, T&D style Rocker Shaft Assemblies

- 3" Tall
- Fabricated entirely from superior guality aluminum, ultra lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition. eliminating trapped oil and spills when removing the cover
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

- 68483* Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 Cylinder Heads, tubes on intake side and pockets on exhaust side, non logoed
- 68484* Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 Cylinder Heads, tapered on exhaust side to clear Dirt Late chassis, Moroso Logo
- 68487* Valve Cover, Fab. Alum., Billet Rail for Brodix SR20/Dart Pro1 20 degree Cylinder Heads, pockets on both intake and exhaust side, non logoed
- 68489 Valve Cover, Fabricated Aluminum, Billet Rail for Brodix SR20/Dart Pro1 20 Degree Cylinder Heads, pockets on both intake and exhaust side, Moroso Logo

PART # ACCESSORIES

- 22754 Fitting Kit, -12AN Male, Non-Weld Baffled
- 68485 Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D
- 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
- Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish 68854o
- Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish 68855



No. 68483



No. 68484



No. 68487



No. 68489



Fits: S.B. Chrysler, 273, 318, 340, 360 and W2 Heads

- 3-3/8" Tall
- Includes two breather/filler cap grommets

PART # DESCRIPTION

68161*• Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles

PART # ACCESSORIES

93050 Perm Align V/C Gasket

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

1111

No. 68161

97340

PART # REPLACEMENT PARTS Breather/Filler Cap Grommets

S.B. CHRYSLER FABRICATED ALUMINUM. BILLET RAIL VALVE COVERS

Fits: S.B. Chrysler, 273, 318, 340, 360 and W2 Heads

- 3-3/4" Tall
- Fabricated entirely from one-piece superior quality aluminum, ultra-lightweight
- · One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- · Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look Fasteners Included

PART # DESCRIPTION

68310* Valve Covers, Fabricated Aluminum, Billet Rail

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harm www.P65Warnings.ca.gov



PART #	ACCESSORIES
22754	Fitting Kit, -12AN Male, Non-Weld Baffled
68485	Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads,
	1.5" O.D
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
68831	Stud Kit, V/C, Bullet Nose, 12 Pt. Nut
68854 0	Valve Cover Breather Kit, Non-Weld,
	1" Breather, Chrome Finish
68855	Valve Cover Breather Kit, Non-Weld,
	1" Breather, Black Finish
93050	Perm Align V/C Gasket
97341	Filler Cap Breather Grommet, .095"
PART #	REPLACEMENT PART
97035	Nuts, 12 Pt.

*Not legal for sale or use on pollution-controlled vehicles.

VALVE COVERS

• A WARNING Prop. 65

CHRYSLER 273-360

CHRYSLER 5.7 | 6.1 | 6.4 | HEMI

CHRYSLER 5.7/6.1/6.2/6.4 HEMI BILLET ALUMINUM VALVE COVERS

Fits: Chrysler 5.7/6.1/6.2/6.4 Hemi

- 2.05" Tall
- Make your Hemi engine look like it deserves the Hemi name
- Each 4 lb. valve cover is CNC machined from a 34 lb. solid billet aluminum bar
- Fits both early and late 5.7, 6.1, 6.2 and 6.4 heads
- Must use 2006-up 5.7, 6.1, 6.2 or 6.4 coil packs
- The end result is a lightweight, strong cover that has a precision flat surface for superior sealing
- Covers are designed to work with stock coil packs, gaskets and fasteners
- Taller for aftermarket valve train assemblies
- · Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Available in two finishes; raw machined billet finish or black anodized finish with machined ribs
- Use MOPAR V/C gasket Part No. 5114179AB

PART # DESCRIPTION

- 68467* Valve Covers, Billet Aluminum, Raw Machined Billet Finish
- 68468* Valve Covers, Billet Aluminum, Anodized Black with machined ribs



No. 68467



No. 68468



B.B. CHRYSLER CHROME PLATED STEEL, BAFFLED, VALVE COVERS

Fits: B.B. Chrysler, 361, 383, 400, 413, 426 wedge and 440

- 3-3/8" Tall
- · Includes two breather/filler cap grommets

PART # DESCRIPTION

68181*↔ Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles

PART # ACCESSORIES

93055 Perm Align V/C Gasket

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68181

PART #REPLACEMENT PARTS97340Breather/Filler Cap Grommets



S.B. FORD CHROME PLATED STEEL,

VALVE COVERS

Fits: Ford 221-302 & 351W

- 3-1/2" Tall
- Includes two breather/filler cap grommets and one non-baffled PCV grommet

PART # DESCRIPTION

- 68201*↔ Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles under openings, Moroso Logo
- 68202*↔ Stamped Steel Valve Covers, Chrome Plated, Tall Design without Baffles, Moroso Logo
- 68210*
 Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffles, no logo

PART # ACCESSORIES

- 68770 PCV Grommet
- 97340 Breather/Filler Cap Grommets
- 93060 Perm Align V/C Gasket

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







S.B. FORD POLISHED CAST ALUMINUM, **VALVE COVERS**

Fits: Ford 221-302 & 351W

- 3-1/2" Tall
- Brilliant hand polished finish
- · Die-casting process is far more precise and results in a blemish-free surface without porosity
- Extra tall design clears most stud girdles and rocker combinations
- Inside cover is pilot notched, making it easy to cut out
- openings for a PCV Valve, breather, or oil filler cap; includes grommets

PART # DESCRIPTION

68450* Valve Covers, Die-Cast Aluminum Ford 221, 260, 289, 302 (5.0L) & 351W



No. 68450

PART #	ACCESSORIES
68771	PCV Grommet, .095"
68773	PCV Grommet/Baffle, .095"
68776	Breather Grommet/Baffle, .095"
93060	Perm Align V/C Gasket
97341	Filler Cap Breather Grommet095"

S.B. FORD FABRICATED ALUMINUM, BILLET RAIL, VALVE COVERS

22754

68485

68831

68854↔

68855

93060

Fits: Ford 302/351W stock and Aftermarket Cylinder Heads, Clears most popular rocker combinations including Jesel & T&D Shaft rockers

- 2-3/4" Tall
- Replaces Moroso No. 68325
- Fabricated entirely from superior guality aluminum, ultra-lightweight
- One piece billet rail is CNC machined to ensure a precision flat surface for superior sealing

Ford 302/351W with Billet Rail

- · Airtight sealing allows the engine to puller greater vacuum for improved ring seal and power
- Notched at each mounting location with socket-sized clearances for quick removal and installation
- Fasteners included

DESCRIPTION

Valve Covers,

PART #

68475*

· / WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov Fabricated Aluminum,



PART # ACCESSORIES

Fitting Kit, -12AN Male, Non-Weld Baffled Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D Stud Kit, V/C. Bullet Nose, 12 Pt. Nut Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish Perm Align V/C Gasket

S.B. FORD BILLET ALUMINUM, VALVE COVERS

Fits: Ford 302/351W stock and Aftermarket Cylinder Heads, Clears most popular rocker combinations including Jesel & T&D Shaft rockers

- 2-7/8" Tall
- Each valve cover is CNC machined from a solid billet aluminum bar
- Precision flat mounting rail surface for airtight sealing allowing the engine to pull greater vacuum for ring seal and power
- Even though these valve covers are light in weight. they are thick enough for the engine builder to be able to add fittings at the top and ends
- Includes oil fill cap, Moroso No. 68485
- Can be polished, chromed, powder coated or left as-is for a race look

PART # DESCRIPTION

68474* Valve Covers. Billet Aluminum. Ford 302/351W



ACCESSORIES PART # 22754

Fitting Kit, -12AN Male, Non-Weld Baffled 68485 Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D 68831 Stud Kit, V/C, Bullet Nose, 12 Pt. Nut 68854o Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish 68855 Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish 93060 Perm Align V/C Gasket

No. 68474

*Not legal for sale or use on pollution-controlled vehicles.

FORD 4.6. 5.4

FORD 4.6 & 5.4 3V ENGINES FABRICATED ALUMINUM, BILLET RAIL VALVE COVERS

Fits: Ford 4.6 & 5.4 Three Valve Engines

- 4" Tall at Cam Cover, 3-3/4" Tall at the main body
- Fabricated entirely from superior guality aluminum, ultra-lightweight
- · One piece billet aluminum rail is CNC machined for superior sealing
- Bright aluminum finish matches the Moroso tanks and other under hood accessories or can be polished, chrome plated, etc. for a custom look
- These valve covers are a direct bolt in for 2005-'10 Mustangs and feature a oil fill hole with billet aluminum cap, ports for PCV and vent lines
- Features stand offs for factory wiring, coil mounting, and provisions for factory cam timing solenoids
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- 3/3" billet rail with machined to accept O.E.M. gasket
- Includes mounting hardware, PCV and fitting

PART # DESCRIPTION

68388* Valve Covers, Fabricated Aluminum, Ford 4.6 & 5.4, Three Valve

FORD 4.6/5.4L 11 BOLT FABRICATED ALUMINUM, BILLET RAIL, VALVE COVERS Fits: Ford 4.6/5.4L 11 Bolt Cylinder Heads

- 4-1/4" Tall at Cam Cover, 3-1/8" Tall main body
- Fabricated entirely from superior guality aluminum, ultra-lightweight
- One piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Mating of the billet rail to the valve cover is done with a smooth transition, eliminating trapped oil and spills when removing the cover
- Tall enough to clear most popular rocker combinations
- Fasteners included
- · Comes with knurled billet oil filler cap and uses stock style gaskets

PART # DESCRIPTION

68389* Valve Covers, Fabricated Aluminum, SBF Modular



PART #	ACCESSORIES
FANI#	AUUEJJUNIEJ

- 68771 PCV Grommet, .095"
- 68773 PCV Grommet/Baffle, .095"
- 68776 Breather Grommet/Baffle, .095"
- 97341 Filler Cap Breather Grommet, .095"

FORD FE FABRICATED ALUMINUM,
BILLET RAIL, VALVE COVERS

Fits: Ford FE

• 3-1/2" Tall

- Fabricated entirely from superior guality aluminum, ultra-lightweight
- One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Can be polished, chromed, polished or left as-is for a race look

PART # DESCRIPTION

68461* Valve Covers, Fabricate Billet Rail, 3-1/2' Tall



No. 68461


No. 68388

VULESCUBIES

FORD FE

DADT #

powder coated	FANT#	AUGESSONIES
Jowden coaled	22754	Fitting Kit, -12AN Male, Non-Weld Baffled
	68485	Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D
	68771	PCV Grommet, .095"
ed Aluminum,	68773	PCV Grommet/Baffle, .095"
• A WARNING Prop. 65	68776	Breather Grommet/Baffle, .095"
This product contains a chemical known	68854 ↔	Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish
to the state of California to cause cancer, birth defects, or reproductive harm-	68855	Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish
www.P65Warnings.ca.gov	97341	Filler Cap Breather Grommet, .095"



FORD 429-460 FABRICATED ALUMINUM, **BILLET RAIL, VALVE COVERS** Fits: Ford 429-460

- Available 2-1/2" or 3-1/2" Tall
- Fabricated entirely from superior quality aluminum, ultra-lightweight
- . One-piece billet rail is CNC machined to ensure a precision flat surface for superior sealing
- Airtight sealing allows the engine to pull greater vacuum for improved ring seal and power
- Designed with a broad, flat surface for engine builder engraving
- Can be polished, chromed, powder coated or left as-is for a race look

DESCRIPTION PART

68348* Valve Covers, Fabricated Aluminum, Billet Rail, 2-1/2" Tall 68349* Valve Covers, Fabricated Aluminum, Billet Rail, 3-1/2" Tall

ACCESSORIES PART

- 68854o Valve Cover Breather Kit, Non-Weld, 1" Breather, Chrome Finish
- 68855 Valve Cover Breather Kit, Non-Weld,
- 1" Breather, Black Finish
- 68771 PCV Grommet, .095"
- PCV Grommet/Baffle, .095" 68773
- 68776 Breather Grommet/Baffle, .095"
- 93065 Perm Align V/C Gasket
- 97341 Filler Cap Breather Grommet. .095"



PONTIAC V8

• KARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer.

birth defects, or reproductive harm-

www.P65Warnings.ca.gov

PONTIAC 301-455 CHROME PLATED STEEL, **BAFFLED, VALVE COVERS**

Fits: Pontiac 301-455

- 3-1/2" Tall
- Includes two breather/filler cap grommets, one baffled and one non-baffled PCV grommet

PART # DESCRIPTION

68281* Valve Covers, Stamped Steel, Chrome Plated, Tall Design with Baffle

REPLACEMENT PARTS PART

- 68770 **PCV Grommet**
- 68772 PCV Grommet with Baffle
- 97340 Breather/Filler Cap Grommets

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov




No. 68281

PERM-ALIGN VALVE COVER GASKETS

- Specially designed gaskets are manufactured from 40 durometer silicone, molded over and vulcanized to a rigid steel frame
- The extra-strength design will not leak, blow out or get sucked in like stock or inferior-guality aftermarket gaskets
- Superior quality silicone/steel gaskets outlast cork and rubber composite designs to provide years of dependable service, especially when constantly removing and reinstalling valve covers
- Full 3/16"-thick
- Two per package

PART # DESCRIPTION

- 93020 Perm-Align Valve Cover Gasket Fits: SBC, Moroso Fabricated Billet Valve Covers and others of similar design, not for Stamped or Cast Valve Covers
- 93021 Perm-Align Valve Cover Gasket Fits: 18,16,15,13.5 & 12° Dart, Brodix, Edelbrock and All Pro cylinder heads
- 93040 Perm-Align Valve Cover Gasket Fits: BBC. Moroso Valve Covers and others of similar design
- 93045 Perm-Align Valve Cover Gasket Fits: Big Chief (does not fit Dart Big Chief II, 11° Cylinder heads)
- 93050 Perm-Align Valve Cover Gasket Fits: SB Chrysler
- 93055 Perm-Align Valve Cover Gasket Fits: BB Chrysler
- 93060 Perm-Align Valve Cover Gasket Fits: Ford 221, 260, 289, 302 and 351W, Moroso Valve Covers and others of similar design
- 93065 Perm-Align Valve Cover Gasket Fits: BB Ford



No. 93020

NOTE: Modifications required for Moroso Valve Cover Nos. 68329 and 68417

VALVE COVER GASKETS, GM LS SERIES

Fits: Both Moroso GM LS Series and O.E.M. Valve Covers

Manufactured out of heavy duty molded rubber

• Quality design and manufacturing meets or exceeds 0.E.M. quality

Two per package

PART # DESCRIPTION

93025 Valve Cover Gasket, GM LS Series



11

VALVE COVERS

VALVE COVER HOLD DOWN TABS

· / WARNING Prop. 65

www.P65Warnings.ca.gov

VALVE COVER HOLD DOWN TABS

Fits: SBC and 90° V6 Chevy

- Specifically designed to spread the fastener load over a larger area of the valve cover flange to eliminate flange distortion and subsequent oil leakage
- Available in chrome plated steel, black, red and blue powder coated steel

PART # DESCRIPTION

- 68501 Valve Cover Hold Down Tabs, Steel, Powder Coated-Black with Clear Lacquer
- 68505 Valve Cover Hold Down Tabs, Steel, Powder Coated-Red
- 68506 Valve Cover Hold Down Tabs, Steel, Powder Coated-Blue
- Valve Cover Hold Down Tabs, Steel, Chrome Plated **68510**↔



No. 68501



VALVE COVER HOLD DOWN TABS

Fits: BBC

 Set fits one valve cover, includes four 3" tabs and three 4" tabs with 5/16" diameter holes

DESCRIPTION PART

- **68516**↔ Valve Cover Hold Down Tabs, Steel, Chrome Plated
- 68525 Valve Cover Hold Down Tabs, Steel, Powder Coated-Red
- 68526 Valve Cover Hold Down Tabs, Steel,

 - Powder Coated-Blue

VALVE COVER HOLD DOWN TABS

Fits: Chrysler 273-360

- Set fits one valve cover, includes three 4" tabs
- Use 1/4" washer face nuts for the two end holes

DESCRIPTION PART

- 68512^o Valve Cover Hold Down Tabs, Steel, Chrome Plated
- /!\ WARNING Prop. 65 This product contains a chemical known No. 68516 to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68512

VALVE COVER HOLD DOWN TABS

Fits: Ford 221, 260, 289, 302, 351W

- Set fits one valve cover, includes three 3" tabs for the shallow recessed bolt holes and one 4" tab for the deep recessed bolt hole
- Use 1/4" washer face bolts for the two end holes

PART # DESCRIPTION

68519↔ Valve Cover Hold Down Tabs, Steel, Chrome Plated



No. 68519

VALVE COVER HOLD DOWN TABS

Fits: Pontiac 301-455

• Set fits one valve cover, includes four 5" tabs with 3%" diameter holes

PART # DESCRIPTION

68530o Valve Cover Hold Down Tabs, Steel, Chrome Plated

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



NOTE: Set fits one valve cover, includes four 5" hold down tabs with 5/16" diameter holes

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

VALVE COVER ACORN NUTS

Fits: SBC or any Valve Cover using 1/4"-20 hold downs

- Add a decorative touch to engines in cases where long valve cover wing nuts are impractical
- Set includes eight 1-3/8" high nuts and 1/4"-20 x 1-3/8" studs

PART # DESCRIPTION

68561. Valve Cover Acorn Nuts for SBC, Chrome

PART # REPLACEMENT PARTS

97030 Studs ¹/₄"-20 x 1-³/₈"

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68561

VALVE COVER HEX HEAD NUTS

- Use when space is critical or if the valve cover nuts must be snugged down tighter than wing-nut-finger-tight
- Four per package with ¼"-20 x 1-¾" studs included
- · Install and remove with half inch socket wrench with extension or a speed handle

PART # DESCRIPTION

68550. Valve Cover Hex Head Nuts, 1/2" hex head, 4-1/4" long, Chrome Plated Steel

PART # REPLACEMENT PART

97030 Studs 1/4"-20 x 1-3/8"

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68550

EXTRA LONG VALVE COVER WING NUTS

- Available in chrome plated steel or powder coated aluminum colors including red, blue, black and chrome
- Includes matching studs to eliminate gasket alignment problems and to speed up installation
- · Four per pack
- Extra Long Valve Cover Wing Nuts will clear 4-1/2" tall valve cover

PART # DESCRIPTION

- **68603** Extra Long Valve Cover Wing Nuts, 1/4"-20 with 1-3/4" long studs. Aluminum, Powder Coated-Black
- **68604** Extra Long Valve Cover Wing Nuts, 1/4"-20 with 1-3/8" long studs. Aluminum, Powder Coated-Blue
- **68605** Extra Long Valve Cover Wing Nuts, ¼"-20 with 1-¾" long studs. Aluminum, Powder Coated-Red
- 68610 Extra Long Valve Cover Wing Nuts, ¼"-20 with 1-¾" long studs. Steel, Chrome Plated
- **68621** Extra Long Valve Cover Wing Nuts, ⁵/₁₆"-18 with 1-³/₈" long studs. Aluminum, Powder Coated-Black to fit Pontiac 301-455 and Ford 332-428 FE Series and others
- **68630** Extra Long Valve Cover Wing Nuts, ⁵/₁₆"-18 with 1-³/₈" long studs. Steel, Chrome Plated to fit Pontiac 301-455 and Ford 332-428 FE Series and others
- 68640[∞] Long Valve Cover Wing Nuts, ¼"-20 with 1-¾" long studs. Steel, Chrome Plated for stock height valve covers

PART # REPLACEMENT PARTS

- 97020 Studs, 1/4"-20 x 1-3/4", 8 per package
- **97030** Studs, 1/4"-20 x 1-3/8", 8 per package

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



From Left to Right: Nos. 68604, 68603, 68605, 68610 VALVE COVERS

NOTE: Wing nut studs 1-3/" long are packaged with our tall Small Block Chevy die-cast aluminum valve covers to allow for the thicker gasket flange on these covers.

VALVE COVER STUD KIT

Fits: SBC or any Valve Cover using 1/4"-20 hold downs

- These studs were developed primarily for the oval track racer using Moroso Small Block Chevy cast aluminum valve covers where a leaking valve cover caused by a fastener shaking loose from vibration could mean disaster
- Set consists of eight 1/4"-20 x 1-3/4" allen head studs and eight 1/4"-20 nylon insert lock nuts with washers

PART # DESCRIPTION

68820 Valve Cover Stud Kit

PART # REPLACEMENT PART

97020 Studs, ¹/₄"-20 x 1-³/₄", 8 per package

No. 68820

VALVE COVER NUTS

Fits: BBC with Moroso Part Nos. 68420, 68425, 68426, 68429 and 68432 Valve Covers

- Set includes (14) Lock Nuts, (6) ¼"-20 x 3-¼" Studs and (8) ¼"-20 x 1-¾" Studs
- Lock Nuts have a clear zinc finish

PART # DESCRIPTION

68562 Valve Cover Lock Nuts for BBC



No. 68562

BULLET NOSE VALVE COVER STUD KIT

- Bullet nose tip makes it easy to start mounting nuts
- Prevents Small Block Chevy, Big Block Chevy & Small Block Chrysler cast aluminum valve covers from vibrating loose in competition
- \bullet Includes eight $1\!\!/\!_4"\text{--20 x }1\text{--}1\!\!/_2"$ heat-treated studs, nylon-insert lock nuts and washers

PART # DESCRIPTION

68830 Bullet Nose Valve Cover Stud Kit68831 Bullet Nose Valve Cover Stud Kit, 12 pt. nut

PART # REPLACEMENT PARTS

97035	Nuts, 12pt.
97040	Studs, 1/4-20 & 28 Bullet Nose

NOTE: Will not work with Stamped Aluminum Valve Covers.





No. 68831

VALVE COVER BREATHER BAFFLE

- Made of 14 gauge 6061-T6 aluminum, this baffle mounts inside Moroso valve covers under the breather hole to keep oil from getting into the breather
- Use with Valve Cover Breathers Nos. 68740, 68741, 68781, 68810, 68813 or 68817
- · Cannot be used with engines equipped with stud girdles
- One per package; includes all necessary fasteners

PART # DESCRIPTION

68790 Valve Cover Breather Baffle



No. 68790

BREATHER GROMMETS

With Integral Baffle

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1-1/4" diameter hole
- · Ideal for those using aftermarket valve covers without O.E.M.-style oil control baffles
- Ideally suited for push-in style breather systems
- Will not clear stud girdles
- Made from oil resistant rubber

PART # DESCRIPTION

68775 Breather Grommet/Baffle, 2 per package 68776 Breather Grommet/Baffle, 2 per package (Designed for .090 - .100" material thickness)

PCV GROMMET

With Integral Baffle

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1-1/4" diameter hole
- Ideal for those using aftermarket valve covers without O.E.M.-style oil control baffles
- · Works with all popular GM PCV valves
- Special design keeps oil out of the PCV valve
- Will not clear stud girdles, made from oil resistant rubber

PART # DESCRIPTION

68772 PCV Grommet/Baffle, 1 per package

68773 PCV Grommet/Baffle, 1 per package (Designed for .090 - .100" material thickness)

PCV GROMMETS FOR AFTERMARKET VALVE COVERS

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1-1/4" diameter hole
- Ideal for street enthusiasts using aftermarket valve covers and a positive crankcase ventilation system
- Works with all popular GM PCV valves
- · Made from oil-resistant rubber

PART # DESCRIPTION

- 68770 PCV Grommets, 2 per package
- 68771 PCV Grommets, 2 per package (Designed for .090 .100" material thickness)

BREATHER/FILLER CAP GROMMETS

- Designed to work with Fabricated Sheet Metal and Cast Aluminum Valve Covers, without logo, that have a 1-1/4" diameter hole
- Replacement Valve Cover Grommets for breathers and oil filler caps; two per pack

PART # DESCRIPTION

- 97340 Breather/Filler Cap Grommets
- 97341 Breather/Filler Cap Grommets (Designed for .090-.100" material thickness)

OIL FILL CAP

Fits: All Moroso and OEM Valve Covers with 1-1/4" diameter hole

Push-in design for applications requiring a sealing-type filler plug

Chrome plated top section
 PART # DESCRIPTION

68660↔ Oil Fill Cap

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68660



No. 68772



No. 68770

No. 97340



No. 68776

ONE PIECE PUSH-IN VALVE COVER BREATHERS

Fits: Moroso or any Valve Cover with 1-1/4" hole

- Designed to drain oil trapped in the foam back into the valve cover rather than allow it to drain out the air vents
- Two per package except No. 68741

DESCRIPTION PART

- 68717* One Piece Push-In Valve Cover Breathers, Aluminum. Powder Coated-Blue. 68718*
- One Piece Push-In Valve Cover Breathers, Aluminum, Powder Coated-Red 68719* One Piece Push-In Valve Cover Breathers.
- Aluminum, Powder Coated-Black **68740***⇔ One Piece Push-In Valve Cover Breathers,
- Steel. Chrome Plated **68741***• One Piece Push-In Valve Cover Breathers,
- Steel, Chrome Plated, for street cars that require a PCV set-up. Contains one breather with valve cover grommet and one PCV valve grommet

PART # **REPLACEMENT PART**

97340 Breather/Filler Cap Grommets

CRANKCASE EVACUATION SYSTEM

- Reduces crankcase pressure throughout entire rpm range for increased piston ring seal, reduced intake charge contamination, and fewer oil leaks
- Track and dyno tests prove increases in engine performance
- Includes 2 each: Oil Separators/Breathers, Breather/Filler Cap Grommets, One-Way Check Valve and Weld-In Nipple for header collector, use with 5/8" dia. hose

PART # DESCRIPTION

25900* Crankcase Evacuation System

ACCESSORIES

68788 Breather

PART # **REPLACEMENT PARTS**

- 68780 **Oil Separator/Breathers**
- Check Valve for Header Collector 97800
- 97810 Weld-in Nipple for Header Collector

*Cannot be used on cars with mufflers

BREATHER/OIL SEPARATOR

Push-in

Fits: All Valve Covers with 1-1/4" holes: includes rubber arommet

- No. 68781 is ideal for plumbing your crankcase ventilation system into the air cleaner, while No. 68780 is a direct breather replacement for No. 25900 Crankcase Evacuation System
- Uses internal foam disc and baffling to prevent oil from entering air cleaner No. 68781

PART # DESCRIPTION

- 68780* Replacement Breather/Oil Separator, for No. 25900 Crankcase Evacuation System, 5%" Hose, Clear Zinc
- **68781***↔ Replacement Breather/Oil Separator, 3/4" Hose, Chrome (for street use only)

PART # **REPLACEMENT PART**

97340 Breather/Filler Cap Grommets

• /! WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68717

No. 68718

Other Colors Available:

OPTION

No. 25900



*Not legal for sale or use on pollution-controlled vehicles.

4CCESSORIES

• ZI WARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov

POSITIVE LOCKING BREATHER

Stamped Style

Fits: All Valve Covers with 1-1/4" holes

- Meets rule requirement for cars running 7.99 E.T. and quicker
- Threaded tube with collar mounts from inside valve cover through 1-1/4" opening; breather screws into the tube for secure attachment
- Viton gasket resists oil, alcohol and race fuel to form airtight seal
- Jam nuts allow breather to be positioned to suit plumbing requirements
- Internal baffling keeps oil/air separated
- Clear zinc finish resists rust
- Includes all mounting hardware; one per pack

PART # DESCRIPTION

68785* Positive Locking Breather, with Tube for 3/4" hose





POSITIVE LOCKING BREATHER

Billet Aluminum

Fits: All Valve Covers with 1-1/4" holes

- Manufactured from 6061 Billet Aluminum
- · Screws to valve cover for positive fit, does not push on
- Designed in two pieces with a top that unscrews to allow for oil filling and easier cleaning or replacement of oil separator filter
- Slip-on fitting for pan evac system
- O-ring Seal no gaskets (reduces leakage)
- Meets rule requirement for cars running 7.99 E.T. and guicker

PART # DESCRIPTION

68788* Positive Locking Billet Aluminum Filtered Breather



AVAILABLE OPTIONS PART # 22706 1/2" N.P.T. to -10AN Fitting 1/2" N.P.T. to -12AN Fitting 22708

BREATHER TANK, TWO 1/2" FEMALE FITTINGS

Vent Valve Cover Breathers into this Tank by running a hose from the Breathers to the Tank using the Optional Fittings

- Use as a remote multi-inlet oil catch/breather for Crankcase Ventilation, Vacuum Pumps, Dry Sump Tanks or Rear Ends
- Can be used to collect from 2 sources
- Features Two 1/2" N.P.T. Female Fittings that are 180 Degrees apart for ease of plumbing
- Aluminum, lightweight tank features internal baffling with mesh media for separation of air and oil
- Includes non-hooded, clamp—on filtered breather, Heavy Duty T-Clamp and a bottom petcock drain
- Dimensions: 3-1/8" diameter (without mount), 6-1/2" tank height (without filter or drain),

11-1/2" overall height


PART # DESCRIPTION

Breather Tank, Two 1/2" N.P.T. Fittings 854550

PART # **AVAILABLE OPTIONS**

227350	Fitting, 1/2" N.P.T. Male to 5/8" Barbed Hose, Straight
227360	Fitting, $\frac{1}{2}$ " N.P.T. Male to $\frac{5}{8}$ " Barbed Hose, 90 Deg.

• ZI WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 22736



No. 22735

ACCESSORIES

VALVE COVER ADAPTER, ADAPTS GM COPO BREATHERS INTO MOROSO BILLET ALUMINUM VALVE COVER FILL HOLES

- Allows 2013-Up COPO Camaro valve cover breather assemblies to be screwed into a Moroso GM LS billet aluminum valve cover oil fill hole
- Adapter is machined out of billet aluminum and features an O-ring for sealing
- Using Moroso No. 68844 adapters with Moroso No. 68488 GM LS valve covers featuring an oil fill in each cover

PART # DESCRIPTION

68844 Valve Cover Adapter, Adapts GM COPO Breathers into Moroso Billet Aluminum Valve Cover Fill Holes

V/C BREATHERS, REPLACEMENT FOR GM COPO, 2 PACK

- Replaces damaged COPO Breathers, a good addition to back up engines or for new builds where the goal to is breath the engine the same way as the COPO cars
- · Breather screws on to factory COPO breather covers or Moroso Part No. 68493 valve covers that accept COPO breathers
- Breather's fitting accepts a 5/8" hose

DESCRIPTION PART#

68857 V/C Breathers, replacement for GM COPO, 2 pack

VALVE COVER FILTERED BREATHERS

- Available in half-hooded or non-hooded
- Provides maximum protection against dirt and airborne debris without restricting air flow

• KARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-

www.P65Warnings.ca.gov

- Also available with completely exposed filter element and chrome plated top
- · Available in two types; Push-In or Clamp-On (for existing stacks; includes clamp)
- Cleanable and re-usable; oil before use
- One per pack

PART # DESCRIPTION

- 68811*• Valve Cover Filtered Breather, half-hood, clamp-on type: for Moroso Covers with welded-in stacks, 1-3/8" I.D.
- 68812* Valve Cover Filtered Breather, half-hood, clamp-on type; for Moroso Covers with welded-in stacks, 1-1/2" I.D.
- 68813* Valve Cover Filtered Breather, half-hood, push-in type; for Moroso Covers with 1.22" punched holes
- **68815***• Valve Cover Filtered Breather, non-hooded style, clamp-on type; for Moroso Covers with welded-in stacks, 1-3/8" I.D.
- 68816* Valve Cover Filtered Breather, non-hooded style, clamp-on type; for Moroso Covers with welded-in stacks, 1-1/2" I.D.
- 68817*0 Valve Cover Filtered Breather, non-hooded style, push-in type; for Moroso Covers with 1.22" punched holes
- 68818* Filtered Breather, non-hooded style, clamp-on type; for Moroso Breather Tanks, 2" O.D.



WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm

www.P65Warnings.ca.gov

- CLAMP ON BREATHER
- Clamps onto a 1" outside diameter tube
- Fits Moroso Billet Aluminum Vacuum Relief Valves Nos. 22633, 22636 and 22637
- · Provides maximum protection against dirt and airborne debris without restricting air flow
- Clamp included
- · Cleanable and re-usable; oil before use

PART # DESCRIPTION

68791* • Clamp On Breather, 1" I.D. 68792 Clamp On Breather has a Black Finish, fits 1" I.D. tubes



No. 68792



No. 68811



No. 68815

No. 68791



No. 68844

No. 68857



*Not legal for sale or use on pollution-controlled vehicles.

No. 68813





WELD-IN FILTERED BREATHER KIT

- Kit contains two aluminum 1-3/8" O.D. breather tubes with internal baffling, two half-hooded filtered breathers, and two stainless hose clamps
- Designed to be welded to Moroso valve covers and can be adapted to other aluminum covers · A WARNING Prop. 65

PART # DESCRIPTION

- 68800* Weld-In Filtered Breather Kit
- PART # **REPLACEMENT PARTS**
- 68811* Filtered Breathers, with protective half-hood
- 68812*• Filtered Breathers for early No. 68800 with 1-1/2" tube, half hood

PUSH-IN FILTERED BREATHER KIT

- Kit allows engine builder to install filtered breathers on Moroso steel or aluminum valve covers (or other covers with 1-1/4" holes) without welding
- Consists of two filtered breathers with clamps,
- two chrome plated adapter tubes and two valve cover grommets
- Filters must be oiled before use

PART # DESCRIPTION

68810* Push-In Filtered Breather Kit

PART # **REPLACEMENT PARTS**

- 68816* Filtered Breathers Non-Hooded
- 68812* Filtered Breathers Half-Hooded

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

SPRINT CAR BREATHER TUBE KITS

- Sprint Car racers can now mount an aluminum tube-style crossover breather kit to their aluminum valve covers and save some money in the process
- Kit comes with all mounting hardware and aluminum bungs which must be welded to the valve covers

DESCRIPTION PART

68762* Valve Cover Breather Tube Kit, SBC Sprint Cars

ACCESSORIES PART

- 68811*• Filtered Breathers, Half Hood 68815*• Filtered Breathers, Non-Hooded
- · A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

NOTE: Can only be used with aluminum valve covers. Breathers are not included with the kit and must be purchased separately.

BREATHER KIT

For Sprint Car Engines

- Attaches to the valley pan on a sprint car engine
- Kit includes 1-34" dia. tubing with 8-1/2" long legs and a black anodized finish
- Includes a billet aluminum clamp with mounting holes
- Cleanable and re-usable filter

PART

68850*• Breather Kit for Sprint Car Engines

BULK PART # REPLACEMENT PART 68850-0040 Breather

• ZI WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 68800

No. 68810



- DESCRIPTION

This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



68855 Valve Cover Breather Kit, Non-Weld, 1" Breather, Black Finish

> • KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

BREATHER KITS, GM LS MOROSO VALVE COVERS

For Moroso GM LS Valve Covers or any 1-1/4" -12 Female Threaded Bung/Opening

- · Provides an easy way of adding a breather to Moroso LS valve cover withan oil fill bung
- Remove knurled cap on valve cover to screw in Breather Kit Part Nos. 68848 or 68841
- Features a billet aluminum baffled screw in adapter with a 1" breather
- · Cleanable and re-usable filter

PART # DESCRIPTION

68841* Breather Kit for Moroso GM LS Valve Cover 68848 Breather Kit for Moroso Valve Covers, Breather has a Black Finish

This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT PART PART#

68791o Clamp on breather, 1" I.D. • A WARNING Prop. 65

No. 68848

No. 68841



322

<u>ACCESSORIES</u>

BREATHER KITS, GM LS O.E.M. VALVE COVERS

- · Provides an easy way of adding a breather to GM LS O.E.M. valve cover with an oil fill bung
- · Remove oil fill bung on valve cover, screw in breather kit and tighten down with built-in hex
- All kits feature a baffled billet aluminum screw in adapter with a 1" breather
- Cleanable and re-usable breather

PART # DESCRIPTION

 68839↔ Breather Kit for O.E.M. GM LS Single Tab Valve Cover
 68840↔ Breather Kit for O.E.M. GM LS Double Tab Valve Cover
 68846 Breather Kit With Black Finish, O.E.M. GM LS Single Tab Valve Covers
 68847 Breather Kit With Black Finish, O.E.M. GM LS Double Tab Valve Covers

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT PART

Clamp on breather, 1" I.D.





No. 68840

-12AN FITTING KITS, GM LS O.E.M. VALVE COVERS

PART#

68791o

- Provides an easy way of adding a -12AN Male fitting to GM LS O.E.M. valve cover with an oil fill bung
- Remove oil fill bung on valve cover, screw in -12AN fitting kit and tighten down with built-in hex

PART # DESCRIPTION

- 68843 Fitting Kit, -12AN for O.E.M. GM LS Double Tab Valve Cover Etting Kit, 12AN for O.E.M. GM
- 68845 Fitting Kit, -12AN for O.E.M. GM LS Single Tab Valve Cover





No. 68843



-12AN FITTING KIT, MOROSO GM LS VALVE COVERS

- Provides an easy way of adding a -12AN Male fitting to Moroso GM LS valve cover with an oil fill bung, or any 1-1/4"-12 Female Threaded Bung/Opening
- Remove oil fill bung on valve cover, screw in -12AN fitting kit and tighten down with built-in hex

PART# DESCRIPTION

68856 Fitting Kit, -12AN for Moroso GM LS Valve Cover



AN FITTING KITS, GM COPO, LS VALVE COVERS

- Provides an easy way of adding -10AN or -12AN Male fittings to Moroso No. 68493 or GM COPO LS valve covers with an oil fill bung
- Remove oil fill bung on valve cover and snap in -10AN or -12AN fitting kit
 O Deck

2 Pack

PART # DESCRIPTION

68858↔ Fitting Kit, -10AN for Moroso or GM COPO LS Valve Covers
 68859↔ Fitting Kit, -12AN for Moroso or GM COPO LS Valve Covers

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



-10AN MALE FITTING

Non-Weld

- Non-weld kit, makes it easy to add a leak proof fitting to oil pans for oil returns, valve covers etc., without having to actually weld the fitting
- Perfect for adding a fitting to steel or aluminum with up to a $\frac{1}{3}$ " max. wall thickness
- O-ring seal to prevent leaks

PART # DESCRIPTION

22753 -10AN Male Fitting, Non-Weld





4CCESSORIES

-12AN MALE NON-WELD, BAFFLED FITTING KIT

• Finger Grip cap manufactured from 6061-T6 billet aluminum with a black anodized finish, Moroso logo, includes O-ring for leak free sealing

DESCRIPTION PART

68485 Fill Cap Kit, Non-Weld, 1-1/4"-12UNF Threads, 1.5" O.D. 85284 Fill Cap Kit, Weld, Steel, 1-1/4"-12UNF Threads, 1.5" O.D.

VALVE COVER WELD-IN BUNGS

- Can be welded to aluminum valve covers, holding tanks, cylinder heads, oil pans, etc. or wherever an N.P.T. fitting is needed
- Made of 6061-T6 aluminum and fit a 1" diameter hole
- Two per pack

PART # DESCRIPTION

Aluminum Weld-In Bungs, 3/8" N.P.T. Fitting 68900 68910 Aluminum Weld-In Bungs, 1/2" N.P.T. Fitting







No. 85284



HOW MOROSO IGNITION WIRE IS MANUFACTURED

Adapted from DRAG RACING ACTION MAGAZINE By JOHN DIBARTOLOMEO

Spark plug wire used to be nothing more than a solid core length of wire with some type of insulation. Suppression wire was later developed to combat radio interference, otherwise known as RFI (radio frequency interference) or EMI (electro-magnetic interference). For suppression wire to work, it must contain a certain amount of electrical resistance. Because of this resistance, it was never useful in race applications, where every bit of spark energy is beneficial to lighting an adequate fire within the engine's cylinders. For that reason, racers always choose a solid core plug wire, which had no suppression capabilities, but offered very little resistance to the spark generated by modern era ignition boxes.

That changed in the mid-'80's when data loggers became standard issue on race cars. The capabilities of those early loggers were very susceptible to RFI noise, which could disrupt the timing functions of the delay/throttle stop boxes, as well as the recording ability of data loggers. Though most manufacturers installed some filtering, RFI became a big issue in the racing industry.

The engineers at Moroso realized the need for enhanced suppression plug wire that would alleviate or reduce the amount of RFI. A spark voltage that exceeds 50,000-volts through a plug wire would inevitably find its way through the outer core of the wire and into the airwaves. So, it became optimal for racers to install suppression plug wires but the requirement to have a very low resistance wire was a necessity.

Moroso Wire Technology led the development of modern ignition wire, designed with a Kevlar core, nickel copper alloy wire wrapped around the Kevlar and ferrite-impregnated outer sleeve. Moroso high performance Ignition Wire, manufactured at our facility in Philadelphia, protects against heat, chaffing, contaminants and results in a resistance of only 40-ohms per foot.





The wire travels 250 feet through these long tubes on the right in order to cure and cool the wire after manufacturing.



The rubber cover material for the center conductor starts out in this ribbon-like form. It's fed into a tube that heats and feeds it through a series of collets to form it around the center conductor.



An optical laser measuring device keeps constant measurement on the completed wire as it comes to the end of the line. The machine operator must maintain the measurement within a specified amount and adjust as necessary.



The outer silicone material is fed through the machine in the same fashion as the center core cover, eventually making it's way onto the wire and completing the forming process.



These print wheels are laser engraved with the Moroso and Ultra 40 Race Wire logos. At the end of the forming line, the wheels pick up ink and print on both sides of the wire.



This automatic machine cuts the wire from the bulk spools to specified lengths and strips back the insulation on both ends prior to the terminal end crimping process.



Before a plug boot is installed, each wire undergoes testing to ensure the quality of the crimp and the wire's conductivity. The plug boot is then installed, the wire is packaged and is ready for delivery.



In the last step in the manufacturing process, completed wire is rolled onto wooden spools. Each spool holds 5,000-feet of wire awaiting the final steps to complete a length of spark plug wire.



Each wire is hand fed into a crimping machine that automatically feeds terminal ends through it, while an operator feeds the previously stripped back wire in, finally ending up with a crimped terminal on the end.



Moroso Ultra 40 Race Wire Sets receive a fiberglass reinforced silicone outer sleeve which requires a heat shrink sleeve at the boot in order to seal off the whole assembly.



The manufacture of Ignition Wire requires several different steps: first, the center conductor (1) has EPDM (Ethylene Propylene Diene Monomer) rubber material formed around it (2). The wire is then re-fed into the machine where the outer silicone covering is formed and printed with the type of wire it is (3). The completed wire is then stripped back (4) and the terminal ends are crimped on (5). The plug boot is installed (6) and finally, for race applications, a silicone-jacketed fiberglass sleeve is slipped over the assembly and a shrink sleeve installed (7).

ULTRA 40 RACE WIRE SETS

ULTRA 40 UNIVERSAL WIRE SETS, UNSLEEVED

The most powerful wire for any race application!

- Moroso Ultra-40 Race Wire is the standard in high performance ignition wire
- Optimized EMI/RFI resistance
- \bullet Used in the highest level of racing applications, from dual mag Top Fuel Cars thru NASCAR Sprint $^{\circledast}$ Cup Series
- 7mm or 8.65mm diameter wire with 40 ohms of resistance per foot
- Incorporates a highly engineered spiral wound conductor
- Maximizes energy transfer and minimizes electro magnetic interference (EMI) and radio frequency (RF)interference noise
- Includes appropriate hardware




BUYER'S	GUIDE	FOR U	ULTRA	40 UN	IVE	RSA	L W	/IRE	SE	rs,	UNS	SLEE	EVED	
APPLICATION/ DISTRIBUTOR	WIRE COLOR Blue red Black		WIRE DIA.	SPARK PLUG WIRE LENGTHS (inches) CYLINDER #								PLUG BOOT	COIL WIRE	
CAP STYLE		PART #		(mm)	1	2	3	4	5	6	7	8	BOOL	LENGTH (inches)
UNIVERSAL FIT														
90º Universal	73800 0	73810 0	73814 0	8.65	35	35	39	39	46	50	53	53	90°	36
Straight Universal	73801 0	73812 0	73815 ↔	8.65	35	35	39	39	46	50	53	53	STR.	36
135º Universal	73802 0	73836 0	73816 ↔	8.65	35	35	39	39	46	50	53	53	135º	36
HEMI													~	
Mopar/Chrysler OEM Style Insulators	73840 0	N/A	73841 ↔	8.65	28	32	38	42	51	56	61	66	Hemi	36
BAE-AJPE/8.5" Insulators	N/A	N/A	73804 0	8.65	38	42	48	52	56	61	66	71	Hemi	41
Hemi, AJPE, BAE, MBE, NOONAN Style Heads, 9" Long Hemi Insulators, HEI Boots & Terminals	N/A	N/A	73805⇔	8.65	38	42	48	52	56	61	66	71	Hemi	41
BAE-AJPE/7" Insulators	73808 0	N/A	N/A	8.65	28	32	38	42	51	56	61	66	Hemi	36
GM Pro Stock, Brodix PB201, CFE, Ford, Yates/ 5" Long Straight Pro Boot	73813 0	N/A	73839 0	8.65	41	41	46	46	56	56	66	66	STR.	38
GM LS SERIES														
Coil-on Plug	73811 0	73837 0	73828 ↔	7	48	48	48	48	48	48	48	48	STR.	N/A
Level and the second														
© ▲ WARNIN This product contains a to the set of Californi birth defects, or repr www.P65Warnin	IG Prop. 65 I chemical known a to cause cancer oductive harm-		Nicke cond the h `errite Impreg unes EMI sup heracteristic	provide dielectri	enter Core	ater a start a sta				-Conduc	Ny ur	ylon Pull T nbeatable nd termina	App provides pull strength al retention ng protects nal contact	TRA4

ULTRA 40 RACE WIRE SETS

ULTRA 40 CUSTOM FIT WIRE SETS, UNSLEEVED

- Cost-effective version of our race proven Ultra 40 Race Wire, without heat sleeving
- 7 or 8.65mm diameter wire with 40 ohms of resistance per foot
- Complete, ready-to-install sets available for specific engines
- Wire for each cylinder is labeled

Marking Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



ILTRA 40 RACE WIRE SETS

• MARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harm-www.P65Warnings.ca.gov

ULTRA 40 CUSTOM FIT WIRE SETS, SLEEVED

Exterior sleeving offers improved dielectric strength for added resistance to outside pulses while protecting wire against heat, chafing and contaminants

- 7mm or 8.65mm diameter wire with 40 ohms of resistance per foot
- Sleeving adds extra dielectric strength
- · Sleeving extends spark plug wire life and protects against exhaust header heat, chaffing and contaminants
- · Complete, ready to install sets available for specific engines



9
\mathbf{O}
-3
EU
Ш

											Mer				
BUYER'S G	OIDE	FORL	1	A 40								357	ΞD		1
APPLICATION/	WIRE (COLOR Black	WIRE DIA.			SPAR		WIRE L		ຣ (inch	es)			PLUG	COIL
DISTRIBUTOR CAP STYLE	DLUE	DLACK	(<i>mm</i>)											BOOT	LENGTH
	PAF	RT #	, ,	1	2	3	4	5	6	7	8	9	10		(inches)
SBC															
Over VC/Non HEI	73600 0	73824 ↔	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Over VC, HEI	73602 0	73817 0	8.65	29	33	35	27	25	27	25	24	N/A	N/A	90°	36
Under Header, Non HEI	73605 0	73825 ↔	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Under Header, HEI	73607 0	73818 ↔	8.65	45	45	40	40	27.75	28	27	26.75	N/A	N/A	90°	36
Jesel Front Drive Distributor	N/A	73842 0	8.65	23	23	24	24.5	36	29.5	33	37.5	N/A	N/A	90°	48
GM LS SERIES															
OEM Style Coils on Valve Covers, Short	73535 0	73823 0	7	8	8	8	8	8	8	8	8	N/A	N/A	STR.	N/A
OEM Style Coils on Valve Covers, Med.	73537 0	73827 0	7	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	N/A	N/A	STR.	N/A
OEM Style Coils on Valve Covers, Long	73536 0	73826 0	7	12	12	12	12	12	12	12	12	N/A	N/A	STR.	N/A
OEM Style Coils on Valve Covers	N/A	73846 ↔	7	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	N/A	N/A	90°	N/A
OEM Style Remote coils	N/A	73845 0	7	15	15	15	15	15	15	15	15	N/A	N/A	90°	N/A
Holley/Smart Coils on	N/A	73849 ₀	8.65	11	11	11	11	11	11	11	11	N/A	N/A	90°	N/A
GM LT SERIES														r	
Coil-On Plug, Medium	N/A	738480	7	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	N/A	N/A	135°	N/A
Coils on Valve Covers	N/A	737310	7	13	13	13	13	13	13	13	13	N/A	N/A	135°	N/A
BBC				1										r	
Over VC, Non HEI	73614 0	N/A	8.65	31	39	35	30	29	28	26	27	N/A	N/A	STR.	36
Over VC, HEI	73615 0	73819 ↔	8.65	28.75	34.75	34.25	28.75	27.25	28.5	26	25	N/A	N/A	STR.	36
Under Header, Non HEI	73617 0	73821 ↔	8.65	39	42	37	25	29.5	31	22	29	N/A	N/A	90°	36
Under Header, HEI	73616 9	73820 ↔	8.65	41.5	44.5	37.5	37	31	31	26.5	31	N/A	N/A	90°	36
Under Header, Non HEI Crab	73621 0	N/A	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
Under Header, HEI Crab	73622 0	738320	8.65	38	43	35	33	29.5	30	26	29	N/A	N/A	90°	36
Jesel Front Drive Distributor	N/A	73843 ↔	8.65	27	26	31.75	31.75	36	34	38	43	N/A	N/A	90°	48
DODGE/CHRYSLER															
Dodge Viper '08-'17	N/A	73512 ↔	7	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	135°	N/A
FORD															
289-302															
HEI	73630 0	73833 0	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135º	36
Non HEI	73631 0	73834 0	8.65	27.75	28	26.5	29	24.5	25	28	28.5	N/A	N/A	135°	38
351W									_						
HEI	73626 0	73822 ⇔	8.65	29	33	32	32	28	26	34	36	N/A	N/A	135°	36
429-460									_						
HEI	73628 0	73835 ↔	8.65	27	27	29	29.5	24	32.5	27	32.25	N/A	N/A	135°	36

ULTRA 40 WIRE - SPOOL

• 100 ft. of 8.65mm Ultra 40 wire on a spool

PART # DESCRIPTION 738300 Ultra 40 Wire Spool, 100 ft, Blue 738380 Ultra 40 Wire Spool, 100 ft, Black • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



COIL WIRE OR REPLACEMENT WIRE KITS. **UNSLEEVED, ULTRA 40 WIRE**

- Allows installation of an ignition coil in a remote location or can be used as a replacement wire in a wire set
- Kit includes: 72" wire
 - 2-HEI 90 Deg. distributor boots 2-HEI 90 Deg. spark plug boots 4-HEI terminals, 2-Non-HEI 90 Deg. Boots 4-Non-HEI terminals and 2 coil boots

DESCRIPTION PART

Coil, Replacement Wire Kit, Ultra 40, Blue 732370 732380 Coil, Replacement Wire Kit, Ultra 40, Black



No. 73237



birth defects, or reproductive harm-

www.P65Warnings.ca.gov

COIL WIRE OR REPLACEMENT WIRE KITS, SLEEVED, ULTRA 40 WIRE

Allows installation of an ignition coil in a remote location or can be used as a replacement wire in a wire set

- Sleeving adds extra dielectric strength, which is wire's ability to not be affected by outside electrical pulses
- Sleeving extends spark plug wire life and protects against exhaust heat, chaffing and contaminants
- Kit includes:

48" wire

48" high temp sleeving

- 2-HEI 90 Deg. distributor boots
- 2-HEI 90 Deg. spark plug boots
- 4-HEI terminals, 2-Non-HEI 90 Deg, Boots
- 4-Non-HEI terminals and 2 coil boots

PART # DESCRIPTION

73240o Coil, Replacement Wire Kit, Sleeved, Ultra 40, Blue

73241o Coil, Replacement Wire Kit, Sleeved, Ultra 40, Black





No. 73240

ULTRA 40 SPARK PLUG BOOT & TERMINA

 Manufactured from high temperature silicone • Ultra 40 boots are available for both spark plug and distributor ends · Comes in sets of 8 with positive-locking spark plug or distributor terminals PART # DESCRIPTION **72041**↔ Boot & Terminal Kit, Dist., HEI, Ultra 40 No. 72041 No. 72061 **72061**0 Boot & Terminal Kit, Spark Plug Boot, Straight, Ultra 40 No. 72071 72071o Boot & Terminal Kit, Spark Plug Boot, 90°, Ultra 40 **72075**↔ Boot & Terminal Kit, Spark Plug Boot, 135° Ends, Black Boot & Terminal Kit, Spark Plug Boot, 135°, Ultra 40 **72076**\$ 72081o Boot & Terminal Kit, Dist., Non-HEI, Ultra 40 • A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov No. 72075 No. 72076 No. 72081

SPARK PLUG INSULATORS, HEMI 8.2" LONG, 8 PACK

 Fits 8mm to 8.7mm ignition wire · Works with all popular tall tube hemi valve covers Accepts Moroso Part No. 72061 Straight Boot Kit No. 72050 · Features 90 Deg. "Easy To Pull" handle PART # DESCRIPTION 72050 Spark Plug Insulators Hemi 8.2" Long, Black, 8 pack

-INTRODUCING-ULTIPA SPARK PLUG WIRE

Who said high quality/high performance can't be cost effective? With Moroso **Ultra Spark Plug Wires** you can have all three. These Made in the USA spark plug wires are equal to or exceed Auto Manufacturers specifications depending on the application, without the dealer prices. Moroso has 50 plus years of experience from supplying spark plug wires to the top teams of NASCAR, NHRA and Auto Manufacturers!



Available in subtle BLACK or eye catching **RED**, high temperature sleeved versions are also available on some applications!




 \square

IGNITION WIRE

ULTRA	SPARK .	PLUG .	RACE I	WIRE	SETS


	ULTRA SP	ARK PLUG		WIRES		
SPARK PLUG WIRE APPLICATIONS	DISTRIBUTOR BOOT TYPE(S)	SPARK Plug Boot Type	BLACK UNSLEEVED WIRE PART #	RED UNSLEEVED WIRE PART #	BLACK Sleeved Wire Part #	RED Sleeved Wire Part #
Universal V8	HEI & Non-HEI	Straight	51000 0	52000 0		
Universal V8	HEI & Non-HEI	90 Degree	5100 5 0	52005 0		
Universal V8	HEI & Non-HEI	135 Degree	51008 ↔	52008 0		
Universal V8	HEI	Straight	51001 0	52001 o		
Universal V8	HEI	90 Degree	51006 ↔	52006 0		
Universal V8	HEI	135 Degree	51009 ↔	52009 0		IING Prop. 65
Universal V8	Non-HEI	Straight	51002 ↔	52002 0	This product contain to the state of Califor	nia to cause cancer,
Universal V8	Non-HEI	90 Degree	51007 ↔	52007 0	birth defects, or re www.P65War	
Universal V8	Non-HEI	135 Degree	510100	52010 0		
Universal GM LS, Coil On Plug	Coil-On-Plug	135 Degree	51011 0	52011 0		
Universal 6 Cylinder	Non-HEI	Straight	51003 0	52003 0		
Universal 4 Cylinder	Non-HEI	Straight	51004 0	52004 0		
Small Block Chevy Over V/C	HEI	90 Degree	5102 5 0	52025 0	5152 5 0	52525 0
Small Block Chevy Over V/C	Non-HEI	90 Degree	5102 6 0	52026 0	5152 6 0	52526 0
Small Block Chevy Over V/C	HEI	135 Degree	5102 7 0	52027 0	5152 7 0	52527 0
Small Block Chevy Under Header	HEI	90 Degree	51028 0	52028 0	51528 0	52528 0
Small Block Chevy Under Header	Non-HEI	90 Degree	51029 ↔	52029 0	51529 ↔	52529 0
Small Block Chevy Under Header	HEI	135 Degree	51030 ↔	52030 0	51530 ↔	52530 0
GM LS 9.75" Long	Coil-On-Plug	90 Degree	51032 ↔	52032 0	51532 ↔	52532 0
GM LS 11" Long	Coil-On-Plug	90 Degree	5103 4 0	52034 0	5153 4 0	52534 0
Big Block Chevy Over V/C	HEI	Straight	51040 ↔	52040 0	51540 ↔	52540 0
Big Block Chevy Over V/C	Non-HEI	Straight	5104 1 0	52041 0	51541 0	52541 0
Big Block Chevy Over V/C	HEI	135 Degree	5104 2 0	52042 0	51542 0	52542 0
Big Block Chevy Under Header	HEI	90 Degree	5104 3 0	52043 0	5154 3 0	52543 0
Big Block Chevy Under Header	Non-HEI	90 Degree	510440	52044 0	5154 4 0	52544 0
Big Block Chevy Under Header	HEI	135 Degree	51045 ↔	52045 0	5154 5 0	52545 0
Small Block Chrysler, Mopar 273, 318, 340, 360	HEI	Straight	510550	52055 0	515550	52555 0
Small Block Chrysler, Mopar 273, 318, 340, 360	Non-HEI	Straight	510560	52056 0	515 56 0	52556 0
Big Block Chrysler, Mopar 361, 383, 400, 440	HEI	Straight	5106 0 0	52060 9	5156 0 0	52560 0
Big Block Chrysler, Mopar 361, 383, 400, 440	Non-HEI	Straight	51061 0	52061 •	51561 ↔	52561 0
Small Block Ford 260, 289, 302	HEI	135 Degree	5107 0 0	52070 0	51570 0	52570 0
Small Block Ford 260, 289, 302	Non-HEI	135 Degree	51071 o	52071 0	51571 0	52571 0
Small Block Ford 351W	HEI	135 Degree	51072 ↔	52072 0	51572 0	52572 0
Small Block Ford 351W	Non-HEI	135 Degree	51073 ↔	52073 0	51573 ↔	52573 0
Big Block Ford 351C, 390, 429, 460	HEI	135 Degree	5107 4 0	52074 0	5157 4 0	52574 0
Big Block Ford 351C, 390, 429, 460	Non-HEI	135 Degree	510 7 50	52075 9	5157 5 0	52575 0

RAGE PROVEN PERFORMANCE For STREET OR STREET The superiority of Blue Max™ 8mm 800 ohm Spiral Core Wire comes from over 35 years of refinement. The combination of Moroso's engineering expertise and our rigorous testing program yields the finest wire available for the Street or Strip. WHETHER YOU HAVE A FULL-TIME STREET MACHINE, HOT ROD, OR RACE CAR, MOROSO BLUE MAX 800 OHM SPIRAL CORE




INDEPENDENT TESTING CONFIRMS...BLUE MAX^{III} TOPS ALL OTHER WIRE

More Spark Energy vs. Comparative Brands!




Note: No correlation between Resistance and Spark Energy Elite Electronics Laboratories, a leading automotive electronics test facility, tested Moroso Blue Max[™] against 14 other brands. Their results confirm that Blue Max[™] transmitted more spark energy than any of the others.

Greater EMI/RF Suppression!




Elite Electronic Laboratories confirms, using SAE's CISPR test, that Blue Max^{™M} suppresses more electro-magnetic interference than any other brand of "high-performance" spiral core wire.

Higher Dielectric Strength!



The chart illustrates the break-through voltage of sample wires tested in a water-filled tank (per SAE's approved test). Even at the maximum test output of 60,000 volts, Moroso Blue Max[™] does not break down or arc through.

IGNITION WIRE



TAKE THEM OUT OF THE BOX, PLUG THEM IN, AND GO RAGING!

Moroso **Blue Max™ Sleeved Wire Sets** come complete with our famous 8mm, 800 ohm Spiral Core Wire pre-terminated at both ends with the correct terminals and boots, insulating sleeve that runs the entire wire length, shrink tubing to seal the boots, and numbered ID tags.

- Complete, ready-to-install sets available for your specific engine application
- Each wire is individually tested for continuity and resistance after termination to ensure race-ready performance



BU	IYER'S GU	IDE for l	Blue	Ma	XTM	Cus	stom	Fit	Sle	eve	d W	ire Se	ets
			WIRE			SPARK	COIL WIRE						
PART #	APPLICATION	DISTRIBUTOR CAP STYLE	DIA. (<i>mm</i>)	1	2	3	4	5	6	7	8	PLUG BOOT	LENGTH (inches)
SMALL BLO	CK CHEVY												
72402 \$	Over Valve Covers	HEI Style	8	29	33	35	27	25	27	25	24	90°	36
72405 0	Under Headers	Non-HEI	8	45	45	40	40	27.75	28	27	26.75	90°	36
72407 0	Under Headers	HEI Style	8	45	45	40	40	27.75	28	27	26.75	90°	36
BIG BLOCK	CHEVY												
72415 ↔	Over Valve Covers	HEI Style	8	28.75	34.75	34.25	28.75	27.25	28.5	26	25	STR.	36
72416 0	Under Headers	HEI Style	8	41.5	44.5	37.5	37	31	31	26.5	31	90°	36
FORD													
351W, V-8													
72426 \$	Over Valve Covers	HEI Style	8	29	33	32	32	28	26	34	36	135°	36
289-302													
72430 0	Over Valve Covers	HEI Style	8	27.75	28	26.6	29	24.5	25	28	28.5	135°	36

BLUE MAX™ SPIRAL CORE WIRE SPOOL

PART # DESCRIPTION

73230. Spiral Core 8mm, 800 ohm Wire Spool, 100 ft.

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 73235

BLUE MAX™ SPIRAL CORE COIL REPLACEMENT WIRE KIT

- 36" Long
- All the parts necessary to make a coil wire to fit virtually all popular coils and distributor cap combinations
- Kit contains three feet of Blue Max[™] Spiral Core 8mm suppression wire, a wire stripping tool, and a 13-piece boot and terminal kit

PART # DESCRIPTION

73235• Spiral Core 8mm, 800 ohm Coil Wire Kit, Blue 73236• Spiral Core 8mm, 800 ohm Coil Wire Kit, Black • MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

BLUE MAX™ SPIRAL CORE TWO WIRE SET

- · Moroso offers a two-piece Spiral Core Wire Set to replace individual wires
- Each wire is 55" long and terminated with a straight plug terminal at one end, and a 90° plug terminal at the other
- Simply cut wire to length and use the two distributor boots and two distributor terminals supplied with the kit to complete each wire

PART # DESCRIPTION

72475 Blue Max™ Spiral Core 8mm, 800 ohm Two Wire Set




STREET DRESS-UP KITS

Complete Pre-Terminated Kits for Header-Equipped Engines

- Kits contain one set of Moroso Blue Max[™] Spiral Core 8mm, 800 ohm Spark Plug Wire, four two hole wire looms, four chrome loom brackets, six spark plug wire separators, and a chrome distributor hold down
- Designed to route the plug wires over the top of the valvecover and down to the spark plug on engines equipped with exhaust headers





Includes boots for both HEI and Non-HEI distributors Moroso Wire Stripping Tool removes insulation without damaging the conductor Each set includes enough terminals for either HEI or Non-HEI distributors

FOR UNIVERSAL IGNITION WIRE APPLICATIONS, THESE SETS ARE THE WAY TO GO!

Moroso **Blue Max[™] Universal Fit Wire Sets** are terminated at the plug end only, and include enough wire length and terminals to fit HEI or Non-HEI distributors. A coil wire is included when required. There's even a wire stripping tool to simplify the termination. And like all Moroso Blue Max[™] wire, each is individually tested for unsurpassed quality control.

- Comes complete with everything you need
- Available in 8mm, 800 ohm
- Includes Moroso Wire Stripping Tool for quick and easy installation

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

BUYE	ER'S GUIL	DE for	Blue	Ма	Хтм	Sp	oira	I Co	ore	Un	ive	rsal Fi	t Wire Sets
			WIRE	SPARK PLUG WIRE LENGTHS (inches) CYLINDER #						SPARK	COIL WIRE		
PART #	DISTRIBUTOR CAP STYLE	WIRE COLOR	DIA. <i>(mm)</i>	1	2	3	4	5	6	7	8	PLUG BOOT	LENGTH (inches)
4 CYLINDI	ER ENGINES												
73229 ↔	HEI & Non-HEI	Blue	8	32	32	44	44					STR.	18
8 CYLINDI	ER ENGINES												
73210 ↔	LT-1	Blue	8	40	40	40	40	40	40	40	40	90°	18
73214 ↔	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	135°	36
73215↔	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	135°	36
73216 ↔	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	STR.	36
73217 ↔	HEI & Non-HEI	Yellow	8	35	35	39	39	46	50	53	53	90°	36
73218 ↔	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	STR.	36
73219 ↔	HEI & Non-HEI	Red	8	35	35	39	39	46	50	53	53	90°	36
73220 0	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	135°	36
73225 0	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	90°	36
73226 0	HEI & Non-HEI	Blue	8	35	35	39	39	46	50	53	53	STR.	36
73231 ↔	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	90°	36
73232 ↔	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	STR.	36
732330	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	135°	36
73233 ↔	HEI & Non-HEI	Black	8	35	35	39	39	46	50	53	53	135°	36

GNITION WIRE

BLUE MAX™ SPIRAL CORE CUSTOM FIT WIRE SETS

e have taken our race-proven Blue Max[™] 8mm, 800 ohm Spiral Core Wire and packaged it in pre-terminated sets for most popular applications. This is the very same wire used by professional racers and engine builders to deliver maximum spark energy and provide the greatest protection against electro-magnetic interference (EMI). The result is superior ignition performance and excellent sound quality from your car's audio system.



Includes coil wire where applicable

AMERICAN MOTORS

All Models	- V8 Engines	
YEAR	ENGINE	PART #
1984-67	All 8 Cylinders	72550 ↔
1984-67	All 8 Cylinders	72550 ↔
BUICK	ſ	
All Models	- V8 Engines	
YEAR	ENGINE	PART #
1982	4.4L 267 (E)	72520 ↔
1981	4.4L 267, 5.0L 305	72560 ↔
1980-78	350 (X)	72520 ↔
1977	_305, 350 (L)	72521 ↔
	350 (H) (J)	72560 ↔
1976-74	350, 400 with HEI	72560 ↔
1992-83	5.0L 307 (Y) (E) (7)	72565 \$
1982	5.0L 307	72565 \$
1981-77	260, 307, 350 (R), 403	72565 \$
1976-74	260	72565 \$
CADIL	.LAC	
All Models	- V8 Engines	

/	to Enginee	
YEAR	ENGINE	PART #
1991	5.0L (E) (7) Brougham	72538 \$
1990-86	5.0L, 307 (Y) (9)	72565 ↔
1980-79	5.7L 350 Eldorado, Seville	72565 ↔
1978-75	350	72565 ↔

CHEVROLET

Full Size/Bel Air/Caprice/Impala - V8 Engines							
YEAR	ENGINE	PART #					
1996-94	5.7L 350 LT-1	72529 ↔					
1992-90	5.0L 305 (E) (F), 5.7L 350 (7)	72538 ↔					
1989	5.0L 305 (E) (F), 5.7L 350 (7)	72538 ↔					
	5.0L 307 (Y)	72565 ↔					
1988-87	5.0L 307 (Y)	72565 ↔					

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

CHEVROLET, continued

All Models -	· V8 Engines	
YEAR	ENGINE	PART #
1981	4.3L 265	72570 ↔
	4.4L 267, 5.0L 305, 5.7 350	72520 ↔
1979	5.0L 305, 5.7 350	72522 ↔
1978	5.0L 305, 5.7 350	72522 ↔
1977	305, 350, 400	72521 ↔
1976-74	305, 350, 400 with HEI	72521 ↔
	454 with HEI	72528 \$
1974-71	307, 350, 400 without HEI	72510 ↔
	396, 402, 427, 454 without HEI	72550 ↔
1970-65	283, 307, 327, 350, 400	72500 ↔
	396, 402, 427, 454	72550 ↔
1964-55	265, 283, 327	72500 ↔
1992-83	5.0L 307 (Y) (E) (7)	72565 ⇔
1982	4.4L 267 (E)	72520 0
	5.0L 307	72565 ⇔
1981	4.3L 265, 5.0L 301	72570 0
	4.4L 267, 5.0L 305	72520 0
	260, 307, 350 (R), 403	72565 ⇔
1980-79	301	72570 0
	350 (R), 403	72565 0
	350 (X)	72560 \$
1978	301	72570 0
	305 Skylark	72522 ⇔
	305 Century, Regal	72523 0
	350 (L)	72522 0
	350 (X)	72560 ↔
1977	350 (R), 403	72565 ↔
	301	72570 ↔
	350 (R), 403	72565 ↔
	305, 350 (L)	72521 ↔
	350 (H) (J)	72560 ↔
1976-74	260	72565 ↔
	350, 400 with HEI	72560 ↔

CHEVROLET, continued

0 70		
Camaro 22 YEAR	28 - V8 Engines	
	ENGINE	PART #
2000-98	5.7L 350 LS-1	725350
1997-96	5.7L 350 LT-1	72527 0
1995-93	5.7L 350 LT-1	72526 ↔
1992-88	5.0L 305, 5.7L 350	72538 ↔
1987	5.0L 305	72538 ↔
	5.7L 350	72525 ⇔
1984-83	5.0L 305	72520 ⇔
1982	5.0L 305 with 4-Bbl. Carb.	72520 ⇔
1980	267, 305, 350 excludes California	72522 \$
1979-78	305, 350	72522 \$
1977-74	305, 350 with HEI	72521 ↔
1974-67	283, 302, 327, 350 without HEI	72510 ↔
1972-67	396, 402, 427, 454	72550 ↔
Chevelle/E	l Camino, Monte Carlo/Malibu - V&	S Engines
1986-83	5.0L 305	72520 0
1982-81	4.4L 267, 5.0L 305	72520 0
1977-74	305, 350, 400 with HEI	72521 ↔
1974-73	307, 350, 400 without HEI	72510 ↔
1972-65	283, 307, 327, 350, 400	72510 ↔
	396, 402, 427, 454	72550 ↔
1964	283, 327	72510 ↔
Chevy II/No	ova - V8 Engines	
1979-78	305, 350	72522 ↔
1977-74	305, 350, 400 with HEI	72521 ↔
1974-71	305, 350, 400 without HEI	72510 ↔
1970-68	307, 327, 350	72500 ↔
	396, 402	72550 ↔
1967-64	283, 327	72510 ↔
	V8 Engines	
2000-97	5.7L 350 LS-1	72535 ↔
1996-92	5.7L 350 LT-1, LT-4	72524 ↔
1991-85	5.7L 350	72525 ↔
1982-74	5.0L 305, 5.7L 350 with HEI	72561 ↔
1974-65	327, 350 without HEI	72510 ↔
	396, 427, 454 without HEI	72550 ↔
1964-55	265, 283, 327	72500 ↔

CHEVROLET/GMC TRUCK

All Series - V8 Engines

All Julius -	VO LIIGIIIES	
YEAR	ENGINE	PART #
1992-87	7.4L 454 (N) C/K	72542 \$
1989	5.0L 305 (H) C/K, G	72540 \$
	5.7L 350 (K) C/K, R/V	72542 \$
	7.4L 454 (N) C/K, R/V	72542 \$
1988-87	5.0L 305 (H) C/K, G	72540 ↔
	5.7L 350 (K) C/K, R/V	72542 \$
	5.7L 350 (K) G/P	72540 ↔
	5.7L 350 (M) C/K, R/V	72522 \$
	7.4L 454 (N) C/K, R/V, G	72542 \$
1986	5.7L 350 (K) G/P	72522 \$
	7.4L 454 (N) C/K, P	72530 0
1985-83	5.0L 305, 5.7L 350 C/K	72520 ↔
	5.0L 305, 5.7L 350 G/P	
	excludes Motor Home	72522 \$
	7.4L 454 (N) C/K, P	72530 \$
1982	5.0L 305, 5.7L 350 C/K 30, 35	72522 ↔
	5.0L 305, 5.7L 350 G/P	72522 ↔
	7.4L 454 (N) C/K, P	72530 0
1981	4.3L 265	72565 0

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov CHEVROLET/GMC TRUCK, continued

YEAR	ENGINE	PART #
	5.0L 305, 5.7L 350 G/P	72522 0
	7.4L 454 (N) C/K, P	72530 ↔
1980-78	305, 350	72522 ¢
	454	72530 0
1977	305, 350, 400	72521 0
	454	72530 0
1976-75	305, 350, 400 with HEI	72521 0
	305, 350, 400 without HEI	72500 0
	454	725280
1974-73	307, 350, 400	72510 0
	396, 402, 454	72550 0
1972-65	396, 402, 454	72550
	283, 307, 327, 350, 400	72500 ¢
1964-55	265, 283, 327	72500 ¢

All Models - V8 Engines

All Models - Vo Engines		
YEAR	ENGINE	PART #
1989-79	5.2L 318, 5.9L 360	72650 0
1978-73	318, 360	72650 0
	400, 440	72655 0
1972-71	360	72650 0
	400, 440 with Electronic Ignition	72656 0
	400, 440 excludes Electronic Ignition	72660 0
1970-59	361, 383, 413, 440	72660 0

DODGE

All Models - V8 Engines

YEAR	ENGINE	PART #
1989-79	5.2L 318, 5.9L 360	72650 ↔
1978-73	318, 340, 360	72650 ↔
	400, 440	72655 ↔
1972-62	273, 318, 340, 360	72650 ↔
	361, 383, 400, 440	72656 ↔
1961-60	318	72650 ↔

DODGE TRUCK

All Models - V8 Engines

Year	Engine	PART #
1991-79	5.2L 318, 5.9L 360	72650 0
1978-73	318, 360	72650 ↔
	400, 440 with Electronic Ignition	72656 ↔
1972-60	318, 360	72650 ↔

FORD

Full Size, Custom/Galaxie/LTD Crown Victoria -V8 Engines

YEAR	ENGINE	PART #
1987-86	5.8L 351W	72645 ↔
1985-84	5.8L 351W	72645 ↔
1979	5.0L 302 California only	72645 ↔
	5.8L 351W California only	72645 ↔
1974-73	351C, 400	72605 ↔
1972-71	302, 390	72600 ↔
	351, 400, 429	72605 ↔
1970	302	72600 ↔
	351, 390, 427, 428, 429	72605 ↔
1969-68	302, 351	72600 ↔
	390, 427, 428, 429	72605 ↔
1967-61	221, 260, 289, 292	72605 ↔

Ш

BLUE MAXTM SPIRAL CORE CUSTOM FIT WIRE SETS

YEAR	ENGINE	PART #
	All 8 Cylinder excludes	
	221, 260, 289, 292	72600 0
1960-58	All 8 Cylinder excludes 292	72600 0
Fairlane - I	/8 Engines	
1970-66	289, 302, 351	72600 \$
	390, 427, 428	72605 0
1965-62	All 8 Cylinder	72600 0
Falcon - V8	Engines	
1970-63	All 8 Cylinder	72600 \$
LTD II/Tori	no/Ranchero - V8 Engines	
1985-84	All 8 Cylinder	72645 \$
1974-73	351C, 400	72605 0
1972-70	302	72600 0
	351, 429	72605 0
1969-68	302	72600 0
	390, 428	72605 0
Mustang -	V8 Engines	
1998-96	4.6L SOHC V8	72646 \$
1994-86	5.0L 302	72645 \$
1985	All 8 Cylinder with EEC IV	72645 \$
1984	5.0L 302	72645 0
1973	351	72605 0
1972-70	_302	72600 0
	All 8 Cylinder excludes 302 cid	72605 0
1969-67	All 8 Cylinder	72605 0
1965-66	All 8 Cylinder	72600 ↔
Thunderbi	rd - V8 Engines	
1993-91	5.0L 302	72635 0
1972-69	All 8 Cylinder	72605 ⇔
1968-58	All 8 Cylinder excludes 429 cid	72600 ↔
	429	72605 ⇔
FORD	TRUCK	
Bronco - V		
YEAR	ENGINE	PART #

DI UNCO - V	o Engines	
YEAR	ENGINE	PART #
1994-88	5.0L 302	72645 ↔
	5.8L 351	72635 ↔
1984-83	5.8L 351	72645 ↔
1982	5.8L 351 California only	72645 ↔
1972-66	All 8 Cylinder	72600 ↔
E Series -	V8 Engines	
1994-91	5.0L 302	72645 ↔
	5.8L 351	72635 ↔
1990	5.0L 302	72645 ↔
	5.8L 351	72635 ↔
1989-88	5.0L 302 with EEC IV	72645 ↔
	5.8L 351	72635 ↔
1987	5.8L 351 with EEC IV	72645 ↔
1986	5.8L 351 with EEC IV	72645 ↔
1985	5.8L 351 with EEC IV	72645 ↔
1984	5.8L 351 with EEC IV	72645 ↔
1982	5.8L 351 with EEC IV	72645 ↔
F Series -	V8 Engines	
1994-91	5.0L 302	72645 ↔
	5.8L 351	72635 0
1990-88	5.0L 302 with EEC IV	72645 ↔
	5.8L 351	72635 ↔
1987-86	5.0L 302 with EEC IV	72645 ↔
	5.8L 351	72645 ↔
1985	5.0L 302 with EEC IV	72645 \$

FORD TRUCK, continued

YEAR	ENGINE	PART #
1984-83	5.8L 351	72645 ↔
1982	5.8L 351	72645 ↔
1973	360, 390 Engs	72600 ↔
F Series -	V8 Engines	
1972-71	302 F-100	72600 \$
	330 MD, 360, 390	72600 \$
	352	72605 ↔
1970-69	302 F-100	72600 ↔
	330 MD	72600 ↔
	352, 360, 390	72605 ↔
1968-67	330 MD	72600 ↔
	352, 360, 390	72605 ↔
1966-65	352, 360, 390	72605 ↔
1964	All 8 Cylinder	72605 \$
1 11100		

LINCOLN

Continental - V8 Engines

YEAR	ENGINE	PART #
1972-69	All	72605 ↔
1968-58	All	72600 ↔
Mark III/IV	/V/VI/VII - V8 Engines	
1992	5.0L 302 LSC	72645 ↔
1984	5.0L 302 LSC	72645 0
1976-69	All	72605 ↔
Town Car	- V8 Engines	
1988-86	302	72645 \$
MEBC	IIBV	

MERCURY

Full Size Gra	nd Marquis, Montery/Etc V8 En	-
YEAR	ENGINE	PART #
1987-86	5.8L 351	72645 ↔
1985	5.8L 351W	72645 0
1984	5.8L 351W	72645 ↔
1979	5.8L 351W	72645 ⇔
1974-73	351, 400	72605 0
1972	429 Interceptor	72605 0
1971	400, 429	72605 ⇔
1970-69	390, 400, 428, 429	72605 ↔
1968	390, 428	72605 0
1967-65	All 8 Cylinder	72605 0
1964	390, 427	72600 0
1963	390	72600 \$
1962-61	All 8 Cylinder excludes 292 cid	72600 ↔
1960-58	383, 430	72600 ↔
Capri- V8 En	gines	
1986-84	All 8 Cylinder	72645 0
Comet/Mete	or - V8 Engines	
1971	302	72600 0
1970	302	72600 0
	351, 429	72605 0
1969-66	289, 302	72600 0
	390, 427, 428	72605 0
1965-62	All 8 Cylinder	72600 0
Cougar - V8	Engines	
1993-91	5.0L 302	72635 0
1974	351, 400	72605 0
1973-70	All 8 Cylinder	72605 0
1969-68	302	72600 ↔
	351, 390, 427, 428	72605 ↔
1967	428 WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer.	72600 ↔

to the state of California to cause cancer, birth defects, or reproductive harm-www.P65Warnings.ca.gov

Ш

MERCURY, continued . .

Montego ·	- V8 Engines	
YEAR	ENGINE	PART #
1974-73	351, 400	72605 ↔
1972-70	302	72600 ↔
	351, 400	72605 ↔
1969-68	302	72600 ↔
	351, 390, 427, 428	72605 ↔
Marquis -	V8 Engines	
1985-84	5.0L 302	72645 0

OLDSMOBILE

Full Size Delta 88/98/Toronado - V8 Engines

Full Size D	iena 88/98/Toronado - vo Engines	;
YEAR	ENGINE	PART #
1991	5.0L (E) Custom Cruiser	72538 ↔
1990-86	5.0L 307(9)(Y) Custom Cruiser	72565 ↔
1985-84	5.0L 307(9)(Y)	72565 ↔
1983	4.3L 260, 5.0L 307(Y)	72565 0
1982-81	4.3L 260, 5.0L 307(Y), 5.7 350	72565 0
	4.4L 267	72520 0
1980	4.3L 260, 5.0L 307(Y), 5.7 350	72565 ↔
1979	260, 5.0L 307(Y), 5.7 350	72565 0
	4.9L 301	72570 0
1978-74	260, 350, 403 with HEI	72565 0
1974-65	All 8 Cylinder without HEI	72650 0
Cutlass F8	5/442 V8 Engines	
1988-87	5.0L 307 (Y) (9)	72565 0
1986-85	5.0L 305 (H)	72520 0
	5.0L 307 (Y) (9)	72565 0
1984-83	5.0L 305 (H)	72520 ↔
	4.3L 260, 5.0L 307 (Y)	72565 ↔
1982-81	4.3L 260, 5.0L 307 (Y), 5.7 350	72565 0
1980-79	260, 350	72565 ↔
1978	260, 350	72565 ↔
1977	260, 350 (R), 403	72565 ↔
	301	72570 0
	305, 350 (L)	72521 ↔
1976-74	260, 350, 403 with HEI	72565 0
1974-65	330, 350, 400, 455 without HEI	72650 0
Omega - V	'8 Engines	
1979-77	305, 350 (L)	72522 \$
1976-75	260	725650
	350	72560 0
1974-73	350	72565 0

PLYMOUTH

_	_							
All Models - V8 Engines								
YEAR	ENGINE	PART #						
1989-79	5.2L 318, 5.9L 360	72650 \$						
1978-73	318, 340, 360	72650 \$						
	400, 440	72655 0						
1972-62	273, 318, 340, 360	72650 \$						
	361, 383, 400, 440	72656 0						
1961-60	318	72650 \$						

PONTIAC

Bonneville/Catalina/Parisienne - V8 Engines

YEAR	ENGINE	PART #
1989-88	5.0L 307 (Y)	72565 ↔
1987	5.0L 307 (Y)	72565 ↔
1986	5.0L 305 (H), 5.7L 350 (6)	72520 ↔
	5.0L 307 (Y)	72565 ↔

PONTIAC, continued

	AC, continued	
YEAR	ENGINE	PART #
	5.0L 307	72565 ↔
1980-79	265, 301	72570 0
	307, 350 (R), 403	72565 0
	350 (X)	72560 ↔
1978-77	301, 350 (P), 400	72570 ↔
	350 (R), 403	72565 ↔
1976-74	350, 400, 455 with HEI	72570 ↔
1974-68	350, 400, 455 without HEI	72550 ↔
Firebird/Tra	ans Am - V8 Engines	
2000-98	5.7L 350 LS-1	72535 0
1997-96	5.7L 350 LT-1	72527 ⇔
1995-93	5.7L 350 LT-1	72526 ↔
1992-88	5.0L 305, 5.7L 350	72538 ↔
1987	5.0L 305	72538 0
	5.7L 350	72525 0
1984-83	5.0L 305	72520 ↔
1982	5.0L 305 with 4-Barrel Carburetor	72520 ↔
1981	4.9L 301 excludes Turbo	72570 ↔
1980-78	301, 400	72570 ↔
	305, 350 (L) excludes California	72522 0
	403	72565 0
1977	301, 350 (P), 400	72570 0
	350 (R), 403	72565 0
1976-74	350, 400, 455 with HEI	72570 0
1974-67	All 8 Cylinder without HEI	72550 0
Grand Prix	- V8 Engines	
1982-81	4.4L 267, 5.0L 305	72520 ↔
1977	301, 350 (P), 400	72570 0
	350 (R), 403	72565 0
1976-74	350, 400, 455 with HEI	72570 0
1974-62	All 8 Cylinder without HEI	72550 0
Phoenix - V	-	
1979-77	305, 350 (L)	72522 \$
	emans/GTO - V8 Engines	
1981	4.4L 265, 4.9L 301	72570 ↔
1980	4.4L 265, 4.9L 301	72570o
1979	301	725700
1978	301	72570↔
1070	305, 350 (L)	72523↔
1977-74	All 8 Cylinder with HEI	72570¢
1974-64	All 8 Cylinder without HEI	72550↔
Ventura - V		12000
1977	301	72570 0
13/1		
	350 (R)	725650 725210
1076 74	305, 350 (L)	72521↔
1976-74	260 with HEI	725650 725700
1074 71	350 with HEI	725700
1974-71	All 8 Cylinder without HEI	72550↔

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-www.P65Warnings.ca.gov

///

BLUE MAX 🏧	SPIRAL (CORE	CUSTOM	FIT WIRE	SETS

PART #	SP	ARK F					S (inc	hes)	SPARK PLUG BOOTS	HEI OR NON-HEI	COIL WIRE LENGTH
	1	2	3	4 YLIN	IDER 5	# 6	7	8			(inches)
725350	8	2	3 8	4 8	5 8	8	7 8	8	STR.	NA	N/A
72500o	28	0 28	o 32	。 32	0 45	0 49	0 49	0 49	90°	Non-HEI	10
725100	20	20 26	32 28	32 30	45 34	49 34	49 38	49 38	90°	HEI	10
72520o	20	20	20 36	36	40	40	40		90°	HEI	N/A
72521¢	20	20	22	26	32	40 32	40 32	44	90°	HEI	10
72522¢	22	22	22	20	26	32	32	40	90°	HEI	N/A
725230	20	32	36	36	40	40	40	40	90° & STR.	HEI	N/A
72524o	25	23	25	23	33	34	33	34	90°	HEI	16
72525 0	25	23	25 26	23 28	32	34 40	44		90° & STR.	HEI	N/A
72526 0	15	20 19	20 18	20 21	32 23	40 27	44 38	44 32	90 & STR. 90°	HEI	12
725270	16	18	18	21	23	28	36	32	90°	HEI	12
72528¢	22	22	28	28	36	36	36	36	STR.	HEI	N/A
72529 0	13	15	15	17	19	23	25	35	90°	HEI	9, 11
72530o	26	28	28	28	28	32	36	40	STR.	HEI	N/A
72538o	20	28	32	32	32	32	36	40	90° & STR.	HEI	8
72540o	26	26	26	32	32	36	40	40	90°	HEI	10
72542o	26	28	32	32	32	36	40	40	STR.	HEI	10
72550o	26	26	28	28	32	32	34	38	STR.	Non-HEI	12
72560 ^o	26	27	29	30	30	32	35	37	STR.	HEI	N/A
72561↔	22	26	28	28	44	48	56	56	90°	HEI	N/A
725650	22	22	24	24	28	36	40	40	STR.	HEI	N/A
72570o	18	20	22	26	28	28	36	40	135° & STR.	HEI	N/A
72600 ^o	28	28	28	28	28	31	31	34	STR.	Non-HEI	17-1/2
72605 °	28	28	28	28	31	31	31	34	STR.	Non-HEI	18
72635 0	18	19	22	22	24	29	30	30	135°	Non-HEI	17
726450	20	20	21	25	28	31	32	32	135°	Non-HEI	18, 23
726460	18	39	26	53	35	32	23	29	130°	Non-HEI	N/A
726500	22	24	24	28	28	28	30	34	STR.	Non-HEI	12
726550	19	26	32	38	44	48	52	55	90°	Non-HEI	9
726560	16	26	32	32	32	36	38	52	90°	Non-HEI	10
72660 ↔	22	27	33	46	56	41	51	56	90° & STR.	Non-HEI	15

BLUE MAX™ SPIRAL CORE WIRE SETS - SPORT COMPACT

- Every wire is cut to the correct length and factory terminated at each end with locking, corrosion resistant steel terminals
- Terminals are protected by high-temperature O.E.M. style silicone boots, bonded to the wire to seal out moisture, fuel and oil
- Includes color matched high-temperature plastic wire separators where necessary to keep wires evenly spaced



BUYER'S GUIDE for Blue Max™ Spiral Core Sport Compact <u>Wire Sets</u>

	SPAR	K PLUG	WIRE L	ENGTHS	5 CYLINE	DER #		COIL WIRE LENGTH	H YE/
PART #	1	2	3	4	5	6	SPARK PLUG BOOT	(inches)	
726730	33	28	26	20	N/A	N/A	OEM style	14	- <u>199</u> 199
726740	32	30	24	21	N/A	N/A	OEM style	N/A	199
726800	33	28	26	20	N/A	N/A	OEM style	14	199
726820	32	30	24	21	N/A	N/A	OEM style	N/A	- <u>200</u> 199

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

ACURA

YEAR	MODEL	BLUE	RED
1998-94	Integra VTEC	72674 0	72682 0
1998-90	Integra (excl VTEC)	72673o	72680 0
HON	DA		
YEAR	MODEL	BLUE	RED
1995-90	Accord DX, LX	72673 0	72680 0
1995-92	Civic CX, DX, LX	72674o	72682o
1991-88	Civic, CRX	72674o	72682o
1998-94	Civic/Del Sol VTEC	72674 0	72682 0
2000-99	Civic Si	72674o	72682o
1995-92	Prelude	72673 0	72680 0


IGNITION WIRE

 \square


EQUAMEROFEED EROD GLLOC



ENGINEERED FOR MAXIMUM SPARK ENERGYA



Highest Dielectric Strength!



IGNITION WIRE

BLUE MAX™ SOLID CORE WIRE SETS

BLUE MAX™ SOLID CORE UNIVERSAL FIT WIRE SETS

- Pre-terminated at the plug end with either straight or 90° boots
- Sets contain both HEI and Non-HEI terminals and boots to terminate-your-own distributor/magneto wire ends
- Sets can also be used in part for 2-, 4- and 6-cylinder applications
- For a professional installation, use with Moroso insulating Sleeve Nos. 72000, 72002 or 72004; Shrink Sleeve Nos. 72030 or 72031; Spark Plug looms and wire separators





No. 72820

BUYER'S GUIDE for Blue Max™ Solid Core Universal Wire Sets

SPARK PLUG WIRE LENGTHS (inches)					SPARK	COIL WIRE	8 CYLINI	DER APPLICATION	IS					
PART #	4	n	3	4	5	6	7	0	PLUG BOOT	LENGTH (inches)	PART # PLUG DIST. Term's/boots term's/boots		WIRE Color	
FANI#		2	ა	4	5	0	1	0	DUUI	(IIICHES)		1ENW 3/00013	TERIVI 3/DUUTS	COLUN
72800* 0	35	35	39	39	46	50	53	53	STR.	36	72800* \$	Straight	HEI & Non-HEI	Blue
72820* \$	35	35	39	39	46	50	53	53	90°	36	72820*0	90°	HEI & Non-HEI	Blue

BLUE MAX™ SOLID CORE COIL WIRE KIT

8mm

- Kit contains all the parts necessary to make a coil wire fit virtually all popular coils and distributor cap combinations
- Includes 3 feet of Blue Max[™] Solid Core Wire, terminals and boots

PART # DESCRIPTION

72855* Solid Core Coil Wire Kit, Wire Looms and Wire Separators



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 72855

BLUE MAX™ SOLID CORE WIRE SPOOL

8mm

PART # DESCRIPTION

72830* Solid Core Wire Spool, 8mm, 100 ft

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 72830

*Not legal for sale or use on Street vehicles per F.C.C. regulations

LOOKING FOR CUSTOM IGNITION WIRE?

Moroso can custom manufacture ignition wire to your unique specifications and imprint sleeve with your company logo! A Technical Representative is available to discuss options, colors and pricing for your custom wire.



343

GNITION WIRE



BLUE MAX™ WIRE ACCESSORIES

birth defects, or reproductive harmwww.P65Warnings.ca.gov

UNIVERSAL WIRE ACCESSORIES

BLUE MAX™ DISTRIBUTOR BOOT & TERMINAL KIT

Fits: Moroso, Ford, MSD Distributors and others

High dielectric strength EPDM provides excellent insulation

BLUE MAX™ SPARK PLUG BOOT &

• Manufactured from high temperature silicone

- · Stainless HEI terminals provide maximum corrosion resistance, high conductivity
- · Positive, locking HEI terminals won't fall off under racing conditions

PART # DESCRIPTION

TERMINAL KITS

72040 HEI Distributor Boot Kit, 8mm. Includes 9 Boots & Terminals

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 72070

No. 72040

No. 7207



SELF-VULCANIZING TAPE, BLACK

- High dielectric strength, high-temperature silicone tape wraps around ignition wire, boots and connectors to provide added insulation
- Extra insulation keeps spark energy contained within the wire, preventing high-voltage leaks and resulting misfire
- Also seals out moisture, while protecting the wire from the harmful effects of oil and excessive heat
- Specially formulated silicone rubber vulcanizes automatically, providing adhesion when tape surfaces make contact
- An excellent alternative to applying shrink sleeves and insulated wire sleeving
- One-inch wide tape packaged in 12-foot rolls

PART # DESCRIPTION

72038 Self-Vulcanizing Tape, Black

SPARK PLUG MARKERS

- Fits 8mm -8.65mm only
- Plastic, clip-on style
- 8 per package
- PART # DESCRIPTION

72023 Spark Plug Markers



No. 72038

No. 72023

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

WIRE CRIMPING TOOLS

 Must have tools to crimp a variety of spark plug terminals and other automotive wire hardware

PART # DESCRIPTION

- 62260^o General Purpose Wire Crimper. Made of high carbon steel with black oxide finish and plastic hand grips
- 62268⁽⁾ Super-Duty Wire Crimping Tool. Positive ratcheting mechanism adjusted for perfect crimps. Supplied with crimping jaws for Moroso (and other) spark plug wire terminals. Hardened steel frame with Blue molded cushion grips. Also comes with additional standard wire crimping jaws for electrical insulated terminals.



ENHANCED IGNITION WIRE STRIPPING TOOL

Made especially for stripping 8mm & 8.65mm Moroso Ignition Wire and others

- An easy way to strip wire without damage, which is more likely to occur using other methods
- Simple and efficient operation: place the end of the wire in the "mouth" of the tool, twist in a circular pattern until the cut is made around the wire, then pull off sheath
- Heavy-duty construction and quality components provide reliable operation after repeated use
- After using this Enhanced Stripping Tool, you will never go back to using manual strippers for assembling wire sets again

DESCRIPTION PART

Enhanced Ignition Wire Stripping Tool, for 8mm & 8.65mm diameter wire 62272



No. 62272



ADJUSTABLE WIRE STRIPPING TOOL

- Will strip the outer jacket and insulation in one easy operation giving a cleaner precise cut
- For stripping different diameters of cable, use the built in hex key adjuster screws to align the blade for desired results
- V-Block can be reversed and the indication arrow set to recommended cable size
- Stripper distance can be changed by removing one of the stripping blades
- PART # DESCRIPTION 62271 Adjustable Wire Stripping Tool



No. 62271

WIRE STRIPPING TOOL

- Ideal for stripping 8mm Moroso ignition wire without damaging the conductor
- Damage to conductor during stripping can cause interruption of spark and misfire
- Moroso's specially-designed tool uses a hard-edge, razor-sharp blade specially positioned in a plastic holder to cut only the insulation – not the conductor

PART # DESCRIPTION 62270 Wire Stripping Tool, 8mm







PART # DESCRIPTION

71992o High-Temperature Boot Sleeves, Blue **71993**o High-Temperature Boot Sleeves, Red 719940 High-Temperature Boot Sleeves, Black **71995**↔ High-Temperature Boot Sleeves, Natural



UNIVERSAL LOOM KITS

- Includes four 2-hole looms, two 3-hole looms, and four chrome plated brackets which secure to valve cover bolts
- One kit per engine

PART # DESCRIPTION

Universal Loom Kit, Blue, 7-9mm **72150**o 72151o Universal Loom Kit, Red, 7-9mm 721530 Universal Loom Kit, Black, 7-9mm

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 72168



SHOW CAR LOOM KITS

 Includes eight 2-hole looms, two 4-hole separators, and four chrome plated brackets which secure to valve cover bolts One kit per engine

PART # DESCRIPTION 721700 Show Car Loom Kit, Blue., 7-9mm Show Car Loom Kit, Red, 7-9mm 721680 Show Car Loom Kit, Black, 7-9mm 721670

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

BIG BLOCK CHEVY LOOM KITS

 Includes four right-side and four left-side chrome plated brackets. two 1-hole looms, two 2-hole looms, two 3-hole looms, two 4-hole looms, two 4-hole separators, and two 2-hole separators One kit per engine PART # DESCRIPTION 721750 Big Block Chevy Loom Kit, Blue, 7-9mm No. 72175 WARNING Prop. 65 721760 Big Block Chevy Loom Kit, Red, 7-9mm This product contains a chemical known to the state of California to cause cancer,

birth defects, or reproductive harmwww.P65Warnings.ca.gov

721780 Big Block Chevy Loom Kit, Black, 7-9mm

SUPER LOOM KITS

- · Includes two right-side and two left-side chrome plated brackets for mounting on the valve covers, two 4-hole wire looms, six 2-hole looms, two 4-hole wire separators, and two 2-hole separators.
- One kit per engine

PART # DESCRIPTION

- **72171**0 Super Loom Kit, Blue, 7-9mm Super Loom Kit, Red, 7-9mm 721720 Super Loom Kit, Black, 7-9mm 721740
- ZI WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



SMALL BLOCK FORD LOOM KITS

 Includes: three 4-hole wire looms, one 3-hole wire loom, one 2-hole wire loom, one 1-hole wire loom, two 4-hole wire separators, one 3-hole wire separator, one 2-hole wire separator, and six chrome plated brackets

One kit per engine

PART # DESCRIPTION

- Ford Loom Kit, Blue, 7-9mm 72130o 72131o Ford Loom Kit, Red, 7-9mm
- **72133**↔ Ford Loom Kit, Black, 7-9mm
- KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov


No. 72133




UNIVERSAL WIRE ACCESSORIES

SMALL BLOCK CHEVY CENTERBOLT LOOM KITS

• Includes two right-side and two left-side chrome plated brackets that mount to engine, two 4-hole wire looms, six 2-hole looms, two 4-hole wire separators, and two 2-hole separators





FOUR HOLE SPARK PLUG WIRE LOOM KITS

- · Includes two chrome plated brackets and two 4-hole looms
- One kit per engine

PART # DESCRIPTION

72180 0	Four Hole Loom Kit, Blue, 7-9mm
72181 ⇔	Four Hole Loom Kit, Red, 7-9mm
72182 ⇔	Four Hole Loom Kit, Yellow, 7-9mm
72183 ⇔	Four Hole Loom Kit, Black, 7-9mm





SBC HIGH-TEMP UNDER HEADER LOOM KIT

- Designed for routing wires under headers on old and new style Small Block Chevy engines
- Includes four chrome plated brackets,two 4-hole looms, two 2-hole looms, two 4-hole separators, two 3-hole separators, two 2-hole separators and mounting bolts
- One kit per engine

PART # DESCRIPTION

72195. Under Header Loom Kit, Black, 7-9mm



REPLACEMENT WIRE LOOMS

- Direct replacement looms 7-9mm used in Moroso Loom Kits, also fits other brands' loom brackets
- High-temperature injection molded polyester for extended durability
- Not for use with Part No. 72195
- Packaged two per card

PART # DESCRIPTION

97830	Wire Loom, 2-Hole, Blue, 7-9mm
97832	Wire Loom, 4-Hole, Blue, 7-9mm
97833	Wire Loom, 2-Hole, Red, 7-9mm
97835	Wire Loom, 4-Hole, Red, 7-9mm







LOOM KITS

Triple-process chrome plated brackets with high-temperature plastic separators keep plug wires away from exhaust manifolds, headers and other trouble spots. Prevents ignition crossfire by keeping wires evenly spaced. Available with Blue, Red, Yellow and Black looms/separators to give your engine a neat and orderly look.



No. 72163

SPARK PLUG WIRE SEPARATORS

- · Protect against heat damage by preventing contact with hot engine components
- · Prevent crossfiring by firmly holding plug wires away from one another
- Can be used for routing wires over valve covers or under headers
- Wires "snap" into place with slight pressure
- · Sets include two 2-hole separators, two 3-hole separators and two 4-hole separators
- Available in Blue, Red, Yellow and Black

PART # DESCRIPTION

- 72160 Spark Plug Wire Separators, Blue, 7-9mm
- 72161 Spark Plug Wire Separators, Red, 7-9mm
- 72162 Spark Plug Wire Separators, Yellow, 7-9mm
- 72163 Spark Plug Wire Separators, Black, 7-9mm
- 73160 Spark Plug Wire Separators, Blue, 11mm or sleeved wire
- 73163 Spark Plug Wire Separators, Black, 11mm or sleeved wire

WIRE SEPARATOR KIT, 2 EACH OF 2, 3 & 4 SEPARATORS, BLACK

Fits: up to 8.65mm Non-Sleeved Ignition Wire

- Separators are constructed out of plastic and are a split design with center retaining hardware
- Kit includes an Allen Wrench
- Two kits would be needed for a typical SBC V-8 engine

PART # DESCRIPTION

72166 Wire Separator Kit, 2 each of 2, 3, & 4 hole separators including allen wrench



No. 72166

OUR BEST SPEAKS FOR ITSELF!

n most catalogs, a manufacturer will showcase their top-of-the-line product, whether sold in larger numbers or not. Unfortunately, we can't show you our **Premier Circle Track Distributors** because of proprietary agreements.

We can tell you how extraordinarily well our distributors perform—in Circle Track's top racing series—by both the leader and the majority of the top ten series cars. In addition to racing, Moroso distributors are also utilized on one of the largest fleet of delivery vehicles in the United States.

Even though you might not be racing 500 miles or picking up 500 packages a day, Moroso's line of distributors give our customers the same **performance**, **quality and reliability** that racing and industry leaders have come to depend on.

DISTRIBUTOR REPLACEMENT PARTS

Refer to chart below for specific replacement parts for your distributor model.

» 🕂 WARNING Prop. 65		М	ODEL OF DISTRIBUTO	R	men
This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm. www.P65Warnings.ca.gov	MOROSO	MOROSO Premier	MOROSO DURABILLET ONE-PIECE	JESEL® FRONT	CRANE PRO
DESCRIPTION	MULTIPHASE	BLUE BELL	BLACK HOUSING	DRIVES	SERIES
Сар	97852 ↔	97852 ↔	97855 ⇔	97855 ↔	97855 ⇔
Cap, Non Wire Retainer	97850⇔	97850↔	97856 \$	97856 0	97856 ↔
Rotor	97848 ↔	97848 \$	97848 \$	97860 ↔	97849 ↔
Adapter Ring	N/A	N/A	97854	97861	97854
Wire Retainer	97853	97853	97853	97853	97853
Moroso Race Pickup 11"	97862	97862	97862	N/A	N/A



DURAFIRE DISTRIBUTORS

COMPLETE BOLT-IN REPLACEMENTS FOR HEI CHEVROLET V8 ENGINES

Now there's no need to build your own high-output distributor that you can tune for non-computerized HEI Chevy V8's. The ignition experts at Moroso have done it for you! Moroso's **DuraFire Distributor** come equipped with everything needed to customize

the ignition timing curve for your particular street/strip application. They feature several high-output components including Moroso's **ProCoil** that provides more complete combustion for easier starts, smoother idle, improved acceleration and more horsepower!

Included: High-Output Module, Mechanical Advance Curve Kit, HEI Cap & Rotor, High-Output **ProCoil** & Cover

- Improved weight and advance cam pin retention by TIG welding the pin backside to prevent them from coming loose
- Upgraded strength of the plastic wire harness plug so that the two lock tabs do not break off when unplugging the harness from the distributor cap

PART # DESCRIPTION

72231. DuraFire Distributor, GM HEI, V8, w/out Vacuum Advance


PART #REPLACEMENT PARTS97857, 97858, 97859Distributor Repl, Parts (see pg.352)


72355• ProCoil Ignition Coils (see pg. 357)

CHECK OUT THE FEATURES

- **A.** One-piece aluminum housing is cleanly machined for neat appearance; steel shaft and gear provide concentric operation
- **B.** HEI Distributor Cap and Rotor are precision molded from advanced polymers with solid brass contacts and low-resistance center coil brush
- **C.** Mechanical Advance Curve Kit with extra springs allow you to recurve your distributor for full advance at optimum RPM; precision stamped weights, welded pins and center plates with smooth edges eliminate erratic timing
- **D.** Moroso's ProCoil combines low oxygen, high-conductivity magnet wire, high-silicon core material, and non-porous epoxy impregnation to produce extremely high current and extended duration for increased spark energy
- E. High-Output Module delivers high spark output and extended reliability

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





WARNING Prop. 65 This product contains a chemical known

to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

V-8 Vortec, "LT" Engines

- Heavy duty aluminum body is stronger than 0.E.M. plastic housing
- Hardened steel shaft and gear provide concentric operation

97866

No. 72251

978670

Сар


Rotor

DURAFIRE DISTRIBUTOR, GM VORTEC, '95 -'01

- Caged needle roller bearings for smooth operation
- Flat cap like 0.E.M.
- Cap and rotor are precision molded from advanced polymers with solid brass contacts and inserts on the cap and rotor
- This distributor does not use a module (it only has a HAL Effect Sensor)

DESCRIPTION PART

72252 **DuraFire Distributor**



CHEVROLET V8 SUPER HEI IGNITION KIT

8mm

- Includes HEI Distributor Cap and Rotor, Coil Cover, Blue Max[™] high-performance Wire Set, and Super Loom Kit
- Developed for racing, all ignition components engineered to improve ignition accuracy, fuel economy, starting, and throttle response
- HEI Distributor Cap & Rotor precision molded from advanced polymers with solid brass contacts to provide high dielectric strength & unsurpassed timing accuracy
- Custom-Fit Blue Max[™] 8mm, 800 ohm Spiral Core Wire Set is factory terminated in the correct lengths with numbered I.D. tags, corrosion-resistant locking plug terminals and high-temperature silicone boots
- Wire Loom Kit with separators and show quality chrome brackets routes wires over the valve covers to keep them away from hot exhaust manifolds or headers
- Emissions legal in all 50 states

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

DESCRIPTION PART # **72280**↔

Super HEI Ignition Kit Fits: 1974 and newer Chevy V8's with HEI ignition (without centerbolt valve covers)





REPLACEMENT IGNITION MODULE

Moroso/GM HEI Distributors

- Fits Moroso DuraFire Distributors Nos. 72231 and any 4-pin GM HEI Distributor for 4, 6 and 8 cylinder engines
- High-output module delivers consistent dwell, accurate timing, extended durability and high spark output

PART # DESCRIPTION

97857 Replacement Ignition Module. Fits: GM-style HEI Distributors

ADJUSTABLE VACUUM ADVANCE KIT

- Allows you to change the amount of ignition vacuum advance for maximum part-throttle performance while preventing harmful effects of spark knock (detonation)
- Dial in as much spark advance as conditions permit-add more advance under light load conditions to improve throttle response and fuel economy, or limit spark advance in high compression engines and high load conditions to eliminate knock
- Built-in stop prevents the adjustment screw from "backing out" like other designs
- Perfect companion to Moroso HEI Advance Curve Kit No. 72300, below

PART # DESCRIPTION

72315 Adjustable Vacuum Advance Kit. Fits: 1975-'81 GM HEI Distributors

ADVANCE CURVE KITS

- "Recurve" your distributor for full spark advance at the optimum RPM
- Three sets of advance springs allow you to adjust the rate of spark advance
- Weights and centerplates precision stamped with smooth edges eliminate erratic timing
- Comes with complete installation instructions

DESCRIPTION PART

- 72300 HEI Advance Curve Kit, special design centerplate eliminates over-centering of the centrifugal weights. Designed by Nelson Crozier. Fits: All GM HEI Distributors
- 72310 Advance Curve Kit. Fits: All 1957-'75 GM/Delco Non-HEI

DISTRIBUTOR REPLACEMENT PARTS

REPLACEMENT COIL COVER

Moroso/GM HEI Distributors

- Fits Moroso DuraFire Distributors No. 72231 and any GM HEI Distributor
- Precision molded from advanced polymers for longer life and protection

PART # DESCRIPTION 97858

Distributor Coil Cover, GM HEI V8

REPLACEMENT CAP, ROTOR & BRUSH KIT

Moroso/GM HEI Distributors

Fits Moroso DuraFire Distributors No. 72231 and any GM HEI Distributor

PART # DESCRIPTION

97859o Distributor Cap, Rotor & Brush Kit, GM HEI V8

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







No. 72315



No. 72300

ROTOR, DISTRIBUTOR

Short Drive Lug Fits: Jesel[®], Mallory[®] and Crane[®] Distributors

- Designed specifically for each manufacturers' distributor for better fit. tip positioning and balance
- · Made with high performance plastic for longer life and greater durability
- The brass tip and heavy duty stainless steel spring provides and maintains great electrical performance
- Features designed into the tip, plastic body and screw provide superior tip retention

PART # DESCRIPTION

97849↔ Rotor, Distributor, Short Drive Lug. Fits: Crane 978600 Rotor, Distributor, Short Drive Lug. Fits: Jesel, Mallory

DISTRIBUTOR GEAR SHIM KIT

- Allows precise adjustment of distributor shaft end play to improve timing accuracy and reduce gear wear
- Works with Moroso, GM[®], Accel[®], Chrysler[®] and other distributors with 1/2" diameter shaft
- Includes two .010" shims, two .020" shims and one .053" shim

PART # DESCRIPTION

Distributor Gear Shim Kit 26140

DISTRIBUTOR HOUSING SHIM KIT

Fits: Small Block, Big Block, and 90° V6 Chevy engines

- Eliminates oil pump bind and spark scatter when using a distributor in an engine with resurfaced heads or decks
- Made from high impact nylon to exact GM[®] gasket specs
- Kit insures leak-free operation and contains one each .030". .060" and .100" shims

PART # DESCRIPTION

Distributor Housing Shim Kit, 1.290 I.D. & 1.830 O.D 26150

SPARK PLUG INDEXING WASHERS

- Designed for use on all 14mm spark plugs with 5/8" hex
- With three thicknesses in each package, one will correct the electrode placement on any plug and simplify the time-consuming task of spark plug indexing
- The washers are precision stamped from copper for perfect sealing and heat transfer
- 30 per pack, 10 each size

PART # DESCRIPTION

- 71900 Spark Plug Indexing Washers, Tapered Seat, .010", .021", .032"
- 71910 Spark Plug Indexing Washers, Flat Seat, .040", .050", .064"



No. 71900

No. 97849

• MARNING Prop. 65

This product contains a chemical known

to the state of California to cause cancer. birth defects, or reproductive harm-

www.P65Warnings.ca.gov







DISTRIBUTOR HOLD DOWN CLAMPS

- Extra-thick and heavy-duty to ensure adequate retention of distributor housing
- · Stud mounted to eliminate thread wear in intake manifold
- Slotted for guick distributor removal
- · Includes stud, washer, nut

PART # DESCRIPTION

26200	Distributor Hold Down Clamp.
	Fits: All V8 and 90° V6 Chevrolet engines, Clear-Zinc Steel
26210 0	Distributor Hold Down Clamp.
	Fits: All V8 and 90° V6 Chevrolet engines, Chromed Steel
26211 0	Distributor Hold Down Clamp.
	Fits: All Small Block Ford engines, Chromed Steel



No. 26200

No. 26211

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

TION SVSTE

ADJUSTABLE DISTRIBUTOR COLLAR

Fits: Small Block, Big Block, and 90° V6 Chevrolet

- Precision machined steel collar can be positioned on distributor housing to adjust installed height for dead-center gear alignment
- Also aligns the distributor's lubrication grooves with oil passages in the block
- · Socket-head cap screw tightens collar to housing, while two cupped-point hardened steel set screws grip housing to eliminate any movement
- Specially designed for Moroso's Billet Distributors (also fits MSD Distributors and others) 1.25" O.D. lower distributor housing
- Distributors with fixed collars can be machined smooth to accept Adjustable Collar

PART # DESCRIPTION

26217 Adjustable Distributor Collar



No. 26217

BILLET DISTRIBUTOR HOLD DOWN

- Machined from sturdy steel billet to eliminate deflections
- Secures distributors firmly while allowing easy timing changes
- Specially designed for Moroso's Billet Distributors
- Also fits MSD and Accel distributors with a 1.850" O.D. flange or a 1.25" O.D. lower distributor housing using a Moroso No. 26217 Adjustable Collar

PART # DESCRIPTION

26215 Billet Distributor Hold Down. Fits: Small Block, Big Block, and 90° V6 Chevrolet



HIGH OUTPUT IGNITION COIL

- Provides high output ignition for any 12V points-equipped car or truck
- · Plated with beautiful show-quality chrome for great looks and extended durability
- 40,000 volt rating

PART # DESCRIPTION

72350*• High Output Ignition Coil, Chrome-Plated, Points-triggered Ignitions

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



*Not legal for sale or use on pollution-controlled vehicles.

BALLAST RESISTOR

- Absolutely required for point-triggered ignitions equipped with coils that do not feature a built-in resistor such as Moroso Coil No. 72350, Accel Super Coil 140001, Super Stock High Vibration 8140HV, Racing Coils 140108, 140205 and 140305; Crane PS20 and PS40, Jacob's 380672T and MSD Blaster 2 - 8200, 8202, and 8203, Blaster 3 - 8223
- Ceramic base supports resistor to eliminate the possibility of electrical shorts and to dissipate heat
- Includes built-in mounting boss; must be mounted to firewall or other metallic surface to further dissipate heat
- 1/4" spade terminals facilitate wiring to battery side of the coil

PART # DESCRIPTION

72390 Ballast Resistor, 1.82 ohms



 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov **ANITION SYSTEM**

GM LS COIL ACCESSORIES

REMOTE COIL MOUNTING BRACKET KIT

Fits: LS Series

- · Relocates ignition coils from valve cover
- Fits 0.E.M. and larger aftermarket coils with 2-%16" bolt spacing
- Use with Moroso Ultra 40 Wire Sets Nos. 73811 & 73828
- Two Mounting Brackets per kit (for 8 coils)

PART # DESCRIPTION

72395 Remote Coil Mounting Bracket with Spacers



No. 72395

REMOVEABLE COIL MOUNTING BRACKET Fits: LS Series

- · Hinged to provide quick access to valve cover fasteners
- · Coil pack mounting bracket removes with two fasteners
- Coils nested toward back of motor to free up area on front of valve cover for breathers, vacuum pump fittings, fill caps, etc.
- · Drivers' side assembly shown
- Fits 0.E.M. and larger aftermarket coils with 2-%16" bolt spacing
- Use with Moroso Ultra 40 Wire Sets Nos. 73661, 73681 or 73704

PART # DESCRIPTION

72396 Coil Mounting Bracket, Hinged, Removable





COIL MOUNT BRACKET KIT, GM LS SERIES FOR MOROSO 68471/68473 VALVE COVERS

- These Coil Brackets can used to relocate LS Coils between the top of the valve cover and the intake
- Designed to be used with Moroso valve covers but can be drilled to be used with other valve covers or to remote mount coils in a different location.
- Two versions available; One for LS1/LS6 Coils & the Second for LS2, LS3, LS7, L92, L98, L99 Coils
- When used with Moroso valve covers, the valve cover can be removed and installed without disturbing the coils or brackets
- Kit includes black anodized aluminum brackets and metric hardware, one kit does one LS engine

PART # DESCRIPTION

- 72397 Coil Mount Bracket, GM LS Series for Moroso Nos. 68471/68473, LS1, LS6 Coils
- 72398 Coil Mount Bracket, GM LS Series for Moroso Nos. 68471/68473, LS2, LS3, LS7, L92, L98, L99 Coils





No. 72398





PLASMA PULSE IGNITION COIL

The Ultimate In Ignition Coil Technology!

- For Racing Only
- Ultra-High Spark Current
- Maximum Horsepower & Combustion Efficiency

We've taken our years of ignition experience and engineered an extremely powerful Racing Coil for both Capacitive Discharge (CD) and Inductive Discharge (breaker points, HEI, etc.) ignitions.

Moroso Plasma Pulse Coils feature a unique winding and core design that generates ultra-high spark current for maximum horsepower and combustion efficiency! In addition to delivering exceptional ignition power, Plasma Pulse Coils are loaded with durability features that include double-layer insulation, corrosion-resistant connectors and a durable alkyd case.

The blue anodized extruded aluminum housing not only gives the coil a distinctive appearance, but cooling fins dissipate damaging heat quickly. In fact, the entire coil can withstand continuous operation without overheating! A high-temperature epoxy filling allows you to mount the coil in any direction.




• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 72380

www.P65Warnings.ca.gov
DESCRIPTION

Plasma Pulse Ignition Coil, Inductive Discharge. For use with Chevy HEI and Ford DuraSpark ignitions



PART #

72380o

PROCOIL IGNITION COILS

Increased Spark Energy! Bolt In Replacement!

Finally, a coil design that gives your ignition system real power. Real ignition power that provides more complete combustion for easier starts, better idle, snappier acceleration, and more horsepower. Real ignition power that eliminates the "6000 RPM barrier" inherent with stock systems. We've combined low oxygen, high-conductivity magnet wire, high-silicon core material, and non-porous epoxy impregnation to produce extremely high current and extended duration for increased spark energy. And our expert workmanship gives you the reliability needed for hard-core racing or daily street use.

REFER TO FOLLOWING PAGES FOR PROCOIL APPLICATION CHARTS:

PART #	DESCRIPTION
72355 ↔	ProCoil HEI, 1975-93 GM
723580	ProCoil F, 1985-96 GM
72360 0	ProCoil H.O., 1982-97 Ford,
	DuraSpark

TAGE NOMBER
pgs. 357-359
pgs. 357-361
pgs. 357-360

PAGE NUMBERS





IGNITION SYSTEM

 $\left| 1 \right|$

IGNITION COILS

CHECK OUT THE FEATURES THAT MAKE MOROSO'S PROCOL SUPERIOR TO ALL OTHER BRANDS!

PRIMARY WINDING

Large diameter, high temperature magnet wire allows high current for maximum energy storage

EFFICIENT MAGNETIC CORE

High silicon M36 magnetic steel specifically tuned for maximum spark energy

SECONDARY WINDING

High turns ratio, low oxygen, extra fine copper wire for maximum spark output

DURABLE ALKYD CASE

Eliminates energy loss from carbon-tracking

DOUBLE-LAYER INSULATION Allows ultra-high voltage without arc-thru

HIGH-TEMPERATURE EPOXY Filled under vacuum for void-free impregnation

HEI PROCOIL APPLICATION CHART

BUICK YEAR ENGINE PART# 1988-87 122 2.0K. 2.0M. 4 cvl. Skyhawk 723580 (with Dist. 1103710) 1986 112 1.8-0, 1.8J, 4 cyl. Skyhawk 723580 1986 121 2.0P, 4 cyl. Skyhawk 723580 1986 151 2.5R, 4 cyl. Century (with Dist. 723580 1103634) 1986 723580 151 2.5U, 4 cyl. Somerset 1985 121 2.0P, 4 cyl. Skyhawk 723580 1985 151 2.5R, 4 cyl. Century, Skylark 723580 1985 151 2.5U, 4 cyl. Somerset, Regal 723580 723550 1981-80 151 2.5L, 4 cyl. Skylark (Can. Only) 1986 173 2.8X, 6 cyl. Century 723580 1985 173 2.8W, 6 cyl. Skylark 72358o 1985 173 2.8X, 6 cyl. Century, Skylark 723580 1985 173 2.8X, 6 cyl. Century, Skylark 723580 (Can., Export with Dist. 1103619, 1103704) 1982 723550 173 2.8L, 6 cyl. 1981-80 173 2.8L, 6 cyl. Skylark 723550 1981-80 252 4.1L, 6 cyl. 723550 350 5.7P, 8 cyl. Roadmaster 1995-94 723580 1993-92 350 5.7, 8 cyl. Roadmaster 723580 1992-91 305 5.0E, 8 cyl. Roadmaster 723580 1987-84 305 5.0L, 8 cyl. (Can. Only) 723550 1980-83 267 4.4L, 305 5.0L, 8 cyl. 723550 1979-77 305 5.0L, 350 (L) 5.7L, 8 cyl. 723550

CADILLAC

YEAR	ENGINE	PART#
1986-85	121 2.0P, 4 cyl. Cimarron	72358 0
1986-85	173 2.8W, 6 cyl. Cimarron	72358 0
1995-94	350 5.7P, 8 cyl. Brougham, Com. Chassis, (MFI Dist. 1103916)	72358 ↔
1993	350 5.7, 8 cyl. Fleetwood Brougham (with Dist.1103953)	72358 ↔

CADILLAC, continued

YEAR	ENGINE	PART #
1992	350 5.7, 8 cyl. Brougham	72358 ↔
1991-92	305 5.0E, 8 cyl. Brougham, Fleet- wood	72358 ↔
1991	350 5.7, 8 cyl. Brougham, Fleet- wood (with Dist.1103880)	72358 ↔
1990	350 5.7, 8 cyl. Fleetwood (with Dist. 1103749, 827)	72358 ↔
1988-90	273 (5) 4.5L, 8 cyl. Allante, Fleet- wood, DeVille	72355 ↔
1987	250 (7) 4.1L, 8 cyl. Allante with Dist. 1103747	72355 ↔
1986-87	252 4.1L, 8 cyl. Fleetwood, DeVille FWD	72355 ↔
1984-85	252 4.1L, 8 cyl. Eldorado, Seville	72355 ↔
1983-82	252 4.1L, 8 cyl. Eldorado, Seville	72355 ↔
1980-85	368 6.0L, 8 cyl. DeVille, Eldorado, Fleetwood, Seville	72355 ↔
1980-85	368 6.0L, 8 cyl. Comm. Chassis, Limousine	72355 ↔
1978-79	425 7.0L, 8 cyl. Comm. Chassis, Limousine	72355 ↔
1978-79	425 7.0L, 8 cyl. DeVille, Fleetwood	72355 0
1977-74	500 8.2L, 8 cyl. with HEI	72355 0
1977-74	425 7.0L, 8 cyl. with HEI	723550

CHEVROLET

YEAR	ENGINE	PART#
1987-88	92 1.5-9, 4 cyl. Spectrum (with Dist. 1103674) Turbo	72358 ↔
1985-87	98 1.6C, 4 cyl. Chevette	72358 ↔
1985-86	121 2.0P, 4 cyl. Cavalier	72358 ↔
1985-1986	151 2.5-2, 2.5R, 4 cyl. Camaro, Celebrity	72358 ↔
1981	151 2.5L, 4 cyl. Citation (Can. Only)	72355 ⇔

HEI PROCOIL APPLICATION CHART

CHEVROLET, continued

YEAR	ENGINE	PART #
1980	151 2.5L, 4 cyl. Citation, Monza	72355 0
1979-78	151 2.5L, 4 cyl. Monza	72355 0
1993-94	189 3.1D, 6 cyl. Lumina APV	723580
1993	262 4.3Z, 6 cyl. Caprice	723580
1992-93	262 (Z) 4.3L, 6 cyl. Caprice	72355 0
1992	189 3.1D, 6 cyl. Lumina APV	723580
1992	189 3.1T, 6 cyl. Camaro	723580
1992	262 4.3Z, 6 cyl. Caprice	723580
1991	189 3.1D, 6 cyl. Lumina APV-A.T. (with Dist. 1103864)	723580
1991	189 3.1T, 6 cyl. Camaro (with Dist. 1103704, 1103900)	72358 0
1991	262 4.3Z, 6 cyl. Caprice	72358 0
1990	189 3.1D, 6 cyl Lumina APV (with Dist.1103644)	72358 ↔
1990	189 3.1T, 6 cyl. Camaro (with Dist. 1103704)	72358 ↔
1990	262 4.3Z, 6 cyl. Caprice	72358 ↔
1987-89	173 2.8S, 6 cyl. Camaro (with Dist. 1103704)	72358 ↔
1987-89	262 4.3Z, 6 cyl.	72358 0
1986	173 2.8X, 6 cyl. Celebrity A.T.	72358 ↔
1986	173 2.8S, 6 cyl. Camaro	72358 0
1986	173 2.8W, 6 cyl. Cavalier, Celebrity	72358 0
1986	262 4.3Z, 6 cyl.	72358 0
1985	173 2.8W, 6 cyl. Cavalier, Celebrity, Citation	72358 ↔
1985	173 2.8X, 6 cyl. Celebrity, Citation- Can., Export, Fed.	72358 ↔
1985	173 2.8S, 6 cyl. Camaro	723580
1985	262 4.3Z Eng, 6 cyl.	723580
1984-82	229 3.8L, 6 cyl.	723550
1981	173 2.8L, cyl.	72355 ↔
1981	229 3.8L, 6 cyl.	72355 ↔
1980	173 2.8L, 6 cyl.	72355 ↔
1979	200 3.3L , 6 cyl.	72355↔
1978	200 3.3L, 6 cyl.	723550
1995	265 4.3W, 8 cyl.	723580
1995	350 5.7P, 8 cyl. Camaro, Caprice, Corvette	723580
1994	265 4.3L, 8 cyl.	72358↔
1994	350 5.7P, 8 cyl. Camaro, Caprice, Corvette	723580
1993	305 5.0E, 8 cyl.	72358 ↔
1993	350 5.7, 8 cyl.	72358 ↔
1993	350 5.7P, 8 cyl. Camaro, Corvette	72358 ↔
1992	305 5.0E, 8 cyl. Caprice, Camaro	72358 ↔
1992	305 5.0F, 8 cyl. Camaro	72358 ↔
1992	350 5.7, 8 cyl. Camaro	723580
1992	350 5.7, 8 cyl. Caprice	723580
1992	350 5.7P, 8 cyl. Corvette	723580
1991	305 5.0F, 8 cyl. Caprice, Camaro	723580
1991	305 5.0E, 8 cyl. Camaro, Caprice	723580
1991	350 5.7, 8 cyl. Caprice	723580
1991	350 5.7, 8 cyl. Camaro	72358 0

CHEVROLET, continued VEAD

	ROLET, continued	
YEAR	ENGINE	PART #
1990	305 5.0E, 5.0F, 8 cyl. Camaro	72358 ↔
1990	350 5.7L, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1990	350 5.7, 8 cyl. Camaro (with Dist.	72358 ↔
	1103838, 880)	
1989	305 5.0E, 8 cyl. Camaro	72358 ↔
1989	350 5.7, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1989	350 5.7, 8 cyl. Camaro	72358 ↔
1988	305 5.0E, 5.0F, 5.0G, 5.0H, 8 cyl.	72358 ↔
1988	350 5.7, 8 cyl. Camaro.	72358 ↔
1988	350 5.7L, 8 cyl. Caprice (w/ Dist.	72358 ↔
	1103749) Police Car	
1987	305 5.0F, 5.0G, 5.0H, 8 cyl (with	72358 ⇔
	Dist. 1103698, 749)	
1987	350 5.7L, 8 cyl. Caprice Fed. (with	72358 ↔
	Dist 1103698, 749) Police Car	
1987	350 5.7 8 cyl. Camaro	72358 ↔
1987	305 (H) 5.0L, 8 cyl. (Can. Only)	72355 ↔
1986	350 5.7L, 8 cyl. Caprice Fed. (with	72358 ⇔
	Dist 1103698, 749) Police Car	
1986	350 5.7L, 8 cyl. Caprice, Police Car	72355 ↔
	(Can. Only)	
1986	305 (F), (G), (H) 5.0L, 8 cyl.	72355 ↔
1986	350 5.7L, 8 cyl. (Exc. Corvette)	72355 ↔
1985	305 (F), (G), (H) 5.0L, 8 cyl.	72355 ↔
1985	350 5.7L, 8 cyl. Caprice, Impala,	72355 ↔
	Police Car	
1984	305 5.0L, 8 cyl.	72355 ↔
1984	350 5.7L 8 cyl. (Exc. Corvette)	72355 ↔
1983	305 5.0L, 8 cyl. (Can. Only)	72355 ↔
1983	350 5.7, 8 cyl. Caprice, Impala, Police Car	72355 0
1982-81	267 4.4L, 8 cyl.	72355 0
1982-81	305 5.0L, 8 cyl. (Can. Only)	723550
1982-81	350 5.7L, 8 cyl. (Exc. Corvette)	72355 0
1980-77	All 8 Cyl. Engs.	72355 ↔
1976	350 5.7L, 8 cyl. with 4 Bbl. Carb.	723550
	(Cal. Only)	
1976	350 5.7L , 8 cyl. with 2 Bbl. Carb.	72355 0
1976	262 4.3L, 305 5.0L, 400 6.6L, 454	723550
	7.4L, 8 cyl.	
1975	350 5.7L, 8 cyl. Camaro with 4 Bbl.	72355 0
	Carb.	
1975	Exc. Z-28, 8 cyl. (Cal. Only)	72355 ↔
1975	350 5.7L, 8 cyl. Camaro Z-28	72355 ↔
1975	350 5.7L, 8 cyl. with 2 Bbl. Carb.	72355 0
1975	262 4.3L, 305 5.0L, 400 6.6L, 454	72355 0
	7.4L, 8 cyl.	
1974	All 8 cyl. Engs. with HEI	723550

₀ ▲ WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-www.P65Warnings.ca.gov

PROCOIL H.O. APPLICATION CHART

CHEVROLET/GMC TRUCK

YEAR	ENGINE	PART#
1985-89	151 2.5E, 4 cyl. S10, S15, Astro, Safari	72358 ↔
1996	262 4.3Z, 6 cyl. G-1, 2, 3	723580
1995	262 4.3W, 6 cyl. Pick-up -A.T. with out Module Powertrain Control	72358 ⇔
1994-95	262 4.3 B, W, Z , 6 cyl.	72358 ↔
1992-93	173 2.8 R, 6 cyl. Sonoma, S10, S15	72358 ↔
1992-93	262 4.3 B, W, Z, 6 cyl.	72358 0
1991	262 4.3 B, W, 6 cyl. Astro, Safari, S10, S15	72358 ↔
1991	262 4.3Z, 6 cyl.	72358 ↔
1986-90	292 4.8L, 6 cyl.	72355 ↔
1986-90	262 4.3Z, 6 cyl. All incl. Safari (with Dist. 1103655)	72358 ↔
1985-86	262 4.3L, 6 cyl. C-10/K-10 Pickup, Suburban, Blazer, Jimmy	72355 ↔
1985-86	262 4.3L, 6 cyl. G-10, -20, -30 Van	72355 ↔
1985-91	173 2.8B, 6 cyl. S10, S15	72358 ↔
1984	250 4.1L, 292 4.8L, 6 cyl. Caballero	72355 ↔
1980-84	229 3.8L, 6 cyl. El Camino, Caballero	72355 ↔
1979-78	200 3.3L, 6 cyl. El Camino, Caballero	72355 ↔
1978-84	250 4.1L, 6 cyl.	72355 ↔
1987-95	305 5.0H, 8 cyl.	72358 ↔
1987-95	350 5.7K, 8 cyl.	72358 ↔
1987-95	454 7.4N, 8 cyl.	72358 ↔
1989	454 (W) 7.4L, 8 cyl. P-30, R-30, V-30	72355 ↔
1989	350 (K) 5.7L, 8 cyl. P-30, R-30, V-30	72355 ↔
1988	350 (M) 5.7L, 8 cyl. G-30, P-20, P-30, R-30, V-30	72355 ↔
1987	305 (H), 8 cyl. El Camino (Can. Only)	72355 ⇔
1987	350 (M) 5.7L, 8 cyl. G-30, P-20, P-30, R-30, V-30	72355 ↔
1987	454 (W) 7.4L, 8 cyl. with 4 Bbl. Carb.	72355 ↔
1975-86	All 8 Cyl. Engs. (Exc. 1978 403 cid G-30)	72355 ∾

FORD

YEAR	ENGINE	PART#
1993-95	122 2.0L, 4 cyl. Probe	72360 0
1986-91	153 2.5L, 4 cyl. Taurus	72360 0
1985-90	116 1.9L, 4 cyl. Escort, EXP	72360 0
1984-94	140 2.3L, 4 cyl. Tempo, Exc. LPG	72360 \$
1984-90	140 2.3L, 4 cyl. EFI, Mustang	72360 \$
1983-85	98 1.6L, 4 cyl. Escort with EFI	72360 \$
1983-84	140 2.3L (Turbo), 4 cyl. EFI, Mustang, Thunderbird	72360 ↔
1982	98 1.6L, 4 cyl. Escort with Distr. Mounted Module	72360 0
1992-94	183 3.0L, 6 cyl. Tempo	72360 \$

FORD, continued

YEAR	ENGINE	PART #
1987-93	232 3.8L, 6 cyl. Thunderbird Exc. S/C	72360 ↔
1986-95	183 3.0L, 232 3.8L, 6 cyl. Taurus Exc. FFV, SHO	72360 ↔
1990-92	183 3.0L, 6 cyl. Probe	72360 ↔
1984-91	302 5.0L, 351W 5.8L, 8 cyl. Crown Victoria, LTD	72360 ↔
1984-95	302 5.0L, 8 cyl. Mustang	723600
1984-93	302 5.0L, 8 cyl. Thunderbird	72360 0

FORD TRUCKS

YEAR	ENGINE	PART#
1988	122 2.0L, 4 cyl. Ranger	72360 ↔
1987-89	140 2.3L, 4 cyl. Aerostar, Ranger with Dist. Mounted Module	72360 0
1985-86	140 2.3L, 4 cyl. Aerostar, Bronco II,	72360 ↔
	Ranger	
1986-96	171 2.8L, 183 3.0L, 6 cyl. Aerostar	72360 ↔
1986-95	177 2.9L, 183 3.0L, 6 cyl. Bronco II, Ranger	72360 ↔
1984-96	300 4.9L, 6 cyl. E, F Series, Module on Distributor	72360 ↔
1990-96	302 5.0L, 8 cyl. Bronco	72360 ↔
1990-96	302 5.0L, 8 cyl. E-150/E-250	72360 ↔
1990-96	302 5.0L, 8 cyl. F-150/F-250	72360 ↔
1990-96	351 5.8L, 8 cyl. Bronco (Exc.	72360 0
	Calif. Remote Mtd Module) Module #E8PF-12A199-AB	
1990-96	351 5.8L, 8 cyl. E-150/E-250/350	72360 ↔
1990-96	351 5.8L, 8 cyl. F-150/F-250/350	72360 0
1990-96	460 7.5L, 8 cyl. E-250/350	72360 0
	Super-Duty, F-250/350 Super-Duty Module #E8PF-12A199-AB	
1984-89	302 5.0L, 8 cyl. EEC-IV with Bolt-On Rotor	72360 ↔
1984-89	351 5.8L, 8 cyl. EEC-IV with Bolt-On Rotor	72360 ↔
1984-89	460 7.5L, 8 cyl. EEC-IV with Bolt-On Rotor	72360 0

GEO

YEAR	ENGINE	PART#
1992-93	144 1.8-8, 4 cyl. Storm	72358 0
1990-93	98 1.6-6, 4 cyl. Storm	72358 ↔

LINCOLN

YEAR	ENGINE	PART#
1988-94	232 3.8L, 6 cyl. Continental	72360 ↔
1992	302 5.0L, 8 cyl. Mark VIII	72360 0
1991	302 5.0L, 8 cyl. Mark VII, Town Car	72360 ↔
1990	302 5.0L, 8 cyl. Town Car	72360 ↔
1985-89	302 5.0L, 8 cyl. All	72360 ↔
1984	302 5.0L, 8 cyl. Continental EEC-IV, Mark VII, TownCar	72360 ↔

PROCOIL F APPLICATION CHART

MERCURY

YEAR	ENGINE	PART#
1986-91	153 2.5L, 4 cyl. Sable	72360 ↔
1985-87	116 1.9L, 4 cyl. LN7, Lynx	72360 ↔
1984-94	140 2.3L, 4 cyl. Topaz	72360 ↔
1984-86	140 2.3L, 4 cyl. EFI, Capri	72360 ↔
1983-85	98 1.6L, 4 cyl. LN7, Lynx with EFI	72360 ↔
1983-84	140 2.3L (Turbo), 4 cyl. EFI, Capri, Cougar	72360 ↔
1982	98 1.6L, 4 cyl. Lynx with Distr. Mounted Module	72360 ↔
1992-94	183 3.0L, 6 cyl. Topaz	72360 ↔
1987-93	232 3.8L, 6 cyl. Cougar Exc. S/C	72360 ↔
1986-95	183 3.0L, 232 3.8L, 6 cyl. Sable	72360 ↔
1984-91	302 5.0L, 351W 5.8L, 8 cyl. Grand Marquis	72360 ↔
1984-86	302 5.0L, 8 cyl. Capri	72360 ↔
1984-93	302 5.0L, 8 cyl. Cougar	72360 ↔

MERKUR

YEAR	ENGINE	PART#
1985-89	140 2.3L (Turbo), 4 cyl, XR4TI	72360 ↔
1988-89	177 2.9L, 6 cyl. Scorpio	72360 ↔

OLDSMOBILE

YEAR	ENGINE	PART#
1985-88	112 1.8, 121 2.0, 122 2.0, 4 cyl. Firenza	72358 0
1985-86	151 2.5R, 2.5U, 4 cyl. Calais, Ciera	72358 0
1981	151 2.5L, 4 cyl. Omega (Can. Only)	72355 0
1978-80	151 2.5L, 4 cyl. Starfire	72355 0
1990-95	189 3.1D, 6 cyl. Silhouette (with Dist. 1103644 or 1103864)	72358 0
1991-93	262 4.3Z, 6 cyl. Bravada	723580
1985-86	173 2.8W, 6 cyl. Ciera, Firenza	723580
1986	173 2.8X, 6 cyl. Ciera (with Dist. 1103643, 619)	72358 0
1985	173 2.8X, 6 cyl. Ciera Can., Export	723580
1980-82	173 2.8L, 181 3.0L, 6 cyl.	72355 0
1992	350 5.7, 8 cyl. Custom Cruiser	72358 0
1991	305 5.0E, 8 cyl. Custom Cruiser (with Dist. 1103852)	72358 0
1983-87	305 (H) 5.0L, 8 cyl.	723550
1983-86	267 4.4L, 8 cyl. (Can. Only)	723550
1983-86	305 (H) 5.0L, 8 cyl.	72355 ↔
1981	267 4.4L, 305 5.0L, 8 cyl.	723550
1977-80	305 5.0L, 350 (L) 5.7L, 8 cyl.	723550
1977-78	403 6.6L, 8 cyl. Toronado	72355 0
1975-76	455 7.5L, 8 cyl. Toronado	72355 ⇔

PONTIAC

YEAR	ENGINE	PART#
1988-93	98 1.6, 4 cyl. LeMans (with Dist. 1103766)	72358 0

PONTIAC, continued

	AO, COntinueu	
YEAR	ENGINE	PART#
1990	122 2.0K, 4 cyl. Sunbird, LeMans	72358 ↔
1989	122 2.0K, 4 cyl. LeMans (with Dist.	72358 ↔
	1103774)	
1988-91	122 2.0K, M, 4 cyl., Grand AM, Sunbird	72358 ↔
1987	122 2.0K, 4 cyl. J2000	72358 0
1987	122 2.0M, 4 cyl. Grand AM, J2000	72358o
1985-86	112 1.8-0, 1.8J, 4 cyl. J2000	723580
1985-86	121 2.0P, 4 cyl. J2000	72358 0
1985-86	151 2.5U, 2.5-2, 4 cyl. Firebird,	723580
1000 00	Grand AM	12000*
1985-86	151 2.5R, 4 cyl.	72358 ↔
1985-87	98 1.6C, 4 cyl. T1000	723580
1985	151 2.5U, 4 cyl.	72358 ↔
1981	151 2.5L, 4 cyl. Phoenix (Can. Only)	72355 0
1977-80	151 2.5L, 4 cyl. Starfire with HEI	72355 ↔
1991-95	189 3.1D, 6 cyl. Trans Sport	723580
1990-92	189 3.1T, 6 cyl. Firebird	723580
1990	189 3.1D, 6 cyl. Trans Sport (with	723580
	Dist. 1103644)	
1987-89	173 2.8S, 6 cyl. Firebird (with Dist.	723580
	1103704)	
1987-88	173 2.8-9, 6 cyl. Fiero	72358 ↔
1986	173 2.8S, 2.8W, 6 cyl.	72358 0
1986	173 2.8X, 6 cyl. Can., Export, Fed	72358 ↔
1985-86	173 2.8-9, 6 cyl. Fiero	72358 0
1985-87	262 4.3Z, 6 cyl.	72358 0
1985	173 2.8S, 2.8W, 6 cyl. U.S.	72358 0
1985	173 2.8X, 6 cyl. 6000	72358 0
1985	262 4.3Z, 6 cyl.	72358 0
1983	229 (9) 3.8L, 6 cyl. Parisienne	72355 0
1982	173 2.8L, 6 cyl. 6000, Phoenix	72355 0
1980-81	229 3.8L, 6 cyl.	72355 0
1980	173 2.8L, 6 cyl.	72355 ⇔
1993-95	350 5.7P (H.O.) Eng. Firebird	72358 0
1988-92	305 5.0E, 5.0F	72358 0
1988-92	350 5.7-8 Eng. Firebird	72358 0
1987	305 5.0F, 5.0H Eng. Firebird, exc.	72358 0
	Canada	
1987	305 5.0H Eng. Grand Prix, exc.	72358 0
	Canada	
1987	350 5.7-8 Eng. Firebird (with Dist.	72358 0
1007	1103698)	70055
1987	305 (H) 5.0L, 8 cyl. Firebird, Grand Prix (Can. Only)	72355 0
1986	305 (F), (G), (H) 5.0L, 8 cyl.	72355 ↔
1983-85	305 (F), (G), (H) 5.0L, 8 cyl.	72355¢
1903-03	267 4.4L, 305 5.0L, 350 (L) 5.7L,	72355¢
	403 6.6L, 8 cyl.	. 2000*
1975-76	350 5.7L, 400 6.6L Chevrolet, 8 cyl.	72355 0

₀ ▲ WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

www.P65Warnings.ca.gov

birth defects, or reproductive harmwww.P65Warnings.ca.gov

CRANK TRIGGER ULTRA SERIES KIT

Bia Block Chevrolet

Fits: O.E.M., Fluidampr, ATI, Fischer, JEGS and other BBC 8.0" or smaller diameter damper cases with 4.749" mounting registers

- Crank Trigger Kit is based on the popular, flying magnet-style kits
- Compact adjuster arm for better fitment with two-piece oil pans and containment devices
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- · Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings, while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up.
- . The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan or a diaper
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications • KARNING Prop. 65
- Has two sensor locations for non-motorplate applications
- Includes all necessary hardware

DESCRIPTION PART

- 60008* · Crank Trigger Ultra Series Kit for Big Block Chevrolet, Passenger
- 60012*• Crank Trigger Ultra Series Kit for Big Block Chevrolet, Mounts to driver's side of block for mechanical fuel pumps, Procharger clearance

CRANK TRIGGER ULTRA SERIES KIT Small Block Chevrolet

Fits: O.E.M., Fluidampr, ATI, Fischer, JEGS and other SBC 7.0" or smaller diameter damper cases with 4.749" mounting registers

- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- . The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- · Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block only, and has two sensor locations for non-motorplate applications • MARNING Prop. 65
- · Includes all necessary hardware


PART # DESCRIPTION

60009*• Crank Trigger Ultra Series Kit, Small Block Chevy

CRANK TRIGGER, ULTRA SERIES, BRACKET

For 1/2" Thick Motorplates or Supercharger Front Drives

- Designed to be used when a Moroso No. 60008, 60009, 60010, or 60016 Ultra Series Crank Trigger Kit is having alignment issues because of a 1/2" thick Motorplate and/or Super Charger Front Drive is being used
- Constructed out of billet aluminum with a black anodized finish
- PART # DESCRIPTION









No. 60009



No. 60015

362

CRANK TRIGGER ULTRA SERIES, ADJUSTABLE TIMING POINTER KIT

Small Block Ford, 302 - 351W

Fits: O.E.M., Fluidampr, ATI, Jegs and other S.B.F. 7.0" or smaller diameter by 3.35" long 4-bolt dampers

- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- Built-in adjustable timing pointer
- The trigger wheel and arm are constructed out of billet aluminum with black anodized finish for long lasting good looks
- Moroso has designed the trigger wheel and adjuster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- Moroso Crank trigger sensor comes with the most common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block or on motorplate applications
- Includes all necessary hardware

PART # DESCRIPTION

60010o Crank Trigger Ultra Series Kit, Small Block Ford

AVAILABLE OPTION PART

63853 Oil Pump and Vacuum Pump Drive Kit with Pulleys, 4-Bolt 63885 Oil Pump and Vacuum Pump Drive Kit without Pulleys, 4-Bolt







CRANK TRIGGER ULTRA SERIES UNIVERSAL KIT, NO WHEEL

· / WARNING Prop. 65

www.P65Warnings.ca.gov

- Moroso has designed the aduster arm to allow for infinite timing settings while still giving you the ability to position the sensor for the greatest range of adjustment for your combination. No more having the sensor run out of adjustment before you even start the engine up
- To be used with dampers that have built in crank trigger shells or EFI trigger wheels
- Crank trigger kit is based on the popular flying magnet style kit
- Compact adjuster arm for better fitment with chassis restrictions pans and containment devices
- The trigger arm is constructed out of billet aluminum with a black anodized finish for long lasting good looks
- The sensor mounting block is designed so that it will not stick out of the back of the arm and interfere with the oil pan
- · Moroso crank trigger sensor comes with a more common plug to easily hook to any popular ignition box with no modifications
- Kit mounts to passenger side of block only, and has two sensor locations for non-motorplate applications
- Includes all necessary hardware

PART # DESCRIPTION

60016*• Crank Trigger Ultra Series Kit, No Wheel

· MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

DRIVE MANDREL SPACER KIT

SBC

- For use with Moroso Nos. 63857 & 63859 drive mandrels
- Maintains register of mandrel when using a 1/4" thick crank trigger
- Comes with a 1/4" longer crankshaft bolt
- · Constructed out of stress-proof steel with a black oxide finish

PART # DESCRIPTION

63861 Drive Mandrel Spacer Kit, SBC, for 1/4" Thick Crank Trigger Wheels



No. 60016

No. 63861

ITION SYSTE

REPLACEMENT CRANK TRIGGER TRANSDUCER

"Magnet-In Wheel" Style

- High-guality transducer with zinc-plated, cold-rolled steel body reduces unwanted signal interference and improves triggering accuracy
- Special, non-hardening epoxy impregnates pickup for shock and vibration isolation
- · Built-in strain relief prevents wire from pulling out of potting compound

PART # DESCRIPTION

60055*• Replacement Crank Trigger Transducer, Magnet-in-Wheel Style

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT CRANK TRIGGER TRANSDUCER

Older "Lug Type" Style

- High-quality, non-magnetic stainless steel body
- Precision-wound low impedance winding and rare earth magnet for consistent output signal
- Special, non-hardening epoxy impregnates pickup for shock and vibration isolation

PART # DESCRIPTION

60355*• Replacement Crank Trigger Transducer, "Lug Type" Style

· A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 60355

No. 60055

TIMING POINTERS FOR SBC AND BBC

- Designed to hug the damper so it is easier to line up the damper and the pointer for more accurate timing
- Up to 4 degrees of adjustment are possible
- Constructed of billet aluminum with a black anodized finish
- Stainless steel mounting hardware included

PART # DESCRIPTION

601000 Timing Pointer, SBC, 6.250" **60105**↔ Timing Pointer, SBC, 6.375" **60110**↔ Timing Pointer, SBC, 6.750" **60115**↔ Timing Pointer, SBC, 7" Timing Pointer, SBC, 7.250" 60120o **60125**↔ Timing Pointer, SBC, 8" 60130o Timing Pointer, BBC, 6.250" **60135**↔ Timing Pointer, BBC, 7" 60140^o Timing Pointer, BBC, 7.250" 60145^o Timing Pointer, BBC, 8"

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 60145

TIMING POINTER BBC .400 TO .600 RAISED CAM 7.25" BALANCER

- Designed to hug the damper so it is easier to line up the damper and the pointer
- Up to 4 degrees of adjustment is possible
- Constructed out of Billet Aluminum with a black anodized finish
- Stainless Steel mounting hardware included

PART # DESCRIPTION

60146\$ Timing Pointer, BBC .400 to .600 Raised Cam 7.25" Balancer

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



TIMING POINTERS FOR FORD 289/302/351W

- Designed to hug the damper so it is easier to line up the damper and the pointer for more accurate timing
- Up to 4 degrees of adjustment are possible
- Fits 6.125" to 6.250" balancers
- Constructed out of billet aluminum with a black anodized finish
- · Stainless steel mounting hardware included

DESCRIPTION PART

- **60150**⇔ Timing Pointer, Ford 289/302/351W, 11 O'clock TDC
- Timing Pointer, Ford 289/302/351W. **60155**↔ 10 O'clock TDC

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 60155

No. 60150

ETSVS NOIT

BATTERY CHARGERS & ACCESSORIES





Jack Roush depends on the Moroso Power Charger to keep his Drag Racing Team ready for their next round of competition!

MOROSO POWER CHARGER

Includes a list of features that will make all other chargers obsolete!

With this versatile charger you have at your disposal one you can use on your race car, your towing vehicle, your street car or a battery you had to buy in an emergency at the racetrack. The **Power Charger** not only charges your everyday 12-volt battery but will also charge 16-volt batteries. Plus, it will also charge any type of battery including Gel Cell, Sealed, Lead Acid, Wet/Deep Cycle, "Reactor" batteries and even (AGM) Absorbed Glass Mat type batteries.

If you're looking for speed, you can be sure your battery is ready for the next round of competition. Featuring a near full charge recovery in about 14 minutes, it also has a maintain mode for batteries in storage. The large handle makes it easy to carry or the unit can be mounted on a wall or workbench.

- Made in USA, approved by U.L., E.T.L., C.S.A. and CE
- Dual Voltage charges both 12 and 16 volt batteries
- 30 amp rating makes for fast recharge
- Solid state LED Ammeter shows battery condition is charging at 80% or READY
- Battery Type "dip" switches can be accessed and changed to charge ANY type battery
- Hibernate mode is perfect for long storage, automatically shuts down to zero output after 24 hours, applying a maintenance charge cycle once every thirty days

PART # DESCRIPTION

74016 Moroso Power Charger, 12/16 Volts at 30 Amps

- Low Start Voltage for deeply discharged batteries, will begin charging a battery that has only .02 of a volt
- Short and reverse polarity connection shutdown
- External ambient temperature compensation
- Works with (AGM) batteries without need for adjustment; calibrated not to exceed 19 volts charge when in the 16 volt mode

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

SEALED BATTERY BOX

- Ideal for relocating a battery to the rear of any race, street or show vehicle with or without a rear firewall
- Holds a Series 21, 24, 26, 34, 42, 54, 55, 56, 61, 62, 63, 85, 86, 96R battery with either top-post or side-post terminals
- Outside Dimensions: 13-1/8" W, 11-1/8" D, 11-1/8" T
- Inside Dimensions: 10-1/2" W, 8-1/4" D, 8-1/2" T
- Fully approved for racing by NHRA, IHRA and SCCA
- Includes grommets and all mounting hardware
- Does not include battery cable; use with Moroso Battery Cable Kit No. 74055

PART # DESCRIPTION

74051 ·· Sealed Battery Box, Black

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov



Competition Engineering

Battery/Weight Box on pg. 462

SIEM

BATTERY CABLE KITS

REMOTE, SINGLE BATTERY CABLE KIT, SCREW TOGETHER TERMINALS

Heavy Duty/High Voltage 1 Gauge Cable and easy to use, no crimping required Screw Together Battery Terminals and Ring Terminals

Kit Includes:

- 15' of Positive 1 Gauge Cable with red insulation, 3' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 1 Positive and 1 Negative Screw Together Battery Post Terminals with one compression nut each
- 2 Screw Together 1 Gauge ³/₈" Ring Terminals with one compression nut each
 4 Shrink Sleeves

PART # DESCRIPTION

74020 Battery Cable Kit, Remote, Single Battery Cable Kit, Screw Together Terminals

REMOTE, DUAL BATTERY CABLE KIT, SCREW TOGETHER TERMINALS

Heavy Duty/High Voltage 1 Gauge Cable and easy to use, no crimping required Screw Together Battery Terminals and Ring Terminals

Kit Includes:

- 25' of Positive 1 Gauge Cable with red insulation, 8' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 2 Positive and 2 Negative Screw Together Battery Post Terminals with one compression nut each
- 12 Screw Together 1 Gauge %" Ring Terminals with one compression nut each
- 16 Shrink Sleeves

PART # DESCRIPTION

74057 Battery Cable Kit, Remote, Dual Battery Cable Kit, Screw Together Terminals



• <u>WARNING Prop. 65</u> This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





REMOTE, DUAL BATTERY CABLE KIT, CRIMP-ON TERMINALS

Heavy Duty/High Voltage 1 Gauge Cable

Kit Includes:

- 25' of Positive 1 Gauge Cable with red insulation, 8' of Negative 1 Gauge Cable with black insulation, insulation resists most car fuels, oils and cleaners
- 2 Positive and 2 Negative Crimp-On Battery Post Terminals
- 10 Crimp-On 1 Gauge ³/₈" Copper Ring Terminals
- 14 Shrink Sleeves
- Requires Moroso Part **No. 62262** Wire Crimp Tool or similar Impact Wire Crimp Tool

PART # DESCRIPTION

74056 Battery Cable Kit, Remote, Dual Battery Cable Kit, Crimp-On Terminals

BATTERY CABLE, 1 GAUGE, 50 FOOT ROLLS

- Heavy Duty/High Voltage 1 Gauge Cable
- Available with either red insulation to signify a Positive cable or black insulation to signify a Negative cable, insulation resists most car fuels, oils and cleaners

PART # DESCRIPTION

- 74070↔ Battery Cable Kit, 1 Gauge, 50' Roll, Red Insulation
- **74071**↔ Battery Cable Kit, 1 Gauge, 50' Roll, Black Insulation







No. 74056

BATTERY CABLE KITS & TERINALS

BATTERY CABLE KITS

- High-grade 2 gauge copper cable provides unrestricted current flow
- Rugged PVC insulation resists most car fuels, oils and under hood cleaners
- Available with and without battery terminals
- Ideal for relocating a battery to the rear for improved weight transfer

PART # DESCRIPTION

- 74005. Battery Cable Kit, 20' with 4 terminals
- 74055[∞] Battery Cable Kit, 20' with 4 terminals, 8' with top-post terminals and 6" 12 gauge leads with butt connectors*, rubber-lined clamps, grommets and shrink sleeving. Use with Sealed Battery Box No. 74051.

*Terminated at both ends. Cut in two to desired length.

WIRE & CABLE IMPACT CRIMP TOOL

- Crimps 8 gauge thru 4/0 AWG gauge terminals and lugs to battery cables, and other thicker power cables such as starters
- · Takes the guess work out of creating secure, neat crimps
- Spring loaded pin locks in "up" position for loading connector and cable; when released pin holds connector securely during crimping
- Dead blow hammer is recommended over a claw hammer for best results or can be used in a vise

PART # DESCRIPTION

62262 Wire Crimp Tool, Impact



No. 74055

• KARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 62262



BATTERY CABLE 3/8" & 1/2" RING TERMINALS



ELECTRICAL SYSTE

REMOTE BATTERY JUMPER TERMINALS

- Allows battery to be placed anywhere in the car allowed by rules and still be completely accessible for between-rounds charging
- Connect to battery with a high amperage battery cable such as Moroso No. 74005 or No. 74055 or for use with Moroso Power Charger No. 74016

PART # DESCRIPTION

74149

741400 **Remote Battery Jumper Terminals**

REPLACEMENT PART PART

97545 Terminal Cap Kit one red, one black

PART # **AVAILABLE OPTION**

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

Universal for 6-36 volt DC applications

Two per pack with color-coded caps



BATTERY JUMPER TERMINAL BRACKET. FOR MOROSO PART NO. 74140

- "L" shaped bracket makes mounting and aligning Moroso Part No. 74140 or similar battery disconnect switches easier than previous methods
- Made out of 1/8" thick steel
- Can be bolted and/or welded into place
- Finish of the bracket can be painted, polished or left as is

Battery Jumper Terminal Mounting Bracket

PART # DESCRIPTION

74149 Battery Jumper Terminal Mounting Bracket

QUICK-DISCONNECT FLUSH MOUNT BATTERY CABLE CONNECTORS

Complete Pre-Terminated Kits for Header-Equipped Engines

- Ideal for heavy-duty battery cable connection through firewalls or body panels
- A quick release half-turn lock provides easy charger hook-ups
- Black and red color-coded for easy identification
- Two per pack

PART # DESCRIPTION

741550 Quick-Disconnect Flush Mount **Battery Cable Connectors**

Kit contains one black male and female lug.

Features brass connections for full contact

one red male and female lug

Accommodates 1 or 2 gauge wire

REPLACEMENT PARTS PART # **97550**↔ Male End, Black 975510 Male End. Red

97552↔ Female End, Black 97553o Female End, Red



This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

QUICK-DISCONNECT FLUSH MOUNT BATTERY CABLE CONNECTOR KIT





DESCRIPTION 741560 Quick-Disconnect Flush Mount Battery Cable Connectors, Red & Black (Male and Female)

A guick release taper lock provides easy charger hook-ups

BATTERY CABLE DISCONNECT SWITCH

- One turn of the knob disconnects the battery and saves the solid state voltage regulator and alternator when charging
- Also deters possible car thieves when parked
- Switch is rated at 100 amps for 12 or 24 DC use

PART # DESCRIPTION

Battery Terminal Disconnect Switch, Top Terminal 74103o 741040 Battery Terminal Disconnect Switch, Side Post

No. 74103 No. 74104 • KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer birth defects, or reproductive harmwww.P65Warnings.ca.gov

LECTRICAL SYSTEM

PART #



o 🖄 WARNING Prop. 65

BATTERY POST BOOTS

Meets sanctioning body requirement that terminals be covered on the battery

- Insulated Battery Post Boots meet sanctioning bodies requirement that battery posts be covered, and are a tidier looking solution than tape
- · Molded to fit over most non-disconnect top terminals
- Works with 4-0 gauge and larger battery cables
- Designed to be slipped on cable before terminal is installed, or can be slit and wire-tied over cable
- When the battery needs to be charged or jumped, simply fold back the boot for access to the post; when done, just unfold and recover

PART # DESCRIPTION

74114 Battery Post Boots, one each in black and red per package

BATTERY QUICK-CONNECT PLUG

Full Size

- Instantly connects your vehicle's electrical system to an auxiliary power source, either to start the car or for fast battery charges
- Also useful on tow vehicles and 4 x 4's as a power plug for winches, jumper cable connection, or battery chargers
- Made of tough polycarbonate with spring-loaded copper contacts
- Will connect up to 175 amps using #1/0 AWG wire

PART # DESCRIPTION

74200 Battery Quick-Connect Plug



BATTERY QUICK-CONNECT, MINI

- To save space this is a smaller version of Moroso No. 74200
- Will connect up to 50 amps, using #6 wire
- Instantly connects your vehicle's electrical system to an auxiliary power source, either to start the car or for fast battery charges
- Also useful on tow vehicles and 4 x 4's as a power plug for winches, jumper cable connections, or battery chargers
- Made of tough polycarbonate with spring-loaded copper contacts

DESCRIPTION PART

74201 Battery Quick Connect, Mini



THRU-PANEL BATTERY CONNECTOR

- Can be used wherever a battery cable goes through a firewall or other similar panel
- Connector fits through 1-1/4" hole
- Use Battery Cable Remote Fitting End Kit Nos. 74170 or 74172 to complete installation

WARNING Prop. 65

www.P65Warnings.ca.gov

• One per pack

PART # DESCRIPTION

- 741440 Thru Panel Battery Connector, Red
- 741450 Thru Panel Battery Connector, Black



No. 74145



No. 74114

BATTERY DISCONNECT SWITCHES

- · Easy to install Disconnect Switch required by many sanctioning bodies
- A quick twist of the non-slip handle or a quick push of the knob (**No. 74106**) shuts off all electrical current to the electric fuel pump, electric water pump, ignition, instruments, etc.
- For drag racing vehicles, the switch should be mounted on the vehicle's rear panel for easy accessibility
- For oval track and road racing applications, the switch should be mounted so that it can easily be reached by the driver or service personnel from outside the vehicle
- In street applications, the switch can be hidden to thwart car thieves
- Use Push/Pull Switch Kit No. 74105 for remote installation for Nos. 74100 & 74101
- 2-3/8" Studs included

PART # DESCRIPTION

- 74100» Battery Disconnect Switch, Twist, Limited-Service, i.e. Drag Race applications without alternators. Rating: 125 amps @ 6-36 volts DC
- 74101↔ Battery Disconnect Switch, Twist, Heavy-Duty, Street Race Cars with alternators, multiple battery applications, etc. Rating: 175 amps @ 6-36 volts DC
- **74106** Battery Disconnect Switch, Push On/Off, Heavy-Duty, Street or Race Applications with alternators, multiple battery applications, etc. Rating: 250 amps @ 6-24 volts DC

BATTERY DISCONNECT SWITCH, SUPER-DUTY

- Moroso's Super-Duty switch with rating of 2,000 amps intermittent and 300 amps continuous is perfect for engines with large starter draw, RVs, Drag Cars with alternators and other applications (20 amps on small terminals)
- Two pairs of copper studs (1/2" -20 & 10 -32) make it ideal for disconnecting alternator (or other electrical device) in addition to the battery
- · Sealed shaft keeps out moisture and debris
- Indexing pin aligns switch with mounting panel and prevents rotation; fits mounting panels up to ¹/₄" thick
- Includes switch position face plate; also includes decal to indicate switch location during emergencies
- Use with Moroso Push/Pull Kit No. 74105 for remote installations and Moroso Battery Cable Fitting End Kit with ½" opening No. 74172 and Moroso No.74107 if using with alternator

PART # DESCRIPTION

74102 Battery Disconnect Switch, Super-Duty

BATTERY & ALTERNATOR DISCONNECT SWITCH

- As race cars have gotten more complicated so has sanctioning bodies rules in making sure that a racecar's electrical power can be completely shut off
- This 4-Pole switch makes installing a "Master Disconnect" switch much simpler. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays.
- Can be mounted in the same locations as traditional On/Off switches with the added security of being able to interrupt the alternator circuit
- Four ³/₈" -24 Terminals, rated at 125A continuous/ 750A intermittent, up to 36V DC max., Two Terminals marked "Terminal A" for the battery circuit and Two Terminals marked "Terminal B" for the alternator circuit
- Indexing pin aligns switch with mounting panel and prevents rotation: fits mounting panels up to ¼" thick
- Includes switch position decal and switch location decal for the exterior of the car
 Lise with Manage Puels (Pull Kit No. 74105 for remote
- Use with Moroso Push/Pull Kit No. 74105 for remote installations and Moroso Battery Cable Fitting End Kit with %" opening No. 74170

PART # DESCRIPTION

74108 Battery & Alternator Disconnect Switch

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 74100




No. 74102

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





BACK



ELECTRICAL SYSTEM

WARNING Prop. 65

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

ALTERNATOR SHUTDOWN RELAY KIT

- Designed to stop engine run-on when electrical master disconnect is turned off by stopping electrical feedback in malfunctioning or high amperage alternators
- More and more racing sanctioning bodies are recommending that this type of device be used
- Compliments Battery Disconnect switches such as Moroso Nos. 74100, 74101, 74102 and 74106
- Kit includes: Heavy Duty Solenoid rated at 225 Amps, mounting hardware, wiring harness and terminal

PART # DESCRIPTION

74107 • Alternator Shutdown Relay Kit



No. 74107

BOOTS FOR BATTERY DISCONNECT SWITCHES

Meets sanctioning body requirement that terminals on the master electrical cut-off switch be covered

- Perfect compliment to Moroso Part Nos. 74100, 74101, 74102 and 74106
- Prevents the shorting out of exposed terminals
- When installed, creates a finished "clean look" to disconnect switch wiring
- Constructed out of high quality, pliable, race environment friendly rubber
- Accommodate 2 to 4 gauge wire and $1\!\!\!/_2$ " to $3\!\!\!/_8$ " terminal studs
- · Can be installed before or after termination of remote fitting ends

PART # DESCRIPTION

74110 Boots for Battery Disconnect Switches, Two per pack (1 ea. Black/Red)

BATTERY DISCONNECT SWITCH BRACKET



No. 74110

(h t

- "L" shaped bracket makes mounting and aligning Moroso Part Nos. 74100, 74101 & 74108 or similar battery disconnect switches
- easier than previous methods
- \bullet Made out of $1\!\!/\!\!\!/_8$ " thick steel
- Can be bolted and/or welded into place

PART # DESCRIPTION

74116 Battery & Alternator Disconnect Switch Bracket




No. 74116

REMOTE PUSH/PULL BATTERY DISCONNECT SWITCH KIT

- "Push/Pull" Style of remote battery disconnect switch allows you to mount the Battery Disconnect Switch a roll cage tube with a weld-on bracket, then actuate it with this T-handle kit protruding through the rear panel
- Included switch Moroso Part No. 74100 is for applications without alternators, Rating: 125 amps @ 6-36 volts DC
- Includes switch, brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings, fasteners, switch position decal and switch location decal for the exterior of the car
- PART # DESCRIPTION 741090 Remote Push/Pull Battery **Disconnect Switch Kit**

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



REMOTE PUSH/PULL BATTERY & ALTERNATOR DISCONNECT SWITCH KIT

- "Push/Pull" Style of remote battery disconnect switch allows you to mount the Battery Disconnect Switch a roll cage tube with a weld-on Mounting bracket, then actuate it with this T-handle kit protruding through the rear panel
- Included is Moroso Part No. 74108 "Master Disconnect" 4-Pole switch. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays
- Includes switch, brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings, fasteners, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

741110 Battery & Alternator **Disconnect Switch Kit**

• A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov



Bracket

Installed For Nos. 74109 OR 74111

PUSH/PULL BATTERY DISCONNECT MOUNTING KIT

- Allows you to mount a Battery Disconnect Switch Nos. 74100, 74101 74102 or 74108 (not included) to a roll cage tube with a weld-on bracket, then actuate it with this T-handle kit protruding through the rear panel
- Comes with brackets, swing arm linkage, 18" long aluminum tube actuator link, all necessary bushings,
- fasteners and complete instructions Actuator Link Switch Not Included · Aluminum parts are black anodized Switch Arm PART # DESCRIPTION 741050 Push/Pull Battery Disconnect Mounting Kit Mounting Bracket WARNING Prop. 65 No. 74105 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

<u>ELECTRICAL SYSTEM EQUIPMENT</u>

REMOTE BATTERY DISCONNECT SWITCH KIT, MORSE CABLE ACTUATED

- This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Included is Moroso Part No. 74100 Battery Disconnect switch for applications without alternators, Rating: 125 amps @ 6-36 volts DC
- Kit includes brackets, fasteners, handle, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

74118 •• Remote Battery Disconnect Switch Kit, Morse Cable Actuated

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

Bracket

REMOTE BATTERY & WWW.PEDWarnings.ca.gov ALTERNATOR DISCONNECT SWITCH KIT, MORSE CABLE ACTUATED

- This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Included is Moroso Part No. 74108 "Master Disconnect" 4-Pole switch. A 4-Pole switch is used to disconnect both the battery and the alternator feed simultaneously without the need for relays
- Kit also includes brackets, fasteners, switch position decal and switch location decal for the exterior of the car

PART # DESCRIPTION

74119• Remote Battery & Alternator Disconnect Switch Kit, Morse Cable Actuated

REMOTE BATTERY DISCONNECT SWITCH MOUNTING KIT, MORSE CABLE ACTUATED

- This kit allows for greater flexibility of mounting a remote battery disconnect lever
- Using a morse cable to actuate the battery disconnect switch allows more flexibility and greater distances between the switch itself and the lever that the driver, crew, or safety workers operate
- Kit also includes brackets, fasteners, switch position decal and switch location decal for the exterior of the car
- Use with Moroso Part Nos. **74100, 74101, 74106** & **74108** Battery Disconnect Switches or other similar switches

PART # DESCRIPTION

74117 Remote Battery Disconnect Switch Mounting Kit, Morse Cable



No. 74119



Cable Bracke

Installed For Nos. 74118 OR 74119

BACK



<u>ELECTRICAL SYSTEM EQUIPMENT</u>

PUSH BUTTON STARTER SWITCH

- Waterproof and dustproof with neoprene cap for in-car or under hood mounting
- 35 amp rated @ 12 volts

PART #DESCRIPTION74120•Push Button Starter Switch

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww P65Warninas.ca.gov



No. 74120

UNIVERSAL MOMENTARY SWITCH CABLE

- Heavy-duty spiral cable has 15 amp rating
- · Ideal for transbrakes, brake line locks and nitrous systems
- The cable features two 16-gauge wires enclosed in a protective PVC outer layer
- Spiral cable stretches to 4 feet and "springs" back when relaxed
- Use with 15 amp Momentary Push Button Switch No. 74123

PART # DESCRIPTION

74115. Heavy-Duty Universal Cable, 15 amp DC

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



UNIVERSAL MOMENTARY SWITCH & CABLE

- · Precision high-quality momentary switch with a coiled flex cable
- Used on roll control devices, nitrous oxide systems, as a push-to-talk button on radios, or in any other application where an instant on/off switch is needed
- The normally open, snap action, short throw switch mounts in a 1/4" dia. hole
- Rated at 6 amps @ 28 volts DC or 125 volts AC

PART # DESCRIPTION

74122. Universal Momentary Switch and Cable

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



ADJUSTABLE UNIVERSAL MOMENTARY SWITCH

- Heavy-duty switch has 15 amp rating; ideal for operating a transbrake on drag race cars
- Adjustable collar allows the plunger travel to be preset from .020" to .219", making the switch "fast" or "slow" to suit individual reaction time requirements
- · Screw-on type terminals
- · Can be mounted through-panel or anywhere using the two mounting holes provided
- Use with Universal Momentary Cable No. 74115

PART # DESCRIPTION

74123 Adjustable Universal Momentary Switch, 15 amp DC

 WARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





<u>ELECTRICAL SYSTEM EQUIPMENT</u>

TOGGLE SWITCHES

- · Momentary Switches ideal for starting engines
- On-Off Single Throw Switches control accessories such as lights, pump, fan, etc.
- Rated at 20 amps lamp load
- ON/OFF faceplate included

PART # DESCRIPTION

- 74124 Toggle Switch Momentary On, Long Handle, 1-1/2"
- 74125. Toggle Switch On/Off, Long Handle, 1-1/2"
- 74126. Toggle Switch On/Off, Short Handle, 11/16"

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. 74124

No. 74126

TOGGLE SWITCH COVER

- Fits over Moroso No. 74126 and other short handle 11/16" shaft-mounted toggle switches
- · Features flip up lid that prevents switch from accidentally being turned on
- Protects switch from dirt
- · Helps denote different toggle switches from each other

PART # DESCRIPTION

74129. Toggle Switch Cover

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 74129

STARTER HEAT SHIELDS

- Engineered to protect starters against damaging heat from exhaust manifolds or headers
- Ideal for extending starter life in both race and street applications, including tow vehicles and RVs
- High-temperature insulating material (Non-Asbestos) sandwiched between two sheets of aluminum

PART # DESCRIPTION

- 74299 Starter Heat Shield. Fits: Most passenger-side small Tilton-style starters
- 74300. Starter Heat Shield. Fits: SBC and BBC engines with Delco starters







• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

SWITCH PANELS

TOGGLE SWITCH PANELS

- Make custom wiring of your vehicle much easier and professional
- Face constructed of rugged .050" thick aluminum and black anodized to prevent corrosion. Fiber Design versions available for enhanced styling
- Power indicator lights and front mounted, E-Z access fuse holders with pigtails attached, features not found on other manufacturer's switch panels (except No. 74136)
- · Heavy-duty on/off switches are 12 volt single-pole, single-throw with screw terminals rated at 20 amps lamp load
- Heavy-duty fingertip starter controls on Nos. 74130, 74131 and 74135 are waterproof and dustproof, and include screw terminals rated at 12 volts and 35 amps
- A selection of custom labels is included so you can customize each Switch Panel to your individual needs
- Black anodized finish prevents corrosion, Fiber Design available for enhanced styling

PART # DESCRIPTION

- **74130**0 Oval Track Switch Panel, 4" x 5", includes: Starter button, two on/off switches
- **74131**↔ Drag Race Switch Panel, 4" x 7.75", includes: Starter button, five on/off switches 741320
- Cage-Mount Switch Panel, Includes: five on/off switches without starter button, Steel bracket to be welded to roll cage, length: 5.5"
- 741330 Dash-Mount Street Switch Panel, 2" x 5.5", includes: five on/off switches, a separate 7-station fuse panel for remote mounting
- Accessory Switch Panel, 4" x 6.75", includes: five on/off switches without starter button 741340
- 741350 Cage-Mount Switch Panel, includes: five on/off switches with starter button, Steel bracket to be welded to roll cage, length: 7"
- 741360 Econo-Switch Panel, 2.5" x 5", includes: four on/off switches to control various electrical functions, one momentary long handle switch for engine starting
- 741390 Switch Panel, Grey/Black, Fiber Design, Dash Mount, 4" x 7-3/4", Starter Button, 1/2" LED
- Switch Panel, Grey/Black, Fiber Design, Dash Mount, 2" x 5-1/2", 1/4" LED 741430
- 741480 Switch Panel, Grey/Black, Fiber Design, 6-3/4" x 4", 1/2" LED



No. 74135



No. 74134



No. 74136



No. 74143

• KARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



No. 74130



No. 74131




No. 74132



No. 74133



No. 74139



- 74120 Push Button Starter Switch 74124. Toggle Switch, Momentary On, Long Handle, 1-1/2" 74125. Toggle Switch, On/Off, Long Handle, 1-1/2"
- 74126. Toggle Switch, On/Off, Short Handle, 11/16"
- 97542 Switch Panel Replacement Label Sheets




No. 74148

ROCKER LED SWITCH PANELS

- High-tech rocker style switches are dust and water resistant and feature a wide-profile face for use with racing gloves
- · Aluminum panel versions feature laser-etched Moroso logo are black anodized to withstand years of constant use
- Fiber Design versions available (No. 74193) for enhanced styling
- All switches are single pole, single throw rated at 20 amps
- Switches feature heavy-duty springs for positive engagement, orange LED indicator lamps, and 1/4" spade terminals to simplify wire connections
- Five resetable 20 amp circuit breakers (except No. 74186) eliminate the need for fuses and make it easy to reactivate the circuit while driving
- Switches and circuit breakers simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

- **74180** Flat Surface Mount, five on/off lighted switches with momentary start switch, 3.388" x 8", five circuit breakers, 20 amps ea.
- **74181** Flat Surface Mount, five on/off lighted switches without momentary start switch, 3.375" x 8", five circuit breakers, 20 amps ea.
- 74183• Flat Surface Mount, five on/off lighted switches, 2.488" x 6.695", separate panel for five circuit breakers 20 amps each, 1.350" x 6.695"
- **74186** Flat Surface Mount, four on/off lighted switches, with momentary start switch, no breakers, 2.488" x 6.695"
- **74190** Cage Mount, five on/off switches with momentary start switch, 3.750" x 8"
- 74193. Rocker Switch Panel, Grey/Black, Fiber Design, 8" x 3-13/2", Dash Mount





No. 74180

PART # REPLACEMENT PARTS

- 97535 Replacement Circuit Breaker
- 97542 Switch Panel Replacement Label Sheets
- 97543 ON/OFF Switch





No. 74183



No. 74186



No. 74190



monoso

No. 74193

SWITCH PANELS

ROCKER LED SWITCH PANEL, USB PORTS

As more racers use Action Cameras to record the in car action of a race, smart phones with timer apps. and tablets, there is a greater need to have a convenient, efficient solution to power these devices.

- High-tech LED rocker style switches are dust, weather resistant and feature a wide-profile face for use with racing gloves
- Panel face is constructed out of aluminum and are black anodized to withstand years of constant use
- LED switches are single pole, single throw rated at 20 amps, feature a heavy duty spring for positive engagement, 3 switches have orange LED indicator lamp, 1 switch has a blue LED indicator lamp which can be used for a cooling function, all of the switches have 1/4" spade terminals to simplify wire connections
- · Momentary Start switch with a red cover for easy identification
- Dual USB charging ports with dust cover
- Switches and USB Ports simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

74195 Flat Surface Mount, five on/off lighted switches with momentary start switch, 2.488" x 7.855", USB Ports



No. 74195

• WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

ROCKER LED SWITCH PANEL, CIRCUIT BREAKER, USB PORTS

As more racers use Action Cameras to record the in car action of a race, smart phones with timer apps. and tablets, there is a greater need to have a convenient, efficient solution to power these devices. This is why we designed these Switch Panels with a built in USB port.

- High-tech LED rocker style switches are dust, weather resistant and feature a wide-profile face for use with racing gloves
- Panel face is constructed out of aluminum and are black anodized to withstand years of constant use
- LED Switches are single pole, single throw rated at 20 amps, feature a heavy duty spring for positive engagement, 4 switches have orange LED indicator lamp, 1 switch has a blue LED indicator lamp which can be used for a cooling function, all of the switches have ¼" spade terminals to simplify wire connections
- Momentary Start switch with a red cover for easy identification
- Dual USB charging ports with dust cover
- 6 resetable 20 amp circuit breakers eliminate the need for fuses and make it easy to reactivate the circuit while driving
- Switches, USB Ports and circuit breakers simply snap into place with locking mechanism for a secure attachment
- Includes complete wiring instructions and switch decal package to indicate start, ignition, fuel, fan, lights, nitrous and other uses

PART # DESCRIPTION

74194. Flat Surface Mount, five on/off lighted switches with momentary start switch, 3.388" x 9.150", 6 circuit breakers, 20 amps ea., USB Ports



No. 74194

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

FORD 9" DIFFERENTIAL SHIM & REPLACEMENT PARTS KITS

• Kits include hard-to-find items needed to assemble Ford 9" center sections

PART # DESCRIPTION 84750 Drag Race Kit (

- Drag Race Kit Contains: housing gasket; pinion shaft seal; nine pinion support shims consisting of one each .005", .006", .0075", .0082", two .004", and three .0105"; eight pinion pre-load shims for use with aftermarket aluminum pinion supports consisting of one each .005", .006", .0075", .0082", .009" and three .0105"; one pinion housing 0-ring; and one ¾" -20 Ford pinion nut
- 84751 Oval Track Kit Contains: nine pinion retainer shims consisting of one each .005", .006", .0075", .0082", two .004", and three .0105"; twelve pinion pre-load shims consisting of one each .005", .006", .0075", .0082", .009", .020", .030", two .050" and three .010"; one pinion spacer .375" thick; and one ¾" -20 Ford pinion nut





REAR AXLE SPRING PERCHES, 2-1/2" WIDE Fits: Ford 9", Dana 60 and other 3" diameter axle housings

- When installing a Spring Perch in a leaf spring car or moving the leaf springs inboard, these Axle Spring Perches are a necessity
- Precision stamped for easy weld-on installation
- Two per package

PART # DESCRIPTION

85090 Rear Axle Spring Perches, 2-1/2" Wide





No. 85090

DANA 60 U-BOLTS

 Moroso has an agreement with Dana Corporation to market hard-to-get replacement parts for the Dana 60, a popular rear axle in the Competition Eliminator and Super Stock classes

PART # DESCRIPTION

85080 U-Bolts, Dana 60, also *Fits:* Ford 9" with 1350 series yoke



GM 12 BOLT REAR END COVERS

- Heavy duty steel stamping
- Hand polished chrome plated finish
- · Includes chrome fasteners and gasket

PART # DESCRIPTION

85330 Rear End Cover, Chevy 12-bolt, Chrome-Plated Steel

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warmings.ca.gov



No. 85330

U-JOINT GIRDLES

4CCESSORIES

- Manufactured from 7075-T6 aluminum with anodized finish
- Comes complete with fasteners
- One set per package

PART # DESCRIPTION

PARI #	DESCRIPTION
85800	Use with 1-1/6" dia. cap and 1.415" bolt centers, gold anodized.
	Fits: 1955-82 Chevy with U-Bolts; Dana 60 with U-Bolts
85810	Use with 1-1/6" dia. cap and 1.595" bolt centers, red anodized.
	Fits: 1965-82 GM 12-Bolt with straps
85820	Use with 1-1/8" dia. cap and 1.540" bolt centers, dark blue anodized.
	Fits: Dana 60 with straps. Also fits Chrysler 8-3/4"
	ring gear with large yoke (Type 7290 driveshaft)
85830 ↔	Use with $1-\frac{3}{16}$ " dia. cap and 1.668" bolt centers, black anodized.
	Fits: 1350 Series race yokes including Mark Williams Ford 8.8,
	9" Ford Series with 9" ring gear
85850	Use with $1-\frac{1}{16}$ " dia. cap & 1.505" bolt centers, silver anodized.
	<i>Fits:</i> Chrysler 8-¾" ring gear w/ small yoke (Type 7260 driveshaft)
85860	Use with 1-1/8" dia. cap and 1.575" bolt centers, light blue anodized.
	Fits: Ford 9"



• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancerwww.P65Warnings.ca.gov

FILLER CAP KIT, STEEL APPLICATIONS, UNIVERSAL

- This kit comes with a 1-¼" steel female bung that can be welded to steel; rear ends, tanks, valve covers, filler neck plates and other locations to replenish fluid or serve as an insection port
- The included filler cap is knurled for easy grip removal and replacement
- Filler cap is machined from 6061-T6 aluminum and includes an O-ring for leak free sealing



No. 85280

PART # DESCRIPTION

85280 Filler Cap Kit, Universal, Steel Bung, 1-1/4"-12UNF Threads, 1.5"0.D.

FILLER CAP KITS, ALUMINUM APPLICATIONS, UNIVERSAL

- These kits comes with an aluminum female bung that can be welded to aluminum, tanks, valve covers, filler neck plates and other locations to replenish fluid or serve as an insection port
- Three kits are available, Knurled Filler Cap with 1.5" 0.D. Female weld bung Contoured grip for easy removal and installation with either Moroso or Competition Engineering logo, 2.6" 0.D. weld bung
- Filler caps are machined from 6061-T6 aluminum and include an O-ring for leak free sealing

PART # DESCRIPTION

- **85282** Filler Cap Kit, Universal, Aluminum Bung, Black Anodized with Moroso logo 1-1/4"-12UNF Threads, 1.5" 0.D.
- **85286** Filler Cap Kit, Universal, Aluminum Bung, Black Anodized with Moroso logo 1-1/4"-12UNF Threads, 1.5" 0.D.
- **85284** Fill Cap Kit, Universal, Steel Bung ,Black Anodized with Moroso logo, 1-1/4"-12UNF Threads, 1.5" O.D.
- **85283** Filler Cap Kit, Universal, Aluminum Bung, Black Anodized with Moroso logo, 1-³/₈" -12UNF Threads, 2.6" 0.D.

C9085 Filler Cap Kit, Universal, Steel Bung, Black Anodized with Competition Engineering logo, 1-3/" -12UNF Threads, 2.6" O.D.





UNIVERSAL REAR SPOILER KIT

- Provides downforce to rear wheels for improved high speed stability
- Comes complete with support struts, mounting brackets, hardware and detailed instructions
- Can be trimmed to fit most applications
- Untrimmed dimensions: 57" length, 12" width and 24" struts
- Made from .050" 3003-H 14 Aluminum sheet

DESCRIPTION PART #

78740 Universal Rear Spoiler Kit



ACCESS DOOR

- .050" aluminum door is hinged to frame, providing quick and easy access to fuel cells, dry sump tanks or any other component
- Comes with natural finish so customer can anodize or paint to match car color
- Door held securely closed with self-ejecting, flush-head Dzus fastener
- Includes all mounting hardware
- 6" x 6" door, 8-1/8" x 8-1/8" overall

PART # DESCRIPTION 85700 Access Door







FLOOR PAN BRACE Bolt-On Design Fits: Camaro 2010-'15

- Like all high performance Pony Cars, 2010-'15 Camaro's suffer from having a flexible chassis; which affects acceleration, handling, long term rattles and traction
- The first step in fortifying a Camaro 2010-'15 chassis is to use this Floor Pan Brace, which replaces the factory stamped steel piece
- Brace stiffens the floor pan and drive shaft tunnel area
- Constructed out of 1-1/2" x 2-1/2" x .120 wall rectangular tubing
- Easy to install bolt-on design that uses the existing mounting points
- Use with optional Part No. 78010, Frame Connectors for the ultimate in tying the front and rear subframes together and triangulating the chassis side to side

· Durable gloss, black powder coat finish

DESCRIPTION PART

78000 Floor Pan Brace, Bolt-on, for Camaro, 2010-'15

HOOD SCOOP PLUG

- Available for "Aero" series scoops
- Specially formed to fit snugly without falling out
- Bonding technology eliminates part separation
- Open cell foam allows engine to breathe while idling, preventing airborne debris from entering hood scoop

PART # DESCRIPTION

99430 Hood Scoop Plug, fits 3-1/2" x 12-1/2" to 13-3/4" openings



No. 78000





L

STEERING JOINTS, DRAG RACE

- Available in splined & unsplined configurations to fit a variety of steering shafts
- Drag Race Applications only

PART # DESCRIPTION

- 80110 Steering Universal Joint Unsplined.
 Fits: steering columns with ³/₄" *O.D. shafts, 1-1*/₄" *O.D.* 80120 Steering Universal Joint Unsplined.
- Fits: steering columns with ⁵/₈" O.D. shafts, 1-¹/₄" O.D.
 80131 Steering Universal Joint, ³/₄-36 spline to ³/₄" O.D. shafts, 1-¹/₄" O.D.
- **Fits:** Ford power rack and GM manual, 1976 and up



No. 80120

QUICK RELEASE HUB & ADAPTER

SFI APPROVED QUICK RELEASE STEERING WHEEL HUB AND ADAPTER

- Meets NHRA, IHRA, SCCA, NASA and other sanctioning body criteria for SFI (Safety Foundation Inc.) requirement #42.1 concerning steering wheel attachment and release
- · Hub manufactured from lightweight billet aluminum with anodized finish
- 5/16" -18 threaded bolt holes for mounting
- Spring loaded quick release pin is integral with the hub and features a large diameter engagement surface for use with bulky racing gloves
- Includes steering shaft adapter manufactured from 1018 steel for extra strength and ease of welding

PART # DESCRIPTION

80160 SFI Approved Quick Release Steering Wheel Hub and Adapter. *Fits:* ³/₄" 0.D. steering shafts and steering wheels with a 3 hole, 1-³/₄" diameter bolt pattern



No. 80160

FIVE HOLE STEERING WHEEL ADAPTER

- Allows racers to continue to use Moroso Quick Release Steering Wheel Hub **No. 80160** or similar aftermarket hubs with 3 hole bolt pattern when converting to steering wheels with a 5 hole bolt pattern
- Billet aluminum adapter includes all mounting hardware (steering wheel to adapter and adapter to hub)

PART # DESCRIPTION

C5078 Five Hole Steering Wheel Adapter



1111:1141

DS-2™ FRONT TIRES

- Aircraft inspired tread design offers reduced weight, minimal rolling resistance and high-speed stability
- Asymmetrical tread pattern improves high-speed stability by reducing the tire's tendency to "walk" at the top end
- 4-ply nylon construction with high-strength bead provides added durability, especially during mounting and dismounting
- Ozone-resistant tire compound withstands the harmful effects of the sun and other environmental conditions
- Tested to 225 MPH with 1,000 lb. load
- Bias ply style tires



SPECIFICATIONS: DS-2								
PART #	SIZE (INCHES)	APPROX. Weight	DIA.	TREAD WIDTH	RECOMMENDED RIM WIDTH	OPERATING PRESSURE	SECTION WIDTH	CIRCUMFERENCE
17023	23.0 x 5.0 x 15	11 lbs.	23"	5"	3-1⁄2"-6-1⁄2"	30 psi.	6.2" on 5" Rim	72-7/16"
17040	24.0 x 5.0 x 15	11 lbs.	24"	5"	3-1⁄2"-6-1⁄2"	30 psi.	6.8" on 5" Rim	76-7/16"
17025	25.0 x 4.5 x 15	12 lbs.	25"	4.5"	3-1⁄2"-5"	30 psi.	6.4" on 5" Rim	78-¼"
17026	26.0 x 4.5 x 15	12 lbs.	26"	4.5"	3-1⁄2"-5"	30 psi.	7.1" on 5" Rim	81"
17028	28.0 x 4.5 x 15	13 lbs.	28"	4.5"	3-1⁄2"-5"	30 psi.	7.7" on 5" Rim	86-¾"
17029	26.2 x 5 x 17	13.5 lbs.	26.2"	5"	4-1⁄2" -5-1⁄2"	30 psi.	6.12" on 4-½" Rim	82-5/16"

DRAG SPECIAL FRONT TIRES

- Tubeless construction and 2-ply nylon cord helps to reduce unsprung weight
- High cord angle and unique tread design reduce rolling resistance for increased speeds
- Shallow tread depth increases stability at high speeds
- Stronger mounting bead withstands higher pressures when adjusting for roll-out
- Bias ply style tires



	SPECIFICATIONS: DRAG SPECIAL							
PART #	SIZE (INCHES)	APPROX. WEIGHT	DIA.	TREAD WIDTH	RECOMMENDED RIM WIDTH	OPERATING Pressure	SECTION WIDTH	CIRCUMFERENCE
17050	5.50 x 15	10 lbs.	25-1⁄4"	3-1/2"	3-1⁄2"-4"	30-35 psi.	5.7" on 4" Rim	78"
17100	7.10 x 15	11 lbs.	27-¾"	4- ¹ / ₈ "	3-1⁄2"-5"	30-35 psi.	7.4" on 5" Rim	87-¾"
17600	7.60 x 15	13 lbs.	29-1⁄4"	4-5/8"	3-1⁄2"-5"	30-35 psi.	8.0" on 5" Rim	90-¾"

11

RACING QUALITY TIRE PRESSURE GUAGES

DIGITAL TIRE PRESSURE BACK LIT GAUGES Accuracy 1/2%

- Strong back lighted display is easily read in the darkest of pits
- 2-1/8" dia. gauge face
- · Reads to .1 psi
- Can be adjusted to read in standard and metric units
- Auto-Off feature to increase battery life
- Battery level on gauge face
- Includes 9 volt battery
- Includes rubber gauge cover
- 16-1/4" hose with finger operated air-bleed valve allows you to release pressure quickly
- Hose has easy grip angle chuck end

PART # DESCRIPTION

89574↔ Digital Tire Pressure Back Lit Gauge, 0-15 psi 895750 Digital Tire Pressure Back Lit Gauge, 0-60 psi 895760 Digital Tire Pressure Back Lit Gauge, 0-100 psi millinki ON BRIGHT

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

REPLACEMENT PART PART # 974850 Tire Gauge Replacement Hose



TIRE PRESSURE GAUGES

Accuracy 2%

- 16-¼" hose with a finger operated air-bleed valve allows you to release pressure quickly
- Individually calibrated for accuracy within 2%
- The large 2-%" dia. dial face in 1/2 lb. increments is easy to read, while the hardened swivel chuck rotates 360° for positive valve stem attachment

PART # DESCRIPTION

895500 Tire Pressure Gauge, dial type, 0-15 psi. Radial Tire Pressure Gauge, dial type, 0-40 psi. **89555**↔

- Tire Pressure Gauge, dial type, 0-60 psi. 895600
- 895700 Tire Pressure Gauge, dial type, 0-100 psi.

PART # **AVAILABLE OPTION**

895900 **Tire Pressure Gauge Cover**

PART # **REPLACEMENT PART**

- 97480 Gauge Head for No. 89550
- 97485^o **Tire Gauge Replacement Hose**



• A WARNING Prop. 65

BEST



No. 89562

Accuracy 1/2%

PRO SERIES TIRE PRESSURE GAUGES

- Long 16-1/4" hose with pressure release valve and hardened steel swivel chuck is perfect for getting into deep-dish wheels
- Premium high-guality instruments with brass internals and bourdon tube pressure element provide full-range accuracy to within 1/2%
- Extra-large 4" diameter face and knife-edge pointer eliminate human error
- Adjustable pointer can be calibrated at the race track
- Fiberglass-reinforced thermoplastic housing withstands harsh racing environments
- Rugged polyethylene plastic carrying case is lined with a medium-density open-cell foam insert to keep gauge protected during transportation and storage
- Includes protective gauge cover

PART # DESCRIPTION

- 895520 Pro Series Tire Pressure Gauge, 0-15 psi. Major increments at 3 psi with minor increments at 0.1 psi. 895620 Pro Series Tire Pressure Gauge, 0-60 psi. Major
 - increments at 10 psi with minor increments at 0.5 psi.

REPLACEMENT PART PART

974850 **Tire Gauge Replacement Hose**



WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer. birth defects, or reproductive harmwww.P65Warnings.ca.gov

<u>DRAG RACING TIRES & ACCESSORIES</u>

TIRE COVERS

- Moroso Tire Covers keep tire pressures consistent by blocking hot rays
- Made from a rugged 6 mil vinyl reflecting outer surface laminated to an insulating backing of polyscrim
- · Completely washable and available in two different styles
- No. 99410 fits right over the tire and is held securely in place by a 4" rear flap
- No. 99421 uses suction cups and hangs like a curtain against the body

PART # DESCRIPTION

- **99410** Tire Cover, fits over tires up to 33.5" x 17.5" x 15"
- 99421. Tire Cover, universal design with suction cups, 42" x 36"

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

No. 99421

No. 99410

DIGITAL DUROMETER

Includes Case


In racing where a thousandth of a second can count, a durometer is used to check on: whether a tire has gotten too hard as it has aged, compare different tires' hardness and softness against each other or how a tire responded to a chemical tire softener.

- Calibrated on a Shore type A scale, the scale used to measure the hardness of race and ultra high performance tires
- Easy to read Digital readout with 1/2" tall numbers
- Reads to .5
- . Has a hold button to capture the reading on the readout
- · Comes with a foam lined plastic case for storage of the unit when not in use

PART # DESCRIPTION

89585 Digital Durometer with Case

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





NHRA TIRE CONTINGENCY RULE

NHRA's contingency rule for the Professional Categories states that the "vehicle must be equipped with all four tires bearing the same tire manufacturer's brand name" to be eligible for contingency awards. Please note that this rule applies only to the Pro classes. All other classes can use Moroso DS-2TM or Drag Special Front Tires and still be eligible for tire contingencies posted by any rear tire manufacturer.







11

MOROSO PROMOTIONAL T-SHIRTS

& red (front design only). 99554 XX-Large 99555 XXX-Large 99555 XXX-Large 99555 XXX-Large 99556 XXX-Large 99557 Large 99579 Stripe. 99550 XXX-Large 99550 XXX-Large 99550 XXX-Large 99557 4X-Large 99535 Large 99536 X-Large 99537 XX-Large 99538 XXX-Large 99538 XXX-Large 99538 XXX-Large 99538 XXX-Large 99538 XXX-Large 99538 YX-Large 99616 Large 99618 XX-Large 99618 XX-Large 99618 XX-Large <tr< th=""><th>(BACK)</th></tr<>	(BACK)
roso arrow logo in black & red (front design only). 99553 X-Large 99555 XXX-Large 99555 XXX-Large 99555 XXX-Large 99544 X-Large 99547 Large 99549 XX-Large 99550 XXX-Large 99550 XXX-Large 99550 XXX-Large 99557 4X-Large 99557 4X-Large 99536 X-Large 99536 X-Large 99536 X-Large 99536 X-Large 99537 XX-Large 99538 XXX-Large 99538 XXX-Large 100000 front & back. 99515 Medium 99516 Large 99618 XX-Large 99618 XX-Large 10000 front with vintage 10000 front with vintag	
roso arrow logo in black 99553 X-Large & red (front design only). 99554 XX-Large 99555 XXX-Large 99555 XXX-Large 99555 XXX-Large 99555 XXX-Large 99546 Medium Vintage Moroso arrow 99547 logo with silver racing 99548 stripe. 99550 99550 XXX-Large 99557 4X-Large 99550 XXX-Large 99557 4X-Large 99550 XXX-Large 99555 Large 99556 XX-Large 99557 4X-Large 99535 Large 99536 X-Large 99537 XX-Large 99538 XXX-Large 99538 XXX-Large 99616 Large 99618 XX-Large 99618 XX-Large 99618 XX-Large 99618 XX-Large 99618 XX-Large 99618 XX-Large <	
B. RETRO LOGO STRIPE BlackBlack99546 99547Medium Large 99548Vintage Moroso arrow logo with silver racing stripe.99546 99549Medium 9954899549XX-Large 9955099549 XXX-Large 99557XXX-Large 9955799550XXX-Large 9955799550 4X-Large995574X-Large 9955799536 4X-LargeC. SINCE '68 Limited edition design for Moroso's 40th Anniver- sary! Black, white & red flag logo on front & back.99535 99537 99538 XXX-LargeLarge 99538 XXX-LargeE. GRUMPY'S TOYS Vintage Moroso arrow logo on front with vintage ullustration on back, front pocket.Off-White 99615 99618 XX-Large99615 Medium 99618 XX-LargeMedium (FRONT)	
B. RETRO LOGO STRIPE Vintage Moroso arrow ogo with silver racing stripe. Black 99546 Medium 99547 99549 XX-Large 99550 99548 X-Large 99557 B 99549 XX-Large 99557 99547 Large 99550 XXX-Large 99557 AX-Large 99557 4X-Large 99535 Large 99536 X-Large 99537 XX-Large 99538 XXX-Large 99538 XXX-Large 99538 XXX-Large 99538 XXX-Large 99538 XX-Large 99538 XX-Large 99516 Large 99618 XX-Large 99618 XX-Large 99618 XX-Large 99618 XX-Large	
Vintage Moroso arrow ogo with silver racing stripe.99547 99548Large Value Stripe.99549XX-Large 9955099549 XX-Large 99557B99550XXX-Large 9955799550 4X-Large995574X-Large 99535Charcoal 9953599534 Large CharcosiC. SINCE '68 Limited edition design for Woroso's 40th Anniver- sary! Black, white & red lag logo on front & back.99534 99537 99536 XX-Large 99537 XX-Large 99538 XXX-LargeMedium C CC. GRUMPY'S TOYS Vintage Moroso arrow ogo on front with vintage llustration on back, front bocket.Off-White 99615 99618 XX-LargeMedium Medium SXX-Large	
ogo with silver racing tripe.99548 99549 99550 99550 XXX-Large 99557 XXX-Large 99557 4X-Large 99535 Large 99536 XX-Large 99536 XX-Large 99537 XX-Large 99538 XXX-Large CB CC. SINCE '68 imited edition design for Moroso's 40th Anniver- sary! Black, white & red lag logo on front & back. 99538 E. GRUMPY'S TOYS trintage Moroso arrow ogo on front with vintage 99616 lustration on back, front bocket.Charcoal 99534 99535 XX-Large 99616 Large 99618 XX-LargeBC (FRONT)(FRONT)	
stripe. 99549 XX-Large 99550 XXX-Large 99557 4X-Large 99557 4X-Large 99557 4X-Large 99535 Large Moroso's 40th Anniver- 99536 X-Large 1 ag logo on front & back. 99537 XX-Large 1 ag logo on front & back. 99538 XXX-Large E. GRUMPY'S TOYS Vintage Moroso arrow 0 ogo on front with vintage 99616 Large 99618 XX-Large 99618 XX-Large 99618 XX-Large 99618 XX-Large	
stripe. 99549 XX-Large 99550 XXX-Large 99557 4X-Large 99535 Large Voroso's 40th Anniver- 99536 99536 X-Large 1ag logo on front & back. 99537 99538 XXX-Large C GRUMPY'S TOYS Off-White 99615 99616 Large 99618 XX-Large (FRONT) 0cket. 99618	
99557 4X-Large C. SINCE '68 Charcoal 99534 Medium Limited edition design for 99535 Large C Moroso's 40th Anniver-sary! Black, white & red 99536 X-Large C Iag logo on front & back. 99538 XXX-Large C E. GRUMPY'S TOYS Off-White 99615 Medium Vintage Moroso arrow 99616 Large (FRONT) 0go on front with vintage 99618 XX-Large (FRONT)	
C. SINCE '68 Charcoal 99534 Medium Limited edition design for 99535 Large Moroso's 40th Anniver- 99536 X-Large C sary! Black, white & red 99537 XX-Large C flag logo on front & back. 99538 XXX-Large C E. GRUMPY'S TOYS Off-White 99615 Medium Vintage Moroso arrow 99616 Large (FRONT) logo on front with vintage 99618 XX-Large (FRONT)	
Limited edition design for Moroso's 40th Anniver- sary! Black, white & red sary! Black, white & red 99536 X-Large 99537 XX-Large 99538 XXX-Large 99538 XXX-Large E. GRUMPY'S TOYS Vintage Moroso arrow 99616 Large 99618 XX-Large 99618 XX-Large (FRONT)	
Moroso's 40th Anniver- sary! Black, white & red flag logo on front & back.99536 99537 99537 99538 XX-LargeCE. GRUMPY'S TOYS Vintage Moroso arrow logo on front with vintage pocket.Off-White 99616 99618 XX-LargeC(FRONT)	
Moroso's 40th Anniver- sary! Black, white & red flag logo on front & back.99536 99537 99538 XX-LargeCE. GRUMPY'S TOYS Vintage Moroso arrow logo on front with vintage pocket.Off-White 99616 99618 99618 XX-LargeC(FRONT)	
sary! Black, white & red flag logo on front & back. 99537 XX-Large 99538 XXX-Large E. GRUMPY'S TOYS Off-White 99615 Medium Vintage Moroso arrow 99616 Large logo on front with vintage 99618 XX-Large illustration on back, front pocket. (FRONT)	(DACK)
flag logo on front & back. 99538 XXX-Large E. GRUMPY'S TOYS Off-White 99615 Medium Vintage Moroso arrow 99616 Large (FRONT) logo on front with vintage 99618 XX-Large illustration on back, front 99618 XX-Large	
E. GRUMPY'S TOYS Off-White 99615 Medium Vintage Moroso arrow 99616 Large (FRONT) logo on front with vintage 99618 XX-Large illustration on back, front pocket.	
Vintage Moroso arrow 99616 Large (FRONT) logo on front with vintage 99618 XX-Large illustration on back, front pocket.	(0.4.01/2
logo on front with vintage 99618 XX-Large (FRONT) illustration on back, front pocket.	(DA 01/)
illustration on back, front pocket.	(KALK)
pocket.	(BAON)
E DICK'S DRIVE-IN Off-White 99610 Medium	
I. DICK 3 DRIVE-IN OII-WIRE 99010 Medium	
Vintage Moroso arrow 99611 Large	
logo on front with vintage 99614 XXX-Large	
illustration on back, front	
pocket. (FRONT)	
G. 50TH ANNIVERSARY Gray 99520 Small	T
Celebrating 50 years! 99521 Medium	
Features our traditional 99522 Large	
logo with a golden/red 99523 X-Large	
logo on front & back with 00524 XX-L arga	mill some
flag emblem. I hank you 99525 XXX-Large	a
for your loyalty!	
(BACK)	
GRUMPY'S	DICK'S

60

(BACK)

G

(FRONT)

E

Detail of Competition Engineering logo on arm



MOROSO PERFORMANCE POLOS

• Richly embroidered logos on front and arm

MOROSO

JACKET

• 100% Poly with stay-cool moisture wicking technology

DESCRIPTION	COLOR	PART #	SIZE
1. OGIO® POLO	Grey/Black	99581	Medium
Features colorblocked rib		99582	Large
knit panels and angled zippered pocket		99583	X-Large
2. SPORT POLO	Black	99586	Medium
Fine poly jacquard knit		99587	Large
with classic 3-button		99588	X-Large
placket		99589	XX-Large

MOROSO BUTTON DOWN CAMP SHIRT

- · Richly embroidered logos on front and arm
- · Classic, button down camp shirts

MOROSO AND COMPETITION

DESCRIPTION	COLOR	PART #	SIZE
3. BUTTON DOWN CAMP	Black	99591	Medium
Easy care poly-rayon		99592	Large
blend fabric with		99593	X-Large
side vents		99594	XX-Large



ENGINEERING ADJUSTABLE CAPS Richly embroidered logos Fully adjustable for a custom fit Stay-cool vent holes for air circulation PART # DESCRIPTION 99601 MOROSO FLEX HAT C9020 COMPETITION

 Moroso arrow logo embroidered on chest and MOROSO "original" Moroso logo patch on back · Fitted, retro-style silhouette · Charcoal grey, heavyweight poly/ cotton twill with nylon quilted lining Solid brass zippered closure • Two lower, inset on-seam pockets plus utility pocket on left sleeve **DESCRIPTION COLOR** PART # SIZE JACKET Charcoal 99620 Medium 99621 Large 99622 X-Large

99623

XX-Large



			3 free
DESCRIPTION	COLOR	PART #	SIZE
SWEATSHIRT	Black	99625	Medium
		99626	Large
		99627	X-Large
		99628	XX-Large
		99629	XXX-Large

MOROSO

387

CORPORATE APPAREL

MOROSO SWEATSHIRTS, HOODIE

- Show your pride of America and Racing with this line of thick, soft hoodie sweatshirts
- The back of these sweatshirts feature an American and Checkered Flag Cross Over design with a Moroso Logo
- One sleeve of the sweatshirts have Competition Engineering Logo and the other sleeve has a Moroso Wire Technologies Logo



(FRONT)



DESCRIPTION	COLOR	PART #	SIZE
SWEATSHIRT	Black	99630	Hoodie Sweatshirt, American and Checkered Flag, Small
		99631	Hoodie Sweatshirt, American and Checkered Flag, Medium
		99632	Hoodie Sweatshirt, American and Checkered Flag, Large
		99633	Hoodie Sweatshirt, American and Checkered Flag, X/L
		99634	Hoodie Sweatshirt, American and Checkered Flag, 2 X/L
		99635	Hoodie Sweatshirt, American and Checkered Flag, 3 X/L
_		99637	Hoodie Sweatshirt, American and Checkered Flag, 5 X/L

E



PRODUCT INDEX	389
SUSPENSION BASICS	392
CHOOSING THE RIGHT EQUIPMENT	395
REAR FRAME KITS	399
FRAME RAILS	402
FRAME CONNECTORS	404
LADDER BARS	405
TRACTION DEVICES	407
4-LINKS	409
REAR AXLE	410
ANTI-ROLL BARS	419
ROD ENDS	420
DRIVESHAFT LOOPS	421
TRANSMISSION MOUNTS	423
SHOCKS	424
SPRINGS	432
WHEEL-E-BARS™	433
ROLL BARS	436
CHASSIS COMPONENTS	443
SHEET METAL	446
STEERING COMPONENTS	447
BUSHINGS	450
ENGINE MOUNTING	451
TABS & BRACKETS	457
MISCELLANEOUS	462
TIE DOWN / TOW HOOKS	463
REPLACEMENT PARTS	464
NUMERICAL PRODUCT INDEX	465-476

С

Cage Kit, Funny Car

NUMBERED

2° Wedge Plates 412 9" Ford Axle Housing Braces 410 424-428 90/10 Drag Shocks 90/10 Drag Struts 428 8-Point Roll Bars 436 438 **10-Point Conversion Kits 10-Point Roll Cages** 439 12-Point Roll Cages 440

A

A-Arm Bushings	450
0	
Accelerator Pedal Kit	443
Access Door	446
Adjustable Drag Shocks	424-428
Adjustable Panhard Bar	414
Adjustable Pinion Snubber	418
Aluminum, Body Mounts	450
Aluminum Fenderwells	446
Aluminum Fuel Line (Moroso)	280
Aluminum Spring Eye Bushings	450
Angle Finder	462
Anti-Roll Bars	419
Apparel	386-388
Axle Bearing Conversion Kit	412
Axle Housing Braces	410
Axle Housing Ends	411

B

Battery Box (Moroso)	365
Battery Cable Kits (Moroso)	366-367
Battery/Weight Box	462
Body Mounts, Aluminum	450
Bolt-On Diagonal Link	413
Bolt-On Driveshaft Loops	421-422
Bolt-On Floating Housing Mounts	406
Bolt-On Frame Connectors	404
Bolt-On Traction Devices	407-408
Bolt-On Wheel-E-Bars™	435
Brace, Seat Back	441
Brace, Ford 9" Rear Axle	410
Brackets	429, 457-462
Bumpsteer Adjuster Kit	449
Bushings, A-Arm	450
Bushings, Control Arm	417-418, 450
Bushings, Slide-A-Link™	408
Bushings, Spring Eye	450
Bushings, Transmission Crossmember	423

ougo mi, runny our	111
Carrier Stud Kit	412
Chassis Brackets and Tabs	457-461
Chassis Brackets, 4 –Link	459
Chassis Brackets, Ladder Bar	460-461
Choosing the Right Equipment	395-398
Clevis Brackets	457
Coil-Over Housing Brackets	429, 461
Coil-Over Mount Kits	431
Coil-Over Shock Adjusting Tool	430
Coil-Over Shock Kits	429-432
Coil-Over Shock, Lower Mounting Bracket	429, 461
Coil-Over Shock, Magnum Series	428
Coil-Over Shock Mounting Brackets	429, 461
Coil-Over Shock Mount Kits	429-432
Coil-Over Springs, Rear	432
Coil Spring Traction Bars	407
Competition Ladder Bars	405
Control Arms and Accessories	415-417
Conversion Kits, 10 Point Roll Cage	438
Crossmember, Ladder Bar	403
Crossmember 2" x 3" Dropped	403
Crossmember, Transmission Bushings	423
Crossmember, Transmission Universal	423

441

D

410
413
446
442
444
444
444
410
424-427
428
421-422

E

Engine Limiter Kit	451
Engine Torque Link	451

F

Fabricated Rear Axle Housings	
Fenderwells, Aluminum and Steel	446
Firewall, Kit Rear for Mustang 2005-10	446
Floating Housing Mounts	406
Floor Pan Brace	403

451 411 402-403 438 459-460

400-401 402 409

458 458

404 399-401

F (CON'T)

Flywheel Shims
Forged Rear Axle Housing Ends
Formed Rear Frame Rails
Formed Rear Struts, 8 Point Bar
Four-Link, Chassis Brackets
Four-Link, Frame Kits
Four-Link, Frame Rails
Four-Link Kits
Four Link Mounting Brackets
Frame Brackets, Universal
Frame Connectors
Frame Kits, rear
Frame Rails & Components
Front Down Strut Upgrate Kit
Front End Travel Limiter
Front Motor Plates
Front Suspension Components
Fuel Line, Aluminum (Moroso)
Fuel Tank Sump Kits
Funny Car Cage Kit

G

Gas Pedal Kit	443
Gas Pedal Linkage Kit	443
Gussets, Roll Bar	442

Η

Housing Brace, 9" Ford	410
Housing Brackets, Coil-Over	461
Housing Ends, Axle	411
Housing Mounts, Floating	406
Housing Vent, Rear Axle	412

L

Ladder Bars Ladder Bar, Chassis Brackets Ladder Bar, Crossmember	405 458-461 402
Ladder Bar Crossmember Brackets	460-461
Ladder Bar Frame Kits	399-401
Ladder Bar Frame Rails	402
Ladder Bar Housing Bracket	458-461
Ladder Bar Spring Chart	401
Ladder Bars & Accessories	405-406
Ladder Link	405
Locating Devices, Rear Axle	413-418
Lower Control Arms	415
Lower Rear Control Arm Bushings	417-418
Lower Shock Mount, Universal	429

M

Mid Mount Plates	452-453
Motor Plates	454-456
Motor Plate Mounting Kit	451
Mounting Brackets, 4-Link	457-459
Mounting Bracket, Shock	461

0

Offset Spring Hangers 432

P

Panhard Bars	414
Panhard Bar Frame Brace	414
Parachute Anchor Mount	445
Parachute Pack Mount	445
Parachute Release Cable Clamp	445
Parachute Release Cable Kit	445
Pedal Kit, Accelerator	443
Pinion Snubber, Adjustable	418
Progressive Rate Springs, Rear	432
Power Steering Tanks	448

R

Radiator Mounting Kit	444
Rear Axle Housings & Components	410-412
Rear Axle Housing Brace	410
Rear Axle Housing Ends	411
Rear Axle Housing Fill Cap Kit	412
Rear Axle Housing Vent	412
Rear Axle Locating Devices & Components	413-415
Rear Axle Spring Perches	411
Rear Coil-Over Shock Kit	429-431
Rear Coil-Over Springs	432
Rear Control Arms & Accessories	416-418
Rear Control Arm Spherical Bearing Kit	418
Rear Fenderwells	446
Rear Firewall Kit	446
Rear Frame Kits	399-401
Rear Frame Rails, Formed	402
Rear Shocks	424-427
Rear Shock Crossmember	431
Rear Shock Mounts	429-431
Replacement Bushings	408, 417-
	418, 450
Replacement Brackets	457-461
Replacement Parts	433, 464
Rod Ends	420, 447
Roll Bars & Cages	390, 436-442
Roll Bar Bolt-In Conversion Kit	438
Roll Bar Door Bar Kits 6-8 & 10-12 pt.	442

R (CON'T)

Roll Bar Fill Plates	391, 437
Roll Bar Formed Struts	438
Roll Bar Gussets	442
Roll Bar Mounting Plates	390, 437
Roll Bar Padding	442
Roll Bar Rear Struts, 8 point	438
Roll Cage Upgrade Kit	439
Roll Cage Swing Out Door Kit	442
Roll Cage X-Brace Kit	440

S

Coat Deals Drassa	4 4 4
Seat Back Braces	441
Seat Belt Harness Tabs	457
Sheetmetal	446
Shims, Flywheel	451
Shock Absorbers & Components	424-431
Shock Adjusting Tool, Coil-Over	430
Shocks, Coil-Over, Magnum Series	428
Shock Crossmember	431
Shock Kits, Coil-Over	429-431
Shock Mount Kits, Coil-Over	429-431
Shock Mounting Brackets, Coil-Over	461
Springs, Coil-Over Rear	432
Slide-A-Links™	408
Slide-A-Link™, Bushings	408
Slide-A-Link [™] Wrenches	408
Snubber, Adjustable	418
Solid Aluminum Body Mounts	450
Solid Replacement Bushings	450
Spoiler, Rear Universal (Moroso)	381
Sport Compact Roll Bars & Cages	436
Spring Chart, Ladder Bar	401
Spring Eye Bushings, Aluminum	450
Spring Hangers, Offset	432
Spring Perches, Rear Axle	411
Springs, Progressive Rate	401, 432
Springs, Rear Coil Over	432
Stabilizer Bars, Anti-Roll	419
Stabilizer Bars, Diagonal Link	413
Stabilizer Bars, Panhard Bar	414
Steering Column Kits	447
Steering Column Mounting Kit	447
Steering Shaft Support Rod End	447
Steering Wheel Adapter	448
Steering Wheel Hub and Adpater	448
Strut Upgrade Kit, Front Down	441
Struts, Drag Race	428
Struts, Roll Bar Formed	438
Stud Kit, Carrier	412
Swing Out Door Kit	442
	774

T	

Tabs, Brackets	457-461
,	
Throttle Linkage Rod Kit	443
Tie Down Hooks, Universal	463
Torque Box Reinforcement Plates	417
Torque Link, Engine	451
Tow Hook, Universal	463
Tow Hook, Folding, Universal	463
Traction Bars, Coil Spring & Leaf Spring	407
Traction Devices, Bolt-On	408
Transmission, Crossmember Bushings	423
Transmission Crossmember Mount Kit	423
Transmission, Universal Crossmember	423
Travel Limiter, Front End	449
Two Degree Wedge Plates	412

U

U-Bend Universal Mount	462
Understanding Suspension Basics	392-394
Universal Brackets & Tabs	457-461
Universal Crossmembers	402-403
Universal Driveshaft Loops	421-422
Universal Door Window Frame Kit	443
Universal Frame Rails	402
Universal Lower Shock Mounts	429-430
Universal, Tow Hook	463
Universal Window Frame Kit	443
Upper, Rear Control	416-418
Upper A-Arm Bushings	450
Universal Wheel-E-Bars™	433-435

W

Wedge Plates, Two Degree	412
Weight/Battery Box	462
Weld In, Frame Connectors	404
Wheel-E-Bars™, Bolt-On	435
Wheel-E-Bars™, Universal	433-435
Wheel Tubs, Aluminum and Steel	446
Window Frame Kit	443
Window Install Kit	443
Wishbone Housing Locators	413
Wrenches, Slide-A-Link™	408

G etting more power from an engine is something all racers are familiar with. Getting that power to the ground, however, is a science that few racers really understand. For those of you just starting out in drag racing, we've put together a basic overview of how chassis and suspension systems are affected by sudden acceleration. The Chassis People[™] at Competition Engineering want you to understand the relationship between engine power and the chassis, suspension and driveline systems of your car. By doing so, you will be in a better position to select equipment that allows you to hook up and lower ET's!

Without the right chassis and suspension setup, all the horsepower in the world will only go up in tire smoke!

As you're trying to understand how modifications to the chassis and suspension systems improve traction, it helps to keep one thing in mind. Power produced by your engine must take a direct path to "planting" the tires and "launching" your car forward. Any power that gets absorbed by the chassis and suspension is power that can't be used to get you to the finish line as quickly as possible.

There's a basic law of physics that states "for every action there is an equal and opposite reaction." Relating this principle to a game of billiards is relatively easy. But applying it to chassis and suspension systems on a drag race car is more complex. When trying to understand how chassis and suspension setups affect traction, keep the "action/reaction" concept in mind. It will make things much easier to understand.


While race cars are designed for racing, street cars are designed primarily for carrying passengers safely and comfortably. From the factory, passenger cars are not equipped to handle high rpm launches from a standing start. This instant release of power places great strain on stock suspension systems and usually results in unwanted wheel hop, tire spin and parts breakage. Controlling this unwanted reaction is the job of a traction device, which limits the rotation of the rear axle housing and transfers forces to the track surface.

For example, the installation of traction bars is a popular way of limiting rotation of the rear axle housing. Traction bars mount directly to each side of the axle housing and extend forward like long arms or levers. When the housing begins to rotate during initial launch, the traction bars stop this action, holding the housing in place and converting some of the applied torque to a force which pushes the rear tires into the track surface. By stabilizing the axle housing, wheel hop is virtually eliminated, acceleration is smoother and parts breakage is minimized.

HOW "WHEEL HOP" OCCURS


LORITION NOTIONER TUOHTIN NOTATION BILLEN CONTROL

When horsepower is suddenly delivered to the differential, whether from a clutch or a torque converter, the pinion attempts to "climb" the ring gear. This sudden shock of torque causes the entire rear axle housing to rotate backwards in a counter-clockwise direction. This causes the springs to distort, resulting in severe driveshaft/U-joint misalignment.



SPRING REACTION UNLOADS SUSPENSION, CAUSING 49771331-410079


The axle housing is allowed to continue its rotation until it meets resistance from the suspension/springs, which then try to "snap" the housing back to its original position. As power continues to the differential, the housing is once again allowed to rotate back against the springs. This action/reaction of the suspension, commonly known as "wheel hop", continues much like a tug-of-war. Instead of launching your car forward, you sit there bouncing around and spinning your wheels.



<u>UNDERSTANDING SUSPENSION BASICS</u>

COMPETITION ENGINEERING TRACTION BAR LIMITS AXLE ROTATION

The bolt-on "Slapper Bar" is one of the most basic traction devices available. Originally pioneered by Bill "Grumpy" Jenkins in the mid-sixties, it gets its name from the way it works. One end of the Traction Bar replaces the stock spring pad and is clamped to the rear axle housing. The front end of the bar is suspended just below the spring eye. When the housing begins to rotate during launch, the bar also rotates until it contacts or "slaps" the spring. (Unlike other brands, Competition Engineering Traction Bars make contact directly below the front spring eye, preventing spring damage). When contact occurs, the Slapper Bar becomes a lever trying to push the axle housing down and planting the tires in the process.





SLID=A-LINK

A revolutionary, patented, completely bolt-on traction device, the Slide-A-Link[™], designed for both street and strip use is track tested and competition proven to outperform conventional "Slapper" bars. A solid mounted front plate is installed inside the original front spring pocket and clamps to the leaf spring to provide a positive displacement for the torque that is transmitted from the rear axle through the telescoping bar and special durometer shock pad. These forces, along with improved instant center geometry, provide better weight transfer for increased traction. Free travel and pre-load adjustments are made on the vehicle by adjusting the jack screw at the rear of the bar.

HOW LADDER BARS WORK


The Ladder Bar is a more sophisticated traction device because it serves as an extremely rigid, bridge-type truss that locates the rear axle housing directly to the chassis. With the axle housing held firmly in place, the torque applied to the differential is now transferred immediately through the Ladder Bars and into the chassis. By using the Ladder Bar to carry power to the chassis, the front end reacts by rising. As the front of the car travels upward, rapid weight transfer is created which "plants" the rear tires and propels the car forward.





HOUSING FLOATERS ELIMINATE SUSPENSION BIND

When using Ladder Bars with a leaf spring rear suspension, the axle housing cannot be rigidly attached to the springs. If it were, severe binding of the rear suspension would occur because the Ladder Bar and the leaf spring both travel in separate competing arcs. By allowing the housing to rotate and glide on the leaf spring, the Floating Housing Mount eliminates the bind and allows the Ladder Bars to work the way they were designed.



B

Traction devices are only half the story. When used properly to transfer the torque action created in the differential into the chassis, other aspects of the car must also be enhanced. Since the chassis is the backbone of the car, the "action" of transferring power into it must not result in the "reaction" of twisting and flexing. Therefore, the chassis must be as rigid as possible. Frame Connectors are used to connect front and rear unibody subframes, effectively making them one piece. This eliminates unwanted flex in the chassis and prevents it from absorbing the power needed for acceleration. Solid Body Mounts, Solid Motor Mounts, Engine Torque Links and Solid Transmission Mounts contribute to forming a rigid structure and help eliminate unwanted twisting and power loss.

Large-diameter Tubular Control Arms, which are much stronger than stock units, also add rigidity, eliminate flex and help direct power to the ground. Finally, Roll Bars and Roll Cages help make the chassis and body solid while providing an extra measure of safety.

The suspension also contributes to overall performance. It serves as a flexible connection to the track, providing mechanical and hydraulic damping to control unwanted body and chassis movements. The suspension must remain flexible enough to offer a sufficient level of comfort and safety, while contributing to traction when subjected to sudden acceleration. Installation of Competition Engineering's Adjustable Drag Shocks are one of the first steps taken to help stabilize suspension movement. In race applications, the front shocks play a dual role. When the front end lifts, they extend freely to increase weight transfer. When the front end begins to lower, these same shocks provide resistance to maximize the duration of weight transfer. Complementing the action of the shocks are Front Drag Springs, specially engineered for each application to hold a great amount of stored energy for instantaneous weight transfer. Rear Coil Springs are also available for specific vehicle weights to obtain the correct ride height, and provide full suspension travel for optimum weight transfer and traction. Stabilizer Bars are used in conjunction with both Ladder Bars and 4-Links. They center the rear axle housing within the chassis. This prevents lateral movement between the body and the suspension, which helps to provide high speed stability.


We hope that our introduction to chassis, suspension and traction systems has been helpful. From our simplified explanations you should realize that horsepower, while important, is not the only factor contributing to elapsed time results. A properly tuned chassis and suspension will convert engine power into traction. Our next section will help you to determine the level of equipment needed to obtain that traction.

WHEELEBARST HELP CONTROL WEICHT TRANSFER

Although Ladder Bars and 4-Links provide lift to the front end by transferring weight to the rear, too much lift detracts from the forward motion and reduces overall performance. Installation of Wheel-E-Bars™ helps to maintain the correct amount of lift and controls weight transfer to maximize traction.

LADDER BARS VS. 4-LINKS

4-Links offer more adjustment over Ladder Bars and can handle higher torque loads. With two bars per side, one on top and one on the bottom, you basically have an open ended Ladder Bar. You can adjust the suspension for different track conditions by manipulating the mounting positions in the frame and axle housing brackets. This gives you the option of making the intersection point, or point of "instant center", as far forward or rearward to suit your particular needs. The point of instant center is the location where the upper and lower links would intersect if imaginary lines extended from the front of the 4-Link bars. Unlike a Ladder Bar where the point of instant center is always located at the bar's front mounting point, the instant center on a 4-Link changes quickly as the car is launched



CHOOSING THE FIGHT EQUIPMENT

Selecting chassis components is something that should not be taken lightly. It's just as important as choosing the right camshaft or gear ratio. Making the right chassis setup decision wins races. Making the wrong one leaves you with a car that doesn't perform as expected and usually ends up wasting a lot of your hard earned money. Before purchasing a single chassis component, you must first make some very important decisions concerning your car and the level of competition you plan to achieve. First, determine what you want out of your car. Are you looking for better performance from your street machine; do you want a dedicated race car that will never see the street; or do you want a performance street machine that can do occasional track time? If you are going racing, become familiar with all rules and guidelines established by your sanctioning body. Determine the horsepower level you want the engine to make.

Decide if you want to use bolt-on or weld-in components. Once you have addressed all of these important issues, you will be in a better position to choose the chassis components that are correct for your car.

To help both the beginner and seasoned racer select chassis equipment, we've grouped cars in four stages beginning with street performance and mild bracket cars, and ending up with "Outlaw" Pro Street and Pro Modified type race cars. In our **Blueprint for Performance**, we've built each of the four stages around the three most important factors concerning component selection:

- 1) Intended Use
- 2) Horsepower Level
- 3) Installation Complexity

Following along stage by stage will help you select equipment that best suits your performance requirements.

STACE ONE

Street Performance & Mild Bracket Cars


Our first stage is our entry level stage intended for those looking to get more performance from their street machine that may see some track time occasionally as a mild bracket racer. In this stage, horsepower levels are stock or slightly modified. All of the equipment can be easily installed with simple hand tools. No welding is required. All of the bolt-on equipment included in Stage One is intended to strengthen the chassis, suspension, body and drivetrain. By making the car more rigid, power is transferred directly to the wheels for improved traction.

To control wheel hop on older cars with leaf or coil springs, Competition Engineering offers Bolt-On Traction Bars. These bars limit rear housing rotation, thereby eliminating wheel hop and improving rear wheel traction. As a step up from the traditional Traction Bar, we now offer the Slide-A-Link[™] traction device. This revolutionary, patented bolt-on piece provides you with the ultimate bolt-on traction system for leaf spring cars.

For better handling and improved traction in rear coil spring equipped street cars, we offer **Tubular Rear Control Arms.** These rugged control arms are direct replacements for flimsy stock units, and serve to strengthen the suspension for quick launches and stable cornering.

The Mustang and GM A&G Body versions have three adjustment settings to suit changing track conditions. Additional components for this stage include Competition Engineering's **Solid Aluminum Body Mounts** that help eliminate chassis twist, and Solid Motor Mounts and Transmission Mounts to keep the engine from wasting torque by twisting in the chassis. For uni-body cars, Bolt-On Subframe Connectors create a rigid structure for direct transmission of power.

3-Way Adjustable



The Chassis People

CHOOSING EQUIPMENT

E

<u>CHOOSING THE RIGHT EQUIPMENT</u>

STACE TWO


Borderline Street Legal & Bracket Racing Cars

As horsepower levels start to increase, so does the need for stronger traction control. The components that make up Stage Two, along with the other stages that follow, will require skills in both welding and fabrication. Installation of this equipment will also cause street driveability to be affected. Stage Two cars may need to be trailered to the track.

An **8-point Roll Bar** and **Bolt-On Driveshaft Loop** should be among the first components added when deciding to build more horsepower and go faster. A properly installed roll bar not only offers increased protection in the event of a crash, but also adds rigidity to the chassis which results in quicker E.T.'s.

The rear suspension also needs to be reinforced in order to handle the higher torque loads produced by the engine. The installation of **Weld-In Ladder Bars** and a **Tubular Crossmember** will help control the transfer of power to the rear wheels. If you're retaining leaf springs, you'll also need a **Housing Floater** (see **page 406**) to keep the springs from working against the Ladder Bars. To provide additional suspension adjustment without going through the trouble of installing a **4-Link**, Competition Engineering offers the... **...Ladder Link**[™]. This popular traction device gives you more adjustability over standard Ladder Bars. Its 33-½" length is ideal for most applications. More power also requires larger rear tires. To fit larger rear tires into a passenger car body, you'll need to enlarge the wheel housings and move the rear springs inboard. This can be accomplished by installing a set of our **Rear Fenderwells**, available in either steel or aluminum, and using our **Offset Spring Hangers** (see **page 432**) to relocate the leaf springs. You'll also need **Weld-In Subframe Connectors** to tie the front and rear subframes together in a uni-body car. For maximum strength on uni-body vehicles, our **Formed Rear Frame Rail Kits** provide a solid base for mounting a variety of traction components.

Additional components that make Stage Two complete include computer-designed **Trick Front Springs** for maximum front end lift and weight transfer, **Rear Drag Springs** that provide full suspension travel to take advantage of that weight transfer; **3-Way Adjustable Drag Shocks** to control suspension movement, and **Front End Travel Limiters** to prevent the front end from rising too high.




Œ

STACE THREE

Pro-Street & Sportsman Class Cars

Stage Three includes all-out race cars that require fabrication skills to complete. Higher horsepower and larger tires also require that a dedicated racing suspension be installed. Installation of components included in this stage mandates that the car be "back-halved" to accept a fabricated rear frame and 4-Link rear suspension. The backbone of this stage is the 2" x 3" mandrel bent Rear Frame Rails and the 2" x 3" Dropped Crossmember. This will give you a sturdy base in which to install our 4-Link Kit and Coil-Over Shock Mounts. In addition to this setup, an Axle Locating Device is required to keep the rear housing centered in the chassis. The installation of a 10-Point Roll Cage is mandatory to support the new back half, as well as to help protect the driver at increased speeds.



E


CHOOSING EQUIPMENT

<u>CHOOSING THE RIGHT EQUIPMENT</u>

STACE FOUR

Pro-Street & Pro-Modified Type Race Cars

We have designed this final stage for the **professional racer**. Hard core components for Stage Four include our **12-Point Roll Cage** for maximum protection and chassis rigidity and our **Magnum Series 4-Link** to handle brute force horsepower levels. Our Wishbone Rear Axle Locator improves chassis stability. To locate the engine in tube chassis cars, **Aluminum Motor Plates** and **Steel Mid-Mount Plates** are computer machined for precise fit and alignment. Fabricated Rear Axle Housings and 43" and 46" Monster Wheel Tubs are designed exclusively for Funny Car size slicks. To keep everything on a level attitude we strongly suggest our Universal 60" Wheel-E-Bars™ or 80" Single Wheel-E-Bar™. Additional components include Fabricated 9" Ford Housing, Steering Column Kit and Rack and Pinion Steering Units for the front end.



agnum Series 4-Link Bracke pages 459-460

Œ,

C ompetition Engineering complete **Rear Frame Kits** with custom suspension options will save you hours of fabrication time. Each kit is individually welded on precise jigs for unmatched accuracy...getting you hooked up and winning, right out of the box!

When you choose a Competition Engineering **Rear Frame Kit** you know it's built with quality. Each and every component is manufactured with the finest American craftsmanship and materials, ensuring a perfect fit and years of dependable service.

DESIGN YOUR OWN REAR GLIPH

Widths - Frame Kits are offered in three widths; 24", 26" and 28". Welded or Unwelded - Frame Kits are available in your choice of welded or unwelded. The unwelded option is available only on the 28" Kit. This allows the chassis builder to cut to their desired width.


Suspension Designs - Four different are available: Single Adjustable Ladder Bar, Part No. C2006; Ladder Bar Double Adjustable Part No. C2005 (page 405); Standard 4-Link and Magnum Series 4-Link (page 409). Best of all, our efficient manufacturing processes make these built-to-order **Rear Frame Kits** available at a great price!

We've expanded our line of **Rear Frame Kits** to better meet the needs of our customers. Now, each Frame Kit has its own part number to make it easier to find and order exactly what you are looking for!



Shocks Options - Available with three different shock options: *3-Way Adjustable Drag Shocks* (pages 424-428), *Magnum Series Rear Coil Over Shocks* (page 428).


Spring Rate Options - Seven different spring rates are offered: 85, 100, 125, 150, and 200 lb., plus Progressive Rate Springs are available.



- Ladder Bar Frame Rails Specially engineered profile clears suspension and axle components, while accommodating low ride height and wide tires.
- 2" x 3" Crossmember Mandrel formed for uniform profile;
 3.5" drop center makes it adaptable to virtually any chassis design; 60" wide.
- 3. *Diagonal Link* 3/4" O.D. DOM steel with 1/2" Spherical Rod Ends for easy, in-chassis adjustment.
- **4.** *Driveshaft Loop* 1-¹/₈" 0.D. mandrel formed Round Tube contains driveshaft during U-joint failure.
- 5. *Shock Crossmember* Tubular design provides high strength with light weight.
- Upper & Lower Shock Mounts Provides 6" of ride height adjustment.

- 7. Available With 3-Way Adjustable Shocks or Coil-Over Shocks - Single, externally adjustable Coil-Over Shocks with CNC machined billet aluminum body and 1" wide top/bottom bearings or economical 3-Way Adjustable Shocks with Spring Kit.
- 8. Available With Competition Single Adjustable or Double Adjustable Ladder Bars (see page 405)
- **9.** *Springs* Matched to your specific rear vehicle weight. 2.5" I.D. x 12" long, premium-grade chrome silicone steel, powder coated for durability. Progressive Ladder Bar Rate Springs available.

The Chassis People



EAOH 4-LINK REAR FRAME KIT INOLUDES:

- 4-Link Frame Rails Specially engineered profile clears suspension and axle components while accommodating low ride height and wide tires; Rugged 2" x 3" construction makes them strong without adding unnecessary weight.
- 2. 2"x 3" Crossmember Mandrel formed for uniform profile;
 3.5" drop center makes it adaptable virtually any chassis design; 60" wide.
- **3.** *Diagonal Link* ³/₄" 0.D. DOM steel with ¹/₂" Spherical Rod Ends for easy, on-chassis adjustment.
- **4.** *Driveshaft Loop* 1-1/8" 0.D. mandrel formed Round Tube contains driveshaft during U-joint failure.
- 5. *Shock Crossmember* Tubular design provides high strength with light weight.

- 6. *Upper & Lower Shock Mounts* Provides 6" of ride height adjustment.
- 7. Available With 3-Way Adjustable Shocks or Coil-Over
 - *Shocks* –Single, externally adjustable Coil-Over Shocks with CNC machined billet aluminum body and 1" wide top/bottom bearings or economical 3-Way Adjustable Shocks with Spring Kit.
- 8. Available With Standard or "Magnum" Series 4-Link Kits Rod Ends included. (see page 420)
- 9. Springs Matched to your specific rear vehicle weight.
 2.5" I.D. x 12" long, premium-grade chrome silicone steel, powder coated for durability. Progressive Rate Springs are also available.



REAR FRAME KITS

Œ

SPRING RATE 24" WIDTH 12 WAY ADJ. COIL-OVER SHOCK 3 WAY ADJ. SHOCK 26" WIDTH			125 LB C04130	150 LB	200 LB	PROGRESSIV 1,900 LBS TO	/E RATE SPRING) 2,901 LBS TO
24" WIDTH 12 WAY ADJ. COIL-OVER SHOCK 3 WAY ADJ. SHOCK 26" WIDTH	C04110	C0412∘		150 LB	200 LB	1,900 LBS TO) 2.901 LBS TO
12 WAY ADJ. COIL-OVER SHOCK 3 WAY ADJ. SHOCK 26" WIDTH			C04130				•
3 WAY ADJ. SHOCK 26" WIDTH			C0413↔			2,900 LBS	3,900 LBS
26" WIDTH	C0421 0	C04220		C0414 °	C0415↔	C0416↔	C0417 °
			C0423 ↔	C04240	C0425⇔	C04260	C0427 °
12 WAY ADJ. COIL-OVER SHOCK	C0611↔	C0612 ↔	C0613 ↔	C0614 ↔	C0615↔	C06160	C0617∘
3 WAY ADJ. SHOCK	C0621 ↔	C0622 ↔	C0623 ↔	C0624 ↔	C0625↔	C0626↔	C0627o
28" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK	C0811↔	C0812 ↔	C0813 ↔	C0814 ↔	C0815↔	C0816↔	C0817↔
3 WAY ADJ. SHOCK	C0821↔	C0822 ↔	C0823 ↔	C0824 ↔	C0825↔	C0826↔	C0827↔
LADDER LINK FRAM	IE KITS	5					
24" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK	C2422 ↔	C2423↔	C2425↔	C2426 °	C2427↔	C2428↔	C2436↔
3 WAY ADJ. SHOCK	C2429↔	C2430↔	C2431↔	C2432 ↔	C24330	C24340	C24370
26" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK	C2611↔	C2612↔	C2613↔	C2614∘	C2617↔	C26180	C26190
3 WAY ADJ. SHOCK	C2621↔	C2622 ↔	C2623 ↔	C2624 ↔	C2625↔	C2626↔	C2627↔
28" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK			C2813↔			C2816↔	C2817↔
3 WAY ADJ. SHOCK		C2822↔	C2823↔	C2824 ↔	C2826↔	C2827↔	C2828↔
4-LINK FRAME KITS	5						
24" WIDTH		_	_	_	_		
12 WAY ADJ. COIL-OVER SHOCK	•••••	••••=	C14130	•••••	•••••	C14160	C1417∘
3 WAY ADJ. SHOCK	C1421↔	C1422↔	C14230	C14240	C1425↔	C1426↔	C1427↔
26" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK					C16150		C1617↔
3 WAY ADJ. SHOCK	C1621↔	C1622↔	C1623↔	C1624∘	C1625↔	C1626	C1627↔
28" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK					C18150		C18170
3 WAY ADJ. SHOCK			C1823↔		C18250	C18260	C1827↔
MAGNUM SERIES 4 (1/4" BRACKET WIT 24" WIDTH			-	5		to th	o 2 • 2 WARNING Prop. 69 s product contains a chemical kn se state of California to cause ca inth defects, or reproductive harr www.P65Warnings.ca.gov
12 WAY ADJ. COIL-OVER SHOCK	C1431o	C1432 0	C1433 0	C1434 0	C14350	C14360	C1467o
3 WAY ADJ. SHOCK					C1441o		C1468↔
26" WIDTH							
12 WAY ADJ. COIL-OVER SHOCK	C1443o	C1444o	C1445o	C1446o	C14470	C1448o	C1469o

3 WAY ADJ. SHOCK

3 WAY ADJ. SHOCK

12 WAY ADJ. COIL-OVER SHOCK

28" WIDTH

REAR FRAME KITS

REAR FRAME KITS

E

C1460↔

C14660

C14490 C14500 C14510 C14520 C14530 C14540

C1455° C1456° C1457° C1458° C1459°

C14610 C14620 C14630 C14640 C14650

401

C14700

C14710 C14730

FORMED REAR FRAME RAIL KITS

- Replaces the stock rear rails in subframe equipped cars
- Engineered to move the leaf springs and frame rails inboard to provide additional tire clearance
- · Designed to fit stock floor contours with minor fabrication
- Requires use of a fuel cell, Rear Fenderwells and an Upper Shock Crossmember (see Available Options)
- · Eliminates stock sheet metal rear frame rails
- Increases chassis strength for quicker vehicle reaction times
 Manufactured from mandrel formed 2" x 3" x .083" wall mild
- Two rails and tube sleeves

PART # DESCRIPTION

- **C3031** Formed Rear Frame Rail Kits, 1967-'69 Camaro, Firebird
- **C3032** Formed Rear Frame Rail Kits, 1970-'81 Camaro, Firebird
- **C3034** Formed Rear Frame Rail Kits, 1962-'67 Chevy II, Exc. Wagon
- **C3035** Formed Rear Frame Rail Kits, 1968-'76 Nova, Ventura II



PART #AVAILABLE OPTIONSC3002-C3011Rear FenderwellsC3012-C3048Weld-In Subframe ConnectorsC2046Upper Shock CrossmemberC2047Lower Shock Mount

UNIVERSAL FRAME RAILS KITS

- Available for both 4-Link and Ladder Bar suspensions
- Narrows the rear chassis to accept extra-wide racing tires
- Universal design for any car Pro Street to Drag Race
- Manufactured from mandrel formed 2" x 3" x .083" rectangular steel
- Use with **No. C3061** 2" x 3" crossmember for a solid mounting point for our suspension components
- Two rails and hardware per kit

PART # DESCRIPTION

C3060*	4-Link Frame Rails, Universal
C3062*	Ladder Bar Frame Rails, Universal

PART # AVAILABLE OPTIONS

- C3061 Universal Dropped Crossmember
- C3421 Magnum Series 4-Link Bracket
- C3408 Standard 4-Link Bracket
- C3411 Ladder Bar Bracket



NOTE: Installation of this product requires stock rear floor pan be substantially modified or removed. The addition of a full roll cage is also required for proper installation.

CROSSMEMBER KIT

Ladder Bar

- Convenient kit includes components needed to install a Ladder Bar Crossmember on a Pro Street or Drag Race car
- Kit includes: 2" x 3" x .083", 60" long Dropped Crossmember, four Ladder Bar Crossmember Brackets and all hardware
- 60" length and full 3.5" drop-center profile makes this sturdy,mandrel bent Crossmember an ideal front attachment point on virtually any chassis design
- The ladder bar mounting holes are stamped on a 33" radius to allow quicker adjustments when used with Competition Engineering's Ladder Bars

PART #DESCRIPTIONC3059Crossmember Kit - Ladder Bar



2" X 3" DROPPED CROSSMEMBER

Makes fabricating a rear frame on a Pro Street or Drag Race car easier and more professional

- Sturdy 2" x 3" x .083" steel is mandrel formed on computer-controlled equipment, providing uniform wall thickness and exact profile dimensions
- 60" length and full 3.5" drop-center profile makes this crossmember an ideal front attachment point on virtually any chassis design
- Use with Competition Engineering's Formed Rear Frame Rails **Nos. C3060**, **C3062** or any other suitable frame rail kit

PART # DESCRIPTION

C3061 Dropped Crossmember, 2" X 3"

LADDER BAR CROSSMEMBER

- Designed to provide a sturdy mounting point for the front Ladder Bar rod end
- \bullet Manufactured from 1-3/4" x .134" wall mandrel formed steel tubing
- Capable of withstanding the abuse of a racing suspension while adding strength to the chassis
- 54" wide bar serves double duty as both a locating device for the Ladder Bars as well as a rear driveshaft loop
- Kit includes 3/16" stamped steel brackets with 360° thru-mounting holes for increased strength
- Mounting holes stamped on a 33" radius to allow quicker settings without added adjustments
- Includes mounting hardware
- Welding required

PART # DESCRIPTION

C2019 Ladder Bar Crossmember



FLOOR PAN BRACE

Easy To Install Bolt-On Design Uses Existing Mounting Points Fits: Camaro 2010-'15

- Even though 2010-'15 Camaros have a stiffer chassis than earlier models, they still suffer from flexibility; which affects acceleration, handling, long term rattles and traction
- Fortify your Camaro 2010-'15 chassis with this Brace, which replaces the factory stamped, steel piece to stiffen the floor pan and drive shaft tunnel area
- Use with optional Part No. C3180, Frame Connectors for the ultimate solution to tie the front and rear subframes together and triangulate the chassis side to side
- Durable, gloss black powder-coat finish

PART # DESCRIPTION

C3065 Floor Pan Brace, Bolt-on Design, 1-½" x 2-½" x .120 wall rectangular tubing



No. C3061

PART # AVAILABLE OPTIONS

C3060	Universal 4-Link Frame Rails
C3062	Universal Ladder Bar Frame Rails
C3409	Ladder Bar Brackets

FRAME CONNECTORS



No. C3111

FRAME CONNECTORS

Bolt-On & Weld-In

- · Eliminates bending, flexing and cracking of spot-welded sheet metal panels in unibody cars
- Ties the front and rear frames together creating a solid platform for increased performance levels
- Legal for all classes of Drag Racing
- Bolt On Frame Connectors available in black powder coat finish
- Weld-in frame connectors available in Raw Steel

APPLICATION	ATTACH. Method	PART NUMBER	STEEL TUBE DIMENSIONS	STOCK FLOOR PAN MODIFICATION REQUIRED	INSTALLATION NOTES
Camaro, Firebir	d				
1967-1969	Weld-In	C3012	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails
1967-1969	Bolt-On	C3112	2" x 1-1/2" x .083" wall	Yes	
<u>1970-1981</u>	Weld-In	C3013	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails
1970-1975	Bolt-On	C3113	2" x 1-1/2" x .083" wall	Yes	
1976-1981	Bolt-On	C3114	2" x 1-1/2" x .083" wall	No	
1982-1992	Weld-In	C3046	2" x 2" x .083" wall	Yes	Without Ladder Bar Crossmember
1982-1992	Bolt-On	C3111	2" x 1-1/2" x .120" wall	No	Factory exhaust/catalytic converter can't be used
1982-1992	Bolt-On	C3120	2" x 1-1/2" x .083" wall	No	Fits factory exhaust/catalytic converter
1993-2002	Bolt-On	C3108	2" x 1-1/2" x .083" wall	No	Fits factory exhaust/catalytic converter
Camaro					
2010-2015	Bolt-On	C3180	2-1/2" x 1-1/2" x .120" wall	No	Use w/ optional No. C3065 Floor Pan Brace
Chevy II/Nova					
1962-1967	Weld-In	C3014	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails
1962-1967	Bolt-On	C3118	2" x 1-1/2" x .083" wall	No	
Nova, Omega, V	entura, Apo	llo			
1968-1979	Weld-In	C3016	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails
1968-1979	Bolt-On	C3116	2" x 1-1/2" x .083" wall	No	
Mustang					
1964-1973	Weld-In	C3040	2" x 2" x .083" wall	Yes	Must be used w/ formed frame rails
<u>1964-1970</u>	Bolt-On	C3140	2" x 1-1/2" x .083" wall	No	_
1979-1993	Weld-In	C3048	2" x 2" x .083" wall	No	
1979-1993	Bolt-On	C3141	2" x 1-1/2" x .083" wall	No	- Our Weld-In Subframe Connectors require the
2005-2014	Bolt-On	C3142	2"x 1-1⁄2" x .083" wall	No	- floor pan in most cars
Chrysler "B" Bo	dy				to be channeled and
1966-1974	Weld-In	C3047	2" x 2" x .083" wall	Yes	the floor to be welded to the
1966-1974	Bolt-On	C3117	2" x 1-1/2" x .083" wall	No	side of the connector. Installing
Duster, Demon	(108" Whee	l Base Only	/)		- subframe connectors this way - utilizes the shear strength of
1970-1976	Bolt-On	C3115	2" x 1-1/2" x .083" wall	No	the floor pan, resisting loads
Barracuda					in all directions. If you don't
1967-1969	Bolt-On	C3115	2" x 1-1/2" x .083" wall	No	wish to cut the floor pan, you
1970-1974	Weld-In	C3043	2" x 2" x .083" wall	Yes	can use our bolt-on subframe
Challenger					 connectors and weld them in for added strength.
1970-1974	Weld-In	C3043	2" x 2" x .083" wall	Yes	างา ฉนนอน รถอาญนา.

E

LADDER BARS & ACCESSORIES

LADDER LINKTM DOUBLE ADJUSTABLE LADDER BARTM

Competition Engineering's Ladder Link[™] Double Adjustable Ladder Bar[™] is designed so that the user can adjust preload and pinion angle without removal of Part No. C2005. This is accomplished by adjusting the front rod end and/or rear rod ends of the Ladder Bar itself. Includes two unique one-piece brackets which get welded to the rear end housing, cutting down on installation time and errors.

Comes with two Ladder Bars, NHRA Approved Safety Brackets

Adjuster allows quick on-vehicle preload adjustments for

- CHROME MOLY ROD ENDS INCLUDED! WITH ALL 4-LINKS, LADDER BARS LADDER LINKS BEST No. C2005
- changing track conditions • Contains two one piece 3/16" steel mounting brackets make installation easier • 33-1/2" overall length • 1" dia. x .156" wall DOM steel tube construction Black powder coat finish Rod ends, Front - Chrome Moly Spherical, Rear - Fully Machined Solid Welding required For use with 3" 0.D. Axle Tubes DESCRIPTION Ladder Link[™] Double Adjustable Ladder Bar™ read

PART #	RELATED COMPONENTS	PART #	REPLACEMENT PARTS
C2019	Ladder Bar Crossmember	C6011	Front Rod Ends
C2030	Floating Housing Mount	C6156	Rear Rod Ends-Right Hand Thread
C6152	Polyurethane Rod End	C6157	Rear Rod Ends-Left Hand Thread

SINGLE ADJUSTABLE LADDER BAR™

Competition Ladder Bar provides solid connection between rear axle housing and chassis, preventing rear suspension damage from wheel hop

• 33-1/2" overall length

and hardware

PART # C2005

- Contains two, one piece, ³/₁₆" steel mounting brackets
- 1" dia. x .156" wall DOM steel tube construction
- Forged steel rear rod ends
- Welding required
- Rod end safety brackets installed
- Mounting bracket gussets included
- High quality alloy spherical front rod ends
- Black powder coat finish
- For use with 3" 0.D. Axle Tubes
- PART # DESCRIPTION
- C2006 **Competition Ladder Bar**

PART # **AVAILABLE OPTIONS**

- C2019 Ladder Bar Crossmember C2030 Floating Housing Mount C6152 Polyurethane Rod End
- PART # **REPLACEMENT PARTS**
- C6011 Front Rod Ends
- C6156 Rear Rod Ends - Right hand thread
- C6157 Rear Rod Ends - Left hand thread



GOOD

No. C2006



*NOTE: Competition Engineering's Ladder Bars are legal for all sanctioning bodies and include the mandatory front rod end safety brace at no additional charge. Additional gusseting material is also included in the kit to allow the rear brackets to be boxed for added strength.

The Chassis People

E

FLOATING HOUSING MOUNT

Bolt-On

- Eliminates the bind that occurs when Ladder Bars are installed on leaf spring equipped cars
- The Ladder Bars travel in one arc while the leaf springs travel in a separate, opposing arc
- Isolates the leaf springs from Ladder Bar system making it work properly without unwanted bind
- For use with 3" O.D. Axle Tubes


PART # DESCRIPTION


C2030 Floating Housing Mount, Bolt-On


INSTALLATION IMAGES





No. C2030











Œ

ompetition Engineering offers a variety of bolt-on traction devices to meet the needs of both the street enthusiast and the entry level racer. Bolt-on traction devices allow you to handle moderate levels of horsepower without having to weld and fabricate.

Unlike some other brands, our "bolt-on" components fit perfectly for a hassle-free installation. Each part is custom designed for the specific application. Instead of rushing to production, we spend a great deal of engineering time on each product, hand-fitting prototype parts on test cars to ensure proper fit and alignment.

In addition, our bolt-on products are manufactured on sophisticated computer controlled equipment to ensure that all parts are made to extremely close tolerances. The result is a bolt-on traction device that fits perfectly out of the box. This eliminates the additional fabrication and struggling often required when installing so-called "bolt-on" products offered by others.

COMPETITION LEAF SPRING TRACTION BARS

Fits: 1967-69 Camaro, Firebird; 1962-79 Chevy II, Nova; 1973-76 Buick Apollo; 1973-79 Olds Omega; 1971-79 Pontiac Ventura II

- Designed especially for Stock Eliminator and Bracket Race Cars with leaf springs
- Eliminates wheel hop and improves traction by directing force downward where the tire meets the pavement
- Sturdy 2.5" x 1.5" x .120" wall steel tubing handles horsepower levels up to 450 hp
- Fixture welded to ensure a perfect fit for each application
- Bar length designed so that snubber locates under spring eye for maximum traction
- Complete installation hardware included, nothing else to buy
- 1/2" J-Bolts included in kits where required, 1/2" U-Bolts supplied to replace stock hardware
- Square U-Bolt bracket on front designed to keep from rotating downward during hard braking
- Available in black powder coat or triple process chrome finishes
- Legal in all sanctioning bodies

PART # DESCRIPTION

- C2101 Competition Leaf Spring Bars, Black Powder-Coated. Fits: 1967-'69 Camaro, Firebird; 1962-'79 Chevy II, Nova; 1973-'76 Buick Apollo; 1973-'79 Olds Omega; 1971-'79 Pontiac Ventura II
- C2103 Competition Leaf Spring Bars, Black Powder-Coated Fits: 1970-'81 Camaro, Firebird
- C2109* Competition Leaf Spring Bars, Black Powder-Coated. Fits: 1965-'73 Mustang

PART # **AVAILABLE OPTION**

C7025 **Two Degree Wedge Plates**

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

*NOTE: U-bolts instead of J-bolts



PART # REPLACEMENT PARTS

- C7024 Rubber Bumpers. 2" diameter base. Two/card
- C7030 U-bolts, 3" Radius w/ washers & lock nuts. Two/card
- C7031 U-bolts, Square w/ washers & lock nuts. Two/card
- C7032 J-bolt Kit. Incl. 2-1/2" J-bolts w/ all necessary standard lock nuts & washers. Two/card

BOLT-ON TRACTION DEVICES

COMPETITION COIL SPRING TRACTION BARS

Effectively eliminates wheel hop and associated parts breakage

- Designed to provide a high performance alternative to stock factory 4-link suspensions
- Rugged 2" x 2" x .120" wall steel tubing construction withstands power levels found in racing and eliminates flex found in other bars
- Computer-controlled stamping and mandrel-formed brackets ensure a perfect fit
- Adjustable threaded link design allows for fine tuning and infinite adjustability
- Includes all hardware and brackets necessary to complete the installation

PART # DESCRIPTION

C21110 Competition Coil Spring Traction Bars, Black Powder-Coated Fits: 1968-'77 GM Intermediate: Chevelle, GTO, Cutlass, 442, Skylark, Gran Sport, 1970 Tempest, LeMans, etc.,

PART #	AVAILABLE OPTION	PART #	REPLACEMENT PART
C7025	Two Degree Wedge Plates	C7024	Rubber Bumpers. 2" diameter base. Two/card



No. C2111

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

The Chassis People

BOLT-ON TRACTION DEVICES



SLIDE-A-LINK™

Œ

TRACTION DEVICES

- Patented (No. 6,386, 565) design for both street and strip, outperforms conventional "Slapper Bars"
- Solid mounted front plate installed inside original front spring pocket and clamps to the leaf spring
- Provides a positive displacement for the torque from the rear axle through telescoping bar and special durometer shock pad
- Includes replacement lower axle mount pads, 1/2" U-bolts, aluminum front spring eye bushings, hardware and instructions
- Offers the adjustability of a 4-link, allowing you to tune for better 60-foot time
- Unlike rigid bars, adjustable link makes on-car pinion angle and preload changes quick and easy
- · Mounts to factory locations with no welding required
- · Special durometer polyurethane bushing stores energy for more consistent E.T.'s
- Sold in pairs

PART # DESCRIPTION

- C2093 Slide-A-Link™. Fits: 1967-'71 Chrysler B-Body
- C2096 Slide-A-Link™. Fits: 1970-'81 Camaro, Firebird

C2100	Slide-A-Link™. Fits: 1967-'69 Camaro, Firebird,1968-'79 Nova
C2099	Slide-A-Link™. <i>Fits:</i> 1962-'67 Chevy II w/ monoleaf rear springs
C2091	Slide-A-Link™. Fits: 1964-'76 Dodge Duster, Demon, Scamp & Valiant

PART # DESCRIPTION

C2090	Slide-A-Link™. <i>Fits:</i> 1982-'00 Cheverolet S-10,
	GMC Sonoma Pickup Truck
C2094	Slide-A-Link™. <i>Fits:</i> 1964-'83 AMC, 1965-73 Ford
	Mustang, 1968-'74 Javelin
C2097	Slide-A-Link™. <i>Fits:</i> 1982-'00 Chevrolet S10/ S15 Lowered

SLIDE-A-LINK™ WRENCHES

- Two wrenches of correct size to fit Competition Engineering Slide-A-Link[™] adjustment nuts
- Can fit under vehicle for easy adjustments in staging lanes
- Manufactured from billet aluminum with large grip handle
- Black anodized for corrosion resistance

PART # DESCRIPTION

C2199 Slide-A-Link[™] Wrenches



SLIDE-A-LINK™ REPLACEMENT BUSHING

For Use With Slide-A-Link™ Traction Devices

• Sturdy Polyurethane

Two per package

PART # DESCRIPTION

C9700 Bushing, Replacement for Slide-A-Link™





STANDARD SERIES 4-LINK KIT Offers enhanced adjustability over a ladder bar suspension for increased performance

By locating the bars with the various mounting holes in the brackets, you can create an instant center that is correct for your application.

Kit Includes:

- 17-1/4" long, 1" dia. x .156" direct threaded links
- · Adjusting nuts for quick tuning
- 3/16" thick mounting brackets stamped from cold rolled steel
- Includes 4 left and 4 right hand chrome moly spherical rod ends
- ¾" Grade 8, Fasteners and Jam Nuts Included
- Includes complete hardware and instructions
- Welding required
- For 3" Axle Tubes
- · Sold in pairs

PART # DESCRIPTION

C2017 Standard Series 4-Link Kit

PART # AVAILABLE OPTIONS

- C3408 4-Link Chassis Bracket
- C2052 Diagonal Link





MAGNUM SERIES 4-LINK KIT Designed for ultra-high horsepowered race cars

Includes $\frac{1}{4}$ " thick housing & frame brackets (most competitors kits have $\frac{3}{6}$ " brackets) with $\frac{5}{6}$ " mounting holes on a 21" radius, with mounting holes for Wheel-E-BarsTM, sway bar and shock mounting as well as $1-\frac{1}{4}$ " holes for additional tube gusseting. We use $1-\frac{1}{4}$ " 0.D. x .095" wall top tube and a $1-\frac{3}{6}$ " 0.D. x .095" wall bottom tube to handle the shock loads without flexing.

Kit Includes:

- All hardware and mounting instructions to ensure an effortless installation
- 1/4" thick Axle Bracket w/ integral shock mounting holes saves fabrication time by eliminating separate shock brackets
- Heavy Duty chrome moly steel link tubes and threaded tube inserts for added strength
- 21" mounting radius
- · Computer machined threaded tube ends
- 1-1/4" holes provided in brackets for additional gusseting
- For 3" Axle Tubes
- Includes 4 left & 4 right-hand chrome moly spherical rod ends
- Welding required
- Sold in pairs
- PART # DESCRIPTION
- C2028 Magnum Series 4-Link Kit

PART # AVAILABLE OPTIONS

- C3421 Magnum Series Front Bracket
- C2031 Magnum Series Diagonal Link
- C2024 Magnum Series Wishbone

ULTRA MAGNUM 4-LINK KIT

Design offers additional adjustment over standard or traditional style 4-Link Kits for ultra-high horsepower race cars

This innovative Ultra-Magnum 4-Link Suspension Kit provides increased adjustability by incorporating a system of multi-hole brackets that weld to the chassis and bolt-on chassis brackets. Substantial gains in chassis tuning can be obtained with this Ultra Magnum 4-Link Kit.

Kit Includes:

- $\frac{3}{4}$ " x $\frac{1}{2}$ " Chrome Moly rod ends
- 4130 Chrome Moly tubes (.095" wall thickness)
- 1/2" NAS quality, flare head bolts & nuts
- Housing brackets with integral anti-roll bar mounts (1/4" plate)
- For 3" Axle Tubes
- Sold in pairs



PART #DESCRIPTIONC2029Ultra Magnum 4-Link Kit

11 25

FABRICATED REAR AXLE HOUSINGS

- Triangulated design offers increased strength over three piece stock housings
- CAD designed and CNC manufactured in-house
- Offered in 4130 Chrome Moly or Mild Steel
- · Exterior welds ground smooth to eliminate stress risers
- 1/4" face plate for added strength
- Face plates accepts 3/8" press-in studs
- Includes drain plug and filler plug
- Carrier Stud Kit No. C9006 available separately

PART # DESCRIPTION

C9100 Full bodied car with cut-to length 3" dia. axle tubes, Chrome Moly, 60.75" overall length (Mild Steel tubes)

C9200 Full bodied car with cut-to length 3" dia. axle tubes, Mild Steel, 60.75" overall length

DRAGSTER REAR AXLE HOUSINGS

- Stronger .125" thick sheet metal shell is more accurately produced than any other rear end housings on the market
- Designed with overlapping joints that provide two weld seams to greatly improve strength compared to butt-welded housing shells
- · Housing comes in standard 26.00" flange to flange width
- Withstands advanced E.T. applications: internal bulkheads stiffen the shell to the face plates preventing movement and adding strength around the housing mounting brackets
- ³/₈" thick face plate is CNC machined after the housing is welded to ensure proper axle alignment to center section
- Includes a –6AN drain plug, ¹/₈" N.P.T. fitting for a vent, and an aluminum O-ring filler cap
- · All housings have machined symmetrical housing ends
- Carrier Stud Kit No. C9006 available separately

PART # DESCRIPTION

C9004 Dragster Housing, Drag, Mild Steel

PART # REPLACEMENT PARTS

C9085 Rear End Cap, Black Anodized with Logo

9" FORD AXLE HOUSING BRACES

Fits: 9" Ford Heavy-Duty Housings and Competition Engineering Fabricated Housings

9" Ford rear axles are very popular in drag racing because of their light weight and the ability to change gears easily. The only disadvantage to this design is the tendency to flex and bow under hard acceleration. As the pinion rotates, it tries to climb the ring gear. This force tends to flex the rear housing out of shape. To combat this flex, Competition Engineering has designed the 9" Ford Axle Housing Brace. This two piece brace welds directly to the rear housing, triangulating the main housing with the axle tubes to eliminate any flex. By eliminating the flex, you increase the amount of power applied to the tires and improve your ET's as well.

- · Eliminates housing flex
- Two piece design makes it easier to install
- · CAD designed, CNC manufactured
- · Contoured to fit for easier welding
- Made from 1/8" material
- Welding required

PART # DESCRIPTION

- C3405 9" Ford Axle Housing Brace, Mild Steel
- C9105 Competition Engineering Fabricated Housing Brace, Fits CE No. C9100 Chrome Moly
- **C9205** Competition Engineering Fabricated Housing Brace, Fits **CE No. C9200** Mild Steel







Front View



REAR AXLE

410

No. C9100 (Chrome Molv) No. C950

REAR AXLE SPRING PERCHES

When installing a spring perch in a leaf spring car or moving the leaf springs inboard, these Moroso Axle Spring Perches are a necessity.

- Precision stamped for easy weld-on installation
- Fits Ford 9", Dana 60 and other 3" diameter axle housings
- Two per package
- PART # DESCRIPTION

85090 Rear Axle Spring Perches



וידאיו;ויווו

FORGED AXLE HOUSING, HEAVY DUTY

Whether narrowing a rear axle housing for bigger tires or just building a new housing for your race or street car, you will need housing ends to complete the project. You could re-use the old housing ends but most of the time they are either too rusty or damaged from the removal process.

Axle Housing Ends feature:

- Extra thick flange
- For 3" Axle Tubes
- Sold in pairs
- Welding required
- Forged
- Fully CNC machined

PART # DESCRIPTION

- **C9505** Axle Housing Ends, Big Ford w/ .515 dia. bolt holes, Nominal 3.15" Bearing Bore
- C9507 Axle Housing Ends, Ford 9" large 3.150" dia. bearing, %" -24 Threaded, Spaced 3.557" W x 2.750"
- **C9510** Axle Housing Ends, Dana 60 Mopar 8-¾", ¾" -24 Threaded, Nominal 2.875" Bearing Bore
- **NOTE:** For use with aftermarket axles and bearings.



)_e

No. C9510

E



<u>REAR AXLE COMPONENTS</u>

REAR END FILL CAP KIT

- · Comes with steel weld bung and O-ring
- Manufactured from 6061-T6 Aluminum, with contoured grip
- . Universal kit can be used on rear end housings and steel tanks to replenish fluids

PART # DESCRIPTION

C9085 Rear End Fill Cap Kit, Black Anodized, 1-%" -12UNF Threads, 2.6" OD



No. C9085

AXLE BEARING CONVERSION KIT

Fits: Dana 60 and Chrysler 8-3/4"

- · Converts original tapered roller axle bearings to precision ball bearings
- · Improves reliability and eliminates the stock load adjuster
- · Includes retaining ring and gasket
- One per package

PART # DESCRIPTION

C8008 Axle Bearing Conversion Kit



No. C8008

CARRIER STUD KIT FOR REAR AXLE HOUSINGS

- Designed for our Rear Axle Housings (pg. 400), similar sheet metal housings, or stock-style Ford 9" housings
- Heat treated, Grade 8 steel studs provide solid mounting points for the center section differential
- Manufactured with splined ends, the press-in studs are pulled through from inside the housing
- Includes nuts and copper sealing washers far superior than steel to prevent seepage and leakage
- Packaged in sets of 10 studs, nuts, and washers

PART # DESCRIPTION

C9006 ·• Carrier Stud Kit

REAR AXLE HOUSING VENT

- Reduces internal housing pressure while preventing dirt from entering housing
- Superior quality vent features 1/8" N.P.T. brass fitting and sintered bronze element for years of dependable service
- Protected low-profile element is recessed, preventing it from being knocked out like stock plastic designs
- Can be used as a replacement for stock vents or adapted to any rear axle housing; ideal for use on narrowed or fabricated housings

PART # DESCRIPTION

C3406 •• Rear Axle Housing Vent



- . Used to adjust pinion angle or change traction bar angle on leaf spring equipped cars and trucks
- Allows pinion angle change in 2° increments
- Made from 6063-T5 aluminum, they won't crack like cast zinc
- Interlocking ribs allow plates to be stacked without sliding and eliminate unwanted pinion angle change
- Two per package

PART #DESCRIPTIONC70252° Wedge Plates



No. C9006

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

Rear End Fill Cap on

Moroso page 380

le • A WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-

www.P65Warnings.ca.gov



No. C3406

Œ

2 DEGREUsed to adjust



WISHBONE REAR AXLE HOUSING LOCATORS

Eliminates sway in Ladder Bar and 4-Link suspension systems

- · Positively locates rear axle housing for super straight launches without binding
- Offered in two different styles: Mild Steel (No. C2035) or Magnum Series Chrome Moly (No. C2024)
- Mild Steel version manufactured from 1" O.D. x .156" wall DOM steel tubing with 3/4" forged solid steel rod ends
- Magnum Series version has overall mounting width of 25" and an overall length of 31-7/16" making it perfect for most Sportsman and Pro Street applications
- Designed with the pro chassis builder in mind, Magnum Series Kit coordinates with our **No. C2028** Magnum Series 4-Link
- Magnum Series features chrome moly tubing, precision machined 4130 tube inserts, 5/8" bolt mounting brackets and a centerless ground sliding link with machined wrench flats to ensure a precise fit
- Magnum Kit also includes a high strength ³/₄" spherical rod end for the front pivot and high mis-alignment rod ends for the side pivots. The sliding link is black oxide plated to eliminate corrosion and binding
- Universal design offers you the ability to tailor the overall width and length for your specific application
- Kits include all hardware and all bracketry to complete installation
- Welding required for all kits

PART # DESCRIPTION

C2024 Wishbone Rear Axle Housing Locator Kit, Unwelded, Magnum Series, Chrome Moly, %" hole (use No. C3423 for ¾" mounting)

 $\textbf{C2035} \qquad \mbox{Wishbone Rear Axle Housing Locator Kit, Unwelded, Universal, $$\%$'' hole}$

DIAGONAL LINKS

Eliminates side-to-side housing movement

- Superior to the Panhard Bar for eliminating sway in Ladder Bar and 4-Link suspensions
- Available in 4 different versions:
 - Bolt-On Diagonal Link, Part No. C2045 is constructed from ¾" x .156" wall, 36.5" overall length, mild steel tubing with ½" hole mounting brackets
 - Bolt-On Diagonal Link, Part No. C2052 is constructed from ¾" x .156" wall, 36.5" overall length, mild steel tubing with ¾" hole mounting brackets
 - Weld-On Diagonal Link, Part **No. C2031** is constructed from 1" x .065" wall 36" overall length, chrome-moly tubing with weld-in tube adapters and ⁵/₈" hole mounting brackets
 - Weld-On Diagonal Link, Part No. C2053 is constructed from 1" x .065" wall 36" overall length, chrome-moly tubing with weld-in tube adapters and ½" hole mounting brackets
- · Length can be shortened to accommodate a narrow chassis
- Left and right hand rod ends allow for on-car adjustments
- · Kits include all rod ends and mounting hardware

PART # DESCRIPTION

- C2031 Diagonal link, for 5% " rod ends, weld-on
- C2045 Diagonal link, for 1/2" rod ends, bolt-on. Works with current style C2005 & C2006
- C2052 Diagonal link, for 3/4" rod ends, bolt-on
- C2053 Diagonal link, for 1/2" rod ends, weld-on. Works with current style C2005 & C2006

PART # REPLACEMENT PARTS

- C3422 %" Clevis Bracket for No. C2031
- **C3423** ³/₄" Clevis Bracket for **No. C2052**
- C3431 ½" Clevis Bracket for No. C2045, No. C2053

No. C2031

E



PANHARD BAR KIT

- Eliminates side-to-side housing movement of the rear axle housing within chassis
- Keeps your tires from rubbing the wheel openings, making sure you get down the track in a straight line
- Perfect for street driven vehicles
- · Includes gusseted mounting brackets and spherical rod ends
- 30" tube length can be trimmed to fit
- Hardware and instructions included to ensure a trouble-free installation
- Welding required

Œ

REAR AXLE

PART #	DESCRIPTION
C2037	Panhard Bar Kit
PART #	AVAILABLE OPTIONS
C2017	4-Link
C2006	Ladder Bar



PANHARD BAR, STREET/STRIP

Fits: Mustang, 2005 - '14

- Bolt-in Panhard Bar perfect for Street/Strip vehicles
- Constructed from tubular steel for light weight and strength
- · Polyurethane ends provide less deflection than stock rubber bushings
- Black powder coat finish for long-lasting looks





No. C2137

PANHARD BAR FRAME BRACE

Fits: Mustang, 2005 - '14

- Much stiffer than stock stamped piece
- Constructed of 1.25" dia. steel tubing for strength
- Black powder coat finish for long-lasting looks

<u>REAR AXLE LOCATING COMPONENTS</u>



For Drag/Road Racing Fits: Mustang, 2005-'14

- Constructed from 4130 (.120" wall) chrome moly tubing
- Adjustability for pre-load, squaring chassis and wheel base
- Eliminates the flex of the factory control arms
- ¾" Chrome moly rod ends on both ends to increase strength and adjustability

No. C8010

- Comes with high grade 12.9 hardware
- · Helps reduce wheel hop, improve traction, cornering and E.T. times
- Durable, glossy, black powder-coated finish
- Instructions included

PART # DESCRIPTION

- **C8010** Lower Control Arms, Drag/Road Racing, Adjustable
 - No. C8003

LOWER CONTROL ARMS, REAR

Fits: 1978-'88 G Body GM Intermediates incl. Cutlass, El Camino, Grand National, Grand Prix, Malibu, Monte Carlo, Regal

- Mounting brackets for additional strength and easy install
- Brackets included are for mounting O.E.M. sway bar and most aftermarket sway bars
- Direct bolt-on replacement for stock units
- · Controls wheel hop and improves handling
- Improves 60 foot times
- 3-Way adjustable for changing track conditions
- Computer designed and CNC stamped 3/16" thick axle brackets
- High durometer polyurethane bushings with grease fittings for quiet operation
- Finished in black powder-coat
- Sway bar brackets are zinc plated for durability
- Includes all mounting hardware
- Legal for Stock Eliminator Racing
- Welding required

PART # DESCRIPTION

C8003 Lower Control Arms, Rear



E

BEST

UPPER CONTROL ARM MOUNTING PLATE

For Drag/Road Racing Fits: Mustang, 2005-'14

- Mounting Plate Bolts in place of factory upper control arm mounting plate
- Plates are constructed from 1/4" thick steel, so does not flex like factory mounting plate
- Has two upper control arm mounting positions on each plate for instant center adjustment and pinion angle adjustment
- Durable, glossy, black powder-coated finish

PART # DESCRIPTION

C8016 Upper Control Arm Mounting Plate



No. C8016

COMPETITION ENGINEERING PRODUCT DEVELOPED AT





REAR AXLE

Œ,

REAR AXLE LOCATING COMPONENTS

UPPER CONTROL ARM, NON-ADJUSTABLE

For Street Use Fits: Mustang, 2005-'14

- Constructed from 4130 .120" wall chrome moly tubing
- Polyurethane bushings on both ends
- Grease fittings to eliminate squeaks
- Much stronger than stock components to eliminate flex
- Helps reduce wheel hop, improve traction and E.T. times
- Durable glossy black powder coated finish
- Instructions included

PART # DESCRIPTION

C8019 Upper Control Arm





UPPER CONTROL ARM BUSHING KIT

Fits: Mustang, 2005 - '14

- 88 Durometer Polyurethane bushing and steel sleeves for single upper control arm
- · Improves attachment of the upper control arm to the rear end
- · Less energy loss by reduced distortion compared to factory soft rubber bushing
- Use with Competition Engineering Upper Upper Control Arm Kit, Street/Strip, Non-Adjustable **No. C8019**

PART # DESCRIPTION

C8017 Upper Control Arm Bushing Kit



No. C8017

TORQUE BOX REINFORCEMENT PLATES, LOWER

Fits: Mustang, 1979-'04

- Designed to tie lower torque boxes together for increased strength and durability
- Kit includes two stamped steel lower torque box reinforcement plates
- Welding required

PART #DESCRIPTIONC8015Torque Box Reinforcement Plates, Lower



E

REAR AXLE LOCATING COMPONENTS

REAR UPPER CONTROL ARM SPHERICAL BEARING-BUSHING KIT

Fits: Mustang, 1979-'04

- Constructed from billet aluminum
- Fits Ford 8.8 axle housing
- Eliminates flex and binding, improves handling
- · Provides positive location of rear axle housing

PART # DESCRIPTION

C3168 Arm Bearing-Bushing Kit, Spherical, Rear Upper Control



ADJUSTABLE PINION SNUBBER

Fits: Mustang, 1979-'04

- Controls wheel hop in mildly modified 1979-'04 Mustangs and similar Fox bodied cars
- Replaces stock pinion snubber, can be adapted to earlier models without factory snubber
- Easily adjustable in 1/4" increments for different driving situations
- Zinc plated for extended durability

PART # DESCRIPTION

C2112 Adjustable Pinion Snubber



MUSTANG LOWER CONTROL ARMS

Fits: Mustang 1979-'04, Drag Race/Road Race

- · Reduced weight with increased strength
- · Adjustable length for squaring axle to chassis
- Spherical rod ends for precise axle control while eliminating suspension bind
- · Perfect for drag racing or road racing
- Rear end brackets allow 3-way adjustment for improved performance
- · Bolt in installation, includes all hardware

PART # DESCRIPTION

C8007 Mustang Lower Control Arms



No. C8007

REAR AXLE

Œ

"MAGNUM SERIES" ANTI-ROLL BAR

Universal Application

Fits: Tube Frame, Purpose Built and Modified Chassis Drag Race Cars



- Includes a formed, heavy gauge frame mounts, enabling you
- to install the torsion tube through the frame rails for increased strength
- · Billet aluminum arms incorporate special splines to prevent arms from slipping on torsion tube
- Can be adapted to fit any type of race or street application
- · Makes it possible to preload the chassis, elimination body roll during hard launches
- Allows the Drag Race car to drive straighter off the starting line, helping to improve 60-foot times
- Features ball bearing pivot point, which makes for smoother functioning and the unit can be disassembled for maintenance
- *Kit includes:* 1-4130 Chrome Moly torsion tube, 2-Adjustable splined billet aluminum arms, 2-Mounting brackets, 2-Adjustable links, 4-Rod Ends, 4-Weld in threaded adjusters, 2-Bearings flange mounted & hardware
- Welding required

PART # DESCRIPTION

C2027 "Magnum Series" Anti-Roll Bars, Universal Application, Rebuildable

MUSTANG ANTI-ROLL BAR

ANTI-ROLL BAR

Fits: Mustang, 1979-'04, Drag Race



- Includes a tubular style mount enabling you to install the torsion tube through the frame rails for increased strength
- Can be adapted to fit any type of race or street application
- · Makes it possible to preload the chassis, eliminating body roll during hard launches
- Allows the car to drive straighter off the starting line, helping to improve 60-foot times
- Kit includes: 4130 Chrome Moly torsion tube, 6061-T6 Billet Aluminum arms, threaded adjuster links, mounting tabs and hardware
- Welding required

PART # DESCRIPTION

C2021 "Magnum Series" Anti-Roll Bars, Ford Mustang, Spherical Bearings - Rebuildable

Œ,

ANTI-ROLL BAR

ROD ENDS

- A complete assortment of high quality rod ends to meet your specific application ranging from throttle linkages to suspension arms
- · Includes one rod end and one jam nut
- Available in a number of sizes and in both right or left hand threads
- All-steel bodies are available in either carbon steel or chrome moly
- . Chrome Moly is highly recommend for use exclusively in our 4-Link and Ladder Bar Suspension Kits; Polyurethane Rod Ends for street applications using Ladder Bars

applicatio Includes of Available All-steel t Chrome M Ladder Ba	te assortment of high quality rod of on ranging from throttle linkages to one rod end and one jam nut in a number of sizes and in both i bodies are available in either carb Moly is highly recommend for use ar Suspension Kits; Polyurethane ons using Ladder Bars	o suspension arms right or left hand threads on steel or chrome moly exclusively in our 4-Link		No. C6011 No. C6009 No. C6150	
PART #	MATERIAL DESCRIPTION	THREAD	SHANK & HOLE	STATIC RADIAL Load Capacity	
C6003	Low Carbon Steel	1/4" Right Hand	1⁄4" x 1⁄4"	2,225 lbs.	
C6004	Low Carbon Steel	%" Right Hand	3⁄8" x 3⁄8"	5,100 lbs.	
C6007	Low Carbon Steel	1/2" Right Hand	1⁄2" x 1⁄2"	8,386 lbs.	
C6009	Low Carbon Steel	%" Right Hand	5⁄8" x 5⁄8"	9,813 lbs.	
C6010	Low Carbon Steel	%" Left Hand	5⁄8" x 5⁄8"	9,813 lbs.	
C6011	Low Carbon Steel	3/4" Right Hand	³ ⁄4" x ³ ⁄4"	14,290 lbs.	
C6012	Low Carbon Steel	3/4" Left Hand	3⁄4" x 3⁄4"	14,290 lbs.	
C6130	Chrome Moly Steel	3/4" Right Hand	³ ⁄4" x ³ ⁄4"	28,090 lbs.	A
C6131	Chrome Moly Steel	3/4" Left Hand	3⁄4" X 3⁄4"	28,090 lbs.	
C6160	Extra-Heavy-Duty Chrome Moly	3/4" Right Hand	3⁄4" x 5⁄8"	40,590 lbs.	SEE MORE
C6161	Extra-Heavy-Duty Chrome Moly	3/4" Left Hand	3⁄4" x 5⁄8"	40,590 lbs.	Clevis Brackets
C6150*	Forged Steel	3/4" Right Hand Solid	3⁄4" X 3⁄4"	26,000 lbs.	on page 457
C6151*	Forged Steel	3/4" Left Hand Solid	³ ⁄4" X ³ ⁄4"	26,000 lbs.	
C6152	Polyurethane Bushing	3/4" Poly	3⁄4" X 3⁄4"	18,500 lbs.	
C6156*	Forged Steel	3/4" Right Hand	3⁄4" X 1⁄2"	18,500 lbs.	
C6157*	Forged Steel	3/4" Left Hand	¾" x ½"	18,500 lbs.	



*Part Nos. C6150, C6151, C6156 and C6157 are not recommended for the front point of 3-Link, 4-Link or Ladder Bar suspension

"MAGNUM SERIES" CHROME MOLY ROD ENDS

The Best Choice for Ladder Bar and 4-Link Applications

- Self-lubricating, self-sealing Rod Ends have increased thickness for greater tensile strength
- Perfect for demanding Motorsports applications
- When loaded, creates metal to metal contact for unsurpassed strength yet when unloaded, the Rilsan[®] AZM30 injected liner will not rattle or squeak like standard two or three piece rod ends
- · Jam nut included

PART #	DESCRIPTION	THREAD	SHANK & HOLE	LOAD CAPACITY	
C6014	Chrome Moly Rod Ends	3∕8" R/H	3⁄8" x 3⁄8"	9,500 lbs.	No. C6014
C6017	Chrome Moly Rod Ends	3∕8" L/H	3⁄8" x 3⁄8"	9,500 lbs.	10.00014
C6019	Chrome Moly Rod Ends	½" R/H	1⁄2" x 1⁄2"	12,696 lbs.	
C6020	Chrome Moly Rod Ends	1∕2" L/H	1⁄2" x 1⁄2"	12,696 lbs.	
C6021	Chrome Moly Rod Ends	5⁄%" R/H	5⁄8" x 5⁄8"	14,480 lbs.	
C6132	Chrome Moly Rod Ends	5⁄8" L/H	5⁄8" x 5⁄8"	14,480 lbs.	
C6133	Chrome Moly Rod Ends	¾" R/H	3⁄4" x 1⁄2"	23,256 lbs.	
C6153	Chrome Moly Rod Ends	3⁄4" L/H	3⁄4" x 1⁄2"	23,256 lbs.	
C6154	Chrome Moly Rod Ends	¾" R/H	3⁄4" x 5⁄8"	23,256 lbs.	No. C6019 No. C6154
C6155	Chrome Moly Rod Ends	3⁄4" L/H	3⁄4" x 5⁄8"	23,256 lbs.	NO. COUTY NO. COTS4
C6162	Chrome Moly Rod Ends	¾" R/H	3⁄4" x 3⁄4"	23,192 lbs.	
C6163	Chrome Moly Rod Ends	3⁄4" L/H	³ ⁄4" x ³ ⁄4"	23,192 lbs.	No. C6021 No. C6162



IS THERE A MAINTENANCE PROCEDURE FOR ROD ENDS?

Yes. Before each race, rod ends should be examined for excessive play by moving the bar back and forth and noting any excessive ball movement. Visually inspect the rod ends for any signs of wear, cracks or metal filings. Replace any rod end that exhibits any one of these characteristics.

SHOULD ROD ENDS BE CLEANED PERIODICALLY?

Yes. Routine rod end maintenance should include cleaning and re-oiling. This can be accomplished by removing the rod ends, cleaning them with a solvent (for example, mineral spirits), and allowing them to air dry. Once dry, lubricate the rod ends with good quality 30-weight motor oil. For High Heat Applications, use Synthetic Grease.

BOLT-ON DRIVESHAFT SAFETY LOOP

Universal

- · Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- · Simple bolt-together design allows easier installation
- Mounts to the floor pan with four fasteners per side offering increased strength over competitor's loops
- Manufactured from CNC formed 1/4" thick, 2" wide mild steel
- Finished in durable clear zinc plating

TUBULAR DRIVESHAFT LOOP KIT



PART #

C3028

- · Offers a lightweight, weld-in alternative to the bolt-on driveshaft safety loop
- Can be used in two locations on your vehicle to contain both the front and rear of the driveshaft—highly recommended in vehicles with fabricated sheet metal interiors
- Tubing is mandrel formed from 1.25" O.D. x .083" wall mild steel tubing that is 54" long with a 4" drop center profile
- · Kit features a bolt-on loop for easier driveshaft access in cars with removable transmission tunnels
- Removable loop for easy driveshaft removal
- Welding required

PART # DESCRIPTION

C3029 Driveshaft Loop Kit, Tubular

DRIVESHAFT LOOP KIT

Fits: 1997-'04 Ford Lightning & F-150 Trucks

- · Bolt-on design allows easy installation with no modification
- Removable loop for easy driveshaft removal
- Meets the requirements of all sanctioning bodies of racing
- Fits 2-wheel drive trucks w/ steel or aluminum driveshafts
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Made from 1.25" 0.D. x .083" wall DOM mild steel tubing
- · Finished in durable gloss black powder coating

PART # DESCRIPTION

C3090 Driveshaft Loop Kit, includes all hardware

DRIVESHAFT LOOPS

Camaro LS, LT, SS, ZL1 2010-'15

- Bolt-on design allows easy installation with no modifications required
- · Removable loop for easy driveshaft removal
- Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- · Durable gloss black powder finish
- All hardware included

PART # DESCRIPTION

- C3174 Driveshaft Loop, Standard Transmission
- C3175 Driveshaft Loop, Automatic Transmission







Bolt-on Driveshaft Safety Loop, Universal

DESCRIPTION

No. C3028

DRIVESHAFT LOOPS

The Chassis People



DRIVESHAFT LOOPS

DRIVESHAFT LOOP

Fits: Mustang 2005-'14

- Bolt-on design allows easy installation, driveshaft removal unnecessary
- For large diameter aftermarket and O.E.M. driveshafts
- Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Includes quality hardware for loop halves
- Manufactured from mild steel with a long-lasting black powdercoat finish

PART # DESCRIPTION

C3160 Driveshaft Loop, Bolt-on. Fits: Mustang 2005-'14



No. C3160

DRIVESHAFT LOOP

Fits: Chrysler LX, Automatic Transmission Only, 2005-'18

- For Chrysler chassis cars-Challenger, Charger, Magnum and 300C
- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- Meets the requirements of all sanctioning bodies of racing
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from 1.25" O.D. x .083" wall DOM mild steel tubing
- · Finished in durable gloss black powder coating
- All hardware included

PART # DESCRIPTION

C3161 Driveshaft Loop. Fits: Chrysler LX, Automatic Transmission Only



DRIVESHAFT LOOP

Fits: Dodge Challenger SRT8®, 2009-'11, Standard Transmission

- · Bolt-on design allows easy installation with no modifications required
- Removable loop for easy driveshaft removal
- Meets the requirements of all racing sanctioning bodies
- Will help contain the driveshaft in the event of a front U-joint failure, keeping it from digging into the ground and possibly overturning the vehicle
- Manufactured from heavy-gauge fabricated steel
- Durable, gloss black powder finish
- All hardware included

PART # DESCRIPTION

C3162 Driveshaft Loop



No. C3162

Œ

TRANSMISSION CROSSMEMBERS

- Allows quick and easy transmission installation and removal
- Includes 42" x 1-5/3" x .134 wall EWT tube, four mounting tabs (flat) and four mounting tabs (concave) with all hardware

PART # DESCRIPTION

- **C3600** Transmission Crossmember, Universal, Un-welded
- $\textbf{C3601} \qquad \text{Transmission Crossmember, Universal, Un-welded with $3-1/2"$ offset}$



TRANSMISSION CROSSMEMBER BUSHINGS

Fits: Mustangs, 1979-'93

- The solid aluminum bushings act as a chassis stiffening device, helping to increase E.T. consistency
- They replace rubber bushings in factory crossmember
- No modifications or welding required

PART # DESCRIPTION

C3610 Transmission Crossmember Bushings



No. C3610



E


C ompetition Engineering's 3-Way **Adjustable Drag Shocks** are designed to allow the racer to dial-in the race car to meet changing track conditions. Shock valving plays a very important role in the way your car will perform both during initial launch and throughout the quarter mile.

The principle behind our shock absorber design is to allow the front end of the race car to rise rapidly upon initial launch, creating greater weight transfer and better traction to the rear tires. As the car travels down the track, the front end will gradually descend to its ride height without unloading the rear tires which is a major cause of wheel spin. Our rear shocks work in conjunction with our front shocks making the transition from initial launch to top end charge as smooth as possible.

Competition Engineering's **Rear Drag Shocks** can be adjusted for changing track conditions by simple compressing and turning the shock. For slick tracks, set to the 50/50 adjustment; on good tracks, set to the 70/30 for better weight transfer.

Competition Engineering's **Front Drag Shocks** are adjustable in three ratios: 90/10, 80/20 and 60/40. These ratios reflect the percentage of force required to extend and compress the shock absorber. You can quickly change the valve setting by simply compressing the shock fully and rotating the shaft until the indexing notch mates with the desired setting on the body. **It's as simple as twist and click.**

Our **Rear Drag Shocks** are also adjustable in three ratios: 70/30, 60/40 and 50/50. These ratios also represent the percentage of force required to compress and extend the shock unit. Only this time, the first number is compression and the second extension. These shocks also adjust by compressing them fully and rotating to the desired setting on the body.



to the state of California to cause cancer,

birth defects, or reproductive harmwww.P65Warnings.ca.gov

NOTE: These shocks are designed for DRAG RACE use only! Not for street use.

		SHOCK	SHOCK APPLICATION CHART							
MAKE & MODEL	YEAR	FRONT SHOCKS	REAR SHOCKS	MAKE & MODEL	YEAR	FRONT SHOCKS	REAR SHOCKS			
AMERICAN MOTORS	I	ļ		FORD						
Ambassador,				Mustang II / Pinto	1978-74	C2639o				
Classic,	1978-70	C2640↔	C2700↔	Ranchero	1979-72	C2610o	C2700o			
Matador, Rebel	1969-62		C2700o		1971-60	C2640o	C2740o			
American, Rambler	1969-64		C2700o	Ranger	2005-99	C2647o				
AMX	1980-78	C2640o			1998-90	C2646o				
AMX, Javelin	1974-70	C2640o	C2700o	-	1989-83	C2645o				
,	1969-68		C2700o	Thunderbird	1988-87	C2806*↔				
Concord, Gremlin,				-	1979-67	C2610o	C2700↔			
Hornet, Spirit	1983-70	C2640↔		MERCURY						
Eagle	1988-80	C2640	C2700↔	Capri	1986-79	C2806*o	C2750↔			
CHRYSLER/DODGE				Comet	1977-71	C2630o				
Challenger	1974-70	C2620o	C2730o	-	1969-60	C2640o	C2740o			
Charger, Coronet	1974-70	C2620↔	021300	Cougar	1982-80	C2806*↔	C2750			
	1978-73	C26200	C2730o		1962-60	C2610	C2750↔			
Cordoba	1972-05	02020	C2730↔	-	1973-71	C2640	C2740↔			
Dakota	1992-87	C2600↔	027300	_	1970-67	C2630	C2740↔			
Dart, Demon, Swinger	1976-64	C26200	C2735↔	Full Size	1986-65	C26100	C2700↔			
Dodge Truck, Ram 50	1970-04	C26000	02/330	Montego	1976-72	C26100	C2700↔			
Full Size	1978-74	02000	C2730↔		1971-68	C2640↔	C2740↔			
	1964-57		C2730↔	GENERAL MOTORS	1971-00	02040%	027400			
Lancer, Monaco	1978-62	C2620↔	C2730↔							
Lancer, Monaco	1962-61		C2730↔	BUICK						
				Apollo	1980-74	C2600↔	C2720↔			
Magnum XE 1979-77 C2620 ↔ C2730 ↔				C2600↔	C2720↔					
PLYMOUTH				with H.D. Suspension	1973	C2600↔				
Barracuda	1974-70	C2620↔	C2730o	-	1972-68	C2600↔	C2720o			
	1969-64	C2620↔	C2735↔	Century	1981-73	C2600o	C27200			
Belvedere, Fury, Savoy	1970-62	C2620↔	C2730o	Full Size	1984-71	C2610o				
Belvedere, Satellite	1974-73		C2730o	Full Size Wagon	1986	C2610o	C27000			
,	1972-65	C2620o	C2730o		1985-71		C2700o			
Valiant, Duster, Sport Scamp	1976-64	C2620↔	C27350	Regal	1987-73	C2600o	C27200			
GTX	1970-67	C26200	C2730o	Riviera	1978-71	C2600o	C27200			
Road Runner	1975-68	C2620↔	C2730o	Skyhawk	1980-75	C2600o				
FORD		·	•	Skylark, Special	1979-68	C2600↔	C2720o			
Elite, Fairlane, LTD II, Torino	1979-72	C2610↔	C2700↔	_	1967-64	C2610↔	C2720↔			
	1971-65	C2640	C27400	CHEVROLET	1007 01	OLUTU *	021200			
Ealaan					2004 02	02600	C2720↔			
Falcon	1970-66	C2640↔	C2700∘	S-10 Blazer 2WD, S-10 Pickup	2004-82	C2600↔	627200			
Full Size	1986-65	C2610↔	C2700↔	Caballero, El Camino	1987-68	C2600↔	C27200			
	1959-57	C2610↔	C2740o		1967-64	C2610	C2720↔			
Granada	1982-81	C2806*~	C2750↔	Camaro	2002-93		C2700↔			
	1980-75	C2640↔			1992-82		C2700↔			
Maverick	1977-70	C2630		1	1981-70	C2610↔	C27100			
Mustang, Fairmont	2004-79	C2806*~	C2750↔	1	1969-67	C2600	C2700			
	1973-71	C2640↔	C2740o	Chevelle, Malibu	1983-68	C2600↔	C27200			
	1970-65	C2630↔	C2740↔		1967-64	C2610↔	C2720↔			
			-	Chevette		-	C2700↔			

*90/10 Drag Strut - Not Adjustable

This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



HAVE YOU BEEN EXPERIENCING BAD WHEEL HOP WITH YOUR LEAF SPRING OR COIL OVER STREET/STRIP VEHICLE?

While there are many factors in determining why your car may be experiencing excessive wheel hop, we have found that weak springs and old, worn out shocks play a key role. Check your springs and shocks at least once a year for excessive wear. Worn out springs and bad shocks do not supply enough

dampening to counter act the effects of spring wind up or weight transfer upon initial launch to effectively plant your tires. In turn they will cause wheel hop.

E

SHOCKS

SHOCK APPLICATION CHART. CONTINUED

		FRONT	REAR			FRONT	REAR
MAKE & MODEL	YEAR	SHOCKS	SHOCKS	MAKE & MODEL	YEAR	SHOCKS	SHOCKS
CHEVROLET (CON'T)			PONTIAC				
Chevy II, Nova	1979-74	C2600↔		Astre	1977-75	C2600↔	
without H.D. Suspension	1973	C2600↔		Bonneville	1986-82	C2600↔	C2700↔
with H.D. Suspension	1973	C2600↔	C2720↔	Firebird	2002-93		C2700↔
with Monoleaf Rear Springs	1972-68	C2600↔					C2700↔
with Multileaf Rear Springs	1972-68	C2600↔	C2720↔			C2610↔	C2710∘
	1967-62	C2605↔	C2705↔			C2600↔	C27000
Corvette	1982-63	C26100	C27000	Full Size	1986-63	C2610↔	C2720↔
	1962-53			Grand Am	1981-68	C2600↔	C2700↔
Full Size	1986-65	C2610↔	C2720↔	Grand Prix	1987-69	C2600↔	C2720↔
	1957-55	C2610↔			1968-62	C2610↔	C2700o
Monte Carlo	1988-70	C2600↔	C2720↔	GTO	1973-67	C2600↔	C2720↔
Monza	1980-75	C2600↔		LeMans, Tempest-1970	1981-67	C2600↔	C27200
Truck, Full Size	2007-88	C2616↔		Sunbird	1992-76	C2600↔	
	1987-73	C2615↔					
Vega	1977-72	C2600↔					
OLDSMOBILE			Ventura II	1977-71	C2600↔	C27200	
Cutlass, F85	1988-68	C2600↔	C2700↔	with H.D. Suspension	1973		C2720↔
without H.D. Suspension	1967-64		C2720↔	with Multileaf Rear Springs	1972-71		C2720↔
with H.D. Suspension	1967-64		C2700o	ISUZU			
Full Size	1986-71	C26100	C2720↔	Impulse	1989-83		C27000
Full Size Wagon	1992-77	C2610↔		ΤΟΥΟΤΑ			
	1990-65	C2610↔	C2720↔	Corolla	1983-77		C27000
Omega	1979-73	C26000	C2720↔	Corona Mark II	1976-72	C2600↔	C2700↔
Starfire	1980-75	C26000		Corona	1978-74		C2700↔
Toronado	1978-71		C2720↔		1973-65	C2600↔	
• MARNING Prop. 65				1964-61		C2720↔	
90/10 Drag Strut - Not Adjustable		s product contains a he state of California		Celica	1977-73		C2700↔

to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



HOW TO ADJUST COMPETITION ENGINEERING DRAG RACING SHOCKS

PLEASE NOTE: Before installation Competition Engineering Shocks need to have their shock ratio adjustment set.

The Shock Ratio represents the percentage of force required to compress the shock compared to the force required to extend it.

BEFORE INSTALLATION FOR THE FIRST TIME OR BEFORE ADJUSTMENT THE FOLLOWING PROCEDURE SHOULD BE FOLLOWED:

- 1. Upon removal of the shock from its packaging, it is important to "purge" the shock of any air that may be trapped inside during shipment. Skipping this step can make the shock feel as if it is not functioning properly. To purge the shock, simply hold it so that it points up and down and completely cycle it 12-15 times.
- 2. To begin making adjustment changes once the shock has been purged, you must compress the shock completely. On the inside of the shock, at the bottom of the adjuster is a small pawl. This pawl must make contact with the bottom of the shock body or it will not turn, and in doing so not change the settings of the shock. Keep in mind that you must have the shock pointed straight up while making adjustments to avoid aerating it.
- 3. With the shock still compressed and in the upright position, begin turning the shaft in the clockwise direction. This is where you will notice a series of clicks. Pay attention to these clicks and you will notice that one is more pronounced that the others. This is the key to properly setting the shock adjustment. This louder, more pronounced click is the beginning of the settings and should be considered the "R" or regular setting. The following series of softer clicks will be the "F" or firm setting, and finally the "XF" or extra firm setting. When turning the shaft to make adjustments, remember that you can only go clockwise. If you feel like you have missed the setting you were looking for do not worry, just keep turning the shaft until you hear the loudest click and you will be back to the default setting and can begin making shock adjustments.

As an example:

Adjustment Chart - Shock Ratio

If you wanted to find the XF setting, you would go through all the steps mentioned and while listening for the clicks, you would hear a loud click and then two softer clicks.

This would be similar for the F setting, the loudest click and then one soft click.

Something else to keep in mind when making adjustments:

Trying to gauge the setting of the shock by compressing it in your hand and feeling the difference in Compression is not advised. Though you can compress the shock, you will not be able to simulate the weight of a vehicle or the speed at which it can cycle the shock. If you continually try to check adjustment by hand, it can cause the shock to aerate and feel inconsistent.

The only true way to verify adjustment of the settings is to record the vehicle at the track or to test the piece on a shock dynamometer

SETTINGS	FRONT SHOCKS	REAR SHOCKS
R	60/40	50/50
F	80/20	40/60
XF	90/10	30/70

FRONT SHOCKS SPECIFICATIONS CHART					
PART NUMBER	EXTENDED LENGTH	COLLAPSED LENGTH	DIAMETER	UPPER MOUNT	LOWER MOUNT
C2600% C2610% C2616% C2647%	14.10" 15.34" 17.31" 20.7"	9.00" 9.62" 12.56" 15.9"	1.63" 1.63" 2.0" 2.0"	Ē	
C2605↔ C2640↔	16.50" 14.34"	11.00" 9.24"	1.63" 1.63"	Î	J
C2620* C2639* C2645* C2646*	16.84" 13.86" 17.22" 16.96"	10.37" 10.56" 12.22" 12.21"	1.63" 1.53" 2.0" 2.0"	Ē	[[]]
C26300	15.02"	9.80"	1.63"	2]3	g g
C26150	14.73"	9.63"	2.0"		

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm-www.P65Warnings.ca.gov

	REAR SHOCKS SPECIFICATIONS CHART					
PART NUMBER	EXTENDED LENGTH	COLLAPSED LENGTH	DIAMETER	UPPER MOUNT	LOWER MOUNT	
C2700↔ C2705↔	21.69" 19.50"	12.84" 12.35"	1.63" 1.63"	Ē		
C27100	22.43"	13.21"	1.63"			
C27200	22.87"	13.65"	1.63") =()=	
C2730» C2755»	23.62" 16.41"	14.15" 10.44"	1.63" 1.63"			
C2735 %	24.50"	14.50"	1.63"			
C2740o	20.16"	11.81"	1.63"	<u>Å</u>	ļ	
C2750»	21.65"	13.29"	1.63"	<u> </u>	[]]	

DRAG SHOCK SPECIFICATIONS

E



MAGNUM SERIES REAR COIL-OVER SHOCK

"MAGNUM SERIES" REAR COIL-OVER SHOCK ABSORBER

Competition Engineering's Rear Coil-Over Shocks are a part of our Magnum Series, a line of professional-grade products engineered for maximum performance and durability. They feature 12 settings, allowing you to tune the suspension from soft to firm with a simple turn of the knob.

- All-aluminum billet housing is CNC machined with a black anodized body
- Spring seats are adjustable for preload and accept 2-1/2" I.D. springs
- 5%" hardened chrome piston rod provides superior strength
- Advanced sealing reduces drag for faster reaction
- Includes two 1" wide spherical mounting bearings with locking snap rings
- 17" extended height; 13-3/4" to 14-5/8" recommended ride height; 11-3/4" compressed height
- One per package
- Springs not included

PART # DESCRIPTION

C2770 • "Magnum Series"" Rear Coil-Over Shock Absorber

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. C2770

428

Œ,

SHOCKS

COIL-OVER SHOCK KIT

Adjustable

- Kit includes: 3-Way Adjustable Shocks, Upper Mounts, Adjustable Lower Mounts, Threaded Sleeve, Spring Cap, Seat and Hardware
- Universal design allows installation on a variety of chassis
- 3-Way Adjustable shocks provide controlled squat at the rear for improved weight transfer and traction
- Lower shock mounts have 6" of adjustment in one-half inch increments to suit ride height requirements
- Lower shock mounts are zinc plated and the threaded sleeve, spring cap and seat are anodized for corrosion resistance
- Fits housings with 3" 0.D. axle tubes
- Springs not included
- Adjustable spring seat with locking set screw allow the spring rate to be finely tuned
- Use with Competition Engineering Rear Coil-Over Springs depending on specific rear-end weight, accepts 2.5" I.D. Spring
- Sold in pairs

PART #DESCRIPTIONC2765*Coil-Over Shock Kit, Adjustable

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov





No. C2765

SHOCKS

Œ,

UNIVERSAL LOWER SHOCK MOUNTS

- · Created for relocating non coil-over shocks when the rear frame rails have been moved inboard
- Manufactured from .25" mild steel
- Fits housings with 3" 0.D. axle tubes
- 1/2" bolt hole
- Four per package
- Accepts "eye" shock mount
- Welding required
- Fits all axle tube diameters

PART # DESCRIPTION

C3170 Universal Lower Shock Mounts



No. C3170

MORE TADE & BRACKERS

Are on pages 457-462 to help you create your own shock mounting options!



Lower Coil-Over Shock Mounting Brackets **No. C3417**



Coil-Over Housing Bracket **No. C3414**



Shock Mounting Bracket **No. C3413**



Heavy Duty Flat Chassis Brackets **No. C3434**

REAR COIL-OVER SHOCK KIT

- Universal design allows installation on a variety of chassis
- Complete kit includes 3-Way Adjustable Shocks, Upper Mounts and Adjustable Lower Mounts
- 3-Way Adjustable Shocks provide controlled squat at the rear for improved weight transfer and traction
- \bullet Lower Shock Mounts have 6" of adjustment in $1\!\!/\!\!2"$ increments to suit ride height requirements
- Lower Spring Perches and Shock Mounts are zinc plated for corrosion resistance
- Fits housings with 3" 0.D. axle tubes
- Use with Competition Engineering Rear Coil-Over Springs depending on specific rear-end weight, accepts 2.5" I.D. Spring
- Sold in pairs; replacement shocks sold separately

PART # DESCRIPTION

C2051 ·· Rear Coil-Over Shock Kit

PART # REPLACEMENT PARTS

C2755• Replacement Shock Absorber, each C3420 Replacement Shock Mounts

NOTE: Coil Springs not included.

 MARNING Prop. 65
 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

LOWER COIL-OVER SHOCK MOUNT KIT

- Designed to be used either by itself or in conjunction with our Upper Coil-Over Shock Mount Kit
- Provides a solid, adjustable mounting point for racing coil-over shocks
- Fits housings with 3" 0.D. axle tubes
- Allows 6" of height adjustment in 1/2" increments
- 1/4" thick housing brackets, 3/16" thick shock brackets
- · Fits most popular coil-over shocks
- · Includes Grade 8 hardware and spacers for mounting two shocks
- Welding required

PART # DESCRIPTION

C2047 Lower Coil-Over Shock Mount Kit

PART # REPLACEMENT PARTS

- C3417 Coil-Over Shock Bracket, Right
- C3419 Coil-Over Shock Bracket, Left
- C3414 Coil-Over Housing Bracket



Installed

Height

13" to 14"

No. C2051

For Spring Choices

on page 432

No. C2047

COIL-OVER SHOCK ADJUSTING TOOL

- Makes adjusting coil-over shocks much easier than the commonly used hammer and screwdriver method
- Works with Moroso, Avo, Hal, Koni, Bilstein, Carrera, Monroe and most other coil-over shocks with adjusting nuts up to 3-1/4" diameter
- · Manufactured of cast steel with finger indents for sure grip operation

PART # DESCRIPTION

62030 Coil-Over Shock Adjusting Tool



REAR COIL-OVER MOUNT KIT

Fits: 1979-'04 Mustang, Without Shocks & Springs

- Designed specifically to improve traction and handling
- Upper and lower shock mounts to fit stock rear locations
- Bolt-in design with no welding or fabricating needed
- Includes all hardware and spacers

PART # DESCRIPTION

C2056 Rear Coil-Over Mount Kit



No. C2056

No. C3019

Œ,

REAR SHOCK CROSSMEMBER

Fits: 1967-'69 Camaro, Firebird

- Required with **No. C2032** Offset Spring Hanger installation
- Ties rear subframe together for increased strength
- Relocates shocks inboard of frame
- Provides solid mounting point for rear shocks
- Welding required

PART # DESCRIPTION

C3019 Rear Shock Crossmember

NOTE: Crossmember may be shortened 1" to fit 1968-72 Nova, 1971-72 Ventura and 1970-81 Camaro, Firebird.

UPPER COIL-OVER SHOCK MOUNT KIT

- Works in conjunction with our Lower Coil-Over ShockMount Kit No. C2047 to provide a solid mounting point
- Designed to mount between the rear frame rails on any Drag Race, Pro Street or Street Rod application
- Lightweight, tubular design makes it perfect for mounting shocks when "back-halving" a vehicle
- Includes one 40" long x 1.625" dia. mounting tube, ¼" thick mounting brackets, 4 shock mount tabs, 4 shock spacers for older style coil-over shocks and all mounting hardware
- Fits most popular coil-over shocks
- Welding required

PART # DESCRIPTION

C2046 Upper Coil-Over Shock Mount Kit



No. C2046

REAR COIL-OVER SPRINGS

- Each spring is computer designed for specific rear end weights to establish the correct ride height and to allow the full range of suspension travel
- Maximizing the full potential of the springs based on vehicle weight provides optimum weight transfer, rear axle control and traction
- Manufactured on precise CNC equipment for superior accuracy and uniform spring rate from one spring to another
- Premium grade chrome silicon steel extends durability and maintains correct spring rate and ride height after repeated hard launches
- · Powder coating provides an attractive finish and helps extend spring life
- Spring dimensions: 2.5" I.D. x 12" long
- Sold in pairs

REAR COIL-OVER SPRINGS APPLICATION CHART				
		TOTAL WEIGHT ON REAR WHEELS		
C2550	85	Under - 1050 lbs.		
C2555	100	1050 - 1150 lbs.		
C2560	125	1150 - 1250 lbs.		
C2565	150	1250 - 1450 lbs.		
C2570	200	1450 - 1800 lbs.		

No. C2550

PROGRESSIVE WOUND REAR SPRINGS, 12", 100-200 LBS.

An excellent choice for multiple applications

- For vehicles of unspecified weight (under 3,400 lbs. total)
- Progressive design reduces rate of compression, making it less likely for vehicle to "drive up" on the tire during violent wheel stands — as the vehicle pitch rotates the weight to the rear wheels, this compresses the spring making it more conducive to lifting the front end
- Progressive springs compensate for added rear weight in Street Rods and Pro-street Cars using a back seat
- Sold in pairs

PART # DESCRIPTION

C2575 Progressive Wound Rear Springs, 12", 100-200 Lb.



No. C2575

OFFSET SPRING HANGERS

Fits: 1967-'69 Camaro, Firebird; 1962-'67 Chevy II; 1968-'74 Nova; 1971-'72 Ventura

- Created for Super Stock classes, designed to relocate the rear of the leaf springs inboard 4" for additional tire clearance
- An additional 2-1/2" of tire clearance can be had by relocating the front of the leaf springs inboard and modifying both the axle mounting pads and the inner fenderwell
- Allows you to accommodate a 13"-14" racing slick
- 0.E.M. gas tank needs to be narrowed 2", or use a fuel cell

PART # DESCRIPTION

C2032 Offset Spring Hangers, Two per package

NOTE: Some welding required. Not for use with weld-in frame connectors.



No. C2032



UNIVERSAL 80" SINGLE WHEEL-E-BAR™ KIT

Competition Engineering has designed a single wheel Wheel-E-BarTM kit that is perfect for both the professional and amateur chassis builder. The lower tube and wheel pocket are fixture welded in house for perfect alignment while still allowing the builder to trim it to any desired length. The 1" 0.D. x .065" wall chrome moly tube is strong yet lightweight, while the two hi-misalignment rod ends allow the bar to adjust to any rear axle housing without the need for a tubing bender. Each kit comes with all the necessary hardware and a detailed set of instructions.

- Extra Long Bar Improves Chassis Reaction Times
- Designed to Fit Any Application
- Includes All Necessary Hardware

PART # DESCRIPTION

C2148 Universal 80" Single Wheel-E-Bar™ Kit

- Strong, Lightweight Chrome Moly Construction
- Hard Plastic Wheel with Steel Bearings for Long Life
- Welding Required
- PART # REPLACEMENT PART C7060 Replacement Wheel

UNIVERSAL 60" WHEEL-E-BAR™ KITS

These Universal Wheel-E-Bar[™] Kits allow the professional chassis builder to fabricate bars to fit a specific vehicle. Each kit is available in mild steel with a choice of sprung or unsprung versions. The 60" long tubes can be cut to the desired length to suit individual needs. As an added feature, each kit includes the necessary material to install an upper crossbrace for increased strength. Wheel-E-Bars[™] are designed to mount to existing 4-Link or Weld-On Housing Brackets.



	REPLACEMENT PARTS FOR DISCONTINUE	D WHEEL-E-BARS™
PART #	DESCRIPTION	FITS DISCONTINUED WHEEL-E-BAR™
C7051	Wheel-E-Bar™ Professional Springs. One per package	C2015, C2038
C7052	Wheel-E-Bar™ Professional Spring Adjusting Mechanism. One per package	C2015, C2038, C2039, C2155
C7058	Wheel-E-Bar™ Replacement Wheel. Natural rubber w/ ball bearing center, ½" hole. One per package	C2015, C2038, C2039
C7060	Wheel-E-Bar™ Replacement Wheel. Synthetic rubber w/ ball bearing center, %" hole. One per package	C2042, C2130, C2140, C2150, C2155
C7066↔	Strut, Lower. Polished and Buffed Aluminum. One per package	C2015, C2045
90430	Wheel-E-Bar™ Quick Release Pin. Two per package	C2015, C2038, C2039

The Chassis People

heelstands may look spectacular but they can actually hurt performance. Although some front end lift is beneficial to weight transfer, excessive lift can hurt. When a car wheelstands upon initial launch, it uses up power that could propel the vehicle forward. This results in slower ET's. As tire technology and horsepower levels progressed over the years. racers experimented with different ways to combat the wheelstanding problem. Most of the original designs consisted of merely bars or leaf springs that were welded directly to the rear end housing, hoping that they would prevent the front of the car from rising too high. One of the major problems with these early designs is that they caused the rear tires to unload resulting in a loss of traction.

Competition Engineering recognized this problem long ago and developed a series of Wheel-E-Bars™ designed to limit and control big wheelstands without unloading the rear tires. We accomplish this by utilizing an axle housing mounted bracket that allows the Wheel-E-Bar™ to react instantaneously with rear housing movement. As the rear housing rotates, the natural rubber wheels come in contact with the track. The shock of this contact is absorbed by both the lower aluminum struts and the coil spring upper struts which keep the tires from unloading. As the housing continues to rotate more and the front end begins to lift, the coil springs on the upper struts start to compress. The more that the springs are compressed, the more force they exert against the housing rotation, eventually overcoming the rising force of the front end and gently pushing it back down. This converts the rotational energy into forward motion, resulting in quicker ET's.



Designed to withstand the abuse of drag racing, the Competition Engineering Professional Wheel-E-Bar™ Series is the choice of more racers than any other design when guality and premium materials count.

Each bar features lower spring adjusters made from 7075-T6 aluminum to allow for ease in preload adjustment. The lower struts are made from high strength 6061-T6 aluminum, enabling them to handle the forces applied to them without fatiguing. Each kit includes all the required fasteners as well as quick release pins to allow access to the rear end housing for jacking. 44" overall length, 22-11/16" center to center mounting bracket distance.

• Fits 3" Axle Tube

• 1113 5		-
PART # C20160 C20360 C20390 C20400	DESCRIPTION Professional Wheel-E-Bars TM , Chrome plated with natural finish aluminum components Professional Wheel-E-Bars TM , Chrome plated with black anodized aluminum components Professional Wheel-E-Bars TM , Chrome plated with blue anodized aluminum components Professional Wheel-E-Bars TM , Chrome plated with red anodized aluminum components	
PART # C7046 C7047	REPLACEMENT PARTS Conversion Kit, Bolt-on. Converts weld-in Wheel-E-Bars [™] to bolt-on style Conversion Kit, Weld-In. Converts bolt-on Wheel-E-Bars [™] to weld-in style	No. C70
C7051 C7052 C7058	Replacement Springs Professional. Spring Adjusting Mechanism. One per package Replacement Wheel. Natural rubber w/ ball bearing center, ½" hole	-
C7060 C7066	Replacement Wheel. Synthetic rubber w/ ball bearing center, %" hole Replacement Lower Strut, Aluminum with natural finish	

90430 Quick Release Pins. Two per package

WARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov



7047





Competition Engineering has designed a bolt-on version of our famous Wheel-E-Bars[™] specifically for street enthusiasts. Utilizing similar components as our Professional Wheel-E-Bars[™] we were able to adapt them for street use by replacing the weld-in mounting brackets with bolt-on brackets.

BOLT-ON CHROME ROUND TUBE WHEEL-E-BAR™

- Bolt-On design, no welding required
- Round tube design, for 3" Axle Tubes
- Triple process, show quality, chrome plated finish
- Available in sprung and unsprung versions
- 44" overall length
- 18-5%" center to center mounting bracket distance
- Includes all hardware and mounting instructions
- Synthetic Rubber Wheels
- PART # DESCRIPTION
- C2043 → Bolt-On Chrome Round Tube Wheel-E-Bar[™], Sprung

PART # AVAILABLE OPTIONS

C7058 Natural Rubber Replacement Wheel

PART # REPLACEMENT PARTS

- C7051 Professional Springs. One per package
- **C7052** Professional Spring Adjusting Mechanism. One per package
- **C7060** Replacement Wheel. Synthetic rubber w/ ball bearing center, ³/₈" hole



No. C2043

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov

EXIZUON ELIXA RAER NO NOITA-LATEN

With car on level surface, locate Bolt-on Wheel-E-Bar[™] under the car with the brackets up against the housing and prop up the Wheel-E-Bar[™] wheels to a height of about 6" off the ground for street use (3-½" for strip use). In this position, fasten the Housing Saddle Brackets over the rear end housing and attach to Rear Housing Brackets using the hardware provided. If the Rear Housing Brackets are too big for your particular housing so that they cannot be bolted securely, The Housing Bracket Saddle can be welded to the housing and the Rear Housing Bracket bolted to it, thereby allowing the Wheel-E-Bar[™] to be removed.

STATE AND LOGAL ORDINANCES

May prohibit the Bolt-on Wheel-E-Bars[™] from extending beyond the rear bumper. If this situation exists and you wish to shorten the Wheel-E-Bars[™], the upper and lower struts can each be shortened and re-drilled. Care must be taken to insure that the Bolt-on Wheel-E-Bars[™] will clear driveways, etc., without being severely loaded. If the bars are to be used for street use, it is recommended that they be loosely bolted to the housing while backing out of and pulling into a driveway (for example) until the bars "adjust" to the required height. Once this height is determined, the bars can be secured to the housing.

OAN I USE A BOLT-ON STYLE WHEEL-E-BART FOR RAGING?

Although our Bolt-On Wheel-E-Bars[™] are intended for a Pro Street look, they contain many of the same components used in our Weld-On Wheel-E-Bars[™] for racing. In fact, the only difference is the bracketry which in its bolt-on configuration is not strong enough to control the vehicle in a wheelstand. By removing the clamp bracket and welding the axle bracket directly to the housing, you have a Wheel-E-Bar[™] suitable for both street and strip use.

C countless hours were spent developing and perfecting these kits to offer the utmost in strength and fit without adding unnecessary weight. All tubing used in our kits exceeds the requirements of racing sanctioning bodies and is mandrel formed on computer controlled equipment for uniform wall thickness. Every Competition Engineering Kit has been designed to fit the specific application with only minor modifications necessary for installation.

- Manufactured from 1-³/₄" 0.D. x .134" wall mild steel or 1-³/₄" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Increases chassis strength
- Provides added safety
- Mandrel formed, model-specific main hoop
- NHRA and IHRA approved
- Tube ends notched for better fit and easier installation
- Strut Kits include two rear struts, two front door bars, main hoop crossbrace, two diagonal hoop supports, six weld joint gussets and eight floor plates are 6"x 6", 10 gauge (.134" thick)
- Complete instructions are included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 8-Point Roll Bar Kit!
You must order both A) the appropriate 8-Point Main Hoop Kit and
B) Strut Kit No. C3000 for Mild Steel OR Strut Kit No. C3100 for Chrome Moly (unless otherwise noted)*



(Actual product may vary from image shown)

B) STRUT KITS

PART #

DESCRIPTION

PART #	ADDITIONAL OPTIONS
C3100	8-Point Strut Kit, Chrome Moly
C3000	8-Point Strut Kit, Mild Steel

C3181	Roll Cage X-Brace Kit, Mild Steel
C3191	Roll Cage X-Brace Kit, Chrome Moly

8-POINT ROLL BARS APPLICATION CHART - A) MAIN HOOPS

PART #		APPLICATION	PART #		APPLICATION
MILD STEEL	CHROME MOLY		MILD STEEL	CHROME MOLY	
AMC			GENERAL	MOTORS , <i>c</i>	rontinued
C3039	C3151	1970-'83 Hornet, Concord, Sprint	C3124	C3152	1964-'72 Chevelle, GTO, Tempest, Cutlass, Skylark, LeMans
CHRYSLE			C3127	C3139	1955-'57 Chevrolet
C3129	C3159	1970-'74 Barracuda, Challenger	- C3023	C3137	1966-'67 Chevy II, Sedan/Wagon
C3123	C3158	1970-'76 Duster, Demon, Sport, Scamp, 1968-'69 Dart, Barracuda, Valiant	– C3122	C3149	1978-'87 Malibu, Monte Carlo, Grand Prix, Regal, Grand National,
_	_	1968-'74 Roadrunner, GTX, R/T,	00122	00145	Cutlass, 442
C3128	C3157	Satellite, Super Bee, Coronet, Belvedere	C3024	C3136	1962-'65 Nova
C3135*	C3150*	2008-'19 Challenger, Complete Kit	C3022	C3144	1968-'79 Nova, Apollo, Omega, Ventura
FORD			C3026	C3146	1971-'77 Vega 1975-'80 Monza, Astro, Skyhawk,
C3025	C3154	1979-'93 Capri, Mustang			Starfire
C3124	C3152	1968-'72 Fairlane, Torino, Montego	SPORT COMPACT		
		1967-'73 Mustang,	HONDA		
C3039	C3151	1971-'77 Maverick 1977-'81 Fairmont	C9402	C9412	1992-'00 Honda Civic Coupe, Hatchback
C3126	C3153	1974-'78 Mustang II	C9401	C9410	1988-'91 Honda CRX
		1971-'80 Pinto, Bobcat	MAZDA		
C3125	C3155	1994-'04 Mustang Hardtop	C9408	C9418	1979-'85 Mazda RX-7
C3132*	C3156*	2005-'14 Mustang, Complete Kit	MITSUBI	SHI	
GENERAL	MOTORS		C9405		1990-'94 Mitsubishi Eclipse
C3021	C3138	1967-'69 Camaro, Firebird	TRUCKS	(See footnote	e below for appropriate Strut Kit)
C3121	C3145	1970-'81 Camaro, Firebird	C3134**	C3133**	1982-'04 GM S-10, S-15
C3130	C3147	1982-'92 Camaro, Firebird	C3042*		1973-'87 GM Pickup
C3131	C3148	1993-'02 Camaro, Firebird	C3044*		1988-'98 GM Pickup

*These part numbers ONLY come complete, Strut Kit included. **Strut Kits for Trucks include 2" x 3" box tubing to connect rocker panel to the frame. Order No. C3001 Mild Steel or No. C3101 Chrome Moly


ROLL BAR BOLT-IN CONVERSION KIT

Fits: Any Uni-Body Race Vehicle, Domestic or Import, using an 8-Point Roll Bar

- Universal application allows installation of 8-Point Roll bar (mild steel or chrome moly) to meet sanctioning body rules without welding base plates to the floor
- 6" x 6" x 1%" steel plates get positioned under the floor and are used with the existing roll bar plates to "sandwich" the floor pan
- Includes 3/8"-16 x 1" Grade 8 bolts and Nylock nuts for mounting
- Requires drilling floor pan and forming mounting plates to match under-floor contours

PART # DESCRIPTION

C3020 Roll Bar Bolt-In Conversion Kit





E

ROLL BAR FILL PLATES, SLOTTED, 2 PACK

- These plates are designed to fill gaps around roll bar tubing that pass through sheet metal such as firewalls or rear parcel shelves
- They can also be used to tie roll bar tubing into rockers, A and B Pillars
- If switch panels, disconnect switches, fire system pulls or anything else is going to be mounted off the roll bar tubing these plates will simplify the process
- These steel fill plates are 5" x 10" and are constructed out of 18 gauge (.050" thick)

PART # DESCRIPTION

C3176 Roll Bar Fill Plates, Slotted, 1-5/6" Diameter

C3177 Roll Bar Fill Plates, Slotted, 1-3/4" Diameter





ROLL BAR MOUNTING PLATES, 6 INCH X 6 INCH, 10 GAUGE, 4 PACK

- These are the same plates that are included in Competition Engineering 8-Point Roll Bar, 10-Point and 12-Point Roll Cage Kits
- Based on customer requests, they are now available separate as a 4 pack
- These steel mounting plates are 6" x 6", 10 gauge (.134" thick)

PART # DESCRIPTION

C3178 Roll Bar Mounting Plates, 6" X 6", 10 Gauge, 4 Pack




No. C3178

FORMED REAR STRUTS

8-Point Roll Bar

- Designed to allow roll bar installation in most vehicles without permanently removing or modifying the rear seat
- Manufactured from 1-³/₄" 0.D. x .134" wall mild steel or 1-³/₄" 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing with 50° bend
- NHRA and IHRA approved
- Welding and fabrication required
- Two per kit



No. C3185

PART #DESCRIPTIONC3185Formed Rear Struts, Mild SteelC3195Formed Rear Struts, Chrome Moly

10-POINT CONVERSION KITS

- Eliminates the hassle of replacing your existing bar with a new cage
- Designed to convert a legal 8-point roll bar into a legal 10-point roll cage
- Kit includes top hoop and two forward downstruts that tie into your existing 8-point roll bar
- Manufactured from 1-5/8" 0.D. x .134" wall mild steel or 1-5/8" 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing
- Mandrel formed on computer controlled equipment
- Meets NHRA requirements for cars running 10.99 or quicker
- Custom fit applications
- Welding required



No. C3325

(Actual product may vary from image shown)

10-P	10-POINT CONVERSION KIT APPLICATION CHART				
MILD Steel Part #	CHROME Moly Part #	DESCRIPTION			
FORD					
C3325	C3345	10-Point Conversion Kit, 1979-'93 Mustang, Capri			
C3328	C3348	10-Point Conversion Kit, 1994-'04 Mustang			
GENERAL MOTO	RS				
C3320	C3340	10-Point Conversion Kit, 1967-'69 Camaro, Firebird			
C3323	C3343	10-Point Conversion Kit, 1970-'81 Camaro, Firebird			
C3324	C3344	10-Point Conversion Kit, 1968-'72 GTO Chevelle, Cutlass, LeMans, Tempest			
C3321	C3341	10-Point Conversion Kit, 1968-'79 Nova, Ventura, Omega, Apollo			
C3322	C3342	10-Point Conversion Kit, 1966-'67 Nova, Chevy II			

10-POINT ROLL CAGES

- Bridges the gap between an 8-Point Roll Bar and a 12-Point Roll Cage
- Meets NHRA & IHRA requirements for cars running 10.99 or quicker with modified firewalls and/or floorboards
- · Provides increased driver protection in rollover
- · Increases chassis rigidity for better reaction times
- Main Hoop Kit consists of one mandrel formed main hoop, one top hoop, two front downstruts, one main hoop crossbrace and two diagonal hoop supports designed specifically for your application
- Strut Kit consists of two door bars, two rear struts, ten floor plates are 6"x 6", 10 gauge (.134" thick) and twelve weld joint gussets
- Manufactured from 1-5/8" 0.D. x .134" wall mild steel or 1-5/8" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- All bends mandrel formed on CNC equipment
- Tube ends notched for better fit and easier installation
- Complete instructions included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 10-Point Roll Bar Kit! You must order both A) the appropriate 10-Point Main Hoop Kit and B) Strut Kit No. C3310 for Mild Steel OR Strut Kit No. C3250 for Chrome Moly (unless otherwise noted)



10-Point Roll Cage

(Actual product may vary from image shown)

B) STRUT KITS

PART # DESCRIPTION

C3310 C3250	10-Point Strut Kit, Mild Steel 10-Point Strut Kit, Chrome Moly
PART #	ADDITIONAL OPTIONS
C3181	Roll Cage X-Brace Kit, Mild Steel
C3191	Roll Cage X-Brace Kit, Chrome Moly
C3184	Roll Cage Upgrade Kit
C3194	Roll Cage Upgrade Kit, Chrome Moly

10-POINT ROLL CAGES APPLICATION CHART - A) MAIN HOOPS

PART #		APPLICATION	PART #		APPLICATION
MILD STEEL	CHROME MOLY		MILD STEEL	CHROME MOLY	
CHRYSLEF	R/DODGE		GENERAL	MOTORS	
C3227	C3287	1968-'69 Barracuda,	C3220	C3260	1967-'69 Camaro, Firebird
		1970-'76 Duster	C3222	C3262	1970-'81 Camaro, Firebird
C3235*	C3285*	2008-'19 Challenger, Custom Fit	C3226	C3266	1982-'92 Camaro, Firebird
FORD			C3231	C3267	1993-'02 Camaro, Firebird
C3225	C3275	1979-'93 Capri, Mustang			1968-'72 Chevelle, GTO, Tempest,
C3229	C3279	1994-'04 Mustang	C3223	C3263	Cutlass, Skylark, LeMans
C3240*	C3270*	2005-'14 Mustang, Complete Kit	C3221	C3261	1966-'67 Chevy II, Nova
* NOTE: Thes Strut Kit inclu		s ONLY come complete,	C3224	C3264	1968-'79 Nova, Apollo, Ventura, Omega
Strut Kit IIICh	uueu.		C3233	C3265	1978-'87 Malibu, Monte Carlo, Grand Prix, Regal, Grand National, Cutlass, 442
			TRUCKS		

C3234

ROLL CAGE UPGRADE KIT

- Designed to upgrade your existing roll cage to meet NHRA requirements when the firewall, floor pan, or rocker panels have been modified or replaced with aluminum panels
- Manufactured from 1-5%" 0.D. x .134" wall mild steel or 1-5%" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Comes complete with one dash bar, two door diagonals, two rocker bars and six gussets
- · Welding and fabrication required

PART # DESCRIPTION

- C3184 Roll Cage Upgrade Kit
- C3194 Roll Cage Upgrade Kit, Chrome Moly



1982-'04 GM S-10. S-15

No. C3184

E,


C3268



12-POINT ROLL CAGES

- Designed to provide the utmost in chassis strength and superior 360° driver protection with proper installation
- Design ties the front frame to the roll cage making it one solid unit, eliminating chassis flex and decreasing vehicle reaction time
- Hoop Kit includes one main hoop, one top hoop, two front downstruts, one main hoop crossbrace and two forward struts
- Strut Kit consists of two door struts, two rear struts, two diagonal hoop supports, one rear X-brace, ten floor plates are 6"x 6", 10 gauge (.134" thick) and twelve weld joint gussets
- Manufactured from 1-%" 0.D. x .134" wall mild steel or 1-%" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Pre-notched tube ends provide for a better installation
- Meets NHRA and IHRA requirements
- All tubes mandrel formed in-house on CNC equipment
- Complete instructions are included to ensure a hassle-free installation
- Welding required

TWO PART NUMBERS are required to get a complete 12-Point Roll Bar Kit!
You must order both A) the appropriate 12-Point Main Hoop Kit and
B) Strut Kit No. C3300 for Mild Steel OR Strut Kit No. C3350 for Chrome Moly (unless otherwise noted)*



12-Point Roll Cage (Actual product may vary from image shown)

B) STRUT KITS

- PART # DESCRIPTION
- C3300 12-Point Strut Kit, Mild Steel
- **C3350** 12-Point Strut Kit, Chrome Moly
- PART # ADDITIONAL OPTIONS
- C3184 Roll Cage Upgrade Kit
- C3194 Roll Cage Upgrade Kit, Chrome Moly

	12	-POINT ROLL BARS A	PPLICA		FRAMI - A) MAIN HUUPS
PART #		APPLICATION	PART #		APPLICATION
MILD STEEL	CHROME MOLY		MILD STEEL	CHROME MOL	Y
CHRYSLI	ER/DODGE		GENERA	L MOTORS,	continued
C3309	C3361	1968-'69 Barracuda 1970-'76 Duster	C3311	C3383	1968-72 Chevelle, GTO, Tempest, Cutlass, Skylark, LeMans
C3308*	C3373*	2008 -'19 Challenger, Complete Kit	C3312	C3371	1978-'87 Malibu, Monte Carlo, Grand Prix, Regal, Grand National, Cutlass, 442
FORD			C3306	C3384	1975-'80 Monza
C3303	C3370	1979-'93 Mustang, Capri	-		1971-'77 Vega, Starfire, Skyhawk
GENERA	L MOTORS		C3313	C3385	1968-'79 Nova, Apollo, Omega, Ventura
C3305	C3380	1967-'69 Camaro, Firebird			
C3307	C3381	1970-'81 Camaro, Firebird	TRUCKS		
C3302	C3382	1982-'92 Camaro, Firebird	C3314	C3372	1982-'04 GM S-10, S-15

*NOTE: These part numbers ONLY come complete, Strut Kit included.

ROLL BARS, CAGES & CHASSIS ACCESSORIES

ROLL CAGE X-BRACE KIT

Available In Mild Steel or Chrome Moly Finish

- Designed to increase the strength of your chassis by eliminating side to side twist and uneven suspension loading
- Use in conjunction with the rear struts found in our Roll Bar and Roll Cage Kits to create a solid racing chassis
- Kit includes one 60" long tube and two 30" long tubes; manufactured from 1- $\frac{5}{1}$ " 0.D. x .134" wall mild steel or 1- $\frac{5}{1}$ " 0.D. x .083" wall aircraft-quality AMS T-6736 chrome moly tubing
- Welding required




PART #DESCRIPTIONC3181Roll Cage X-Brace Kit, Mild SteelC3191Roll Cage X-Brace Kit, Chrome Moly

FRONT DOWN STRUT UPGRADE KIT

- Tie the front frame to the roll cage making it one solid unit, eliminating chassis flex and decreasing vehicle reaction time
- Front Down Struts have the same specifications as the Front Struts that are included in Competition Engineering 12-Point Roll Cage Kits
- Combine with Competition Engineering **Nos. C3181** or **C3191** to convert 10-Point Roll Cages to 12-Point Roll Cages
- · Pre-notched tube ends provide for better installation
- Meets NHRA and IHRA requirements
- · All tubes mandrel formed in-house on CNC equipment
- Welding required
- · Sold as a pair

PART # DESCRIPTION

C3186 Front Down Strut Kit, Mild Steel C3196 Front Down Strut Kit, Chrome Moly





FUNNY CAR CAGE KITS

Note: Funny Car Cage Kit is the tubing highlighted in red on the image

- Available in 1-5%" 0.D. x .134" wall mild steel or 1-5%" 0.D. x .083" wall aircraft-quality AMS-T-6736 chrome moly tubing
- Upgrades 10 point or more point cage kit to have Funny Car cage protection
- Kits contain 10 pieces of pre-bent 1-5%" 0.D. x .134" wall or 1-5%" 0.D. x .083" wall tubing and 2 pieces of 1" 0.D. x .118" wall mild steel or 1" 0.D. x .058" wall chrome moly head/helmet guards
- Tubing is left long and un-notched so kit can be custom fitted to the application
- Meets NHRA and IHRA requirements
- All tubes mandrel formed in-house on CNC equipment
- Welding required

PART # DESCRIPTION

C3187 Funny Car Cage Kit, Mild Steel C3197 Funny Car Cage Kit, Chrome Moly



SEAT BACK BRACES

- Designed to meet different sanctioning body rules on bracing non-FIA rated seats
- Non-FIA seats can be attached to the brace's 3" x 6" plate, 18 square inches
- On FIA approved seats this brace can be used as an additional support
- · Adjustable back and forth with a locking collar
- No welding is required for installation
- · Available for 3 different diameters of roll bar tubing

PART # DESCRIPTION

C4905Seat Back Brace, Adjustable for 1-34" Dia. TubingC4906Seat Back Brace, Adjustable for 1-5%" Dia. TubingC4907Seat Back Brace, Adjustable for 1-1/2" Dia. Tubing



ROLL BARS

OFFSET ROLL BAR PADDING

- Our popular Roll Bar Padding is now packaged in single 3-foot lengths for improved convenience and pricing
- 3" 0.D. padding is extruded from high-density foam for maximum safety and protection
- Inside diameter of 1-5%" is offset by 7/16" to position extra cushioning towards the driver where it's needed the most
- Available in black, red, blue and orange

DESCRIPTION PART

- Offset Roll Bar Padding, Black 80939
- 80940 Offset Roll Bar Padding, Blue
- 80941 Offset Roll Bar Padding, Red
- 80942 Offset Roll Bar Padding, Orange




ROLL BAR PADDING, SFI 45.1 APPROVED

Meets the requirements of NHRA, IHRA, SCCA and other organizations

- SFI 45.1 Specified approved padding, approval marked on padding
- Comes in 36" lengths; $\frac{7}{3}$ " thickness fits $1-\frac{5}{3}$ " 2" bar diameter
- Padding backed with pressure-sensitive adhesive and can be cut to size to make installation easy
- Padding exceeds SFI 45.1 rating for dripping or melting in a fire, and is self-extinguishing
- SFI 45.1 approved Roll Bar Padding is more dense than traditional padding, and is designed to absorb the impact energy

PART # DESCRIPTION

80944 Roll Bar Padding, SFI 45.1 Approved, Black



ROLL BAR GUSSETS

These lightweight, stamped plate gussets provide additional strength to welded tube joints

- Available in mild steel or chrome moly
- Measures 1-1/4" x 2-1/4"
- 25 per package
- Welding required

PART # DESCRIPTION

C3172 Roll Bar Gussets, 1/8" Mild Steel C3173 Roll Bar Gussets, 4130 Chrome Moly



No. C3172



No. 80944

No. C3173

SWING OUT DOOR BAR KITS

For 6, 8, 10 or 12-Point

- Meets NHRA Sanctioning rule for O.E.M. full body cars 7.50 E.T. and slower
- No. C3182 is manufactured for 1-3/4" steel tubing and No. C3183 is manufactured for 1-5/8" steel tubing
- One kit does one door bar
- · Includes release pin and hinge bracket
- Welding required

PART # DESCRIPTION

- C3182 8-Point Swing Out Door Bar Kit, 1-3/4" tube
- C3183 10 & 12-Point Swing Out Door Bar Kit, 1-5/8" tube



Œ

BARS ROLL

No. C4900

UNIVERSAL DOOR WINDOW FRAME KIT

- Use on drag racing vehicles running a plastic/lexan type window
- · Will complete two doors
- Includes ³/₈" steel tubing (2-84" long, 2-48" long), bend to fit with supplied bending fixture, tabs and hardware
- Packaged in a tube with instructions
- Welding required

PART # DESCRIPTION

C4900 Universal Door Window Frame Kit

WINDSHIELD INSTALL KITS

- Kit includes rubber seal and (50) stainless steel flathead screws and lock nuts
 Can be used on rear windows
- Can be used on rear window

PART # DESCRIPTION

C4901Windshield Install Kit, ¼" ThickC4902Windshield Install Kit, ¾" Thick



INTERNITION PROFESSION

No. C4901

mmmmm



THROTTLE LINKAGE ROD KIT

- Universal for vehicles with carburetors
- Kit includes a 23" aluminum rod, two spherical rod ends, throttle return spring tab and hardware
- Aluminum linkage rod is easy to install, bendable to simplify alignment issues and the length is easily adjusted by turning the rod ends in or out
- The rod ends will help to overcome misalignment problems
- This linkage is the preferred linkage for Oval Track claimer racing
- Will not be affected by dirt as some cable linkages can be

PART # DESCRIPTION

C3465. Throttle Linkage Rod Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warmings.ca.gov PART # AVAILABLE OPTIONS C3461 Accelerator Pedal Kit

ACCELERATOR PEDAL KIT

- Steel Accelerator Pedal with Steel Mounting Brackets and Hardware to mount where desired
- Installation instructions included

PART # DESCRIPTION

C3461 Accelerator Pedal Kit


PART # AVAILABLE OPTION

C3465. Throttle Linkage Rod Kit

• MARNING Prop. 65 This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harmwww.P65Warnings.ca.gov







DOOR LIMITER STRAP

- Kit is complete with (2) Door Limiter Straps and all hardware necessary to complete one car
- Installation instructions included

PART # DESCRIPTION

C4931 Door Limiter Strap





DOOR HINGE KIT

- For Race vehicles with fiberglass doors
- Longer hinge pins on bottom mounts facilitates quick removal and installation of doors
- Kit includes two door hinges and mounts (enough for 1 car)
- Lightweight design
- Welding required
- PART # DESCRIPTION C4930 Door Hinge Kit



RADIATOR MOUNTING KIT

- Radiator Mount for Scirocco style radiators
- For race cars with tube front ends
- · Facilitates quick removal and installation of radiator
- Includes radiator mounting bracket, frame mount and hardware
- Welding required

PART # DESCRIPTION

C4925 Radiator Mounting Kit



No. C4925

Œ



PARACHUTE ANCHOR MOUNT

For attaching parachute anchor strap to chassis

- Accepted by NHRA and IHRA
- Manufactured from 1-%" dia. DOM tubing
- Includes mount and support tubes, anchor strap bracket and aluminum bushing
- For use with Competition Engineering's Parachute Pack Mount No. C3451
- Welding and fabrication required

PART # DESCRIPTION

C3450 Parachute Anchor Mount





PARACHUTE PACK MOUNT

Mounts Parachute Pack to Parachute Anchor Mount

- Includes pack mounting plate, mounting tube, weld bung and quick release pin
- Quick release mount for removal when working on car
- Manufactured from mild steel for extra strength
- For use with Competition Engineering's **No. C3450** or similar kits
- Welding and fabrication required

PART # DESCRIPTION

C3451 Parachute Pack Mount



PARACHUTE RELEASE CABLE KIT

- Kit consists of 18' of Teflon lined Felsted cable
- Mounting Bracket and Rod End on one end of the cable
- Full handle
- PART #DESCRIPTIONC3452Parachute Release Cable Kit



No. C3452

PARACHUTE RELEASE CABLE CLAMP

- Complies with NHRA General Regulations requiring the cable clamp to be attached within 12" of the parachute pack edge
- Works with Competition Engineering Parachute Mount Nos. C3451, C3452 and can be used with other mounts
- Manufactured from 1/8" thick aluminum bracket with steel clamp and mounting hardware

PART # DESCRIPTION

C3453 Parachute Release Cable Clamp



FUEL TANK SUMP KITS

- Factory gas tank pickups located in the front of tanks allow fuel pumps to ingest air during acceleration causing a momentary loss of fuel pressure
- Installed in the lowest portion of the rear of the fuel tank, to guarantee consistent fuel pressure under the hardest acceleration
- Designed to fit stock steel fuel tanks
- Manufactured from 18-gauge cold rolled steel for easy welding with two pre-welded 3/8" or 1/2" N.P.T. bungs to ensure adequate fuel flow
- I.D. 7-3/8" wide x 11" long x 3" tall
- Installation instructions include a template for baffling the tank
- Welding required

PART # DESCRIPTION

- C4040 Fuel Tank Sump Kit, Two 3/8" N.P.T. weld bungs
- C4041 Fuel Tank Sump Kit, Two 1/2" N.P.T. weld bungs

Moroso Aluminum Fuel Line on pg. 280

No. C4041

No. C4040

ACCESS DOOR

- .050" aluminum door is hinged to frame, providing quick and easy access to fuel cells, dry sump tanks or any other component
- Comes with natural finish so customer can anodize or paint to match car color
- Door held securely closed with self-ejecting, flush-head Dzus fastener
- Includes all mounting hardware
- 6" x 6" door, 8-1/8" x 8-1/8" overall

DESCRIPTION PART

85700 Access Door







ALUMINUM & STEEL REAR FENDERWELLS

- 24-gauge steel or .032" thick aluminum
- Pittsburgh locking seam for easy assembly
- Different widths to accommodate a variety of tire sizes
- Available in six diameters
- · Bead rolled reinforcing ribs for strength
- Two Fenderwell/Wheel Tubs per Kit

PART #		DIMENSIONS
STEEL	ALUMINUM	LENGTH X HEIGHT X WIDTH
C2998	C2999	30" (L) x 15" (H) x 23.25" (W)
C3006	C3007	36" (L) x 18" (H) x 23.25" (W)
C3008	C3009	38" (L) x 19" (H) x 23.25" (W)
C3010	C3011	40" (L) x 20" (H) x 23.25" (W)
C3002	C3004	43" (L) x 21.5" (H) x 23.25" (W)
N/A	C3005	46" (L) x 23" (H) x 23.25" (W)

No. C3006

REAR FIREWALL KIT, CUSTOM FIT FOR 2005-'10 MUSTANG

Makes it easy to install a firewall between the passenger compartment and trunk mounted fuel cell and/or battery Fits: 2005-'10 Mustang



- Pre-cut and bent, only a small amount of trimming may be necessary
- · Constructed out of .032" thick aluminum, which meets NMRA and other sanction bodies requirements
- Can be used with or without the factory rear seat

PART # DESCRIPTION C4990 Rear Firewall Kit, 2005-'10 Mustang



STEERING COLUMN KITS, UNIVERSAL DESIGN

Two versions available; Drag Race Only which has a strong yet light weight $\frac{3}{4}$ " x .058" wall chrome moly shaft and the NEW Circle Track, Road Race and Street version that has a $\frac{3}{4}$ " x .156" wall mild steel shaft which is stronger and heavier for the rigors of Circle Track, Road Racing and the Street.



- Can be used in new car construction or used to replace a heavy bulky O.E.M. steering column
- Kit contains a stop collar to prevent the steering shaft from entering the driver's compartment in the event of an impact

PART #

C5076

C9609

AVAILABLE OPTIONS

Steering Column Mount Kit

Steering Shaft Support Rod End

- Inner shaft rides in two flanged polymer bushings that mount to the column tube
- · Features unique grease fittings to keep the bushings lubricated
- Includes "SFI" Approved Quick Release Steering Wheel Hub and Shaft to Hub Adapter, Moroso part No. 80160
- Also includes a precision needle bearing U-joint and complete installation instructions
- Welding and Fabrication required

PART # DESCRIPTION

C5073Steering Column Kit, Circle Track, Road Race, StreetC5074Steering Column Kit, Drag Race Only

- Mounts Steering Column Kit Nos. C5073 or No. C5074 into tube chassis vehicle
- Compact design allows column to be mounted rigidly to the chassis while keeping weight to a minimum
- Includes two split clamps that secure 1-½" 0.D. steering tube firmly in place and two lengths of tubing to mount column to chassis
- Split clamp mounting system makes it easy for the column tube to be removed or repositioned without cutting or re-welding
- Can be adapted to other steering column kits that use a 1-1/2" dia. column tube
- · Kit includes complete installation instructions
- Welding & fabrication required

PART # DESCRIPTION

C5076 Steering Column Mounting Kit



No. C5076

STEERING SHAFT SUPPORT ROD END

- · Rod end serves as both bearing and support for steering shaft
- Inside diameter of .757" is specially sized to allow steering shaft to pass through and rotate with a precise fit
- ¾"-16 right hand threaded shank mounts to steering support bracket
- · Includes two jam nuts for securing rod end in place
- Static radial load capacity of 11,518 lbs.
- One per package

PART # DESCRIPTION

C9609 Steering Shaft Support Rod End



No. C9609

FIVE HOLE STEERING WHEEL ADAPTER

- Allows racers to continue to use Moroso's Quick Release Steering Wheel Hub No. 80160 or similar aftermarket hubs with 3 hole 1-3/4" diameter bolt pattern when converting to steering wheels with a 5 hole bolt pattern
- Billet aluminum adapter includes all mounting hardware (steering wheel to adapter and adapter to hub)

PART # DESCRIPTION

C5078 Five Hole Steering Wheel Adapter



SFI APPROVED QUICK RELEASE STEERING WHEEL HUB AND ADAPTER

Fits: 3/4" O.D. steering shafts and steering wheels with a 3 hole, 1-3/4" diameter bolt pattern

- Meets NHRA, IHRA and other sanctioning body criteria for meeting SFI (Safety Foundation Inc.) requirement #42.1 concerning steering wheel attachment and release
- · Hub is manufactured from lightweight billet aluminum with anodized finish
- 5/16" -18 thread bolt holes
- Spring loaded quick release pin is integral with the hub and features a large diameter engagement surface for use with bulky racing gloves
- Includes steering shaft adapter manufactured from 1018 steel for extra strength and ease of welding

PART # DESCRIPTION

80160 SFI Approved Quick Release Steering Wheel Hub and Adapter. *Fits:* ³/₄" *O.D. steering shafts and steering wheels with a 3 hole, 1-*³/₄" *diameter bolt pattern*





POWER STEERING TANKS

POWER STEERING TANKS

Fits: Universal Panel Mount

- Fabricated of aluminum for strength can be polished, chromed, powder coated or left as-is for a race look
- · Built in bracket allows convenient mounting on a panel
- -6AN inlet and -10AN outlet with an internal baffle
- · Includes a heavy duty vented screw on cap

PART # DESCRIPTION

- 63506 Power Steering Tank, Universal Panel Mount, Inlet left side
- 63507 Power Steering Tank, Universal Panel Mount, Inlet right side
- 63951 Power Steering Tank, Universal Panel Mount, Inlet left side, Black Wrinkle Powder Coat Finish





C can affect the way your race car reacts. O.E.M.-style front suspension components can saddle your race car with excess weight. All Competition Engineering front suspension components are designed to be both lightweight and strong to provide you with the utmost in reliability and quicker ET's.



FRONT END TRAVEL LIMITER

Cable Style

- Designed to fit both A-arm and strut front suspensions
- 7-position adjuster for fast, between round changes
- · Adjuster enables you to fine tune front-end separation, improving 60 foot times as well as vehicle reaction time
- Kit includes weld-on mounting tabs, cable assemblies, mounting hardware and detailed instructions
- · Limits front suspension separation on launch
- Welding required

PART # DESCRIPTION

C2025 Front End Travel Limited

FRONT END TRAVEL LIMITER

Bolt-On

- · Designed for race cars with factory upper A-arm suspensions
- Installs easily by removing the factory upper snubber and threading the adjuster bolt through the stock hole
- Threaded design allows you to quickly dial-in the right amount of front end lift without wasting power on high wheelstands
- Replaces rubber snubber in factory control arms
- · Bolt-on, no welding requires
- Increases weight transfer

PART # DESCRIPTION

C2026 Front End Travel Limiter

PART # REPLACEMENT PART

C7024 Rubber Bumpers. 2" diameter base. Two/card



MUSTANG BUMPSTEER ADJUSTER KITS

- Corrects "Bumpsteer" that occurs when the Mustang's front end is lowered or raised from stock
- Fully adjustable kit replaces non-adjustable stock components with precision, aircraft-quality components that bolt into place with common hand tools
- · Does not require the front spindles to be modified or drilled out
- · Can also be used for easy, on-car toe adjustments
- Includes 6061-T6 billet aluminum adjuster tubes with anodized finish to resist corrosion, 5/8" rod ends and an assortment of adjustment shims

PART # DESCRIPTION

C2408 Bumpsteer Adjuster Kit, Mustang '79-'93 C2409 Bumpsteer Adjuster Kit, Mustang '94-'04



NO. 0

The Chassis People

C ompetition Engineering offers solid aluminum replacement bushings for stock factory bushings that improve chassis/ suspension control. By swapping solid bushings for the stock pieces, you increase vehicle reaction in both acceleration and cornering, as well as improve overall feel. Ride quality will be sacrificed due to the elimination of the factory bushing deflection.

SOLID ALUMINUM BODY MOUNTS

Fits: 1967-'81 Camaro, Firebird, 1968-'79 Nova; 1971-'77 Ventura, Apollo, Omega

- · Replacement for the factory subframe bushings
- Eliminates deflection and twisting commonly found on GM unibody equipped vehicles
- CNC machined from 6061-T6 aluminum for a perfect fit and black anodized to eliminate corrosion
- · Complete set of six for one car with complete instructions

PART # DESCRIPTION

C3027 Body Mounts, Solid Aluminum

GM A&G BODY REAR CONTROL ARM BUSHINGS

Fits: 1982-'02 Camaro, Firebird; 1964-'88 Chevelle, Malibu; 1964-'77 Skylark, Gran Sport; 1964-'77 LeMans, GTO, Tempest;1966-'77 Cutlass 442; 1966-'70 Pontiac full-size; 1964-'70 Olds full-size

- Eliminates the twist and play found in the factory rear control arms
- CNC machined from 6061-T6 aluminum and black anodized for corrosion resistance
- Designed to replace the stock bushings on the lower control arms only
- · Four to a package

PART # DESCRIPTION

C3165 Arm Bushings, GM A&G Body Rear Control

ALUMINUM SPRING EYE BUSHINGS

Fits: 1967-'81 Camaro, 1968-'79 Nova

- Solid Aluminum Bushings replace stock bushings and provide positive housing positioning, eliminating wheel-hop and excessive pinion angle
- Eliminates the deflection of stock bushings
- · Packaged in pairs

PART # DESCRIPTION

C2022Spring Eye Bushings, Aluminum, Front, 2" $0.D. \times 3^{-5/6}$ " long for $\frac{1}{2}$ " boltC2023Spring Eye Bushings, Aluminum, Rear, $1^{-5/6}$ " $0.D. \times 3^{-1/4}$ " long for $\frac{9}{16}$ " bolt

UPPER A-ARM BUSHINGS

Fits: 1965-'70 Chevrolet Full Size, 1967-'69 Camaro, Firebird; 1968-'79 Nova; 1963-'82 Corvette; 1964-'72 Chevelle, Tempest, LeMans, GTO; 1973-'74 Omega, Apollo, Skylark; 1971-'74 Ventura; 1971-'72 Monte Carlo; 1965-'72 F-85, Cutlass, 442

The stock upper control arm bushings found on most cars have a rubber bushing material that is bonded to the inner sleeve and the outer housing. Bonding the rubber bushings makes them resistant to rotation and suppresses front end lift and hinders weight transfer.

Competition Engineering's **Upper A-Arm Bushings** are a non-bonded design, which lets the bushing material rotate. This allows the A-Arm to pivot freely on the cross shaft, resulting in rapid front end lift and increased weight transfer. The superior polyurethane material comprising our Bushings doesn't flex or break down like stock conventional rubber bushings with exposure to oils, chemicals and ozone.

• Quicker front end rise produces quicker ETs

· Superior polyurethane bushing material is better performing and last longer

PART # DESCRIPTION C3166 Upper A-Arm Bushings



No. C3027

No. C3165



No. C2022



E

ENGINE LIMITER KIT

- Mounts diagonally between the engine block and the frame rail preventing the forward and rearward movement of the engine/ transmission assembly during launch and braking conditions
- Without this kit, the movement of the engine within the chassis would cause the front and rear motor plates to flex and eventually crack
- . The use of two kits positioned on either side of the engine is highly recommend for high horsepower race cars
- Includes a ³/₄" dia. DOM steel tube, two chassis tabs, a ¹/₂" high misalignment rod end, an engine mounting tube and complete instructions
- Improves reaction times
- Fabrication & welding required

PART # DESCRIPTION

C4034 Engine Limiter Kit

ENGINE TORQUE LINK, MUSTANG

- The benefits of a solid motor mount for racing with the comfortable ride of a stock motor mount for street use
- Removable Torque Link is installed with supplied pins and clips, limiting engine movement for racing use
- Torque Link can then be removed for street use
- · Includes two zinc plated brackets, all hardware and complete installation instructions

PART # DESCRIPTION

C4010 Engine Torque Link. Fits: Mustang 1979-'95 5.0L

MID-MOUNT PLATE REPLACEMENT MOUNTING KIT

- Recommended when more than one mounting kit is required
- Manufactured from 1/8" mild steel with four triangular gussets
- Includes mounting hardware
- Welding required

PART # DESCRIPTION

C4032 Mid-Mount Plate Replacement Mounting Kit

SHIM KITS, FLYWHEEL

- Replacement flywheel shims for Competition Engineering and other mid-mount motor plates
- Can be used anytime that the spacing of the torgue converter to the transmission pump needs adjustment
- Manufactured from .090" Steel
- 3 per pack

PART # DESCRIPTION

- C4047 Shim Kit. Fits: GM LS Series
- Shim Kit. Fits: Chevy V-8, 2 piece seal & 90 Deg. V-6 C4048
- C4049 Shim Kit. Fits: Ford 289-302
- C4050 Shim Kit. Fits: Ford 351M, 400, 429, 460
- C4051 Shim Kit. Fits: Mopar 426 or others with an 8 bolt aftermarket crankshaft
- C4052 Shim Kit. Fits: Mopar 273-440 with a 6 bolt crankshaft





No. C4049

No. C4010







No. C4050

No. C4052

The Chassis People

No. C4051

ENGINE MOUNTING

E



No. C4034

MID MOUNT PLATES

MID MOUNT PLATES

Available In Steel and Aluminum

- Provides a solid connection between the transmission and the chassis
- Eliminates torsional chassis stress, block twisting and broken transmission cases
- Steel versions include flywheel shims to ensure accurate torque converter to front pump engagement, (except No. C4024)
- Allows easier transmission swaps and aids clutch operation
- Universal frame mounts included
- Designed on CAD equipment for a precise fit and easy installation
- Universal Frame Mounts Included, welding required



30" x 11-15/16" x .188" thick

30" x 15" x .090" thick

	MID MOUNT PLA	TES APPLICATION	CHART
PART #	APPLICATION	MATERIAL DESCRIPTION	DIMENSIONS
UNIVERSAL	FIT		
C4033*	Universal Fit	6061-T6 Aluminum	30" x 20" x .188" thick
GENERAL M	OTORS		
OLDSMOBIL	E/PONTIAC		
C4025*	301-345 Engines	6061-T6 Aluminum	24" x 14-1/8" x .188" thick
CHEVROLET	-		
C4027*	LS Series	6061-T6 Aluminum	29-1/4" x 14-13/16" x .188" thick
C4028	LS Series	Steel	29-1/4" x 14-13/16" x .090" thick
C4030*	SBC, BBC, V8 & 90° V6 Engines	6061-T6 Aluminum	29-1/4" x 13-1/2" x .188" thick
C4031	SBC, BBC, V8 & 90° V6 Engines	Steel	29-1/4" x 13-1/2" x .090" thick
FORD			
C4022*	Ford FE 352 - 428	6061-T6 Aluminum	27" x 13 1/2" x .188" thick
C4024	Modular 4.6, 5.4 & 6.8L	Steel	34" x 12 3/16" x .090" thick
C4035	289-302, 351C, 351W Engines	Steel	30" x 9-1/4" x .090" thick
C4053*	289-302, 351C, 351W Engines	6061-T6 Aluminum	30" x 9-1/4" x .188" thick
C4037	351M, 400, 429, 460 Engines	Steel	30" x 10-13/16" x .090" thick
C4054*	351M, 400, 429, 460 Engines	6061-T6 Aluminum	30" x 10-13/16" x .188" thick
CHRYSLER			
C4036	383-440 Engines	Steel	30" x 11-15/16" x .090" thick

* Flywheel shims not included, see optional flywheel shims on page 441

273-360 Engines with 727 & A904 Transmissions


PART # REPLACEMENT PARTS

C4055*

C4038

C4032 Mid-Mount Plate Replacement Mounting Kit

383-440 Engines




6061-T6 Aluminum

Steel

Œ,

MID MOUNT PLATES



FRONT MOTOR PLATES


FRONT MOTOR PLATES

Make sure your motor stays in place!

- · Provides a solid connection between the engine and the chassis
- Improves reaction and 60-foot times
- Eliminates twisting of the chassis caused by engine torque and ensures that the power gets to the rear wheels
- Computer designed and machined for accuracy
- Used by leading chassis builders as a positive method of locating the engine in the chassis
- · Perfect for performing engine swaps or setting motor back in chassis for increased weight transfer


	FRONT MOTOR P	LATES APPLICAT	ION CHART
PART #	APPLICATION	MATERIAL DESCRIPTION	DIMENSIONS
UNIVERS	AL FIT		
C4014	Universal Fit	6061-T6 Aluminum	36" x 12" x .25" thick
GENERA	L MOTORS		
SMALL E	BLOCK CHEVROLET		
C3995	LS Series, 2-piece	6061-T6 Aluminum	15" x 12" x .25" thick
C4003	SBC and 90°, V6 2 Piece Seal Engines, Pre- trimmed	6061-T6 Aluminum	27-1/2" x 13" x .25" thick
C4004	SBC and 90°, V6 2 Piece Seal Engines	6061-T6 Aluminum	36" x 10-1/2" x .25" thick
C4006	SBC and 90°, V6 Piece Seal Engines, 2-piece	6061-T6 Aluminum	10-1/2" x 8-1/2" x .25" thick
BIG BLO	CK CHEVROLET		
C3997*	Gen. V & Gen. VI Engines	6061-T6 Aluminum	36" x 11" x .25" thick
C4005	BBC, 1-piece	6061-T6 Aluminum	36" x 10-15/16" x .25" thick
C4007	BBC, 2-piece	6061-T6 Aluminum	9" x 8-1/4" x .25" thick
FORD			
C3990	351C Engines	6061-T6 Aluminum	36" x 11" x .25" thick
C3991	2 & 3-Valve Modular, 4.6L Engines, 2-piece	6061-T6 Aluminum	15-1⁄2" x 7-3⁄4" x .25" thick
C3992	4-Valve Modular, V8, 4.6L Engines, 2-piece	6061-T6 Aluminum	15-1⁄2" x 7-3⁄4" x .25" thick
C3993	4-Valve Modular, V8, 5.4L Engines, 2-piece	6061-T6 Aluminum	15-1⁄2" x 7-3⁄4" x .25" thick
C4001	289-302, 351W Engines, 1970-93	6061-T6 Aluminum	36" x 10-1/2" x .25" thick
C4002	429-460 Engines	6061-T6 Aluminum	36-1⁄2" x 9-1⁄2" x .25" thick
C4011	Ford, FE 352-428	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick
C4015	Ford, 289-302, 351W Engines, 1979-93	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick
CHRYSLE	R		
C4000	318-360 Engines	6061-T6 Aluminum	36" x 9-1/2" x .25" thick
C4008	383-440, 426 Hemi Engines, 2-piece	6061-T6 Aluminum	11-¾" x 13-¾" x .25" thick
C4009	383-440, 426 Hemi Engines	6061-T6 Aluminum	36" x 10" x .25" thick
C4012	5.7 / 6.1/6.4 Engines	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick
PONTIAC			
C4013	V-8	6061-T6 Aluminum	See diagram on pg. 436 x .25" thick

* NOTE: Chevrolet Gen. V & Gen VI will need modifications.




No. C3990

<u>FRONT MOTOR PLATES</u>



FRONT MOTOR PLATES



No. C4014 - Universal Fit

No. C4015

E

ENGINE MOUNTING

C ompetition Engineering offers several different types of brackets and tabs to help make it easier for you to mount and install accessories to your chassis. We also offer mounting brackets for our Ladder Bars and 4-Links that enable you to replace bent and damaged brackets or when updating your rear end housing.


REPLACEMENT CLEVIS BRACKETS

- Replaces Clevis Brackets found in No. C2031, C2045, C2052 & C2053 Diagonal Links
- Also allows No. C2024 Magnum Series Wishbone Locator or other locating devices to be
- converted to ³/₄" mounting as needed
- Stamped from ³/₁₆" mild steel
- $\frac{1}{2}$ " rod end mounting holes
- Inside dimension 1.160"
- One per package

PART # DESCRIPTION

C3422	Replacement Clevis Bracket,	5⁄8"
C3423	Replacement Clevis Bracket,	³ ⁄4"

C3431 Replacement Clevis Bracket, ¹/₂"





No. C3422




No. C3423

UNIVERSAL LARGE CHASSIS BRACKETS

- ¹³/₁₆" radius accepts 1-5%" tube
- 1/2" mounting hole
- Stamped from 1/8" cold rolled steel
- Four per package

PART # DESCRIPTION

C3424 Universal Large Chassis Bracket






No. C3424

SEAT BELT HARNESS TABS

- Provides a professional and simple way of installing a 5-Point Safety Harness
- Rugged ¼"-thick steel mounting tabs can be welded to roll bars, seat anchors or other locations to provide secure attachment points
- Includes 1/2" center holes for attaching harness
- · Five tabs per package; enough to install a complete harness
- Welding required


PART # DESCRIPTION

C3425 Seat Belt Harness Tabs





No. C3425



1_7

UNIVERSAL BELLCRANK TABS

- Provides convenient mount for linkages
- Gusseted for strength
- Stamped from 1/8" cold rolled steel
- ¾" mounting hole
- Four per package

PART # DESCRIPTION


C3430 Universal Bellcrank Tabs



- 13/16" radius accepts 1-5%" tube
- Gusseted for strength
- ¾" mounting hole
- \bullet Stamped from $\ensuremath{\snauremath{\naum{\ensuremath{\ensuremath{\ensuremath{\ensu$
- Two per package

PART # DESCRIPTION

C3432 Universal Gusseted Chassis Tabs



3/8" DIA

3/4" R




No. C3430

HEAVY-DUTY FLAT CHASSIS BRACKETS

- · Great for mounting suspension components
- Stamped from ³/₁₆" cold rolled steel
- ³/₄" mounting hole
- Available with straight or radiused bottom
- · Four per package

PART # DESCRIPTION

C3434 Heavy-Duty Flat Chassis Brackets, Straight






No. C3434

UNIVERSAL 4-LINK CHASSIS BRACKETS

- Replaces chassis brackets found in No. C2017 4-Link Kit
- Stamped from ³/₁₆" cold rolled steel
- ³⁄₄" rod end mounting holes
- Two per package; four Brackets required per car

PART # DESCRIPTION

C3410 Universal 4-Link Chassis Brackets








4-LINK REAR END BRACKETS

- Replaces chassis brackets found in No. C2017 4-Link Kit
- Stamped from 1/4" cold rolled steel
- 3" dia axle mounting hole
- ³/₄" rod end mounting holes
- Two per package; four Brackets required per car

PART # DESCRIPTION

C3412 4-Link Rear End Brackets





No. C3412

MAGNUM SERIES 4-LINK BRACKET

- Radiused bracket replaces the universal, square-end brackets found in our Magnum Series 4-Link to mate perfectly with our 4-Link Frame Rails
- · Radiused profile simplifies welding and saves hours of fabrication time
- Rugged 1/4"-thick steel construction eliminates bending in ultra high horsepower cars
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- Nine mounting holes provide a wide range of chassis adjustments; accepts 5%" hole, 34" shank rod ends
- One per package; four brackets required per car

PART # DESCRIPTION

C3421 Heavy-Duty Flat Chassis Brackets, Straight

4-LINK CHASSIS BRACKET


- Bracket radius is shaped to provide an exact fit when welding to our 4-Link Formed Frame Rails
- Entire profile, including the nine rod end mounting holes, is stamped from 3/16" hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- ³/₄" rod end mounting holes
- Can also be used as replacements for the chassis brackets found in our 4-Link Rear Frame Kits
- One per package; four brackets required per car

PART # DESCRIPTION

C3408 4-Link Chassis Bracket








MAGNUM SERIES 4-LINK BRACKET

Without Integral Shock Mounting Holes

- Designed for use on 3" dia. Axle Tubes
- Radiused profile simplifies welding and saves hours of fabrication time
- 5/8" dia. rod end holes
- Rugged 1/4"-thick steel construction eliminates bending in ultra high horsepower cars
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- One per package; four brackets required per car
- Use with two Competition Engineering Magnum Series 4-Link Brackets No. C3427

PART # DESCRIPTION

C3429 Magnum Series 4-Link Bracket




No. C3429

The Chassis People

E

....



11-13/16"

TABS & BRACKETS


"MAGNUM SERIES" 4-LINK BRACKET

With Integral Shock Mounting Holes

- Designed for 3" diameter Axle Tubes
- Radiused profile simplifies welding and saves hours of fabrication time
- Rugged 1/4" thick steel construction eliminates bending in ultra high horsepower cars
- 5/8" dia. rod end holes
- Mounting holes for Wheel-E-Bars[™], Sway Bar and Shock Mounting
- Entire profile is stamped from hot rolled steel in one operation to eliminate distortion and to ensure exact dimensions
- One per package; four brackets required per car
- Use with two Competition Engineering Magnum Series 4-Link Brackets No. C3429

PART # DESCRIPTION

C3427 "Magnum Series" 4-Link Bracket






No. C3427

LADDER BAR 2" X 3" CROSSMEMBER BRACKET

- Pre-notched to simplify welding and provide a neat installation
- Stamped from 3/16" mild steel
- Three ³/₄" mounting holes in a 33.5" radius for chassis adjustments
- One per package; four Brackets required per car

DESCRIPTION PART

C3409 Ladder Bar 2" X 3" Crossmember Bracket





No. C3409


SHOCK MOUNTING BRACKET

For Use With Housing Back Brace

- Designed to work with Housing Brace Nos. C3405, C9105, C9205 and other 2" tall back braces
- Stamped from 1/4" steel
- Eight ³/₈" dia. mounting holes, spaced 1" apart
- Welding required
- One per package, two brackets required per car
- Designed for use with Shock Bracket Nos. C3417 and C3419

DESCRIPTION PART

Shock Mounting Bracket C3413




No. C3413

LADDER BAR CHASSIS BRACKET

- Bracket is radiused to mate perfectly with our Ladder Bar Frame Rails to simplify welding
- Provides a front mounting location for Ladder Bars with ³/₄" rod ends
- Entire profile, including the three rod end mounting holes, is stamped from $\frac{3}{16}$ " hot rolled steel in one operation to eliminate distortion and to $\frac{8 \cdot \frac{3}{4}}{4}$ " ensure exact dimensions
- Can also be used as replacement for the brackets found in our Ladder Bar Rear Frame Kits
- One per package; four brackets required per car

PART # DESCRIPTION

C3411 Ladder Bar Chassis Bracket





No. C3411


Œ

COIL-OVER HOUSING BRACKET

- Replaces weld-in axle brackets found in Nos. C2047 & C2051 Lower Coil-Over Shock Mount Kit
- 1-1/2" radius accepts 3" dia axle tube
- 3/8" shock bracket mounting holes
- Stamped from 1/4" hot rolled steel
- One per package; two brackets required per car
- PART # DESCRIPTION
- C3414 Coil-Over Housing Bracket

PART # AVAILABLE OPTIONS

- C3417 Lower Coil-Over Shock Mounting Bracket, Right
- C3419 Lower Coil-Over Shock Mounting Bracket, Left





No. C3414

LOWER COIL-OVER SHOCK MOUNTING BRACKETS

- Replacement bracket, also used in **Nos. C2047 & C2051** Lower Coil-Over Shock Mount Kit
- Stamped from ³/₁₆" cold rolled steel
- ³/₈" bracket mounting holes
- 1/2" shock mounting hole
- One per package; two of each bracket required per car

PART # DESCRIPTION

- C3417 Lower Coil-Over Shock Mounting Bracket, Right
- C3419 Lower Coil-Over Shock Mounting Bracket, Left




No. C3417

LADDER BAR CROSSMEMBER BRACKETS

- Replaces brackets found in **No. C2019** Ladder Bar Crossmember
- Stamped from 3/16" hot rolled steel
- 1-²⁵/₃₂" bar mounting hole
- ²⁵/₃₂" rod end mounting holes
- Two per package; four brackets required per car

PART # DESCRIPTION

C3418 Ladder Bar Crossmember Brackets



3-³/4' RFF



WELDING TABS AND BRACKETS

Before welding any tabs and brackets permanently, tack weld them in place first to check the final alignment. It's much easier to realign a tab or bracket with a temporary tack weld.

– 3-1/4"— 4-1/2" REF

"MAGNUM SERIES" LADDER BAR HOUSING BRACKET KIT

Universal

- Innovative, four-piece housing bracket design allows for easy axle upgrades
- Creates a 360° housing bracket that can be tack welded in half the time of older systems – no more safety straps and individual plates!
- Vider Systems no more salety straps and motividual plates!
- Kit allows you to adjust preload and pinion angle without bind
 Complete with two large, formed 180° housing brackets; two small, formed
- 180° housing brackets and four gussets
- For 3" axle tubes

PART # DESCRIPTION

C7212 "Magnum Series" Ladder Bar Housing Bracket Kit



- This kit can be used in different applications; battery mount, shifter mount, drive shaft loop, etc.
- Comes complete with weld tube for mounting and safety pins to make removing it a snap
- U-Bend is 1-1/8" x .045" wall

PART # DESCRIPTION

C3030 U-Bend Universal Mount



No. C3030

ALIGNMENT & LEVEL TOOL

PROFESSIONAL ANGLE FINDER & LEVEL

- · Handy, easy-to-read gauge face
- Perfect for setting pinion angle or determining level
- Accurate to 1/2 of 1°
- Angle and grade chart on back of gauge
- · Made from ABS plastic with convenient grooved base to sit flat

PART # DESCRIPTION

C5020 Professional Angle Finder & Level



ELECTRICAL COMPONENTS

BATTERY/WEIGHT BOX

- · Bolts together for easy installation
- Bottom flange for secure attachment
- Holes provided for battery cables
- Constructed from 1/8" thick mild steel
- Includes 3/8" hold down rod and grommets
- Fits "Series 24" batteries
- Meets sanctioning body requirements for weight box and battery containment in cars with rear firewall
- Inside dimensions: $12-\frac{3}{8}$ " long x $9-\frac{3}{4}$ " wide x 10" high
- Weighs approximately 28 pounds

PART # DESCRIPTION

C4029* Battery/Weight Box



No. C4029

*NOTE: Check your rule book for specific mounting requirements

Œ

TIE DOWN HOOKS, UNIVERSAL

- Are available in three angles and come as a pair
- Constructed out of $\frac{1}{4}$ " thick steel with a zinc finish
- 1.5" opening accepts standard race car tie-down straps, such as Moroso Nos. 80740, 80750
- The hooks mounting hole measures ¹¹/₁₆" or 17.5mm which accommodates most factory shock and suspension bolts or the hooks can be welded on

PART # DESCRIPTION

- C3437 Tie Down Hook, Universal, Pair, Flat
- C3438 Tie Down Hook, Universal, Pair, 45 Degree
- C3439 Tie Down Hook, Universal, Pair, 90 Degree



No. C3439

TOW HOOK, FOLDING, UNIVERSAL

No. C3437

- 2" opening meets sanctioning bodies rules about Tow Hooks
- \bullet Constructed out of $1\!\!/\!_4$ " thick steel with a zinc finish
- Grade 8 hinge hardware
- Bolt-on or weld-on

PART # DESCRIPTION

C3435 Tow Hook, Universal, Folding

No. C3435



TOW HOOK, UNIVERSAL

- Steel, zinc plated
- ³/₁₆" Universal with 2" opening
- Bolt-on or weld-on
- Can be used for trailer tie-down points

PART # DESCRIPTION

C3440 Tow Hook, Universal



The Chassis People



MOROSO PERFORMANCE REPLACEMENT PARTS



COMPETITION ENGINEERING REPLACEMENT PARTS

For a list and descriptions of replacement parts for discontinued Wheel-E-Bars™, please refer to page 433

PART #	PAGE #
C2755	430
C3414	461
C3417	461
C3418	461
C3419	461
C3420	461
C3422	457
C3423	457
C6011	420
C6150	420
C6151	420
C7024	407
C7030	407
C7031	407
C7032	407
C7046	434
C7047	434
C7048	464
C7051	433
C7052	433
C7058	433
C7059	433
C7060	433
C7066	433
C9700	408
90430	433

/	11	١
۲		ĺ
	11	
	\sim	
	1	
	-1	
	-	
	1	
		l
1	(P)	2
5		
	/	

DADT #	DACE #	DADT #	
PART #	PAGE #	PART #	PAGE # 376-377
97000 97001	112 112	97542 97543	
			377
97002 97003	112 112	97545	368
	112	97550	359
97005		97551	359
97006	112, 213	97552	359
97010	113	97553	359
97011	113	97570	464
97015	154	97571	190-191
97020	315-316	97580	194
97030	315	97590	194
97035	315	97641	158
97036	316	97644	163
97037	223	97690	464
97040	223	97730	234
97050	316	97731	234
97062	154	97732	234
97070	281	97751	191
97080	289	97800	190-191
97081	285-286	97810	318
97085	285-286	97817	318
97090	288	97830	270
97170	184	97832	348
97172	182	97833	348
97180	182	97835	348
97181	163	97848	348
97200	163	97849	350
97210	187	97850	350-353
97220	260	97852	350
97230	260	97853	350
97250	260	97854 07855	350
97252 97255	260	97855 97856	350
	260		350
97257 97275	260 260	97857 97858	350 350-352
97275		97859	
97290 97291	257 216	97859 97860	350-352 350-352
97291	186-187	97861	353
97321	142-143	97862	350
97322	142-143	97866	350
97323	142-143	97867	351
97323	142-143	91001	221
97325	142-143		
97320	285		
97331	285-286		
97340	288		
97340 97341	317		
97345	317		
97346	303		
97340 97450	303 464		
97450 97485	384		
97405 97500	250-251		
97510	230-231		
97510 97520	287		
97530	287		
97535	377		
01000	511		

Part#	PAGE	PART#	ŧ PAGE	PART	# PAG	E	PART#	PAGE	PART#	PAGE		PART#	PAG
17023	383	20200	30	2053	5 79		20939	10, 107	21326	38		22139	122
17025	383	20201	31	2053	83		20940	102	21327	38		22144	12
17026	383	20205	30	2054	88 8		20942	102	21330	40		22146	12
17028	383	20206	31	2054	88 88		20960	103	21340	127		22147	38
17029	383	20211	32	20549	87		20965	105	21551	42			12
17040	383	20212	32	2055	88		20966	105	21552	42		22149	12
17050	383	20230	33	2055	5 88		20967	103	21553	40		22150	12
17100	383	20372	69	2055	7 87		20968	105	21554	40	,	22159	12
17600	383	20376	65	2055	8 86		20969	103	21555	40		22160	12
20032	64	20385	63	2056	9, 8)	20970	108	21556	40		22162	12
20043	74	20401	58	2056	89		20971	108	21564	8, 43		22163	57
20044	74	20403	58	2057) 89		20975	104	21581	66		00104	69
20045	74	20405	61	2057	90		20976	104	21592	70		22164	57 69
20049	75	20406	60	2057	2 90		21015	33	21597	70		22167	12
20054	76	20408	57	2057	8 89		21017	33	21598	70		22171	11
20055	75	20409	68	20574	91		21019	40	21600	65		22175	57
20056	8, 76	20411	67	2057	5 90		21047	61	21621	9, 86			12
20105	43	20412	59	2057	6 90		21048	62	21631	98	1	22180	11
20138	49	20413	67	2057	⁷ 91		21049	62	21811	36		22185	57
20139	46	20416	59	2060	6 92		21149	46	21812	36			69
20140	43	20420	66	2060	7 93		21150	45	21813	35		22186	57
20141	44	20421	69	2060	3 93		21151	47	21814	35	1	00107	69
20142	50	20431	60	2060	92		21152	52	21815	35		22187 22195	12 56
20143	51	20433	68	2061	2 96		21153	48	21816	36	1	22195	
20144	54	20449		2061	4 95		21154	56	22000	157			11
20145	44	20451		2061			21155	53	22010	157	1	22202	11
20146	49	20460		2062			21156	53	22016	157		22203	12
20147	45	20480		2062			21157	48	22017	157	1	22204	11
20148	50	20485		2071			21158	47	22018	157		22205	11
20149	51	20486		2073			21159	52	22045	157	i i	22206	12
20150	45	20490		2076			21161	72	22050	157		22241	13
20151	54	20492		2076			21166	72	22070	131	1	22243	13
20152	8, 55	20500		2085		97	21234	34	22072	131		22244	13
20155	55	20500		2005			21240	34	22072	131	1	22245	13
20160	30	20502		2085			21240	42	22077	131		22251	13
20100	30	20502		2005			21247	42	22078	12, 130		22253	13
20170	29	20506		2000			21308	36	22080	131		22254	13
20170	29	20507		2090			21300	39	22080	131		22255	13
20172	29	20507		2091			21312	39	22092	131		22300	15
20172	35	20520		2091			21314	39	22090	124		22301	13 13
20179	29	20520		2091			21315	39	22099	124		22302	13
20180	29	20522		2091			21310	37	22101	123		22002	13
20181	29	20522		2091			21317	38	22109	124		22303	13
													13
20185	35	20527		2091			21319	38	22119	11, 125		22304	13
20190	30	20528		2093			21320	37	22120	125		00005	13
20191	31	20529		2093			21322	37	22121	11, 125		22305	15
20193	41	20530		2093			21323	37	22122	11, 125		22311	13
20195	31	20533		2093		07	21324	37	22124	121		22312	13
20196	32	20534	85	2093	3 10, ⁻	107	21325	38	22134	121		22313	13

NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PAR	T#	PAGE	PART#	PAGE		PART#	PAGE
22315	137	22424	140	22646	163,	227	32	290	23139	10, 116		23690	143
22316	15-16,	22425	140	22649	168	227	33	290	23140	10, 116		23691	144
	133	22435	137	22651	168	227	34	290	23141	10, 116		23692	144
22317	15-16, 133	22441	133	22652	134, 165	227	35	194, 319	23142	10, 116		23693	144
22320	151	22443	135	22654	134, 165	227	36	194, 319	23143	74	_	23694	144
22321	133	22444	136	22655	17, 164	227	37	161	23144	74		23695	144
22322	15, 133	22445	137	22674	192	227	38	9, 113	23210	118		23698	144
22323	135	22446	138	22677	191	227	39	192	23520	178,		23699	144
22323	136	22459	152	22678	191	227	41	139-140		180, 184		23700	146
22324	130	22460	152	22679	191	227	42	139-140	23523	178,		23701	143
22326	138	22461	152	22681	190	227	43	139-140	20020	180,		23703	144
22320	130	22462	152	22682	190	227	44	139-140		184		23705	144
22335	133	22463	152	22683	190	227	49	157	23525	18, 180		23707	17, 145
22341	134	22470	152	22684	190	227	53	113,	23528	178,		23710	146
		22515	137	22686	190			161, 167		182, 184		23711	145
22343	135	22517	137	22687	190			167, 323	23532	178,		23712	145
22344	136	22518	137	22688	190	227	54	161, 324	20002	182,		23713	17, 145
22345	137	22521	140	22689	190	227		22, 161,		184		23750	146
22346	138	22523	140	22691	191			324	23533	183		23760	146
22361	133	22524	140	22697	191	227	56	22, 161,	23534	183		23763	147
22362	134	22525	140	22698	191			324	23535	183		23764	147
22363	135	22604	159	22699	192	227	57	22, 161, 324	23540	183		23766	147
22364	136	22605	159	22701	192	202	61	324 17, 192	23541	183		23767	147
22365	137	22606	142, 159	22703	160	227			23542	183		23770	142
22366	138	22610	160	22704	160	228		163 164	23543	183		23775	142
22367	137	22617	18, 191	22706	159, 319	228			23544	183		23782	142
22368	15, 16, 138	22620	159	22708	159, 319	228		164	23545	183		23790	142
22371	14-15,	22622	159, 258	22709	159	228		116, 157	23546	183		23820	143
22011	133	22624	167	22710	155	229		114	23547	183		23840	143
22372	14, 16,	22625	159	22711	160	229		117	23548	183		23845	154
	134	22626	159,		160	229		116	23556	183		23850	
22373	14, 16,		163,	22713	160	229		117	23558	183		23860	154
00074	135	_	167	22714	160	229		114	23560	178		23870	154
22374	14, 16, 136	22627	167	22715	160	229		116	23561	178		23875	150
22375	14, 16,	22629	166	22716	160	229	36	9, 91, 117	23562	178		23900	149
22010	137	22630	166	22717	160	229	39	116	23675	143		23901	149
22376	14, 16,	22631	166	22717	160	229		117	23676	143		23901	149
	138	22632	167	22710	160	229		115	23677	143		23902	149
22400	151	22633	166	22719	160	229		115	23678	143	-	23905	149
22405	137	22634	167	22722	160	230		115	23679	143		23905	
22411	133	22635	167			230		115	23681	146			150
22412	133	22636	166	22724	161	230		115	23682	144		23908	150
22413	133	22637	166	22725	161	230		115	23683	144		23920	149
22414	136	22640	163	22726	161				23684	144		23921	149
22415	137	22641	163	22727	161	230		115	23685	144		23960	160
22416	15, 133	22642	164	22728	161	230		115	23686	144		23961	160
22417	15, 133	22643	164	22729	161	230		117	23687	146		23962	160
22421	140	22644	164	22730	290	230		118	23688	145		23963	160
22423	140	22645	163	22731	290	231	კვ	10, 116	23689	146		23965	154
									20000	140			

NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
23970	113	24317	37, 124	24534	129	25179	242	38300	220	41100	215
23980	158	24318	38-39,	24547	87,129	25180	242	38310	220	41200	216
23990	158		124	24548	87, 129	25800	114	38315	114	41201	216
23991	158	24320	29-33,	24558	86, 129	25830	114	38350	222	41205	216
23995	158	0.4005	42, 123	24570	9, 89,	25900	155, 318	38356	222	41221	196
23996	158	24325	40, 124		129	25970	111	38360	222	41300	215
23997	158	24330	123	24573	89, 129	25971	112	38361	223	41301	215
24010	99, 130	24340	123	24574	129	25973	112	38366	222	41302	215
24011	99, 130	24350	29-34, 42, 123	24576	89-90,	26140	353	38385	223	41303	215
24012	100, 130	24351	41, 123	04577	129	26150	353	38387	223	41305	215
24050	43-46,	24360	29-33,	24577	9, 89-90, 129	26200	354	38388	20, 222	42000	212-21
	50-52,		123	24578	90, 129	26210	354	38390	223	42001	212-21
	127	24430	56, 60,	24579	90-91,	26211	354	38400	224	42010	212-21
24052	49, 127		127	21010	129	26215	354	38410	224	42020	212-21
24100	123	24440	57-69, 127	24602	72,128	26217	354	38415	114	42025	212-21
24101	38-40, 124	04441	127	24603	128	27043	351	38420	224	42030	212-21
24103	38-40,	24441	57-69, 127	24608	93, 129	27264	97	38541	222	42031	212-21
24105	124 124	24445	12, 57-	24609	92, 129	27293	111	38542	222	42040	213
24104	38-40,		69, 127	24700	71, 128	27336	96	38550	223	42050	213
	124	24446	64,	24750	73, 128	27601	72	38551	224	42060	213
24120	123	24448	56, 127	24766	73, 128	27862	77	38555	223	42080	213
24122	123	24450	57, 127	24800	73, 128	34800	217	38560	223	42090	213
24144	29, 54,	24460	97, 128	24811	36, 124	35000	217	38590	224	44050	232
	127	24463	98, 128	24813	29, 123-	35500	217	38710	224	44052	232
24150	123	24480	98, 128		124	35520	218	38755	224	44052	232
24051	127	24482	98, 128	24814	35-36,	35560	210	38760	225	44038	232
24152	8, 55, 127	24501	129	_	124		217		216, 224		234
24153	47-48.	24504	96, 129	24817	36, 124	35570		38764	,	46150	
24133	127	24505	95, 129	24819	36, 124	35571	218	38765	216, 224	46151	233
24154	48, 127	24507	82-83,	24840	130	35581	218	38770	225	46160	233
24161	72, 128		129	24861	130	37800	219	38772	225	46180	233
	72, 128	24508	94, 129	24862	130	37810		38775	225	46185	233
24165	128	24509	94, 129	24865	130	37812	219	39000	225	46190	233
24166	72, 128	24511	95, 129	24866	130	37900	219	39005	226	46200	234
24170	29-34,	24515	86, 129	24890	53	37920	219	39010	226	46220	233
	42, 123	24516	80-81,	24936	107, 130	37930	219	39015	226	46240	233
24171	41, 123	-	128	24964	131	37932	220	39016	226	46241	233
24181	29-34,	24517	79, 128	24965	130-131	37934	220	39020	226	46245	233
	42, 123	24518	79, 128	24976	104, 130	37936	220	39021	226	46247	233
24185	29, 35, 123-124	24520	78, 128	25000	154	37938	220	39022	226	46300	235
24212		24522	95, 129	25001	154	37950	221	39023	226	46310	235
24212	29, 35, 123-124	24523	78-79,	25025	156	37955	221	39025	226	46320	233
24213	29, 35,	04507	128	25026	154	37960	221	39050	225	46330	233
	123-124	24527	81-82, 128	25050	156	37961	221	39152	219	46340	233
24308	36, 123	24528	81-82,	25100	156	38150	221	39153	219	46345	233
24314	38-39,	2.020	128	25150	156	38191	221	39154	219	46420	233
	124	24530	87, 129	25160	246	38192	221	41060	216	46440	233
24315	38-39,	24532	84-85,	25177	156	38193	221	41090	168, 284	46445	233
	124		129								

NUMERICAL INDEX

				11101100							
PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
46460	233	51026	23-24,	51530	23-24,	52009	23-24,	52526	23-24,	60110	364
46480	233	51007	332	54500	332	50010	332	50507	332	60115	364
46485	233	51027	23-24, 332	51532	23-24, 332	52010	23-24, 332	52527	23-24, 332	60120	364
46490	233	51028	23-24,	51534	23-24,	52011	23-24,	52528	23-24,	60125	364
47130	236-237		332		332		332		332	60130	364
47135	236-237	51029	23-24,	51540	23-24,	52025	23-24,	52529	23-24,	60135	364
47140	236-237	51030	332	61641	332 23-24.	50000	332 23-24.	50500	332	60140	364
47150	236-237	51030	23-24, 332	51541	23-24, 332	52026	23-24, 332	52530	23-24, 332	60145	364
47160	236-237	51032	23-24,	51542	23-24,	52027	23-24,	52532	23-24,	60146	25, 364
47165	236-237	_	332	_	332	_	332	_	332	60150	364
47170 47175	236-237 236-237	51034	23-24, 332	51543	23-24, 332	52028	23-24, 332	52534	23-24, 332	60155 60200	364 141
47175	236-237	51040	23-24,	51544	23-24.	52029	23-24,	52540	23-24,	60200	141
47100	236-237	51040	332	01044	332	52025	332 3	02040	332 332	60201	141
47195	236-237	51041	23-24,	51545	23-24,	52030	23-24,	52541	23-24,	60206	141
47200	236-237		332		332		332		332	60355	364
47205	236-237	51042	23-24, 332	51555	23-24, 332	52032	23-24, 332	52542	23-24, 332	60460	231
47210	236-237	51043	23-24,	51556	23-24,	52034	23-24,	52543	23-24,	60461	231
47215	236-237		332		332		332		332	60462	231
47220	236-237	51044	23-24,	51560	23-24,	52040	23-24,	52544	23-24,	60464	231
47230	236-237	51045	332	51501	332	500.44	332	50545	332	61740	238
47500	237	51045	23-24, 332	51561	23-24, 332	52041	23-24, 332	52545	23-24, 332	61741	238
47510	237	51055	23-24,	51570	23-24,	52042	23-24,	52555	23-24,	61742	238
47520	237		332		332		332		332	61743	238
49500	155	51056	23-24, 332	51571	23-24, 332	52043	23-24, 332	52556	23-24, 332	61744	238
51000	23-24, 332	51060	23-24,	51572	23-24,	52044	23-24.	52560	23-24,	61745	238
51001	23-24,	01000	332	01012	332	02044	332	02000	332	61746	238
51001	332 332	51061	23-24,	51573	23-24,	52045	23-24,	52561	23-24,	61755	239
51002	23-24,		332		332		332		332	61756	239
	332	51070	23-24, 332	51574	23-24, 332	52055	23-24, 332	52570	23-24, 332	61757	239
51003	23-24, 332	51071	23-24,	51575	23-24,	52056	23-24,	52571	23-24,	61760 61770	239 239
51004	23-24,		332		332		332		332	61790	239
	332	51072	23-24,	52000	23-24,	52060	23-24,	52572	23-24,	61820	239
51005	23-24,	51073	332 23-24,	52001	332 23-24,	52061	332 23-24,	52573	332 23-24,	61840	240
51000	332 23-24,	51073	23-24, 332	52001	23-24, 332	52001	23-24, 332	32373	23-24, 332	61870	240
51006	23-24, 332	51074	23-24,	52002	23-24,	52070	23-24,	52574	23-24,	61880	240
51007	23-24,		332		332		332		332	62010	235, 249
	332	51075	23-24, 332	52003	23-24, 332	52071	23-24, 332	52575	23-24, 332	62026	248
51008	23-24, 332	51525	23-24,	52004	23-24,	52072	23-24,	60008	362	62027	248
51009	23-24,		332		332		332	60009	362	62030	248, 430
01000	332	51526	23-24,	52005	23-24,	52073	23-24,	60010	363	62050	241
51010	23-24,	E4 507	332	50000	332	F0074	332	60012	362	62070	244
FROM	332	51527	23-24, 332	52006	23-24, 332	52074	23-24, 332	60015	25, 362	62071	244
51011	23-24, 332	51528	23-24,	52007	23-24,	52075	23-24,	60016	363	62080	241
51025	23-24,		332		332		332	60055	364	62160	246
	332	51529	23-24, 332	52008	23-24, 332	52525	23-24, 332	60100	364	62190	239
			332		JJZ		JJZ	60105	364	62191	239

MOROSO NUMERICAL INDEX

NUMERICAL INDEX

PART#			# PAGE	PART#		PART#		PART#		PART#	
62192	239	62673		63494	205	63655	198	63811	208	63880	177
62200	242	62674		63495	205	63656	198	63812	202	63881	177
62205	242	63000		63496	205	63657	197	63813	200	63882	177
62208	139-140,	63001		63497	202	63660	197	63814	210	63883	177
62210	242	63307	263	63498	202	63700	263	63815	173	63884	177
62220	242	63309	263	63499	202	63730	263	63817	171	63885	177
62250	242	63313	263	63500	174, 261	63731	263	63818	171	63886	177
62255	240	63316	263	63501	204	63740	263	63819	171	63887	178
62256	240	63320	263	63502	205	63741	263	63821	172	63890	176
62260	247, 345	63324	263	63503	200	63745	263	63822	172	63895	174
62262	26, 247,	63328	263	63506	197, 448	63746	263	63823	172	63897	174
	367	63332	263	63507	197, 448	63750	174,	63824	172	63909	169
62268	247, 345	63401	196	63508	205	63760	263	63825	173	63910	169
62270	247, 345	63402	196	63509	205	63765	262	63827	170	63911	169
62271	247, 345	63403	196	63510	261	63766	198	63828	170	63916	169
62272	247, 345	63420	265	63511	261	63767	204	63829	170	63917	169
62280	252	63421	266	63512	259	63768	204	63832	170	63921	169
62284	291	63422	266	63513	259	63769	199	63833	170	63922	169
62293	245	63423	266	63514	259	63771	199	63834	170	63923	169
62295	245	63424	266	63515	259	63772	199	63836	171	63924	169
62370	243	63425	269	63516	259	63773	198	63837	171	63950	202
62371	243	63426	269	63519	258	63777	209	63838	171	63951	20, 1
62372	243	63427	269	63521	258	63778	209	63839	170		448
62380	243	63430	267	63522	258	63779	209	63840	174	63952	20, 1
62385	246	63431	267	63523	258	63780	209	63841	174	64030	179
62388	244	63432	267	63525	258	63781	209	63842	174	64031	178
62389	244	63433	268	63530	206	63782	204	63843	174	64035	178
62390	243	63440	262	63531	200	63783	204	63844	175	64050	179
62391	244	63455	264	63541	258	63784	211	63845	175	64051	180
62500	253	63461		63542	258	63785	210	63846	175	64060	179
62510	253	63465	264	63543	258	63786	204	63847	175	64070	179
62515	253	63466		63544	258	63787	201	63848	175	64100	179
62520	255	63467		63547	174, 257	63788	201	63849	176	64110	179
62530	253	63468		63557	174, 257	63791	208	63852	203	64111	180
62535	253	63469		63565	257	63793	208	63853	175	64120	179
62540	255	63471		63566	257	63795	211	63854	202	64200	179
62544	256	63473		63570	258	63796	202	63856	202	64201	180
62545	256	63474		63571	258	63797	202, 208	63857	176	64210	179
62550	254	63475		63575	257	63800	202, 200	63858	176	64211	180
62555	255	63476		63585	257	63801	203	63859	176	64550	179
62600	254	63477		63595	257	63802	203	63860	176	64551	180
62602	256	63485		63610	261	63803	203	63861	176, 363	64700	179
62610	253-254	63486		63611	261	63804	205	63865	170, 303	64800	179
62630	254	63486		63615		63805	206	63866	171	64860	180
62635	254				259					64870	181
62640	255	63490		63616	259	63806	204	63867	171	64885	181
		63491		63645	262	63808	201	63870	170	64886	182
	255	62/02	205	63650	198	63809	202	63871	210	2.000	
62641 62670	255	63492 63493		63651	198	63810	173	63873	20, 200	64887	181

PART#	PAGE	PART#	PAGE	PART#	PAGE	PAR	T#	PAGE	PART#	PAGE		PART#	PAGE
64917	270,	65090	284	65408	279	671		292	68401	294		68516	314
	272-273	65127	270	65411	279	672		292	68405	294		68519	314
64918	272	65130	280	65412	279	673		292	68411	294		68525	314
64919	272	65131	187, 280	65413	279	673		292	68420	303		68526	314
64920	273	65140	280	65414	277	676		291	68425	302		68530	314
64922	271	65141	280	65425	277	677		156, 292	68426	302		68550	315
64923	272	65144	280	65426	278	680		294	68429	302		68561	315
64925	271	65145	281	65432	278	680		294	68432	303		68562	220, 316
64926	271	65146	280	65440	276	680	06	294	68450	310		68603	315
64927	272	65160	281	65441	276	680		298	68454	21, 307		68604	315
64928	271	65170	281	65442	277	680		298	68455	306		68605	315
64929	158,	65222	279	65443	277	680		298	68456	307		68610	315
	271, 273	65223	279	65444	277	680		298	68457	305		68621	315
64930	275	65224	279	65531	277	680		297	68458	305		68630	315
64935	273	65225	276	65532	278	681		293	68459	305		68640	315
64935	273	65226	276	65534	278	681		293	68460	305		68660	317
64940	275	65227	276	65750	284	681		302	68461	311		68717	318
64943	275	65228	278	65752	284	681		302	68462	21, 307		68718	318
		65230	281	65770	284	681		308	68463	306		68719	318
64945 64947	275 275	65231	281	65800	245	681		309	68467	309		68740	318
64950	273	65234	281	65801	245	682		309	68468	309		68741	318
64951	274	65300	281	65802	245	682		309	68469	306		68762	321
64952	274	65310	281	65803	245	682		309	68470	299		68770	317
64960	273	65315	281	65805	245	682		312	68471	299		68771	317
64964	274	65330	280	65820	289	683		308	68472	299		68772	317
64965	274	65340	280	65904	285	683		296	68473	299		68773	317
64966	274	65345	280	65905	285	683		296	68474	310		68775	317
64970	274	65360	281	65906	285	683		298	68475	310		68776	317
64980	274	65370	282	65910	285	683		297	68476	21, 300		68780	318
64981	274	65372	282	65911	286	683		303	68479	305		68781	318
64985	274	65374		65912	287	683		296		301		68785	319
64991	274	65375	280	65913	287	683		21, 296	68481	305		68788	319
64996	274	65380	280	65920	288	683		304	68482	305		68790	316
65000	274	65381	187, 280	65928	286	683		312	68483	308		68791	165,
65015	275	65382	187, 280	65945	286	683		312	68484	308			320,
65016	275	65385	282	65946	286	683		304	68485	324	۰.		322
65017	275	65388	187, 280	65947	288	683		304	68486	305	- I	68792	320
65018	275	65389	187, 280	65951	289	683		304	68487	308	۰.	68800	321
65030	276	65390	280	65960	289	683		295	68488	299		68810	321
65042	273	65391	283	65961	289	683		295	68489	308	۰.	68811	320
65045	271	65392	283	66210	287	683		295	68493	300		68812	320
65047	270	65393	283	66303	287	683		295	68494	301		68813	320
65050	270	65394	283	66304	287	683		295	68495	301		68815	320
65052	270	65395	283	66305	287	683		295	68501	314		68816	320
65062	270	65396	283	66310	287	683		295	68505	314		68817	320
65064	270	65397	168, 283	66390	289	683		311	68506	314		68818	192, 320
65070	270	65398	168, 283	67100	292	683		311	68510	314		68820	316
65075	271	65401	279	67160	292	683		293	68512	314		68825	297
00070	211		-									68830	316

NUMERICAL INDEX

<u>MOROSO NUMERICAL INDEX</u>

PART#		PART#				PAGE	PART#		PART#		PART#	
68831	316	71301	227		1425	228	72013	346	72300	352	72655	337-341
68832	220	71302	227	7	1430	228	72020	346	72310	352	72656	341
68839	323	71310	227		1440	228	72023	344	72315	352	72660	341
68840	323	71311	227		1441	228	72030	346	72350	355	72673	341
68841	299, 322	71312	227		1450	228	72031	346	72355	357-361	72674	341
68843	323	71325	227		1451	228	72038	344	72358	357-361	72680	341
68844	299-300, 320	71327	227		1460	228	72040	344	72360	357-361	72682	341
68845	323	71329	227		1470	228	72041	330	72380	357	72751	341
68846	323	71330	227		1490	229	72050	330	72390	355	72752	335
68847	323	71331	227		1495	229	72060	344	72395	356	72753	335
68848	323	71332	227		1500	228	72061	330	72396	356	72754	335
68849	322	71333	227	7	1501	228	72070	344	72397	299, 356	72792	335
68850	321	71340	227	7	1502	228	72071	330	72398	299, 356	72800	335
68851	322	71341	227	7	1505	228	72075	344	72402	299	72820	343
68852	322	71345	227	7	1506	228	72076	330	72405	334	72830	343
68852	322	71346	227	7	1507	228	72081	330	72407	334	72855	343
68854	322	71349	227	7	1510	228	72130	347	72415	334	72953	25, 343
68855		71350	227	7	1530	228	72131	347	72416	334	73160	346
	322 323	71351	227	7	1531	228	72133	347	72426	334	73163	349
68856		71352	227	7	1532	228	72140	348	72430	334	73210	349
68857	300, 320	71353	227	7	1540	228	72141	348	72475	334	73214	336
68858	22, 323	71354	227	7	1550	229	72143	348	72500	335	73215	336
68859	22, 323	71355	227	7	1551	229	72150	347	72510	337-341	73216	336
68900	324	71356	227	7	1552	229	72151	347	72520	337-341	73217	336
68910	324	71358	227	7	1553	229	72153	347	72521	337-341	73218	336
68995	301	71359	227	7	1554	229	72160	349	72522	337-341	73219	336
71161	71	71360	227	7	1555	229	72161	349	72524	337-341	73220	336
71162	53	71361	227	7	1556	229	72162	349	72525	337-341	73225	336
71260	227	71362	227	7	1557	229	72163	349	72526	337-341	73226	336
71270	227	71363	227	7	1559	229	72166	349	72527	337-341	73229	336
71271		71364	227	7	1600	230	72167	347	72528	337-341	73230	336
71272	227	71365	227	7	1601	230, 248	72168	347	72529	337-341	73231	335
71274	227	71370	228	7	1602	230, 248	72170	347	72530	337-341	73232	336
71275	227	71371	228	7	1605	230, 248	72171	347	72535	337-341	73233	336
71276	227	71372	228	7	1606	230, 249	72172	347	72538	337-341	73235	336
71277	227	71373	228	7	1607	230, 249	72174	347	72540	337-341	73236	335
71278	227	71375	228	7	1610	230	72175	347	72542	337-341	 73237	335
71279	227	71376	228	7	1900	246, 353	72176	347	72550	337-341	73238	330
71280	227	71377	228	7	1910	246, 353	72178	347	72560	337-341	 73240	330
71290	227	71378	228	7	1992	346	72180	348	72561	337-341	73241	330
71291	227	71379	228	7	1993	346	72181	348	72565	337-341	 73512	330
71293	227	71380	228	7	1994	346	72182	348	72570	337-341	73535	329
71294	227	71381	228	7	1995	346	72183	348	72600	337-341	73536	329
71295	227	71382	228	7	2000	346	72195	348	72605	337-341	73537	329
71296	227	71383	228	7	2002	346	72231	350	72635	337-341	73600	329
71297	227	71400	228	7	2004	346	72251	351	72645	337-341	73602	329
71298	227	71410	228	7	2011	346	72252	351	72646	337-341	73605	329
71299	227	71420	228	7	2012	346	72280	351	72650	337-341	73607	329

NUMERICAL INDEX

MOROSO I	NUMERICAL	. INDEX

RT#	PAGE	PART#	PAGE		PART#	PAGE	PART#	PAGE	PAI	RT#
'3614	329	73696	328		73822	329	74116	371	742	25
3615	329	73699	328		73823	329	74117	373	7422	26
73616	329	73703	328		73824	329	74118	373	7422	8
73617	329	73704	328		73825	329	74119	373	7422	9
73621	329	73705	328		73826	329	74120	374	7423	0
73622	329	73706	328		73827	329	74122	374	7423 ⁻	1
73626	329	73707	328		73828	329	74123	374	74240)
73628	329	73708	328		73830	327	74124	375	7424	1
73630	329	73709	328		73832	329	74125	375	74246	3
73631	329	73710	328		73833	329	74126	375	74247	7
73657	329	73711	328		73834	329	74129	375	74248	
73658	328	73712	328		73835	329	74130	376	74253	
73659	328	73713	328		73836	329	74131	376	74254	
73660	328	73714	328		73837	327	74132	376	74255	
73661	328	73715	328		73838	327	74133	376	74256	
73662	328	73716	328		73839	329	74134	376	74258	
73663	328	73717	328		73840	327	74135	376	74299	
73664	328	73718	328		73841	327	74136	376	74300	
73665	328	73719	328		73842	327	74139	376	78740	
3666	328	73722	328		73843	329	74140	368	78000	
3667	328	73723	328		73845	329	74143	376	80110	
3668	328	73724	328		73846	329	74144	369	80120	
73669	328	73725	328		73848	329	74145	369	80131	
73670	328	73726	328		73849	329	74148	376	80160	
3671	328	73727	328		74005	22, 329,	74149	368	80700	
73672	328	73728	328		14000	367	74155	368	80740	
73673	328	73729	328		74016	365	74156	368	80750	
73674	328	73730	328		74020	25, 366	74170	367	80805	
73675	328	73731	328		74051	25, 365	74172	367	80807	
3676	328	73732	22, 328		74055	367	74173	367	80808	
73677	328	73800	327		74056	26, 366	74174	367	80809	
73679	328	73801	327		74057	26, 366	74175	367	80939	
73680	328	73802	327		74070	25, 366	74177	26, 367	80940	
73681	328	73804	327		74071	26, 366	74178	26, 367	80941	
3682	328	73805	327		74100	370	74180	377	80942	
/3683	328	73808	327		74101	370	74181	377	80944	
73684	328	73810	327		74102	370	74183	377	84750	
73685	328	73811	327		74103	368	74186	377	84751	
73686	328	73812	327		74104	368	74190	377	85080	
73687	328	73813	327		74105	372	74193	377	85090	
3688	328	73814	327		74106	370	74194	378	85280	
3689	328	73815	327		74107	371	74195	378	85282	
73690	328	73816	327		74108	370	74200	369	85283	
73691	328	73817	327		74109	372	74201	369	85284	
73692	328	73818	329		74110	371	74220	207	85286	
73693	328	73819	329		74111	372	74220	207	85330	
73694	328	73820	329		74114	369	74222	207	85390	
3695	328	73821	329		74115	374	74222	207	8539	
10090	320	13021	525	I			14224	201	0009	

NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PAF	T# PAGE	Ξ
85392	19, 194	85498	186, 189	85639	189	85703	188	907	70 231	
85393	19, 194	85499	189	85640	189	85751	19, 193	930	20 232	
85396	18, 195	85500	188	85641	188	85752	19, 193	930	21 298,	313
85397	18, 195	85505	193	85642	188	85753	19, 193	930	25 297-2	298,
85400	192	85510	197	85643	188	85800	380	_	313	
85402	192	85511	189	85644	188	85810	380	930	40 299,	313
85404	192	85513	189	85645	189	85820	380	930	-	
85406	192	85514	189	85646	189	85830	380		305, 313	
85450	192	85515	189	85647	189	85850	380	930	50 313	
85455	194	85516	189	85648	189	85860	380	930	55 313	
85456	193, 319	85517	188	85649	188	89550	384	930	60 309, 3	313
85458	193	85518	189	85650	188	89552	251, 384	930	65 309-3	310,
85459	193	85519	189	85651	189	89555	251, 384	_	313	
85461	195	85520	189	85652	189	89560	251, 384	931	00 313	
85462	195	85521	189	85653	188	89562	251, 384	931	02 214	
85463	195	85522	188	85654	188	89570	251, 384	931	03 214	
85464	195	85523	189	85655	189	89574	251, 384	931	04 213-2	214
85465	193	85524	189	85660	189	89575	250, 384	931	05 214	
85466	193	85530	188	85661	189	89576	250, 384	931		
85467	194	85531	188	85664	189	89585	250, 385	931		
85468	193	85532	185	85665	188	89590	249	931	08 214	
85469	193	85600	188	85666	188	89592	251	931	10 214	
85470	193	85601	189	85667	189	89593	250	931		
85471	193	85602	189	85668	189	89594	250	931		
85472	185, 196	85603	188	85669	189	89595	250	931		
85473	188	85604	188	85670	189	89600	250	931	53 111	
85474	193	85605	189	85671	189	89602	241	931		
85475	185, 189	85606	189	85672	189	89603	241	931		
85477	185, 193	85607	189	85673	189	89610	241	931		
85478	189	85608	189	85674	189	89611	165, 282	931		
85479	189	85609	189	85675	189	89650	155,	931		
85481	188	85610	189	85676	189		165, 282	931		
85482	188-189	85611	189	85677	189	90100	246	931		
85483	189	85612	189	85678	189	90110	235	931		
85484	189	85613	188	85679	188	90430	433-434	931		
85485	189	85616	188	85680	188	90366	235	931		
85486	189	85617	189	85681	189	90367	231	931		
85487	189	85626	189	85682	189	90368	231	932		
85488	188	85627	189	85683	186	90369	231	932		
85489	189	85628	189	85684	186	90370	231	932		
85491	189	85629	189	85685	189	90371	231	932		
85492	189	85632	189	85686	189	90372	231	932		
85493	189	85633	188	85687	188	90373	231	932		
85494	188	85634	188	85696	188	90374	231	932		
85495	189	85635	188	85697	188	90375	231	932		
85496	185, 180	85636	188	85699	188	90376	231	932		
	189, 196	85637	189	85700	381, 446	90377	231	932		
85497	186, 189	85638	189	85702	188	90378	231	932	39 262	

NUMERICAL INDEX

 \square

PART#	PAGE	PART#	PAGE		PART#	PAGE	PART#	PAGE
93240	262	97092	286		97301	187	97730	234
93241	262	97105	203		97319	186-187	97731	234
93300	262	97110	184		97321	142-143	97732	234
93301	271,	97113	178, 184		97322	142-143	97751	191
	274-276, 284	97115	18, 184		97323	142-143	97800	190-191
93310	274-275,	97120	184		97324	142-143	97810	318
33310	284 284	97123	178, 184		97325	142-143	97817	318
93320	270,	97125	184		97330	285	97830	270
	273-275,	97130	184		97331	285-286	97832	348
	284	97133	178, 184		97340	288	97833	348
93321	283	97135	184		97341	294,	97835	348
93322	283	97136	184			302-303,	97848	348
93323	283	97138	184			309, 317	97849	350
94050	283	97140	184		97345	298,	97850	350, 353
94051	290	97141	178, 184			305,	97852	350
94052	290	97142	184			317	97853	350
94054	290	97143	184		97346	298, 303	97854	350
94055	290	97144	184		97450	464	97855	350
94056	290	97146	184		97480	251, 384	97856	350
97000	290	97147	184		97481	250	97857	350
97001	112	97149	184		97485	250-251	97858	350, 352
97002	112	97151	184		97500	250-251	97859	350, 352
97003	112	97152	184		97510	241	97860	350, 352
97005	112	97154	184		97520	287	97861	350, 353
97006	113	97157	184		97530	287	97862	350
97007	26, 113	97159	184		97535	149, 377	97866	350
97010	113	97164	184		97542	376-377	97867	351
97011	113, 184	97170	184		97543	377	99400	351
97015	113	97171	182, 184		97545	368	99401	240
97020	155	97172	182		97550	359	99406	240
97030	294-295, 315	97180	164, 182		97551	359	99410	244, 385
97035	315	97181	163		97552	359	99421	385
97035	297,	97200	163		97553	359	99430	381
57050	2 <i>91</i> , 305,	97210	185, 187		97570	464	99520	386
	316	97220	260		97571	190-191	99521	386
97037	223	97230	260		97580	194	99522	386
97040	223	97250	260		97590	194	99523	386
97050	316	97252	260		97641	158	99524	386
97062	154	97255	260		97642	147, 159,	99525	386
97070	281	97257	260			159, 163,	99534	386
97080	289	97275	260	1		167,	99535	386
97081	285-286	97290	257			269	99536	386
97085	285-286	97291	216		97644	163	99537	386
97090	288	97300	216		97690	464	99538	386
		0.000	2.0	1			20000	

NUMERICAL INDEX

COMPETITION ENGINEERING NUMERICAL INDEX

PART#		PART#		 PART#		PART#		PART#	PAGE		PART#	
C0411	401	C1417	401	C1471	401	C2036	434	C2555	432		C2816	401
C0412	401	C1421	401	 C1473	401	C2037	414	C2560	432		C2817	401
C0413	401	C1422	401	C1611	401	C2039	434	C2565	432		C2821	401
C0414	401	C1423	401	 C1612	401	C2040	434	C2570	432		C2822	401
C0415	401	C1424	401	C1613	401	C2043	435	C2575	432		C2823	401
C0416	401	C1425	401	 C1614	401	C2045	413	C2600	424-427		C2824	401
C0417	401	C1426	401	C1615	401	C2046	431	C2605	426-427		C2826	401
C0421	401	C1427	401	 C1616	401	C2047	430	C2610	424-427		C2827	401
C0422	401	C1431	401	C1617	401	C2051	430	C2611	401		C2828	401
C0423	401	C1432	401	 C1621	401	C2052	413	C2612	401		C2998	446
C0424	401	C1433	401	C1622	401	C2053	413	C2613	401		C2999	446
C0425	401	C1434	401	C1623	401	C2056	431	C2614	401		C3000	436
C0426	401	C1435	401	C1624	401	C2090	408	C2615	427		C3001	436
C0427	401	C1436	401	C1625	401	C2091	408	C2616	426-427		C3002	446
C0611	401	C1437	401	C1626	401	C2093	408	C2617	401		C3004	446
C0612	401	C1438	401	C1627	401	C2094	408	C2618	401		C3005	446
C0613	401	C1439	401	C1811	401	C2096	408	C2619	401		C3006	446
C0614	401	C1440	401	C1812	401	C2097	408	C2620	424-427		C3007	446
C0615	401	C1441	401	C1813	401	C2099	408	C2621	401		C3008	446
C0616	401	C1442	401	C1814	401	C2100	408	C2622	401		C3009	446
C0617	401	C1443	401	C1815	401	C2101	407	C2623	401		C3010	446
C0621	401	C1444	401	 C1816	401	C2103	407	C2624	401		C3011	446
C0622	401	C1445	401	C1817	401	C2109	407	C2625	401		C3012	404
C0623	401	C1446	401	 C1821	401	C2111	407	C2626	401		C3013	404
C0624	401	C1447	401	C1822	401	C2112	418	C2627	401		C3014	404
C0625	401	C1448	401	 C1823	401	C2137	414	C2630	424-427		C3016	404
C0626	401	C1449	401	C1824	401	C2139	414	C2639	424-427		C3019	431
C0627	401	C1450	401	 C1825	401	C2140	433	C2640	424-427		C3020	437
C0811	401	C1451	401	C1826	401	C2145	433	C2645	424-427		C3021	436
C0812	401	C1452	401	 C1827	401	C2148	433	C2646	424-427		C3022	436
C0813	401	C1453	401	C2005	405	C2199	408	C2647	424-427		C3023	436
C0814	401	C1454	401	C2006	405	C2408	449	C2700	424-427		C3024	436
C0815	401	C1455	401	C2016	434	C2409	449	C2705	427		C3025	436
C0816	401	C1456	401	C2017	409	C2422	401	C2710	424-427		C3026	436
C0817	401	C1457	401	C2019	403	C2423	401	C2720	424-427		C3027	450
C0821	401	C1458	401	C2021	419	C2425	401	C2730	424-427		C3028	421
C0822	401	C1459	401	C2022	450	C2426	401	C2735	424-427		C3029	421
C0823	401	C1460	401	C2023	450	C2427	401	C2740	424-427		C3030	462
C0824	401	C1461	401	C2024	413	C2428	401	C2750	424-427		C3031	402
C0825	401	C1462	401	C2025	449	C2429	401	C2755	424-427		C3032	402
C0826	401	C1463	401	C2026	449	C2430	401	C2765	429		C3034	402
C0827	401	C1464	401	C2027	419	C2431	401	C2770	428		C3035	402
C1411	401	C1465	401	C2028	409	C2432	401	C2806	428		C3039	436
C1412	401	C1466	401	C2029	409	C2433	401	C2811	401		C3040	404
C1413	401	C1467	401	C2030	406	C2434	401	C2812	401		C3042	436
C1414	401	C1468	401	C2031	413	C2436	401	C2813	401		C3043	404
C1415	401	C1469	401	C2032	432	C2437	401	C2814	401	() 	C3044	436
C1416	401	C1470	401	C2035	413	C2550	432	C2815	401		C3044	404

			COMP	=////0	IN ENC	<i>illvee</i>	RING	VUME	RICAL	INDE	X		
PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
C3047	404	C3149	436	C3229	439	C3348	438	C3461	443	C4050	451	C6161	420
C3048	404	C3150	436	C3231	439	C3350	440	C3465	443	C4051	451	C6162	420
C3059	402	C3151	436	C3233	439	C3361	440	C3600	423	C4052	451	C6163	420
C3060	402	C3152	436	C3234	439	C3370	440	C3601	423	C4053	452-453	C7024	407
C3061	403	C3153	436	C3235	439	C3371	440	C3610	423	C4054	452-453	C7025	412
C3062	402	C3154	436	C3240	439	C3372	440	C3990	454	C4055	452-453	C7030	407
C3065	403-404	C3155	436	C3250	439	C3373	440	C3991	454	C4900	443	C7031	407
C3090	421	C3156	436	C3260	439	C3380	440	C3992	454-455	C4901	443	C7032	407
C3100	436	C3157	436	C3261	439	C3381	440	C3993	454-455	C4902	443	C7046	434
C3101	436	C3158	436	C3262	439	C3382	440	C3995	454-455	C4905	441	C7047	434
C3108	404	C3159	436	C3263	439	C3383	440	C3997	454-455	C4906	441	C7048	433
C3111	404	C3160	422	C3264	439	C3384	440	C4000	454-455	C4907	441	C7051	433
C3112	404	C3161	422	C3265	439	C3385	440	C4001	454-455	C4925	444	C7052	433
C3113	404	C3162	422	C3266	439	C3405	410	C4002	454-455	C4930	444	C7058	433
C3114	404	C3165	450	C3267	439	C3406	412	C4003	454-455	C4931	444	C7060	433
C3115	404	C3166	450	C3268	439	C3408	459	C4004	454-455	C4935	444	C7066	433
C3116	404	C3168	418	C3270	439	C3409	460	C4005	454-456	C4990	446	C7212	462
C3117	404	C3170	429	C3275	439	C3410	458	C4006	454-456	C5020	462	C8003	415
C3118	404	C3172	442	C3279	439	C3411	460	C4007	454-456	C5073	447	C8007	418
C3120	404	C3173	442	C3285	439	C3412	459	C4008	454-456	C5074	447	C8008	412
C3121	436	C3174	421	C3287	439	C3413	460	C4009	454-456	C5076	447	C8010	415
C3122	436	C3175	421	C3300	440	C3414	461	C4010	451	C5078	382, 448	C8015	417
C3123	436	C3176	437	C3302	440	C3417	461	C4011	454-456	C6003	420	C8016	416
C3124	436	C3177	437	C3303	440	C3418	461	C4012	454-456	C6004	420	C8017	417
C3125	436	C3178	437	C3305	440	C3419	461	C4013	454-456	C6007	420	C8019	417
C3126	436	C3180	404	C3306	440	C3420	430	C4014	454-455	C6009	420	C9004	410
C3127	436	C3181	436, 439-440	C3307	440	C3421	459	C4015	454-456	C6010	420	C9006	412
C3128	436	C3182	442	C3308	440	C3422	457	C4022	452	C6011	420	C9020	387
C3129	436	C3183	442	C3309	440	C3423	457	C4024	452	C6012	420	C9085	412
C3130	436	C3184	439-440	C3310	439	C3424	457	C4025	452	C6014	420	C9100	410
C3131	436	C3185	438	C3311	440	C3425	457	C4027	452-453	C6017	420	C9105	411
C3132	436	C3186	441	C3312	440	C3427	460	C4028	452-453	C6019	420	C9200	410
C3133	436	C3187	441	C3313	440	C3428	458	C4029	462	C6020	420	C9205	410
C3134	436	C3191	436,	C3314	440	C3429	459	C4030	452-453	C6021	420	C9401	436
C3135	436		439-440	C3320	438	C3430	458	C4031	452 451-452	C6130	420	C9402	436
C3136 C3137	436 436	C3194	439-440	C3321 C3322	438 438	C3431 C3432	457 458	C4032 C4033	451-452	C6131 C6132	420 420	C9405 C9408	436 436
C3137	430	C3195	438	C3323	438	C3432	458	C4033	451	C6133	420	C9408	436
C3139	436	C3196	441	C3324	438	C3435	463	C4034	452-453	C6150	420	C9412	436
C3140	404	C3197	441	C3325	438	C3435	403	C4035	452-453	C6151	420	C9412	436
C3140	404	C3220	439	C3323	430	C3437	463	C4030	452-453	C6152	420	C9505	430
C3142	404	C3221	439	C3340	438	C3439	463	C4038	452-453	C6153	420	C9507	411
C3144	436	C3222	439	C3341	438	C3440	463	C4040	446	C6154	420	C9510	411
C3145	436	C3223	439	C3342	438	C3450	445	C4041	446	C6155	420	C9609	447
C3146	436	C3224	439	C3343	438	C3451	445	C4047	451	C6156	420	C9700	408
C3147	436	C3225	439	C3344	438	C3452	445	C4048	451	C6157	420		
C3148	436	C3226	439	C3345	438	C3453	445	C4049	451	C6160	420		
		C3227	439										

COMPETITION ENGINEERING NUMERICAL INDEX