# 

SINCE 1973





# 2017 IVE S EHAMPIONS



Ferrari-AF Corse FIA WEC GT Manufacturers Champions

James Calado and Alessandro Pier Guidi FIA WEC GT Drivers Champions

# 2017 XX RX CHAMPIONS



PSRX Volkswagen Team Sweden FIA World Rallycross teams' champion 2017







# **TOTALLY PRINTED** FIA TOP LEVEL SUIT Regular fit with ultraflat antirubbing seams, soft knitted fabric inside. Unlimited customization way thanks to the totally printed design. IA01857178XX Blck/green/yellow **INNER POCKET** One comfortable inner pocket **APPROVED** MANUFACTURER: OMP MODEL: R-IA8-001 HOM, NO: RS.297.16

# SUIT FOCUS

FRESH AIR IN HOT AIR OUT

on page 317

# FLOATING SLEEVES

Semi floating arm bellows.

KNITTED MATERIAL

### STRETCH DRY SYSTEM

High breathability parts in Dry System 3D material on back, hips and under the sleeves. STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamental elements to help drivers improve their performance.

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution.

OMP's Dry System is a registered utility model.

FRESH AIR IN HOT AIR OUT

RACING

FIA STANDARD: FIA 8856-2000

773

-











# INSPIRED BY OMP TOP DRIVERS



NIGEL MANSELL 1989 EASIER AND LIGHTER ARM BELLOW CONCEPT




AYRTON SENNA 1991 100% FLAT STICHING



M. SHUMACHER
2006
FRONTAL STITCHING CALF ELASTIC INSERT



M. SHUMACHER 2006 KNEE PADS SMALL POCKETS



KIMI RÄIKKÖNEN 2012 LOWERED COLLAR NO BELT



TOMMI MÄKINEN 1996 INNER COLLAR IN SOFT KNITTED FA-BRIC



P. SOLBERG 2014 Integrated dry system



2015 Ultralight Fabrics Smaller and LIGHTER ARM BELLOW COSTRUCTION



RACING

13

# 0Ne-5

# TOP LEVEL SUIT

Fireproof top level overall. Developed for the highest lightness without sacrifying the comfort. Made of shiny Nomex@ fabrics. Regular fit with antirubbing seams.



# IA01853244XX

Blu navy / cyan



OMP

FLOATING SLEEVES

Semi floating arm bellows.

### DRY SYSTEM

High breathability parts in Dry System 3D material.

IA01853

SIZES: 46-64

sizing information on page 317

FRESH AIR IN HOT AIR OUT



One comfortable hidden inner pocket.

### KNITTED MATERIAL






# DRY SYSTEM

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing to facilitate the body thermoregulation. The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.

# STRETCH DRY SYSTEM

More comfort, less heat: a goal that OMP pursues since always, and now concretizes with STRETCH DRY SYSTEM. The maximum breathability of OMP Dry System is combined with the elasticity of 3D materials, to allow the best freedom in movements while reducing body temperature. Two fundamental elements to help drivers improve their performance.





Silver/anthracite/black

# ONE-5L

# SUIT





Super light fireproof overall. Made of shiny Nomex@ fabrics. Developed for the highest lightness ever!
Slim fit with ultralight antirubbing seams.



## FLOATING SLEEVES

Semi floating arm bellows.

### **INNER POCKETS**

One or two comfortable hidden inner pockets.



### DETAILS

WEIGHT: 700 gr (For OMP 50 Size Man h 175 weight 75)




MANUFACTURER: OMP MODEL: ONE S HOM, NO: RS.224.12 FIA STANDARD: FIA 8856-2000



KNITTED MATERIAL





STRETCH DRY SYSTEM

# ONE EVO

## **ULTRALIGHT PROFESSIONAL SUIT**

Made of shiny, High-Tech Nomex® fabrics and innovative new inner materials, allowing a significant weight reduction. Large and improved breathable areas. Slim fit.



SHAPED COLLAR with inner soft knitted

FLOATING ARMS

INSIDE POCKETS

with elastic bellows

PRE-CURVED SLEEVES

for maximum comfort

material



SUIT

# IA01851

SIZES: 46-64 sizing information on page 317






To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing.

FOCUS

The OMP ONE S line and TECNICA EVO breathable racing suits and underwear to facilitate the body thermoregulation, thanks to the innovative weave of the inserts, strategically positioned, that allow for high breathability while still maintaining their own fire-retardant properties (according to the FIA standard

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution.

OMP's Dry System is a registered utility model.



Black/white/red

DRY SYSTEM

3D breathable material

ULTRA-FLAT

anti rubbing seams



MANUFACTURER: OMP MODEL: ONE EVO HOM, NO: RS.224.12 FIA STANDARD: FIA 8856-2000



IA01851244XX Navy blue/white/cyan

IA01851270XX Black/white/fluo green

IA01851178XX Black/white/fluo yellow IA01851089XX Grey/black/white







# FIRST-5

OMP

# PROFESSIONAL RESISTANT AND COMFORTABLE SUIT

Entry level FIA homologated racing suit made with new lightweight fabrics and with an excellent price/quality/resistance/comfort ratio. Inner layer in soft knitted fire retardant fabric, modern design with "fishbone" quilting.



# FLOATING SLEEVES

Floating arm bellows.

### ULTRAFLAT

SIZES: 44-64

sizing information

on page 317

antirubbing seams

LARGE POCKET

### IA01828B083XX

Silver/black







# OMP SPORT

IA01904

# **ENTRY LEVEL RACING SUIT**

OMP entry level suit with an excellent quality/ price ratio. Outer pockets.



MANUFACTURER: OMP MODEL: OS 20 HOM, NO: RS.247.13 FIA STANDARD: FIA 8856-2000

# FLOATING ARMS

with elastic bellows

# IA01847F041XX

Blue

MANUFACTURED

LARGE POCKET





RACING

HIPS AND

LUMBAR INSERTS

made of soft knitted elastic fabric

# IA01847F

SIZES: S/XXL sizing information on page 317

SFI 3.2A/5 on request

Corresponding suit sizes:

USA	EU
S	46/48
M	50/52
L	54/56
XL	58/60
XXL	62/64

# OS 10 SUIT

One layer OMP Sport racing suit in fire retardant cotton fabric.



IA01904071XX

HOMOLOGATION SFI 3.2A/S1

SIZES: S/XXL sizing information on page 317

SFI 3.2A/5 on request

Corresponding

COLLES	ponunny
suit	sizes:

USA	EU
S	46/48
M	50/52
L	54/56
XL	58/60
XXL	62/64

# ONE VINTAGE SUIT

# LE MANS.

# SUIT







# SUMMER BLAST NB1578 NB1579 SUPER RESISTANT SUPER RESISTANT 1 LAYER NB1579C FOR CHILDREN MECHANICS OVERALL MECHANICS OVERALL SIZES: 44-64 sizing information on page 317 Polyester - cotton fabric Lightweight and durable 1 LAYER resistant to repeated washing polyester - cotton fabric. SIZES: 44-64 and most stubborn stains. CHILDREN SIZES: height 120-130-140-150 ARMBELLOWS ARMBELLOWS in knitted elastic fabric INNER POCKET sizing information on page 317 in knit elastic fabric NB1578041XX NB1579061XX LARGE POCKETS POCKETS for holding tools on the front CHAS OWB KNEE PADS removable KNEE PADS removable NB1579041XX NB1578061XX ELASTIC ELASTIC VELCRO VELCRO closure closure NB1578071XX Black Black MECHANICS' MECHANICS'



# **LOOP HOLDER**

### NB/1892

Back loop holder for radio and tools, belt hight (three loops).

### NB/1891

Front loop holder for radio and tools (two loops).



# **NUT HOLDER ON BELT**

NB/1890R

NB/1890L

Right or left.



# **RADIO CABLET SLOT**

NB/1893R

NB/1893L

With flap coverage. Right or left.



# **NUT HOLDER ON CHEST**

NB/1889R

NB/1889L

Right or left.



# **INSIDE POCKET**

NB/1887R

NB/1887L

Right or left.



# **BAND HOLDER**

NB/1888R

NB/1888L

Right or left.



# **ENDURANCE INSOLE for IC/791E**

# IC/100

Gel anatomic insole (spare parts) for ENDURANCE shoes. Guarantees higher comfort and stability, maximum cushioning against impact forces. Sizes: 37-46



# **TECNICA-S GLOVE**

IB/764

€ 89,00 (C)

Strong and comfortable professional glove

- Colours: black, red, blue/yellow, fluo yellow.
- Sizes: S-XL
- Homologation: FIA 8856-2000







FIA 8856/2000 3 400 46 64 SFI on request\*

FIA

8856/2000

SFI on request\*



location of the size.

n request*	30	400	64	1	
				IA01823F022X	X
ASSIC		- 57	-		

400

64

	-
IA01816F028XX	IA01816F042XX

# ALSO FOR CHILDREN LAYERS MATERIAL SIZES MECHANICS SUITS TABLE 1 polyester cotton 44 64





IA01904071XX



# CUSTOMIZE YOUR OWN SUIT




CHOOSE THE MODEL YOU WANT TO CUSTOMIZE FROM THE FOLLOWING:
ONE ART (IA01857) - ONE-S1 (IA01852) - ONE-S SUIT (IA01853) - ONE EVO SUIT (IA01851) - TECNICA
EVO SUIT (IA01859) - TECNICA-S SUIT (IA01850) - FIRST EVO (IA01854) - FIRST-S SUIT (IA01828B) ONE VINTAGE (IA01842) - LE MANS (IA01823F) - CLASSIC (IA01816F)






### AREA BY AREA, CHOOSE AND APPLY THE COLORS FROM THE PALETTES







### APPLY YOUR LOGOS AND GRAPHICS





### DOWNLOAD THE ORDER FORM AND FILL IT IN EVERY PART



# ONETOP



# ONE LONG JOHNS

# ULTRA-LIGHT PANTS WITH EXCLUSIVE FEATURES

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.

# FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY

(ref. PC02003)



FIA STANDARD: FIA 8856-2000

IAA/740EP020XX

White





# INVIGORATING COOLING

PC02003



# BIO COSMETIC ITEM ACTIVE THERMOREGULATOR

Reduces the high temperatures inside the cockpits, controls perspiration and keeps a steady body temperature, offering an invigorating and cooling sensation.

OMP gives always particular attention to the wellness and comfort of the drivers all over the world.

## ONE BALACLAVA

IAA/741E

SIZES: S - M SFI 3.3 on request

FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY

(ref. PC02003)



MODEL: IAA/741 FIA STANDARD: FIA 8856-2000





RACING

46

47

# TECNICA

# FIRST

### TECNICA TOP

# IAA/756

XS ML sizes M/L XL 2XL corresponding sizes XXXL

corresponding sizes XS/S

corresponding

corresponding sizes XL/XXL

IAA/756071XX

Black

IAA/756020XX White



APPROVED

MANUFACTURER: OMP

FIA STANDARD: FIA 8856-2000

Professional long sleeved underwear top with high neck for maximum protection made with a new comfortable fire retardant seamless fabric. The high breathability

fabric inserts on main perspiration areas ensures the

MODEL: R-IAA-001

# **TECNICA LONG JOHNS**

12

# IAA/757



corresponding sizes XS/S

ML

corresponding sizes M/L

XL corresponding

sizes XL/XXL 2XL

corresponding sizes XXXL

Professional underwear long johns made with a new comfortable fire retardant seamless fabric. The high breahtability fabric inserts on main perspiration areas ensures the best comfort and a perfect fitting.

### IAA/757071XX

Black

IAA/757020XX White

EUROPE



MANUFACTURER: OMP MODEL: R-IAA-002 FIA STANDARD: FIA 8856-2000

# **FIRST TOP**

# IAA/730

SIZES: XS - XXL

Viscose/aramid

with external

Colour: cream.

seams.

long sleeved top

# FIRST LONG JOHNS

0.1

# IAA/731P

SIZES: XS - XXL

Viscose/aramid long johns with external seams. Colour: cream.





MANUFACTURER: OMP MODEL: IAA/731P FIA STANDARD: FIA 8856-2000



MANUFACTURER: OMP MODEL: IAA/730 FIA STANDARD: FIA 8856-2000



Viscose/aramid balaclava with external seams. Colour: cream.

# IAA/729

SIZES: S - M



MANUFACTURER: OMP MODEL: IAA/729 FIA STANDARD: FIA 8856-2000

# SOCKS

# IAA/722 - IAA/724 - IAA/723

IAA/724 Black





IAA/722 Cream

SIZES: XS - L



IAA/723 Cream

These socks make use of the same material of the One Underwear, coupled with advanced knitting techniques to provide differentiated pressure areas, with

ONE SOCKS

beneficial effect for blood circulation. reducing the feeling of fatigue in the legs while driving. FIA

HOMOLOGATED



IAA/749/CN/X Black



IAA/749

SIZES: S - M - L

IAA/749028X White

### TECNICA BALACLAVA

best comfort and a perfect fitting.


Professional balaclava made with a new comfortable fire retardant seamless fabric that ensures the best comfort and a perfect fitting.

EUROPE

# IAA/758071XX

Black





SIZES: S/M - L/XL



FIA STANDARD: FIA 8856-2000

# OMP COOL SHIRT

### OMP COOLSHIRT

Underwear long sleeved top with integrated water based cooling system.

FOR MAXIMUM FRESHNESS **USE INVIGORATING COOLING SPRAY** 

(ref. PC02003)




MANUFACTURER: OMP MODEL: COOL SHIRT FIA STANDARD: FIA 8856-2000



IAA/752028XX White







# IAA/752 SFI 3.3 on request

### SMA

corresponding sizes XS/S suit sizes 44-48

### MED

corresponding sizes M/L suit sizes 50-54

### XLAR

corresponding sizes XL/XXL suit sizes 56-60



# UNIVERSAL CONNECTOR AND DRAIN KIT

the helmet. Avaible as replacement for Air & Water System dual controller.

# ID/799

ID/798

(water and air)- Controls

the amount of refrigerating

effect and gives the driver

control of his/her comfort

while in the race car by

controlling the flow of coo-

ling water through the shirt

and the flow of fresh air in

Universal connectors for supply hose ID/797. Avaible as replacement of original parts.

**DUAL FLOW CONTROLLER** 

# SAFETY PULL RELEASE CONNECTOR

# ID/800

Safety pull release connectors that allow to connect the shirt to the supply hose ID/797. Avaible as replacement of original parts.



### BRACKET

# ID/801

Spare mounting tray for Club System (ID/794). Comes with tie down strap.



# **MAINTENANCE ADDITIVE**

lution contains a fungicide yet is safe to use in all Coolshirt water based cooling systems. Regular use of this additive will not only help clean the system but it will also improve the performance and life of the system pump.



# **BAG SYSTEM**

# ID/793

### WATER COOLING SYSTEM PORTABLE FLEXIBLE BAG

Lightweight and waterproof canvas denier bag with an internal 12 V pump. For use in all types of racing. Cooling time: 1/2h - 1h More accessories available. Supply hose ID/797 sold separately.



**CLUB SYSTEM** 

# ID/794

### WATER COOLING SYSTEM CLUB SYSTEM RIGID BOX

23 lt capacity cooling unit with an internal pump which supplies water to the cooling undewear through 3 mt of double in-



sulated hose with automatic shutoff/quick disconnects. Perfect from road courses to oval track racing. Cooling time: 6h More accessories available. Bracket ID/801 included. Supply hose ID/797 sold separately.

# **COOL SHIRT SYSTEM**

Used in all levels of racing, it provides temperature controlled cooled water to the driver's Cooling Shirt and cooled filtered hair to the helmet. 2,5 mt of double water hose with automatic shutoff/quick disconnects



attach the shirt to the unit. The kit includes the box with internal pump and blower, supply water hose (2,5mt), dual flow controller (ID/798), mounting tray (ID/801), air hoses, connectors and filters. Cooling time: 4h More accessories available.

# **FLOW CONTROLLER**

# ID/796

Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through his/her shirt.



## SUPPLY HOSE

# ID/797

hose enables the Cool Shirt Bag or Club System Box to be stored further away from the driver if required. Inherently flexible, the Hose Supply is an ideal accessory to ensure future flexibility



for the Cooling system. Also availabe as replacement for CoolShirt water cooling system damaged hoses.



To be used only with quick

connection in red colour.

# PC02004



INTEGRATED QUICK

CONNECTIONS

to be used with

(see page 57).

performances with the

longer races or go directly for top

**COOLSHIRT PRO AIR AND WATER** 

SYSTEM ID/795, with additional ventilation for your helmet or seat

OMA M



# GLOVES

# TOP LEVEL RACING GLOVES WITH TOTALLY PRINTABLE DESIGN

### AVAILABLE ONLY UPON REQUEST

**EXTERNAL SEAMS** 

It is possible to customize the gloves.

Unlimited customization ways thanks to the totally printed design.



# IB/763

SIZES: XS - XL sizing information on page 317

PRECURVED EXTERNAL SEAMS



proven to give optimal grip, lightness and sensitivity









# ONS SAC

# **GLOVES**

**IB/759** 

SIZES: XS - XL

sizing information

on page 317

PRECURVED

MIXED INTERNAL/

EXTERNAL SEAMS

# 012-5

EXTERNAL SEAMS

for maximum

comfort

# **GLOVES**

# SUPER PROFESSIONAL GLOVES

Professional fireproof HI - TECH gloves based on F1 tecnology. Precurved for best fitting. Diagonal cut on the wrists + elastic bend on the wrists. Inside seams on thumbs and forefingers for highest precision on the controls, external seams on palm, middlefinger, ringfinger and pinkie for maximum comfort.



### INTERNAL SEAMS

in forefinger and thumb for highest precision on the controls

ULTRA-GRIP

is used on the fingertips

and forefingers for maximum

grip on the steering wheels



LEATHER INSERTS

ensuring the

HAND AND FINGERS SILICONE WEBBING

and ring finger for maximum comfort

EXTERNAL SEAMS

on pinkie, middle

### **IB/759/GF/XX**

Fluo yellow/black/silver



MANUFACTURER: OMP MODEL: ONE-EVO FIA STANDARD: FIA 8856-2000



IB/759/BW/XX Navy blue/white/cyan



IB/759/N/XX Black/white



IB/759/W/XX White/black/red

# LEATHER PALM

ONE EVO

internal points in antislio silicone webbing



SLANTED CUT

# SUPER PROFESSIONAL GLOVES

Fireproof precurved top level gloves. Diagonal cut on the wrists + elastic band on the wrists. Competely external seams for maximum comfort, fire retardant silicone rubber palm. Modern design.



MANUFACTURER: OMP MODEL: ONE-S ONE EVO 2015 MY FIA STANDARD: FIA 8856-2000



### IB/755E/NW/XX Black/white/grey



IB/755E/NV/XX Black/white/grey

IB/755E/GF/XX Fluo yellow/black/grey



IB/755E/B/XX Navy blue/white/cyan



IB/755E/R/XX Red/white/black



# PALM WITH FIRE-RETARDANT, SILICONE RUBBER INSERTS

proven to give optimal grip, lightness and sensitivity

# IB/755E

SIZES: XS - XL sizing information on page 317 PRECURVED

**EXTERNAL SEAMS** 

SFI 3.3/5 on request




MANUFACTURED

# SELECTED GRIP AREA

inserts are strategically located in order to decrease bunching











# TECNICE EVO GLOVES

# ECNICA-

# **GLOVES**

IB/764

SIZES: S - XL

sizing information

on page 317

INTERNAL SEAMS

# HIGH ADHERENCE GLOVES

Fire retardant silicone rubber palm for optimized grip and sensitivity, with localized leather inserts that provide impact protection to pressure points areas.

Adjustable velcro strap closure for snug fitting at the wrist.

APPROVED

MANUFACTURER: OMP MODEL: TECNICA EVO FIA STANDARD: FIA 8856-2000



# IB/756E

SIZES: XS - XL sizing information on page 317 PRECURVED EXTERNAL SEAMS









IB/756E/R/XX

Red/black/white

IB/756E/NGI/XX Black/anthracite/fluo yellow



IB/756E/N/XX Black/white



IB/756E/BC/XX Navy blue/cyan



IB/756E/W/XX White/black/red



STRONG AND COMFORTABLE PROFESSIONAL GLOVE

PADDED REINFORCEMENT



SUITABLE FOR **DRIVERS AND MECHANICS'** 

**GRIP INSERTS** 





IB/764/GF/XX

Fluo yellow/black

IB/764/R/XX Red/white





ADJUSTABLE VELCRO

PALM IN SUEDE LEATHER

and silicone rubber

STRAP CLOSURE

# FIRSTREVO

# **GLOVES**

# **GLOVES**

# PROFESSIONAL GLOVES

Light and resistant glove with elastic band on the wrist, straight cut design, inner seams. Leather reinforcements on the top of the fingers and silicone palm for best grip and sensitivity.



MANUFACTURER: OMP MODEL: FIRST EVO 2016 MY FIA STANDARD: FIA 8856-2000

### IB/757E/BC/XX

Blue/cyan/grey





IB/757E/R/XX Red/white/black/grey



# IB/757E

SIZES: S - XL sizing information on page 317 PRECURVED



# PROFESSIONAL GLOVES

Strong and comfortable racing gloves with internal seams. Palm in high grip silicon rubber, straight cut wrist. Excellent quality/price ratio, modern and fresh design.





IB/761E

SIZES: XS - XL sizing information on page 317 INTERNAL SEAMS









IB/761E/R/XX Red



PALM IN HIGH GRIP SILICONE RUBBER



可可用自身

**ELASTIC BAND** 

# NEWRALLY

# GLOVES

WITH ISO 6940

SIZES: S - XL

sizing information

on page 317

# NOLIO

MANUFACTURED

# **GLOVES**

**IB/746** 

SIZES: S - XL

sizing information on page 317

# STRONG AND DURABLE PROFESSIONAL GLOVE

Fireproof stretch fabric - suede leather. Ideal for use in harsh condition.

IB/702/B/XX



IB/702/R/XX Red



IB/702/N/XX Black



SCHUBERTH

### IB/702 VINTAGE GLOVE IN COMPLIANCE

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



MANUFACTURER: OMP MODEL: DIJON FIA STANDARD: FIA 8856-2000



IB/746/N/XX

Black

**ELASTIC WRIST STOP** 



IB/746/M/XX Cream/brown



SUEDE LEATHER INSERTS

on palm and fingers

# TAZIO

**GLOVES** 

**IB/747** 

SIZES: S - XL

sizing information on page 317

# VINTAGE GLOVE

Smooth leather and cotton fabric.

1B/747/N/XX








SMOOTH LEATHER PALM

STRAP WITH VELCRO





HOMOLOGATION PRECURVED EXTERNAL

# SIZES

# RACING GLOVES TABLE

### ONE ART

FIA 8856/2000

flame external retardant silicone



### ONE EVO

FIA 8856/2000 HAND AND FINGERS

SILICONE WEBBING
















### ONE-5

FIA 8856/2000 SFI on request\*



















IB/755E/W/XX IB/755E/NV/XX

### TECNICA EVO

FIA 8856/2000

















IB/756E/W/XX

IB/756E/R/XX

### TECNICA-S

FIA 8856/2000
















### FIRSTEVO

FIA 8856/2000













# IB/757E/NGI/XX IB/757E/R/XX IB/757E/N/XX



# The XX in each part number indicates the

location of the size.

PLEASE

NOTE -

# FIRST-S

NEW RALLY

FIA 8856/2000

ISO

6940

silicone internal

internal



XS

XL



























# WORKSHOP GLOVE

NB/1886

With palm in suede leather for best fitting and adherence.



SIZES: S-XL

# **SHORT GLOVES**

### NB/1885

# SHORT TECHNICAL GLOVE

Polyester/cotton.



elastic slipout-proof

SIZES: M (S-M) - L (L/XL) sizing information on page 317

# **PRO MEC GLOVES**

IB/758

# FLUO MECHANIC'S GLOVE

INNER SEAMS

TECHNICAL SHORT GLOVE FOR PROFESSIONAL USE

sizing information on page 317

# **LONG GLOVES**

sizing information on page 317

HIGH PROTECTION

SIZES: S-XL HOMOLOGATION: FIA 8856-2000

reinforcement

ANTI SLIP

silicon rubber palm

NB/1868

LONG MODEL GLOVES High heat resistance.



SIZES: M (S-M) - L (L/XL) sizing information on page 317



# FIFE M

# **SHOES**

# IC/819

SIZES: 37 - 48 sizing information on page 317

# HIGH LEVEL PROFESSIONAL RACE BOOTS WITH TOTALLY PRINTABLE DESIGN

### AVAILABLE ONLY UPON REQUEST

Itis possible to customize the shoes by adding/removing the inner foot support to get more comfort/sensibility. Unlimited customization ways thanks to the totally printed design.

REAR BELLOW















HIGH RESISTANT SIDE

protection on tip

# ONE EVO R FORMULA

# IC/805

SHOES

HIHIIIIIII

SIZES: 37 - 48 sizing information on page 317

that ensures an easy and quick lacing. Very light and comfortable. Structure designed to increase the sensitivty on the pedal. High resistance and best grip. The perforated leather permits best breathability.

PROFESSIONAL ULTRA-SOFT AND ULTRA-LIGHT SHOES SOFT KANGAROO LEATHER

Racing boot in soft leather and fabric with exclusive micro adjustment ROTOR LACING

REAR BELLOW

IC/805246XX

Dark blue/silver/cyan



NEW FOOT SUPPORT

to reduce stress on the foot and provide maximum drive sensivity




Fluo yellow/black/white

**EXCLUSIVE ROTOR-LACING** 

for micro adjustment and a perfect fitting

# FOCUS ROTOR LACING HEEL SUPPORT in low density material for minimum weight







**INJECTED SOLE** 

for maximum grip and

resistance to wear

Fluo green/black/white



IC/805071XX Black/white



# RACING

**APPROVED** 

MANUFACTURER: OMP MODEL: ONE EVO FORMULA FIA STANDARD: FIA 8856-2000

# ONEEVO

# **SHOES**

IC/806

SIZES: 36 - 48

sizing information

on page 317

# ONe-5

# SHOES

IC/807

SIZES: 37 - 48

sizing information

on page 317

SFI 3.3/5 on request

#### PROFESSIONAL TOP LEVEL

IC/806099XX

Fluo yellow/black/white

Perforated full grain leather for high breathability and fabric inserts. High resistant, injected sole, best grip. Velcro strap for best fitting. Structure designed to increase the sensitivity on the pedal. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots.



# APPROVED MANUFACTURER: OMP





for maximum grip and resistance to wear

INJECTED SOLE

#### PIVOT-LIKE HEEL DESIGN

for smooth pedal actuation

#### THIN LACES

**NEW FOOT SUPPORT** 

sensivity


to reduce stress on the foot and provide maximum drive

for high sliding and quick lacing

#### PERFORATED LEATHER

for maximum breathability

## IC/806020XX






IC/806071XX Black/white

IC/806061XX Red/black/white

## PROFESSIONAL TOP LEVEL

Leather boot. Tecnichal reinforcements on the tip and on the heel. Injected high resistant sole and best grip. Velcro strap for the best fitting of the ankle. Inner sole with plate reinforcement for highest sensitivity and reduction of the stress on the feet. Thin laces to guarantee and permit a good sliding and a quick lacing of the boots. Modern design.



MANUFACTURER: OMP MODEL: IC/801 ONE-S FIA STANDARD: FIA 8856-2000

APPROVED,

#### VELCRO STRAP

for a best fitting of the ankle



EUROPE

SPECIAL VERSION:

RED SOLE, WHITE UPPER

#### INJECTED SOLE

for maximum grip and resistance to wear

#### IC/807020XX

White/black/silver/red laces and sole

#### THIN LACES

for high sliding and quick lacing

#### TECNICAL REINFORCEMENTS

on the tip and on the heel



IC/807061XX

Red/white/black



IC/807071XX Black/white/silver

#### IC/807099XX

INNER SOLE

with plate reinforcement for highest sensitivity and reduction of stress on the feet.

BLACK SOLE, **4 DIFFERENT UPPERS** 



IC/807244XX

Dark blue/white/cyan

# TECNICA EVO SHOES

# FIRSTEVO

# **SHOES**

#### PROFESSIONAL BOOTS

Boots made of soft suede leather. High quality and resistant ultralight sole with inner reinforcement for maximum sensitivity and high protection. Made with a single piece of leather in order to guarante maximum comfort and low weight. Features a new design and side protections on the tip.

EURÖPE

SOFT SUEDE

APPROVED

SOFT MATERIAL

MANUFACTURER: OMP

FIA STANDARD: FIA 8856-2000

MODEL: TECNICA EVO

## IC/803E

SIZES: 37 - 48 sizing information on page 317 SFI 3.3/5 on request

ULTRALIGHT OUTSOLE

with inner reinforcement

CONSTRUCTION

IC/803E073XX

Black/red

#### PROFESSIONAL MID CUT BOOTS

Made of suede leather with an excellent quality/price ratio. Resistant sole with a round cutted heel in order to ease the rotation of the feet while driving. Velcro strap on the ankle for best fitting. Inner black knitted fabric. Reinforcements on the tip. Available in modern colors with fluo inserts.

IC/809 SIZES: 37 - 48

sizing information

on page 317





The same

IC/803E044XX

Blue/fluo yellow

IC/803E071XX Black SIDE PROTECTIONS

on the tip

# FIRST-5

EUROPE

# **SHOES**

# OMP SPORT

**SHOES** 

IC/816

SIZES: 36 - 47

sizing information

on page 317

#### PROFESSIONAL MID CUT BOOTS

Made of suede leather with excellent quality/price ratio.Internal black knitted fabric.

APPROVED

MANUFACTURER: OMP MODEL: IC/802 FIRST-S FIA STANDARD: FIA 8856-2000



SIZES: 37 - 48 sizing information on page 317

#### **ENTRY LEVEL RACE BOOTS**

Made in soft, confortable and lightweight microfiber. Exclusive resistant antislip rubber sole inspired by car's tyres.

EUROPE









CONFORTABLE SOFT SUEDE LEATHER

IC/802041XX



IC/799071XX RBtack

RACING

LIGHTWEIGHT

MICROFIBER

RACING

MANUFACTURER: OMP MODEL: R-IC-001

FIA STANDARD: FIA 8856-2000

# CO-DRIVER

# SHOES

# CARRERAHIGH

# **BOOTS**

IC/782

SIZES: 37 - 46



Co-driver boot made of water-repellent suede leather with inner soft fabric. Sole made of hydrocarbon resistant rubber, lace closure, ankle velcro strap.

Compatible with IC/100 gel anatomic insole for mechanics (sold separately).



IC/791E061XX



IC/791E071XX

## IC/791E

SIZES: 37 - 48 sizing information on page 317



SOLE MADE OF RESISTANT RUBBER, HYDROCARBON RESISTANT

IC/791E041XX

#### EMBOSSED sizing information on page 317 Polished leather lined in soft jersey. Printed with leather logo. rubber sole resistant to hydrocarbons. High quality treated leather for an ultra-soft feel. Accurate hand-made production. **APPROVED** MANUFACTURER: OMP MODEL: CARRERA FIA STANDARD: FIA 8856-2000 IC/782014XX HIGH SENSIVITY SOLE IC/782015XX Brown

## RACING

# WORKSIHOP

RAINPROOF LEATHER

# SHOES

ORC3404



INNOVATIVE MECHANICS SHOES REALIZED IN COOPERATION WITH LOTTO SPORT ITALIA®



MIDSOLE IN EVA

UPPER IN MESH

SYNTHETIC LEATHER INSERTS IN CARBON FIBER LOOK

SIZES:

38,5-39-40-40,5-41 42-42,5 43-43,5-44 45-45,5-46-47





ORC3404073XX

MECHANICS'





# **BOOTS**

#### HIGH CLASSIC BOOTS

Polished leather lined in soft jersey. Printed rubber sole resistant to hydrocarbons.

HIGH QUALITY VINTAGE BOOTS

High quality treated leather for an ultra-soft feel.

Accurate hand-made production.



MODEL: NURBURGRING FIA STANDARD: FIA 8856-2000



IC/784015X

IC/784 SIZES: 37 - 48 EMBOSSED sizing information on page 317 with leather logo.







NOTE :




PERFORATED SIZES



VINTAGE SHOES TABLE

The XX in each part number indicates the location of the size.





# GP8

#### **FULL FACE HELMET**

Lightweight, made in composite material with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system.







# J8 INTERCOM NEXUS

#### **OPEN FACE HELMET**

SC785

HOMOLOGATION:

TWO SHELL SIZES

FIA 8859-2015

SIZES: XS-XXL

**SNELL 2015** 

Made in composite material. Lightweight, with soft and comfortable high breathability fire retardant internal lining, bordered strap with double ring clousure and sun peak.



**J8** 

SC787

J8 INTERCOM STEREO

SC788

HOMOLOGATION: FIA 8859-2015 - SNELL 2015

WITHOUT INTERCOM SYSTEM VERSION



FIA 8859-2015 - SNELL 2015 WITH INTERCOM KIT

HOMOLOGATION:

JA/854 (flexible microphone boom, speaker, Stereo plug)




EASY BLOCK SYSTEM

## HELMET ACCESSORIES

# I-RACE NEXUS PLUG

JA/876

#### GP8 (SC785)



## J8 (SC787) - J8 INT. STEREO (SC788) - J8 INT. NEXUS (SC794)



SPARE CHEECK PADS

size XXS-XXL SC158

(no picture).

SPARE TOP INNER LINING size XS-XXL SC159 (no picture).

#### SUPER PROFESSIONAL INTERCOM

#### DIGITAL ELECTRONIC IMPROVED RELIABILITY.

High quality sound and digital filtering.

FRAME: aluminium case to shield electromagnetic interferences.


DIMENSIONS 110X60X30 MM

EASY MOUNTING DB KILLER modify the control box's



DRIVER HELMET CONNECTOR

WITH FEMALE NEXUS CONNECTOR IN ORDER TO BE COMPATIBLE WITH OMP AND PELTOR INTERCOM SYSTEMS



# TECH RACE NEXUS PLUG



## INTERCOM ACCESSORIES NEXUS PLUG



## JA/856E

#### PROFESSIONAL INTERCOM

REDESIGNED ELECTRONIC FOR IMPROVED PERFORMANCE, INCREASED OUTPUT **VOLUME (+30%) AND ELECTRONIC** INTERFERENCES REDUCTION.

Fixable on rollbar or dashboard. Powered by 9V PP3 (not supplied) or by car battery (through JA/834 cable).

DIMENSIONS 125X60X35 MM EASY MOUNTING

12V POWER SUPPLY RCA AUDIO OUTPUT to videocamera TECH RACE

SEPARATED VOLUME

setting knobs



#### HEADSET

JA/844

MICROPHONE

JA/877

#### HEADSET. EXCELLENT INSULATION FROM EXTERNAL NOISE

Flexible microphone boom Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856 or JA/856E and I-RACE JA/876. Compatible with most intercom units available on the market (adaptors may be needed see on page 90).



#### AUDIO CABLE

JA/830



Audio cable to connect the control box JA/876, JA/855 or JA/855E and JA/856 or JA/856E to the camera car.

#### TECH-RACE SERIES: SPARE MICROPHONE BOOM

High quality microphone boom to be used as spare part for intercom kit JA/858, JA/858E, JA/878.



INTERCOM KIT

JA/878



#### TECH-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION

Excellent insulation from external noise. High quality flexible microphone boom. Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856, JA/856E, JA/876 and with J8 series helmets. Compatible with most Intercom units available on the market (adaptors may be needed see on page 114).

WIRE EXTENSION

JA/829

POWER SUPPLY CABLE

JA/834

#### TECH-RACE SERIES: WIRE EXTENSION

1,5 m long extension cable with Nexus plug. Compatible with TECH-RACE and I-RACE units (JA/876, JA/856, JA/856E) and with helmets JET10 (SC761E) and J8 series (only and SC794).



#### TECH-RACE SERIES: POWER SUPPLY CABLE.

Designed to connect the TECH-RACE JA/856 or JA/856E control box to the 12V car Power supply line.



## COMPATIBILITY WITH OTHER BRANDS

# COMPATIBILITY AMONG OMP PRODUCTS NEXUS PLUG

OTHER BRANDS HELMETS + OMP NEXUS CONTROL BOX





ALL OMP NEXUS PLUG CONTROL BOX

JA/856 - JA/856E - JA/876

STILO HELMETS
female Nexus plug





ALL OMP NEXUS PLUG CONTROL BOX

OTHER BRANDS CONTROL BOX - OMP HELMETS

PELTOR CONTROL BOX



ALL OMP NEXUS PLUG HELMETS

STILO CONTROL BOX





ALL OMP NEXUS PLUG HELMETS

STILO UNIT - OMP HELMET CONNECTING KIT

JA/852

Interface kit for connecting OMP helmets Jet 10 (SC761, SC761E) or J8 (SC794) and related headsets (JA/844, JA/857E, JA/858E, JA/878) to STILO intercom units




**OMP UNIT - STILO HELMET CONNECTING KIT** 

JA/865

Interface kit for connecting Stilo helmets to both TECH-RACE and I-RACE intercom units (JA/856, JA/856E, JA/855, JA/876).





# B-RACE STEREO PLUG



## STEREO PLUG COMPATIBLE CONTROL BOXES ACCESSORIES

JA/874

#### INTERCOM CONTROL BOX RACER LINE

Without loudspeakers and microphone.

One single driver/co-driver volume control. Powered by 9V PP3 battery (not supplied) or by car battery using JA/851 cable - can be fixed to rollbar and dashboard. Can be used with loudspeakers and microphone kit (JA/849E, JA/854E) or headseats JA/850E.

#### DIMENSIONS 125X60X35 MM




## **B-RACE ACCESSORIES**

#### HEADSET

## JA/850E

MICROPHONE KIT



Headset with adjustable microphone boom complete with loudspeakers and STEREO plug. Compatible with intercom control box JA/874.



Microphone kit for single helmet. To be used with control box JA/874. Compatible with GP7 and GP8 series

helmets.



ADAPTOR CABLE

JA/851


MICROPHONE KIT


JA/854

Microphone kit for single helmet. To be used with

control box JA/874. Compatible with JET7 and J8 series helmets.







# CIRCUIT

# HELMET

# STAR

# HELMET

## **FULL FACE KARTING HELMET**

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

## SC611E

HOMOLOGATION ECE 22.05

SIZES: XS-XXL sizing information on page 317

#### OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

SC607E

HOMOLOGATION ECE 22.05

SIZES: S-XXL

sizing information on page 317









# HELMET SPARE PARTS

## CIRCUIT (SC611E)

# AIR VENTS SC150 spare couple of front air vents SC151 spare front air vent SC152 spare rear air vent SPARE VISOR SC148 clear visor movement pivot kit SC154 (included with the helmet) SC149 dark visor

## STAR (SC607E)



# PROTECTIONS

**ELBOW PADS** 

ID/791

KNEE PADS

ID/790

Aramid ebow pads with inner padding. One size.



Aramid knee pads with inner padding. In Nomex®. One size.



RACING

## **APRON**

NB/1879

**COTTON APRON** 

Cotton apron, features a small tool pouch and large pockets.

# **APRON PLUS**

NB/1894

APRON PLUS

Professional apron for mechanics.

## **SLEEVES**

NB/1872

Aluminized sleeves, offering excellent protection against heat.



NB/1879 Black

NB/1879061 Red

ONE SIZE



ONE SIZE - COLOR: Black



ONE SIZE

# ACCESSORIES

#### NECK COLLAR

ID/789

Anatomic, round neck collar knit Nomex® for improved comfort. Inserts: Nomex® fabric. Padded: high density foam. One size.



ID/789041

Blue

# NECK SUPPORT

ID/787

Neck support in knit Nomex®. Padded: high density foam. One size.







### NA/1871



ID/789061

Red

Helmet hook in steel. To be attached to the roll cage with supplied metal clamps.

#### NA/1858

ID/789071

Black



Helmet carrying net in polyester. Suitable for all cars, can hold 2 helmets.

#### SD20



Hans strap bolder in rubber (pair), with sticker.

#### HELMET BAG

ORA/2972

HELMET BOX

Rally helmet box velvet, with wide

NA/1864



side pockets.
Internal sizes single box:
34x26x29 cm

NA/1864/B

Blue

NA/1864/R

Red

## HANS® ACCESSORIES

#### SC726

Hans® helmet anchor (male screwe only - the female parts is inside the helmet). For one helmet (to be used exclusively with models SC754 - SC756 - SC761 - SC759 - SC769 - SC771 - SC772 - SC777K - SC785 - SC785K - SC787 - SC788 - SC794). According to FIA 8858-2010, 8860 and 8859-2015 rules.

SC731

Hans® helmet anchor kit. For one helmet (to be used exclusively with pre-drilled models). According to FIA 8858-2002 rules, HANS® posts can be installed exclusively by the helmet manufacturer or by its authorised dealers.

Dealers authorised by OMP Racing for installing Hans® device



# ACCESSORIES

## REIMS

SC067

VINTAGE CAP

Made entirely of soft smooth skin.

Rear loop with button for fixing googles.



## THRUXTON

SC066

#### **VINTAGE GOGGLES**

Made of faux leather with metal details.















This model of seat can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded view of those areas.





# 

HTE DIE

#### SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS

+300% INCREASED RESISTANCE compared to standard 8858/99, with exclusive technology for maximum resistance and lightness. Upholstering customized on demand. HC/880E seat bracket required (not included).

#### LARGER SHOULDER

harness slots





#### REMOVABLE CUSHION

split leg

# HA/761E

LIGHTWEIGHT CARBON FIBER SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

FIA 8862-2009

#### REMOVABLE CUSHIONS

back, base



Measure in mm sizing information on page 124-125

## 

## HA/798

Same characteristics as HA/761E HC/928 seat bracket required XL VERSION LARGER AND HIGHER



MANUFACTURER: OMP MODEL: HTE ONE XL HOM, NO: AS.067,17 FIA STANDARD: FIA 8862-2009

## HTE-/-/-- 5

#### HA/801 **NO PICTURE**

Same characteristics as HA/761E CARBON-FIBERGLASS VERSION



MANUFACTURER: OMP MODEL: TBD HOM, NO: TBD FIA STANDARD: FIA 8862-2009

#### SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS

+300% INCREASED RESISTANCE compared to standard 8858/99, with exclusive technology for maximum resistance and lightness. Designed to allow installation and comfortable driving position also in GT cars with reduced internal room.

HSC PATENT

COMPATIBLE

HRC DITE

Fire resistant Airnet and velour upholstering (customized on demand).

HC/907 seat bracket required (not included).

#### LARGER SHOULDER

harness slots

**APPROVED** 

MANUFACTURER: OMP MODEL: HRC ONE HOM, NO: AS.033.14 FIA STANDARD: FIA 8862-2009

#### REMOVABLE CUSHIONS

back, base, split leg

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013



CARBON FIBER SHELL W SIDE FIXING

POINTS HANS® COMPATIBLE

FIA 8862-2009

SIDE HEAD protection



















Measure in mm sizing information on page 152-153

# HIRCH CARBON AIR



# HRE-/ CARBON



Region of Liguria 2007-2013

Measure in mm

sizing information on page 124-125

# HIRCH-FIBERGLASS

HRC-B

#### PROFESSIONAL FIBER SEAT

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Fire resistant Airnet and velour upholstering.



PREDRILLED SHELL FOR AIR COOLING KIT HC/913



HSC PATENT COMPATIBLE

> LARGER SHOULDER harness slots



MANUFACTURER: OMP MODEL: HRC FIBERGLASS AIR HOM, NO: CS.307.14 FIA STANDARD: FIA 8855-1999

#### SEAT CUSHION

also available in higher version (50mm) ref. HB/702

#### DOUBLE LEG CUSHION



Measure in mm sizing information on page 124-125

## FIRE - FIBERGLASS XL


Same characteristics as HA/793 XL VERSION LARGER AND



MANUFACTURER: OMP MODEL: HRC FIBERGLASS AIR XL HOM, NO: CS.313.14 FIA STANDARD: FIA 8855-1999

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013









HA/794

HSC PATENT COMPATIBLE



PREDRILLED SHELL FOR AIR COOLING KIT HC/913

## HA/793

**FIBERGLASS** SHELL

W SIDE FIXING POINTS

HANS® COMPATIBLE

SIDE HEAD protection

REMOVABLE CUSHIONS back, base, split leg

#### PROTOTIPO-R

Seat ideal for GT cars with ultralight carbon shell. Large shoulder harness slots to accomodate various heights. High side bolsters for lateral leg support and maximum protection. Head, back, side, base and splitted leg cushions are removable to allow maximum individual seating comfort. Upholstered entirely in velour. Compatible with Hans device.

#### LARGE SHOULDER HARNESS SLOTS

to accommodate various heights



MANUFACTURER: OMP MODEL: MCC/PROTOTIPO HOM, NO: CS.119.04 FIA STANDARD: FIA 8855-1999

#### REMOVABLE

head - back - lateral and base cushions

#### HIGH SIDE BOLSTERS

for lateral leg support

#### SPLIT LEG RESTS

to allow maximum individual seating comfort



CARBON SHELL W SIDE FIXING POINTS

HANS® COMPATIBLE



Measure in mm sizing information on page 124-125

# 

HTE-N

#### **PROFESSIONAL RACING SEAT**

Upholstered in high breathable Airnet material.

SHAPED SAFETY

headrest



MANUFACTURER: OMP MODEL: HTE FIBERGLASS HOM, NO: CS.184.06 FIA STANDARD: FIA 8855-1999

REMOVABLE CUSHIONS

back, base, split leg

## HTE-/\_ XL



# HA/771E/N

Same characteristics as HA/772E XL VERSION LARGER AND HIGHER



sizing information on page 124-125

HSC PATENT COMPATIBLE



## HA/772E/N

GEL COATED FIBERGLASS SHELL W SIDE FIXING POINTS

HANS® COMPATIBLE



HSC PATENT COMPATIBLE

IMPROVED BACK SUPPORT





Measure in mm sizing information on page 124-125

#### **PROFESSIONAL RACING SEAT**

Upholstered in high breathable Airnet material.

SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART



HTE-/-/400

Measure in mm sizing information on page 124-125

# HTE-CARBON

#### PROFESSIONAL **RACING SEAT**

Upholstered in high breathable Airnet material.

**CARBON FIBER** SHELL VERSION



MANUFACTURER: OMP MODEL: HTE CARBON HOM, NO: CS.146.05 FIA STANDARD: FIA 8855-1999





# HTE-Z-CARBON XL

## **PROFESSIONAL** RACING SEAT

Upholstered in high breathable Airnet material.

**CARBON FIBER** SHELL XL VERSION





MANUFACTURER: OMP MODEL: HTE CARBON XL HOM, NO: CS.182.06 FIA STANDARD: FIA 8855-1999



# PROFESSIONAL RACING SEAT Upholstered in high breathable Airnet material. LARGE HARNESS SLOTS

HA/768E/N

CARBON FIBER

SHELL

W SIDE FIXING

POINTS

COMPATIBLE

HIGH SIDE BOLSTER

for lateral leg support







characteristics as HA/773E CARBON FIBER SHELL VERSION



MANUFACTURER: OMP MODEL: WRC CARBON HOM, NO: CS.177.06 FIA STANDARD: FIA 8855-1999

sizing information on page 124-125





Same characteristics as HA/773E XL VERSION LARGER AND HIGHER

HA/773E/N

GEL COATED

FIBERGLASS SHELL

W SIDE FIXING

POINTS

HANS® COMPATIBLE





MANUFACTURER: OMP MODEL: WRC FIBERGLASS WRE HOM, NO: CS.025.01 FIA STANDARD: FIA 8855-1999

# 



#### RACING SEAT

Upholstered entirely in velour.

SHAPED SAFETY

headrest

LARGE HARNESS SLOTS



TENO// HA/762E/N

R5-27

FIBERGLASS

SHELL

W SIDE FIXING

POINTS

HANS® COMPATIBLE



MANUFACTURER: OMP MODEL: RS-P.T. HOM, NO: CS.229.09 FIA STANDARD: FIA 8855-1999

HIGH SIDE BOLSTER

for lateral leg

support

#### REMOVABLE

back and leg cushion



Measure in mm sizing information on page 124-125

sizing information on page 124-125

RACING

# 





RACING

#### RACING SEAT

Tubular steel frame. Excellent quality/price ratio.
Exclusive design thanks to modern shape and fresh fluo yellow details. The optimazed dimensions allows to mounting the seat also in cars with reduced inner room and the ergonomic is designed to guarantee the best individual seat comfort and an high lateral support Upholstered entirely in velour.



LARGE HARNESS SLOTS

#### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection

#### REMOVABLE

back - base - and leg cushion for maximum individual seating comfort

## HA/803/NGI


TUBULAR STEEL FRAME

W SIDE AND Y BOTTOM FIXING POINTS

HANS® COMPATIBLE







# TRE- PLUS

TRS-/3

## **VINYL RACING SEAT**

Entirely upholstered in decorated vinyl. Excellent quality/price ratio.

LARGE HARNESS SLOTS




MANUFACTURER: OMP MODEL: T-RS HOM. NO: CS.243.10 FIA STANDARD: FIA 8855-1999





#### REMOVABLE LEG CUSHION

rests to allow maximum individual seating comfort



Measure in mm sizing information on page 124-125

## HA/744E

TUBULAR STEEL FRAME

W SIDE AND Y **BOTTOM FIXING** POINTS

HANS® COMPATIBLE



HSC PATENT COMPATIBLE

HA/744E/RW Red/white

#### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection

HA/760E/N

HSC PATENT COMPATIBLE

characteristics

SKY VERSION

upholstered in

as HA/744E

black vinyl

Same



TRS-ZSKY

on page 124-125 ONE COLOUR



MANUFACTURER: OMP MODEL: T-RS HOM, NO: CS.243.10 FIA STANDARD: FIA 8855-1999

**RACING SEAT** 

Entirely upholstered in jacquard Excellent quality/price ratio.

LARGE HARNESS SLOTS



MANUFACTURER: OMP MODEL: T-RS HOM, NO: CS.243.10 FIA STANDARD: FIA 8855-1999



HA/741E/R Red



HA/741E/N Black

#### REMOVABLE LEG CUSHION

rests to allow maximum individual seating comfort

# OMP

TRS-E

4

#### HA/741E WAR SET FRIEND

TUBULAR STEEL FRAME W SIDE AND Y **BOTTOM FIXING** 

HANS® COMPATIBLE

POINTS




HSC PATENT COMPATIBLE

HA/741E/B Blue

#### MEDIUM HEIGHT SIDE BOLSTERS

for lateral leg support for higher protection



Measure in mm sizing information on page 124-125

HA/781E/N





APPROVED

MANUFACTURER: OMP MODEL: TRS-XS

HOM, NO: CS.292.13 FIA STANDARD: FIA 8855-1999

**HSC PATENT** COMPATIBLE


Same characteristics sizing information as HA//41E on page 124-125 SMALL SIZE





TRS-Z XL

sizing information on page 124-125



**HSC PATENT** 

COMPATIBLE




MANUFACTURER: OMP MODEL: TRS XL HOM, NO: CS.271.12 FIA STANDARD: FIA 8855-1999 The following measurements are given as a guide. Actual measurements may vary to accommodate production. Seat fitting type: according to FIA regulations the seat must be fixed to the brackets by means of at least four bolts M8 class 8.8. The diagram shows the distances between the fixing points in mm.


\* the weight refers to the complete seat (tolerance of 10%).

\*\* referring to bottom fixing points of the sliding guide.

TYPE W: inner side int. 289 mm TYPE Y: bottom 345x270 mm

LEGEND





L height from the bottom to the harness slot

Į.	external	max	width	at	shoulde

B seat bottom to mid shoulders

external width at back

ers E external max width at seat fixing inserts

F seat inner width (belt holes area) I external width between G bottom length side head protections

H internal width between side head protections

W= side fixing Y = bottom fixing

C seat botto D total heig	
номогов.	SHELL
HTE ONE	HA/761E
FIA 8862/2009	CARBO
HTE ONE	XL HA/79
FIA 8862/2009	CARBO
HRC-ONE	HA/789
FIA 8862/2000	CARBO
HRC-R CA	RBON A
FIA 8855/1999	CARBO
HRC-R FIE	ERGLASS
FIA	

Α	В	С	D	E	F	G	н	1	L	HARNES	WEIGHT*	FIXING	
625	620	490	890	380	365	480	365	500	655	5	9.2	w	

8862/2009	CARBUN		V	025	020	490	990	380	300	460	300	500	000	D.	9.2	VV	
HTE ONE	XL HA/798			.a .				12							de 5		4
FIA 8862/2009	CARBON		1	680	580	490	970	400	390	515	370	520	700	5	9.9	w	4
HRC-ONE	HA/789		i de					S	le i						de to		
FIA 8862/2000	CARBON	1	1	615	635	455	900	405	365	470	345	460	630	5	9.2	w	4

8862/2000	#1505F			07070	:08850	2000 E	2002	252200	REMER	testeres:	100000000	277.5	90/00/04		8.5000	3500	
HRC-R CA	RBON AIR	HA/786			ve e			(a)					(d) (		de e		
FIA 8855/1999	CARBON	1	1	615	635	460	890	395	365	470	345	490	620	5	6,2	w	
HRC-R FIB	ERGLASS A	IR HA	793														

FIA 8855/1999	FIBERGLASS	1	1	620	635	470	900	390	365	470	370	530	620	5	9.5	w	4
------------------	------------	---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	-----	---	---

FIA 8855/1999	FIBERGLASS	1	1	610	680	490	980	425	400	480	360	520	675	5	10.3	w	
HRC-R CA	RBON HA/7	88	ľ	!	l	1				le		1		ľ	1	1	
FIA 8855/1999	CARBON	1	1	615	635	460	890	395	365	470	345	490	620	5	5,8	W	8

0000) 1000		- E	20														
PROTOTIPO	D HA/745	- 0	100														
FIA 8855/1999	CARBON	1	1	530	520	440	790	385	380	480	360	450	570	5	6,1	w	7
HTE-R HA	/772E														1		
FIA		- 2		158558	08000	\$25555	(0)63	828	53225	5888	03533	8855	2888	65	105053	000000	

FIA 8855/1999	FIBERGLASS	1	1	560	570	515	880	420	390	490	315	480	665	5	9.4	w	-
HTE-R 400	HA/780E		de la companya de la					9									
FIA 8855/1999	FIBERGLASS	1	1	560	570	515	880	420	390	490	310	420	665	5	10.2	w	
HTE-R XL	HA/771E	- 1)	939					i i									
Terrari			2000.0				l					l					

		22 ]	, S														
HTE-R XL	HA/771E	- 0	135					6	1								
FIA 8855/1999	FIBERGLASS	1	1	580	610	530	920	440	415	550	305	485	705	5	10.5	w	
HTE-R CA	RBON HA/7	58E			li i							1					9
FIA 8855/1999	CARBON	1	1	545	560	465	880	390	370	470	330	490	665	5	6.6	w	
HTE-R CA	RBON XL H	A/779E			0 8			8	, s		7			8	,		

ļ	2.2	110	710	550	505	400	700		10.5	· ·		
Ī	880	390	370	470	330	490	665	5	6.6	w		
I	890	425	390	490	330	490	665	5	6.8	w		Y
İ		12	ч	1	4				- 6		A TOP OF	

HOMOLOGATION		® AL	INS EG	ĵ.	SV 8	37 5	ME	ASUR	E IN I	MM	27 1		2 0	SS	Ł		
номог	SHELL	AIRTEX® MATERIAL	CUSHIONS SPLIT LEG	А	В	С	D	E	F	G	н	1	L	HARNESS	WEIGHT (KG)	FIXING	
WRC-R	1A/773E		10														. ACA
FIA 8855/1999	FIBERGLASS	1	1	620	600	510	890	410	390	480	1	1	645	5	8.8	W	
WRC-R C	ARBON HA	769E	10													3	CA
FIA 8855/1999	CARBON	1	1	590	600	495	890	400	365	490	1	1	645	5	5.6	W	
WRC-R XI	HA/778E		1/7													3	(CA)
FIA 8855/1999	FIBERGLASS	1	1	665	600	520	920	430	415	480	1	1	700	5	10.7	W	
ARS-R H	A/774E	3 9	10														0
FIA 8855/1999	FIBERGLASS	1		590	600	500	910	395	370	490	1	I	615	5	8.9	w	4
ARS-R CA	RBON HA/7	770E															
FIA 8855/1999	CARBON	1		585	600	480	890	380	360	490	1	1	635	5	5.8	w	4
RS-PT. 2	HA/762E																
FIA 8855/1999	FIBERGLASS	200		565	560	510	880	420	395	480	340	510	675	5	10.4	w	
CHAMP-R	HA/766E																0
FIA 8855/1999	FIBERGLASS	200		590	575	520	890	400	360	480	1	1	615	5	8.8	w	
TRS-E PLU	S HA/744E									e e							
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.3	W	(1) (1) (1)
TRS-E SKY	HA/760E / TI	RS LEGI	ND H	A/775													
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.8	W Y	
TRS-E HA	/741E									-							
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.3	W Y	
TRS-E XS	HA/783E																0
FIA 8855/1999	TUBULAR STEEL			520	600	420	870	395	330	470	1	1	575	5	10.2	W	
TRS-E XL	HA/781E									-							(A)
FIA 8855/1999	TUBULAR STEEL			625	680	540	950	450	415	520	1	1	655	5	12.3	W	
FIRST-R H	IA/790		10						1								
FIA 8855/1999	FIBERGLASS	8		620	600	510	890	410	390	480	1	1	630	5	8.9	w	
TRS-X HA	V803																
FIA 8855/1999	TUBULAR STEEL			570	620	500	935	410	390	470	1	1	600	5	10.8	W	

580

# AIR COOLING KIT





The kit includes:

- a shell to be mounted on the the back of the seat with included shaped bihadesive tape (HC/913/G)
- a connection hose (1,5" x 2mt) with inner metal spiral (HC/913/T) that can be fixed to the shell and to the blower HC/914 or to others air sources (inner intake of the car)
- a connection junction in rubber (HC/913/R)
- 45° connection junction in rubber (HC/913/R45)

All components are sold also separately as spare parts.



#### **BACK CUSHION**

#### HB/703

#### AIR BLOWER

## HC/914

Preforated back cushion to allow the best cooling effect of OMP air cooling system HC/913. Airenet material.

2 SIZES:

M for HRC Fiberglass (HA/793) XL for HRC Fiberglass XL (HA/794)





## RACING OPTIONS ACCESSORIES

## **LATERAL PAIR CUSHIONS**

HB/701 For HRC seats. Sizes: S, M

Velour material.



#### **LEG CUSHIONS**

**LEG CUSHIONS** 

HB/700

HB/698 Performed leg support cushions. Airnet material.

2 pieces flat leg

Airnet material.

support cushions.



# Colour: black. A Back support cushion,

- B Lumbar support cushion, medium HB/662
- C Seat cushion HB/695

small HB/692

**SEAT CUSHIONS** 

REMOVABLE SEAT CUSHIONS to be set with velcro only on velour upholstered seats.

D Leg support cushion HB/693



## **HSC PATENT**

Adjustable aluminium cover for 3 safety belt's positions setting. PATENTED



#### **SEAT CUSHIONS**

HB/702

Thicker seat cushions for HRC seat. Antislip velvet.



HB/699

Velour material.



## BRACKETS

SIDE MOUNT BRACKET DIMENSIONS The dimensions are in mm.	Lowestrear mounting hole "A"	Rearrange "B"	Front range "C"	Lowestfrontmounting hale "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC/731E	110	34.5	93	70.5	В	380	45	75	4
HC/733E	109	17	94	70.5	A	350	52	25	3
HC/830	77	66	66	77	В	495	48.5	126	6
HC/833E	112	51	108	73.5	A	422.5	59	112.5	10
HC/922	85	81	81	85	В	400	52	75	4
HC/923	75,5	100	100	75,5	В	495	50	125	6
HC/924	85	81	81	85	В	400	52	75	4
HC/925	75,5	100	100	75,5	В	495	50	125	6

Fonetons a	1			1
	1	15		13
	-	112 1	0	/ *
4	-	18		

0	FORETORS &		ú
	0 0 0	0000	
		0	

#### SINGLE ROW LOWER MOUNTING HOLES "B"

The multi-hole height/angle adjustment pattern of OMP brackets has been optimized to allow up to 21° of inclination, allowing for practically any height/angle mounting combination.





#### ALUMINIUM BRACKET FIA APPENDIX J art. 253

Tall model. Aluminium. Length: 495 mm Thickness: 6 mm Ultra strong material.

#### STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Steel. Length: 400 mm Thickness: 3 mm Ultra strong material.

#### STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Steel. Length: 380 mm Thickness: 3 mm Ultra strong material.

#### ALUMINIUM BRACKET FIA APPENDIX J art. 253



Tall model. Aluminium. Length: 400 mm Thickness: 6 mm Ultra strong material.

#### ALUMINIUM BRACKET FIA APPENDIX J art. 253



Tall model equipped with a damper. Aluminium. Patented model. Length: 495 mm Thickness: 6 mm

#### DAMPING ELEMENT

to reduce vertical loads on the driver. Suitable for off-road.

#### **DUAL ROW LOWER** MOUNTING HOLES "A"

The contours of the OMP brackets have been designed so as not to interfere with the lap belt openings, edges or bottom of the seat.



#### STEEL BRACKET FIA APPENDIX J art. 253

HC/733E



Low model. Steel. Length: 350 mm Thickness: 3 mm Ultra strong material.

#### STEEL BRACKET FIA APPENDIX J art. 253

HC/923

Tall model. Steel. Length: 495 mm Thickness: 3 mm Ultra strong material.

## ALUMINIUM BRACKET FIA APPENDIX J art. 253

for HTE ONE XL



Tall model. Aluminium. Length: 422.5 mm Thickness: 6 mm

HC/833E Aluminium HC/833E/N Black

#### **SEAT BRACKET**

HC/880

In compliance with FIA 8862-2009 rule and mandatory for the mounting of the HTE-ONE E seat; supplied with bolts M12. Steel. Thickness: 5 mm (no picture)

SEAT BRACKET Product financed in C

HC/907

Pair of professional seat bracket in compliance with FIA 8862-2009 rule and mandatory for mounting new HRC-ONE seat (HA/789). Supplied wiht bolts and nuts. Entirely made of Ergal. (no picture)

#### LOWER MOUNTING HOLES "C"

#### STEEL BRACKET

SEAT BRACKET

HC/928

HC/665



Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.

## STEEL BRACKET

HC/660



Pair of "L" shaped brackets to fit seats with lower attachment points (type Y) to side brackets. Steel.

Thickness: 3 mm

#### UNIVERSAL SEAT SUBRFRAME

HC/879



Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35mm squared pipes. Length: 600 mm 4 plates for direct welding to the body (80x60 thickness 3 mm). 4 plates for direct welding to the tube (60x40

thickness 3 mm).

4 buckles for welding M8.

## **ALUMINIUM UNIVERSAL BRACKET** HC/666



Universal couple of brackets for seat with lower attachments. Aluminium Not FIA approved.

RACING

# CLASSIC

# SEAT

# SILVERSTONE

# **SEAT**



ADJUSTABLE VELVET HEADREST

for greater comfort

**FAUX LEATHER SIDES** 

**VINTAGE '60s STYLE SEAT** 

ADJUSTABLE VELVET HEADREST

for greater comfort

Upholstered in faux

leather and velvet.


FAUX LEATHER SIDES



TUBULAR STEEL FRAME M8 LOWER FIXING POINTS 345X270 MM Y

#### RAISED BACKREST

and velvet seat



Measure in mm




# BRANDSHATCH

# **SEAT**

# HA/757/N

TUBULAR STEEL FRAME M8 LOWER FIXING POINTS 345X270 MM Y

#### RAISED BACKREST



# TRS - LEGEND

# **SEAT**

HA/775/N

## SEAT FIA HOMOLOGATED

Completely covered in faux leather with contrast stitching.




HARNESS SLOTS to accommodate

various heights.

LARGE SHOULDER

TUBULAR STEEL FRAME HOMOLOGATION FIA 8855-1999 W SIDE AND Y BOTTOM FIXING POINT HANS® COMPATIBLE





#### LEG CUSHION

for greater comfort.

VINTAGE



**SEAT** 

HA/776T/N

#### BREATHABLE FABRIC

Reclinable seat for off-road cars. Quick-tilting mechanism for simple rear seat access.



SYNTHETIC CARBON LOOK LEATHER REINFORCEMENTS on the sides

Measure in mm

# HA/776E/N

#### SKY VERSION

Washable sky upholstering with synthetic carbon look leather einforcements on the sides.



## **BRACKETS**

#### HC/830

Aluminium brackets.


Tall model equipped with a damper. Patented model. Length: 495 mm

Thickness: 6 mm

# AIR CUSHION

#### HB/665/CA

Air cushion seat, upholstered in black synthetic leather, pressurizing valve on the front for easy adjustment. Adaptable to any seat, best in cases of high stress as in off-road and speedboat.



to reduce vertical loads on the driver

FIA APPENDIX J - ART. 253





# STYLE

UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO"

abrasion resistant, comfortable

in hot or cold conditions,

thickness: 3 mm

TUNING

# SEAT

HA/719E/N

TUBULAR STEEL

345X270 MM

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE

M8 Y BOTTOM FIXING POINTS

MECHANISM

and quick-tilting

rear seat access

mechanism to facilitate

3 SEAT BELT OPENINGS

# DESIGN 2

# SEAT

## HA/736E/N

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE

M8 Y BOTTOM FIXING POINTS

TUBULAR STEEL

345X270 MM

2 SEAT BELT OPENINGS

UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO"

abrasion resistant, comfortable in hot or cold conditions, thickness: 3 mm



HIGH SIDE

PRECISION RECLINING MECHANISM and quick-tilting

mechanism to facilitate rear seat access



# STRADA

# SEAT

## HA/750/N

TUBULAR STEEL

M8 Y BOTTOM FIXING POINTS

rear seat access

345X270 MM

2 SEAT BELT OPENINGS



# RALLYE

SEAT

## HA/728E/N

TUBULAR STEEL

M8 FIXING POINTS Y BOTTOM

345X270 MM


W SIDE 289 MM

4 SEAT BELT OPENINGS




# SEATS TECHNICAL SPECIFICATIONS





#### LEGEND

- A ext. max width at shoulders
- B seat bottom to mid shoulders C ext. max width of side bolsters
- D tot. height of seat back
- E inner width between lateral torso protections
- F bottom length
- W = side fixing (289 mm)
- Y = bottom fixing (345x270 mm)




			MEASUR	REINMM					20	
SHELL	Α	В	С	D	E	F	HARNESS SLOT	LIVING		
STYLE	RAID	2					7.0000			1
Tubular steel	560	630	510	970	300	560	3	Y	HA/719E/N	4
DESIGN	2									1
Tubular steel	540	640	510	950	310	560	3	Y	HA/736E/N	
STRAD	Ą		6							1
Tubular steel	540	640	510	950	310	560	2	Y	HA/750/N	
RALLYE										Ī
Tubular steel	580	610	490	900	350	480+22	4	W+Y	HA/728E/N	

# SEAT MOUNTING EXAMPLES


#### Seat with lower attachments points

- 1 Sliding brackets (HC/665)
- 2 Optional seat bracket spacer (HC/857 or HC/858)
- 3 Seat mounting bracket (vehicle specific)



#### Seat with side attachments points

- 1 Side mounting brackets (Racing)
- 2 Sliding brackets (HC/665)
- 3 Seat mounting bracket (vehicle specific)



# SEAT BRACKETS

## HC/665

Universal sliding rail kit to be mounted between seat and seat bracket.

sliding pe seat pracket.

Seat mounting brackets.



#### HC/857

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting.


Height: + 25 mm or + 50 mm above the vehicle specific adaptor.



Seat bracket spacer to consent seat adjustment.

Height: + 50 mm, + 62 mm and + 75 mm respect to the vehicle specific adaptor.

Inclination: 2.5° or 5° seat angle adjustments.





TUNING 138 TUNING




## COMPETITION HARNESS TECHNICAL FEATURES





Lightweight buckle with anti-unwitting opening system. FIA 8853/2016



Lightweight buckle. FIA 8853/98



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Exclusive double pin T-bar crotch attachment.



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Lightweight quick release adjuster made of steel and high strength aluminum, ergonomic and compact.



Professional adjuster made of high strength steel.




Ultra lightweight Dyneema®, the world strongest fiber™ straps with comfortable webbings.



Lightweight polyester straps with comfortable webbings.



Lightweight steel snap hook





Snap hook attachment made of steel with high mechanical strength for optimum safety.






Lightweight steel carabiner.



Plate attachment.



designed to improve performance and



Buckle fixed to the lap strap.



Webbing end sewn specifically for formula cars attach.



Homologated for direct attachment to roll bars.



Buckle fixed to the crotch strap.



Runner for fixing intercom connectors.



Runner for use with rubber bands specifically for GT cars.

RACING RACING



# 0102 HSL

Dyneema\*


## DA0102HSL


SALOON 6 POINTS FHR ONLY

## SALOON PULL DOWN OR PULL UP

Ultralightweight and comfortable safety harness for saloon cars in *Dyneema®*, the world strongest fiber™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical and

ALSO AVAILABLE IN MAGNESIUM-FREE VERSION UPON REQUEST (DA0102BHSL PULL DOWN)








APPROVED !

MANUFACTURER: OMP MODEL: DA0102 HOM, NO:SH.025.17-T-6 FIA STANDARD: FIA 8853/2016










**NEW BUCKLE** 



2" CROTCH





PROFESSIONAL ULTRA LIGHTWEIGHT **ADJUSTER** 



LIGHTWEIGHT STEEL CARABINER





NEW BUCKLE

PULL DOWN



FIXING INTERCOM CONNECTORS



LIGHTWEIGHT STEEL SNAP HOOK











# 0203 HSL













DA0203HSL071 Black














# 0202 HSL


























# 0204 H









Blue





DA0204H061 Red


























Black




Blue



NEW BUCKLE

A









DA0204





BUCKLE FIXED TO THE CROTCH STRAP



# 0027 HSL

# 0036 HSL

## WRC BELTS

Ultra light, ultra comfortable webbing, making use of *Dyneema®*, the world strongest fiber™.

While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. Lightened camlock buckle. For use with FHR.





ULTRALIGHT DYNEEMA

SNAP HOOK

ULTRA LIGHTWEIGHT

ADJUSTER



BUCKLE FIXED TO THE CROTCH

STRAP





FIXING INTERCOM

CONNECTORS

ULTRALIGHT ADJUSTER, ENDURANCE VERSION












SMALL SIZE

CARABINER









# DA0027HSL

SALOON 6 POINTS FHR ONLY

Dyneema\*

## WRC BELTS

Ultralight and comfortable saloon harness, ideal for rallies, making use of *Dyneema®*, the world strongest fiber™. Crotch and lap straps in Dyneema® fabric and shoulder straps in white polyester. For use with FHR.



DA0036HSL

SALOON 6 POINTS FHR ONLY






ULTRALIGHT DYNEEMA













SNAP HOOK

ULTRA LIGHTWEIGHT

ADJUSTER








B









LIGHTWEIGHT POLYESTER STRAPS















LIGTHWEIGHT

BUCKLE

# 805 HLPF

# DA805HLPF

SALOON

# 805 F



DA806F61

**PROFESSIONAL** 

PULL UP

LIGHTWEIGHT BELT

lap strap

8 PULL-UP 3"

2"T-TYPE crotch strap

湯

## EXPIRY DATE 31/12/2022



MANUFACTURER: OMP MODEL: DA806 HOM, NO: D-254.T/98 FIA STANDARD: FIA 8853/98



DA806F71 Black



SEAT FOR RUBBER BANDS

HOMOLOGATED

FOR ROLL BAR




LIGHTWEIGHT POLYESTER STRAPS



STEEL SNAP HOOK D







## EXPIRY DATE 31/12/2022



MANUFACTURER: OMP MODEL: DA805 LEGGERA HOM, NO: D-257.T/98 FIA STANDARD: FIA 8853/98







DA805HLPF71 Black









PROFESSIONAL 2" ADJUSTER







LIGHTWEIGHT ADJUSTER


















\*\*





# 804 F

# 802 HF



PROFESSIONAL BELT



EXPIRY DATE 31/12/2022



LIGHTWEIGHT

ADJUSTER

BUCKLE FIXED TO THE CROTCH

MANUFACTURER: OMP MODEL: DA804 LEGGERA HOM, NO: D-256.T/98 FIA STANDARD: FIA 8853/98











HOMOLOGATED

FOR ROLL BAR

...





















DA802HF



# 802 F

# 801 F





## EXPIRY DATE 31/12/2022

















## EXPIRY DATE 31/12/2022
















# 515 **HST**



# V LEG STRAP

DA809

6 points. Strap: 2" Eyebolts for spring catch attachment. Fits to the whole OMP range of saloon car harnesses (no DA801L).





# 0104 HSL

## FORMULA BELTS

ULTRALIGHT

Α

DYNEEMA

NEW BUCKLE

RACING

Ultralightweight and comfortable safety harness for Formula cars in Dyneema®, the world strongest fiber™.

Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical



WEBBING AND SEWN

## DA0104HSL

6 POINTS **FHR ONLY** 

Dyneema\*

# **FORMULA**

## SUPERLIGHT PROFESSIONAL BELT

ALSO AVAILABLE WITH PLATE ATTACHMENTS VERSION (DA0206BHSL)



## DA0206HSL

**FORMULA** 6 POINTS **FHR ONLY** 




0206 HSL FORMULA



Black











A

NEW BUCKLE





PROFESSIONAL

ADJUSTER

ULTRA LIGHTWEIGHT

BUCKLE FIXED TO THE LAP STRAP

FIXING INTERCOM

CONNECTORS

ATTACHMENT

WEBBING END SEWN FOR FORMULA CARS ATTACH



## RACING HARNESS TABLE

	1_		34	10		Σ		SH	DULDER		LAP	CR	отсн		MEA	SURE	N MM	
номогов.	CAR	POINTS	MATERIAL	ADJUSTER	LAP STRAP PULL	MAGNESI UM FREE	HANS	SIZE	АТТАСН.	SIZE	АТТАСН.	SIZE	АТТАСН.	A	В	С	D	E
DA0102 H	SL		An a	ta e	G 50	.10					6 6		97		ė	in a	in a	
FIA 8853-2016	SAL00N	6	DYNEEMA	ULTRA LIGHT	DOWN		ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750		700
DA01028	HSL												100 200 200			/		
FIA 8853-2016	SALOON	6	DYNEEMA	ULTRA	DOWN	1	ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750		700
DA0102C	HSL		t: :				20											
FIA 8853-2016	SALOON	6	DYNEEMA	ULTRA	UP		ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750	140	700
DA0102C	B HSL					- 3					2 20				8	) (5 %	) (0 - 7	
FIA 8853-2016	SALOON	6	DYNEEMA	ULTRA	UP	1	ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750	140	700
DA0203 H	\$L				10 50				ie i		G E		197		8			
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA	UP		ONLY	2"/ 3"	ROLL BAR	3"	CARA- BINER	2"	SNAP HOOK	1650	390	750	140	700
DA0202 H	SL			l.			er e						0.00					
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA	DOWN		ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750		700
DA0202B	HSL		tie :				200											
FIA 8853-2016	SALOON	6	POLYESTER	ULTRA	UP		ONLY	2"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750	140	700
DA0204 H	KC 3		L.	l		- 50							0:		9	e 8		
FIA 8853-2016	SALOON	6	POLYESTER	PROF.	UP		ONLY	2"/ 3"	ROLLBAR / SNAP HOOK		SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700
DA0204	le	L				- 4				-	- 10		l			- 1		
FIA 8853-2016	SALOON	6	POLYESTER	PROF.	UP		FRIENDLY	3"	ROLLBAR / SNAP HOOK		SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700
DA0027 H	SL	1	li :													4		
FIA 8853/98	SALOON	6	DYNEEMA	ULTRA	DOWN	UPON REQUEST	ONLY	2"/ 3"	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750		700

16	p 8	7 8	1			M	ì	SH	OULDER		LAP	CR	отсн	ı	3 19			1 1	à
номогов.	CAR	POINTS	MATERIAL	ADJUSTER	PULL	MAGNESIUM FREE	HANS	SIZE	ATTACH.	SIZE	ATTACH.	SIZE	АТТАСН.	А	В	С	D	E	MEASUF IN MM
DA0036 H	SL												<i>(</i> -						0
FIA 8853/98	SALOON	6	DYN.&POL	ULTRA LIGHT	UP		ONLY	2*/ 3*	ROLL BAR	2"	CARA- BINER	2"	SNAP HOOK	1650	390	750		700	V
DA806 F								200							2 30 3 44				W M
FIA 8853/98	SALOON	6	POLYESTER	LIGHT	UP		ONLY	2"/ 3"	ROLLBAR / SNAP HOOK	1.00	SNAP HOOK	2"	SNAP HOOK	1650	390	750		700	
DA804 F	S 3							3/2			la si								H
FIA 8853/98	SALOON	6	POLYESTER	LIGHT	UP		FRIENDLY		ROLLBAR / SNAP HOOK	3"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	W
DA805 HL	PF							200	9		a e			2	= 18	S 30			1
FIA 8853/98	SALOON	6	POLYESTER	LIGHT	UP/ DOWN		ONLY	2"/ 3"	ROLLBAR / SNAP HOOK	2"	SNAP HOOK	2"	SNAP HOOK	1650	390	750	140	700	V
DA802 HF						i		107230											1
FIA 8853/98	SALOON	6	POLYESTER	PROF.	UP		ONLY	2″/ 3″	ROLLBAR / SNAP HOOK	3"	SNAP HOOK	2"	SNAP HOOK	1550	305	762	140	700	V
DA802 F							-	-				10				V 2			IN A
FIA 8853/98	SALOON	6	POLYESTER	PROF.	UP		FRIENDLY		ROLLBAR / SNAP HOOK		SNAP HOOK	2"	SNAP HOOK	1550	305	762	140	650	W
DA801 F	81 8	 			S 3			  SP			92 - 3	=3		s s	5 10	0 V	2 3	8 8	N A
FIA 8853/98	SALOON	4	POLYESTER	PROF.	UP		FRIENDLY		ROLLBAR / SNAP HOOK	3"	SNAP HOOK			1550	305	762	140		W
DA515 HS	ı	- 3		× 1				34500	97			- 13			8 99	100			
SFI 16.1	SALOON	5	POLYESTER	PROF.				3"	PLATE/ ROLL BAR	3"	PLATE	2"	PLATE	1000	500	800		700	1/
DA0104 H	SL							1000	10										
FIA 8853-2016	FORMULA	6	DYNEEMA	ULTRA LIGHT			ONLY	2"	SEWN WEBB.	2"	PLATE	2"	PLATE	310	390	600		700	$\mathcal{N}$
DA0206 H	SL							20010							2 23	V			
FIA 8853-2016	FORMULA	6	POLYESTER	ULTRA LIGHT	UP		ONLY	2"	SEWN WEBB.	2"	PLATE	2"	PLATE	320	550	725	125	750	$\rightarrow$
DA0206B	HSL				8 8			200	9)					2 3	= 45	S 33			7
FIA 8853-2016	FORMULA	6	DYNEEMA	ULTRA LIGHT	UP		ONLY	2"	PLATE	2**	PLATE	2"	PLATE	320	550	725	125	750	$\lambda$



# Snap hook attachment. Adjusters: steel. Push button release: central. Supplied with 7/16" bolts. DA507041 Blue DA507051 Red DA507071 Black

ROAD 4M





**HARNESS** 

# ROAD 3

## DA504 Bolt-in attachment. Adjusters: steel. HOMOLOGATION ECE Push button release: central. 3 POINTS Supplied with 7/16" bolts. SHOULDER STRAPS 2" DA504041 Blue DA504071 Black DA504061 Red LAP STRAPS 2"

# STRADA 3

# **HARNESS**

## **DA509**

HOMOLOGATION ECE 3 POINTS



## DA509061 Red

# LAP STRAPS 2"

# **HARNESS**

## HANS STRAP BOLDER

## **SD20**

Hans strap bolder in rubber (pair), with sticker.



## PROFESSIONAL CUTTER

## DB/460E

Professional safety belt cutter with hammer, ight, emergency lamp and magnet.



## EYEBOLT

## DB/420

7/16" eyebolt to attach harness snap-hook fittings.



A: 57 mm / B: 15.5 mm / C: 20 mm D: 7/16" UNF / L: 22 mm / S: 8 mm

## PLATE FOR EYEBOLTS

## DB/421

Reinforced threaded plate for eyebolts.

DIMENSIONS: 50x25x6 mm

## CUTTER

## DB/459

Safety seat belt cutter.



## CUTTER

## DB/461


Safety seat belt cutter.



## **SEAT BELT PLATE**

## DB/418

Seat belt plate with threaded 7/16" nut. DIMENSIONS: 50x80x3 mm



## **SEAT BELT PADS**

## DB/450/3

SAFETY BELTS ACCESSORIES

In velour, use with 3" seat belts. Clousure: velcro.



DB/450/3/B Blue





DB/450/3"/R Red

## **SEAT BELT PADS**

## DB/454

In velour, used with 2" seat belts. Closure: velcro.



DB/454/B Blue



DB/450/N Black

## **SEAT BELT PADS**

## DB/450

In velour, used with 2" seat belts. Closure: velcro.



Blue



Black



Bolt-in attachment. Adjusters: steel.

Push button release: central.

SHOULDER STRAPS 2"

Supplied with 7/16" bolts.




AB/106/...AW



FE45 steel bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and renforced brace in the main hoop. Supplied with door bars and diagonal reinforcement at rear.



FE45 steel bolt-in roll bars with door bars. To be cut to measure and welded upon installation.



AB/106/...A supplied partially assembled. AB/106/...AW supplied not assembled. Multi-point weld-in chromoly (25CrMo4) roll bars. Reduced weight and improved rigidity compared with steel boltin roll bars.


Supplied partially assembled to facilitate and reduce installation cost.



Multi-point bolt-in chromoly (25CrMo4) roll bars. Reduced weight and improved torsional rigidity.


FE 45 BOLT-IN

AB/105P/...



FE45 steel multi-point boltin roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

FE 45 WELD-IN AA/105/...A



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

OFF ROAD BOLT-IN

R/...

Sample drawing AB/107/... AA/103/..

AA/102/... AB/108/...

REPLACEMENT HOOP AA/103/...

AA/102/... AB/108/... Sample drawing AB/107/...

AA/103/... AB/107/... Replcement front hoop in FE45 steel (only for AA/104P and AB/105P). AA/102/... AB/108/... Replcement rear hoop in FE45 steel (only for AA/104P and AB/105P).

Off road Fe 45 steel bolt-in roll bars.

ROLL BARS NOT DISTRIBUTED IN THE US

ROLL BARS NOT DISTRIBUTED IN THE US

RACING

# ROLL CAGE ACCESSORIES

## **RUBBER SLEEVING**

## AA/113

FIA-J ALL

Foamed rubber sleeving for roll bar sold in pieces of 2 m. AA/113-40



AA/113-50 Ø 50 mm

Ø 40 mm

## REINFORCEMENT

## AA/175

FIA-J ALL

Universal "L" shaped reinforcement plate. Adjustable and suitable for any standard steel roll bar.

Thickness: 3 mm

## CONNECTION

AA/122

FIA-J ALL

Connection for roll bar, complete with hardware. AA/122 with tube Ø 40 mm



AA/122-50 with tube Ø 50 mm

## REINFORCE

AA/200

Gusset: 80°

Reinforce roll bar crosses. Thickness: 1,5 mm



## REINFORCEMENT

AA/123

FIA-J ALL

Reinforcement to be used with connections AA/122 and AA/122-50.



## REINFORCE

AA/201

Reinforce roll bar crosses. Thickness: 1,5 mm Gusset: 100°

**ENERGY ABSORBING** 

Molded energy absorbing roll bar

**APPROVED** 

padding suitable for both.

Length: 490 mm

For tube Ø 40/50 mm

**AA115A** 



## CONNECTING TUBE

## AA/195

Sleeve connecting tube in Fe45 steel.

for tubing Ø 40 mm



# DOOR BARS

## AA/108

FIA-J ALL

Pair of door bars FE 45 steel, to be welded (no picture).

Length: 1.20 m Thickness: 2 mm Ø 40 mm

## PLATE

## AA/175/S

FIA-J ALL

Flat plate lower reinforcement for standard roll bars.

Dimensions: 100x120x3 mm



## DOOR BARS

AA/109

FIA-J ALL

Pair of door bars FE 45 steel, complete with connections.

Length: 1.25 m Thickness: 2 mm Ø 40 mm



## REINFORCEMENT

## AA/111

FIA-J ANN

Pair assembled cross door reinforcement, connections included.




## REINFORCEMENT

## AA/202A

FIA-J ANN

Pair assembled cross door reinforcement, connections included. Ø 40x2 mm



## REINFORCEMENT

## AA/203

FIA-J ANN

Kit (2+2) of perforated plates for rollbar fixing in.



Front



Rear

## REINFORCEMENT

## AA/111A

FIA-J ANN

Pair not assembled cross door reinforcement, connections included. Ø 40x2 mm




## REINFORCEMENT

## AA/204

FIA-J ANN

Pair of door reinforcements in FE45. Supplied with connecting sleeves. Nuts and bolts included.

Length: 1.25 m Ø 40x2 mm



## COVER

AA/113/FP AA/113/FT





# AA/113/FT/R (50 cm)

AA/113/FP/R (100 cm) Red Blue

AA/113/FT/B (50 cm) AA/113/FP/B (100 cm)

AA/113/FT/N (50 cm) AA/113/FP/N (100 cm) Black

Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving Ref. AA/113 velcro closing.


## SUMPGUARDS, TANKGUARDS AND DIFFERENTIAL GUARDS

Made from a special aluminium alloy, these sumpguards have several functions: they protect the mechanical parts such as sump, gear-box, transmission etc. and they also contribute to stiffen the whole body and the front part of the car. For this reason they are suitable for every day use and are particularly useful for those driving on uneven roads.









# CESAL4

## **ONE COLLECTION**

Very compact and ultralight fire extinguisher system, electrically activated, suitable for saloon cars. FIA 8865-2015 rules complying. Aluminium bottle, the extinguisher can turn off fire in few seconds injecting in the cockpit and in the engine bay different fire-extinguishing medium. The system gets pressurized when activated enabling the discharge of the extinguishant. 3 noozles are for the engine bay in order to protect the most critical and dangerous parts depending on the type of vehicle, 2 noozles are for the cockpit to ensure the driver front and rear protection. The system is available in two versions: "L" version (only for mediumlarge sized cockpit) and "S" version (suitable for small size cockpit). L and S systems have the same dimensions and weight, but different amount of fire extinguisher medium in way to be safe and efficient at the same time. Fixing brackets, clamps, tubing and connections are included.

Total weight: 5,2 kg (only bottle) 5,5 kg (with stainless steel brackets a nd clamps).

## CESAL4L

FROM 1.99 M3 UP TO 3.73 M3

## CESAL4S

FROM 1.2 M3 UP TO 2.2 M3



Homologated for use on:

Petrol

Petrol + up to 30% ethanol or methanol Petrol + up to 85% ethanol or methanol (E85)

ULTRALIGHT Ø 130 mm









































# CEFALB

## PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. Ultralight aluminium bottle with reduced dimensions.

0,9 It of Ecolife

### Total weight:

1,8 kg (with stainless steel brackets and clamps).



MODEL: ECOLIFE GOLD ONE SEAT HOM, NO: EX.036.11 FIA STANDARD: FIA 2000















LENGTH 194 mm









OZONE

FRIENDLY

FRIENDLY



TABS 2x



HOSE 1 Ø8 - 1 Ø6

CEFAL3

**FORMULA** 

CARS

ULTRALIGHT

Ø 100 mm

THE SMALLEST IN THE WORLD

# CESALBR

## PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, aluminium

3 It of Ecolife.

## Total weight:

4,3 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM, NO: EX.035.11 FIA STANDARD: FIA 2000

STICKERS

3M AL TUBING



NOZZLES

WIRING HARNESS

ECO

CESAL3R

SALOON CARS SPECIAL FOR RALLY





CONNECTIONS

OZONE

3 08 - 1 06







# CESALB

## PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. New ultralight aluminium bottle with reduced dimensions.

1,3 lt of Ecolife.

### Total weight:

2,5 kg (with stainless steel brackets and clamps).







**CESAL3** 

SALOON

CARS







# CEFAL 2

PUSH BUTTON

6-8 REDUCTION

CONTROL BOX

## WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

2,8 lt of Ecolife.

## Total weight:

4,3 kg (with stainless steel brackets and clamps).







CEFAL2

**FORMULA** 

CARS

Ø 160 mm



















































# CESAL2

## WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

4,25 It of Ecolife.

## Total weight:

6,2 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM, NO: EX.008.00 FIA STANDARD: FIA 2000



CESAL2 SALOON CARS

Ø 160 mm























CMSSTI

CARS

# CESST 1

## **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, steel bottle.

4,25 It of Ecolife.

## Total weight:

7,7 kg (with stainless steel brackets and clamps).



a D

CESST1

SALOON CARS

SPECIAL FOR RALLY

Ø 160 mm



















ECO





CMFST1

**FORMULA** 

CARS

# ANTI-TORPEGO TABS 2x

# CMSST 1

## **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, complete with tubings, nozzles, steel bottle.

4,25 It of Ecolife.

## Total weight:

8,1 kg (with stainless steel brackets and clamps).







# Ø 160



# CMSSTI/R





















# CMFST 1

## **BLACK COLLECTION**

Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.

2,8 lt of Ecolife.

## Total weight:

5,6 kg (with stainless steel brackets and clamps).



Ø 130 mm



MANUFACTURER: OMP MODEL: ECOLIFE

HOM. NO: EX.009.00



















# OMP SPORT

## **OMP SPORT**

Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, complete with tubings, nozzles, steel bottle.

4,25 lt of Ecolife.

## Total weight:

8,1 kg (with stainless steel brackets and clamps).



MANUFACTURER: OMP MODEL: ECOLIFE HOM, NO: EX.026.08 FIA STANDARD: FIA 2000













ENGTH 330 mm





CA/372

SALOON

CARS

Ø 160 mm

FRIENDLY



# HAND HELD EXTINGUISHERS

## ALUMINIUM EXTING.

## CAB/316

EN3

## STEEL EXTING.

## CAB/322

Aluminium hand held extinguisher, 2 Kg powder. Complete with stainless steel brackets and quick release clamps. Total weight: 3,1 kg

Ø 108 mm



Steel hand held extinguisher,
4 Kg powder, A/B/C classes.
Complete with stainless steel brackets and quick release clamps.
Total weight:
6 kg

ANTI-TGENEGO-TABS INCLUDED
2x

aio (1)

## STEEL EXTING.

## CAB/319

Steel hand held extinguisher, 2.4 I Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. Total weight: 5 kg

IN COMPLIANCE WITH FIA RULES





CAB/319/R Red

> CAB/319 Black

# OMP.

## ALUMINIUM EXTING.

## CBB/351

Aluminium hand held extinguisher, 2.4 l Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. Total weight: 4 kg

## IN COMPLIANCE WITH FIA RULES

## Ø 130 mm



CBB/351/R Red

CBB/351/A Silver



CBB/351 White



# REPLACEMENT PARTS

## PLATINUM - WHITE - BLACK COLLECTION

## CD/393

Atomiser nozzle specifically for Ecolife systems to be threaded onto "T" or "L" connectors.

## CD/398

Control box for electrically activated units with wiring harness 1,5 m

## CD/360

Control box for electrically activated extinguishing systems. With new advanced

electronic unit complying with FIA 8856-2015 rules. Complying with IP55 waterproof standard.

## CD/324/10/N

Fire resistant sheath 5 m roll, ø 10 mm (or ø 8mm ref. CD/324/8/N).



## X/363/E/CAV

Electric extinguisher valve cable w. jack.

## X/398/CAV

Control box cable.



## EA/467

Water-proof push button for external control.



## X/181493

Rubber ring for push button EA/467



## PLATINUM COLLECTION

## CD/395/N



Straight connection ø 8 mm (1/8" junction).

## CD/390/N

3-way connection with quick attachments, ø 8 mm.

## CD/391/N/6

90° end connection, 1/8" shaped with quick attachments. ø 6 mm



Bracket for CEFAL3.

## CD/392/N

CD/399

1/8" connection, "T" shaped with quick couplings. ø 8 mm



## CD/391/N

90° end connection, 1/8" shaped with quick attachments.

CD/392/N/6

1/8" connection, "T" shaped

with quick couplings, ø 6 mm

## CD/323/N/8

Reduction tube ø 6-8 mm.

Aluminium tubing ø 8 mm - L. 5 m



## CD/323/N/

Aluminium tubing ø 6 mm - L. 3 m



## CD/401

Bracket for CESAL3

Y shaped connection with quick attachments ø 8mm (no picture)

## HAND HELD EXTINGUISHERS

## CD/312

CD/404

RACING

Bracket for HAND < HELD STEEL extinguishers Ecolife: CAB/319, ø 132 mm

Bracket for STEEL extinguisher CAB/322, ø 160 mm (no picture)

## CD/311/S-AT

CD/309

Bracket for HAND HELD

Ecolife: CAB/319, ø 132 mm

STEEL extinguishers

Bracket for OMP Sport Anti-torpedo tabs CA/372 (no picture) for double brackets extinguishers CD/405 (e.g. CEFAL2).



## CD/300-AT

CBB/351 ø 130 mm

CD/356

Bracket for ALUMINIUM

HAND HELD extinguisher:

Anti-torpedo tabs for mono brackets extinguishers (e.g. CEFAL3).

## Support brackets are made according to the current FIA standard

## WHITE - BLACK COLLECTION - OMP SPORT

## CD/394

Straight connection junction).



## CD/390

3-way with quick attachments.

## CD/309

Bracket for HAND HELD STEEL extinguishers Ecolife: CAB/316, ø 108 mm (no picture)

## CD/395

(1/8°)junction).

## CD/323/A

Aluminium tubing ø 6 mm - 4 m



Bracket only for OMP Sport CA/372 (no picture)

## CD/392

1/8" connection, "T" shaped with quick couplings.

CD/314



## CD/391

90° end connection, 1/8" shaped with quick attachments.



## CD/308

Bracket for fixed bottles for systems ø 160 mm



## **BLACK COLLECTION**

CD/335

Pull cable for mechanically operated systems.

## ONE COLLECTION

## CD/415

90° end connection, 1/8" with quick attachments. Ø8mm



CD/412

attachments. Ø 8mm

"T" shaped 3-way

CD/360

Control box

activated

Sticker

for electrically

extinguishing

systems. With

new advanced

X/855



Nozzle (cockpit) specifically for CESAL4

connection, 1/8" with quick

electronic unit complying with

FIA 8856-2015 rules. Complying with IP55 waterproof standa



## CD/393/N

CD/408

Fixing brackets with

clamps for CESAL4.

Anti-torpedo.

Atomizer nozzle (engine bay) specifically for Ecolife



systems

## X/CAB/CESAL

Electric wiring for CESAL4 extinguisher



Fire resistant sheath 5 m roll, ø 10 mm (or ø 8mm ref. CD/324/8/N).



## CD/414

"Y" shaped connection, 1/8" with quick attachments. Ø 8mm

Aluminium tubing ø 8 mm L 4 m



## X/181493

Rubber ring



control.




## Straight connection

connection

# CD/404




# in either STEEL











CD/416

Straight connection, 1/8" with quick attachments. Ø 8mm









push button for external





## CD/324/10/N



for push button EA/467







# 320 HYBRID S

MANUFACTURED

## SUPER PROFESSIONAL RALLY STEERING WHEEL


Flat steering wheel made with a new exclusive composite technology (carbon fiber and Dyneema®) 300% more resistant than the carbon steering wheel and 20% lighter. Supplied with horn button. Prepared to install 4 bottoms (not included) Realized and developed in cooperation with Sébastien Ogier, WRC world champion with VW Motorsport.



OD/2048 **CARBON FIBER AND DYNEEMA®** 

FLAT SUPPLIED WITH HORN BUTTON

# OVER 20% LIGHTER 300% MORE RESISTANT IN COMPARISON WITH CARBON VERSION SUEDE LEATHER CARBON DYNEEMA® **4 PREDRILLED** HOLES



Diameter: 320 mm Handgrip: oval 35x24 mm

# 310 ALU GT

## SUPERLIGHT PROFESSIONAL GT STEERING WHEEL

Completely made in aluminium and suede leather.

Studied and ready for the installation of most popular electronic display like: MoTec C125 and AiM MXL



OD/2044/N


**ALUMINIUM** 

**FLAT** 



Sample image of MoTec C125 setup.





Diameter: 315 mm Handgrip: oval 36x30 mm

# 320 CARBON S

## SUPERLIGHT PROFESSIONAL STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.



## OD/2032/N

CARBON FIBER FLAT SUPPLIED WITH HORN BUTTON

## SUPERLIGHT PROFESSIONAL DISHED STEERING WHEEL


Carbon steering wheel is constructed as one integral piece.

# 350 CARBON D

# 50% LIGHTER 15% MORE RESISTANT

OD/2028/N

CARBON FIBER DISHED SUPPLIED WITH HORN BUTTON





DESIGNED IN COOPERATION WITH P. SOLBERG



Diameter: 350 mm Handgrip: round 30 mm

# 320 ALU SP

## LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium and suede leather. Preforated version with central hole supplied with horn button.

This version has been derived from the model 320 Carbon S, which has been designed in cooperation with

P. Solberg (FIA World RX 2014/21015 Winner)

## OD/2042F

ALUMINIUM FLAT SUPPLIED WITH HORN BUTTON

SUEDE LEATHER

Diameter: 320 mm

Handgrip: oval 35x24 mm



Same characteristics as OD/2042F. Standard version.



SUPER PROFESSIONAL RALLY STEERING WHEEL

colored marks on the crow to indicate


# RECCE

## OD/2046

**ALUMINIUM** FLAT SUPPLIED WITH HORN BUTTON

Flat steering wheel, in aluminium, 350 mm diameter, round 30 mm handgrip. With steering wheel angles (0° - 25° - 55° - 100° - 160°)





Diameter: 350 mm Handgrip: round 30 mm

# VELOCITA' SUPERLEGGERO


# ORSICA SUPERLEGGERO



Diameter: 350 mm Handgrip: round 30 mm







LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium. 40% lighter than equal model Corsica OD/1954.



OD/2021/N 


> ALUMINIUM DISHED SUPPLIED WITH HORN BUTTON



Same characteristics as OD/2021/N. Oval section version. Diameter: 350 mm







Same

characteristics as

OD/2020/N.

version.

Oval section

# CORSICA

# OD/1954 OD/1956 **PROFESSIONAL** STEERING WHEEL DISHED SUPPLIED WITH Made in aluminium and steel. HORN BUTTON SUEDE LEATHER OD/1954/BN **BLUE ANODIZED** SPOKES

## OD/1954/TN

In suede leather. Titanium colour anodized spokes. Yellow stitching.



OD/1954/N

In suede leather. Black anodized spokes. Yellow stitching.



OD/1954/AN

In suede leather. Silver anodized spokes. Yellow stitching.



OD/1956/N

In smooth leather. Black anodized spokes. Yellow stitching.

OD/2012/NN



OD/1956/NR

In smooth leather. Black anodized spokes. Red stitching.



OD/1956/AN

In smooth leather. Gray anodized spokes. Yellow stitching.




## In suede leather.

Black anodized spokes. Yellow stitching. Diameter: 330 mm







Diameter: 350 mm Handgrip: oval 30x28 mm Depth: 95 mm

# RALLY

ai D

MANUFACTURED

## **PROFESSIONAL** STEERING WHEEL

Made in aluminium and steel.






## OD/1951

In suede leather. Black anodized spokes. Yellow stitching.



## OD/1951/BN

In suede leather. Blue anodized spokes. Black stitching.



OD/1950

OD/1951

DISHED

Diameter: 350 mm Handgrip: round 30 mm

Depth: 95 mm

# WRC




OD/1979

OD/1980

MID-DEPTH DISHED SUPPLIED WITH HORN BUTTON

OD/1979/N



Diameter: 350 mm Handgrip: round 30 mm

Depth: 70 mm



**BLACK STITCHING** 

Red stitching.

# VELOCITA'




OD/1957

OD/1958

FLAT SUPPLIED WITH HORN BUTTON

OD/1957



VELOCITA' 380

Handgrip: oval 35x30 mm



In smooth leather. Black anodized spokes. Black stitching.




## OD/1987/NN In suede leather. Black anodized spokes.

# SUPERQUADRO



FLAT SUPPLIED WITH HORN BUTTON





Diameter: 330x290 mm Handgrip: oval 35x27 mm


# TARGA



## OD/2005/NN

FLAT SUPPLIED WITH HORN BUTTON





Diameter: 330 mm Handgrip: oval 37x24 mm

# TRECENTO




# KUBIK



## OD/1985/NN

FLAT SUPPLIED WITH HORN BUTTON





Diameter: 310x265 mm Handgrip: oval 35x28 mm


# FORMULA QUADRO



## OD/1972/N

SINGLE SEATER





Diameter: 250x200 mm Handgrip: oval 35x25 mm

# INDY




## INDY OPEN

OD/2017/NN

Same characteristics as OD/2016/NN. Open upper part version.






Diameter: 250x170 mm Handgrip: oval 35x25 mm

## OD/2016/NN

SINGLE SEATER





Diameter: 250x200 mm Handgrip: oval 35x25 mm


# MUGELLO

# STEERING WHEEL

# CROMO

# STEERING WHEEL

OMP



## OD/2023/LE


FLAT WOODEN

> Diameter: 350 mm Handgrip: round 30 mm



OD/2018/LN

FLAT SUPPLIED WITH HORN BUTTON



Diameter: 350 mm Handgrip: oval 32x27 mm

## VINTAGE

# SAND

# **STEERING WHEEL**



Diameter: 380 mm



IN POLYURETHANE FLAT SUPPLIED WITH HORN BUTTON

**BLACK STITCHING** 


SMOOTH LEATHER

# **ASSO**

## STEERING WHEEL

## OD/2019/LN

FLAT SUPPLIED WITH HORN BUTTON



Diameter: 350 mm Handgrip: oval 35,5x27 mm

**BLACK STITCHING** 

CHROME SPOKES


# RACING GP

## STEERING WHEEL

OD/1981/NN



FLAT SUPPLIED WITH HORN BUTTON



Diameter: 330 mm Handgrip: oval 32x27 mm

# TRECENTO UNO STEERING WHEEL



## STEERING WHEELS ACCESSORIES

## **QUICK RELEASE HUB**

FIXED STEERING WHEEL SPACERS

ODC02318

Anodized silver

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Available in to be welded version (ODS/024/W) or in to be bolted version (ODS/024/B). Recommended to be use PTFE dry lube to get the best performance and preserve all components.

## ODS/024/W

to be welded



ODS/024/WE

to be welded with connector included

**ODC023** 

Also available with 11 pin professional electrical connector included (this part is an high performance interconnection engineered with arcshape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, IP68 sealing, 10000 cycles guarantee, high temperature and chemical resistance)

## ODS/024/B

to be bolted



## ODS/024/BE

to be bolted with connector include

## WHEEL PLATE

## OD/2029

Carbon fiber. Thickness: 2.5 mm

For use of up to 2 buttons (included). 2 drill points for attachment between steering wheel and hub. Fixing screws included.



Example of

mounted

plate



## WHEEL PLATE

## OD/2026

Carbon fiber. Thickness: 2.5 mm

For use of up to 4 buttons (not included). 6 drill points for attachment. Fixing screws included.



## ADJUSTABLE STEERING WHEEL SPACERS

## ODC022171

Adjustable in 4 positions: 24/34/44/54 mm Suitable for use with a collapsible steering wheel hub (featuring a collapsible sheet metal frame).



Anodized

ODC023171

Anodized black

## STEERING WHEEL HUBS

## OD/1960/...

These steering wheel hubs have been designed so as to maintain the original steering wheel (flat model) position.

When ordering a steering wheel hub you will be required to quote the product code as follows: OD/1960 + vehicle specific code.




TUNING 204

## RACING NETS

## NA/1876

Professional entry level racing net with quick relase and quick front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.


FIA HOMOLOGATED 8863-2013





MANUFACTURER: OMP MODEL: NAM1876 HOM, NO: RN.010.17 FIA STANDARD: FIA 8863-2013

## NA/1870/TN



## NA/1875

Professional racing net with small-sized quick relase to improve driver's field of view and front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013





MANUFACTURER: OMP MODEL: NA/1875 HOM, NO: RN.006.16 FIA STANDARD: FIA 8863-2013

## NA/1877

Professional top level racing net with quick relase, quick front strap adjustment to fit with several seat positions, large triangle to allow an easier mounting complying FIA rules and thinner straps to improve driver's field of view. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013





MANUFACTURER: OMP MODEL: NA/1877 HOM, NO: RN.009.16 FIA STANDARD: FIA 8863-2013

## RACING ACCESSORIES

# . F. PONS - RALLY CLUB TEAM

## NA/1700

NA/1700/R

NA/1700/B Blue

NA/1700 Trasparent

Polyethylene splash guard. Dimensions: 50x30 cm Thick: 1,5 mm





Nylon spare wheel down strap.

## CD/324/10/N

Fire resistant sheath. Ø Internal: 10 mm Length: 5 m

€ 11,10 (C)



## NA/1859



NA/1859071 Black

Tank tape. Wide: 50 mm Roll: 50 m



## NA/1819

Spare wheel support with quick release system.



## NA/1821

Combination steel cross wheel spanner and spare wheel support.



## NA/1820



Steel sheel spanner holder.

## NA/1564

Ear plugs.



## EB/489



## EB/480



BONNET PINS AND TOW HOOKS

EB/492

EB/492/R Red EB/492/A Aluminium EB/492/N Black

Quick release bonnet pins aluminium W 7/16" with stainless steel hardware.



EB/492/B Blue

## EB/491

Stainless

Stainless

hatchbacks.

steel spring clips. Suitable for

steel pins with

large slide pins.



EB/490

M10 stainless steel pins slide with large cast aluminium washers.



EB/482



Rubber hooks (small).

EB/571

FIA APPENDIX J art. 253



## EB/487/N




EB/483

Rubber hooks

(large).



Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 50 mm Thickness: 8 mm Complete: locking nut and washers.




Leather straps.



Straps: 2" Ø ring: 14 mm Chassis fixing: two hole 8 mm and 14 mm




## EB/580



Straps: 2" With restraint elastic strap. Compliant with FIA rules.



## EB/576











## RACING PEDALSETS AND FOOTRESTS

## RACING PEDALSETS AND FOOTRESTS

# OA/1010



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x100 mm

Dimensions accelerator: 60x210 mm



## OA/1000



Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal. Supplied with steel bolts.

Dimensions brake: 60x100 mm Dimensions accelerator: 60x100 mm



OA/2070



Driver's left footrest in knurled luminium. Dimensions: 285x120 mm

OA/1867



Driver's left footrest for left foot, in sandblasted aluminium. Supplied with steel bolts and brackets. Dimensions: 260x100 mm

## OA/1020



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x70 mm Dimensions accelerator: 60x210 mm

## OA/1863








Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x70 mm Dimensions accelerator: 85x120 mm

## OA/2060



Co-driver's footrest in knurled aluminium. Dimensions: 335x300 mm

## OA/2080



Universal flat footrest in knurled aluminium. Dimensions brake: 365x418 mm

## OA/1030



Complete 3 smooth aluminium pedal, suitable for rally use, already drilled and countersunk. Supplied with steel bolts. Thick: 3 mm

## OA/1050



Same features as partnumber OA/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed. Thick: 2,5 mm

## OA/1866



Co-driver's footrest in sandblasted aluminium. Supplied with steel bolts and brackets. Dimensions: 320x280 mm

## ODA/2002

Light racing gear knob

Ø 50 mm



RACING

RACING

## PIT BOARDS

## KC/1068

## **PROFESSIONAL**

Aluminium frame. Dimensions: 100x72 cm Complete with 42 cards of numbers, letters and symbols measuring 23x14 cm and one customizable plate 23x65 cm supplied in a synthetic leather bag, which stores sidely on the aluminium frame when not being used.



## KC/1067

## TRIPLA

Aluminium frame. Dimensions: 72x72 cm Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm



## KC/1069

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather carrying pouch.



## **ELECTRICAL ACCESSORIES**

# MASTER SWITCHES



## EA/462

6 poles with removable key disconnecting battery and alternator.

## EA/464

Spare key for EA/462 model.

## EA/460

2 poles with removable key disconnecting battery only.

## EA/463

Spare key for EA/460 model.

## CO-DRIVER' MAP LIGHTS





For interior use.

## KA/1036

KA/1035

Professional model,

flexible led. Long: 50 cm

Professional model, flexible led. Long: 40 cm

## STAY-BARS



EB/570

Stay-bars, pair of zinc plated steel stay-bars for spotlights. Variable length: 130/195 mm

## **PUSH-BUTTON SWITCHES**


EA/466



EA/467

For exterior use, water resistant.







## TYRE WARMERS

A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Exterior: Cordura® which improves transpiration allowing moisture to escape away from the tyre.

Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request.

Tyre warmers models with a Central Electronic Temperature Control Box (part number T200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection rating of IP44.

## T1957C

Width: 190/220 mm Ø 570/220 mm

## T1963C

Width: 190/200 mm Ø 630/640 mm

## T2363C

Width: 230/260 mm Ø 630/645 mm

## T2360C

Width: 230/260 mm Ø 600/620 mm

Tyre warmers models with a Standard Temperature Control allows the tyre surface to reach 80/85 °C.

The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating conditions.

## T1957

Width: 190/220 mm Ø 570/585 mm

## T1963

Width: 190/200 mm Ø 630/640 mm

## T2363

Width: 230/260 mm Ø 630/645 mm

## T2360

Width: 230/260 mm Ø 600/620 mm

## THE MEASUREMENTS REFER TO THE TYRE SIZES.



## T100

Nylon carrying bag for one complete set of 4 tyre warmers.

## T200/2

Electronic thermostatic control box with digital display for 2 tyre warming blankets.

## T200/4

Electronic thermostatic control box with digital display for 4 tyre warming blankets.



# CHRONOMETERS

## CO-DRIVER


NA/1863

## HANDHELD STOPWATCH

KB/1041

CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59"99, lap times. CLOCK: with alarm clock and Pacer dater.

TIMER: with countdown function.





CO-DRIVER'S PAD



NA/1863 Size: A4 Pages: 130

NA/1862 Size: 17,3x22 cm Pages: 130

PENHOLDER

FIG. 1990 Billion Brussell

OC/1063



Spring penholder, 4 penholders each.

CO-DRIVER BAG

DIMENSIONS: 44,5x6x25 cm

ORA/2967

Light weight sporty brief bag with removable shoulder strap.

## LIQUID CRYSTAL HANDHELD STOPWATCH

KB/1040

CHRONOGRAPH: with split, total elapsed times up to 9h, 59', 59", 99 seconds.

CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h

TIMER: with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times.

60 MEMORY



CO-DRIVER PLUS

ORA/2966

Lightweight backpack with organizational features inclused plenty of internal and external accessory pockets.

DIMENSIONS: 40x34x20 cm







RACING

## TUNING PEDALS SETS



# THE PROPERTY OF THE PROPERTY O

#### OA/1067

Complete 3 pedal set in anodized aluminium and sandblasted aluminium, with short accelerator pedal; anti-slip design.

Dimens. brake: 60x85 mm

Dimens. accelerator: 55x106 mm





3 PEDALS

#### 0A/1067/R Red



A/1067/A Silver



## 0A/1067/A

#### OA/1069

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator pedal; anti-slip design. Dimens. brake: 60x90 mm Dimens. accelerator: 65x180 mm

Dimens. accelerator: 65x180 mm Supplied with steel bolts.

#### 3 PEDALS







#### OA/1069/B Blue



OA/1069/A Silver



#### OA/1072

Complete 2 pedal set with long accelerator pedal; anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design, brake pedal for automatic transmission.

Dimens. brake: 140x79 mm

Dimens. accelerator: 65x180 mm

Supplied with steel bolts.

#### 2 PEDALS





#### OA/1072/A Silver





OA/1072/N Black

#### OA/1068

Complete 2 pedal set in anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design with short accelerator pedal and brake pedal for automatic transmission.

Dimens. brake: 140x70 mm

Dimens. accelerator: 55x106 mm

Supplied with steel bolts.

#### 2 PEDALS





OA/1068/N Black



TUNING 216 TUNING

## TOW HOOK

## STRUT BRACES

#### OA/1040

Complete 3 pedal set with short accelerator pedal in silver anodized aluminium.
Inserts: rubber anti-slip.
Dimens. brake: 60x80 mm
Dimens. accelerator: 60x105 mm
Supplied with steel bolts.

#### **PRECURVED**





#### EB/572

Aluminium tow hook, flat. Thickness: 6 mm



#### EB/573

Aluminium tow hook, angled. Thickness: 6 mm



## CHEMICAL PRODUCTS

#### PC01001

#### **FINE WHEELS**

Concentrated detergent for steel wheels, alloy wheels and brake calipers. Contents: 750 ml



#### PC02002

#### **BLACK LIGHT**

Transparent black acrylic paint for personalization of indicator lights. Colours: black, green, blue. Contents: 400 ml



#### PC02001

#### FIRE PAINT

Special high temperature paint for exhaust systems, brake calipers, engines, etc.

Colours: red, blue, yellow, black, silver, gold.

Contents: 400 ml





We are the leading European manufacturer of strut braces, offering over 1000 vehicle specific applications.

Our strut braces are engineered to keep suspension geometry unlatered in hard cornering, while improving feedback to the drive.





## RACING SPIRIT SOFTSHELL

LONG SLEEVED SOFTSHELL JACKET

94% polyester 6% spandex, windproof, breathable, inner fabric

pockets with zip closure, adjustable

in mesh, front zip, two lateral

STYLE

## RACING SPIRIT SOFTSHELL

#### OR5910

SIZES: S-XXL

€ 77,00 (P)

#### NO SLEEVED SOFTSHELL JACKET

OR5913089XX

Anthracite/black

94% polyester 6% spandex, windproof, breathable, inner fabric in mesh, front zip, two lateral pockets with zip closure, inner pocket with zip closure, inner adjustable string with stopper. Easy customization thanks to the zip clouser at the lining bottom.

TWO POCKETS

with zip closure

#### OR5913

SIZES: S-XXL

€ 69,00 (P)





223

STYLE

## RACING SPIRIT HOODIE

CHP

## RACING SPIRIT POLO

#### OR5903

SIZES: S-XXL

HOODIE



TWO POCKETS



(FLUO YELLOW AND FLUO GREEN)

SET OF STRINGS

ONE EVO STYLE DESIGN

Short sleeved polo shirt made of cotton fabric. Also available in neutral version without logos for team customizations upon request (OR5905N).





STYLE

OR5905

SIZES: S-XXL

## RALLY T-SHIRT

## SENNA T-SHIRT

#### OR5915

ONE COLOUR: BLACK SIZE: XS-XXXL SENNA T-SHIRT

In cotton fabric.

OR5916

SIZES: XS-XXXL







**RALLY T-SHIRT** 

In cotton fabric.

# KART T-SHIRT

# STRIPED LOGO T-SHIRT

## OR5917

ONE COLOUR: WHITE SIZE: XS-XXXL

## STRIPED LOGO T-SHIRT

In cotton fabric.



SIZES: XS-XXXL



KART T-SHIRT


In cotton fabric.

KSTALE

# RACING SPIRIT T-SHIRT


## BLACK T-SHIRT

#### OR5904



#### OR5907

ONE COLOUR:



SHORT SLEEVED T-SHIRT BLACK Made in cotton fabric with yellow "OMP" logo. SIZE: XS-XXL ALSO FOR CHILDREN SIZES: 2 YEARS - 4 YEARS





White

SHORT SLEEVED T-SHIRT

OR5904080XX

## RACING SPIRIT SHIRT

ONE

# / OMPBAGS

#### OR5902

SIZES: 38-39-40-41-42-43-44

## ONE BACKPACK

ORA/2964

Tech backpack with several external pockets and inner organizer compartments. Adjustable waist, chest and shoulder belts. Made of lightweight and durable material.

COLOUR: Black

DIMENSIONS: 45 x 38 x 20 cm







## FIRST BACKPACK

ORA/2965

Sportswear backpack in resistant nylon fabric, with external pocket and a pratic handle. Length adjustable shoulder straps.

e. Length adjustable shoulder straps.

COLOUR: Black

DIMENSIONS: 40 x 30 x 18 cm





LONG SLEEVED SHIRT

Made in cotton fabric with

embroidered "OMP" logos.

OR5902020XX White

Grev

STYLE

232

233

## OMP BAGS

## OMP BAGS

## CO-DRIVER PLUS BACKPACK

ORA/2966

CO-DRIVER BAG

ORA/2967

Light weight sporty brief bag with removable shoulder strap. DIMENSIONS: 44.5x6x25 cm



## TRAVEL BAG

ORA/2969

Generous dimensioned travel bag made in nylon, provided with trolley. Large central compartment, big pockets and side padded compartment. Provided with a practical adjustable shoulder strap. New anti-rollover rigid base and new fresh design.









STYLE

234

235

# ACCESSORIES

## OMP UMBRELLA

Diameter: 1 m.



SHIFT BELT

OR5883071

COLOUR: Black

ONE SIZE



## RACING SPIRIT CAP

OR5919

Cotton cap.

COLOUR: Grey OR5919080



CAP

PR918

Cap in lightweight cotton, velcro back closure. Racing design. COLOURS: PR918020 white, PR918071 black

Also for children. One size

COLOURS: PR918C020 white. PR918C071 black





## WHEELED CHAIR

## OMP CHAIR CUSTOMIZATION BY



#### **OMP WHEELED CHAIR**

Wheeled chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable armrests.





HA/777E/AIR Black with breathable airnet fabric

















MOTO GP / MX1 / WRX





## RE-FICHILD SEAT

## RE-ETCHILD SEAT

ADJUSTABLE HEADREST

with shock absorber

HA/804

#### HIGH LEVEL CHILD SEAT

Adjustable inclination with practical knob, ISOFIX ready. Removable and washable upholstering in soft fabric. Waiting for ECE R129 and CCC Homolations.



ADJUSTABLE HEADREST



#### HA/804/NGI Black/fluo yellow

HOMOLOGATION ECE R44/04 GROUPS 1, 2, 3 (from 9 to 36 kg)

#### ADJUSTABLE BELT **POSITIONING**

3 points comfortable and high security harness



Black/red



ADJUSTABLE INCLINATION

with pratical knob

#### HIGH LEVEL CHILD SEAT

ISOFIX attachments included. Airnet covering for the air transpiration. Quick and safe installation.

ISOFIX CONNECTOR



HA/797/BC Dark blue/cyan

HOMOLOGATION ECE R44/04 GROUPS 1, 2, 3 (from 9 to 36 kg)

**5 POINTS SAFETY** HARNESS WITH ADJUSTABLE POSITIONING

HA/797/NGI

Black/fluo yellow

SIDE PROTECTION SYSTEM



HA/797/NR Black/red

DRICK SPINIS

REDUCER





HA/797

OMP

RC

## ELECTRIC HOVERBOARD

## AND SCOOTERS RANGE

# MANUFACTURED AND DISTRIBUITED BY C. K. EUROPE ® S.R.L.S.



#### ELECTRIC SCOOTER FOR CHILDREN 100W 24V

Electric scooter for 4 to 15 years old children. Space-saving folding chassis for an easier carriage.

Weight: 12 Kg Top speed: 12 Km/h

Max range: 10 km with a 4 hours of recharge

Max load: 55 Kg

Available colors: Blue, Black, Green

## PRACTICAL TO CARRY AND PERFECT TO MOVE QUICKLY AROUND THE PADDOCK OR EVERYWHERE YOU WANT

## ELECTRIC SCOOTER WITH SEAT 500W 36V

Electric scooter with seat, for adults and boys from 14 years old. High quality materials and modern design, with 10" wheels, disc brake and chain drive. Space-saving folding chassis for an easier carriage.

chain drive. Space-saving fold easier carriage Weight: 28 Kg Top speed: 25 Km/h Max range: 25-30 km Max load: 120 Kg Available colors: White, Black

Homologated for road use with a mandatory

registration.





#### HOVERBOARD 500W

2-wheeled electric hoverboard for boys and adults. Suitable for moving also on long distance, it can be used on sidewalk, inside malls and around the paddock.

Samsung Litium batteries (2x36V 4.4Ah) 6.5"wheels.

Recharge time 4-6 hours Maximum load 90 kg Net weight 10 kg Top speed: 17 Km/h Max range: 20 km Available in different colors.

STYLE STYLE

## PROMOTIONALITEMS

X/694E/15

PR925

A futuristic foosball table with OMP colors, ideal for your paddock hospitality. 9 balls included. Dimensions: 144x73x92 cm



#### PR922

Paddock stool with height adjustment, footstool, customized yellow spring.



#### X/963/CINT

Safety harnesses fasten structure to be matched with the seat support X/963.



PR880

X/694E/80TNT

Lanyard.

Racing design tnt band, sold per meter.

Height: 80 cm Roll: 24 m

Flag. Dimensions: 1000x1500 mm X/867

Racing design nylon band with OMP logo. Height: 15 cm Roll: 7 kg.

#### PR921

Mechanic stool with air-operated adjustment in height, base with 5 wheels, small basket and tool case.



Steel seat display base with two bolt patterns to accommodate mounting of OMP X/963



Both bottom mounting or side mounting models with side brackets.

# USB Flash Drive with case, 8 GB PR927

Pen with pen holder.





HC/801

Wheeled office chair base. Dimensions: 345x270 mm



X/683/BR



X/683/BK

Karting suit bag.



X/846

PR908

Assorted sticker sheet with: tow hooks, extinguisher and master switch stickers.



X/889

Assorted OMP stickers.



STYLE



#### **ONE ART SUIT** "RECORD" LIMITED EDITION

Totally printed FIA top level suit. Regular fit with ultraflat antirubbing seams, soft knitted fabric inside.





#### IA857LAMB-C179XX

Black/green/yellow

#### **INNER POCKET**

One comfortable hidden inner pocket



MANUFACTURER: OMP MODEL: R-IA8-001 HOM, NO: RS.297.16 FIA STANDARD: FIA 8856-2000

# SUIT

#### IA857LAMB-C

SIZES: 46-64 COLOR:

ORANGE/BLACK sizing information on page 317



#### FLOATING SLEEVES

Semi floating arm bellows.

KNITTED MATERIAL

#### STRETCH DRY SYSTEM

High breathability parts in Dry System 3D material

on back, hips and under the sleeves.

ONE ART SUIT

"SPEED" EDITION

Totally printed FIA top level suit. Regular fit with ultraflat antirubbing seams, soft knitted fabric inside.





MANUFACTURER: OMP MODEL: R-IA8-001 HOM, NO: RS.297.16 FIA STANDARD: FIA 8856-2000

# SUIT

#### IA857LAMB-A

SIZES: 46-64 COLOR:

BLACK/YELLOW sizing information on page 317



IA857LAMB-A178XX

Black/yellow



#### ONE ART SUIT "SPEED" EDITION

Totally printed FIA top level suit. Regular fit with ultraflat antirubbing seams, soft knitted fabric inside.





MANUFACTURER: OMP MODEL: R-IA8-001 HOM, NO: RS.297.16 FIA STANDARD: FIA 8856-2000



#### IA857LAMB-B

SIZES: 46-64 COLOR: GREY/GREEN

on page 317



IA857LAMB-B188XX

Grey/green

# SUIT

## SUIT

#### IA837LAMB

SFI 3-2A/5 on request 3 LAYERS SIZES: 46-64 sizing information on page 317 WEIGHT: 235 gr/m2

SLIM FIT CUT

PRE-CURVED SLEEVES for maximum comfort

DRY SYSTEM

3D breathable material

SCURORA CORS

MANUFACTURED

ONE-S REPLICA SUIT FOR CHILDREN FROM 7 TO 11 YEARS OLD

ONE-S replica suit for Automobili Lamborghini Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers. Not FIA approved.



SIZES: 7-9 YEARS (120-140 CM) 10-11 YEARS (140-160 CM)






0



SUIT

IA837LAMBC1

SIZES:







ONE-S replica suit for Automobili Lamborghini Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers. Not FIA approved.













FRESH AIR IN HOT AIR OUT

**DEVELOPED DIRECTLY** 

Outer pockets.

FROM OMP'S TOP DRIVERS EXPERIENCE

Made of shiny, High-Tech Nomex® fabrics

**ULTRA-FLAT** 

anti rubbing seams

FLOATING ARMS

with elastic bellows

DRY SYSTEM

3D breathable material

and innovative new inner materials,

allowing a significant weight reduction.



## ONEVINTAGE

#### SUIT ONE VINTAGE

## SUIT

#### **RETRO RACING SUIT STYLE**

Typical style worn by the great champions of F1 in the mid 70s. Produced with the same ultra-light fabrics of the new ONE EVO and ONE-S suits.

## VINTAGE STYLE

FLOATING ARMS

with elastic bellws

**APPROVED** 

MODEL: ONE BASIS HOM, NO: RS.224.12 FIA STANDARD: FIA 8856-2000

**OUTER POCKETS** 

## IA842LAMB

SFI 3-2A/5 on request 3 LAYERS SIZES: 46-64 sizing information on page 317 WEIGHT: 235 gr/m<sup>2</sup>

#### SHAPED COLLAR

with inner soft knitted material and pre-curved sleeves for maximum comfort

#### SLIM FIT

ELASTIC

and ultra-flat, anti-rubbing seams

7 TO 11 YEARS OLD OMP Vintage replica suit for Automobili Lamborghini

**ONE-S REPLICA SUIT FOR** 

CHILDREN FROM

Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers.

Not FIA approved.



7-9 YEARS (120-140 CM) 10-11 YEARS (140-160 CM)









#### IA842LAMBC1

**ONE-S REPLICA SUIT** FOR CHILDREN FROM 2 TO 6 YEARS OLD

OMP Vintage replica suit for Automobili Lamborghini Squadra Corse designed for young motorsport enthusiasts, like all the tracksuits worn by the Squadra Corse racing drivers. Not FIA approved.






















## ONETOP

#### **ULTRA-LIGHT UNDERWEAR TOP WITH EXCLUSIVE FEATURES**

Advanced technology knitted fabric with maximum breathability 3D knitted inserts for maximum cooling in hot conditions that aligns with the





## CREW-NECK TOP

with ultra-flat seams

## **ULTRA-FLAT**

and anti-rubbing seams

for increased driver comfort; extremely light, increased

10

DRY SYSTEM

material

3D breathable



MANUFACTURER: OMP MODEL: IAA/739 FIA STANDARD: FIA 8856-2000

## ONELONGJOHNS

## IAA/739ELA

SFI on request

#### SMA

corresponding sizes XS/S suit sizes 44-48

#### MED

corresponding sizes M/L suit sizes 50-54

#### XLAR

corresponding sizes XL/XXL suit sizes 56-60

#### on request:

2XLAR

corresponding sizes XXXL suit sizes 62-64

## MANUFACTURED

#### SLIM FIT/ATHLETIC CUT

elasticity





MODEL: IAA/723

#### **ULTRA-LIGHT PANTS AND BALACLAVA WITH EXCLUSIVE FEATURES**

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.





SOCKS

IAA/724LAMB

SFI3.3 SIZES:

XS-S-M-L

## IAA/740EPLA

SFI on request

SMA

corresponding sizes XS/S suit sizes 44-48

#### MED

corresponding sizes M/L suit sizes 50-54

#### XLAR

corresponding sizes XL/XXL suit sizes 56-60

#### on request:

2XLAR corresponding sizes XXXL suit sizes 62-64





FIA STANDARD: FIA 8856-2000



MODEL: IAA/740P

**ULTRA-FLAT** 

and anti-rubbing seams

DRY SYSTEM

material

3D breathable

## ONE BALACLAVA

## IAA/741ELA

SIZES: S - M



MANUFACTURER: OMP FIA STANDARD: FIA 8856-2000







MANUFACTURER: OMP MODEL: IAA/741 FIA STANDARD: FIA 8856-2000

# ONE EVO

**GLOVES** 

## DIJON

#### **DEVELOPED DIRECTLY FROM OMP'S** TOP DRIVERS EXPERIENCE

Ultra-light fire-retardant elastic fabric with high adhesion inserts for maximum grip.



HAND AND FINGERS SILICON WEBBING

**PRECURVED** MIXED INTERNAL/ EXTERNAL SEAMS SIZES: XS - XL

sizing information on page 317





#### VINTAGE GLOVE

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



**ELASTIC WRIST STOP** 





IB/746/LAMB

**PRECURVED** 

SIZES: S - XL

sizing information on page 317

#### SUEDE LEATHER INSERTS

on palm and fingers for very good grip



## HARNESS PAD

#### PAIR OF HARNESS PADS

In velour, to be used with 2" seat belts or child seat's belts, velcro fastening.



DB/454/LAMB

#### VINTAGE GLOVE

Smooth leather and cotton fabric.



DISAT

STRAP WITH VELCRO

IB/747/LAMB

PRECURVED

SIZES: S - XL sizing information on

page 317

VINTAGE STYLE

IC/807LAMB

HA/777/LAMB

## **ONE-S SHOES**

Top level leather boot. Tecnical reinforcements on the tip and on the heel. Injected high resistant sole and best grip. Velcro strap for a best fitting of the ankle. Inner sole with plate reinforcement for highest sensitivity and reduction of the stress on the feet. Thin laces to guarantee and permit a good sliding and a

> TECNICAL REINFORCEMENTS

quick lacing of the

boots.

on the tip and on the hee



MANUFACTURER: OMP MODEL: IC/801 ONE S FIA STANDARD: FIA 8856-2000 **VELCRO STRAP** 

for a best fitting

of the ankle

SIZES: 37-48 sizing information on page 317 EUROPE

THIN LACES for high sliding and quick lacing INJECTED SOLE

> for maximum grip and resistance to wear

#### **INNER SOLE**

with plate reinforcement for highest sensitivity and reduction of stress on the feet.

## CARRERA

**EMBOSSED** 

SHOES

IC/784LAMB

SIZES: 37-48

sizing information on page 317

## VINTAGE CLASSIC BOOTS

Polished leather lined in soft jersey. Molded rubber sole resistant to hydrocarbons.

> MANUFACTURER: OMP MODEL: NURBURGRING FIA STANDARD: FIA 8856-2000

High quality treated leather for an ultra-soft feel. Accurate hand-made production.





Wheeled chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and adjustable





## SUIT

# KS-1R

## SUIT

KK720LAMB

HOMOLOGATION

CIK - FIA level 2

#### SUPER RESISTANT MECHANICS OVERALL

Polyester - cotton fabric resistant to repeated washing and most stubborn stains.



NB1578LAMB

ARMBELLOWS

in knit elastic fabric

MECHANICS'

#### **TECHNICAL INFORMATION**

1 LAYER SIZES: 44-64

sizing information on page 317

# WORKSIHOP

**GLOVE** 

NB/1886/LAMB

#### TECHNICAL SHORT GLOVE

Not fire resistant, for professional use. Back in technical elastic fabric with leather inserts. Palm in suede leather for best fitting and adherence. Elastic bend and technical velcro closure.







#### **ULTRA LIGHT TOTALLY PRINTED SUIT**

High comfort due to the new soft and light fabrics, elastic crotch insert, new semi-floating stretch sleeves with mesh inserts for best ventilation.

Stretch inserts on lower back and inner knee pads for protection.





SEMI FLOATING SLEEVES



**ELASTIC CROTCH INSERTS** 





MODEL: K-KK-001 HOM, NO: CIK-FIA 20B/026

PADDED INSERTS



# KS-1R

## **GLOVE**

#### KK02740LAMB

SIZES: XXS - XL sizing information on page 317



#### KK03016LAMB

Stretch fabric, hydrophobic highly hygienic hollow fiber. Ultra-low density jacquard weaving for high breathability. Ideal in hot conditions.



XS-S (44-48)

M-L (50-54) XL (56-60)

XXL



#### KS SUMMER SHORTS

#### KK03017LAMB

Stretch fabric, hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

SIZES: XS-S (44-48)

M-L (50-54)

XL (56-60) XXL






# KS-1R

## SHOES

IC/810LAMB

SIZES: 34-47 sizing information on page 317



ONE SIZE

in hot conditions.



KS SUMMER BALACLAVA

KK03018LAMB





#### KS SOCKS

KK03019LAMB

Technical socks with differentiated weave. Mid lenght.

SIZE S-M-L







## TOP LEVEL KARTING SHOES

Super top boots with new generation sole which guarantees highest sensitivity, featuring Rotor lacing insipred by the fireproof ONE EVO R boots.

Made of perforated microfiber with tecnical protetction on the tip.

KS-1 R GLOVES

Elasticized super top

inserts on the palm,

karting glove. Silicone

precurved for maximum

grip. External seams for maximum sensitivity.













# K5 This model of suit can be customized through the use of images, photos and color blendings. This peculiar feature is possible thanks to our proprietary technology "OMP Print Art". In order to outline what spaces are at the customer's disposal for personalization, we show you the exploded

view of those areas.

ASSUTE.




















TONY/KART









KARTING

# (SEIFR

#### **ULTRA LIGHT TOTALLY PRINTED SUIT**

- 107 B

High comfort due to the soft and light fabrics, elastic crotch insert, new semi-floating stretch sleeves with mesh inserts for best ventilation.

Stretch inserts on lower back and inner knee pads for protection.





**ELASTIC INSERTS** 

#### KK01720370XX

Black/grey/fluo yellow



PADDED INSERTS



MANUFACTURER: OMP MODEL: K-KK-001 HOM, NO: CIK-FIA 20B/026 FIA STANDARD: 2013-1



#### KK01720C FOR CHILDREN

HOMOLOGATION CIK - FIA level 2 SIZES: 44-62 for children: 120/130/140/150/160 height

sizing information on page 317

SEMI FLOATING SLEEVES



STRETCH INSERTS







# KS RUIT

## TOP LEVEL KARTING SUIT TOTALLY PRINTED

Without seams on waist to increase driver's comfort. Elastics insert on groin, underfoot retainer, comfortable padding on knees, high breathability inserts under the sleeves, mesh inserts on shoulder and pockets to improve ventilation, low cut neck and velcro wrist closure.



KK01725247XX Blue/yellow







MANUFACTURER: OMP MODEL: OMP KS-1 KARTING HOM, NO: CIK-FIA 2013/004 FIA STANDARD: 2013-1

#### KK01725

#### KK01725C FOR CHILDREN

HOMOLOGATION CIK - FIA level 2 SIZES: 44-62 for children: 120/130/140/150/160 height

sizing information on page 317

FLOATING SLEEVES




FLOATING SLEEVES

MESH INSERTS

Floating arm bellows.

**ELASTIC CROTCH INSERTS** 





# K(5-3

OMP

KK01724

KK01724C

FOR CHILDREN

HOMOLOGATION CIK - FIA level 1

4 LAYERS

height

#### **CLASSIC AND FLUO COLOURS SUIT**

Karting suit with exterior in cordura, interior in soft cotton sponge. Revised fit for improved comfort and ergonomic driving position. Outer pockets.

KK01723L179XX Black/fluo orange



KK01723L178XX Black/fluo yellow



KK01723L275XX Black/fluo cyan



KK01723043XX Blue/white



KK01723063XX Red/white



#### KK01723

KK01723C FOR CHILDREN

KK01723L FLUO

#### KK01723LC FLUO FOR CHILDREN

HOMOLOGATION CIK - FIA level 2 3 LAYERS SIZES: 42-62 for children: 120/130/140/150/160 height

sizing information on page 317

#### KK01723L274XX

LOW CUT COLLAR

Black/fluo green

**FULL FLOATING ARMS** 

OWB



MANUFACTURER: OMP MODEL: OMP KS-3 KARTING HOM, NO: CIK-FIA 2013/007

#### MESH INSERTS

on thighs area to improve ventilation



#### HARDY KARTING SUIT

Outer layer in polyester, interior in soft cotton sponge. Outer pockets.





LOW CUT COLLAR

SIZES: S-XXL for children: 120/130/140/150

sizing information on page 317

#### ARM BELLOW

in elastic knitted fabric for maximum freedom of movement

#### KK01724041XX

OWB

Blue





MANUFACTURER: OMP MODEL: OMP KS-4 KARTING HOM, NO: CIK-FIA 2013/16 FIA STANDARD: 2013-1







# SUMMERK

# SUIT

# RAINK

## SUIT





## KSWINTER

## KS SPRING



#### KK03021E071XX

Black

Long sleeved underwear shirt for winter use made of new stretch fabric. Realized with "3D" seamless technology for the best freedom of movement and comfort.

SIZES:

S/M (corresponding suit sizes 44-48)

L/XL (corresponding suit sizes 50-54)

XXL/XXXL (corresponding suit sizes 56-60)

## KS WINTER-R BALACLAVA

Kart balaclava for winter use made of new stretch fabric. Made with "3D" seamless technology for the best comfort. Size: one size fits all.



# KK03020E MANUFACTURED KK03020E071XX Black

(corresponding suit

sizes 56-60)

#### LONG SLEEVED KART TOP

Long sleeved shirt, hydrofobic highly hygienic hollow fiber. Crew neck top with ultra flat seams. Compact weaving for thermal insulation.

HIGH BREATHABLE

fabric inserts



## KS SUMMER

## **SHIRT**

#### SHORT SLEEVED T-SHIRT

KK03012071XX

Stretch fabric, hydrophobic highly hygienic hollow fiber. for high breathability.

Ultra-low density jacquard weaving Ideal in hot conditions.

**ULTRA-FLAT** 

anti rubbing seams



#### KK03016

SIZES:

SMA

(corresponding sizes XS/S -

suit sizes 44-48)

MED (corresponding sizes M/L -


suit sizes 50-54)

XLAR (corresponding sizes XL/XXL suit sizes 56-60)

KK03016020XX

White

KK03018



Hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

KK03018020 White





## BALACLAVA

KK03005

Knit cotton, open face balaclava.

KK03005020 White

ONE SIZE

KK03005061

KK03005041

KK03005071 Black



SIZES:

SMA (corresponding sizes XS/S - suit sizes 44-48) MED (corresponding sizes M/L - suit sizes 50-54) XLAR (corresponding sizes XL/XXL - suit sizes 56-60)

## **BALACLAVAS**

Open face disposable

ONE SIZE



## KS SOCKS

KK03019



Technical socks with differentiated weave. Mid lenght.

Black

SIZE S-M-L









#### TOP LEVEL KART GLOVES WITH TOTALLY PRINTABLE DESIGN

AVAILABLE ONLY UPON REQUEST

Made in stretch fabric, it is possible to customize the gloves.
Unlimited customization ways thanks to the totally printed design.

KK02746

SIZES: XS-XL

sizing information on page 317





# 

## **GLOVES**

KK02740

EXTERNAL SEAMS

THE THE STATE OF T

RUBBER PROTECTION

## **GLOVES**

### KS-1 R GLOVES

Elasticized super top glove. Silicone inserts on the palm, precurved for maximum grip. External seams for maximum sensitivity.

#### **EXTERNAL SEAMS**

KK02740071XX Black/white/silver

### SIZES: XXS - XL sizing information on page 317

**ELASTIC BAND** 

on the wrists

SLANTED CUT

**ULTRA-GRIP** 

is used on the fingertips

and forefingers for maximum grip on the steering wheels

## PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable strech fabric. Bellows on knuckles and fingers for best freedom of movement and breathable inserts in mesh fabric to increase comfort Fresh design and modern colore range.

# KK02747058XX

Yellow fluo/green fluo



KK02747060XX Red/black



KK02747242XX Navy blue/white/cyan



KK02747120XX White/red/black




SIZES: XXS-XL sizing information on page 317 **CHILDREN SIZES: 4-6** 


KK02747


4	XXXXXS
5	XXXXS
6	XXXS











SILICONE

INSERTS

NEOPRENE INSERT ON

THE WRIST

for easy fitting

INTERNAL SEAMS

KK02744E

### PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable strech fabric. Synthetic leather palm with silicon rubber inserts for the best grip. Elastic wrist stop to increase comfort and rubber protection on knuckles.

KK02743E096XX

Black/orange fluo

KK02743E076XX Black/white

KK02743E175XX Black/blue/white



SIZES: XXS-XL sizing information on page 317

CHILDREN	SIZES: 4-6
----------	------------

RUBBER PROTECTION

4	XXXXXX
5	XXXXS
6	XXXS

RUBBER INSERTS

SYNTHETIC **LEATHER PALM** 

with antiskid rubber

## PROFESSIONAL KART GLOVE

Kart gloves made of resistant and comfortable strech fabric. Palm in suede leather, elastic wrist stop to increase comfort, adjustable leather strap on wrist with velcro closure.



THE WAS THE REST OF THE PARTY O

SIZES: XXS-XL sizing information on page 317 CHILDREN SIZES: 4-6

4	XXXXXX
5	XXXXS
6	XXXS



KK02744E178XXYellow fluo/black



KK02744E060XX Red/black



KK02744E277XX Purple/black





KK02744E071XX Black



KK02744E274XX

Green fluo/black



ADJUSTABLE LEATHER STRAP

**ELASTIC WRIST STOP** 

INTERNAL SEAMS





KK02743E060XX Black/red

KARTING



KK02743E059XX Black/fluo yellow

**ELASTIC WRIST STOP** 









ARP - ADVANCED RAIN PROOF GLOVES

WATER REPELLENT EXTERNAL THREATMENT


## **GLOVES**

## KK02745

SIZES: XXS-XXL sizing information on page 317

### NEOPRENE KARTING GLOVE

Water and wind resistant.



SIZES: XXS-XL sizing information on page 317


> XXXXXX XXXXX





RAINK











THE WAS A STATE OF THE PARTY OF

### IC/810

SIZES: 34-47 sizing information on page 317

REAR BELLOW



SIDE REINFORCEMENT ON THE TIP

### TOP LEVEL KARTING SHOES

IC/815120XX White/black/red

Top level karting shoes, derived directly from F1&WRC racing shoes. Realized in polyurethane, with ultralight outsole specifically designed for karting that guarantees the highest sensitivity when driving.

Rear inserts in elastic padded material for improved comfort, separate ankle adjustment with velcro strap, pivot heel design for smooth actuation. Large

areas in mesh fabric for best breathability.

## IC/815

SIZES: 37-48 34-46 ONLY FLUO YELLOW

sizing information on page 317



TOP LEVEL KARTING SHOES

with tecnical protetction on the tip.

Super top boots with new generation sole which guarantees

highest sensitivity, featuring Rotor lacing insipred by the

fireproof ONE EVO R boots. Made of perforated microfiber

IC/815270XX

Black/white/fluo green

IC/815244XX

Blue navy/white/cyan

SIZES: 32-47 sizing information on page 317



OUTSOLE specifically designed for karting

THE PROPERTY OF THE PARTY OF TH

MESH INSERTS



Black/white/anthracite







with black, fluo yellow, fluo green, fluo orange, cyan, red, magenta and anthracite strings in the same package



IC/813241XX Blue/white/cyan












The state of the s

MICROFIBER SHOES







Black/white/red



with black, red and white strings in the same package



with black, cyan and white strings in the same package



IC/817

REAR BELLOW

ARP - ADVANCED RAIN PROOF SHOES SUITABLE FOR DRIVING IN ALL WEATHER CONDITIONS, NOT ONLY WHILE RAINING

High-height kart boots in polyurethane with waterproof membrane under the laces and hight ankle height ankle to protect feet against rain and bad weather.



#### INJECTED SOLE

for maximum grip and resistance to wear





for smooth pedal actuation



with velcro closure

IC/81707XX





THE PROPERTY OF THE PARTY OF TH

#### HOMOLOGATION:

**SNELL 2015** 

FIA 8859-2015 mounting Hans® safety device clips (not included)

TWO SHELL SIZES

REAR SPOILER

SIZES: XS-XXL sizing information on page 317





### **FULL FACE KARTING HELMET**

CMR helmet made in composite material. Lighweight, with soft and comfortable high breathability internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system. SC790

HOMOLOGATION: CMR 2016 TWO SHELL SIZES SIZES: XXS-L sizing information on page 317









EASY BLOCK SYSTEM

**FULL FACE KARTING HELMET** 

Lightweight, with soft and comfortable high breathability fire retardant

internal lining, bordered strap with double ring clousure and high

Made in composite material.

block system.

# CIRCUIT

## HELMET

# STAR

THE PARTY OF THE PERSON OF THE

## HELMET

### **FULL FACE KARTING HELMET**

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

## SC611E

HOMOLOGATION ECE 22.05

SIZES: XS-XXL sizing information on page 317

### OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

SC607E

HOMOLOGATION ECE 22.05

SIZES: S-XXL

sizing information on page 317










## HELMETACCESSORIES

## HELMET SPARE PARTS

### GP 8K (SC785K)



### CIRCUIT (SC611E)



## KJ 8 (SC790)



### STAR (SC607E)



# ACCESSORIES

# PROTECTIONS

## COLLAR

#### KK04003

Anatomic homologated collar in expanded polyurethane multi density foam with increased rigidity at the rear "fin" of the collar. One size.

F DE K 1997 HOMOLOGATED

KK04003000073 Red/black

KK04003000075 Blue/black

KK04003000071 Black



## COLLAR

#### KK04009

New waterproof kart neck support collar, modern K STYLE



## **ELBOW AND KNEE PADS**

#### KK04XXX

KK04006071 Padded elbow pads.

KK04005071 Padded knee pads.



ONE SIZE

## KS BODY PROTECTION

#### KK048

In polycarbonate material. Provides support and protection to ribs and back. Adjustable straps to improve comfort fittings. Properly shaped and stuffed to have ultra-comfort



### LIGHTWEIGHT AND RESISTANT

SOFT AREA

KK048071XX Black



#### KK048178XX Yellow

#### SIZES:

XS/S (lower chest 70-89 cm / height 160-170 cm) M/L (lower chest 89-110 cm / height 170-190 cm)

## **RIB PROTECTION VEST**

#### KK04001

Material: shock absorbing. Inserts: high vibration absorption.

Straps: double adjustable. Cover: stretch fabric.

#### KK04001XXX041 Blue

KK04001XXX061

KK04001XXX071

SIZES: XS - XL



## **SHOE COVER**

#### KK08071XX

Nylon rainproof shoe-cover. Seams: heat welded. Sole: ultra soft reinforced rubber.

#### Sizes:

XS (32/34) S (35/37) M (38/40) L (41/43) XL (44/47)



SIZES: XS - XL

## CARBON RIB PROTECTION VEST

KK047E





protection vest. Straps: adjustable.

SIZES: XS - L

## KARTING ACCESSORIES

## FLAT KART SEAT

#### KK05032

WIDTH
27 cm
29 cm
30 cm
31 cm
32 cm
33 cm
36 cm
38 cm



## FIBERGLASS SHELL

8 SIZES

#### KK05031

REF.	WIDTH	Fiberglass shell.
KK0503127	27 cm	Upholstery: grey carpet.
KK0503129	29 cm	
KK0503130	30 cm	A STATE OF THE STA
KK0503131	31 cm	
KK0503132	32 cm	
KK0503133	33 cm	E-P
KK0503136	36 cm	
KK0503138	38 cm	
	- 4	width
	400	
(		

## SEMITRANSPARENT SEAT

KK05030XX

KK05030LXX



## **SEAT PADDING**

#### KK036

Polyethylene seat padding kit (5 piece kit) pre-cut pads for kart seats. All components are self adhesive to facilitate positioning on any seat shell. Thickness: 8 mm



## TYRE BAG

#### KK03300



Polyamide nylon tyre bag (suitable for 4 tyres), tear resistant waterproof fabric.

## DIGITAL TYRE PRESSURE

#### NC/072



## KART TROLLEY

#### KK05012



## KS COVER

#### KK03201



## **ANALOG TYRE PRESSURE**

#### NC081

Analog tyre pressure gauge.
Resolution: 0.1 bar.
Range: 0-40 psi, 0-2.7 bar.

0,1 CLASS

## NUMBER PLATE

#### X/892

Adhesive front number plate. Dimensions: 200x200 mm





KS-ART SUIT							
CIK - FIA Level 2	2	44 62	1				





KK01723089XX KK01723043XX KK01723063XX KK01723076XX



THE REAL PROPERTY. \$-C53-30

The XX in each part number indicates the location of the size.

KS-IR SUIT	117				-
CIK - FIA Level 2	2	44 62	1	KK01720370XX	KK01720244XX

KS-ZR SUN	7				
CIK - FIA Level 2	2	44 62	1		
				KK01725172XX	KK01725247XX

KS-3 SUIT							
CIK - FIA Level 2	3	42 62	1	KK01723L274XX	KK01723L179XX	KK01723L178XX	KK01723L275XX
· ·				A	-	-	-

KS-4 SUIT	10				0	
CIK - FIA Level 1	4	S	1	F	F	1
201011		20125	1,4500	KK01724041XX	KK01724061XX	KK01724071XX

SUMMERK	SUIT	w				
	1	S	1	P To	F	
	5.7	7.75	5.60	KK01719061XX	KK01719041XX	KK01719071XX





RP				A SEE
ultralight	1	1	34 48	IC/817071XX



number indicates the location of the size.


# ACING COLLECTION

## ONE COLLECTION





ONE-ART SHOES







#### ONE EVO SUIT



#### ONE EVO GLOVES



#### ONE EVOR FORMULA SHOES



#### ONE EVO SHOES



#### ONE-SI SUIT



ONE-S SUIT



#### ONE-S GLOVES













#### ONE-S SHOES



## TECNICA COLLECTION

#### TECNICA EVO SUIT



#### TECNICA EVO GLOVES



TECNICA EVO SHOES



TECNICA-S SUIT



## **TECNICA-S GLOVES**



## FIRST COLLECTION

#### FIRST EVO SUIT



#### FIRST EVO GLOVES



FIRST EVO SHOES



FIRST-S SUIT



#### FIRST-S GLOVES



FIRST-S SHOES



# SIZINGINFORMATI

# COLLECTION









## HS-I COLLECTION









# KS-ZCOLLECTION











KK02747071XX KK02747120XX KK02747242XX KK02747060XX KK02747058XX











# KS-3 COLLECTION




#### KS-3 GLOVES



#### KS-3 SHOES



#### SUIT BODY MEASUREMENTS TABLE



#### FIA HELMETS COMPARISON SIZE TABLE

Valid for: GP8 - GP8K - J8 series

Circumference cm

#### CMR HELMETS COMPARISON SIZE TABLE

Valid for: KJ-8 series

#### ECE HELMETS COMPARISON SIZE TABLE

Valid for: CIRCUIT - STAR series

			3	M		L		х	IL.	XXL			
	42	44	46	48	50	52	54	56	58	60	62	64	
WEIGHT (kg)	50/60	55/65	60/70	65/75	70/80	75/85	83/88	85/92	87/95	90/100	95/110	105/115	
HEIGHT (cm)	150/160	155/165	160/170	165/175	170/180	173/183	177/187	182/190	185/195	187/198	190/200	190/200	
A - CHEST (cm)	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/118	119/122	123/126	127/130	
8 - WAISTLINE (cm)	71/74	75/78	79/82	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/119	
C - HIPS (cm)	83/86	87/90	91/94	95/98	99/102	103/106	107/110	111/114	115/118	119/122	123/126	127/130	
D - THIGH (cm)	47/50	49/52	51/54	53/56	55/58	57/60	59/62	61/63	63/66	65/68	67/70	68/72	
E - ARM (cm)	54/58	56/60	58/62	60/64	62/66	64/68	66/70	68/72	70/74	71/75	71/75	72/76	
F-INSIDE LEG (cm)	68/72	70/74	72/76	74/78	76/80	78/82	80/84	82/86	84/88	85/89	85/89	87/91	
G - SHOULDERS (cm)	35/38	37/40	39/42	41/45	43/47	45/50	46/51	46/52	47/53	48/54	49/55	50/56	
H - BACK (cm)	45/49	44/48	45/49	46/50	47/51	48/52	48/53	49/54	49/55	50/56	51/56	52/58	

#### SHOES COMPARISON SIZE TABLE

EUI	ROPEAN SIZES	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
	USA SIZES	2	21/2	31/2	4	5	6	61/2	7 <sub>1/2</sub>	8	9	10	10 <sub>92</sub>	111/2	12	13
	LENGHT CM	23	2310	24	2410	25 <sub>v2</sub>	26	27	2710	28	28 <sub>10</sub>	29	30	30 <sub>v</sub>	31 <sub>uz</sub>	32

GLOVES CON	1PARISON	N SIZETABLE	

CM	121/2/161/2	161/2/19	18/211/2	20/24	23/261/2	251/2/30
USA SIZES	7	8	9	10	11	12
EUROPEAN SIZES	XXS	XS	S	M	L	XL

#### WARNING

Motorsport is an intrinsecally dangerous activity, that can result in serious or lethal injuries. The items described in this catalogue provide for protection on specific parts of the body for a a limited period of time in controlled test conditions, in accordance with the FIA standard specified on each item's label. No device can provide a complete protection from every injury in case of accident or fire. The user, at the time when he uses the products, relieves the manufacturer, the distributor, the owner, the employees, the agents, the sales representatives from any responsibility. It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

- Each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization. - Personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same.
- Personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition
- Products are sold to be used in legally sanctioned autosport events only, and are not intended to be used and/or installed for regular street use, as street use safety products are subject to different homologations and laws depending on the State or country.
- It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are
- Every single modification or customization of the products, and every operation on them may reduce their security features. Thus, the user is responsible at his own risk for the reduction of security features caused by modification or customization.

#### BY THE USE OF THESE PRODUCTS, THE USER ACKNOWLEDGES:

That each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization; that personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same; that personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.

That the helmet is conceived and designed to reduce the risk of cranial and facial injuries only in case of impact. That no helmet can protect against any possible and forseeable impact.



The quality OMP system is certified since the year 1999

OMP achieved the ISO 9001:2015 quality system certification, awarder by TÜV, the world's biggest inspection service.

The certification is valid for design, manufacture and trade of accessories for racing and car application, sportswear and racewear.

ISO 9001:2015 is the strictest international standard for company quality so far, and it demonstrates the ability to use processes that meet customer, partner and regulatory requirements, to reach a high level of product quality and customer's satisfaction.

## 206 Accessories (car) 98 Accessories (universal) 126 Air cooling kit В 233 Bags 209 Bonnet pins C 218 Chemical products 214 Chronometers 215 Co-driver accessories 212 Co-driver map lights 246 Customized Project 212 Electrical accessories 174 Extinguishers 184 Extinguisher accessories G = 211 Gear knob 286 Gloves - kart 65 Gloves - mechanics' 54 Gloves - racing 63 Gloves - vintage H == 302 Helmets - kart 84 Helmets - racing 87 Intercoms 311 Karting accessories 311 Manometers - kart 212 Master switches 207 Nets - racing 0 = 220 OMP Style 210 Pedalsets and footrest - racing 217 Pedalsets and footrest - tuning 212 Pit boards 245 Promotional items 208 Racing accessories 168 Roll bars 172 Roll bars - accessories

S	N.
164	Safety belts - off road
	Safety belts - racing
	Safety belts - tuning
	Seats - accessories
240	Seats - children
310	Seats - kart
133	Seats - off road
133	Seats - off road brackets
104	Seats - racing
	Seats - racing brackets
	Seats - tuning
	Seats - tuning brackets
132	Seats - vintage
	Shoes - kart
68	Shoes - mechanics'
68	Shoes - racing
1 122	Shoes - vintage
	Sportswear
	Stay bars
	Steering wheel - accessories
	Steering wheel - hubs
	Steering wheels - off road
	Steering wheels - racing
	Steering wheel - spacers
	Steering wheels - tuning
	Steering wheels - vintage
	Strut braces
42	Suits - customization "SU MISURA"
272	Suits - kart
36	Suits - mechanics'
10	Suits - racing
	Suits - vintage
	Sumpguards
т	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )
209	Tow hook - racing
	Tow hook - tuning
	Tyre warmers
U	gen Kurrosceri pourer offensione
282	Underwear - kart
50	Underwear Cool Shirt and accessories
	Underwear - racing
w	genaataman eesa rataan eesa a <del>re</del> t

238 Wheeled chair



**EST 2012** 

RACING SPIRIT IS A NEW AUTO-INSPIRED LIFESTYLE BRAND THAT CELEBRATES THE FASCINATING WORLD OF CAR RACING ALONG WITH DRIVERS AND ENTHUSIASTS ALIKE.

Win or lose tomorrow is another day and we will start over again. It's not how many times we fall, it's about how many times we stand up: this is what we do everyday, it's in our blood.

The only goal is winning, second place is first place loser. At all times we're ready to solve problems, we're for teamwork, we love competition and we're born to race.

We push ourselves for milliseconds, to save fuel or weight... we engineer, design, manufacture, tweek, test, tweek some more, test again, race and push ourselves to the limit. Great is not enough because tomorrow someone will be better than us, and we need to work harder to stay ahead of the curve.

The Racing Spirit is a never-ending quest to be the best on and off the track!

