



WHO SAID TOUGH CAN'T BE LIGHT?

PELICAN™ AIR 





THE SCIENCE BEHIND STRENGTH AND LIGHTNESS

The Pelican™ Air case has been designed to cut weight without compromising durability. Our engineers have revolutionized the protector case by reducing structural waste while preserving Pelican’s legendary standards of strength. In development for years, the design team challenged the status quo to “add lightness” in every detail.

Here are some important reasons why Pelican™ Air cases are both strong and light:

- Molded from the next generation of Pelican’s lightweight HPX™ resin, a proprietary formula that rebounds without breaking
- Honeycomb structural elements that are actually stronger than solid polymer material
- Super-stiff “full box” sections engineered to create hollow parts

EXTREME ENGINEERING—UP TO 40% LIGHTER

Pelican™ Air	Weight (lbs)	Pelican Equivalent	Weight (lbs)	% var.
1485	4.57 (2.1 kg)	1500	6.39 lbs (2.9 kg)	-26%
1525	5.99 (2.7 kg)	1520	8.29 (3.8 kg)	-28%
1535	8.69 (3.9 kg)	1510	11.99 (5.4 kg)	-28%
1555	7.37 (3.3 kg)	1550	10.58 (4.8 kg)	-35%
1605	9.28 (4.2 kg)	1600	13.00 (5.9 kg)	-33%
1615	14.06 (6.4 kg)	1670	23.00 (10.4 kg)	-40%

*Case weights are actual and percentage variance is adjusted for cubic inch interior volume.

INTRODUCING PELICAN™ AIR, THE LIGHTEST POLYMER PROTECTOR CASES ON THE PLANET

At up to 40% lighter than other polymer cases, Pelican™ Air cases will lighten the loads of the dedicated pros across the world who have set out to change the game.

Pelican™ Air cases are the first in a series of remarkable innovations engineered by Pelican, the pioneers of protective cases. For over 40 years Pelican has designed and crafted the most influential protective cases in the world, and we’re just getting started.

With the launch of the Pelican™ Air line of cases, we’re redefining the future of protection with a remarkable union of light and tough.

Meet Pelican™ Air. Up to 40% lighter. Guaranteed for life.



UP TO THE TEST

It wouldn’t be a Pelican™ case if you couldn’t drop it, kick it and run over it – and the Pelican™ Air case is no different.

- Drop-tested on concrete with loads from six feet on all sides and corners
- Submerged for 30 minutes at a depth of one meter
- Wheels are roll tested over 914 meters
- 28 lb. (12.7 kg) steel dart dropped on all sides from one meter





MISSION:
RECON TRAINING EXERCISE

- PROTECTION REQUIREMENT:**
- 1525 AIR/SATELLITE PHONE, ANTENNAE
 - 1555 AIR/ NIGHT VISION SCOPE, TRIPOD





TRAVEL LIGHT

The world is in a hurry and Pelican™ Air cases are setting the pace with two models optimized for travel. We aggregated the airline rules for maximum overhead and check-in dimensions, and perfected two cases for pros on the move. Both cases include a rugged extendable handle that keeps the case clear of your heels when walking, and smooth rolling ball bearing wheels that are nice and quiet.

Getting through the airport with a Pelican™ Air case is a lot easier, and saves money on over-weight baggage fees, too.




1535 AIR – WHEELED CARRY-ON

Weighing just 8.69 lbs. with exterior dimensions of 21.96 x 13.97 x 8.98 inches, Model 1535 is optimized for carry-on/overhead bin size. (3.9 kg, 55.8 x 35.5 x 22.8 cm)

1615 AIR – WHEELED CHECK-IN

Weighing just 14.06 lbs. with exterior dimensions of 32.58 x 18.40 x 11.02 inches, Model 1615 is the maximum airline dimensions for checked baggage without oversize charges. (6.4 kg, 82.8 x 46.7 x 28 cm)



FORM FACTORS: THE SHAPE OF THE FUTURE

Pelican is honored to offer an entire line of Pelican™ Air cases with new, innovative form factors. Our first release of Pelican™ Air case is presented in the long form. Stay tuned for dozens of imaginative shapes and the perfect fit for the gear you need to protect.



1485 AIR

1525 AIR

1535 AIR
WHEELED CARRY-ON

1555 AIR

1605 AIR

1615 AIR
WHEELED CHECK-IN



ASSIGNMENT:

DUAL SPORT MOTORCYCLE ADVENTURE

PROTECTION REQUIREMENT:

- 1485 AIR/DSLRL, 14-24 MM LENS, 200 MM LENS
- 1535 AIR/15" LAPTOP, BACKUP BATTERY



PELICAN™ AIR CASE FEATURES

With inventive features that anticipate the needs of pros from every line of work, the new Pelican™ Air models offer innovation with an equal balance of toughness and lightness. Every pro will discover a more effortless user experience and the perfect model in the Pelican™ Air line.

Shared Features Across All Models:

- Super-light Proprietary HPX² Polymer
- Proven Tough Double-Throw Latches
- Automatic Purge Valve Balances Air Pressure
- Watertight O-Ring Gasket
- New Style “Conic Curve” Lid Shape
- Crushproof and Dustproof
- Stainless Steel Hasp Protectors
- Rubber Overmolded Handles
- New Removable Polycarbonate Card Holder With Front or Side Placement



PELICAN™ AIR





EMERGENCY:
SEARCH AND RESCUE

- PROTECTION REQUIREMENT:**
- 1555 AIR/TRAUMA KIT
 - 1605 AIR/NECK BRACE, AIRWAY KIT
 - 1615 AIR/ MEDS KIT, OXYGEN

PELICAN™ AIR

CASE CONFIGURATIONS



No Foam



Pick N Pluck™ Foam



Padded Dividers



TrekPak™ Dividers
(Available in Black Cases Only)



1485 AIR



- Interior dimensions (L x W x D)
17.75" x 10.18" x 6.15"
(45.1 x 25.9 x 15.6 cm)
- Exterior dimensions (L x W x D)
19.17" x 12.80" x 6.89"
(48.7 x 32.5 x 17.5 cm)
- 4.57 lbs (2.1 kg)
- Business card holder
- Automatic purge valve



1525 AIR



- Interior dimensions (L x W x D)
20.50" x 11.3" x 6.75"
(52.1 x 28.7 x 17.1 cm)
- Exterior dimensions (L x W x D)
21.96" x 13.97" x 7.49"
(55.8 x 35.5 x 19 cm)
- 5.99 lbs (2.7 kg)
- Business card holder
- Automatic purge valve



1535 AIR WHEELED CARRY-ON



- Interior Dimensions (L x W x D)
20.39" x 11.20" x 7.20"
(51.8 x 28.4 x 18.3 cm)
- Exterior dimensions (L x W x D)
21.96" x 13.97" x 8.98"
(55.8 x 35.5 x 22.8 cm)
- 8.69 lbs (3.9 kg)
- Maximum airline carry-on size
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve




1555 AIR



- Interior dimensions (L x W x D)
23.00" x 12.75" x 7.50"
(58.4 x 32.4 x 19.1 cm)
- Exterior dimensions (L x W x D)
24.76" x 15.46" x 8.24"
(62.9 x 39.3 x 20.9 cm)
- 7.37 lbs (3.3 kg)
- Business card holder
- Automatic purge valve



1605 AIR



- Interior dimensions (L x W x D)
26.00" x 14.00" x 8.38"
(66 x 35.6 x 21.3 cm)
- Exterior dimensions (L x W x D)
28.87" x 16.77" x 9.12"
(73.3 x 42.6 x 23.2 cm)
- 9.28 lbs (4.2 kg)
- Business card holder
- Automatic purge valve



1615 AIR WHEELED CHECK-IN



- Interior dimensions (L x W x D)
29.59" x 15.50" x 9.38"
(75.2 x 39.4 x 23.8 cm)
- Exterior dimensions (L x W x D)
32.58" x 18.40" x 11.02"
(82.8 x 46.7 x 28 cm)
- 14.06 lbs (6.4 kg)
- Maximum airline check-in size
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve



INDUSTRY:
POWER GRID MAINTENANCE

- PROTECTION REQUIREMENT:**
- 1485 AIR/DIGITAL MULTIMETER
 - 1555 AIR/LOGIC ANALYZER
 - 1605 AIR/OSCILLOSCOPE



EFFORTLESS PROTECTION— EASY PICK N PLUCK™



Pelican™ Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Pelican protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.

NEW DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nylex™ Interior
- Elastic Hold Down Straps
- Hi-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers



PREMIUM PROTECTION: PELICAN+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and a fool-proof cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. We include extra divider material so you can change your mind, plus divider panels are also available separately so you can reconfigure your dividers anytime. Available in black cases only.



> MEMORY CARD/SPORT WALLET CASE

0915	0945	0955
Cat. No. 0915 Stores 12 SD cards or 6 mini SD cards and 6 micro SD cards	Cat. No. 0945 Stores 6 compact flash cards	Cat. No. 0955 Holds keys, ID, cards and cash

> MICRO CASE SERIES™

i1010	i1015	1010	1015	1020	1030	1040	1050	1060
Cat. No. i1010 Designed to protect iPod classic™, iPod nano™, and iPod shuffle™	Cat. No. i1015 Designed for iPhone™, iPhone™ 4 and iPod touch™	Cat. No. 1010	Cat. No. 1015	Cat. No. 1020	Cat. No. 1030	Cat. No. 1040	Cat. No. 1050	Cat. No. 1060

Micro Cases are available in clear with a colored rubber liner or in solid colors with a black rubber liner. Pick N Pluck™ foam inserts are available.

> SMALL CASES

1120	1150	1170	1200	1300	1400
Cat. No. 1120* Cat. No. 1120NF**	Cat. No. 1150* Cat. No. 1150NF**	Cat. No. 1170* Cat. No. 1170NF**	Cat. No. 1200* Cat. No. 1200NF**	Cat. No. 1300* Cat. No. 1300NF**	Cat. No. 1400* Cat. No. 1400NF**

> MEDIUM CASES

1450	1460	1500
Cat. No. 1450* Cat. No. 1450NF** Cat. No. 1454***	Cat. No. 1460* Cat. No. 1460NF** Cat. No. 1460AALG Includes custom foam for 9430/9435	Cat. No. 1460EMS Case with custom configured lid organizer and trays for EMS professionals

> MEDIUM CASES

1510	1520	1550
Cat. No. 1510* Cat. No. 1510NF** Cat. No. 1514***	Cat. No. 1510M* Cat. No. 1510MNF**	Cat. No. 1510LOC Case with fully enclosed apparel insert, padded laptop sleeve, and accessory pouch

> LARGE CASES

1560	1600	1610	1620	1630	1640
Cat. No. 1560* Cat. No. 1560NF** Cat. No. 1564***	Cat. No. 1560M* Cat. No. 1560MNF**	Cat. No. 1560LOC Case with fully enclosed apparel insert, padded laptop sleeve, and accessory pouch	Cat. No. 1560SC Case with padded dividers, padded laptop sleeve, and three accessory pouches	Cat. No. 1560LFC Case with Pick N Pluck™ foam and padded laptop sleeve, and three accessory pouches	Cat. No. 1600* Cat. No. 1600NF** Cat. No. 1604***

> LARGE CASES

1650	1660	1670	1690	1730	1780	0340/0350/0370	0450	0500	0550		
Cat. No. 1650* Cat. No. 1650NF** Cat. No. 1654***	Cat. No. 1660* Cat. No. 1660NF** Cat. No. 1664***	Cat. No. 1670*	Cat. No. 1690* Cat. No. 1690NF** Cat. No. 1694***	Cat. No. 1730* Cat. No. 1730NF*	Cat. No. 1780* Cat. No. 1780NF*	Cat. No. 0340* Cat. No. 0340NF** Cat. No. 0344***	Cat. No. 0350* Cat. No. 0350NF** Cat. No. 0354***	Cat. No. 0370* Cat. No. 0370NF** Cat. No. 0374***	Cat. No. 0450ND (no drawers) Cat. No. 0450WD (with drawers)	Cat. No. 0500* Cat. No. 0500NF**	Cat. No. 0550* Cat. No. 0550NF**

> LONG CASES

1740	1700/1720/1750	1770	1780HL
Cat. No. 1740* Cat. No. 1740NF**	Cat. No. 1700* Cat. No. 1700NF**	Cat. No. 1720* Cat. No. 1720NF**	Cat. No. 1750* Cat. No. 1750NF**

> DIGITAL PROTECTION CASES

1055	1065	1070	1075	1085	1095	1470	1490
CAT. NO. 1055CC Designed to protect the most popular eReaders and 7 inch tablets, also fits the new iPad® mini	CAT. NO. 1065CC Designed to protect most 10 inch tablets including iPad®, iPad® 2, iPad® 2 with smart cover, iPad® 3, iPad® 3 with smart cover	CAT. NO. 1065 Designed to protect Apple iPad® 2, 3 and 4	CAT. NO. 1070CC Designed to fit 13" Ultrabook™ laptops	CAT. NO. 1075* Designed to protect various electronics including external hard drives	CAT. NO. 1075CC (with netbook liner) Designed to protect most popular netbooks up to 11.3" x 8.1" x 1.6"	CAT. NO. 1075 (with iPad® insert) Designed to protect the iPad®, iPad® 2 or iPad® 2 with Smart Cover	CAT. NO. P1075* Designed to fit pistols, revolvers and magazines

1085	1095	1470	1490	1495	1430	1440
CAT. NO. 1085* Designed to protect 14" laptops	CAT. NO. 1085CC (with laptop liner) Designed to protect 14" laptops	CAT. NO. 1095* Designed to protect 15" laptops	CAT. NO. 1095CC (with laptop liner) Designed to protect 15" laptops	Cat. No. 1470* Cat. No. 1470NF**	Cat. No. 1490* Cat. No. 1490NF**	CAT. NO. 1490CC1 Case with lid organizer, fitted shock absorbing tray, and removable shoulder strap

*with foam **no foam ***with padded dividers

case contents not included

> CASE SPECIFICATIONS AND FEATURES

CAT. NO.	INTERIOR DIMENSIONS		EXTERIOR DIMENSIONS		PADDLED DIVIDERS	RUBBERIZED HANDLES	PANEL FRAMES	PERSONALIZED NAMEPLATES	LID ORGANIZERS	WHEELS	COLORS
	inches	centimeters	inches	centimeters							
MC/SWC	4.79 x 2.25 x 0.55	(12.2 x 5.7 x 1.4)	5.55 x 3.27 x 0.85	(14.1 x 8.3 x 2.2)							■
i1010	4.37 x 2.87 x 1.68	(11.1 x 7.3 x 4.3)	5.88 x 4.06 x 2.12	(14.9 x 10.3 x 5.4)							■ ■ ■ ■ ■ ■
1010	4.37 x 2.87 x 1.68	(11.1 x 7.3 x 4.3)	5.88 x 4.06 x 2.12	(14.9 x 10.3 x 5.4)							■ ■ ■ ■ ■ ■
i1015	5.14 x 2.64 x 1.37	(13.1 x 6.7 x 3.5)	6.68 x 3.88 x 1.86	(17 x 9.9 x 4.7)							■ ■ ■ ■ ■ ■
1015	5.14 x 2.64 x 1.37	(13.1 x 6.7 x 3.5)	6.68 x 3.88 x 1.86	(17 x 9.9 x 4.7)							■ ■ ■ ■ ■ ■
1020	5.31 x 3.56 x 1.68	(13.5 x 9 x 4.3)	6.82 x 4.75 x 2.12	(17.3 x 12.1 x 5.4)							■ ■ ■ ■ ■ ■
1030	6.37 x 2.62 x 2.06	(16.2 x 6.7 x 5.2)	7.50 x 3.87 x 2.43	(19 x 9.8 x 6.2)							■ ■ ■ ■ ■ ■
1040	6.50 x 3.87 x 1.75	(16.5 x 9.8 x 4.4)	7.50 x 5.06 x 2.12	(19 x 12.8 x 5.4)							■ ■ ■ ■ ■ ■
1050	6.31 x 3.68 x 2.75	(16 x 9.3 x 7)	7.50 x 5.06 x 3.12	(19 x 12.8 x 7.9)							■ ■ ■ ■ ■ ■
1060	8.25 x 4.25 x 2.25	(20.9 x 10.8 x 5.7)	9.37 x 5.56 x 2.62	(23.8 x 14.1 x 6.7)							■ ■ ■ ■ ■ ■
1120	7.29 x 4.79 x 3.33	(18.5 x 12.2 x 8.5)	8.41 x 6.76 x 3.87	(21.4 x 17.2 x 9.8)			O				■ ■ ■ ■ ■ ■ ■ *
1150	8.29 x 5.79 x 3.75	(21 x 14.7 x 9.5)	9.44 x 7.80 x 4.29	(24 x 19.8 x 10.9)			O				■ ■ ■ ■ ■ ■ ■ *
1170	10.54 x 6.04 x 3.16	(26.8 x 15.3 x 8)	11.64 x 8.34 x 3.78	(29.6 x 21.2 x 9.6)							■ ■ ■ ■ ■ ■ ■ *
1200	9.25 x 7.12 x 4.12	(23.5 x 18.1 x 10.5)	10.62 x 9.68 x 4.87	(27 x 24.6 x 12.4)			O				■ ■ ■ ■ ■ ■ ■ *
1300	9.17 x 7.00 x 6.12	(23.3 x 17.8 x 15.5)	10.62 x 9.68 x 6.87	(27 x 24.6 x 17.4)			O				■ ■ ■ ■ ■ ■ ■ *
1400	11.81 x 8.87 x 5.18	(30 x 22.5 x 13.2)	13.37 x 11.62 x 6.00	(33.9 x 29.5 x 15.2)			O	O			■ ■ ■ ■ ■ ■ ■ *
1450	14.66 x 10.24 x 6.12	(37.2 x 26 x 15.5)	16.54 x 13.03 x 6.84	(42 x 33.1 x 17.4)	O	S	O	O			■ ■ ■ ■ ■ ■ ■ *
1460	18.54 x 9.92 x 10.92	(47.1 x 25.2 x 27.7)	20.85 x 12.73 x 12.75	(52.9 x 32.3 x 32.4)		S					■ ■ ■ ■ ■ ■ *
1500	16.75 x 11.18 x 6.12	(42.5 x 28.4 x 15.5)	18.50 x 14.06 x 6.93	(47 x 35.7 x 17.6)	O	S	O	O	O		■ ■ ■ ■ ■ ■ ■ *
1510	19.75 x 11.00 x 7.60	(50.1 x 27.9 x 19.3)	22.00 x 13.81 x 9.00	(55.9 x 35.1 x 22.9)	O	S	O	O	S		■ ■ ■ ■ ■ ■ *
1520	18.06 x 12.89 x 6.72	(45.9 x 32.7 x 17.1)	19.78 x 15.77 x 7.41	(50.2 x 40 x 18.8)	O	S	O	O	O		■ ■ ■ ■ ■ ■ ■ *
1550	18.43 x 14.00 x 7.62	(46.8 x 35.5 x 19.3)	20.62 x 16.87 x 8.12	(52.4 x 42.8 x 20.6)	O	S	O	O	O		■ ■ ■ ■ ■ ■ ■ *
1560	19.92 x 14.98 x 9.00	(50.6 x 38 x 22.9)	22.07 x 17.92 x 10.42	(56 x 45.5 x 26.5)	O	S	O	O	S		■ ■ ■ ■ ■ ■ ■ *
1600	21.51 x 16.54 x 7.99	(54.6 x 42 x 20.3)	24.39 x 19.36 x 8.79	(61.9 x 49.2 x 22.3)	O	S	O	O	O		■ ■ ■ ■ ■ ■ ■ *
1610	21.78 x 16.69 x 10.62	(55.3 x 42.4 x 27)	24.83 x 19.69 x 11.88	(63 x 50 x 30.2)	O	S	O	O	S		■ ■ ■ ■ ■ *
1620	21.48 x 16.42 x 12.54	(54.5 x 41.7 x 31.8)	24.76 x 19.57 x 13.90	(62.9 x 49.7 x 35.3)	O	S	O	O	S		■ ■ ■ ■ ■ *
1630	27.70 x 20.98 x 15.50	(70.3 x 53.3 x 39.4)	31.28 x 24.21 x 17.48	(79.4 x 61.5 x 44.4)	O		O	O	S		■ ■ ■ ■ ■ *
1640	23.70 x 24.00 x 13.90	(60.2 x 60.9 x 35.3)	27.20 x 27.50 x 16.30	(69.1 x 69.8 x 41.4)	O		O	O	S		■ ■ ■ ■ ■ *
1650	28.57 x 17.52 x 10.62	(72.5 x 44.5 x 27)	31.59 x 20.47 x 12.45	(80.2 x 52 x 31.6)	O		O	O	S		■ ■ ■ ■ ■ *
1660	28.20 x 19.66 x 17.63	(71.6 x 49.9 x 44.8)	31.59 x 22.99 x 19.48	(80.2 x 58.4 x 49.5)	O		O	O	S		■ ■ ■ ■ ■ *
1670	28.10 x 16.49 x 9.19	(71.3 x 41.9 x 23.3)	31.04 x 19.39 x 11.17	(78.8 x 49.2 x 28.4)					S		■ ■ ■ ■ ■
1690	30.13 x 25.13 x 15.36	(76.5 x 63.8 x 39)	33.43 x 28.40 x 17.65	(84.9 x 72.1 x 44.8)	O		O	O	S		■ ■ ■ ■ ■ *
1730	34.00 x 24.00 x 12.50	(86.3 x 60.9 x 31.7)	37.50 x 27.13 x 14.37	(95.2 x 68.9 x 36.5)			O	S			■ ■ ■ ■ ■ *
1780	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)			O	S			■ ■ ■ ■ ■ *
0340	18.00 x 18.00 x 18.00	(45.7 x 45.7 x 45.7)	20.50x 20.50x 19.25	(52 x 52 x 48.9)	O		O	O			■ ■ ■ ■ ■ *
0350	20.00 x 20.00 x 20.00	(50.8 x 50.8 x 50.8)	22.50 x 22.43 x 21.25	(57.1 x 56.9 x 54)	O		O	O	O		■ ■ ■ ■ ■
0370	24.00 x 24.00 x 24.00	(60.9 x 60.9 x 60.9)	26.50 x 26.50 x 25.25	(67.3 x 67.3 x 64.1)	O		O	O	O		■ ■ ■ ■ ■ *
0450	Varies by drawer configuration		23.95 x 14.75 x 17.95	(60.8 x 37.5 x 45.6)					S		■ ■ ■ ■ ■
0500	34.95 x 18.45 x 25.25	(88.7 x 46.8 x 64.1)	39.95 x 23.45 x 28.65	(101.4 x 59.5 x 72.7)					O		■ ■ ■ ■ ■
0550	47.57 x 24.07 x 17.68	(120.8 x 61.1 x 44.9)	51.05 x 27.54 x 22.79	(129.6 x 69.9 x 57.9)					O		■ ■ ■ ■ ■
1700	35.75 x 13.50 x 5.25	(90.8 x 34.3 x 13.3)	38.12 x 16.00 x 6.12	(96.8 x 40.6 x 15.5)					S		■ ■ ■ ■ ■ *
1720	42.00 x 13.50 x 5.25	(106.6 x 34.3 x 13.3)	44.37 x 16.00 x 6.12	(112.7 x 40.6 x 15.5)			O	S			■ ■ ■ ■ ■ *
1740	40.98 x 12.92 x 12.13	(104 x 32.8 x 30.8)	44.16 x 16.09 x 14.00	(112.1 x 40.9 x 35.5)			O	S			■ ■ ■ ■ ■ *
1750	50.50 x 13.50 x 5.25	(128.2 x 34.3 x 13.3)	53.00 x 16.00 x 6.12	(134.6 x 40.6 x 15.5)			O	S			■ ■ ■ ■ ■ *
1770	54.58 x 15.58 x 8.63	(138.6 x 39.6 x 21.9)	57.42 x 18.48 x 11.23	(145.8 x 46.9 x 28.5)					S		■ ■ ■ ■ ■
1780	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)			O	S			■ ■ ■ ■ ■ *

Specifications chart continued on back

> CASE SPECIFICATIONS AND FEATURES

CAT. NO.	INTERIOR DIMENSIONS		EXTERIOR DIMENSIONS		PADDLED DIVIDERS	RUBBERIZED HANDLES	PANEL FRAMES	PERSONALIZED NAMEPLATES	LID ORGANIZERS	WHEELS	COLORS
	inches	centimeters	inches	centimeters							
1055CC	8.55 x 5.52 x 0.85	(21.7 x 14 x 2.2)	9.42 x 7.02 x 1.24	23.9 x 17.8 x 3.1							■
i1065	9.96 x 7.76 x 0.81	(25.3 x 19.7 x 2.1)	10.86 x 9.28 x 1.24	(27.6 x 23.6 x 3.1)							■
1065CC	9.96 x 7.76 x 0.81	(25.3 x 19.7 x 2.1)	10.86 x 9.28 x 1.24	(27.6 x 23.6 x 3.1)							■
1070CC	12.80 x 8.95 x 0.72	(32.5 x 22.7 x 1.8)	15.29 x 11.96 x 1.6	(38.8 x 30.4 x 4.1)							■
1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)							■
1075CC	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)							■
i1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)							■
P1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)							■
1085	14.29 x 10.37 x 1.97	36.3 x 26.3 x 5	15.64 x 12.41 x 2.50	39.7 x 31.5 x 6.3							■
1085CC	14.29 x 10.37 x 1.97	36.3 x 26.3 x 5	15.64 x 12.41 x 2.50	39.7 x 31.5 x 6.3							■
1095	15.78 x 11.16 x 2.06	40.1 x 28.3 x 5.2	17.18 x 13.24 x 2.60	43.6 x 33.6 x 6.6							■
1095CC	15.78 x 11.16 x 2.06	40.1 x 28.3 x 5.2	17.18 x 13.24 x 2.60	43.6 x 33.6 x 6.6							■
1470	15.70 x 10.70 x 3.87	(39.9 x 27.2 x 9.8)	16.88 x 13.23 x 4.47	(42.9 x 33.6 x 11.3)		S	O	O			■ ■ ■
1490	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	O	O	O		■ ■ ■ ■
1490CC1	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	O	O	S		■ ■ ■ ■
1490CC2	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	O	O	S		■ ■ ■ ■
1495	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		S	O	O			■ ■ ■ ■
1495CC1	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		S	O	S			■ ■ ■ ■
1495CC2	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		S	O	S			■ ■ ■ ■
1430	13.56 x 5.76 x 11.70	(34.4 x 14.6 x 29.7)	16.40 x 8.71 x 13.15	(41.6 x 22.1 x 33.4)	O	S	O	O	O		■ ■ ■ ■ ■ *
1440	17.10 x 7.50 x 16.00	(43.4 x 19 x 40.6)	19.70 x 12.00 x 18.00	(50 x 30.5 x 45.7)	O	S	O	O	S		■ ■ ■ ■ ■ *

> MEET THE OTHER HALF OF PELICAN

The same durability and ingenuity built into every Pelican case also sets our flashlights apart. We're illuminating the world's darkest and most dangerous places with specialized lighting tools:



Tactical Lights Headlamps Heavy-Duty Lights Remote Area Lighting Systems

> WATERTIGHT PROTECTOR CASES
FULL LINE BROCHURE



S = Standard feature * = OD Green available upon request
O = Optional accessory

