

# READYLIFT

SUSPENSION INC.

DON'T JUST LIFT IT...  
READYLIFT IT®

# 2013



ULTIMATE **LIFT** &  
**LEVELING** **GUIDE**



# CHEVY/GMC 1500

# 2007-UP

## 66-3090 GM 1500 1.0 - 1.5" ADJUSTABLE LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	2WD/4WD	1.0-1.5"

Includes (2) CNC Machined billet aluminum front strut extensions. Adjustable from 1.0" to 1.5". Patent 7665743



FITS UP TO 32" TIRES **1.0-1.5" LIFT**

## 66-3080 GM 1500 1.5" STRUT EXTENSION LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	2WD/4WD	1.5"

Includes (2) CNC Machined billet aluminum strut extensions. Requires no cutting or modifications to strut.



FITS UP TO 32" TIRES **1.5" LIFT**

## 66-3085 GM 1500 2.25" STRUT EXTENSION LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	2WD/4WD	2.25"

Includes (2) CNC Machined billet aluminum top strut extensions. (2) CNC machined lower strut extensions and hardware.



FITS UP TO 33" TIRES **2.25" LIFT**

## T6-3085 GM 1500 2.25" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	2WD/4WD	2.25"

Includes (2) CNC Machined anodized top mount strut extensions. Requires strut disassembly to replace factory spring hat with new T6-Billet extension. Patent Pending



FITS UP TO 33" TIRES **2.25" LIFT**

## 66-3002 GM 1500 2.25" TALL REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2007-UP	Silverado / Sierra 1500	2WD/4WD	2.25"

Includes (2) OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware. Replaces factory 1.25" rear block for an increase of 1.0"



Lift The Rear Of Your Truck

**1.0" LIFT**

## 66-3003 GM 1500 3.0" TALL REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2007-UP	Silverado / Sierra 1500	2WD/4WD	3.0"

Includes (2) OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware. Replaces factory 1.25" rear block for an increase of 1.75"



Lift The Rear Of Your Truck

**1.75" LIFT**

## 69-3285 GM 1500 2WD 4.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	2WD	4.0" F-1.75" R

Includes (2) DOM tubular steel upper control arms with ball joints, polyurethane bushings and grease fittings. (2) OEM style cast iron rear lift blocks. (4) U-bolts and hardware. (2) Powdercoated steel strut extensions. (2) Rear shock extensions (for use with stock length shocks).



**4.0" LIFT**

FITS UP TO 33" TIRES

## 69-3485 GM 1500 4WD 4.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500 (non AWD)	4WD	4.0" F-1.75" R

Includes (2) DOM tubular steel upper control arms with ball joints, polyurethane bushings and grease fittings. (2) OEM style cast iron rear lift blocks and (4) U-bolts and hardware. (2) Powdercoated steel strut extensions. (2) CNC machined tapered differential drop brackets and hardware. Steel differential skid plate. (2) Rear shock extensions (for use with stock length shocks).



**4.0" LIFT**

FITS UP TO 33" TIRES



# CHEVY/GMC 1500

# 2007-UP

## GM 1500 3.0" FRONT MID TRAVEL PERFORMANCE KIT

YEAR	MODEL	2WD/4WD	LIFT	TRAVEL
2007-UP	Silverado / Sierra 1500	2WD/4WD	3.0"	12.0"

This kit provides 12" of travel and adds approx 2.5" of track width per side.  
**Includes:** (2) Boxed Steel Upper Control Arms with Uni-ball Pivot Bearings. (2) Boxed Steel Lower Control Arms with Heavy Duty Ball Joints. Spindle Pins. Heavy Duty Steering Kit with heim pivots. (1) Heavy Duty Skid Plate. (2) Custom Length Axles - (4WD KIT ONLY - 44-3003) (2) Differential Drop Brackets (4WD KIT ONLY - 44-3003) Includes (2) longer front brake lines and hardware. **Requires Fox Front Coil Over Shocks #399-48-201 - NOT INCLUDED** Rear Increased Travel Components Available Separately. Requires front fender modifications.

**READYLIFT OFF ROAD SERIES 2**



**44-3003 -**  
2007-UP GM 1500 4WD  
**44-3005 -**  
2007-UP GM 1500 2WD  
 2WD does not include differential drop brackets, Skid Plate or Custom Length Axles.

# 3.0"

### FRONT LIFT

When Using Fox 399-48-201 Adjustable Front Coil Over Shock.

Kit Includes New Heavy Duty Skid Plate

## 49-3004 GM 1500 6.0" FRONT LONG TRAVEL OFF ROAD KIT

YEAR	MODEL	2WD/4WD	LIFT	TRAVEL
2007-UP	Silverado / Sierra 1500	2WD Only	6.0"	13.0"

This kit provides 13" of travel and adds approx 4" of track width per side.  
**Includes:** (2) Fabricated Spindles - (2) Boxed Steel Upper and Lower Long Travel Control Arms with Uni-ball Bearings. (2) Extended length heavy duty steering kit with heim pivots. (2) Extended length front brake lines. King Shock Reservoir Mount - **Requires King Front Coil Over #25001-148 - NOT INCLUDED** Rear Increased Travel Components Available Separately - Requires front fender modifications. Wider front fenders recommended.

**READYLIFT OFF ROAD SERIES 3**



# 6.0"

### FRONT LIFT

## 44-3002 GM 1500 UNI-BALL UPPER CONTROL ARM KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.

**READYLIFT OFF ROAD SERIES 1**

Increase Your Truck's Overall Performance With ReadyLIFT Uniball Upper Control Arms!



## 38-3002 GM 1500 HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.

**READYLIFT OFF ROAD SERIES 1**

Beef Up Your Steering With The Strongest Tie Rod Steering Kit on the Market! Proven in the Toughest Conditions on the Planet!



## 399-48-201 FOX 2.5" FACTORY SERIES RESERVOIR COIL-OVER

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	up to 3.0"

Exclusive Fox 2.5" Coil-Over Shocks with Reservoir designed by Fox for ReadyLIFT. Includes (1) Adjustable Fox Coil Over Reservoir Shock designed for use with GM 1500 3.0" Series 2 Mid Travel Performance Front Suspension Kit. Specially designed by Fox to meet the standards of the ReadyLIFT Mid Travel Kit by increasing overall length and creating clearance for CV axles on 4WD trucks. Race winning performance in a direct bolt on shock.

Required for use on GM 1500 Series 2 Mid Travel Kits 44-3003 & 44-3005



## 99-3485R GM 1500 PERFORMANCE REAR SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	for 0"-2.0" lifts

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Designed to work with stock or rear lifts up to 2.0". Premium Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on trucks with larger oversized tires. Includes premium Lucas Synthetic Oil to insure maximum performance.

**READYLIFT SHOCKS**





# CHEVY/GMC 1500

# 2007-UP

## GM 1500 OFF ROAD REAR BED CAGE KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

This Off Road Rear Bed Cage is designed to strengthen the rear frame of GM 1500 trucks that will see aggressive off road use such as with our Mid Travel and Long Travel suspension systems. Upper shock mounts for extended length off road-style reservoir shocks integrated into the structure and gusseted for maximum strength. Requires modifications to the bed and fenderwells to attach cage to the frame rails. **SHOCKS NOT INCLUDED.**



Does Not Include Fox Shocks Shown



- 26-3305.** For 2007-UP GM 1500 Trucks With **5.5'** Bed
- 26-3306.** For 2007-UP GM 1500 Trucks With **6.5'** Bed

## 26-3307 GM 1500 4.0" OFF ROAD REAR LEAF PACK

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	4.0"

Includes (2) Off Road series rear leaf spring pack. Must be used with 26-3309 Rear Shackle Kit to achieve 2.5" of rear lift which is what is required for a level stance when using ReadyLIFT Mid-Travel Front Off Road kit. Rear shackles not required when using leaf pack with ReadyLIFT Long-Travel front kit.



### 4.0" LIFT

## 26-3309 GM 1500 REAR SHACKLE KIT

YEAR	MODEL	2WD/4WD	LOWERS
2007-UP	Silverado / Sierra 1500	2WD/4WD	1.5"

Includes (2) custom fabricated steel rear shackles that are used in conjunction with 26-3307 4.0" Rear Leaf Pack to achieve 2.5" of rear lift with the pack and shackle combination. Shackle kit can also be used on OEM springs to achieve a 1.5" drop in the rear.



## GM 1500 OFF ROAD SERIES BUMPERS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (1) Off Road Prerunner Style Tube Bumper. Features black powdercoated tube steel construction, machined tube end caps, and laser notched tubes. Front bumpers include a thick aluminum skid plate with vent holes and tabs for up to three lights (not included). Rear bumper utilizes OEM hitch mounting points and trailer light socket.



- 24-3000.** Chevy Silverado 1500 - FRONT
- 24-3001.** GMC Sierra 1500 - FRONT
- 24-3003.** Chevy Silverado/GMC Sierra 1500 - REAR



## GM 1500 OFF ROAD SERIES REAR LOWER SHOCK MOUNTS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (2) Heavy Duty Lower Shock Mounts specifically designed for either Fox or King rear shocks when used with ReadyLIFT Off Road Rear Bed Cage.

- 26-3006.** For Use With **FOX** Rear ByPass - Reservoir Shocks
- 26-3007.** For Use With **KING** Rear ByPass - Reservoir Shocks



## 26-3000 GM 1500 REAR HYDRAULIC BUMP STOP KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (2) bolt on fabricated 3/16" plate steel bump stop mounts. (2) 2.0" diameter 2.5" stroke Fox hydraulic bump stops. Must be used with ReadyLIFT Bed Cage kit and 26-3307 Rear Leaf Spring pack. Includes hardware. Bump Stop Kit reduces bottoming out harshness.



## 980-02-216 FOX 2.5" x 16.0 BYPASS 3-TUBE RESERVOIR SHOCK

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (1) Fox Rear 2.5"x16.0 Bypass (3 Tube) Piggyback Reservoir Shock. Sold Individually. For use with ReadyLIFT Bed Cage and with Rear Leaf Spring Pack.





# 1999-2006

# CHEVY/GMC 1500

# 1988-1998

## 66-3025 GM 1500 2WD 2.0" COIL SPACER LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2006	Silverado / Sierra 1500	2WD ONLY	2.0"

Includes (2) Steel Integrated Polyurethane coil spring spacers.  
Includes (2) shock extension spacers.



FITS UP TO 32" TIRES

## 2.0" LIFT

## 66-3000 GM 1500 4WD 2.5" TORSION KEY LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2006	Silverado / Sierra 1500	4WD/AWD	2.5"

Includes (2) Forged Leveling Torsion Keys with new adjuster bolts.  
(2) Steel shock extensions with new mounting bolts.



FITS UP TO 33" TIRES

## 2.5" LIFT

## 66-3002 GM 1500 2.25" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1999-2006	Silverado / Sierra 1500	2WD	2.25"

Includes (2) OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.



## 2.25" LIFT

## 66-3003 GM 1500 3.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1999-2006	Silverado / Sierra 1500	2WD/4WD	3.0"

Includes (2) OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.  
Replaces factory 2.0" OEM rear block for an increase of 1.0" - 4WD Models  
Provides 3.0" of rear lift on 2WD Models and those with no OEM rear block.



## 3.0" LIFT

3.0" of lift on vehicles with no OEM block

## 67-3809 GM 1500 REAR SHOCK EXTENSIONS

YEAR	MODEL	2WD/4WD	LIFT
1999-UP	Silverado / Sierra 1500	2WD/4WD	N/A

Includes (2) Reinforced Steel Rear Shock Extensions and mounting hardware. For use with OEM shocks and rear lift blocks.  
Fits 1999-2006 and 2007-UP GM 1500 Trucks.

For Use With OEM Shocks and Rear Lift Blocks



## 66-3000 GM 1500 4WD 1.5" TORSION KEY LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1988-1998	Silverado / Sierra CK1500	2WD/4WD	1.5"

Includes (2) OEM Style Forged Torsion Leveling Keys.  
Provides leveling adjustment up to 1.5" above factory.

## 1.5" LIFT



## 66-3051 GM 1500 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1988-1998	Silverado / Sierra CK1500	2WD/4WD	1.0"

Includes (2) 1.0" Tall OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck

## 1.0" LIFT



## 66-3052 GM 1500 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1988-1998	Silverado / Sierra CK1500	2WD/4WD	2.0"

Includes (2) 2.0" Tall OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck

## 2.0" LIFT





# CHEVY/GMC 2500/3500 HD

# 2011-UP

## 66-3011 GM 2500HD/3500HD 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	2.25"

Includes (2) Forged Torsion Leveling Keys  
Includes (4) shock extension spacers and hardware.



FITS UP TO 33" TIRES  
**2.25" LIFT**

## 44-3000 GM 2500HD/3500HD UNI-BALL UCA KIT

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A"

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



**SERIES 1** READYLIFT OFF ROAD

Increase Your Truck's Overall Performance With ReadyLIFT Uniball Upper Control Arms!

## GM 2500HD/3500HD 4.0" SST® A-ARM LIFT KIT

YEAR	MODEL	2WD/4WD	MAX LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	4.0" - 1.0 or 2.0"

SST® 4.0" Front Lift Kit for 2011-UP GM HD trucks. 1.0" or 2.0" Rear Lift for trucks with or without camper package.

Includes: (2) DOM tubular steel upper control arms with ball joints, polyurethane bushings and grease fittings.

(2) Forged Leveling Torsion Keys providing a maximum of 4.0" of lift. (2) Heavy Duty Tie Rod Assemblies.

(4) Machined Billet Differential Drop Spacers & Hardware.

(2) 1.0" Tall OEM Style Cast Iron Rear Lift Blocks and U-bolts (Kits 69-3411 & 69-3421)

or

(2) 2.0" Tall OEM Style Cast Iron Rear Lift Blocks and U-bolts (Kits 69-3412 & 69-3422)

### FOUR DIFFERENT VERSIONS AVAILABLE

**69-3411** - GM 2500HD 4.0" Front - 1.0" Rear

**69-3412** - GM 2500HD 4.0" Front - 2.0" Rear

**69-3421** - NEW

GM 3500HD SRW with trailer package or Dually

4.0" Front - 1.0" Rear

**69-3422** - NEW

GM 3500HD SRW with trailer package or Dually

4.0" Front - 2.0" Rear

**REQUIRES LONGER FRONT SHOCKS (NOT INCLUDED)**

Recommend **99-3414F** SST9000 Front Shocks designed for 4.0" Lift Kits.



FITS UP TO 34" TIRES  
**4.0" LIFT**

## GM 2500HD/3500HD 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	1.0"

Includes (2) 1.0" Tall OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck **1.0"**



**66-3111** 2500HD 1.0" Rear Block Kit - Single Rear Wheel

**66-3121** 2500HD 1.0" Rear Block Kit - with Trailering Package

**3500HD** 1.0" Rear Block Kit - SRW & DRW



## GM 2500HD/3500HD 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	2.0"

Includes (2) 2.0" Tall OEM Style cast iron e-coated rear lift blocks.  
(4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck **2.0"**



**66-3112** 2500HD 2.0" Rear Block Kit - Single Rear Wheel

**66-3122** 2500HD 2.0" Rear Block Kit - with Trailering Package

**3500HD** 2.0" Rear Block Kit - SRW & DRW



## GM 2500HD/3500HD SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat.

5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation.

Nitrogen-charged internal chamber. Rebuildable and Revalvable.

Developed for use on trucks with larger oversized tires.

**99-3411F** -

For Trucks With 0"-2.25" of Front Suspension Lift

**99-3411R** -

For Trucks With 0"-2.0" of Rear Suspension Lift

**99-3414F** -

For Trucks With 4.0" of Front Suspension Lift

For Use With 69-3411, 69-3412, 69-3421, 69-3422

SST 4.0" Lift Kit



## GM 2500HD/3500HD SST9000 STEERING STABILIZER

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (1) ReadyLIFT SST9000 Steering Stabilizer with adapter pin.

Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat.

1/2" hard chrome plated shaft. Gas/Oil separation eliminates cavitation.

Nitrogen-charged internal chamber. Rebuildable and Revalvable.

Developed to eliminate the factory bump steer and improve overall handling and steering control when driving.

**99-3100S** -

For 2011-UP GM2500/3500 HD Trucks

Improve Handling And Eliminate Bump Steer





# CHEVY/GMC 2500/3500 HD

# 2000-2010

## 66-3050 GM 2500HD/3500HD 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	2.5"

Includes (2) Forged Torsion Leveling Keys, (2) shock extensions and hardware.



FITS UP TO 33" TIRES  
**2.5" LIFT**

## 44-3001 GM 2500HD/3500HD UNI-BALL UCA KIT - SERIES 1

YEAR	MODEL	2WD/4WD	LIFT
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



Increase Your Truck's Overall Performance With ReadyLIFT Uniball Upper Control Arms!

## 38-3001 GM 2500HD/3500HD HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.



Beef Up Your Steering With The Strongest Tie Rod Steering Kit on the Market! Proven in the Toughest Conditions on the Planet!

## 67-3156 GM 2500HD/3500HD OEM TIE ROD REINFORCEMENT

YEAR	MODEL	2WD/4WD	LIFT
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (2) OEM tie rod reinforcement sleeves that thread onto the existing thin OEM tie rods to support the tie rod and prevent it from bending.



Strengthen Your OEM Thin Diameter Tie Rods  
Ideal For Use With Stock or Lifted GM HD Trucks

## 66-3051 GM 2500HD/3500HD 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	1.0"

Includes (2) 1.0" Tall OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck **1.0"**



## 66-3052 GM 2500HD/3500HD 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	2.0"

Includes (2) 2.0" Tall OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware.

Lift The Rear Of Your Truck **2.0"**



## GM 2500HD/3500HD SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2000-2010	Silverado/Sierra 2500HD/3500HD	2WD/4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on trucks with larger oversized tires.

**99-3050F -**  
For Trucks With **0"-2.5"** of Front Suspension Lift.

**99-3050R -**  
For Trucks With **NO** Rear Suspension Lift- Stock.

**99-3052R -**  
For Trucks With **1.0"-2.0"** of Rear Suspension Lift.  
Ideal For Use With 66-3051 and 66-3052 Rear Block Kits.



Improve Your Truck's Ride and Handling  
Specifically Designed For Maximum Performance





# AVALANCHE/ESCALADE/TAHOE/SUBURBAN/YUKON 2007-UP

## 66-3090 GM SUV 1500 1.0 - 1.5" ADJ. LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon	1500 2WD/4WD	1.0-1.5"

Includes (2) CNC Machined billet aluminum front strut extensions. Adjustable from 1.0" to 1.5". US Patent 7665743. Not for use on AWD Vehicles.



FITS UP TO 32" TIRES **1.0-1.5" LIFT**

## 66-3080 GM SUV 1500 1.5" STRUT EXTENSION LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon	1500 2WD/4WD	1.5"

Includes (2) CNC Machined billet aluminum strut extensions. Requires no cutting or modifications to strut. Not for use on AWD Vehicles.



FITS UP TO 32" TIRES **1.5" LIFT**

## 66-3085 GM SUV 1500 2.25" STRUT EXTENSION LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon	1500 2WD/4WD	2.25"

Includes (2) CNC Machined billet aluminum top strut extensions. (2) CNC machined lower strut extensions and hardware. Not for use on AWD Vehicles.  
Note: May require a rear coil spacer for a level stance.



FITS UP TO 33" TIRES **2.25" LIFT**

## T6-3085 GM SUV 1500 2.25" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon	1500 2WD/4WD	2.25"

Includes (2) CNC Machined anodized top mount strut extensions. Requires strut disassembly to replace factory spring hat with new T6-Billet extension. Not for use on AWD Vehicles.  
Note: May require a rear coil spacer for a level stance.



FITS UP TO 33" TIRES **2.25" LIFT**

## 69-3010 GM SUV 1500 1.5" SST LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche/Tahoe/Escalade/Suburban/Yukon	1500 2WD/4WD	1.5" F - 1.0" R

Includes (2) CNC Machined billet aluminum front strut extensions. Adjustable from 1.0" to 1.5" (2) CNC Machined 1.0" Rear Coil Spring Spacers. Not for use on AWD Vehicles. - US Patent 7665743



SST Lift Your SUV/SUT  
**1.5" LIFT** FITS UP TO 33" TIRES

## 69-3015 GM SUV 1500 2.25" SST LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche/Tahoe/Escalade/Suburban/Yukon	1500 2WD/4WD	2.25" F - 1.5" R

Includes (2) CNC Machined billet aluminum top strut extensions. (2) CNC machined lower strut extensions and hardware. (2) CNC Machined 1.5" Rear Coil Spring Lift Spacers. Not for use on AWD Vehicles.



SST Lift Your SUV/SUT  
**2.25" LIFT** FITS UP TO 33" TIRES

## 69-3295 2WD GM SUV 1500 4.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche/Tahoe/Escalade/Suburban/Yukon	1500 2WD ONLY	4.0" F - 3.0" R

Includes (2) DOM tubular steel upper control arms with ball joints, polyurethane bushings and grease fittings. (2) Steel Rear Coil Spring Spacers. (2) Rear Sway Bar End Links. (2) Powdercoated steel strut extensions. (2) Rear shock extensions. Not for use on AWD Vehicles. (for use with stock length shocks).



SST Lift Your SUV/SUT  
**4.0" LIFT** FITS UP TO 33" TIRES

## 69-3495 4WD GM SUV 1500 4.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche/Tahoe/Escalade/Suburban/Yukon	1500 4WD ONLY	4.0" F - 3.0" R

Includes (2) DOM tubular steel upper control arms with ball joints, polyurethane bushings and grease fittings. (2) Steel Rear Coil Spring Spacers. (2) Rear Sway Bar End Links. (2) Powdercoated steel strut extensions. (2) CNC machined tapered differential drop brackets and hardware. Steel differential skid plate. (2) Rear shock extensions (for use with stock length shocks). Not for use on AWD Vehicles.



SST Lift Your SUV/SUT  
**4.0" LIFT** FITS UP TO 33" TIRES



# AVALANCHE/ESCALADE/TAHOE/SUBURBAN/YUKON 2000-UP

## 66-3000 GM SUV 1500 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2000-2006	Avalanche / Tahoe / Escalade / Suburban / Yukon 1500	2WD/4WD	2.5"

Includes (2) Forged Torsion Leveling Keys, (2) shock extensions and hardware.



FITS UP TO 33" TIRES  
**2.5"** LIFT

## 66-3050 GM 2500 SUV 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2002-2006	Avalanche 2500 - 8-lug	2WD/4WD	2.5"
2000-UP	Suburban / Yukon XL - 2500 8-lug	2WD/4WD	2.5"

Includes (2) Forged Torsion Leveling Keys, (2) shock extensions and hardware.



FITS UP TO 33" TIRES  
**2.5"** LIFT

## 66-3000 GM SUV 1500 1988-1998 1.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1988-1998	Tahoe / Yukon - 6-lug	4WD	1.5"
1992-1999	Suburban / Yukon - 8-lug	4WD	1.5"

Includes (2) Forged Torsion Leveling Keys.



FITS UP TO 32" TIRES  
**1.5"** LIFT

## 69-3005 GM SUV 1500 2.5" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2000-2006	Avalanche/Tahoe/Escalade/Suburban/Yukon 1500	2WD/4WD	2.5" F-1.0" R

Includes (2) Forged Torsion Leveling Keys, (2) shock extensions and hardware.  
(2) CNC Machined 1.0" billet aluminum rear spring spacers.



FITS UP TO 33" TIRES  
**2.5"** LIFT

## 66-3010 GM SUV 1500 1.0" REAR COIL SPACER

YEAR	MODEL	2WD/4WD	LIFT
2000-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon 1500	2WD/4WD	1.0"

Includes (2) 1.0" Tall CNC Machined Billet Aluminum Rear Coil Spring Spacers.  
\*Not for use with factory rear autoride suspension.

Lift The Rear Of Your 1500 Avalanche,  
Tahoe, Escalade or Suburban

**1.0"**



## 66-3015 GM SUV 1500 1.5" REAR COIL SPACER

YEAR	MODEL	2WD/4WD	LIFT
2000-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon 1500	2WD/4WD	1.5"

Includes (2) 1.5" Tall CNC Machined Billet Aluminum Rear Coil Spring Spacers.  
\*Not for use with factory rear autoride suspension.

Lift The Rear Of Your 1500 Avalanche,  
Tahoe, Escalade or Suburban

**1.5"**



## GM SUV 1500/2500 SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Avalanche / Tahoe / Escalade / Suburban / Yukon -1500	2WD/4WD	N/A
2000-2011	Avalanche / Suburban / Yukon - 2500 8-Lug	2WD/4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on SUVs with larger, oversized tires.

**99-3485R -**  
For 2007-UP 1500 SUVs  
With **0"-2.0"** of Rear Suspension Lift.

**99-3050F -**  
For 2000-2011 2500 SUVs  
With **0"-2.5"** of Front Suspension Lift.

**99-3050R -**  
For 2000-2011 2500 SUVs  
With **NO** Rear Suspension Lift - Stock.

**99-3052R -**  
For 2000-2011 2500 SUVs  
With **1.0"-2.0"** of Rear Suspension Lift.  
Ideal For Use With 66-3010 and 66-3015  
Rear Coil Spacer Kits.



**Note: Not For Use On  
Vehicles With Auto-Leveling**

Improve Your Truck's Ride and Handling  
Specifically Designed For Maximum Performance

**READYLIFT**  
SHOCKS



# COLORADO / CANYON & TRAILBLAZER / ENVOY

## 66-3070 GM COLORADO/CANYON 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-2012	Colorado / Canyon (Torsion Bar Only)	2WD/4WD	2.25"

Includes (2) Adjustable Torsion Leveling Keys that allows for up to 2.25" of lift.



FITS UP TO 33" TIRES **2.25" LIFT**

## 69-3070 GM COLORADO/CANYON 2.25" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-2012	Colorado / Canyon (Torsion Bar Only)	2WD/4WD	2.25" F - 1.5" R

Includes (2) Adjustable Torsion Leveling Keys that allows for up to 2.25" front lift. (2) 1.5" Lift Rear Shackles. (2) Front Shock Extensions & (2) Rear Shock Extensions.



FITS UP TO 33" TIRES **2.25" LIFT**

## 69-3075 GM COLORADO/CANYON 2.5" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-2012	Colorado / Canyon (Strut Only)	2WD Only	2.5" F - 1.5" R

Includes (2) Lower Front Strut Spacers that allows for 2.5" of front lift. (2) 1.5" Lift Rear Shackles. (2) Upper Ball Joint Reinforcement Spacers & (2) Rear Shock Extensions. Truck will have 1.0"-1.5" rear rake.



FITS UP TO 31" TIRES **2.5" LIFT**

## 69-3065 GM TRAILBLAZER/ENVOY 2.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2002-2009	TrailBlazer / Envoy	2WD/4WD	2.0" F - 1.0" R

Includes (2) 2.0" Lift Powdercoated Steel Front Strut Extensions. (2) 1.0" CNC Machined Billet Aluminum Rear Coil Spring Extensions.



FITS UP TO 32" TIRES **2.0" LIFT**

# DODGE RAM 1500 2006-UP

## 66-1035 DODGE RAM 1500 2WD 1.75" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2008-2011	Dodge Ram 1500	2WD Only	1.75"

Includes (2) CNC machined billet aluminum spring cup coil spring spacers integrated with a new age polyurethane spacer seat. (2) Bump stop extensions with new bump stops. (2) Hardened machined steel front shock extensions.



**1.75" LIFT** FITS UP TO 33" TIRES

## DODGE RAM 4WD 1500 2.0" & 2.5" LEVELING KITS

YEAR	MODEL	2WD/4WD	LIFT	PART#
2006-UP	Dodge Ram 1500	4WD Only	2.0"	66-1030
2006-2008	Dodge Ram 1500	4WD Only	2.5"	66-1020
2011-UP	Dodge Ram 1500	4WD Only	2.5"	66-1020

66-1030 - 2006-2008 and 2011-UP Ram 1500 4WD trucks will have a slight rake of approximately 1/2". 2009-2010 Ram 1500 4WD trucks will sit level.  
66-1020 - 2006-2008 and 2011-UP Ram 1500 4WD trucks will sit level. Not for use on 2009-2010 Ram 1500 trucks to achieve a level stance. Will not work with factory air suspension.



PART# 66-1030  
**2.0" LIFT**  
PART# 66-1020  
**2.5" LIFT**

FITS UP TO 35" TIRES

## T6-1030 DODGE RAM 4WD 1500 2.0" T6 BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2006-UP	Dodge Ram 1500	4WD Only	2.0"

Includes (2) CNC Machined 6061 billet aluminum top mount strut extensions and new mounting studs and hardware. Available in Red, Blue, Black or Silver anodized finishes with ReadyLIFT laser etched on the side. 2006-2008 and 2011-UP Ram 1500 4WD trucks will have a slight rake of approximately 1/2". 2009-2010 Ram 1500 4WD trucks will sit level with no rake. Will not work with factory air suspension.



**2.0" LIFT** FITS UP TO 35" TIRES



## 66-1055 DODGE RAM 1500 2WD 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2006-2011	Dodge Ram 1500	2WD Only	2.25"

Includes (2) CNC machined billet aluminum spring cup coil spring spacers integrated with a new age polyurethane spacer seat. (2) Bump stop extensions with new bump stops. (2) Hardened machined steel front shock extensions.



**2.25" LIFT** FITS UP TO 35" TIRES



# DODGE RAM 1500

# 2002-UP

## 69-1030 DODGE RAM 1500 4WD 2.5" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Dodge Ram 1500	4WD Only	2.5" F-1.5" R

Includes (2) 2.5" Lift front strut extensions. (2) 1.5" Lift rear coil spring spacers. (2) Bump stop extensions with new bump stops. Includes all necessary hardware. Requires no cutting or modifications to strut. Will not work with factory air suspension.



FITS UP TO 35" TIRES

SST Lift Your 4WD Ram 1500 Truck

### 2.5" LIFT

## 69-1035 DODGE RAM 1500 2WD 2.25" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-2011	Dodge Ram 1500	2WD Only	2.25" F-1.5" R

Includes (2) 2.25" Lift CNC machined and polyurethane integrated front coil spring spacers. (2) 1.5" Lift rear coil spring spacers. (2) Bump stop extensions with new bump stops. (2) Front shock extensions. Includes all necessary hardware. Requires no cutting or modifications to strut.



FITS UP TO 35" TIRES

SST Lift Your 2WD Ram 1500 Truck

### 2.25" LIFT

## 66-1031 DODGE RAM 1500 1.5" REAR COIL SPACER KIT

YEAR	MODEL	2WD/4WD	SIZE
2009-UP	Dodge Ram 1500	2WD/4WD	1.5"

Includes (2) 1.5" tall powdercoated steel rear coil spring spacers.



Lift The Rear of Your Ram Truck

### 1.5" LIFT

## 66-1101 DODGE RAM 1500 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2002-2008	Dodge Ram 1500 (excludes Mega Cab)	2WD/4WD	1.0"

Includes (2) 1.0" Tall OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware.



Lift The Rear of Your Ram Truck

### 1.0" LIFT

## 66-1102 DODGE RAM 1500 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2002-2008	Dodge Ram 1500 (excludes Mega Cab)	2WD/4WD	2.0"

Includes (2) 2.0" Tall OEM Style cast iron e-coated rear lift blocks. (4) E-coated model specific u-bolts and hardware.



Lift The Rear of Your Ram Truck

### 2.0" LIFT

## 44-1000 RAM 1500 UNI-BALL UPPER CONTROL ARM KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Dodge Ram 1500	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



Increase Your Truck's Overall Performance With ReadyLIFT Uniball Upper Control Arms!



## 38-1000 DODGE RAM 1500 HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Dodge Ram 1500	2WD/4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.



Beef Up Your Steering With The Strongest Tie Rod Steering Kit on the Market! Proven in the Toughest Conditions on the Planet!



## 99-1090F DODGE RAM 1500 4WD PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
1994-2001	Dodge Ram 1500	4WD	for 2.0" Lifts

Includes (2) ReadyLIFT SST9000 Extended Length Performance Front Shocks. Designed to work with front lifts up to 2.0". Premium Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on trucks with larger oversized tires. Includes premium Lucas Synthetic Oil to insure maximum performance.





# DODGE RAM 2500

# 1994-2012

## T6-1090 DODGE RAM 2500/3500 4WD 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1994-2012	Dodge Ram 2500/3500 & Mega Cab	4WD Only	2.0"
1994-2001	Dodge Ram 1500	4WD Only	2.0"

Includes (2) 2.0" Lift CNC Machined anodized top mount coil spring spacers with required hardware. Available in Red, Blue, Black or Silver anodized finishes with ReadyLIFT laser etched on the sides.



Available in Red, Blue, Black & Silver

FITS UP TO 35" TIRES

## 2.0" LIFT

## 66-1090 DODGE RAM 2500/3500 4WD 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1994-2012	Dodge Ram 2500/3500 & Mega Cab	4WD Only	2.0"
1994-2001	Dodge Ram 1500	4WD Only	2.0"

Includes (2) 2.0" Lift top mount coil spring spacers. Requires no cutting or modifications to your springs.



FITS UP TO 35" TIRES

## 2.0" LIFT

## 66-1201 DODGE RAM 2500/3500 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2003-2012	Dodge Ram 2500/3500 (w/o Top Mount Overload Springs)	2WD/4WD	1.0"

Includes (2) 1.0" tall OEM-style cast iron rear lift blocks and (4) new longer length u-bolts and hardware. \*\* Not for use on trucks with the factory top mount overload spring.



Lift The Rear of Your 8-lug Ram Truck

## 1.0" LIFT

## 66-1202 DODGE RAM 2500/3500 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2003-2012	Dodge Ram 2500/3500 (w/o Top Mount Overload Springs)	2WD/4WD	2.0"

Includes (2) 2.0" tall OEM-style cast iron rear lift blocks and (4) new longer length u-bolts and hardware. \*\* Not for use on trucks with the factory top mount overload spring.



Lift The Rear of Your 8-lug Ram Truck

## 2.0" LIFT

## 49-1000 DODGE RAM 2500/3500 5.0" OFF ROAD LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-2012	Dodge Ram 2500/3500	4WD Only	5.0" F-2.0" R

Includes (2) dual rate progressive wound 5" lift coil springs. (2) fixed length lower tube steel control arms and (2) adjustable length tube steel upper control arms. (2) Sway bar extension brackets (2) 2.0" OEM style cast iron rear lift blocks with (4) new u-bolts. Includes rugged track bar designed specifically for this kit! Requires longer front shocks - Recommend ReadyLIFT 99-1094F SST9000 Shocks.



Increase Your Truck's Overall Performance With ReadyLIFT 5 Inch Off Road Performance Lift Kit!



## 5.0" LIFT

FITS UP TO 37" TIRES

## 69-1091/69-1092 DODGE RAM 2500/3500 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-2012	Dodge Ram 2500/3500	4WD Only	3.0" F-1.0"/2.0" R

Includes (2) Heavy Duty 3.0" Lift steel coil spring spacers. (2) Sway bar drop brackets. (2) OEM style cast iron rear blocks with new u-bolts and hardware.

69-1091 - Includes 1.0" Rear Block Kit  
69-1092 - Includes 2.0" Rear Block Kit



## 3.0" LIFT

FITS UP TO 35" TIRES



## 67-1090 DODGE RAM 2500/3500 STEERING BOX STABILIZER

YEAR	MODEL	2WD/4WD	LIFT
2003-2008	Dodge Ram 2500/3500	4WD Only	N/A

Includes (1) ReadyLIFT Dodge Ram 2500/3500 Steering Box Stabilizer Bar With (1) grease ready bearing and new mounting hardware.

Helps To Eliminate the Factory Steering Wander and Bump Steer. Reinforces Your Frame.





# DODGE RAM 2500 & DAKOTA / DURANGO

## DODGE RAM 2500/3500 SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
1994-UP	Dodge Ram 2500/3500	4WD Only	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on trucks with larger oversized tires.

**99-1090F** - For Trucks With 0"-2.0" of Front Suspension Lift  
**99-1090R** - For Trucks With 0"-2.0" of Rear Suspension Lift  
**99-1095F** - For Trucks With 5.0" of Front Suspension Lift  
 For Use With 49-1000 5.0" Off Road Lift Kit



## DODGE RAM 2500/3500 4WD STEERING STABILIZER

YEAR	MODEL	2WD/4WD	LIFT
2009-12	Dodge Ram 2500/3500	4WD Only	N/A

Includes (1) ReadyLIFT SST9000 Steering Stabilizer with new adapter pin. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 1/2" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed to eliminate the factory bump steer and improve overall handling and steering control when driving.

**99-1090S** - For 2009-12 Dodge Ram 2500/3500 4WD Trucks

Improve Handling And Eliminate Bump Steer



## 66-1070 DODGE DAKOTA 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-2011	Dodge Dakota	2WD Only	2.5"

Includes (2) Powdercoated steel strut extensions. No Cutting or Modifications Required.



FITS UP TO 32" TIRES

**2.0" LIFT**

## 66-1080 DODGE DURANGO/ASPEN 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-2010	Dodge Durango - Non AWD	2WD/4WD	2.25"
2007-2009	Chrysler Aspen - Non AWD	2WD/4WD	2.25"

Includes (2) OEM Style Adjustable Leveling Keys with adapter for GM torsion key unloading tool. Curved shape matches OEM key.



FITS UP TO 33" TIRES

**2.25" LIFT**

# MADE TO FIT FORD F150 2004-UP

## 66-2052 FORD F150 1.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-UP	Ford F150	2WD/4WD	1.5"

Includes (2) CNC Machined 6061 billet aluminum top mount strut extensions with new mounting studs and hardware.



**1.5" LIFT** FITS UP TO 33" TIRES

## 66-2059 FORD F150 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-UP	Ford F150	2WD/4WD	2.0"

Includes (2) Powdercoated steel top mount strut extensions and hardware. No Cutting Or Modifications Required.



**2.0" LIFT** FITS UP TO 35" TIRES

## T6-2059 FORD F150 2.0" T6 BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2004-UP	Ford F150	2WD/4WD	2.0"

Includes (2) CNC Machined 6061 anodized billet aluminum top mount strut extensions with new mounting studs and hardware. Available in Red, Blue, Black or Silver anodized finishes.



Available in Red, Blue, Black & Silver



**2.0" LIFT** FITS UP TO 35" TIRES

## 66-2058 FORD F150 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Ford F150 (Not For Use On 4WD)	2WD Only	2.5"
2004-2008	Ford F150	2WD/4WD	2.5"

Includes (2) Powdercoated steel top mount strut extensions and hardware. No Cutting Or Modifications Required.



**2.5" LIFT** FITS UP TO 35" TIRES



MADE TO FIT

**FORD F150****1997-UP****T6-2058 FORD F150 2.5" T6 BILLET LEVELING KIT**

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Ford F150 (Not for use on 4WD)	2WD	2.5"
2004-2008	Ford F150	2WD/4WD	2.5"

Includes (2) CNC Machined 6061 anodized billet aluminum top mount strut extensions with new mounting studs and hardware.  
Available in Red, Blue, Black or Silver anodized finishes.



Available in Red, Blue, Black & Silver

**2.5" LIFT****66-2050 FORD F150 3.0" LEVELING KIT**

YEAR	MODEL	2WD/4WD	LIFT
2009-UP	Ford F150 (Not for use on 4WD)	2WD Only	3.0"
2004-2008	Ford F150	2WD/4WD	3.0"

Includes (2) Powdercoated steel top mount strut extensions and hardware.  
No Cutting Or Modifications Required.

FITS UP TO **35"** TIRES**3.0" LIFT****66-2051/66-2053 FORD F150 1.5"/3.0" TALL REAR BLOCK KITS**

YEAR	MODEL	2WD/4WD	SIZE	PART#
2004-UP	Ford F150	2WD/4WD	3.0"	66-2053
2004-UP	Ford F150	2WD ONLY	1.5"	66-2051

Includes (2) Powdercoated OEM Style rear lift blocks and (4) new u-bolts and nuts.

**66-2051-2004-UP** Ford F150 2WD ONLY

Provides 1.5" of rear lift

**66-2053-2004-2008** Ford F150 2WD/4WD

Provides 3.0" of rear lift on 2WD

Provides 1.0" of rear lift on 4WD

**66-2053-2009-UP** Ford F150 2WD/4WD

Provides 3.0" of rear lift on 2WD

Provides 1.75" of rear lift on 4WD

UP TO **1.75" LIFT****66-2000 FORD F150 2.5" TORSION KEY LEVELING KIT**

YEAR	MODEL	2WD/4WD	LIFT
1997-2004	Ford F150 (Old Body Style)	4WD	2.5"

Includes (2) Forged OEM Style Adjustable Torsion Leveling Keys

FITS UP TO **33"** TIRES**2.5" LIFT****49-2150 FORD F150 FRONT MID-TRAVEL OFFROAD KIT**

YEAR	MODEL	2WD/4WD	LIFT	PART#
2004-UP	Ford F150	2WD Only	N/A	44-2252
2004-UP	Ford F150	4WD Only	N/A	44-2254

This kit is designed to allow F150 owners to have a Raptor style off road front suspension.  
Use of this kit will require the installation of wider front fenders.

Includes: (2) Boxed Steel Upper and Lower Control Arms with 1.5" Uni-Ball Bearings.  
(2) Extended length heavy duty steering kit with heim pivots. Requires the use of either a Fox OEM Raptor front coil over or Fox performance off road front coil over.

**3.0" LIFT**

Lift height achieved will be determined by the coil over used.  
Lift Kit is made to be used with lift setting of 3"



**44-2252-2004-UP**  
Ford F150 2WD ONLY  
**44-2254-2004-UP**  
Ford F150 4WD ONLY

**SERIES 2****44-2000 FORD F150 UNI-BALL UPPER CONTROL ARM KIT**

YEAR	MODEL	2WD/4WD	LIFT
2004-UP	Ford F150	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings.  
4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.

**SERIES 1**

Increase Your Truck's Overall Performance With  
ReadyLIFT Uniball Upper Control Arms!

**FORD F150 HEAVY DUTY STEERING KIT**

YEAR	MODEL	2WD/4WD	LIFT
2004-2008	Ford F150	2WD/4WD	39-2000
2009-UP	Ford F150	2WD/4WD	39-2001

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.

**SERIES 1**

Beef Up Your Steering With The Strongest  
Tie Rod Steering Kit on the Market!





MADE TO FIT

# FORD RAPTOR SVT

2010-UP

## 44-2150 FORD RAPTOR MID-TRAVEL UPGRADE FRONT KIT

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	N/A

Increase the overall driving performance of your Ford Raptor SVT both on and off road. Includes: (2) Boxed Steel Upper Control Arms, (2) Boxed Steel Lower Control Arms with 1.5" Uni-ball Pivot Bearings. No modifications required - UCA and LCA fit stock mounts. (2) ReadyLIFT Off Road Heavy Duty Steering Tie Rods with Heim Pivots. Provides up to 11" of wheel travel (depending on front shock being used). Can be used with stock Raptor shocks or aftermarket King or Fox coil over shocks. Front Coil Over shocks not included.

**3.0" LIFT**

Lift height achieved will be determined by the coil over used. Lift Kit is made to be used with lift setting of 3"



READYLIFT OFF ROAD **SERIES 2**

## 44-2003 FORD RAPTOR UNI-BALL UPPER CONTROL ARM KIT

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1.5" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



READYLIFT OFF ROAD **SERIES 1**

Increase Your Raptor's Overall Performance With ReadyLIFT Uniball Upper Control Arms!



## 38-2002 FORD RAPTOR HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.



READYLIFT OFF ROAD **SERIES 1**

Beef Up Your Steering With The Strongest Tie Rod Steering Kit on the Market!

## T6-2055B FORD RAPTOR 2.0" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	2.0"

Includes 2) CNC Machined 6061 T-6 Billet Aluminum top mount strut extensions designed to bolt onto your factory Fox shocks. Includes new studs and nuts. Features a rich blue hard anodized finish with ReadyLIFT laser etched on the side.



**2.0" LIFT** FITS UP TO **35" TIRES**

## 66-2055 FORD FORD RAPTOR 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	2.0"

Includes (2) Powdercoated steel top mount strut extensions and hardware. No cutting or permanent modifications to suspension required. Easy installation.



**2.0" LIFT** FITS UP TO **35" TIRES**

## 66-2053 FORD FORD RAPTOR 3.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2010-UP	Ford Raptor SVT	4WD	3.0"

Includes (2) OEM Style 3.0" tall cast iron rear lift blocks, (4) longer u-bolts and new hardware. Adds an additional 0.5" of rear lift.



Put a Slight Rake Into Your Raptor's Stance To Improve Towing and Hauling

**0.5" LIFT**

## FORD RAPTOR SVT REAR SUSPENSION UPGRADES

YEAR	MODEL	2WD/4WD	LIFT
2010-UP	Ford Raptor SVT	4WD	N/A

Part# 26-2014 Includes (2) extended travel rear leaf spring packs. Part# 25-2000 Includes (2) frame mount bump stop assemblies with Fox canister bump stops, (2) leaf spring lower bump stop pads and (1) bump stop crossmember attachment.



**26-2014-2010-UP**  
Ford Raptor Extended Travel Rear Leaf Pack  
**25-2000-2010-UP**  
Ford Raptor Rear Suspension Bump Stop Kit



Part# 26-2014 Shown



Part# 25-2000 Shown



MADE TO FIT

# FORD SUPER DUTY F250

# 1999-UP

## T6-2111 F250 SUPER DUTY 1.5" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	1.5"

Includes (2) CNC Machined 6061 T6 billet aluminum 1.5" tall lower spring spacers with new hardware. Available in Red, Blue, Black or Silver anodized finishes. No Cutting Or Modifications Required.



Available in Red, Blue, Black & Silver

FITS UP TO 35" TIRES

## 1.5" LIFT

## 66-2111 F250 SUPER DUTY 1.5" LEVELING KIT - STAGE 1

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	1.5"

Includes (2) CNC Machined 6061 billet aluminum 1.5" tall lower spring spacers with new hardware. No Cutting Or Modifications Required.



FITS UP TO 35" TIRES

## 1.5" LIFT

## 66-2095 F250 SUPER DUTY 2.5" LEVELING KIT - STAGE 1

YEAR	MODEL	2WD/4WD	LIFT
2005-2010	Ford F250 Super Duty	4WD	2.5"

Includes (2) tough steel 2.5" tall top mount coil spring spacers with sound isolators and lower stock shock mount extensions. Includes (2) brake line extension brackets for 2005-2007 F250 applications. Easy to install. No Cutting or Modifications Required. Recommend a track bar and/or track bar bracket. May require rear block kit for a level a stance.



FITS UP TO 37" TIRES

## 2.5" LIFT

## 46-2440/46-2442 F250 SST® COIL SPRING UPGRADE KIT

YEAR	MODEL	2WD/4WD	LIFT	PART#
2011-UP	Ford F250 Super Duty	4WD	2.5"	46-2440
2005-2010	Ford F250 Super Duty	4WD	2.5"	46-2442

Includes (2) progressive wound 2.5" lift coil springs. (2) SST9000 front shocks. (2) Sway bar frame mount spacers. (2011-UP Only) (2) Bump stop extensions (2) Brake line extension brackets. Recommend a track bar and/or track bar bracket. May require rear block kit for a level a stance.



FITS UP TO 37" TIRES

READYLIST  
OFF ROAD  
**SERIES 1**  

## 2.5" LIFT

## F250 SUPER DUTY 2.5" SST® LIFT KIT - STAGE 3

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	2.5" F - 2.0" R or 3.0" R

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) OEM Style 4.0" tall OR 5.0" tall cast iron rear lift blocks with (4) longer u-bolts and new hardware. (2) Bump stop extensions. (2) Sway bar frame mount extensions for 2011-UP models. (2) Lower shock mount extensions for use with stock shocks. (2) Brake line extension brackets. (2) Front inner fender liner support brackets and a new OEM style cast iron track bar drop bracket.

**69-2511.** 2011-UP F250 4WD Single Rear Wheel. 2.5" F - 2.0" R - includes 4.0" Rear Lift Block.

**69-2524.** 2011-UP F250 4WD With Dual Rear Spring Pack. 2.5" F - 2.0" R - includes 4.0" Rear Lift Block.

**69-2511TP.** 2011-UP F250 4WD Single Rear Wheel. 2.5" F - 3.0" R - includes 5.0" Rear Lift Block.

**69-2525.** 2011-UP F250 4WD With Dual Rear Spring Pack. 2.5" F - 3.0" R - includes 5.0" Rear Lift Block.

**69-2518.** 2008-2010 F250 4WD Single Rear Wheel. 2.5" F - 2.0" R - includes 4.0" Rear Lift Block. Works with OEM Camper Package.

**69-2516TP.** 2008-2010 F250 4WD Single Rear Wheel. 2.5" F - 3.0" R - includes 5.0" Rear Lift Block.

**69-2517.** 2008-2007 F250 4WD Single Rear Wheel. 2.5" F - 2.0" R - includes 4.0" Rear Lift Block. Works with OEM Camper Package.

**69-2515TP.** 2008-2007 F250 4WD Single Rear Wheel. 2.5" F - 3.0" R - includes 5.0" Rear Lift Block.

## 2.5" LIFT

FITS UP TO 35" TIRES



## 69-2011 F250 SUPER DUTY 2.5" SST® LIFT KIT - STAGE 2

YEAR	MODEL	2WD/4WD	LIFT
2011-UP	Ford F250 Super Duty	4WD	2.5" F - 2.0" R

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) OEM Style 4.0" tall cast iron rear lift blocks, (4) longer u-bolts and new hardware. (2) Sway bar frame mount extensions. (2) Lower shock mount extensions for use with stock shocks. (2) Brake line extension brackets. Recommend track bar and/or track bar bracket.

## 2.5" LIFT

FITS UP TO 35" TIRES



## 69-2085 F250 SUPER DUTY/EXCURSION 2.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2004	Ford F250 Super Duty (leaf spring)	4WD	2.0" F - 2.0" R
2000-2005	Ford Excursion SUV (leaf spring)	4WD	2.0" F - 2.0" R

Includes (2) 2.0" tall steel mini front leaf spring packs. (2) 4.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware. Includes important panhard bar alignment bushings and new bolts.

## 2.0" LIFT

FITS UP TO 35" TIRES





MADE TO FIT

# FORD SUPER DUTY F250

# 2005-UP

## F250 SUPER DUTY 3.5" SST® LIFT KIT - STAGE 4

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	3.5"F - 3.0"R

Includes (2) strong steel top mount coil spring spacers with sound isolators, (2) OEM Style 5.0" tall cast iron rear lift blocks with (4) longer u-bolts and new hardware, (2) Formed plate steel radius arm drop brackets, (2) Bump stop extensions, (2) Sway bar frame mount extensions (2011-up models), (2) Lower shock mount extensions for use with stock shocks, (2) Brake line extension brackets, (2) Front inner fender liner support brackets and a new OEM style cast iron track bar drop bracket



**69-2531- 2011-UP F250**  
3.5"F - 3.0"R - 4WD Single Rear Wheel.

**69-2535- 2011-UP F250**  
3.5"F - 3.0"R - 4WD With Dually Rear Spring Pack

**69-2538- 2008-2010 F250**  
3.5"F - 3.0"R - 4WD Single Rear Wheel.  
Works with OEM Camper Package.

**69-2537- 2005-2007 F250**  
3.5"F - 3.0"R - 4WD Single Rear Wheel.  
Works with OEM Camper Package.

FITS UP TO 37" TIRES

**3.5" LIFT**

## F250 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 1

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road, (2) heavy duty radius arm drop brackets to correct axle/radius arm geometry, (1) Industry leading OEM style fabricated steel panhard bar relocation bracket, (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware, (2) 1.5" lift add-a-leaf spring packs, (4) Bump stop extensions, (2) Longer sway bar end links, (2) Radius arm alignment cams, (1) Dropped pitman arm, (2) Front brake line relocation brackets, (1) CNC machined aluminum driveshaft extension (no need to lengthen your driveshaft). No Cutting or Modifications Required.



**49-2000- 2011-UP F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2003- 2008-2010 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2006- 2005-2007 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

FITS UP TO 38" TIRES

**READYLIFT OFF ROAD SERIES 1**

**5.0" LIFT**

## F250 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 2

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road, (2) heavy duty boxed plate steel radius arms, (1) Industry leading OEM style fabricated steel panhard bar relocation bracket, (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware, (2) 1.5" lift add-a-leaf spring packs, (4) Bump stop extensions, (2) Longer sway bar end links, (2) Radius arm alignment cams, (1) Dropped pitman arm, (2) Front brake line relocation brackets, (1) CNC machined aluminum driveshaft extension.

**READYLIFT OFF ROAD SERIES 2**

FITS UP TO 38" TIRES



**49-2001- 2011-UP F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2004- 2008-2010 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2007- 2005-2007 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**5.0" LIFT**

## F250 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 3

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250 Super Duty	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road, (2) heavy duty boxed plate steel radius arms, (1) Industry leading OEM style fabricated steel panhard bar relocation bracket, (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware, (2) 1.5" lift add-a-leaf spring packs, (4) Bump stop extensions, (2) Longer sway bar end links, (2) Radius arm alignment cams, (1) Dropped pitman arm, (2) Front brake line relocation brackets, (1) CNC machined aluminum driveshaft extension, (4) SST9000 ReadyLIFT Performance Shocks engineered specifically for Super Duty trucks, (1) Heavy Duty Anti-Wobble Track Bar Kit.

**READYLIFT OFF ROAD SERIES 3**

FITS UP TO 38" TIRES



**49-2002- 2011-UP F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2005- 2008-2010 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2008- 2005-2007 F250**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**5.0" LIFT**

(U.S. Patent 12/423,476, Canada Patent 2670542)




MADE TO FIT

# FORD SUPER DUTY F350/F450/F550 1999-UP

## T6-2111 F350/F450/F550 SUPER DUTY 1.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450/F550 Super Duty	4WD	1.5"

Includes (2) CNC Machined 6061 T6 billet aluminum 1.5" tall lower spring spacers with new hardware. Available in Red, Blue, Black or Silver anodized finishes. No Cutting Or Modifications Required.



Available in Red, Blue, Black & Silver

FITS UP TO 35" TIRES

**1.5" LIFT**

## 66-2111 F350/F450/F550 SUPER DUTY 1.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450/F550 Super Duty	4WD	1.5"

Includes (2) CNC Machined 6061 billet aluminum 1.5" tall lower spring spacers with new hardware. No Cutting Or Modifications Required.



FITS UP TO 35" TIRES

**1.5" LIFT**

## 66-2085 F350 SUPER DUTY 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2004	Ford F350 Super Duty	4WD	2.0"

Includes (2) 2.5" tall mini leaf spring packs and new longer u-bolts and hardware. Includes new panhard bar alignment bushing kit.

Will not fit trucks built before 3/1/1999



FITS UP TO 37" TIRES

**2.0" LIFT**

## 46-2440/46-2442 F350/F450 SST® COIL SPRING KIT

YEAR	MODEL	2WD/4WD	LIFT	PART#
2011-UP	Ford F350/F450 Super Duty	4WD	2.5"	46-2440
2005-2010	Ford F350/F450 Super Duty	4WD	2.5"	46-2442

Includes (2) progressive wound 2.5" lift coil springs. (2) SST9000 front shocks. (2) Sway bar frame mount spacers. (2011-UP Only) (2) Bump stop extensions (2) Brake line extension brackets.



FITS UP TO 37" TIRES

**READYLIST OFF ROAD SERIES 1 2.5" LIFT**

## F350/F450/F550 SUPER DUTY 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT	PART#
2011-UP	Ford F350/F450/F550 Super Duty	4WD	2.5"F	66-2011
2005-2010	Ford F350/F450/F550 Super Duty	4WD	2.5"F	66-2095

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) lower shock extensions and (2) front sway bar frame mount extensions for 2011-UP F350 Super Duty Trucks (66-2011 kit). Includes (2) brake line bracket extensions for 2005-10 trucks. Recommend a track bar and/or track bar bracket.



**2.5" LIFT** FITS UP TO 37" TIRES

## F350/F450/F550 SUPER DUTY 2.5" LEVELING KIT - STAGE 2

YEAR	MODEL	2WD/4WD	LIFT	PART#
2011-UP	Ford F350/F450/F550 Super Duty	4WD	2.5"F	66-2511
2008-2010	Ford F350/F450/F550 Super Duty	4WD	2.5"F	66-2516
2005-2007	Ford F350/F450/F550 Super Duty	4WD	2.5"F	66-2515

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) lower shock extensions. (2) Bump stop extensions. (2) front sway bar frame mount extensions for 2011-UP F350 Super Duty Trucks (66-2511 kit). (1) OEM Style cast iron track bar relocation bracket. (1) Carrier Bearing Spacer. (2) Brake line bracket extensions.



**2.5" LIFT** FITS UP TO 37" TIRES

## F350/F450/F550 SUPER DUTY 2.5" SST® LIFT KIT - STAGE 3TP

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450/F550 Super Duty	4WD	2.5"F - 1.0"R to 3.0"R

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) OEM Style 4.0" tall OR 5.0" tall cast iron rear lift blocks with (4) longer u-bolts and new hardware. (2) Bump stop extensions. (2) Sway bar frame mount extensions for 2011-UP models. (2) Lower shock mount extensions for use with stock shocks. (2) Brake line extension brackets. (2) Front inner fender liner support brackets and a new OEM style cast iron track bar drop bracket.

**69-2511TP.** 2011-UP F350 4WD Single Rear Wheel. 2.5"F - 1.0"R - includes 5.0" Rear Lift Block.

**69-2524.** 2011-UP F350/F450/F550 4WD Dualy Only 2.5"F - 2.0"R - includes 4.0" Rear Lift Block.

**69-2525.** 2011-UP F350/F450/F550 4WD Dualy Only 2.5"F - 3.0"R - includes 5.0" Rear Lift Block.

**69-2516TP.** 2008-2010 F350 4WD Single Rear Wheel. 2.5"F - 1.0"R - includes 5.0" Rear Lift Block.

**69-2515TP.** 2005-2007 F350 4WD Single Rear Wheel. 2.5"F - 1.0"R - includes 5.0" Rear Lift Block.



FITS UP TO 37" TIRES  
**2.5" LIFT**



MADE TO FIT

# FORD SUPER DUTY F350/F450/F550 2005-UP

## F350 SUPER DUTY 3.5" SST® LIFT KIT - STAGE 4

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350 Super Duty	4WD	3.5"F - 1.0"R or 3.0"R

Includes (2) strong steel top mount coil spring spacers with sound isolators. (2) OEM Style 5.0" tall cast iron rear lift blocks with (4) longer u-bolts and new hardware. (2) Formed plate steel radius arm drop brackets. (2) Bump stop extensions. (2) Sway bar frame mount extensions for 2011-up models. (2) Lower shock mount extensions for use with stock shocks. (2) Brake line extension brackets. (2) Front inner fender liner support brackets and a new OEM style cast iron track bar drop bracket



**69-2531. 2011-UP F350**  
3.5"F - 1.0"R - 4WD Single Rear Wheel.

**69-2535. 2011-UP F350**  
3.5"F - 3.0"R - 4WD Dual Rear Wheel Only

**69-2538. 2008-2010 F350**  
3.5"F - 1.0"R - 4WD Single Rear Wheel.  
Works with OEM Camper Package.

**69-2537. 2005-2007 F350**  
3.5"F - 1.0"R - 4WD Single Rear Wheel.  
Works with OEM Camper Package.

FITS UP TO 37" TIRES

**3.5" LIFT**

## F350/F450 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 1

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450 Super Duty 8-Lug only	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road. (2) heavy duty radius arm drop brackets to correct axle/radius arm geometry. (1) Industry leading fabricated steel panhard bar relocation bracket. (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware. (2) 1.5" lift add-a-leaf spring packs. (4) Bump stop extensions. (2) Longer sway bar end links. (2) Radius arm alignment cams. (1) Dropped pitman arm. (2) Front brake line relocation brackets. (1) CNC machined aluminum driveshaft extension (no need to lengthen your driveshaft). No Cutting or Modifications Required.



**49-2000. 2011-UP F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2003. 2008-2010 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2006. 2005-2007 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

FITS UP TO 38" TIRES

**READYLIFT OFF ROAD SERIES 1**

**5.0" LIFT**

## F350/F450 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 2

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450 Super Duty 8-lug only	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road. (2) heavy duty boxed plate steel radius arms. (1) Industry leading fabricated steel panhard bar relocation bracket. (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware. (2) 1.5" lift add-a-leaf spring packs. (4) Bump stop extensions. (2) Longer sway bar end links. (2) Radius arm alignment cams. (1) Dropped pitman arm. (2) Front brake line relocation brackets. (1) CNC machined aluminum driveshaft extension.

**READYLIFT OFF ROAD SERIES 2**

FITS UP TO 38" TIRES

**49-2001. 2011-UP F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2004. 2008-2010 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2007. 2005-2007 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**5.0" LIFT**



## F350/F450 SUPER DUTY 5.0" OFFROAD LIFT KIT - SERIES 3

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F350/F450 Super Duty 8-lug only	4WD	5.0"F - 4.5"R

Includes (2) custom wound 5" lift coil springs engineered for ideal ride performance both on and off road. (2) heavy duty boxed plate steel radius arms. (1) Industry leading fabricated steel panhard bar relocation bracket. (2) 5.0" tall OEM style cast iron rear lift blocks with new u-bolts and hardware. (2) 1.5" lift add-a-leaf spring packs. (4) Bump stop extensions. (2) Longer sway bar end links. (2) Radius arm alignment cams. (1) Dropped pitman arm. (2) Front brake line relocation brackets. (1) CNC machined aluminum driveshaft extension. (1) Heavy Duty Anti-Wobble Track Bar Kit.

**READYLIFT OFF ROAD SERIES 3**

FITS UP TO 38" TIRES

**49-2002. 2011-UP F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2005. 2008-2010 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**49-2008. 2005-2007 F350/F450**  
5.0"F - 4.5"R - 4WD Single Rear Wheel.

**5.0" LIFT**



U.S. Patent 12/423,476; Canada Patent 2670542.




MADE TO FIT

# FORD SUPER DUTY F250/F350/F450 1999-UP

## FORD F250/F350/F450 SUPER DUTY 4.0" REAR BLOCK KITS

YEAR	MODEL	2WD/4WD	SIZE
1999-UP	Ford F250/F350/F450 Super Duty	4WD	4.0"

Includes (2) OEM Style 4.0" tall rear e-coated rear lift blocks with (4) new longer u-bolts and hardware. Lifts F250 and 2011-Up F350/F450 dually 2.0" in the rear.

**66-2024-2011-UP** Ford F350/F450 4WD Dually and F250 with Dually Rear Spring Pack. Provides 2.0" of rear lift. 

**66-2014-2011-UP** Ford F250 4WD Single Rear Wheel. Provides 2.0" of rear lift.


**66-2024-1999-2010** Ford F250 4WD Single Rear Wheel. Provides 2.0" of rear lift. Works with OEM Camper Package.

### 4.0" TALL

## FORD F250/F350/F450 SUPER DUTY 5.0" REAR BLOCK KITS

YEAR	MODEL	2WD/4WD	SIZE
1999-UP	Ford F250/F350/F450 Super Duty	4WD	5.0"

Includes (2) OEM Style 5.0" tall rear e-coated rear lift blocks with (4) new longer u-bolts and hardware. Works like a tow package to increase rake for hauling.

**66-2025-2011-UP** Ford F350/F450 4WD Dually and F250 with Dually Rear Spring Pack. Provides 3.0" of rear lift on F250, 1.0"-2.0" of lift on F350. 

**66-2015-2011-UP** Ford F250/F350 4WD Single Rear Wheel. Provides 3.0" of rear lift on F250. Provides 1.0" rear lift on F350.

**66-2195-1999-2010** Ford F250/F350 4WD Single Rear Wheel. Provides 3.0" of rear lift on F250. Provides 1.0" rear lift on F350. Works with OEM Camper Package.

### 5.0" TALL

## FORD F250/F350 SUPER DUTY U-BOLT KITS

YEAR	MODEL	2WD/4WD	SIZE	PART#
1999-2010	Ford F250/F350 Super Duty	4WD	M16 365mm long	67-2094UB
1999-2010	Ford F250/F350 Super Duty	4WD	M16 390mm long	67-2195UB

Includes (4) new u-bolts and nuts.

## 44-2002 FORD F250/F350/F450 SUPER DUTY RADIUS ARM KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	N/A

Includes (2) new thick formed steel heavy duty Series 1 Radius Arms with a slotted and tabbed design for maximum strength. Features a gray powdercoated finish with greaseable new evolution urethane bushings.

## 77-2000 FORD F250/F350/F450 ANTI-WOBBLE TRACK BAR

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	For 0"-4.0" of Lift

Includes (1) Anti-Wobble Track Bar constructed of thick 1.5"x1.88-wall tube fit with CNC machined welded end bungs, 7/8" chromoly left and right heims for easy adjustment and a 4140 CNC machined clevis. This Track Bar Kit holds a patent in both the US and Canada. (U.S. Patent 12/423,476, Canada Patent 2676342).



Removes Steering Wheel Oscillation  
For Use On Super Duty Trucks With 0"-4.0" of Lift

## 77-2001 FORD F250/F350/F450 ANTI-WOBBLE TRACK BAR

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	For Lifts Over 4.0"

Includes (1) Anti-Wobble Track Bar constructed of thick 1.5"x1.88-wall tube fit with CNC machined welded end bungs, 7/8" chromoly left and right heims for easy adjustment and a 4140 CNC machined clevis. This Track Bar Kit holds a patent in both the US and Canada. (U.S. Patent 12/423,476, Canada Patent 2676342).



Removes Steering Wheel Oscillation  
For Use On Super Duty Trucks With  
4.0" of Lift or More

## FORD F250/F350/F450 TRACK BAR BRACKET KIT

YEAR	MODEL	2WD/4WD	LIFT	PART#
2008-UP	Ford F250/F350/F450 Super Duty	4WD	N/A	67-2538
2005-2007	Ford F250/F350/F450 Super Duty	4WD	N/A	67-2535

Includes (1) OEM Style cast iron track bar relocation bracket. Engineered to provide the right amount of track bar relocation for leveled and lifted trucks.

## 67-2550 FORD F250/F350/F450 RADIUS ARM BRACKET KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	1.0"

Includes (2) Heavy Duty Radius Arm Drop Brackets and (2) 1.0" Lower Coil Spring Spacers with hardware. Radius arm brackets utilize factory frame pockets. Allows trucks with a 2.5" Leveling or Lift kit to upgrade to 3.5" of lift.

Upgrade Your 2.5" Leveling or Lift Kit to a 3.5" Front Lift  
While Correcting Radius Arm Geometry



# SUPER DUTY F250/F350/F450 SST9000 SHOCKS

MADE TO FIT

## FORD SUPER DUTY SST9000 PERFORMANCE SHOCKS



YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on 4WD Super Duty Truck with larger, oversized tires and lift or leveling kits.

**99-2095F** - 2005-UP F250/F350/F450 - 4WD  
For Trucks With **2.5"** of Front Suspension Lift.  
Ideal for use with ReadyLIFT® 2.5" Leveling & SST® Lift Kits.

**99-2095R** - 2005-UP F250/F350/F450 - 4WD  
For Trucks With **1.0"-2.0"** of Rear Suspension Lift.  
Ideal for use with ReadyLIFT® Rear Block Kits.

**99-2096F** - 2005-UP F250/F350/F450 - 4WD  
For Trucks With **3.5"** of Front Suspension Lift.  
Ideal for use with ReadyLIFT® 3.5" SST® Lift Kits.

**99-2500F** - 2005-UP F250/F350/F450 - 4WD  
For Trucks With **5.0"** of Rear Suspension Lift.  
Ideal for use with ReadyLIFT® 5.0" Off Road Lift Kits.

**99-2500R** - 2005-UP F250/F350/F450 - 4WD  
For Trucks With **1.0"-3.5"** of Rear Suspension Lift.  
Ideal for use with ReadyLIFT® 5.0" Off Road Lift Kits.

Improve Your Truck's Ride and Handling  
Specifically Designed For Maximum Performance



**READYLIFT**  
SHOCKS

## FORD SUPER DUTY STEERING STABILIZER

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Ford F250/F350/F450 Super Duty	4WD	N/A

Includes (1) ReadyLIFT SST9000 Steering Stabilizer with adapter pin. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 1/2" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed to eliminate the factory bump steer and improve overall handling and steering control when driving.

**99-2100S** -  
For 2005-UP Ford F250/F350/F450 Super Duty 4WD Trucks  
Improve Handling And Eliminate Bump Steer



# FORD EXPEDITION & RANGER/EXPLORER 1997-UP

## 66-2052 FORD EXPEDITION 1.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2003-2013	Ford Expedition	2WD/4WD	1.5"

Includes (2) CNC Machined billet aluminum top mount strut extensions



**1.5"** LIFT FITS UP TO **33"** TIRES

## 66-2000 FORD EXPEDITION 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1997-2002	Ford Expedition	4WD	2.5"

Includes (2) Forged Leveling torsion keys that are adjustable up to 2.5" of lift.



**2.5"** LIFT FITS UP TO **33"** TIRES

## 69-2070 FORD EXPEDITION 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2003-2013	Ford Expedition	2WD/4WD	3.0" F - 2.0" R

Includes (2) powdercoated steel top mount front extensions and (2) powdercoated steel rear extensions to provide 3.0" of front lift and 2.0" of rear lift.



**3.0"** LIFT FITS UP TO **35"** TIRES

## 66-2020 FORD RANGER/EXPLORER 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1998-2011	Ford Ranger/Edge/Explorer	2WD/4WD	2.25"

Includes (2) 2.25" adjustable lift front torsion leveling keys and (2) 0.5" front shock spacers.



FITS UP TO **32"** TIRES  
**2.25"** LIFT



# HUMMER & HONDA

# 2003-UP

## 66-3050 HUMMER H2 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2003-2010	Hummer H2 - ALL	4WD	2.5"

Includes (2) ReadyLIFT Forged Torsion Leveling Keys, (2) lower front shock extensions and (2) new torsion key adjuster bolts.

FITS UP TO 35" TIRES **2.5" LIFT**

## 66-3010 HUMMER H2 1.0" REAR COIL SPRING SPACERS

YEAR	MODEL	2WD/4WD	LIFT
2003-2010	Hummer H2 - ALL (with rear coil springs)	4WD	1.0"

Includes (2) 1.0" Tall CNC Machined Billet Aluminum Rear Coil Spring Spacers.

Lift The Rear Of Your Hummer H2 **1.0" LIFT**

## 66-3015 HUMMER H2 1.5" REAR COIL SPRING SPACERS

YEAR	MODEL	2WD/4WD	LIFT
2003-2010	Hummer H2 - ALL (with rear coil springs)	4WD	1.5"

Includes (2) 1.5" Tall CNC Machined Billet Aluminum Rear Coil Spring Spacers.

Lift The Rear Of Your Hummer H2 **1.5" LIFT**

## HUMMER H2 SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2003-2010	Hummer H2 - ALL	4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on SUVs with larger, oversized tires.

**99-3050F** - For Hummer H2 With 0" - 2.5" of Front Suspension Lift

**99-3050R** - For Hummer H2 With NO Rear Suspension Lift

**99-3052R** - For Hummer H2 With 1.0" - 2.0" of Rear Suspension Lift

**READYLIFT**  
SHOCKS

## 66-3070 HUMMER H3 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-2010	Hummer H3/H3T All	4WD	2.25"

Includes (2) Adjustable torsion keys up to 2.25" of lift with (2) shock stem spacers.

**2.25" LIFT** FITS UP TO 35" TIRES

## 69-3070 HUMMER H3 2.25" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-2010	Hummer H3/H3T (with rear leaf springs)	4WD	2.25" F - 1.5" R

Includes (2) Adjustable torsion keys up to 2.25" of lift. (2) 1.5" lift rear shackles, (2) 1/2" front shock extensions and (2) rear shock extensions. No Cutting Or Modifications Required.

**2.25" LIFT** FITS UP TO 35" TIRES

## 69-8000 HONDA RIDGELINE 2.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2006-2010	Honda Ridgeline	2WD/4WD	2.0" F - 2.0" R

Includes (2) 2.0" lift top mount front strut extensions and (2) 2.0" lift top mount rear strut extensions. Includes longer rear sway bar end links.

**2.0" LIFT** FITS UP TO 31" TIRES

## HONDA PILOT 2.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT	PART#
2003-2008	Honda Pilot	2WD/4WD	2.0" F - 2.0" R	69-8010
2009-2011	Honda Pilot	2WD/4WD	2.0" F - 2.0" R	69-8020

Includes (2) 2.0" lift top mount front strut extensions and (2) 2.0" lift top mount rear strut extensions. Includes longer rear sway bar end links and (2) rear camber arms.

**2.0" LIFT** FITS UP TO 31" TIRES



# JEEP JK WRANGLER

# 2007-UP

## JEEP JK WRANGLER T6-BILLET LEVELING KITS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	1.5" T6-6091
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	2.0" T6-6092

Includes (2) CNC machined T6-Billet top mount coil spring spacers with hardware. Available in either 1.5" or 2.0" sizes. Anodized finishes available in Red, Blue, Black or Silver



FITS UP TO 33" TIRES

**2.0" LIFT**

## 66-6095 JEEP JK WRANGLER ADJ. 1.0"-2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	Adj. 1.0" to 2.0"

Includes (2) Adjustable CNC machined billet aluminum front coil spring spacers that allow for front height adjustment in increments of 1.0", 1.5" and 2.0". US Patent 7665743



FITS UP TO 33" TIRES

ADJUSTABLE - Choose Your Front Ride Height  
**1.0"-2.0" LIFT**

## 69-6400 JEEP JK WRANGLER 4.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	4.0" F - 3.0" R

Includes (4) progressive wound front and rear coil springs. (4) Front and rear longer, stronger sway bar end links. (4) Shock extension brackets. (2) New bump stops and bump stop pads. (1) Rear track bar relocation bracket. Kit includes all new necessary hardware. \*Recommend SST9000 99-6400F and 99-6400R shocks for this kit for vehicles that will see adventurous off road use. (Note) 2012-UP vehicles will require exhaust or driveshaft modifications.



FITS UP TO 37" TIRES  
When Using Flat Style Fenders

Lift Your Jeep JK Wrangler  
**4.0" LIFT**

## 69-6000 JEEP JK WRANGLER 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	3.0" F - 2.0" R

Includes (2) Powdercoated steel top mount front coil spring spacers. (2) Steel top mount rear coil spring spacers. (4) front and rear bump stop extension brackets. (4) Shock extension spacers. (1) Panhard bar relocation bracket. (2) Alignment cam bolts. Includes all new hardware. Designed for use on or off road.

(note) Some JK vehicles may require longer front sway bar end links. 2012-UP vehicles will require exhaust or driveshaft modifications.



Lift Your Jeep JK Wrangler

**3.0" LIFT**

FITS UP TO 35" TIRES

## 77-6000 JEEP JK WRANGLER OFF ROAD REAR TRACK BAR

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL (Rear Track Bar)	2WD/4WD	N/A

Includes (1) Adjustable Heavy Duty Rear Off Road Track Bar. Features adjustable turnbuckle with welded bungs for easy adjustability without having to remove the track bar. Works on stock or lifted Jeeps up to 4.0". No Cutting Or Modifications Required.



Easy Adjustment On The Vehicle



## 77-6001 JEEP JK WRANGLER OFF ROAD FRONT TRACK BAR

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL (Front Track Bar)	2WD/4WD	N/A

Includes (1) Adjustable Heavy Duty Front Off Road Track Bar. Features adjustable turnbuckle with welded bungs for easy adjustability without having to remove the track bar. Works on stock or lifted Jeeps up to 4.0". No Cutting Or Modifications Required.



Easy Adjustment On The Vehicle



## JEEP JK WRANGLER SST9000 PERFORMANCE SHOCKS

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Jeep JK Wrangler - ALL	2WD/4WD	N/A

Includes (2) ReadyLIFT SST9000 Extended Length Performance Rear Shocks. Satin Finish Billet Aluminum Bodies with Anodized Anti-Corrosion Clear Coat. 5/8" hard chrome plated shaft. Gas/Oil separation eliminates cavitation. Nitrogen-charged internal chamber. Rebuildable and Revalvable. Developed for use on Jeeps with larger, oversized tires and 4.0" of suspension lift. Ideal of use with ReadyLIFT 69-6400 SST Lift Kit.

**99-6400F** - For Jeep JK With 4.0" of Front Suspension Lift  
**99-6400R** - For Jeep JK With 3.0" of Rear Suspension Lift





# TOYOTA TACOMA

# 1995-UP

## 66-5050 TOYOTA TACOMA 2.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1995-2004	Toyota Tacoma 6-lug	2WD/4WD	2.0"

Includes (2) powdercoated steel top mount strut extensions.  
 (2) 1.0" differential drop spacers (for 4WD models).  
 (2) Longer differential drop spacer bolts.  
 (2) Skid plate spacers with new bolts.



FITS UP TO **32"** TIRES

**2.0"** LIFT

## 66-5055 TOYOTA TACOMA 2.25" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug/Prerunner	2WD/4WD	2.25"

Includes (2) powdercoated steel top mount strut extensions.  
 (2) 1.0" differential drop spacers (for 4WD models).  
 (2) Longer differential drop spacer bolts.  
 (2) Skid plate spacers with new bolts.  
 Note: TRD models may sit slightly higher in the front.



FITS UP TO **33"** TIRES

**2.25"** LIFT


## T6-5055 TOYOTA TACOMA 2.25" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug/Prerunner	2WD/4WD	2.25"

Includes (2) CNC machined T6-Billet top mount strut extensions. (2) 1.0" differential drop spacers (for 4WD models). (2) Longer differential drop spacer bolts.  
 (2) Skid plate spacers with new bolts. Note: TRD models may sit slightly higher in the front.



Available in Red, Blue, Black and Silver Anodized Finishes



Available in Red, Blue, Black & Silver

FITS UP TO **33"** TIRES

**2.25"** LIFT

## 66-5909 TOYOTA TACOMA 3.0" PRERUNNER LOOK KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug	2WD/4WD	3.0"

Includes (2) powdercoated steel top mount strut extensions.  
 (2) 1.0" differential drop spacers (for 4WD models).  
 (2) Longer differential drop spacer bolts.  
 (2) Skid plate spacers with new bolts.  
 \*Front end will sit slightly higher than the back for the popular prerunner look.



FITS UP TO **33"** TIRES

**3.0"** LIFT

## 69-5510 TOYOTA TACOMA 5-LUG 2.75" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 5-lug	2WD	2.75" F - 1.75" R

Includes (2) steel top mount strut extensions.  
 (2) Rear Add-a-leaf springs with (4) new longer u-bolts, hardware and leaf spring centering pins.  
 5-lug Tacoma trucks Only.



SST Lift Your 5-lug 2WD Tacoma Truck

**2.75"** LIFT

FITS UP TO **31"** TIRES

## 69-5055 TOYOTA TACOMA 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug	2WD/4WD	3.0" F - 1.0" R

Includes (2) steel top mount strut extensions.  
 (2) 1.0" tall OEM style cast iron rear lift blocks with (4) new e-coated u-bolts and nuts.  
 (2) 1.0" differential drop spacers with (2) longer bolts.  
 (2) Skid plate spacers with new bolts.  
 Note: TRD models may sit slightly higher in the front.



SST Lift Your 6-Lug Tacoma Truck

**3.0"** LIFT

FITS UP TO **33"** TIRES

## 69-5056 TOYOTA TACOMA 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug	2WD/4WD	3.0" F - 2.0" R

Includes (2) steel top mount strut extensions.  
 (2) 2.0" tall OEM style cast iron rear lift blocks with (4) new e-coated u-bolts and nuts for a "Tow Package" extra rake look.  
 (2) 1.0" differential drop spacers with (2) longer bolts.  
 (2) Skid plate spacers with new bolts.  
 Note: Some trucks may require longer rear shocks.



SST Lift Your 6-Lug Tacoma Truck And Have Extra Rake For Towing

**3.0"** LIFT

FITS UP TO **33"** TIRES

## 44-5000 TOYOTA TACOMA UNIBALL UPPER CONTROL ARM

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug	2WD/4WD	N/A
2003-UP	Toyota FJ Cruiser/4Runner	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings. 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



Increase Your Truck's Overall Performance With ReadyLIFT Uniball Upper Control Arms!



# TACOMA 1995-UP

## 38-5000 TOYOTA TACOMA HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-UP	Toyota Tacoma 6-lug/Prerunner	2WD/4WD	N/A
2003-UP	Toyota FJ Cruiser/4Runner	2WD/4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play. Hard black anodized 7075 CNC machined aluminum tie rod. 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim. 4340 heat treated conversion pin for ball joint to heim conversion.



Beef Up Your Steering With The Strongest Tie Rod Steering Kit on the Market!  
Proven in the Toughest Conditions on the Planet!

## 66-5001 TOYOTA TACOMA 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1995-UP	Toyota Tacoma 6-lug/Prerunner	2WD/4WD	1.0"

Includes (2) OEM style cast iron rear lift blocks that will raise the rear of your Tacoma 1.0". Includes (4) new longer u-bolts with nuts.

Lift The Rear Of The Your Truck

### 1.0" LIFT

## 66-5002 TOYOTA TACOMA 2.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1995-UP	Toyota Tacoma 6-lug/Prerunner	2WD/4WD	2.0"

Includes (2) OEM style cast iron rear lift blocks that will raise the rear of your Tacoma 2.0". Provides additional rake for towing or hauling. Includes (4) new longer u-bolts with nuts.  
(Note: Some trucks may require longer rear shocks.)

Lift The Rear Of The Your Truck


### 2.0" LIFT

## T6-5075 TOYOTA TUNDRA 2.4" T6-BILLET LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	2.4"

Includes (2) CNC machined T6-Billet top mount strut extensions that incorporates a machined reinforcement collar to fully support the upper strut rod and bushing. This new design replaces the factory upper spring seat includes new hardware.  
Note: TRD models may sit slightly higher in front.

Available in Red, Blue, Black and Silver Anodized Finishes



Available in Red, Blue, Black & Silver

FITS UP TO 33" TIRES

### 2.4" LIFT

# TUNDRA 1999-UP

## 66-5075 TOYOTA TUNDRA 2.4" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	2.4"

Includes (2) 2.4" lift steel top mount strut extensions. (2) 1.0" differential drop spacers (for 4WD) with (2) new bolts. (3) Skid plate spacers with new bolts. No cutting or modifications required.  
Note: TRD models may sit slightly higher in front.



### 2.4" LIFT

FITS UP TO 33" TIRES

## 66-5025 TOYOTA TUNDRA 2.5" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2006	Toyota Tundra	2WD/4WD	2.5"

Includes (2) 2.5" lift steel top mount strut extensions. (2) 1.0" differential drop spacers (for 4WD) with (2) new bolts. (2) Skid plate spacers with new bolts. No cutting or modifications required. Ideal for 4WD Tundra trucks.



### 2.5" LIFT

FITS UP TO 33" TIRES

## 66-5951 TOYOTA TUNDRA 3.0" PRERUNNER LOOK KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	3.0"

Includes (2) 3.0" lift steel top mount strut extensions. (2) 1.0" differential drop spacers (for 4WD) with (2) new bolts. (3) Skid plate spacers with new bolts. No cutting or modifications required.  
\*Front end will sit slightly higher than the back for a popular prerunner look.



### 3.0" LIFT

FITS UP TO 35" TIRES  
Some fenderwell trimming may be necessary for 35" tires

## 66-5000 TOYOTA TUNDRA 3.0" LEVELING KIT

YEAR	MODEL	2WD/4WD	LIFT
1999-2006	Toyota Tundra	2WD/4WD	3.0"

Includes (2) 3.0" lift steel top mount strut extensions. (2) 1.0" differential drop spacers (for 4WD) with (2) new bolts. (2) Skid plate spacers with new bolts. No cutting or modifications required.



### 3.0" LIFT

FITS UP TO 33" TIRES



## 69-5475 TOYOTA TUNDRA 4.0" A-ARM SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	4.0" F - 2.0" R

Includes (2) tough steel top mount strut extensions to lift the front of your Tundra 4.0".  
 (2) 100% DOM tubular steel upper control arms with severe duty ball joints and greaseable urethane bushings.  
 (2) OEM style cast iron 2.0" tall rear lift blocks with (4) longer u-bolts and new nuts.  
 (2) Sway bar frame mount spacers.  
 (2) Rear Shock Extensions.  
 (2) Differential drop spacers with new longer bolts.  
 (2) New front brake line brackets.  
 (2) Bump stop extensions.  
 (3) Skid plate spacers with new bolts.  
 Includes all necessary hardware.  
 No Cutting or Modifications Required.

Note: TRD model trucks and trucks with less than 2" of rake will sit slightly nose high.



**STAGE 2**  
 FITS UP TO 35" TIRES  
**4.0" LIFT**

## 69-5075 TOYOTA TUNDRA 3.0" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	3.0" F - 1.0" R

Includes (2) steel top mount strut extensions that will lift the front of your Tundra 3.0".  
 (2) OEM style cast iron rear lift blocks with (4) new longer u-bolts and nuts that will raise the rear of your Tundra 1.0". (2) 1.0" differential drop spacers with longer bolts.  
 (3) Skid plate spacers with new longer bolts.  
 TRD trucks may sit slightly higher in front.



FITS UP TO 35" TIRES  
Some fenderwell trimming may be necessary for 35" tires

SST Lift Your Toyota Tundra Truck  
**3.0" LIFT**

## 69-5076 TOYOTA TUNDRA 3.0" SST® LIFT KIT - TOW PACKAGE

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	3.0" F - 2.0" R

Includes (2) steel top mount strut extensions that will lift the front of your Tundra 3.0".  
 (2) 2.0" tall OEM style cast iron rear lift blocks with (4) new longer u-bolts and nuts.  
 (2) 1.0" differential drop spacers with longer bolts. (3) Skid plate spacers with new longer bolts. This kit will provide a slight rear rake for towing or hauling.



FITS UP TO 35" TIRES  
Some fenderwell trimming may be necessary for 35" tires

Enjoy A Full Suspension Lift With  
 Additional Rake For Towing Or Hauling  
**3.0" LIFT**

## 44-5001 TUNDRA UNI-BALL UPPER CONTROL ARM KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	N/A

Includes (2) tab and slot boxed plate steel design Upper Control Arms with 1" Teflon lined Uniball Pivot Bearings, Urethane Bushings and grease fittings.  
 4340 Heat treated conversion pin. 17-4 Stainless Steel CNC machined high misalignment spacers. Metallic gray powdercoated finish. Durable grade 8 hardware.



**SERIES 1** **READYLIFT OFF ROAD**

Increase Your Truck's Overall Performance With  
 ReadyLIFT Uniball Upper Control Arms!

## 38-5001 TOYOTA TUNDRA HEAVY DUTY STEERING KIT

YEAR	MODEL	2WD/4WD	LIFT
2007-UP	Toyota Tundra	2WD/4WD	N/A

Includes (2) Heavy Duty Steering Tie Rods. 17-4 CNC Machined stainless steel inner clevis for maximum strength and zero steering play.  
 Hard black anodized 7075 CNC machined aluminum tie rods.  
 7/8" Teflon lined outer heim - 3/4" Teflon lined inner heim.  
 4340 heat treated conversion pin for ball joint to heim conversion.



**SERIES 1** **READYLIFT OFF ROAD**

Beef Up Your Steering With The Strongest Tie Rod  
 Steering Kit on the Market!  
 Proven in the Toughest Conditions on the Planet!

## 66-5001 TOYOTA TUNDRA 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1999-UP	Toyota Tundra	2WD/4WD	1.0"

Includes (2) OEM style cast iron rear lift blocks that will raise the rear of your Tundra 1.0". Includes (4) new longer u-bolts with nuts.



Lift The Rear Of The Your Truck  
**1.0" LIFT**

## 66-5002 TOYOTA TUNDRA 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
1999-UP	Toyota Tundra	2WD/4WD	2.0"

Includes (2) OEM style cast iron rear lift blocks that will raise the rear of your Tundra 2.0". Provides additional rake for towing or hauling. Includes (4) new longer u-bolts with nuts and (2) rear brake line extensions.



Lift The Rear Of The Your Truck  
**2.0" LIFT**



# TOYOTA SUV 2001-UP

## 66-5025 TOYOTA SEQUOIA 2.5" LEVELING KIT



YEAR	MODEL	2WD/4WD	LIFT
2001-2007	Toyota Sequoia	2WD/4WD	2.5"

Includes (2) 2.5" lift steel top mount strut extensions.  
 (2) 1.0" differential drop spacers with (2) new bolts.  
 (2) Skid plate spacers with new bolts.  
 No cutting or modifications required.  
 Note: rear coil spacer/block may be required to achieve a level stance.

FITS UP TO 33" TIRES

**2.5" LIFT**

## 66-5000 TOYOTA SEQUOIA 3.0" LEVELING KIT



YEAR	MODEL	2WD/4WD	LIFT
2001-2007	Toyota Sequoia	2WD/4WD	3.0"

Includes (2) 3.0" lift steel top mount strut extensions.  
 (2) 1.0" differential drop spacers with (2) new bolts.  
 (2) Skid plate spacers with new bolts.  
 No cutting or modifications required.  
 Note: rear coil spacer/block may be required to achieve a level stance.

FITS UP TO 33" TIRES

**3.0" LIFT**

## 69-5010 TOYOTA SEQUOIA 2.5" SST® LIFT KIT



YEAR	MODEL	2WD/4WD	LIFT
2001-2007	Toyota Sequoia	2WD/4WD	2.5" F - 1.5" R

Includes (2) 2.5" lift front steel top mount strut extensions.  
 (2) 1.5" lift steel rear top mount coil spring spacers.  
 (2) 1.0" differential drop spacers with (2) longer bolts.  
 (3) Skid plate spacers with longer bolts.  
 Includes new hardware.

FITS UP TO 33" TIRES

SST Lift Your Toyota Sequoia

**2.5" LIFT**

## 69-5060 TOYOTA FJ CRUISER/4RUNNER 3.0" SST® LIFT KIT



YEAR	MODEL	2WD/4WD	LIFT
2003-UP	FJ Cruiser / 4Runner - non Trail Edition	2WD/4WD	3.0" F - 2.0" R

Includes (2) 3.0" lift front steel top mount strut extensions.  
 (2) 2.0" lift steel impregnated rear top mount coil spring spacers.  
 (2) 1.0" differential drop spacers with (2) longer bolts.  
 (2) Skid plate spacers with longer bolts.  
 \* Not for use on Trail Edition or X-REAS Suspension or 4Runner/FJ Cruiser equipped with hydraulic away bar.  
 Note: 2011-UP vehicles will require rear bump stop modifications.

FITS UP TO 33" TIRES

SST Lift Your FJ Cruiser/ 4Runner

**3.0" LIFT**

# NISSAN 2004-UP

## NISSAN TITAN/ARMADA T6-BILLET LEVELING KITS

YEAR	MODEL	2WD/4WD	LIFT	PART#
2004-UP	Nissan Titan/Armada	2WD/4WD	1.5"	T6-4010
2004-2007	Nissan Titan/Armada	2WD/4WD	2.0"	T6-4000

Includes (2) CNC machined T-6 billet top mount strut extensions with new hardware. Available in Red, Blue, Black and Silver anodized finishes.



Leveling Lift Up To

**2.0" LIFT**

FITS UP TO 33" TIRES

## NISSAN TITAN/ARMADA 1.5" & 2.0" LEVELING KITS

YEAR	MODEL	2WD/4WD	LIFT	PART#
2004-UP	Nissan Titan/Armada	2WD/4WD	1.5"	66-4010
2004-2007	Nissan Titan/Armada	2WD/4WD	2.0"	66-4000

Includes (2) top mount steel strut extensions with new hardware. No cutting or modifications required.



Leveling Lift Up To

**2.0" LIFT**

FITS UP TO 33" TIRES

## 66-4001 NISSAN TITAN 1.0" REAR BLOCK KIT

YEAR	MODEL	2WD/4WD	SIZE
2004-UP	Nissan Titan	2WD/4WD	1.0"

Includes (2) 1.0" lift OEM style cast iron rear lift blocks with (4) new longer u-bolts and new nuts.



Lift The Rear Of Your Titan

**1.0" LIFT**

## 69-4510 NISSAN FRONTIER 2.5" SST® LIFT KIT

YEAR	MODEL	2WD/4WD	LIFT
2005-2012	Nissan Frontier	2WD/4WD	2.5" F - 1.5" R
2009-2012	Suzuki Equator	2WD/4WD	2.5" F - 1.5" R

Includes (2) 2.0" lift top mount front strut extensions, (2) front bump stops, (4) alignment cams and bolts and (2) rear lift shackles. Nismo, Pro-4x and off road package trucks may sit 1.0" higher in the front with the kit installed.



SST Lift Your Frontier/Equator

**2.5" LIFT**

FITS UP TO 32" TIRES



# SPECIALTIES & TOOLS

## 66-7822A TORSION KEY UNLOADING TOOL - GM & DODGE



**Includes (1) Torsion Key Unloading Tool.**  
When it comes to safely loading an unloading GM, Ford and Dodge torsion keys, nothing beats ReadyLift's Professional Grade Torsion Key Removal Tool. Made from forged hardened steel, this tool makes removing and installing torsion keys safe and easy, allowing for adjustment or replacement of GM torsion keys in as little as 15 minutes per truck. The forged and hardened steel used in the construction of this tool has been lab tested for strength and safety and is okay for use with air tools. Can be used with Dodge and Ford trucks. Dodge Trucks require an adapter plate which is included with all Dodge ReadyLift Torsion Key kits.

**Note:** Will not work with 2011-UP GM 2500/3500 HD torsion keys. Must use 66-7816A tool for 2011-UP GM HD applications and Ford Ranger trucks.

## 66-7816A TORSION KEY UNLOADING TOOL - UNIVERSAL



**Includes (1) Universal Torsion Key Unloading Tool with crossmember adapter tool.** Made from forged hardened steel, this tool makes removing and installing torsion keys safe and easy, allowing for adjustment or replacement of Ford, Dodge, GM and Hummer torsion keys. The forged and hardened steel used in the construction of this tool is the strongest and safest on the market and is okay for use with air tools. Can be used with other makes and models of trucks with torsion keys. Comes with a crossmember adapter tool which helps position the tool on some models with difficult torsion key crossmembers.

**NOTE:** The 66-7816A Universal Torsion Key Removal Tool is the ONLY tool that will work with new 2011-UP GM 2500/3500HD trucks and Ford Ranger trucks.

## 67-7120 UNIVERSAL ADD-A-LEAF - SHORT VERSION

YEAR	MODEL	2WD/4WD	LIFT
N/A	Compact & Mid Sized Trucks	2WD/4WD	.75" to 1.5"

**Includes (2) Short length Universal Add-A-Leaf rear leaf springs with new center pins.** Universal rear add-a-leaf kit designed to work with Compact and Mid-size trucks such as the Tacoma, Frontier, Colorado, Canyon, Dakota and Ranger pickups. The rear leaf is designed to fit most compact and mid-size trucks that use a single guide pin for spring locating. The amount of rear lift will vary from .75 to 1.5" depending on the truck. This is a great alternative for upgrading the suspension for towing and hauling. Kit includes one pair of rear add-a-leaf springs and two center pin bolts.



## GM 1500 6-LUG WHEEL SPACERS

YEAR	MODEL	2WD/4WD	SIZE	PART#
1999-UP	GM 1500 6-LUG (6 on 5.5 bolt pattern)	2WD/4WD	1/2"	15-3485
2007-UP	GM 1500 6-LUG (6 on 5.5 bolt pattern)	2WD/4WD	7/8"	10-3485

**Includes (2) CNC machined hub-centric billet aluminum wheel spacers.**  
**10-3485 - 7/8" thick adapter spacer includes 14mm factory style wheel studs.** Recommended for trucks with ReadyLIFT 4" SST Lift Kit who want to run stock wheels. Wheels must have cast in pockets on the back side of the wheel. Wheel not work with OEM steel wheels.  
**15-3485 - 1/2" thick spacer is hub centric and fits over the factory wheel studs.** Recommended for use with steel or cast aluminum OEM wheels when using the ReadyLIFT 4" SST Lift Kits. Can be used on any 99-UP GM 6-lug truck to resolve wheel fitment issues or to increase track width.



10-3485 Shown



15-3485 Shown

# COMPONENT PARTS

## READYLIFT INDIVIDUAL REPLACEMENT PARTS

Make	Year	Model / Description	Selling Part Number	Kit Qty
GM	1999-Up	GM 1500 Rear Shock Extension Brackets	67-3009	2
GM	2007-Up	GM 1500 Upper A-Arm Driver Side	67-3400D	1
GM	2007-Up	GM 1500 Upper A-Arm Passenger Side	67-3400P	1
GM	2007-Up	GM 1500 Upper Ball Joints 2" Lift Kit	67-3401	1
GM	2007-Up	GM 1500 Upper A-Arm Pivot Bushing (Per Arm)	67-3402	4
GM	2007-Up	GM 1500 Upper A-Arm Crush Sleeve (Per Arm)	67-3403	4
GM	1999-2010	GM 1500 All Tie Rod Kit	67-3156	2
GM	2007-Up	GM Hub Centric 1/2 Wheel Spacers	15-3485	2
GM	2007-Up	GM Hub Centric 7/8 Wheel Adapters W/Factory Holes	10-3485	2
GM	2011-Up	GM HD 4" Lift UCA	67-3411	2
GM	2011-Up	GM HD 4" Lift Ball Joint	67-3412	1
GM	2011-Up	GM HD 4" Lift Replacement Bushings	67-6443B	4
GM	2011-Up	GM HD 4" Lift Replacement Sleeves	67-SLV72	2
GM	2011-Up	GM HD 4" Lift Tie Rod Ends	67-3413	2
GM	2004-Up	Colorado Rear Shackles	67-3076	2
GM	2007-Up	GM 1500 Mid Travel Upper Arm Bushings	67-6443B	4
GM	2007-Up	GM 1500 Mid Travel Upper Arm Sleeves	67-SLV85	2
GM	2007-Up	GM 1500 Mid-Long Travel Lower Arm Bushings/Debris	67-3016	4
GM	2007-Up	GM 1500 Mid Travel Lower Arm Sleeves	67-SLV2	2
GM	2007-Up	GM 1500 Mid Travel Lower Arm Sleeves	67-SLV1	2
GM	2007-Up	GM 1500 Mid Travel Lower Ball Joint	67-K500007	1
GM	2007-Up	GM 1500 Mid Travel UCA 3/4" Heim With F1 Spec.	RLJMX12T	1
GM	2007-Up	GM 1500 Mid Travel Formed Skid Plate	67-3807	1
GM	2011-Up	GM HD UCA Bushing Inner Sleeve	67-SLV72	2
GM	2001-2010	GM HD UCA Bushing Inner Sleeve	67-SLV84	2
GM	2007-Up	GM 1500 UCA Bushing Inner Sleeve	67-SLV85	2
GM	2011-Up	GM HD Top Out Bump Stop	67-60225	2
GM	2007-Up	GM 1500 Bed Cage 5.5	26-3305	1
GM	2007-Up	GM 1500 Bed Cage 6.5	26-3306	1
GM	2007-Up	GM 1500 7.5" Shackles (Pair)	8M-SHK-M	2
Dodge	2003-2008	Ram 2500/3500 Steering Box Stabilizer	67-1090	1
Dodge	2003-2008	Ram 2500/3500 Replacement Pillow Bearing	UFL205-16	1
Dodge	2006-2011	Ram 1500 Bump Stops (66-1055, 66-1035)	67-61275	1
Dodge	2006-2008, 2011-Up	Ram 1500 Bump Stops (66-1020)	67-61275	1
Dodge	2009-Up	Ram 2500/3500 Bushing Lower Link	67-60293	4
Dodge	2009-Up	Ram 2500/3500 Inner Sleeve-Chassis End	67-1033	2
Dodge	2009-Up	Ram 2500/3500 Inner Sleeve-Axle End	67-61033	2
Dodge	2009-Up	Ram 2500/3500 Currie Johnny Joint Right Hand Thread	67-9113	1
Dodge	2009-Up	Ram 2500/3500 Currie Johnny Joint Left Hand Thread	67-9113L	1
Dodge	2009-Up	Ram 1500 UCA Bushing Inner Sleeve	67-SLV1009	2
Ford	1999-2010	F250/350 U-Bolt Kit - M16 Round, 365 Mm Long	67-2094UB	1
Ford	1999-2010	F250/350 U-Bolt Kit - M16 Round, 390 Mm Long	67-2195UB	1
Ford	2008-Up	F250/F350/F450 Track Bar Bracket	67-2536	1
Ford	2005-Up	F250/F350 Radius Arm Brackets & Lower Spacers	67-2550	1
Ford	2005-2007	F250/F350/F450 Track Bar Bracket	67-2535	1
Ford	2005-Up	F250/350 Drop Pitman Arm, 5" Lift Kit	67-2540	1
Ford	2005-Up	F250 5" Kit F250/350 5" Coil Springs, Front	67-2501	2
Ford	2005-Up	F250 5" Kit F250/350 Spacer, Drive Shaft, 5" Lift Kit	67-2541	1
Ford	2005-Up	F250 5" Kit F250/350 Radius Arm Bushing 5" Lift Kit	67-61037	4
Ford	2005-07	F250 2.5" F250/350 2.5" Spring	67-2502	2
Ford	2004-Up	F150/Raptor UCA Bushing Inner Sleeve	67-SLV83	2
Ford	2005-Up	F250/350 Heim, Track Bar, 7/8" Male RH	67-KMR	1
Ford	2005-Up	F250/350 Heim, Track Bar, 7/8" Male LH	67-KML	1
Ford	2005-Up	F250/350 Carrier Bearing Spacer	67-2516	1
Ford	2008-2010	F250/350 Sway Bar End Links Bushing	67-61026	4
Ford	2011-Up	F250/350 Sway Bar End Links	67-2501	1
Ford	2005-Up	F250/F350 Radius Arm Drop Brackets	67-2551	1
Honda	2006-2010	Honda Ridgeline Sway Bar End Links	67-8001	1
Honda	2003-2011	Honda Pilot Sway Bar End Links	67-8002	1
Nissan	2005-Up	Nissan Frontier/Xterra Bump Stops	67-8012	1
Toyota	2005-Up	Toyota UCA Bushing Inner Sleeve	67-SLV1010	2
Toyota	2007-Up	Toyota UCA Bushing Inner Sleeve	67-SLV1011	2
Universal		Torsion Key Unloading Tool - GM And Dodge	66-7822A	1
Universal		Torsion Key Unloading Tool Universal	66-7816A	1
Universal		Universal Add-A-Leaf For Mid Or Mid Size Trucks	67-7120	1
Universal		1" Diameter Uniball	67-WSSX	1
Universal		1.5" Diameter Uniball	67-COMH	1
Universal		All Steering Kit Inner Heim	67-HRSMXL	1
Universal		All Steering Kit Outer Heim	67-JMX14770	1
Universal		All Series 1 UCA UCA Bushing Half R/ Part#: 97-0005	67-6443B	4



# WARRANTY & POLICIES

## ReadyLIFT® Product Warranty

This unique product warranty proves our commitment to the quality and reliability of every product that ReadyLIFT® manufactures. The ReadyLIFT® warranty does not include shock absorbers. ReadyLIFT® Product Warranty only extends to the Original Purchaser of any ReadyLIFT® product, if it breaks, we will give you a new part. Warranty does not apply to discontinued products.

## Warranty Procedures

Contact ReadyLIFT® directly about any potentially defective parts prior to removing any parts from the vehicle. If it appears that the part is warrantable, you will be given a Returned Goods Authorization (RGA) number and asked to return the part to your distributor. If the part is found to be warrantable, it will be repaired or replaced and returned to you. Dealers, when applicable, should warranty any ReadyLIFT® products through the distributor they purchased the kit from.

All freight charges are the customer's responsibility. If a replacement part is needed before the part in question can be returned, you must first purchase the replacement part. Then, if the part in question is deemed warrantable, you will be credited / refunded.

ReadyLIFT® reserves the right to change, modify, or cancel this warranty without prior notice.

ReadyLIFT® leveling kit, block kits and lift kit products are NOT intended for off road abuse. Any abuse or damage as a result of off road use voids the warranty of the ReadyLIFT® product. Exception: ReadyLIFT® Jeep SST® Lift Kit is designed for off road use to compliment the Jeep vehicle's off roading ability. All Jeep SST® Lift Kit products are warranted when used in an off road environment.

ReadyLIFT® Off Road Suspension Series products are designed for off road use and are warranted as such against defects or damage to the product when used during off road driving.

## ReadyLIFT® Off Road Suspension Limited Warranty and Product Use Information

ReadyLIFT® Off Road Suspension will repair or replace any products found to be defective in materials, design or workmanship for a period of 180 days from the date of purchase. ReadyLIFT® Off Road Suspension will not be liable for any loss, damage or injury directly or indirectly arising from the use of or the inability to determine the use of these products.

Before using, the user shall determine the suitability of the products for its intended use, and the user shall assume all responsibility and risk in connection therewith.

This warranty shall be void and of no effect with respect to any products altered, modified or repaired by anyone other than ReadyLIFT® Off Road Suspension or an ReadyLIFT® Off Road Suspension vendor. Liability shall be limited to the repair or replacement of these products.

ReadyLIFT® Off Road Suspension warrants to the original retail purchaser who owns the vehicle on which the product was originally installed. ReadyLIFT® Off Road Suspension does not warrant the product for finish, alterations, modifications and/or installation contrary to ReadyLIFT® Off Road Suspension instructions. ReadyLIFT® Off Road Suspension products are not designed, nor are they intended to be installed on vehicles used in race applications, for racing purposes or for similar activities. (A "race" is defined as any contest between two or more vehicles, or a contest of one or more vehicles against the clock, whether or not such contest is for a prize). This warranty does not include coverage for race vehicles, or vehicles used for government or commercial purposes. Also excluded from this warranty are sales outside of the United States of America and Canada.

ReadyLIFT® Off Road Suspension obligation under this warranty is limited to the repair or replacement, at ReadyLIFT® Off Road Suspensions' discretion, of the defective product. Any and all costs of removal, installation or re-installation, freight charges and incidental or consequential damages are expressly excluded from this warranty. All other warranties not specifically set forth herein, express or implied, are hereby expressly disclaimed to the extent permissible by applicable law. The applicable warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Any implied warranties you may have under state law that may not be disclaimed are limited to the same duration as the applicable warranty set forth herein. Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusion may not apply to you.

## ROLLOVER HAZARD:

Modified Suspensions and large-diameter tires that increase ground clearance will alter vehicle handling.



- The vehicle may become more likely to roll over.
- Braking distance may increase.
- Slower speeds may be required to maintain control.
- Drive with extreme caution until you become familiar with how your vehicle handles.
- Always wear your seat belt.
- Some modifications may be illegal in your state. Consult your owner's manual, the instructions for this product, and state law before modifying your vehicle.

## Copyright

All design, text, graphics, and the selection and arrangement thereof Copyright © ReadyLIFT® 2006, or in the case of product material, all text and graphics are Copyright by the original owner. ALL RIGHTS RESERVED. Permission is granted to copy and to print in hard copy portions of this catalog for the sole purpose of using the page or pages as an information resource (or of ordering goods or services). Any other use of materials this catalog including reproduction for purposes other than noted above, modification, distribution, or reproduction without the prior written permission of ReadyLIFT® is strictly prohibited.

## Trademarks

The ReadyLIFT® logo, SST®, "Don't Just Lift It, ReadyLIFT It!", web site, catalog and all printed and electronic marketing and product materials are service marks of ReadyLIFT®. All other trademarks, product names and company names or logos cited herein are the property of their respective owners.

## Vehicle Manufacturer Copyright-Trademark Information

ReadyLIFT® Suspension Inc., a privately owned company, is not affiliated with Ford Motor Company, General Motors or its brand companies Chevrolet, GMC, Cadillac, Hummer, Toyota Motor Sales, Chrysler LLC or its brand companies Dodge and Jeep, Nissan Motor Corp Ltd, Honda Motor Company or American Suzuki Motor Corp in any way or form. The terms Ford, F-150, Super Duty, F250, F350, Ranger, Raptor, Lincoln, Expedition, GM, Chevy, Chevrolet, GMC, Silverado, Sierra, Tahoe, Suburban, Denali, Canyon, Colorado, Cadillac, Hummer, Dodge, Ram, Dakota, Durango, Jeep, Wrangler, Mopar, Mega Cab, Honda, Ridgeline, Pilot, Nissan, Titan, Frontier, Xterra, Infiniti, Armada, Toyota, Tacoma, Tundra, 4Runner, Sequoia, FJ Cruiser, PreRunner, Suzuki and Equator are used for descriptive purposes only and in no way infers that any ReadyLIFT® part or accessory sold BY ReadyLIFT® or otherwise is manufactured, sold or endorsed by Ford Motor Company, General Motors or its brand companies Chevrolet, GMC, Cadillac, Hummer, Toyota Motor Sales, Chrysler LLC or its brand companies Dodge and Jeep, Nissan Motor Corp Ltd, Honda Motor Company or American Suzuki Motor Corp.. All pictures and text are used for descriptive purposes only with the understanding they are used in Good Faith and Fair Use to illustrate the result of using a ReadyLIFT® product.

Let there be NO CONFUSION, ReadyLIFT® Suspension Inc. is NOT affiliated in any way with Ford Motor Company, General Motors or its brand companies Chevrolet, GMC, Cadillac, Hummer, Toyota Motor Sales, Chrysler LLC or its brand companies Dodge and Jeep, Nissan Motor Corp Ltd, Honda Motor Company or American Suzuki Motor Corp.

## Warranties and Disclaimers

ReadyLIFT® intends for the information and data contained in catalog to be accurate and reliable and is provided "AS IS." ReadyLIFT® EXPRESSLY DISCLAIMS ALL WARRANTIES AND/OR CONDITIONS, EXPRESS OR IMPLIED, AS TO ANY MATTER WHATSOEVER RELATING TO OR REFERENCED IN THIS CATALOG, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY OR SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

## Offset - Backspacing

The offset of a wheel is the distance from its hub mounting surface to the centerline of the wheel. The offset can be one of three types (measured in millimeters).<sup>\*</sup> Wheel backspacing is the distance from the hub mounting surface to the inside wheel lip (back side of the wheel) and is usually measured in inches. When choosing wheels it is important to pay attention to the backspacing.

A common "offset" for example is +12mm or -12mm. In this example a +12mm wheel would be a positive offset wheel and a -12mm wheel would be a negative offset wheel. In this case "0" is the centerline of the wheel which means a +12mm offset is a wheel with a hub mounting surface 12mm (roughly just over half an inch) further outwards toward the front of the wheel. Think front wheel drive car wheels for reference. A wheel with a -12mm offset would have a hub mounting surface 12mm inside of the wheel centerline, or closer to the back side of the wheel lip. This type of wheel usually has a "deep" look as compared to a zero or positive offset wheel.

<sup>\*</sup>Backspacing, similar to offset, is the distance from the hub mounting surface to the inside lip of the wheel (measured in inches).

Most all late model factory truck wheels are positive offset to one degree or another.

Installing a wheel with less rear of wheel backspacing than the factory wheel results in the wheel sticking out further than the stock wheel did.

## Zero Offset

The hub mounting surface is even with the centerline of the wheel.

## Positive


The hub mounting surface is toward the front or wheel side of the wheel. Positive offset wheels are generally found on front wheel drive cars and newer rear drive cars.

## Negative

The hub mounting surface is toward the back or brake side of the wheels centerline. "Deep dish" wheels are typically a negative offset.

If the offset of the wheel is not correct for the car, the handling can be adversely affected. When the width of the wheel changes, the offset also changes numerically.

If the offset were to stay the same while you added width, the additional width would be split evenly between the inside and outside. For most cars, this won't work correctly. We have test fit thousands of different vehicles for proper fitment. Our extensive database allows our sales staff to offer you the perfect fit for your vehicle.



## ReadyLIFT® Logos and Identities



DON'T JUST LIFT IT... READYLIFT IT®



# READYLIFT<sup>®</sup> SHOCKS

## ReadyLIFT<sup>®</sup> SST9000 Vehicle Specific 100% CNC Billet Aluminum Shocks

ReadyLIFT<sup>®</sup>, the company that started a revolution in truck & SUV Leveling Kits now puts you in control of your ride with ReadyLIFT<sup>®</sup> SST<sup>®</sup> Shocks! Featuring the highest quality nitrogen-charged, internal reservoir design and construction, every ReadyLIFT<sup>®</sup> SST<sup>®</sup> Shock is precision-tuned and pair matched to provide the control you need when adding larger tires and wheels to your Jeep, Truck or SUV. ReadyLIFT<sup>®</sup> SST<sup>®</sup> Shocks are available for most popular makes and models of trucks and SUVs. Each vehicle application has been rigorously tested to develop a unique valving system specific to that vehicle, particularly those vehicles which have a ReadyLIFT<sup>®</sup> leveling or SST<sup>®</sup> Lift Kit installed. READYLIFT<sup>®</sup> offers a Limited Lifetime Warranty on all of its products.

- Dyno Tested Valving and Piston Flow Characteristics.
- All SST9000 Shocks Are Capable Of Being Rebuilt and Revalved.
- Velocity Sensitive Valving Allows For Increased Control and Vehicle Specific Tuning.
- Available for: Ford, GM, Dodge, Toyota and Jeep Vehicles.



### SST SHOCKS



- 100% CNC Billet Aluminum Construction.
- CNC Precision Machined Body & End Mounts.
- Gas / Oil Separated - Eliminates Cavitation.
- 5/8" Hard Chrome Plated Shaft.
- Rebuildable and Revalvable.
- Two-Stage Sealing System - Dirt Out, Oil In.
- Nitrogen Charged Internal Chamber.
- Designed For Use On Levelled & Mild Lifted Vehicles.
- Developed For Use With Larger Oversized Wheels and Tires.
- Premium Lucas Synthetic Oil