

A SIG SAUER MCX rifle is shown in a disassembled state, with its upper and lower receivers, magazine, and handguard laid out on a tan tactical vest. The rifle is silver and black. A large, faint SIG SAUER logo is visible in the background. A small patch with the MCX logo is on the vest.

SIG SAUER MCX™

THE FIRST TRUE MISSION-ADAPTABLE WEAPON SYSTEM.
THE ULTIMATE MODERN RIFLE.

SIG SAUER
when it counts®

SIG MCX™

THE FIRST TRUE MISSION-ADAPTABLE WEAPON SYSTEM

Introducing the SIG MCX. Engineered from the ground up to be short, light, and silenced. With an innovative short-stroke gas piston operating system, users can change barrels, calibers, stocks, and handguards in the field. Hardened and replaceable upper receiver wear points, ambi AR-style controls, and backwards compatibility with legacy AR lower receivers. The SIG MCX eclipses everything that has come before it.



SR0762 SILENCER

GAS PISTON SYSTEM
2-Position

KEYMOD HANDGUARD
Aluminum / Carbon fiber

FULL LENGTH M1913 RAIL

ENLARGED AMBIDEXTROUS
MAGAZINE RELEASE

AMBIDEXTROUS
CHARGING HANDLE

RAIL-MOUNTED STOCKS
Folding / Collapsible / Telescopic

USER-CHANGEABLE BARRELS
16 inch / 9 inch
5.56 NATO / 300BLK / 7.62x39mm

SKELETONIZED, LOW-PROFILE
SIDE-FOLDING STOCK

FLARED AND BEVELED MAGWELL

AMBIDEXTROUS INTEGRAL
QD SLING POINTS

INTEGRATED ENLARGED
TRIGGER GUARD

AMBIDEXTROUS
SAFETY SELECTOR

AR COMPATIBLE
PISTOL GRIP

REINFORCED
CHARGING HANDLE
LATCH



REINFORCED
CAM PATH

REINFORCED
FEED RAMP



SIG MCX™

THE FIRST TRUE MISSION-ADAPTABLE WEAPON SYSTEM

REVOLUTIONARY FEATURES

- Ambidextrous Charging Handle and Controls
- Reinforced, Monolithic Upper Receiver
- Easily Change Stock, Barrel, Handguard and Caliber
- Free-Floating Barrel Design



SIG MCX

300BLK	30 ROUND
5.56 NATO	30 ROUND
7.62 x 39mm	30 ROUND

- ▶ 9" Barrel
- ▶ Ambidextrous Selector, Mag Release, and Charging Handle
- ▶ Skeletonized, Low-Profile, Side-Folding Stock
- ▶ Short-Stroke Gas Piston
- ▶ Available with optional SRD762 Silencer

SIGSAUER
when it counts®



SIG MCX SBR

300BLK | 30 ROUND | NEW

5.56 NATO | 30 ROUND | NEW

7.62 x 39mm | 30 ROUND | NEW

- ▶ 9" Barrel
- ▶ Ambidextrous Selector, Mag Release and Charging Handle
- ▶ Skeletonized Low-Profile, Side-Folding Stock
- ▶ Short-Stroke Gas Piston



SIG MCX CARBINE

300BLK | 30 ROUND | NEW

5.56 NATO | 30 ROUND | NEW

7.62 x 39mm | 30 ROUND | NEW

- ▶ 16" Barrel
- ▶ Ambidextrous Selector, Mag Release and Charging Handle
- ▶ Skeletonized Low-Profile, Side-Folding Stock
- ▶ Short-Stroke Gas Piston



SIG MCX PISTOL W/ PSB

300BLK | 30 ROUND | NEW

5.56 NATO | 30 ROUND | NEW

7.62 x 39mm | 30 ROUND | NEW

- ▶ 9" Barrel
- ▶ Ambidextrous Selector, Mag Release and Charging Handle
- ▶ Side-Folding SBX Pistol Stabilizing Brace
- ▶ Short-Stroke Gas Piston

SIG MCX™ ACCESSORIES



SIG MCX AR UPGRADE KIT

- ▶ Convert Mil-Spec AR Lower Receiver to SIG MCX System
- ▶ Complete SIG MCX Upper Receiver Assembly
- ▶ Side-Folding Skeletonized Stock
- ▶ Lower Receiver Stock Adapter

SPECIFICATIONS	SIG MCX SBR	SIG MCX CARBINE	SIG MCX PISTOL W/ PSB
Caliber	300BLK / 5.56 NATO / 7.62x39mm	300BLK / 5.56 NATO / 7.62x39mm	300BLK / 5.56 NATO / 7.62x39mm
Action Type	Semi-Auto or Select-Fire	Semi-Auto or Select-Fire	Semi-Auto
Operating System	Gas Piston, Rotating Bolt	Gas Piston, Rotating Bolt	Gas Piston, Rotating Bolt
Stock / PSB Type	Multiple Configurations	Multiple Configurations	SBX Pistol Stabilizing Brace
Forend Type	Alloy KeyMod	Alloy KeyMod	Alloy KeyMod
Weight w/o Mag	2.61 kg / 5.75 lb	2.72 kg / 6 lb	2.61 kg / 5.75 lb
Overall Length	730.25 mm / 28.75 in	908.05 mm / 35.75 in	676.275 mm / 26.625 in
Folded Length	504.8 mm / 19.875 in	685.16 / 26.975 in	527.05 mm / 20.75 in
Barrel Length	228.6 mm / 9.0 in	406.4 mm / 16.0 in	228.6 mm / 9.0 in
Rifling	1:6 (300BLK) 1:7 (5.56 NATO) 1:9.5 (7.62x39mm)	1:6 (300BLK) 1:7 (5.56 NATO) 1:9.5 (7.62x39mm)	1:6 (300BLK) 1:7 (5.56 NATO) 1:9.5 (7.62x39mm)
Trigger Type	MIL-SPEC	MIL-SPEC	MIL-SPEC
Trigger Weight	6.6-8.6 lb 29.36-38.26 N	6.6-8.6 lb 29.36-38.26 N	6.6-8.6 lb 29.36-38.26 N
Mag Type	AR-15 Type	AR-15 Type	AR-15 Type
Mag Capacity	30	30	30

Specifications are approximate and are subject to change.



SIG SAUER
when it counts®