



**SSL<sup>®</sup>**

SOUND STORM LABORATORIES

2020

# SSL®

## SOUND STORM LABORATORIES | 2020

ENGINEERED IN THE U.S.A.



*Get the best gear at the best price with our high value 2020 product line. With 30+ years in the industry, Soundstorm Labs is proud to provide quality aftermarket audio with a superb level of customer service. Thank you to our loyal customers, retailers, and wholesalers for being an integral part of the Sound Storm Labs audio family.*


# Apple CarPlay/Android Auto Receiver

## DD988ACP

BLUETOOTH® | MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN

6.75" INCH  
WIDESCREEN



### FEATURES

#### PLAYBACK

High-Resolution FLAC  
WAV/MP3/WMA  
Bluetooth® Audio Streaming  
Stream and Control your Favorite Music APPs

#### INPUTS & OUTPUTS

Bluetooth® Hands-free  
USB Ports  
USB Charging (1A)\*  
Aux-In  
Compatible with Audio Output of iPhone, Smartphones and MP3 player  
Front, Rear, Sub Pre-Amp Outputs  
Rear Camera Input

#### GENERAL

Double-DIN Fit  
Capacitive Touchscreen  
Multicolor Illumination Options  
Steering Wheel Control Input (\*\*Interface not included)  
Switchable US & EU Tuner Frequencies  
RBDS Tuner  
Update via USB  
80W x 4 Max Power



MULTICOLOR ILLUMINATION OPTIONS

# MULTIMEDIA RECEIVER WITH LARGE TOUCHSCREEN


## DDML11B

BLUETOOTH® | IN-DASH DOUBLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER  
FEATURING 11" (279 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

11 INCH  
WIDESCREEN



- Capacitive Touchscreen
- Multicolor Illumination
- Bluetooth® Hands-free
- Bluetooth® Audio Streaming
- Stream and Control your Favorite Music APPs
- USB Port
- USB Charging (1A)\*
- A-LINK (Screen Mirroring)†
- Front & Rear Camera Input
- AV Input
- Video Output
- Front, Rear, Sub Pre-Amp Outputs
- X-Axis and Y-Axis Screen Tilt



MONITOR PIVOTS UP AND DOWN & SIDE TO SIDE



MULTICOLOR ILLUMINATION

# MULTIMEDIA RECEIVERS WITH MONITORS

## DD695B

**BLUETOOTH® | DOUBLE-DIN**  
**DVD/MP3/CD AM/FM RECEIVER**  
FEATURING 6.95" (177 mm) WIDESCREEN  
TOUCHSCREEN DIGITAL TFT LCD MONITOR

DVD±R/RW Video  
CD±R/RW Audio & Video  
MP3/WMA  
Bluetooth® Audio Streaming  
Stream and Control your Favorite Music APPs  
**INPUTS & OUTPUTS**  
Bluetooth® Hands-Free  
USB Port  
USB Charging (1A)\*  
SD Port  
Aux-In  
Compatible with Audio Output of iPod®/iPhone®,  
Smartphones, and MP3 Players




## DD695BR

**BLUETOOTH® | DOUBLE-DIN**  
**DVD/MP3/CD AM/FM RECEIVER**  
FEATURING 6.95" (177 mm) WIDESCREEN  
TOUCHSCREEN DIGITAL TFT LCD MONITOR

**PLUS REAR-VIEW LICENSE PLATE MOUNT  
CAMERA**

DVD±R/RW Video  
CD±R/RW Audio & Video  
MP3/WMA  
Bluetooth® Audio Streaming  
Stream and Control your Favorite Music APPs  
**INPUTS & OUTPUTS**  
Bluetooth® Hands-Free  
USB Port  
USB Charging (1A)\*  
SD Port  
Aux-In  
Compatible with Audio Output of iPod®/iPhone®,  
Smartphones, and MP3 Players

**REAR-VIEW CAMERA**  
High Resolution Color Camera  
Low Light Visibility  
Weather Proof  
Wide Angle View  
Hidden Mounting Bracket



# MULTIMEDIA RECEIVER WITH MONITOR

## DDML69B

BLUETOOTH® | DOUBLE-DIN

DIGITAL MEDIA AM/FM RECEIVER

FEATURING 6.95" (177 mm) WIDESCREEN

TOUCHSCREEN DIGITAL TFT LCD MONITOR



MP3/WMA

Bluetooth® Audio Streaming

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port

USB Charging (1A)\*

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®,  
Smartphones, and MP3 Players



# MULTIMEDIA RECEIVER WITH MONITOR

## DDML69BR

BLUETOOTH® | DOUBLE-DIN

DIGITAL MEDIA AM/FM RECEIVER

FEATURING 6.95" (177 mm) WIDESCREEN

TOUCHSCREEN DIGITAL TFT LCD MONITOR

**PLUS** REAR-VIEW LICENSE PLATE MOUNT CAMERA



MP3/WMA

Bluetooth® Audio Streaming

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port

USB Charging (1A)\*

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

REAR-VIEW CAMERA


High Resolution Color Camera

Low Light Visibility

Weather Proof

Wide Angle View

Hidden Mounting Bracket



# MULTIMEDIA RECEIVERS WITH MONITORS

## DD764BR

**BLUETOOTH® | DOUBLE-DIN  
DVD/MP3/CD AM/FM RECEIVER**

FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN  
DIGITAL TFT LED MONITOR

**PLUS REAR-VIEW LICENSE PLATE MOUNT CAMERA**

- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Video Output
- Rear Camera Input



REAR-VIEW LICENSE  
PLATE MOUNT CAMERA



## DD664B

**BLUETOOTH® | DOUBLE DIN  
DVD/MP3/CD AM/FM RECEIVER**

FEATURING 6.2" (157 mm) WIDESCREEN  
TOUCHSCREEN DIGITAL TFT LED MONITOR

- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Rear Camera Input
- Front, Rear, Sub Pre-Amp Outputs
- Video Output





# MULTIMEDIA RECEIVERS WITH MONITORS

## DD661B

**BLUETOOTH® | DOUBLE-DIN**  
**DVD/MP3/CD AM/FM RECEIVER**  
FEATURING 6.2" (157 mm) WIDESCREEN  
TOUCHSCREEN DIGITAL TFT LED MONITOR

Touchscreen Digital TFT LCD Monitor  
USB Port  
USB Charging (1A)\*  
SD Port  
Aux-In  
Rear Camera Input  
Front, Rear, Sub Pre-Amp Outputs  
Video Output



## DDML62B

**BLUETOOTH® | MP3-COMPATIBLE**  
**DIGITAL MEDIA AM/FM RECEIVER**  
FEATURING 6.2" (157 mm) WIDESCREEN  
TOUCHSCREEN DIGITAL TFT LED MONITOR

Touchscreen Digital TFT LCD Monitor  
USB Port  
USB Charging (1A)\*  
SD Port  
Aux-In  
Front, Rear, Sub Pre-Amp Outputs  
Video Output  
Rear Camera Input



# MULTIMEDIA RECEIVERS WITH MONITORS

## SD726MB

BLUETOOTH® | DVD/MP3/CD  
AM/FM RECEIVER  
FEATURING MOTORIZED FLIP-OUT  
7" (178 mm) WIDESCREEN TOUCHSCREEN  
DIGITAL TFT LCD MONITOR

- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- A/V Input
- Rear Camera Input
- Front, Rear, Sub Pre-Amp Outputs
- Video Output
- Detachable Front Panel



## DDC28B

BLUETOOTH® | DOUBLE-DIN  
CD/MP3-COMPATIBLE AM/FM RECEIVER  
FEATURING FULL DETACHABLE  
FRONT PANEL

- USB Port
- USB Charging (1A)\*
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Detachable Front Panel



# MULTIMEDIA RECEIVERS WITH MONITORS

## DDML28B

BLUETOOTH® | DOUBLE-DIN  
MP3-COMPATIBLE DIGITAL MEDIA  
AM/FM RECEIVER  
FEATURING FULL DETACHABLE FRONT PANEL

- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Video Output
- Rear Camera Input
- Detachable Front Panel



## SDC26B

BLUETOOTH® | MP3-COMPATIBLE  
CD AM/FM RECEIVER

- USB Ports
- USB Charging (1A)\*
- Aux-In
- Front & Rear Pre-Amp Outputs



# MULTIMEDIA RECEIVERS

## ML46DB

BLUETOOTH® | SINGLE-DIN  
MP3-COMPATIBLE DIGITAL MEDIA  
AM/FM RECEIVER  
FEATURING FULL DETACHABLE  
FRONT PANEL

- USB Port
- USB Charging (1A)\*
- Aux-In
- Front & Rear Pre-Amp Outputs
- Detachable Front Panel



## ML43B

BLUETOOTH® | SINGLE-DIN MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER

- USB Port
- USB Charging (1A)\*
- Aux-In
- SD Port
- Front, Rear, Sub Pre-Amp Outputs



## ML41B

BLUETOOTH® | SINGLE-DIN MP3-COMPATIBLE  
DIGITAL MEDIA FM RECEIVER

- USB Port
- USB Charging (1A)\*
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs



# IN-DASH SPECIFICATIONS

	DD988ACP	DDML118	DD695B	DD695BR	DDML69B	DDML69BR	DD764BR	DD664B	DD661B	DDML62B	SD726MB	DDC28B	DDML28B	SDC26B	ML46DB	ML43B	ML41B
<b>PLAYBACK</b>																	
DVD±R/RW Video			•	•			•	•	•		•						
CD±R/RW Audio & Video							•	•	•		•						
CD±R/RW Audio			•	•										•			
High-Resolution FLAC	•																
WAV/MP3/WMA	•																
MP3/WMA		•					•	•	•	•			•	•	•	•	•
BLUETOOTH® AUDIO STREAMING	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>INPUTS &amp; OUTPUTS</b>																	
BLUETOOTH® HANDS-FREE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Ports	•													•			
USB Port		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
USB Charging (1A)*		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Charging (1A)	•																
SD Port			•	•	•	•	•	•	•	•	•					•	•
Aux-In	•	•					•	•	•	•	•	•	•	•	•	•	•
Aux-In (Front & Rear)			•	•	•	•											
Compatible with Audio Output of iPod®/iPhone®.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Front, Rear, Sub Pre-Amp Outputs	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Front & Rear Pre-Amp																•	
Front Pre-Amp Outputs													•	•	•		
Rear Camera Input	•	•				•	•				•						•
Video Output		•					•	•	•	•							
A/V Input		•	•	•	•	•					•						
<b>GENERAL</b>																	
Double-DIN Fit	•		•	•	•	•	•	•	•	•							
Single-DIN Fit											•			•	•	•	•
Capacitive Touchscreen	•	•															
Multicolor Illumination	•	•	•	•	•	•											
Wireless Remote Control			•	•	•	•	•	•	•	•	•	•	•	•	•		•
Detachable Front Panel		•	•								•	•	•		•		
Motorized Monitor																	
Steering Wheel Control Input (**Interface not included)	•	•	•	•	•	•	•	•	•	•	•						
Switchable US & Europe Tuner Frequencies	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RBDS Tuner	•		•	•	•	•											
RDS Tuner											•						
Update via USB	•																
Watts x 4 Channel	80	80	80	80	80	80	85	80	80	80	85	80	60	50	50	50	40
<b>REAR-VIEW CAMERA</b>																	
High Resolution Color Camera			•	•	•	•	•										
On-screen Display Distance Guide			•	•	•	•	•										
Low Light Visibility			•	•	•	•	•										
Weather Proof			•	•	•	•	•										
NTSC Output							•										

\*Charging only. Not for mobile device playback.

\*\*Steering wheel control not applicable with all vehicles.

iPod® and iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries. Sound Storm Laboratories is not affiliated with Apple, Inc.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Sound Storm Laboratories is under license. Other trademarks and trade names are those of their respective owners.

# REAR-VIEW CAMERAS

## SLC60

### LICENSE PLATE MOUNT REAR VIEW CAMERA

- High Resolution Color Camera
- On-screen Display Distance Guide
- Low Light Visibility
- Weather Proof
- Wide Angle View
- NTSC Output

Measures:  
10.88" (L) x .88" (W) x.88" (H)  
(276 x 22 x 22 mm)



## SRC50

### MINI REAR-VIEW FLUSH MOUNT CAMERA INCLUDES FLUSH MOUNT AND HANGING MOUNT


- High Resolution Color Camera
- On-screen Display Distance Guide
- Low Light Visibility
- Weather Proof
- Wide Angle View
- NTSC Output
- Mounting Options:  
Flush and Hanging Mounts




HANGING MOUNT



FLUSH MOUNT



FLUSH MOUNT HARDWARE



## SHP20

### FOLDABLE WIRELESS HEADPHONES

For use with Car Audio Monitors and DVD  
Players with Infrared Transmitters  
Headphones fold for Easy Storage



(FOLDED)

# AMPLIFIERS

## CHARGE SERIES

### MONOBLOCK AMPLIFIER

FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class A/B Topology
- 2  $\Omega$  Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs Low
- Pass Filter
- Bass Boost
- Remote Subwoofer Control



**CG30001D**  
3000 WATTS



**CG15001M**  
1500 WATTS

### 2-CHANNEL BRIDGEABLE POWER AMPLIFIER

FEATURING REMOTE SUBWOOFER CONTROL

- 2/1 Channel
- Full-Range, Class A/B
- 2  $\Omega$  Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs HP
- & LP Filters
- Bass Boost
- Remote Subwoofer Control



**CG1604**  
1600 WATTS



**CG1202**  
1200 WATTS



## EVOLUTION SERIES

### CLASS D MONOBLOCK AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class D Topology
- 1  $\Omega$  Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Strapping Capable



**EV5000D**  
5000 WATTS



REMOTE SUBWOOFER  
CONTROL



**EV4000D**  
4000 WATTS



**EV3000D**  
3000 WATTS

### FULL RANGE, CLASS A/B MONOBLOCK POWER AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class A/B Topology
- 2  $\Omega$  Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Low Pass Filter
- Bass Boost
- Remote Subwoofer Control



**EV2500M**  
2500 WATTS



**EV1500M**  
1500 WATTS

## EVOLUTION SERIES

**FULL RANGE, CLASS A/B  
4-CHANNEL BRIDGEABLE  
POWER AMPLIFIER**  
FEATURING REMOTE  
SUBWOOFER CONTROL

- 4/3/2 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filter
- Bass Boost
- Remote Subwoofer Control



**EV4.1600**

1600 WATTS



**EV4.1000**

1000 WATTS



REMOTE SUBWOOFER  
CONTROL



**EV400.4**

400 WATTS

Remote Subwoofer Control (Not Included)

**CLASS A/B 4 CHANNEL  
POWER AMPLIFIER**

- 4 Channel
- Full-Range, Class A/B
- 4 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- LP & HP Filter
- Remote Subwoofer Control  
(Not Included)



**EV4.400**

400 WATTS

**FULL RANGE, CLASS A/B  
2-CHANNEL BRIDGEABLE  
POWER AMPLIFIER**  
FEATURING REMOTE  
SUBWOOFER CONTROL

- Monoblock
- Class A/B Topology
- 2 Ω Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Low Pass Filter
- Bass Boost
- Remote Subwoofer Control



**EV2.1600**

1600 WATTS

**CLASS A/B 2 CHANNEL  
POWER AMPLIFIER**

- 2 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- RCA & Speaker Level Inputs
- Low Pass Filter
- Remote Subwoofer Control  
(Not Included)



**EV2.200**

200 WATTS



**EV2.1200**

1200 WATTS



**EV2.1000**

1000 WATTS



**EV200.2**

200 WATTS | 4 Ω Stereo Stable  
Remote Subwoofer Control  
(Not Included)

## EVO SERIES

### CLASS D MONOBLOCK POWER AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class D Topology
- 1  $\Omega$  Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Strapping Capable



**EVO5000.1**  
5000 WATTS



REMOTE SUBWOOFER  
CONTROL



**EVO4000.1**  
4000 WATTS



**EVO3000.1**  
3000 WATTS

## EVO SERIES

**FULL RANGE, CLASS A/B  
MONOBLOCK  
POWER AMPLIFIER**  
FEATURING REMOTE SUB-  
WOOFER CONTROL



- Monoblock
- Full-Range, Class A/B
- 2  $\Omega$  Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Low Pass Filter
- Bass Boost
- Remote Subwoofer Control

**EVO2500.1**  
2500 WATTS



REMOTE SUBWOOFER  
CONTROL



**EVO2000.1**  
1500 WATTS



**EVO1500.1**  
1500 WATTS

# AMPLIFIER SPECIFICATIONS

<b>CHARGE</b>	<b>POWER @ 4 Ω (MAX)</b>	<b>POWER @ 2 Ω (MAX)</b>	<b>POWER @ 1 Ω (MAX)</b>	<b>BRIDGED POWER (4 Ω)</b>	<b>DIMENSIONS Length x Width x Height</b>
<b>MONOBLOCK</b>					
<b>CG30001D</b>	750 W x 1	1500 W x 1	3000 W x 1	-	15.67" x 6.5" x 2.5"   (398 x 165 x 50 mm)
<b>CG15001M</b>	750 W x 1	1500 W x 1	-	-	11.72" x 6.5" x 2.5"   (297 x 165 x 50 mm)
<b>CG1604</b>	400 W x 2	800 W x 2	-	1600 w x 1	13.7" x 6.5" x 2.5"   348 x 165 x 50 mm)
<b>CG1202</b>	300 W x 2	600 W x 2	-	1200 w x 1	11.72" x 6.5" x 2.5"   297 x 165 x 50 mm)

<b>EVOLUTION</b>	<b>POWER @ 4 Ω (MAX)</b>	<b>POWER @ 2 Ω (MAX)</b>	<b>POWER @ 1 Ω (MAX)</b>	<b>BRIDGED POWER (4 Ω)</b>	<b>DIMENSIONS Length x Width x Height</b>
<b>CLASS D MONOBLOCK</b>					
<b>EV5000D</b>	1250 W x 1	2500 W x 1	5000 W x 1	-	19.5" x 10.0" x 2.38"   (495 x 254 x 60 mm)
<b>• STRAPPED (2 Amps)</b>	5000 W x 1	10000 W x 1	-	-	
<b>EV4000D</b>	1000 W x 1	2000 W x 1	4000 W x 1	-	15.0" x 10.0" x 2.38"   (381 x 254 x 60 mm)
<b>• STRAPPED (2 Amps)</b>	4000 W x 1	8000 W x 1	-	-	
<b>EV3000D</b>	750 W x 1	1500 W x 1	3000 W x 1	-	13.0" x 10.0" x 2.38"   (330 x 254 x 60 mm)
<b>• STRAPPED (2 Amps)</b>	3000 W x 1	6000 W x 1	-	-	
<b>MONOBLOCK</b>					
<b>EV2500M</b>	1250 W x 1	2500 W x 1	-	-	15.5" x 10.0" x 2.38"   (394 x 254 x 60 mm)
<b>EV1500M</b>	750 W x 1	1500 W x 1	-	-	10.0" x 10.0" x 2.38"   (254 x 254 x 60 mm)
<b>4-CHANNEL</b>					
<b>EV4.1600</b>	200 W x 4	400 W x 4	-	800 W x 1	13.5" x 10.0" x 2.38"   (343 x 254 x 60 mm)
<b>EV4.1000</b>	125 W x 4	250 W x 4	-	500 W x 1	10.75" x 10.0" x 2.38"   (273 x 254 x 60 mm)
<b>EV400.4</b>	100 W x 4	-	-	-	6.88" x 9.0" x 1.88"   (175 x 229 x 48 mm)
<b>EV4.400</b>	50 W x 4	100 W x 4	-	-	6.88" x 9.0" x 1.88"   (175 x 229 x 48 mm)
<b>2-CHANNEL</b>					
<b>EV2.2000</b>	500 W x 2	1000 W x 2	-	2000 W x 1	16.0" x 10.0" x 2.38"   (406 x 254 x 60 mm)
<b>EV2.1600</b>	400 W x 2	800 W x 2	-	1600 W x 1	14.0" x 10.0" x 2.38"   (356 x 254 x 60 mm)
<b>EV2.1200</b>	300 W x 2	600 W x 2	-	1200 W x 1	12.0" x 10.0" x 2.38"   (305 x 254 x 60 mm)
<b>EV2.1000</b>	250 W x 2	500 W x 2	-	1000 W x 1	9.5" x 10.0" x 2.38"   (241 x 254 x 60 mm)
<b>EV200.2</b>	100 W x 2	-	-	-	4.88" x 9.0" x 1.88"   (124 x 229 x 48 mm)
<b>EV2.200</b>	50 W x 2	100 W x 2	-	-	4.88" x 9.0" x 1.88"   (124 x 229 x 48 mm)

<b>EVO</b>	<b>POWER @ 4 Ω (MAX)</b>	<b>POWER @ 2 Ω (MAX)</b>	<b>POWER @ 1 Ω (MAX)</b>	<b>BRIDGED POWER (4 Ω)</b>	<b>DIMENSIONS Length x Width x Height</b>
<b>CLASS D MONOBLOCK</b>					
<b>EVO5000.1</b>	1250 W x 1	2500 W x 1	5000 W x 1	-	19.09" x 10.0" x 2.31"   (485 x 254 x 59 mm)
<b>• STRAPPED (2 Amps)</b>	5000 W x 1	10000 W x 1	-	-	
<b>EVO4000.1</b>	1000 W x 1	2000 W x 1	4000 W x 1	-	14.69" x 10.0" x 2.31"   (373 x 254 x 59 mm)
<b>• STRAPPED (2 Amps)</b>	4000 W x 1	8000 W x 1	-	-	
<b>EVO3000.1</b>	750 W x 1	1500 W x 1	3000 W x 1	-	12.69" x 10.0" x 2.31"   (322 x 254 x 59 mm)
<b>• STRAPPED (2 Amps)</b>	3000 W x 1	6000 W x 1	-	-	
<b>MONOBLOCK</b>					
<b>EVO2500.1</b>	1250 W x 1	2500 W x 1	-	-	15.19" x 10.0" x 2.31"   (386 x 254 x 59 mm)
<b>EVO2000.1</b>	1000 W x 1	2000 W x 1	-	-	12.0" x 10.0" x 2.31"   (305 x 254 x 59 mm)
<b>EVO1500.1</b>	750 W x 1	1500 W x 1	-	-	9.69" x 10.0" x 2.31"   246 x 254 x 59 mm)

# LOUDSPEAKERS

## CHARGE SERIES

4-WAY and 3-WAY LOUDSPEAKERS

Foam Surround  
Paper Cone  
Stamped Steel Basket



**CG693**

500 WATTS | 6" x 9" 3-WAY



**CG653**

325 WATTS | 6.5" 3-WAY



**CG553**

250 WATTS | 5.5" 3-WAY



**CG443**

200 WATTS | 4.5" 3-WAY



EX SERIES

3-WAY LOUDSPEAKERS

- Rubber Surround
- Polypropylene Cone
- Stamped Steel Basket

**EX369**

300 WATTS | 6" x 9" 3-WAY



**EX365**

150 WATTS | 6.5" 3-WAY



# LOUDSPEAKER SPECIFICATIONS

<b>CHARGE</b>	<b>POWER HANDLING (PEAK)</b>	<b>SYSTEM IMPEDANCE</b>	<b>FREQUENCY RESPONSE (±3dB)</b>	<b>SYSTEM SENSITIVITY @ 1W / 1m</b>	<b>MIDRANGE</b>	<b>TWEETER(S)</b>	<b>MOUNTING DEPTH</b>
<b>CG693</b>	500 W	4 Ω	65 Hz-20 kHz	88 dB	2.5" (64 mm)	.47" (12 mm)	3.15" (80 mm)
<b>CG653</b>	325 W	4 Ω	75 Hz-20 kHz	88 dB	1" (25 mm)	.47" (12 mm)	2.48" (63 mm)
<b>CG553</b>	250 W	4 Ω	85 Hz-20 kHz	85 dB	1" (25 mm)	.47" (12 mm)	2.48" (63 mm)
<b>CG443</b>	200 W	4 Ω	85 Hz-20 kHz	85 dB	.5" (13 mm)		2.48" (63 mm)

<b>EX</b>	<b>POWER HANDLING (MAX)</b>	<b>SYSTEM IMPEDANCE</b>	<b>FREQUENCY RESPONSE (±3dB)</b>	<b>SYSTEM SENSITIVITY @ 1W / 1m</b>	<b>MIDRANGE</b>	<b>TWEETER(S)</b>	<b>MOUNTING DEPTH</b>
<b>EX369</b>	300 W	4 Ω	75 Hz-18 kHz	87 dB	2" (51 mm) CONE	1" (25 mm) CONE	2.87" (73 mm)
<b>EX365</b>	150 W	4 Ω	85 Hz-18 kHz	88 dB	1.25" (32 mm) CONE	.75" (19 mm) DOME	1.88" (48 mm)



## CHARGE SERIES

### HIGH POWER DUAL 4 $\Omega$ VOICE COIL SUBWOOFER

- Butyl Rubber Surround
- Polypropylene Cone
- Stamped Steel Basket
- Dual 4  $\Omega$
- High Temperature Voice Coils

**CG12D**  
1200 WATTS



## CHARGE SERIES

### HIGH POWER DUAL 4 $\Omega$ VOICE COIL SUBWOOFER

Butyl Rubber Surround  
Polypropylene Cone  
Stamped Steel Basket  
Dual 4  $\Omega$   
High Temperature Voice Coils

### CG10D 1000 WATTS



### CG8D 800 WATTS



## SS SERIES

**SINGLE 4 Ω VOICE COIL HIGH  
POWER SUBWOOFER**

- Foam Surround
- Polypropylene Cone
- Stamped Steel Basket
- High Temperature  
Voice Coil



**SS12**  
800 WATTS

**SS10**  
600 WATTS



**SS8**  
400 WATTS



# SUBWOOFERS

## LoPro SERIES

### LOW PROFILE AMPLIFIED SUBWOOFER

Monoblock  
Class A/B Topology  
PWM MOSFET Power Supply  
Low Pass Filter  
Subsonic Filter  
Bass Boost  
Phase Control  
Remote Subwoofer Control  
Dimensions:  
11.19" x 15.16" x 2.75"  
(284 x 385 x 70 mm)

**LoPro10**  
1200 WATTS



REMOTE SUBWOOFER  
CONTROL

**LoPro8**  
600 WATTS



REMOTE SUBWOOFER  
CONTROL

# SUBWOOFER SPECIFICATIONS

	CG12D	CG10D	CG8D	SS12	SS10	SS8	LOPR010	LOPR08
<b>FEATURES</b>								
Foam Surround	•	•	•	•	•	•		
Rubber Surround								
Treated Paper Cone								
Polypropylene Cone	•	•	•					
Paper & Polypropylene Cones								
Dual Cone Design								
Stamped Steel Basket	•	•	•	•	•	•		
Cast Aluminum Basket								
Heavy Magnet Structure								
Copper Cap								
Copper Sleeve								
Tuned for Sound Quality								
Push Terminals								
Set Screw Terminals								
Shallow Mounting								
LED Illumination								
Paintable Trim Ring								
High Performance Voice Coils	•	•	•	•	•	•	•	•
<b>SPECIFICATIONS</b>								
Max Power: xWatts	1200	1000	800	800	600	400	1200	600
Nominal Impedance: xΩ	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω	4Ω
Nominal Impedance: Dual xΩ	4Ω	4Ω	4Ω					
Sensitivity (1 W/1 m): xdB	88	88	87	89	88	87	+12	+12
<b>DIMENSIONS</b>								
A: Overall Diameter:	12.36"	10.2"	8.3"	12.25"	10.13"	8.25"	15.2"L	14.75"L
B: Mounting Hole Diameter:	11.25"	9.13"	7.3"	11.06"	9.17"	7.17"	11.2"W	9.69"W
C: Mounting Depth:	5.4"	4.76"	3.7"	4.88"	4.13"	3.44"	2.75"D	2.75"D

# EQUALIZERS / CROSSOVERS

## 4-BAND PREAMP EQUALIZER

WITH SUBWOOFER OUTPUT

- Dual-Color (Selectable) Illumination
- EQ Center Frequencies: 40Hz, 150Hz, 1kHz, 20kHz
- Variable Subwoofer Crossover: 30-250Hz
- Subwoofer Level Control
- Subwoofer Phase Shift Selector
- Fader Control
- Master Volume Control
- Input Selector (CD or Radio)
- Front, Rear and Subwoofer Preamp Outputs
- Gold-plated RCA Inputs and Outputs
- Dimensions: 7.0" x 4.75" x 1.19" (179 x 121 x 30 mm)

**S4EQ**



## 4-BAND PREAMP EQUALIZER

WITH SUBWOOFER OUTPUT

- 2 Source Input
- Front, Rear, Sub Pre-Amp Outputs
- EQ Band Center Frequencies: 50 Hz, 200 Hz, 2 kHz, 20 kHz;  $\pm 12$  dB
- Selectable Subwoofer Filter
- Subwoofer Level Control
- Fader Control
- Master Volume Control
- Signal-to-Noise Ratio:  $-96$  dB
- Pre-amp Output: 7 V
- THD: 0.03% @ 1kHz
- Dimensions: 7.0" x 4.75" x 1.19" (178 x 121 x 30 mm)

**SQ4**



## 3-WAY ELECTRONIC CROSSOVER

INCLUDES REMOTE SUBWOOFER CONTROL

- Front, Rear and Sub In/Outs
- Variable X-Over (Front, Rear and Sub)
- Freq. Switch (x1/x20)
- X-Over Slope (6dB/12dB)
- Parallel Input Switch
- Variable Bass Boost
- Selectable Bass Boost Freq.
- Phase Selector
- Subwoofer Mode Selector
- S/N Ratio:  $>110$ dB
- 8V Pre-Amp Output
- Dimensions: 7.38" x 8.5" x 1.63" (187 x 216 x 41 mm)

**SX310**



REMOTE SUBWOOFER CONTROL

## 2-WAY ELECTRONIC CROSSOVER

INCLUDES REMOTE SUBWOOFER CONTROL

- 2 Ch Input
- High Pass Output
- Subwoofer Output
- Variable High Pass Crossover
- Variable Subwoofer Crossover
- Variable Bass Boost
- Selectable Phase
- 8V Pre-Amp Output
- Dimensions: 7.38" x 7.25" x 1.63" (187 x 184 x 41 mm)

**SX210**



# CAPACITORS / INSTALLATION KIT

## 3.5 FARAD DIGITAL CAPACITOR

Low E.S.R.  
(Equivalent Series Resistance)  
Digital Voltage Display  
16 V / 24 V Surge  
Mounting Hardware



**C352**  
3.5 FARAD

## 2.0 FARAD DIGITAL CAPACITOR

Low E.S.R.  
(Equivalent Series Resistance)  
Digital Voltage Display  
16 V / 20 V Surge  
Mounting Hardware



**C22**  
2.0 FARAD

## AMPLIFIER INSTALLATION KIT

### KIT INCLUDES

- 17 ft. 6 Gauge Red Power Cable
- Competition High-Quality Fuse Holder
- 3 ft. 8 Gauge Black Ground Cable
- 16 ft. 18 Gauge Blue Turn-On Wire
- 16 ft. High Performance RCA Interconnect
- 20 ft. Speaker Wire
- (7) 4" Wire Ties
- (1) Rubber Grommet
- #10 Gold-Plated Ring Terminal
- (2) 5/16" Gold-Plated Spade Terminals
- (5) 1/4" Gold-Plated Spade Terminals
- (2) Butt Splice Wire Connectors
- (2) Screws

**AKS8**  
8 GAUGE



# ALL-TERRAIN SOUND SYSTEM

## SB26

BLUETOOTH® | AMPLIFIED SOUND BAR  
FEATURES BUILT-IN CLASS D AMPLIFIER



### GENERAL

IPX5-Rated (Waterproof/Dustproof)  
Full-Range, Class-D Amplifier  
(4) 4" High Power Speakers  
(2) 1" Titanium Horn Loaded Tweeters  
2V Pre-Amp Output  
Connectivity for Multiple BOSS Audio Systems Sound Bar  
Units Compatible w/Audio Output of iPod®/iPhone® and  
Smartphones Multi-Fit Clamp System (1.75", 2" O.D.)\*  
Zero Standby Current Draw & Auto Shut-off

### BLUETOOTH® FEATURES

BLUETOOTH® v4.1 w/Simple Pairing BLUETOOTH®  
AUDIO & CONTROL (A2DP & AVRCP) Stream and  
Control your Favorite Music APPs Aux-In  
Illuminated Soft Touch Controls



# ALL-TERRAIN SOUND SYSTEM

## SB18

BLUETOOTH® | AMPLIFIED SOUND BAR  
FEATURES BUILT-IN CLASS D AMPLIFIER



### GENERAL

IPX5-Rated (Waterproof/Dustproof)  
Full-Range, Class-D Amplifier  
(4) 4" High Power Speakers  
(2) 1" Titanium Horn Loaded Tweeters  
2V Pre-Amp Output  
Connectivity for Multiple BOSS Audio Systems Sound Bar  
Units Compatible w/Audio Output of iPod®/iPhone® and  
Smartphones Multi-Fit Clamp System (1.75", 2" O.D.)\*  
Zero Standby Current Draw & Auto Shut-off

### BLUETOOTH® FEATURES

BLUETOOTH® v4.1 w/Simple Pairing BLUETOOTH®  
AUDIO & CONTROL (A2DP & AVRCP) Stream and  
Control your Favorite Music APPs Aux-In  
Illuminated Soft Touch Controls

# ALL-TERRAIN SOUND SYSTEM

## BOOMTUBES SERIES

BLUETOOTH® | ALL-TERRAIN SOUND SYSTEM

### BTB8

Featuring 8" Marine Speakers  
and 1" Tweeters



#### INPUTS & OUTPUTS

Bluetooth® Audio Streaming  
*Stream and Control your Favorite Music APPs*  
Compatible with Audio Output  
of iPod®/ iPhone®, Smartphones,  
and MP3 Players  
Aux-in

#### GENERAL

All Weather Designed Enclosure  
All Weather Speakers  
Easy Pairing with Auto Re-connect  
Built-In Class-D Amp  
Plug and Play for Easy Installation  
12 V Cig. Lighter Adapter  
Ideal for ATV/UTV and Tailgating



# ALL-TERRAIN SOUND SYSTEM

## BOOMTUBES SERIES

BLUETOOTH® | ALL-TERRAIN SOUND SYSTEM

### BTB6

Featuring 5" Marine Speakers and 1" Tweeters



#### INPUTS & OUTPUTS

Bluetooth® Audio Streaming  
*Stream and Control your Favorite Music APPs*

Compatible with Audio Output of iPod®/ iPhone®, Smartphones, and MP3 Players

Aux-in

#### GENERAL

All Weather Designed Enclosure  
All Weather Speakers  
Easy Pairing with Auto Re-connect  
Built-In Class-D Amp  
Plug and Play for Easy Installation  
12 V Cig. Lighter Adapter  
Ideal for ATV/UTV and Tailgating



# ALL-TERRAIN SOUND SYSTEM

## BOOMTUBES SERIES

BLUETOOTH® | ALL-TERRAIN SOUND SYSTEM

### BTB8L

Featuring 8" Marine Speakers and 1" Tweeters  
PLUS Built-In Class D Amplifier and Multicolor  
Illumination



#### INPUTS & OUTPUTS

Bluetooth® Audio Streaming  
*Stream and Control your Favorite Music APPs*

Compatible with Audio Output of iPod® / iPhone®, Smartphones, and MP3 Players  
Aux-in

#### GENERAL

All Weather Designed Enclosure  
All Weather Speakers  
Easy Pairing with Auto Re-connect  
Built-In Class-D Amp  
Plug and Play for Easy Installation  
12 V Cig. Lighter Adapter  
Ideal for ATV/UTV and Tailgating



# ALL-TERRAIN SOUND SYSTEM

## BOOMTUBES SERIES

BLUETOOTH® | ALL-TERRAIN SOUND SYSTEM

### BTB6L

Featuring 6.5" Marine Speakers and 1" Tweeters  
PLUS Built-In Class D Amplifier and Multicolor  
Illumination



#### INPUTS & OUTPUTS

Bluetooth® Audio Streaming  
*Stream and Control your Favorite  
Music APPs*

Compatible with Audio Output  
of iPod®/ iPhone®, Smartphones,  
and MP3 Players  
Aux-in

#### GENERAL

All Weather Designed Enclosure  
All Weather Speakers  
Easy Pairing with Auto Re-connect  
Built-In Class-D Amp  
Plug and Play for Easy Installation  
12 V Cig. Lighter Adapter  
Ideal for ATV/UTV and Tailgating



# MOTORCYCLE

## SMC82BB

**BLUETOOTH 600 WATT MAX POWER  
SPEAKER WITH BUILT-IN AMPLIFIER SYSTEM**

Pair of Black 3" Full Range Speakers  
600 Watt Max Built-in Amplifier with Wired Remote Volume Control  
Bluetooth Audio Streaming - Stream your Favorite Music or Music Service like Spotify or Pandora Wirelessly  
One Pair RCA Inputs, 3.5 mm Aux Input Compatible with Audio Output of Smartphones and MP3 Players



# SSIL<sup>®</sup>

## MARINE



# MARINE GAUGE RADIO

## SGR3

**B**BLUETOOTH AUDIO STREAMING MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER  
**F**EATUREING BUILT-IN 4 CHANNEL AMPLIFIER

- USB Port
- USB Charging (1A)\*
- Aux-In
- IPX5 Rated (Water resistant/Dustproof)
- Front Pre-Amp Outputs
- Low Battery Indicator





# MARINE RECEIVER AND SPEAKERS PACKAGE

## SGR3.62

### MARINE AUDIO SYSTEM PACKAGE

SGR3 + (2) S565W 6.5" speakers + SMRANT10 ANTENNA

## SGR3

**BBLUETOOTH AUDIO STREAMING MARINE GAUGE  
DIGITAL MEDIA AM/FM RECEIVER  
FEATURING BUILT-IN 4 CHANNEL AMPLIFIER**

USB Port  
USB Charging (1A)\*  
Aux-In  
IPX5 Rated (Water resistant/Dustproof)  
Front Pre-Amp Outputs  
Low Battery Indicator



## S65W

### (2) 6.5" 2-WAY MARINE FULL RANGE SPEAKER SYSTEM

2-Way System  
Resin Treated Cloth Surround Polypropylene Cone Composite Basket



## SMRANT10

### MARINE DIPOLE ANTENNA

Total Length 41" (104 cm)



# MARINE RECEIVER AND SPEAKERS PACKAGE

## SGR3.64

### MARINE AUDIO SYSTEM PACKAGE

SGR3 + (4) S565W 6.5" speakers + SMRANT10 ANTENNA

### SGR3

**BBLUETOOTH AUDIO STREAMING MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN 4 CHANNEL AMPLIFIER**

USB Port  
USB Charging (1A)\*  
Aux-In  
IPX5 Rated (Water resistant/Dustproof)  
Front Pre-Amp Outputs  
Low Battery Indicator



### SMRANT10

**MARINE DIPOLE ANTENNA**

Total Length 41" (104 cm)



### S65W

**(4) 6.5" 2-WAY MARINE FULL RANGE SPEAKER SYSTEM**

2-Way System  
Resin Treated Cloth Surround Polypropylene Cone Composite Basket

