

THE INSTALLER'S CHOICE





## T-SPEC° CAR AUDIO

The T-Spec goal is to bring innovation and value to every product in this revolutionary line of car audio accessories. T-Spec products feature high levels of engineering with the installer in mind while using only the finest materials available. This combination provides maximum performance in all price ranges. The T-Spec product offering features 5 levels of value and performance:



Lower price with little compromise



Best mix of value and performance



High end without the high price





Top of the line our best products



Meets tough demands of Hi-RES audio components



RCA CABLES	4-9
BULK WIRE	10-13
BATTERY TERMINALS	14-15
FUSE HOLDERS	16-17
DISTRIBUTION BLOCKS	18-20
CAPACITORS	21-22
AMP KITS	23-29
RING TERMINALS	30
FUSES	31
CIRCUIT BREAKERS	32
MERCHANDISING	33-34

# RCA AUDIO CABLES

SPEC

#### LOCKED & LOADED

The V16 locking connectors create a solid, continuous pressure providing a secure and reliable connection with the highest quality signal transfer.

#### **QUALITY SOUND**

Large 26 gauge oxygen-free copper core strands handle the deepest bass frequencies while the higher frequencies skim along the silver-plated surface. This combination carries even the most demanding signals without altering or coloring, resulting in true audio reproduction.

#### FIGHT THE NOISE

Cables are continuously bombarded with electrical and magnetic pollution that rob music of its clarity by injecting noise into the signal. The VI6's three separate layers have been integrated to trap, isolate and reject both transmitted and electromagnetic pollution, allowing the signal to travel noise-free.

#### ARMOR TOUGH

Just as chain-mail protected ancient warriors from piercing blows, so does the woven cotton mesh protecting the V16 cables from environmental attacks that are sure to come.



RCA CABLE SPECS

GOLD PLATED COPPER RCA TIPS WITH CONTINUOUS LOCKING BARREL

ENAMEL PAINTED COLOF BANDS FOR DURABLE IDENTIFICATION

26AWG OXYGEN-FREE COPPER CORE FOR MAXIMUM BASS

SILVER PLATING FOR TRUE MIDRANGE & HIGH FREQUENCY FIDELITY

M-JACKET INSULATES EACH CHANNEL SEPARATELY

NON-CONDUCTIVE COTTON FILLER

POLYETHYLENE FOAM INSULATED JACKET

ALUMINUM-FACED MYLAR FOIL FOR EMI REJECTION

85% COVERAGE BRAIDED TINNED COPPER FOR EMITTED NOISE REJECTION

PVC OUTER JACKET FOR STRENGTH & FLEXIBILITY

WOVEN COTTON CABLE SHIELD









- > Gold plated copper RCA tips
- Oxygen-free copper core
- Silver plating for true frequency fidelity
- > M-jacket insulates each channel separately
- > PVC outer jacket for strength and stability
- Packaged in high-end retail box

#### 2-CHANNEL

1.5 FT	0.45 M	V16RCA-1-52
<b>3</b> FT	0.91 M	V16RCA-32
<b>6</b> FT	1.83 M	V16RCA-62
<b>10</b> FT	3.05 M	V16RCA-102
17 FT	4.27 M	V16RCA-172
Y-1	1F-2M	V16RCA-Y1
Y-2	1M-2F	V16RCA-Y2

#### 4-CHANNEL

17 FT 5.18 M V16RCA-174




- > Mini metal RCA ends
- Full oxygen free copper
- > Twisted pair construction for noise reduction
- > High quality braided jacket
- Packaged in high-end retail box

#### 2-CHANNEL

<b>1.5</b> FT	0.45 M	V12R1-5
<b>3</b> FT	0.91 M	V12R3
<b>6</b> FT	1.83 M	V12R6
<b>10</b> FT	3.05 M	V12R10
<b>14</b> FT	4.27 M	V12R14
<b>17</b> FT	5.18 M	V12R17
<b>20</b> FT	6.10 M	V12R20
Y-1	1F-2M	V12RY1
Y-2	1M-2F	V12RY2

<b>4</b> -CH	IANNEL	
17 FT	5.18 M	V12R174

**T**-SPEC





- > Dual twist for improved noise rejection
- > Ultra-flexible PVC blended jacket
- > Patented high tolerance compact machined metal end

**V10R176** 

- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- Packaged in high-end retail box

#### 2-CHANNEL

1.5 FT	0.45 M	V10R1-5
<b>3</b> FT	0.91 M	V10R3
6 FT	1.83 M	V10R6
<b>10</b> FT	3.05 M	V10R10
<b>14</b> FT	4.27 M	V10R14
17 FT	5.18 M	V10R17
<b>20</b> FT	6.10 M	V10R20
Y-1	1F-2M	V10RY1
Y-2	1M-2F	V10RY2
<b>4</b> -CH	ANNEL	
17 FT	5.18 M	V10R174
<b>6-C</b> H	IANNEL	


5.18 M

VIDEO v10 SERIES VIDEO CABLES

- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- Patented high tolerance compact machined metal end
- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- > Packaged in high-end retail box

#### SINGLE CHANNEL

<b>3</b> FT	0.91 M	V10R3V
<b>9</b> FT	2.74 M	V10R9V
<b>20</b> FT	6.10 M	V10R20V





- > Dual twist for improved noise rejection
- > Ultra-flexible PVC blended jacket
- > Patented high tolerance compact machined metal end
- > Quad split tip for maximum contact area
- > Made with BC-5W2 marine-grade cable
- Packaged in high-end retail box



6 FT 1.83 M V10R35-6




- > Twisted wire design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- Packaged in high-end retail box

2-CHANNEL		
1.5 FT	0.45 M	V8R1-5
<b>3</b> FT	0.91 M	V8R3
<b>6</b> FT	1.83 M	V8R6
<b>10</b> FT	3.05 M	V8R10
<b>14</b> FT	4.27 M	V8R14
<b>17</b> FT	5.18 M	V8R17
<b>20</b> FT	6.10 M	V8R20
Y-1	1F-2M	V8RY1
Y-2	1M-2F	V8RY2

17 FT 5.18 M V8R174

4-CHANNEL





- > Woven coaxial design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

2-	CHANNE	ĒL	10- <b>PACK</b>
1.5 F	T 0.45 M	V6R1-5	V6R1-5-10
<b>3</b> FT	0.91 M	V6R3	V6R3-10
<b>6</b> FT	1.83 M	V6R6	V6R6-10
10 FT	3.05 M	V6R10	V6R10-10
14 FT	4.27 M	V6R14	V6R14-10
17 FT	5.18 M	V6R17	V6R17-10
20 F	T6.10 M	V6R20	V6R20-10
Y-1	1F-2M	V6RY1	V6RY1-10
Y-2	1M-2F	V6RY2	V6RY2-10
4-	CHANNE	EL	▶ 10- <b>PACK</b>

V6R174-10



DUAL SPLIT TIP FOR

MAXIMUM CONTACT

MOLDED ABS

COMPACT END

TRUE 75-OHM


VIDEO CABLE

- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- > Packaged in resealable retail polybag

SINGLE-CHANNEL			
<b>3</b> FT	0.91 M	V6R3V	
<b>6</b> FT	1.83 M	V6R6V	
9 FT	2.74 M	V6R9V	
<b>12</b> FT	3.66 M	V6R12V	
17 FT	5.18 M	V6R17V	
<b>20</b> FT	6.10 M	V6R20V	

8

17 FT 5.18 M V6R174





- > True 75-ohm video cable
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- Packaged in resealable retail polybag

#### 2-CHANNEL WITH VIDEO

<b>3</b> FT	0.91 M	V6R3AV
<b>10</b> FT	3.05 M	V6R10AV
<b>17</b> FT	3.65 M	<b>V6R17AV</b>
<b>20</b> FT	6.10 M	V6R20AV

#### FEMALE TO FEMALE ADAPT NICKEL

- Nickel plated
- RCA barrel adapters
- > Female to female
- > 2 pack

<b>V6RCA-BFN</b>
------------------





- Double layer woven coaxial design for increased noise rejection
- > Ultra-flexible PVC blended jacket
- > High tolerance compact molded ABS end
- > Dual split tip for maximum contact area
- Packaged in resealable retail polybag

#### 2-CHANNEL

<b>6</b> IN	.15 M	V6R35-6IN
12 IN	.30 M	V6R35-12IN
36 IN	.91 M	V6R35-36IN
<b>72</b> IN	1.83 M	V6R35-72IN

#### MALE TO MALE ADAPT NICKEL

- Nickel plated
- RCA barrel adapters
- Male to male
- 2 pack
- V6RCA-BMN



### SPOOLED BULK WIRE

The performance of your car audio system is only as good as its weakest link. Many wire companies today will have you believe that a cheap cable will save you money and get the job done, but the truth is that below-specification cables will rob current from your amplifier reducing power output by as much as 50%!!! T-Spec has once again chosen to take the high road with a full line of ABOVE SPEC cables that exceed CEA and ANSI specifications for gauge size. V12 above-spec wire is an industry-first providing greater current capability for your stereo's sensitive electronics.









INCLUDES:

- (1) 6 ft. 1/Oga power cable with crimped and shrink wrapped ring terminals
- (2) 4 ft. 1/0ga ground cables with crimped and shrink wrapped ring terminals
- (10) 3 inch zip ties
- > (3) 1/0ga ring terminals
- > (3) Shrink tube with logo
- > (10) Wire clamps
- > (10) 1/2 inch self-tapping screws
- > (1) Instructions

**V12-BIG3** 





- Exceeds CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- BC-5W2 marine compliant

#### 1/0 AWG

50 FT	15.24 M	MATTE RED	V12PW-1050
50 FT	15.24 M	MATTE BLACK	V12GW-1050

#### 4 AWG

100 FT 30.48 M	MATTE RED	V12PW-4100
<b>100</b> FT 30.48 M	MATTE BLACK	V12GW-4100

#### • 8 AWG

<b>250</b> FT 76.20 M	MATTE RED	V12PW-8250
<b>250</b> FT 76.20 M	MATTE BLACK	V12GW-8250







- > Meets CEA and ANSI specification for wire gauge
- Fully tinned virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- BC-5W2 marine compliant

#### **1/0 AWG**

50 FT	15.24 M	MATTE PEARL	V10PW-1050
50 FT	15.24 M	MATTE BLACK	V10GW-1050
50 FT	15.24 M	MATTE RED	V10PW-1RD50

#### 🕨 4 AWG

100 FT	30.48 M	MATTE PEARL	V10PW-4100
100 FT	30.48 M	MATTE BLACK	V10GW-4100
100 FT	30.48 M	MATTE RED	V10PW-4RD100

#### 8 AWG

250 FT	76.20 M	MATTE PEARL	V10PW-8250
<b>250</b> FT	76.20 M	MATTE BLACK	V10GW-8250
250 FT	76.20 M	MATTE RED	V10PW-8RD250





- > Meets CEA and ANSI specification for wire gauge
- > Fully tinned virgin copper construction
- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- BC-5W2 marine compliant

#### 12 AWG

<b>125</b> FT	38.10 M	BLACK	V10SW12125-BK
<b>125</b> FT	38.10 M	WHT/BLK	V10SW12125-WB

#### 🕨 16 AWG

250 FT	76.20 M	BLACK	V10SW16250-BK
500 FT	152.4 M	BLACK	V10SW16500-BK
250 FT	76.20 M	WHT/BLK	V10SW16250-WB
500 FT	152.4 M	WHT/BLK	V10SW16500-WB

12



Full virgin copper construction

- > High strand count for maximum flexibility
- > Ultra-flexible PVC blended jacket
- BC-5W2 marine compliant

#### 1/0 AWG

50 FT	15.24 M	SOLID BLUE	V8GT10B-50
50 FT	15.24 M	SOLID BLACK	V8GT10BK-50
50 FT	15.24 M	SOLID RED	V8GT10RD-50

#### 4 AWG

100 FT	30.48 M SOLID BLUE	V8GT4B-100
<b>100</b> FT	30.48 M SOLID BLACK	<b>V8GT4BK-100</b>
100 FT	30.48 M SOLID RED	V8GT4R-100

#### 8 AWG

<b>250</b> FT	76.20 M	SOLID BLUE	V8GT8B-250
<b>250</b> FT	76.20 M	SOLID BLACK	V8GT8BK-250
250 FT	76.20 M	SOLID RED	V8GT8R-250

# **PREMIUM BRASS ACCESSORIES**

T-Spec is introducing 4 new components to simplify and streamline any installation. Maximizing functionality while maintaining the smallest profile was key with these new ground breaking designs. A 4-position battery terminal that can accept up to (2) 1/0 AWG and (2) 4 AWG, down to (4) 10 AWG wires and including all markers and hardware to be used for positive or negative post. The revolutionary fuse block that is capable of mounting a single ANL fuse, single MANL fuse, or even dual MANL fuses; making it the all in one fuse solution. For multiple amplifier systems, the 3-way fused distribution block and 2 to 1 grounding block will insure solid power transfer to all components with highly discrete footprints. All of these components are constructed of 100% brass for optimal conductivity and nickel plated for durability and longevity.







#### 1/0 AWG COMPACT FUSE HOLDER

- Accepts 1 ANL or single/dual MANL fuses
- > 1/0 AWG 8 AWG In/Out
- Compact design for simpler installation
- Solid brass construction for maximum conductivity
- Nickel finish for durability
- Cover included
- V-ANL-H





#### MANL 3-POSITION DISTRIBUTION BLOCK

- Independently MANL fused outputs
- > (1) 1/0 AWG 8 AWG In
- > (3) 4 AWG 10 AWG Out
- Compact design for simpler installation
- Solid brass construction for maximum conductivity
- Nickel finish for durability
- Cover included

#### **V-DIST-PWR**

#### **BATTERY TERMINAL** 3-POSITION DISTRIBUTION BLOCK

- > (2) 1/0 AWG 10 AWG plus (2) 4 AWG 10 AWG In
- Compact design for simpler installation
- Solid brass construction for maximum conductivity
- Nickel finish for durability
- > Positive and negative marker plates included
- > Negative post sleeve included

#### V-BATT-TML





#### GROUND

#### 2-POSITION DISTRIBUTION

- > (2) 4 AWG 10 AWG In
- > (1) 1/0 AWG 8 AWG Out
- Compact design for simpler installation
- > Solid brass construction for maximum conductivity
- Nickel finish for durability
- Cover included

#### **V-DIST-GND**

### **BATTERY** TERMINALS

Today's cars are smaller and the space under the hood is also at a premium. There's no longer unlimited room for large battery terminals and complex wiring. T-Spec recognizes this and has responded with a full line of compact brass battery terminals designed to fit where others simply will not. The new Add-a-Post system creates an additional battery post to retain the sophisticated fused battery terminal found in modern vehicles. These universal terminals are constructed from solid brass for maximum conductivity and feature the easy installation, single tool T20 screws.



# FUSE HOLDERS

Fusing an aftermarket car stereo system provides protection for tour car and your car stereo. No fuse system provides better protection than T-Spec. The T-Spec compact brass designs are constructed from solid brass and are smaller than anything else in the industry. With the new one tool T20 Torx<sup>®</sup> screws and 360 degree rotatable base, installation has never been faster, easier, and more reliable.











### **BATTERY TERMINAL**

#### 1/0 -10 AWG 8-POSITION

- > Add-a-Post system for retention of the factory terminal connector
- > (4) 4/8/10 AWG outputs (set screw)
- > (4) 1/0-10 AWG outputs (ring terminal)
- > For positive or negative battery post use (adapter sleeve included)
- Includes (1) positive and (1) negative bolt-on post for retaining factory vehicle terminal
- Solid brass construction
- >Black nickel finish
- > T20 Torx<sup>®</sup> screws
- Gate Lock technology

#### VBTPN

#### **GM POST**

STANDARD & EXTENDED BATTERY TERMINAL

- Standard length battery post terminal
- For GM side post style batteries

NEW

Solid brass construction

VGMS Standard length

VGML Extended length

NEW

#### ANL 1/0-4 AWG FUSE HOLDER

- > 360 Rotatable base mount
- TPE wrapped soft touch
- > Dual sizes gasket set

#### VANL



ANL 1/0-4 AWG FUSE HOLDER

- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water resistant

VANL1



#### MANL 4/8 AWG FUSE HOLDER

- Water resistant
- Solid brass construction
- Black nickel finish

#### VMANL

VMANL-10 10 pack



- Solid brass construction
- Black nickel finish

VMANL1



AGU 4/8 AWG FUSE HOLDER

- T20 Torx<sup>®</sup> screws
- Gate Lock technology

VAGU VAGU-10 10 pack



DUAL MANL 1/0-4/8 AWG FUSE HOLDER

- T20 Torx<sup>®</sup> screws
- Gate Lock technology



**T**SPEC

### COMPACT DISTRIBUTION

Your high-end amplifiers deserve every ounce of power that your car's electrical system can deliver. That's why multi-amp systems require high quality power and ground distribution systems. T-Spec's all brass construction provides maximum current flow to your sensitive amplifiers. The compact brass design is a fraction of the size of traditional distribution blocks ensuring hassle free installation. The new T20 Torx<sup>®</sup> screw across the line ensures ease of installation with a single tool. Redesigned with a new high-tech appearance and black nickel finish, these distribution blocks look as good as they preform!









#### NEW/

#### MANL 2-POSITION DISTRIBUTION BLOCK

- > (1) 1/0-4 AWG in/(2) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- Solid brass construction
- Black nickel finish
- > T20 Torx<sup>®</sup> screws
- Gate Lock technology

#### VFDB2

#### NEW

#### MANL 4-POSITION DISTRIBUTION BLOCK

- > (1) 1/0-4 AWG in/(4) 4/8 AWG out
- > TPE wrapped soft touch
- Dual sizes gasket set
- Water-resistant
- Solid brass construction
- Black nickel finish
- T20 Torx<sup>®</sup> screws
- Gate Lock technology

#### VFDB4



#### MANL

#### 2-POSITION ALL-IN-ONE DISTRIBUTION BLOCK

- (2 positive) 1/0-4 AWG in/(2 positive) 4/8 AWG out
   (1 negative) 1/0-4 AWG in/(2 negative) 4/8 AWG out
- TPE wrapped soft touch
- > Dual sizes gasket set
- Water-resistant
- Solid brass construction
- Black nickel finish
- T20 Torx<sup>®</sup> screws
- Gate Lock technology

#### VPNB2

#### NEW

#### MANL

#### 4-POSITION ALL-IN-ONE DISTRIBUTION BLOCK

- (2 positive) 1/0-4 AWG in/(4 positive) 4/8 AWG out
   (1 negative) 1/0-4 AWG in/(4 negative) 4/8 AWG out
- TPE wrapped soft touch
- > Dual sizes gasket set
- Water-resistant
- Solid brass construction
- Black nickel finish
- T20 Torx<sup>®</sup> screws
- Gate Lock technology

#### VPNB4

**T**-SPEC



#### NEW

#### **BLOCK** 2-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(2) 1/0-4 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- Solid brass construction
- Black nickel finish
- > T20 Torx<sup>®</sup> screws
- Gate lock technology

#### VDB1



#### BLOCK 2-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(2) 4/8 AWG out
- TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- > Solid brass construction
- Black nickel finish
- > T20 Torx<sup>®</sup> screws
- Gate lock technology

#### VDB2



#### **BLOCK** 4-POSITION DISTRIBUTION

- > (1) 1/0-4 AWG in/(4) 4/8 AWG out
- > TPE wrapped soft touch
- > Dual sizes gasket set
- > Water-resistant
- Solid brass construction
- Black nickel finish
- T20 Torx<sup>®</sup> screws
- Gate lock technology

VDB4

20

# POWER CAPACITORS

The strength of a vehicle's electrical system is often overlooked when upgrading your car's stereo system with power amplifiers and additional speakers. The truth is, these additions can provide additional stress on your alternator or battery resulting in diminished performance from the audio system. The simple addition of a T-Spec capacitor will improve electrical system performance by providing a buffer between the alternator and amplifier. Stored energy from your car's electrical system is held in the cap and quickly released to the amplifier when needed. T-Spec capacitors offer the lowest ESR in the business allowing the cap to charge and release its energy quicker.









- > Distribution top for simple installation
- > Voltage meter to monitor electrical system performance
- Simple mounting system
- Impact resistant polycarbonate cover

#### V8-3DDC



- > Voltage meter to monitor electrical system performance
- Simple mounting system
- > Impact resistant polycarbonate cover

#### V6-1-5DDC

**T**-SPEC



In a "one size fits all" world it's rare to see a company provide a wide range of options. The team at T-Spec understands how difficult it can be to find just the right product for your application. That's why the T-Spec amp kit line features 28 different models to cover nearly every price, power and performance level imaginable! T-Spec amp kits utilize the finest materials to ensure maximum performance and hassle-free installation.

#### **POWERSPORTS & MARINE AMP KITS**

More and more systems are being installed into boats and powersports vehicles like ATV's. These T-Spec kits are designed specifically for that purpose. Each kit provides full CEA spec BC-5W2 marine compliant cable and circuit breaker protection to eliminate short circuits and will offer easy re-set to get going again. No need to carry miscellaneous fuses in case of a problem.









- > Exceeds CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- Compact brass fusing and distribution



1/D AWG AMP KIT

- > 17' V12 1/0 AWG OFC matte red multi-strand power wire
- > 3' V12 1/0 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- Compact brass ANL fuse holder with 300A fuse
- Nickel plated 1/0 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V12-AK1



### **4 AWG AMP KIT**

- > 17' V12 4 AWG OFC matte red multi-strand power wire
- > 3' V12 4 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- Compact brass MINI ANL fuse holder with 150A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and black boot connected at battery and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V12-AK4





- > 17' V12 8 AWG OFC matte red multi-strand power wire
- > 3' V12 8 AWG OFC matte black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- 17' V12 noise rejecting twisted RCA cable with precision machined ends and quad-split tip
- Compact brass MINI ANL fuse holder with 60A fuse
- Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and black boot connected at battery end and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V12-AK8



- > Meets CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- Fully tinned wire
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- Compact brass fusing and distribution

### 1/D AWG AMP KIT

- > 17' V10 1/0 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 1/0 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- Compact brass ANL fuse holder with 250A fuse
- Nickel plated 1/O AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V10-AK1





- > 17' V10 4 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 4 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- Compact brass ANL fuse holder with 125A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V10-AK4



- BOD W WITH RCA CABLE
- > 17' V10 8 AWG full tinned OFC pearl multi-strand power wire
- > 3' V10 8 AWG full tinned OFC black multi-strand ground wire
- > 17' 18 AWG full tinned OFC blue remote turn-on wire
- > 17' V10 noise rejecting dual-twist RCA cable with precision machined ends and quad-split tip
- Compact brass ANL fuse holder with 50A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and grey boot connected at ground
- > 8 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### V10-AK8

**T**SPEC

### v8 AMP KITS

- > V8GT power and ground wire
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- Compact brass fusing and distribution



- 1/0 AWG AMP KIT
- > 17' V8GT 1/0 AWG OFC red multi-strand power wire
- > 3' V8GT 1/0 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > ANL fuse holder with 200A fuse
- Nickel plated 1/O AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- 1/0 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V8-AK1**



**4 AW/G AMP KIT** 1500 W WITH RCA CABLE

- > 17' V8GT 4 AWG OFC red multi-strand power wire
- > 3' V8GT 4 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 100A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 4 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties

#### **V8-AK4**





- > 17' V8GT 8 AWG OFC red multi-strand power wire
- > 3' V8GT 8 AWG OFC black multi-strand ground wire
- > 17' 18 AWG OFC blue remote turn-on wire
- > 17' V8 noise rejecting twisted RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 40A fuse
- Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and silver boot connected at battery end and black boot connected at ground
- > 8 AWG spade terminals with silver and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties
- **V8-AK8**





- > Meets CEA and ANSI specification for wire gauge
- > Full virgin copper construction
- > High strand count for maximum flexibility
- > BC-5W2 marine compliant RCA, speaker, power and ground wire
- Compact brass fusing and distribution



- 6 1/0 AWG AMP KIT
- > 17' V6 1/0 AWG CCA multi-strand power wire
- > 3' V6 1/0 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- > 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > ANL fuse holder with 150A fuse
- Nickel plated 1/O AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- > 1/0 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties
- V6-RAK1-0





- > 17' V6 4 AWG CCA multi-strand power wire
- > 3' V6 4 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- > 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > ANL fuse holder with 60A fuse
- Nickel plated 4 AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- > 4 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties
- V6-RAK4





- > 17' V6 8 AWG CCA multi-strand power wire
- > 3' V6 8 AWG CCA multi-strand ground wire
- > 17' 18 CCA blue remote turn-on wire
- 17' V6 noise rejecting woven coaxial RCA cable with precision molded ends and split tip
- > MINI ANL fuse holder with 30A fuse
- Nickel plated 8 AWG seamed crimp ring terminal with 8.5mm hole and red boot connected at battery end and black boot connected at ground
- > 8 AWG spade terminals with red and black boots for amp connection
- > Miscellaneous connectors, terminals and wire ties
- V6-RAK8

T-SPEC



- > Designed specifically for amplifier installation in boats and powersports vehicles
- > Each kit provides full CEA spec BC-5W2 marine compliant cable
- > Each kit provides circuit breaker protection to eliminate short circuits
- Offers easy reset to get going again
- Fully tinned OFC wire
- > No need to carry miscellaneous fuses in case of a problem





- > 1/0 AWG pearl white fully tinned OFC wire
- > 1/0 AWG black fully tinned OFC wire
- > 20' blue fully tinned OFC
- > (1) 200 amp circuit breaker
- (1) 1/0 AWG ring terminal with white boot
- (1) 1/0 AWG ring terminal with silver boot
- (10) 6" wire ties
- > Assorted accessories

20 FT 6.10 M	FULL TIN	V10-S2001
10 FT 3.05 M	FULL TIN	V10-S1001



### 10 4 AWG AMP KIT

- > 4 AWG pearl white fully tinned OFC wire
- 4 AWG black fully tinned OFC wire
- > 20' blue fully tinned OFC
- > (1) 100 amp circuit breaker
- > (1) 4 AWG ring terminal with white boot
- > (1) 4 AWG ring terminal with silver boot
- (10) 6" wire ties
- > Assorted accessories

<b>20</b> FT 6.10 M	FULL TIN	V10-2041
	FULL IIN	10-2041
<b>10</b> FT 3.05 M	FULL TIN	V10-1041

28



Ø

> Designed specifically for amplifier installation in boats and power sports vehicles

- > Each kit provides full CEA spec BC-5W2 marine compliant cable
- >Use to add more than one amplifier to any system
- Fully tinned OFC wire



- > (1) 10' 4ga pearl white fully tinned OFC wire
- > (1) 10' 4ga black fully tinned OFC wire
- > (2) compact brass distribution blocks
- > (1) hardware pack
- > 20' blue fully tinned OFC
- > Use with **V10-S2001** and **V10-S1001**

10 FT	3.05 M	FULL TIN	V10-D104K
	0.0011		

Ð	<b>BGA ADD-A-AMP KIT</b> FOR 4AWG POWER KITS

- > (1) 10' 8ga pearl white fully tinned OFC wire
- (1) 10' 8ga black fully tinned OFC wire
- > (2) compact brass distribution blocks
- > (1) hardware pack
- > 20' blue fully tinned OFC
- > Use with V10-S2041 and V10-S1041

<b>10</b> FT	3.05 M	FULL TIN	V10-D108K
	0.00		











HEAVY DUTY SET SCREW			
<b>1/0</b> AWG	<b>2</b> PACK	VR04	
<b>4</b> AWG	<b>2</b> PACK	VR48	



#### RING TERMINALS - 5-PACK

<b>1/0</b> AWG	1/4" CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN1
<b>1/0</b> AWG	5/16" CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-RTN2
<b>1/0</b> AWG	3/8" CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-RTN3
<b>4</b> AWG	1/4" CRIMP	5 PACK (3 RED & 2 BLACK)	<b>V8-RTN8</b>
<b>4</b> AWG	5/16" CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN9
<b>4</b> AWG	<b>3/8"</b> CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-RTN10
<b>8</b> AWG	5/16" CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN18
<b>8</b> AWG	<b>3/8"</b> CRIMP	5 PACK (3 RED & 2 BLACK)	V8-RTN19

#### RING TERMINALS - 20-PACK

<b>1/0</b> AWG	1/4" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-RTN1-20
<b>1/0</b> AWG	5/16" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-RTN2-20
<b>1/0</b> AWG	<b>3/8"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-RTN3-20
<b>4</b> AWG	1/4" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-RTN8-20
<b>4</b> AWG	5/16" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-RTN9-20
<b>4</b> AWG	<b>3/8"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-RTN10-20
<b>8</b> AWG	5/16" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-RTN18-20
<b>8</b> AWG	<b>3/8"</b> CRIMP	<b>20</b> PACK (10 RED & 10 BLACK)	V8-RTN19-20

#### SPADE TERMINALS - 5-PACK

<b>4</b> AWG	1/4" CRIMP	<b>5</b> PACK (3 RED & 2 BLACK)	V8-ST1
<b>8</b> AWG	1/4" CRIMP	5 PACK (3 RED & 2 BLACK)	V8-ST2
<b>8</b> AWG	#10 CRIMP	5 PACK (3 RED & 2 BLACK)	V8-ST3

#### SPADE TERMINALS - 20-PACK

<b>4</b> AWG	1/4" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-ST1-20
<b>8</b> AWG	1/4" CRIMP	20 PACK (10 RED & 10 BLACK)	V8-ST2-20
<b>8</b> AWG	#10 CRIMP	20 PACK (10 RED & 10 BLACK)	V8-ST3-20



30






		<b>2-PACK</b>	10- <b>PACK</b>
<b>80</b> AMP	ANL	<b>V8-ANL80</b>	V8-ANL80-10
<b>100</b> AMP	ANL	V8-ANL100	V8-ANL100-10
<b>150</b> AMP	ANL	V8-ANL150	V8-ANL150-10
<b>200</b> AMP	ANL	V8-ANL200	V8-ANL200-10
<b>250</b> AMP	ANL	V8-ANL250	V8-ANL250-10
<b>300</b> AMP	ANL	V8-ANL300	V8-ANL300-10



VB	MINI ANL FUSES	
U	v8 SERIES NICKEL PLATED	

		<b>2-PACK</b>	10-PACK
<b>30</b> AMP	MANL	V8-MANL30	V8-MANL30-10
<b>40</b> AMP	MANL	V8-MANL40	V8-MANL40-10
<b>60</b> AMP	MANL	V8-MANL60	V8-MANL60-10
<b>80</b> AMP	MANL	V8-MANL80	V8-MANL80-10
100 AMP	MANL	V8-MANL100	V8-MANL100-10
125 AMP	MANL	V8-MANL125	V8-MANL125-10
<b>150</b> AMP	MANL	V8-MANL150	V8-MANL150-10





**V8-AGU60** 

60 AMP AGU

V8-AGU60-10







- 1/0 or 4 AWG In/Out
- Manual reset button
- Resistant to corrosion

V12-CBF200

- > 1/0 or 4 AWG In/Out
- Manual reset button
- Resistant to corrosion

V12-CBF180





- > 1/0 or 4 AWG In/Out
- Manual reset button
- Resistant to corrosion

#### V12-CBF140





- 1/0 or 4 AWG In/Out
- Manual reset button
- Resistant to corrosion

#### V12-CBF100



CAR AUDIO

WIRE

CABLE

WIRE



#### T-SPEC SPOOL RACK DISPLAY

Black powder coated metal
 Metal frame for high strength

- Holds up to 12 spools (not included)
- Spool cable & speaker wire
- Dimensions: 57"H x 32"W x 28"D

#### SPOOLRACK-TSRP

#### T-spec rack foamboard header TSPEC-WIREHDR



#### T-SPEC SLATWALL SPOOL HOLDER

 Black powder coated metal
 Holds one spool (not included)
 Mount on slatwall or sits on shelf / floor TS-SLATSPOOL



#### T-SPEC SLATWALL HANGING DISPLAY > Mount on slatwall > Dimensions: 18"x 18" TS-SLATDISP







T-SPEC WIRE SPOOL DISPLAY STAND > Black powder coated metal > Metal frame for high strength > Holds six spools (not included)

Dimensions: 66"H x 36"W

T-spec display stand graphics

T-SPEC RCA COUNTER

**TS-SWSTAND** 

**TSP-SWGRAPHIC** 

**TOP DISPLAY**High quality printed display

Sits on counter
 TS-DISP-RCA

#### T-SPEC SLATWALL HEADER

- High quality printed logo graphic
- Lightweight rigid material
- Dimensions: 48" x 8"
- TSP-HDR

#### T-SPEC BANNER

- High quality printed banner
- Includes reinforced holes for hanging
  Dimensions: 48" x 24"
- TSP-BANR







- metal display
- Metal pegboard for strength
- Dimensions: 78"H X 39.5"W X 13.5"D

#### **TSPECRACK750**

#### T-spec large top decal TSPECLARGE

ARTS:	V12R174
8-AK8	VANL
8-AK4	VMANL
8R17	VANL1
8R174	VMANL1
10-AK8	VPNB2
10-AK4	VPNB4
10R17	VFDB2
10R174	VFDB4
12-AK8	VDB1
12-AK4	VDB2
12R17	VDB4



#### SKINNY DISPLAY

Black powder coated metal

- Metal pegboard for strength
- Dimensions each: 72"h x 20"w x 13.5"d **TSPECV8KIT**

TSPEC

T-SPEC STICKER

**15**/12/01

V8-AK8	V8RY1
V8-AK4	V8RY2
V8R6	VANL
V8R17	VMANL
V8R174	VAGU

1.5"H x 6"W silver diecut vinyl TSP-STICKER

#### T-SPEC SKINNY DISPLAY

SPEC

Black powder coated metal

- Metal pegboard for strength
- Dimensions each: 72"h x 20"w x 13.5"d
- **TSPECV10KIT**

PARTS: V10-AK8 **V10RY1** V10-AK4 **V10RY2** V10R6 VANL VMANL V10R17 VAGU V10R174

#### T-SPEC SKINNY DISPLAY

#### Black powder coated metal

Metal pegboard for strength

SPEC

SPEC

- Dimensions each:
- 72"h x 20"w x 13.5"d **TSPECV12KIT**

PARTS: V12-AK8 V12-AK4 V12R6 V12R17

V12RY1 V12RY2 VANL VMANL VAGU



#### T-SPEC STICKER

T-spec small top decal & universal decal TSPEC-UNIKIT

#### T-SPEC DECALS

- T-spec small top decal & V8 decal TSPECV8KIT
- T-spec small top decal & V10 decal TSPECV10KIT
- T-spec small top decal & V12 decal TSPECV12KIT

#### T-SPEC OUT OF

STOCK CARD Don't be left with empty shelves TSPEC-STKCD



T-SPEC SHELF TALKER Call to action your display **TSPEC-AMPSTKR** 

#### T-SPEC T-SHIRT

Charcoal shirt with black/red screenprint on front & back > Large TSP-SHRT13-L X-Large TSP-SHRT13-XL

SPEC

> XX-Large TSP-SHRT13-XXL





