





LINSV2™ V-Series™

Two-in-one combination 180° warning and puddle light for under surface mounting. Right angle bracket mounts lighthead beneath a side view mirror or under any flat mounting surface.



Mirror-Beam™ & Mirror-Beam ION™ V-Series

Custom molded Black housings fit over the vehicle's existing mirror glamour caps and feature ION or ION V-Series Super-LED® lightheads.





Vertex[™] Series

Single 7/8", hemispheric, self-contained lighthead. Available in three different optical light output models: omni-directional, side emitter, and directional.



LINV2™ V-Series

Surface mount, Linear-LED®, two-in-one combination 180° warning and puddle light.



Micron™ Series

Now available in single or split colors, compact Micron series lightheads include surface mount flange in Black or Chrome. Stud mount Micron allows for easy and simple surface mount installation.



ION Series

Versatile Super-LED lightheads with standard or wide-angle optics. Available in surface or universal mount.



ION DUO™ & TRIO™ Series

ION Series lightheads re-engineered with high performance linear optics. Available with DUO (two color interleaved) or TRIO (three color interleaved) technology. Available in surface mount.



ION V-Series

Three-in-one combination 180° wide-angle warning, illumination, and puddle light or single color 180° and TIR directional warning models. Available in surface or universal mount.



ION T-Series™

The ION T-Series features Linear Super-LED technology and a sleek and low profile design, with a depth of only 1/2" (13mm).



NEWION Mini T-Series

With a depth of only 1/2", the sleek ION Mini T-Series provides high performance warning or illumination in an extremely compact design. The ION Mini T-Series features Linear Super-LED optics is available in single or split models.



ION T-Series License Plate Bracket

Universal license plate bracket for two ION T-Series lightheads.



ION License Plate Bracket

Universal license plate bracket for horizontal mount of two ION lightheads.



Micron License Plate Bracket

Universal license plate bracket for two Micron lightheads.







Liberty™ II Series

Already a favorite of Police fleets worldwide, Whelen's Liberty lightbar has been redesigned from the ground up, creating the Liberty II. With an enhanced optical design, the Liberty II builds on the Liberty's reputation for excellent reliability and performance. Increase clarity with Whelen's all-new, patent pending Proclera™ Silicone Optics (available in take-down lights). The Liberty II is available in SOLO™, DUO+™, and TRIO™ models with WeCan® or Low Current technology.

PROXICAL STATISTICAL PROPERTY OF A STATISTICAL STATISTICS.

Legacy® Series

Maximize the performance of Whelen's advanced LED technology with the Legacy, the low profile lightbar with a durable UNI-DOME construction and 360° of contiguous light. The Legacy is available in SOLO and DUO+ models with WeCan technology.



Justice® Series

Designed for ease of operation and serviceability, Super-LED® Justice lightbars feature a variety of options for customization. Models available with WeCan or standard current operation.



Freedom® IV Series

Introducing the Freedom IV Series, featuring Whelen's advanced Linear Super-LED® optics, all new DYAD™ two level technology, and 360° of contiguous light. DYAD technology allows for individual control of each level of each lighthead. Hard-coated lenses and solid-state electronics resist the harshest of environments. Multiple options are available for full customization. Models available with WeCan or Low Current technology.



NEW Inner Edge® FST™ Series

The newly designed, low-profile Inner Edge FST Series mounts to visor anchor points and better utilizes vehicle contours, providing higher visibility and a custom fit. The Inner Edge FST Series now features BroadBand Blue[™]. BroadBand Blue delivers a higher intensity, creates a larger optical image, and produces a more consistent color, all while being easier on the eyes—especially at night. Whelen's all-new patent-pending Proclera Optic silicone technology increases clarity and has the power to punch through tints. The Inner Edge FST Series features 38 Scan-Lock[™] flash patterns and is available with SOLO, DUO, or TRIO technology.



NEWInner Edge RST™ Series

The newly designed, low-profile Inner Edge RST Series better utilizes vehicle contours by mounting to the rear deck of sedans and the rear headliner of SUVs and pickup trucks, providing higher visibility and a custom fit. The Inner Edge RST Series now features BroadBand Blue. BroadBand Blue delivers a higher intensity, creates a larger optical image, and produces a more consistent color, all while being easier on the eyes—especially at night. Whelen's all-new patent-pending Proclera Optic silicone technology increases clarity and has the power to punch through tints. The Inner Edge RST Series features 38 Scan-Lock flash patterns and is available with SOLO, DUO, or TRIO technology.



MKEZ83. MKLP83 straps mount 48" - 55" lightbar.







M2 Series

Super-LED® surface mount lighthead with low current consumption. Standard and wide-angle light spread models.



V23™ V-Series™

Three-in-one combination 180° wide-angle warning, illumination, and puddle light.



Avenger® II Series

The Avenger II features newly designed combination Linear/TIR optics for high-intensity warning and illumination and a smaller profile to maximize space for optimal versatility. The Avenger II builds on the Avenger's reputation for excellent functionality and efficiency and is available with SOLO™, DUO™, or TRIO™ technology.



A compact Super-LED dash light available in single and split colors.



Tracer™ Series

Engineered to increase vehicle visibility, the new Tracer Series is available in SOLO, DUO, or TRIO models. Sleek vehicle specific mounting brackets conform to vehicle rocker panels for maximum versatility and the universal mounting bracket kit will mount Tracer to a variety of applications. The durable clamshell design allows for easy reconfiguration and serviceability. Tracer now includes a Traffic-Advisor™ in 4-6 lamp versions. The newly designed, fully encapsulated control module is designed for exterior or interior installation and features two additional inputs for Traffic Advisor functions.





PAR-46 Series

Super-LED drop-in replacements for outdated Halogen lamps. Available in 2° or 8° spotlight or $20^{\circ} \times 60^{\circ}$ floodlight, these lightweight and low current lightheads provide stable light output for thousands of operating hours. Available in California Steady Red.

NEW Pioneer LiFe™

The all-new Pioneer LiFe LF28 combines a Pioneer SlimLine™ optic with the portability and flexibility of a grab and go light, designed to bring Whelen's advanced Pioneer™ technology where other lights can't go. The Intelligent Inductive Charger with no exposed contacts provides easy, wireless charging. Lithium Iron Phosphate battery models are under 7.5 pounds, lighter than any other portable area light on the market today.









Outer Edge® Rear Facing Series

Engineered for weather and vibration resistance, the Outer Edge Series is newly designed featuring six Micron™ or six ION™ lightheads. ION lightheads are now available with SOLO™, DUO™, or TRIO™ technology.



Outer Edge Rear Pillar Series

Newly designed featuring six Micron or ION lightheads and an all new service loop for easy reconfiguration, Whelen's durable Outer Edge rear lights are engineered for weather and vibration resistance. ION lightheads are now available with SOLO, DUO, or TRIO technology.



Micron Series

Now available in single or split colors, compact Micron series lightheads include surface mount flange in Black or Chrome. Stud mount Micron allows for easy and simple surface mount installation.



ION Series

Versatile Super-LED® lightheads with standard or wide-angle optics. Available in surface or universal mount.



ION DUO & TRIO Series

ION Series lightheads re-engineered with high performance linear optics. Available with DUO (two color interleaved) or TRIO (three color interleaved) technology. Available in surface mount.



ION V-Series™

Three-in-one combination 180° wide-angle warning, illumination, and puddle light or single color 180° and TIR directional warning models. Available in surface or universal mount.



ION T-Series™

The ION T-Series features Linear Super-LED® technology and a sleek and low profile design, with a depth of only 1/2" (13mm).



NEW ION Mini T-Series

With a depth of only 1/2", the sleek ION Mini T-Series provides high performance warning or illumination in an extremely compact design. The ION Mini T-Series features Linear Super-LED optics is available in single or split models.



ION T-Series License Plate Bracket

Universal license plate bracket for two ION T-Series lightheads.



ION License Plate Bracket

Universal license plate bracket for horizontal mount of two ION lightheads.



Micron License Plate Bracket

Universal license plate bracket for two Micron lightheads.




Vertex™ Series

Single 7/8", hemispheric, self-contained lighthead. Available in three different optical light output models: omni-directional, side emitter, and directional.



Headlight Flasher

Headlight Flasher with 8 Flash Patterns, Plug and Play for 2017 Ford Interceptor Utility (Requires Ford Option 60A, pre-wire option).













CanTrol allows complete vehicle integration, combining vehicle sensors, lighting, siren, and auxiliary functions with user input and automation. CanTrol can be configured to better predict and react to specific situations on the road. Models are now available with the CANport OBDII Interface, a simple plug-in connection to your vehicle. Using the CANport, CAN bus signals are easily applied to automate warning system functions. (Only available through authorized CanTrol distributors)

CenCom Carbide™

The CenCom Carbide features a newly designed control head and all new configuration software, both engineered to help maintain situational awareness of the officer. Numerous innovative features and optional expansion modules make Carbide a convenient, single box programming solution. Models are now available with the CANport OBDII Interface, a simple plug-in connection to your vehicle. Using the CANport, CAN bus signals are easily applied to automate warning system functions.





CenCom Sapphire™


Integrated siren and light control system puts state-of-the-art performance into a package that is easily configured. Includes control head and amplifier/control module. Models available for 1, 2, or 9-wire Traffic Advisors™.





NEWHHS Siren Series

Whelen's innovative HHS3200 features standard switching and a completely redesigned plastic amplifier module housing, providing excellent durability. The all-new control head is engineered with LED backlighting for ease of use. The stealth design of the HHS is ideal for volunteer or undercover vehicles.









SA315P Siren Speaker

Multi-port, 100 watt speaker with nylon composite housing. Easily installs to the radiator cross member. Complies with OSHA 1910.95 guidelines regarding "Permissible Noise Exposure".

Howler™ Siren & Speaker
An effective added layer of warning when used with any 100-200 watt siren amplifier, providing deep, low frequency tones which are easily audible in other vehicles.

295SLSA6 Hands-Free Electronic Siren

Single unit siren with 9-switch light control, Park-Kill, and Timed Out Relay with multiple Scan-Lock™ siren tones.

29555A & 2955DA Siren Series

Powerful traffic clearing capability in a full featured siren and control heads with remote amplifier. Now available in single or dual tone models.











Liberty™ II Series*

See Price List for Models

Legacy® Series*

See Price List for Models

Mounting Kits Models: MKEZ83, MKLP83 (2013-2017 Models)

Justice® Series

See Price List for Models

Freedom® IV Series*

See Price List for Models

NEW Inner Edge® FST™ Series

Models: ISFL345, ISFL346, ISFL34Z, ISFL34X, ISFW345, ISFW346, ISFW34Z, ISFW34X

NEWInner Edge RST[™] Series Model: IS348 Available in 6, 8, or 10 lamp models

Outer Edge® Rear Facing Series*
Models: OELS34, OEWS34, OEWD34, OEWT34, OE34UR6, OE34UR6T
(See Price List for Lighthead Models)

Outer Edge Rear Pillar Series*

Models: RPLS34, RPWS34, RPWD34, RPWT34, RP34 (See Price List for Lighthead Models)

NEW Pioneer LiFe™

Models: LF28, LA28

Headlight Flasher

Model: SSFFP16

Avenger® II Series

See Price List for Models

SpitFire ION™

Models: SFION*, SFIOND, SFIONJ, SFIONE

PAR-46 Series*

Models: P46SLC, P46FLC, P46WLC, P46S2*, P46S2*3, P46S2X2

Vertex™ Series*

Models: VTX609*, VTX609#, VTX3609*, VTX3609#, VTXD609*, VTXD609# (See Price List for Optional Mounting)

V23™ V-Series™*

Models: V23*TPB, V23*TPC

M2 Series

Models: M2*, M2*C, M2#, M2W*, M2W*C, M2W# (See Price List for Optional Mounting)

Micron™ Series*

Models: MCRNS*, MCRNS#, MCRNSC*, MCRNSC# Stud Mount Models: MCRNT*, MCRNT# Option: MCRNB1

Micron License Plate Bracket

Model: MCRNB2

ION™ Series*

Universal Mount Models: ION*, ION#, WION*, WION# Surface Mount Models: IONSM*, IONSM#, WIONSM*, WIONSM#



ION™ DUO™ & TRIO™ Series*

Models: 12#, 13JC, 13JA, 13KC, 13MC

Surface Mount Models: I2SM#, I3SMJC, I3SMJA, I3SMKC, I3SMMC

ION V-Series™*

 $\textbf{Models:} \ \mathsf{IONV3^*}, \ \mathsf{IONV3^*W}, \ \mathsf{IONSV3^*W}, \ \mathsf{IONSV3^*W}, \ \mathsf{IONSV3^*C}, \ \mathsf{IONV1^*}, \\$

IONV1*W, IONSV1*, IONSV1*W

ION T-Series™*

Models: TLI*, TLI#, TLI2#

Options: TIONFC, TIONBKT1, TIONBKT2, TIONBKT3, TIONBKT4

NEWION Mini T-Series

Models: TLMI*, TLMI*X, TLMI#, TLMI#X, TIONMFC

ION & ION T-Series License Plate Bracket

Models: IONBKT1, TIONBKT2

LINV2™ V-Series*

Model: LINV2* (See Price List for Optional Mounting)

LINSV2™ V-Series*

Models: LINSV2*, LSVBKT34 (Bracket for 2013-2017)

Mirror-Beam™ & Mirror-Beam ION V-Series*

Models: MBFX11**, MBFX11JJ, VMFX11**

NEWHHS Siren Series

Model: HHS3200

CanTrol® WC

Models: CANWC1, CANCTL4, CANCTL5, CANCTL6, CANCTL7

CenCom Carbide™

Models: CCSRN4, CCSRN4A, CCSRNT4, CCSRNT4A, CCSRN5, CCSRN5, CCSRNT5, CC5K1, CCSRN4DA, CANEM16

CenCom Sapphire™

Models: CCSRN3, CCSRN35, CCSRN36, CCSRN3A, CCSRN3F, CCSRNTA3, CCSRNT35, CCSRNT36, CCSRNT3A, CCSRNT3F, CCTRIM

Howler™ Siren & Speaker

Models: HWLFE13 (2013-2017 with Fog Lights), HOWLER with HWLRB13 (2016 without Fog Lights)

295SLSA6 Hands-Free Electronic Siren

Model: 295SLSA6 (standard switching)

29555A & 2955DA Siren Series

Models: 295SSA1, 295SDA1, 295SSA2, 295SDA2

SA315P Siren Speaker

Model: SA315P

Options: SAK44, SAK51, SAK52

Tracer™ Series

SOLO™ Models: TCRHS (1-6) DUO Models: TCRHD (1-6) TRIO Models: TCRHT (1-6) Mounting: TCRB34, TCRLBKT

- * Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red
- # Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear J = Red/Blue; K = Red/Amber; M = Blue/Amber
- *Available in Smoked Lens/Dome

